


5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 86
06-I-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	81.75	88.20	-6.45	74.13	3	Vertical	5	1.80	-	32.60	7.38	32.36
RMS	5.925G	67.45	68.20	-0.75	59.83	3	Vertical	5	1.80	-	32.60	7.38	32.36
PK	5.9584G	120.53	Inf	-Inf	112.91	3	Vertical	5	1.80	-	32.58	7.39	32.35
RMS	5.969G	107.29	Inf	-Inf	99.69	3	Vertical	5	1.80	-	32.56	7.39	32.35

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 Setting 86
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92612G	57.39	74.00	-16.61	42.65	3	Vertical	142	1.80	-	38.95	10.46	34.67
AV	11.92584G	44.90	54.00	-9.10	30.16	3	Vertical	142	1.80	-	38.95	10.46	34.67
PK	17.89739G	62.68	74.00	-11.32	36.50	3	Vertical	345	1.57	-	48.44	13.00	35.26
AV	17.89099G	51.01	54.00	-2.99	25.00	3	Vertical	345	1.57	-	48.29	12.99	35.27

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 86
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93004G	57.58	74.00	-16.42	42.83	3	Horizontal	278	1.43	-	38.96	10.46	34.67
AV	11.923G	44.96	54.00	-9.04	30.22	3	Horizontal	278	1.43	-	38.95	10.46	34.67
PK	17.89849G	63.13	74.00	-10.87	36.92	3	Horizontal	272	1.02	-	48.47	13.00	35.26
AV	17.89618G	50.94	54.00	-3.06	24.79	3	Horizontal	272	1.02	-	48.41	13.00	35.26

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6165MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8848G	62.21	88.20	-25.99	54.71	3	Vertical	29	1.79	-	32.51	7.37	32.38
RMS	5.9238G	51.17	68.20	-17.03	43.55	3	Vertical	29	1.79	-	32.60	7.38	32.36
PK	6.171G	122.75	Inf	-Inf	115.05	3	Vertical	29	1.79	-	32.78	7.51	32.59
RMS	6.1614G	112.24	Inf	-Inf	104.56	3	Vertical	29	1.79	-	32.75	7.50	32.57

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6165MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3382G	59.50	74.00	-14.50	44.84	3	Vertical	40	1.80	-	38.76	10.59	34.69
AV	12.33424G	45.81	54.00	-8.19	31.14	3	Vertical	40	1.80	-	38.77	10.59	34.69

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6165MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.338G	57.92	74.00	-16.08	43.26	3	Horizontal	133	1.87	-	38.76	10.59	34.69
AV	12.31412G	46.35	54.00	-7.65	31.67	3	Horizontal	133	1.87	-	38.79	10.58	34.69

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6165MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.48078G	58.09	83.54	-25.45	54.13	1	Vertical	126	1.52	-	37.59	16.64	50.27
AV	18.48363G	45.83	63.54	-17.71	41.88	1	Vertical	126	1.52	-	37.59	16.64	50.28

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6165MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49554G	58.70	83.54	-24.84	54.75	1	Horizontal	317	1.19	-	37.60	16.64	50.29
AV	18.48057G	45.65	63.54	-17.89	41.69	1	Horizontal	317	1.19	-	37.59	16.64	50.27

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 108
06-I-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	61.82	88.20	-26.38	54.32	3	Vertical	81	1.80	-	32.51	7.37	32.38
RMS	5.9178G	51.16	68.20	-17.04	43.55	3	Vertical	81	1.80	-	32.60	7.38	32.37
PK	6.4098G	123.27	Inf	-Inf	114.38	3	Vertical	81	1.80	-	33.82	8.00	32.93
RMS	6.4026G	113.04	Inf	-Inf	104.15	3	Vertical	81	1.80	-	33.81	8.00	32.92

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80464G	58.26	88.20	-29.94	42.92	3	Vertical	127	1.80	-	39.31	10.74	34.71
RMS	12.82156G	45.49	68.20	-22.71	30.12	3	Vertical	127	1.80	-	39.34	10.74	34.71

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82068G	57.18	88.20	-31.02	41.81	3	Horizontal	245	2.65	-	39.34	10.74	34.71
RMS	12.82812G	45.40	68.20	-22.80	30.01	3	Horizontal	245	2.65	-	39.36	10.74	34.71

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20165G	57.68	83.54	-25.86	54.21	1	Vertical	38	2.03	-	37.58	16.93	51.04
AV	19.20012G	45.19	63.54	-18.35	41.72	1	Vertical	38	2.03	-	37.58	16.93	51.04

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20303G	57.54	83.54	-26.00	54.07	1	Horizontal	254	1.80	-	37.58	16.93	51.04
AV	19.20291G	45.35	63.54	-18.19	41.88	1	Horizontal	254	1.80	-	37.58	16.93	51.04

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	61.28	88.20	-26.92	53.69	3	Vertical	233	1.79	-	32.59	7.37	32.37
RMS	5.9224G	51.03	68.20	-17.17	43.41	3	Vertical	233	1.79	-	32.60	7.38	32.36
PK	6.4437G	123.04	Inf	-Inf	114.13	3	Vertical	233	1.79	-	33.89	8.00	32.98
RMS	6.4476G	112.89	Inf	-Inf	103.97	3	Vertical	233	1.79	-	33.90	8.00	32.98

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88636G	58.58	88.20	-29.62	43.06	3	Vertical	43	1.80	-	39.47	10.76	34.71
RMS	12.8976G	45.76	68.20	-22.44	30.20	3	Vertical	43	1.80	-	39.50	10.77	34.71

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87392G	58.18	88.20	-30.02	42.68	3	Horizontal	40	2.02	-	39.45	10.76	34.71
RMS	12.9008G	45.75	68.20	-22.45	30.19	3	Horizontal	40	2.02	-	39.50	10.77	34.71

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33458G	56.93	83.54	-26.61	53.51	1	Vertical	340	1.54	-	37.63	16.99	51.20
AV	19.34397G	44.52	63.54	-19.02	41.10	1	Vertical	340	1.54	-	37.64	16.99	51.21

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34514G	57.01	83.54	-26.53	53.59	1	Horizontal	110	2.69	-	37.64	16.99	51.21
AV	19.32243G	44.65	63.54	-18.89	41.23	1	Horizontal	110	2.69	-	37.63	16.98	51.19

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	61.53	88.20	-26.67	53.92	3	Vertical	213	1.80	-	32.60	7.38	32.37
RMS	5.925G	51.05	68.20	-17.15	43.43	3	Vertical	213	1.80	-	32.60	7.38	32.36
PK	6.492G	123.46	Inf	-Inf	114.45	3	Vertical	213	1.80	-	34.07	7.99	33.05
RMS	6.4878G	113.45	Inf	-Inf	104.45	3	Vertical	213	1.80	-	34.05	7.99	33.04
PK	7.1304G	62.85	88.20	-25.35	51.76	3	Vertical	213	1.80	-	36.02	8.28	33.21
RMS	7.129G	52.56	68.20	-15.64	41.46	3	Vertical	213	1.80	-	36.02	8.29	33.21

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96168G	57.55	88.20	-30.65	41.97	3	Vertical	0	1.80	-	39.50	10.79	34.71
RMS	12.95164G	45.27	68.20	-22.93	29.70	3	Vertical	0	1.80	-	39.50	10.78	34.71

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.98176G	57.27	88.20	-30.93	41.69	3	Horizontal	107	2.44	-	39.50	10.79	34.71
RMS	12.95124G	45.21	68.20	-22.99	29.64	3	Horizontal	107	2.44	-	39.50	10.78	34.71

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46202G	59.02	83.54	-24.52	55.65	1	Vertical	59	2.76	-	37.68	17.04	51.35
AV	19.46958G	47.36	63.54	-16.18	43.99	1	Vertical	59	2.76	-	37.69	17.04	51.36

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46874G	59.19	83.54	-24.35	55.82	1	Horizontal	67	2.28	-	37.69	17.04	51.36
AV	19.4694G	47.36	63.54	-16.18	43.99	1	Horizontal	67	2.28	-	37.69	17.04	51.36

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9104G	61.39	88.20	-26.81	53.78	3	Vertical	212.7	1.80	-	32.60	7.38	32.37
RMS	5.9174G	51.01	68.20	-17.19	43.40	3	Vertical	212.7	1.80	-	32.60	7.38	32.37
PK	6.518G	123.20	Inf	-Inf	114.10	3	Vertical	212.7	1.80	-	34.17	7.99	33.06
RMS	6.5278G	112.86	Inf	-Inf	103.72	3	Vertical	212.7	1.80	-	34.21	7.99	33.06
PK	7.134G	62.88	88.20	-25.32	51.77	3	Vertical	212.7	1.80	-	36.04	8.28	33.21
RMS	7.127G	52.68	68.20	-15.52	41.58	3	Vertical	212.7	1.80	-	36.01	8.29	33.20

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03748G	57.59	88.20	-30.61	42.06	3	Vertical	299	1.80	-	39.43	10.81	34.71
RMS	13.06056G	45.31	68.20	-22.89	29.82	3	Vertical	299	1.80	-	39.38	10.82	34.71

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04847G	57.26	88.20	-30.94	41.75	3	Horizontal	28	2.58	-	39.40	10.82	34.71
RMS	13.04818G	45.20	68.20	-23.00	29.69	3	Horizontal	28	2.58	-	39.40	10.82	34.71

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57518G	58.55	83.54	-24.99	55.27	1	Vertical	215	1.02	-	37.67	17.09	51.48
AV	19.56081G	46.58	63.54	-16.96	43.28	1	Vertical	215	1.02	-	37.68	17.08	51.46

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58439G	58.85	83.54	-24.69	55.57	1	Horizontal	313	1.82	-	37.67	17.09	51.48
AV	19.56G	46.59	63.54	-16.95	43.29	1	Horizontal	313	1.82	-	37.68	17.08	51.46

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5734G	125.28	Inf	-Inf	115.97	3	Vertical	213.7	1.80	-	34.39	7.98	33.06
RMS	6.5674G	114.99	Inf	-Inf	105.70	3	Vertical	213.7	1.80	-	34.37	7.98	33.06
PK	7.159G	64.54	88.20	-23.66	53.39	3	Vertical	213.7	1.80	-	36.14	8.25	33.24
RMS	7.1266G	53.46	68.20	-14.74	42.36	3	Vertical	213.7	1.80	-	36.01	8.29	33.20

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13165G	58.05	88.20	-30.15	42.55	3	Vertical	47	2.00	-	39.36	10.84	34.70
RMS	13.13178G	45.39	68.20	-22.81	29.89	3	Vertical	47	2.00	-	39.36	10.84	34.70

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12984G	57.68	88.20	-30.52	42.18	3	Horizontal	85	2.80	-	39.36	10.84	34.70
RMS	13.12976G	45.40	68.20	-22.80	29.90	3	Horizontal	85	2.80	-	39.36	10.84	34.70

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.689G	56.91	83.54	-26.63	53.75	1	Vertical	128	2.94	-	37.62	17.13	51.59
AV	19.68135G	44.80	63.54	-18.74	41.62	1	Vertical	128	2.94	-	37.63	17.13	51.58

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70319G	57.14	83.54	-26.40	53.98	1	Horizontal	314	1.93	-	37.62	17.14	51.60
AV	19.68099G	44.80	63.54	-18.74	41.62	1	Horizontal	314	1.93	-	37.63	17.13	51.58

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.684G	125.20	Inf	-Inf	115.77	3	Vertical	259.5	1.80	-	34.50	7.98	33.05
RMS	6.689G	114.99	Inf	-Inf	105.56	3	Vertical	259.5	1.80	-	34.50	7.98	33.05
PK	7.143G	63.92	88.20	-24.28	52.80	3	Vertical	259.5	1.80	-	36.07	8.27	33.22
RMS	7.125G	53.41	68.20	-14.79	42.32	3	Vertical	259.5	1.80	-	36.00	8.29	33.20

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37009G	61.16	74.00	-12.84	44.87	3	Vertical	43	3.00	-	40.05	10.92	34.68
AV	13.37032G	47.20	54.00	-6.80	30.91	3	Vertical	43	3.00	-	40.05	10.92	34.68

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36963G	60.42	74.00	-13.58	44.13	3	Horizontal	329	2.99	-	40.05	10.92	34.68
AV	13.36973G	47.15	54.00	-6.85	30.86	3	Horizontal	329	2.99	-	40.05	10.92	34.68

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04831G	56.67	83.54	-26.87	53.86	1	Vertical	15	1.54	-	37.44	17.28	51.91
AV	20.06787G	44.33	63.54	-19.21	41.50	1	Vertical	15	1.54	-	37.45	17.29	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06127G	56.27	83.54	-27.27	53.44	1	Horizontal	95	1.25	-	37.45	17.29	51.91
AV	20.06592G	44.31	63.54	-19.23	41.48	1	Horizontal	95	1.25	-	37.45	17.29	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	123.28	Inf	-Inf	113.63	3	Vertical	165.7	1.80	-	34.60	8.10	33.05
RMS	6.8274G	111.84	Inf	-Inf	102.29	3	Vertical	165.7	1.80	-	34.55	8.05	33.05
PK	7.1874G	64.34	88.20	-23.86	53.15	3	Vertical	165.7	1.80	-	36.25	8.22	33.28
RMS	7.2386G	53.50	68.20	-14.70	42.16	3	Vertical	165.7	1.80	-	36.53	8.16	33.35

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68991G	61.80	88.20	-26.40	45.14	3	Vertical	34	1.96	-	40.31	11.02	34.67
RMS	13.69015G	47.96	68.20	-20.24	31.30	3	Vertical	34	1.96	-	40.31	11.02	34.67

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6898G	60.78	88.20	-27.42	44.12	3	Horizontal	10	2.08	-	40.31	11.02	34.67
RMS	13.69016G	47.96	68.20	-20.24	31.30	3	Horizontal	10	2.08	-	40.31	11.02	34.67

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53044G	55.52	83.54	-28.02	52.33	1	Vertical	169	2.39	-	37.71	17.49	52.01
AV	20.54223G	43.77	63.54	-19.77	40.56	1	Vertical	169	2.39	-	37.72	17.50	52.01

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53368G	56.39	83.54	-27.15	53.20	1	Horizontal	25	2.77	-	37.71	17.49	52.01
AV	20.54886G	43.77	63.54	-19.77	40.56	1	Horizontal	25	2.77	-	37.72	17.50	52.01

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	124.62	Inf	-Inf	114.71	3	Vertical	80	1.80	-	34.78	8.17	33.04
RMS	6.8808G	114.10	Inf	-Inf	104.19	3	Vertical	80	1.80	-	34.78	8.17	33.04
PK	7.2189G	64.55	88.20	-23.65	53.28	3	Vertical	80	1.80	-	36.41	8.18	33.32
RMS	7.2294G	53.35	68.20	-14.85	42.03	3	Vertical	80	1.80	-	36.48	8.17	33.33

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76947G	61.38	88.20	-26.82	44.56	3	Vertical	35	2.06	-	40.44	11.05	34.67
RMS	13.76921G	48.54	68.20	-19.66	31.72	3	Vertical	35	2.06	-	40.44	11.05	34.67

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76915G	60.89	88.20	-27.31	44.07	3	Horizontal	292	2.60	-	40.44	11.05	34.67
RMS	13.76969G	48.49	68.20	-19.71	31.67	3	Horizontal	292	2.60	-	40.44	11.05	34.67

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6649G	56.37	83.54	-27.17	53.08	1	Vertical	31	2.86	-	37.77	17.55	52.03
AV	20.66388G	44.00	63.54	-19.54	40.71	1	Vertical	31	2.86	-	37.77	17.55	52.03

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66955G	56.10	83.54	-27.44	52.81	1	Horizontal	285	1.22	-	37.77	17.55	52.03
AV	20.65572G	44.00	63.54	-19.54	40.72	1	Horizontal	285	1.22	-	37.76	17.55	52.03

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	124.12	Inf	-Inf	113.89	3	Vertical	257.6	1.80	-	35.01	8.26	33.04
RMS	6.9214G	114.01	Inf	-Inf	103.76	3	Vertical	257.6	1.80	-	35.03	8.26	33.04
PK	7.126G	65.25	88.20	-22.95	54.16	3	Vertical	257.6	1.80	-	36.00	8.29	33.20
RMS	7.1266G	53.43	68.20	-14.77	42.33	3	Vertical	257.6	1.80	-	36.01	8.29	33.20

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84984G	63.79	88.20	-24.41	46.74	3	Vertical	34	1.99	-	40.65	11.07	34.67
RMS	13.85028G	49.76	68.20	-18.44	32.71	3	Vertical	34	1.99	-	40.65	11.07	34.67

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85334G	62.25	88.20	-25.95	45.19	3	Horizontal	175	2.70	-	40.66	11.07	34.67
RMS	13.85214G	49.73	68.20	-18.47	32.67	3	Horizontal	175	2.70	-	40.66	11.07	34.67

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78733G	55.92	83.54	-27.62	52.51	1	Vertical	221	1.16	-	37.87	17.60	52.06
AV	20.78946G	44.10	63.54	-19.44	40.68	1	Vertical	221	1.16	-	37.88	17.60	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76804G	56.05	83.54	-27.49	52.67	1	Horizontal	1	2.92	-	37.84	17.59	52.05
AV	20.78937G	44.10	63.54	-19.44	40.68	1	Horizontal	1	2.92	-	37.88	17.60	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.995G	124.46	Inf	-Inf	113.69	3	Vertical	61	1.80	-	35.38	8.43	33.04
RMS	7.0002G	113.80	Inf	-Inf	103.00	3	Vertical	61	1.80	-	35.40	8.44	33.04
PK	7.1274G	72.16	88.20	-16.04	61.06	3	Vertical	61	1.80	-	36.01	8.29	33.20
RMS	7.125G	57.53	68.20	-10.67	46.44	3	Vertical	61	1.80	-	36.00	8.29	33.20

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00094G	64.04	88.20	-24.16	46.59	3	Vertical	33	2.12	-	41.00	11.12	34.67
RMS	14.00016G	51.57	68.20	-16.63	34.12	3	Vertical	33	2.12	-	41.00	11.12	34.67

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00962G	61.96	88.20	-26.24	44.47	3	Horizontal	27	1.97	-	41.03	11.13	34.67
RMS	14.005G	48.83	68.20	-19.37	31.36	3	Horizontal	27	1.97	-	41.02	11.12	34.67

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02454G	57.43	83.54	-26.11	53.54	1	Vertical	24	2.59	-	38.28	17.71	52.10
AV	21.02928G	45.08	63.54	-18.46	41.19	1	Vertical	24	2.59	-	38.28	17.71	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01623G	57.77	83.54	-25.77	53.88	1	Horizontal	186	2.86	-	38.29	17.70	52.10
AV	21.02982G	45.08	63.54	-18.46	41.19	1	Horizontal	186	2.86	-	38.28	17.71	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 85
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0838G	121.06	Inf	-Inf	110.03	3	Vertical	224.6	1.80	-	35.84	8.34	33.15
RMS	7.0838G	109.56	Inf	-Inf	98.53	3	Vertical	224.6	1.80	-	35.84	8.34	33.15
PK	7.1252G	81.99	88.20	-6.21	70.90	3	Vertical	224.6	1.80	-	36.00	8.29	33.20
RMS	7.125G	67.38	68.20	-0.82	56.29	3	Vertical	224.6	1.80	-	36.00	8.29	33.20

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 85
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17488G	62.82	88.20	-25.38	44.76	3	Vertical	26	1.94	-	41.52	11.22	34.68
RMS	14.16796G	50.49	68.20	-17.71	32.46	3	Vertical	26	1.94	-	41.50	11.21	34.68

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 85
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16982G	64.01	88.20	-24.19	45.97	3	Horizontal	143	2.22	-	41.51	11.21	34.68
RMS	14.17014G	50.44	68.20	-17.76	32.40	3	Horizontal	143	2.22	-	41.51	11.21	34.68

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 85
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24951G	56.31	83.54	-27.23	52.51	1	Vertical	208	2.70	-	38.10	17.80	52.10
AV	21.24138G	44.43	63.54	-19.11	40.62	1	Vertical	208	2.70	-	38.11	17.80	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 85
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24162G	56.76	83.54	-26.78	52.95	1	Horizontal	356	1.71	-	38.11	17.80	52.10
AV	21.24723G	44.60	63.54	-18.94	40.80	1	Horizontal	356	1.71	-	38.10	17.80	52.10

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 86
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	83.11	88.20	-5.09	75.49	3	Vertical	221.3	1.80	-	32.60	7.38	32.36
RMS	5.925G	68.01	68.20	-0.19	60.39	3	Vertical	221.3	1.80	-	32.60	7.38	32.36
PK	5.9742G	116.70	Inf	-Inf	109.11	3	Vertical	221.3	1.80	-	32.55	7.39	32.35
RMS	5.973G	105.44	Inf	-Inf	97.85	3	Vertical	221.3	1.80	-	32.55	7.39	32.35

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 86
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.98576G	57.22	74.00	-16.78	42.35	3	Vertical	82	2.13	-	39.07	10.48	34.68
AV	11.98844G	45.03	54.00	-8.97	30.15	3	Vertical	82	2.13	-	39.08	10.48	34.68
PK	17.95878G	63.48	74.00	-10.52	35.33	3	Vertical	210	1.16	-	50.38	13.02	35.25
AV	17.959G	51.74	54.00	-2.26	23.58	3	Vertical	210	1.16	-	50.39	13.02	35.25

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 86
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96877G	57.02	74.00	-16.98	42.19	3	Horizontal	219	1.06	-	39.04	10.47	34.68
AV	11.96957G	44.80	54.00	-9.20	29.97	3	Horizontal	219	1.06	-	39.04	10.47	34.68
PK	17.95314G	64.04	74.00	-9.96	36.07	3	Horizontal	90	2.81	-	50.20	13.02	35.25
AV	17.95673G	51.67	54.00	-2.33	23.58	3	Horizontal	90	2.81	-	50.32	13.02	35.25

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	69.53	88.20	-18.67	61.91	3	Vertical	218.4	1.80	-	32.60	7.38	32.36
RMS	5.925G	57.78	68.20	-10.42	50.16	3	Vertical	218.4	1.80	-	32.60	7.38	32.36
PK	6.1468G	120.84	Inf	-Inf	113.20	3	Vertical	218.4	1.80	-	32.69	7.50	32.55
RMS	6.1354G	109.78	Inf	-Inf	102.15	3	Vertical	218.4	1.80	-	32.67	7.49	32.53

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2911G	57.70	74.00	-16.30	42.99	3	Vertical	43	2.11	-	38.83	10.57	34.69
AV	12.2888G	45.06	54.00	-8.94	30.35	3	Vertical	43	2.11	-	38.83	10.57	34.69

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2884G	57.03	74.00	-16.97	42.32	3	Horizontal	337	2.21	-	38.83	10.57	34.69
AV	12.28954G	45.05	54.00	-8.95	30.34	3	Horizontal	337	2.21	-	38.83	10.57	34.69

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.44271G	57.85	83.54	-25.69	53.87	1	Vertical	136	2.74	-	37.58	16.62	50.22
AV	18.44847G	45.47	63.54	-18.07	41.50	1	Vertical	136	2.74	-	37.58	16.62	50.23

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.44283G	57.66	83.54	-25.88	53.68	1	Horizontal	348	1.20	-	37.58	16.62	50.22
AV	18.44895G	45.47	63.54	-18.07	41.50	1	Horizontal	348	1.20	-	37.58	16.62	50.23

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	62.27	88.20	-25.93	54.66	3	Vertical	239.9	1.76	-	32.60	7.38	32.37
RMS	5.917G	51.23	68.20	-16.97	43.62	3	Vertical	239.9	1.76	-	32.60	7.38	32.37
PK	6.3982G	120.60	Inf	-Inf	111.72	3	Vertical	239.9	1.76	-	33.79	8.00	32.91
RMS	6.3922G	109.49	Inf	-Inf	100.66	3	Vertical	239.9	1.76	-	33.75	7.98	32.90

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76885G	57.97	88.20	-30.23	42.74	3	Vertical	236	2.33	-	39.21	10.73	34.71
RMS	12.77004G	44.97	68.20	-23.23	29.74	3	Vertical	236	2.33	-	39.21	10.73	34.71

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76849G	57.59	88.20	-30.61	42.36	3	Horizontal	268	2.93	-	39.21	10.73	34.71
RMS	12.7713G	44.99	68.20	-23.21	29.76	3	Horizontal	268	2.93	-	39.21	10.73	34.71

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16775G	57.61	83.54	-25.93	54.12	1	Vertical	100	1.20	-	37.57	16.92	51.00
AV	19.14813G	45.77	63.54	-17.77	42.28	1	Vertical	100	1.20	-	37.56	16.91	50.98

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16946G	58.04	83.54	-25.50	54.55	1	Horizontal	138	1.55	-	37.57	16.92	51.00
AV	19.14657G	45.78	63.54	-17.76	42.29	1	Horizontal	138	1.55	-	37.56	16.91	50.98

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	61.86	88.20	-26.34	54.25	3	Vertical	261.4	1.80	-	32.60	7.38	32.37
RMS	5.9138G	51.11	68.20	-17.09	43.50	3	Vertical	261.4	1.80	-	32.60	7.38	32.37
PK	6.4507G	120.50	Inf	-Inf	111.60	3	Vertical	261.4	1.80	-	33.90	7.99	32.99
RMS	6.4728G	110.47	Inf	-Inf	101.51	3	Vertical	261.4	1.80	-	33.99	7.99	33.02

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93121G	57.68	88.20	-30.52	42.11	3	Vertical	160	1.86	-	39.50	10.78	34.71
RMS	12.929G	45.45	68.20	-22.75	29.88	3	Vertical	160	1.86	-	39.50	10.78	34.71

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92997G	57.65	88.20	-30.55	42.08	3	Horizontal	269	2.57	-	39.50	10.78	34.71
RMS	12.9287G	45.45	68.20	-22.75	29.88	3	Horizontal	269	2.57	-	39.50	10.78	34.71

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40406G	57.69	83.54	-25.85	54.29	1	Vertical	201	1.43	-	37.66	17.02	51.28
AV	19.4034G	45.59	63.54	-17.95	42.19	1	Vertical	201	1.43	-	37.66	17.02	51.28

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40946G	57.36	83.54	-26.18	53.97	1	Horizontal	359	2.75	-	37.66	17.02	51.29
AV	19.40991G	45.64	63.54	-17.90	42.25	1	Horizontal	359	2.75	-	37.66	17.02	51.29

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8548G	61.74	88.20	-26.46	54.44	3	Vertical	258	2.01	-	32.33	7.36	32.39
RMS	5.9234G	51.11	68.20	-17.09	43.49	3	Vertical	258	2.01	-	32.60	7.38	32.36
PK	6.5562G	120.65	Inf	-Inf	111.41	3	Vertical	258	2.01	-	34.32	7.98	33.06
RMS	6.5506G	110.50	Inf	-Inf	101.28	3	Vertical	258	2.01	-	34.30	7.98	33.06
PK	7.1596G	64.00	88.20	-24.20	52.85	3	Vertical	258	2.01	-	36.14	8.25	33.24
RMS	7.2338G	52.76	68.20	-15.44	41.44	3	Vertical	258	2.01	-	36.50	8.16	33.34

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09038G	57.75	88.20	-30.45	42.30	3	Vertical	302	1.14	-	39.32	10.83	34.70
RMS	13.09018G	45.22	68.20	-22.98	29.77	3	Vertical	302	1.14	-	39.32	10.83	34.70

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08817G	57.75	88.20	-30.45	42.30	3	Horizontal	201	2.84	-	39.32	10.83	34.70
RMS	13.09004G	45.34	68.20	-22.86	29.89	3	Horizontal	201	2.84	-	39.32	10.83	34.70

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63611G	57.53	83.54	-26.01	54.31	1	Vertical	244	1.51	-	37.65	17.11	51.54
AV	19.62015G	45.96	63.54	-17.58	42.73	1	Vertical	244	1.51	-	37.65	17.10	51.52

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62921G	57.88	83.54	-25.66	54.65	1	Horizontal	333	1.27	-	37.65	17.11	51.53
AV	19.62483G	46.12	63.54	-17.42	42.88	1	Horizontal	333	1.27	-	37.65	17.11	51.52

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6154G	121.48	Inf	-Inf	112.06	3	Vertical	258.3	1.80	-	34.50	7.98	33.06
RMS	6.6154G	110.95	Inf	-Inf	101.53	3	Vertical	258.3	1.80	-	34.50	7.98	33.06
PK	7.2118G	63.58	88.20	-24.62	52.33	3	Vertical	258.3	1.80	-	36.37	8.19	33.31
RMS	7.2118G	53.01	68.20	-15.19	41.91	3	Vertical	258.3	1.80	-	36.01	8.29	33.20

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25146G	57.77	74.00	-16.23	41.98	3	Vertical	334	1.49	-	39.60	10.88	34.69
AV	13.25055G	45.90	54.00	-8.10	30.11	3	Vertical	334	1.49	-	39.60	10.88	34.69

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25022G	58.69	74.00	-15.31	42.90	3	Horizontal	307	2.62	-	39.60	10.88	34.69
AV	13.25188G	45.96	54.00	-8.04	30.17	3	Horizontal	307	2.62	-	39.60	10.88	34.69

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86699G	58.80	83.54	-24.74	55.85	1	Vertical	247	1.74	-	37.51	17.21	51.77
AV	19.86411G	46.53	63.54	-17.01	43.58	1	Vertical	247	1.74	-	37.51	17.20	51.76

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8609G	58.74	83.54	-24.80	55.79	1	Horizontal	57	2.30	-	37.51	17.20	51.76
AV	19.86129G	46.37	63.54	-17.17	43.42	1	Horizontal	57	2.30	-	37.51	17.20	51.76

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	122.37	Inf	-Inf	112.93	3	Vertical	79.2	1.80	-	34.50	7.99	33.05
RMS	6.687G	111.17	Inf	-Inf	101.74	3	Vertical	79.2	1.80	-	34.50	7.98	33.05
PK	7.144G	64.17	88.20	-24.03	53.04	3	Vertical	79.2	1.80	-	36.08	8.27	33.22
RMS	7.129G	53.13	68.20	-15.07	42.03	3	Vertical	79.2	1.80	-	36.02	8.29	33.21

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4116G	58.75	88.20	-29.45	42.30	3	Vertical	244	2.10	-	40.20	10.93	34.68
RMS	13.41113G	46.57	68.20	-21.63	30.12	3	Vertical	244	2.10	-	40.20	10.93	34.68

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41014G	58.92	88.20	-29.28	42.47	3	Horizontal	305	2.07	-	40.20	10.93	34.68
RMS	13.4111G	46.57	68.20	-21.63	30.12	3	Horizontal	305	2.07	-	40.20	10.93	34.68

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11218G	56.75	83.54	-26.79	53.87	1	Vertical	105	1.01	-	37.49	17.31	51.92
AV	20.11827G	45.09	63.54	-18.45	42.21	1	Vertical	105	1.01	-	37.49	17.31	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1069G	57.33	83.54	-26.21	54.45	1	Horizontal	354	1.45	-	37.49	17.31	51.92
AV	20.1273G	44.78	63.54	-18.76	41.89	1	Horizontal	354	1.45	-	37.50	17.32	51.93

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7826G	121.59	Inf	-Inf	112.18	3	Vertical	79	1.84	-	34.47	7.99	33.05
RMS	6.7946G	110.58	Inf	-Inf	101.15	3	Vertical	79	1.84	-	34.49	7.99	33.05
PK	7.1378G	63.81	88.20	-24.39	52.71	3	Vertical	79	1.84	-	36.05	8.27	33.22
RMS	7.1258G	53.23	68.20	-14.97	42.14	3	Vertical	79	1.84	-	36.00	8.29	33.20

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56848G	59.10	88.20	-29.10	42.45	3	Vertical	226	2.39	-	40.34	10.98	34.67
RMS	13.56927G	46.70	68.20	-21.50	30.05	3	Vertical	226	2.39	-	40.34	10.98	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57021G	58.78	88.20	-29.42	42.13	3	Horizontal	67	2.94	-	40.34	10.98	34.67
RMS	13.5719G	46.81	68.20	-21.39	30.16	3	Horizontal	67	2.94	-	40.34	10.98	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36853G	57.15	83.54	-26.39	54.05	1	Vertical	350	1.05	-	37.65	17.42	51.97
AV	20.34141G	44.97	63.54	-18.57	41.89	1	Vertical	350	1.05	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35332G	58.32	83.54	-25.22	55.24	1	Horizontal	27	1.67	-	37.64	17.41	51.97
AV	20.34219G	44.97	63.54	-18.57	41.89	1	Horizontal	27	1.67	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8686G	120.39	Inf	-Inf	110.59	3	Vertical	259.2	1.80	-	34.71	8.14	33.05
RMS	6.8578G	110.13	Inf	-Inf	100.41	3	Vertical	259.2	1.80	-	34.65	8.12	33.05
PK	7.1314G	65.43	88.20	-22.77	54.33	3	Vertical	259.2	1.80	-	36.03	8.28	33.21
RMS	7.1266G	54.61	68.20	-13.59	43.51	3	Vertical	259.2	1.80	-	36.01	8.29	33.20

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73123G	59.14	88.20	-29.06	42.42	3	Vertical	194	1.83	-	40.36	11.03	34.67
RMS	13.73126G	46.88	68.20	-21.32	30.16	3	Vertical	194	1.83	-	40.36	11.03	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73175G	58.90	88.20	-29.30	42.18	3	Horizontal	8	1.03	-	40.36	11.03	34.67
RMS	13.73192G	46.88	68.20	-21.32	30.16	3	Horizontal	8	1.03	-	40.36	11.03	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59704G	56.22	83.54	-27.32	52.98	1	Vertical	220	1.01	-	37.74	17.52	52.02
AV	20.59122G	44.00	63.54	-19.54	40.76	1	Vertical	220	1.01	-	37.74	17.52	52.02

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58987G	56.17	83.54	-27.37	52.93	1	Horizontal	192	2.40	-	37.74	17.52	52.02
AV	20.59533G	44.00	63.54	-19.54	40.76	1	Horizontal	192	2.40	-	37.74	17.52	52.02

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9156G	121.39	Inf	-Inf	111.19	3	Vertical	138.5	1.80	-	34.99	8.25	33.04
RMS	6.951G	110.62	Inf	-Inf	100.13	3	Vertical	138.5	1.80	-	35.20	8.33	33.04
PK	7.125G	72.84	88.20	-15.36	61.75	3	Vertical	138.5	1.80	-	36.00	8.29	33.20
RMS	7.125G	62.53	68.20	-5.67	51.44	3	Vertical	138.5	1.80	-	36.00	8.29	33.20

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88944G	59.91	88.20	-28.29	42.73	3	Vertical	1	1.96	-	40.77	11.08	34.67
RMS	13.89139G	47.51	68.20	-20.69	30.32	3	Vertical	1	1.96	-	40.77	11.09	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88946G	59.66	88.20	-28.54	42.48	3	Horizontal	49	1.95	-	40.77	11.08	34.67
RMS	13.89134G	47.57	68.20	-20.63	30.38	3	Horizontal	49	1.95	-	40.77	11.09	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83782G	55.82	83.54	-27.72	52.29	1	Vertical	330	1.98	-	37.98	17.62	52.07
AV	20.82117G	44.13	63.54	-19.41	40.63	1	Vertical	330	1.98	-	37.94	17.62	52.06

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84253G	56.43	83.54	-27.11	52.88	1	Horizontal	96	1.31	-	37.99	17.63	52.07
AV	20.8233G	44.13	63.54	-19.41	40.62	1	Horizontal	96	1.31	-	37.95	17.62	52.06

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 97
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0082G	119.97	Inf	-Inf	109.14	3	Vertical	28.8	1.80	-	35.45	8.43	33.05
RMS	7.0074G	109.05	Inf	-Inf	98.23	3	Vertical	28.8	1.80	-	35.44	8.43	33.05
PK	7.1258G	81.65	88.20	-6.55	70.56	3	Vertical	28.8	1.80	-	36.00	8.29	33.20
RMS	7.125G	67.32	68.20	-0.88	56.23	3	Vertical	28.8	1.80	-	36.00	8.29	33.20

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 97
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05045G	60.41	88.20	-27.79	42.78	3	Vertical	352	2.73	-	41.15	11.15	34.67
RMS	14.05067G	47.83	68.20	-20.37	30.20	3	Vertical	352	2.73	-	41.15	11.15	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 97
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04847G	60.44	88.20	-27.76	42.81	3	Horizontal	196	1.17	-	41.15	11.15	34.67
RMS	14.05147G	47.83	68.20	-20.37	30.20	3	Horizontal	196	1.17	-	41.15	11.15	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 97
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08046G	57.54	83.54	-26.00	53.67	1	Vertical	103	2.73	-	38.24	17.73	52.10
AV	21.08124G	45.32	63.54	-18.22	41.45	1	Vertical	103	2.73	-	38.24	17.73	52.10

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 97
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07917G	57.15	83.54	-26.39	53.28	1	Horizontal	142	2.03	-	38.24	17.73	52.10
AV	21.0774G	45.31	63.54	-18.23	41.44	1	Horizontal	142	2.03	-	38.24	17.73	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 87
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	84.66	88.20	-3.54	77.05	3	Vertical	292.9	1.80	-	32.60	7.38	32.37
RMS	5.925G	68.16	68.20	-0.04	60.54	3	Vertical	292.9	1.80	-	32.60	7.38	32.36
PK	5.9675G	113.67	Inf	-Inf	106.06	3	Vertical	292.9	1.80	-	32.57	7.39	32.35
RMS	6.082G	102.57	Inf	-Inf	94.98	3	Vertical	292.9	1.80	-	32.60	7.45	32.46

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 87
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04825G	57.74	74.00	-16.26	42.77	3	Vertical	357	1.31	-	39.15	10.50	34.68
AV	12.04847G	45.35	54.00	-8.65	30.38	3	Vertical	357	1.31	-	39.15	10.50	34.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 87
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04868G	58.13	74.00	-15.87	43.16	3	Horizontal	305	1.70	-	39.15	10.50	34.68
AV	12.05003G	45.47	54.00	-8.53	30.50	3	Horizontal	305	1.70	-	39.15	10.50	34.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 87
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08133G	57.13	83.54	-26.41	52.87	1	Vertical	303	2.61	-	37.50	16.47	49.71
AV	18.09G	45.63	63.54	-17.91	41.38	1	Vertical	303	2.61	-	37.50	16.48	49.73

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 87
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07392G	57.61	83.54	-25.93	53.34	1	Horizontal	83	2.10	-	37.50	16.47	49.70
AV	18.08811G	45.63	63.54	-17.91	41.37	1	Horizontal	83	2.10	-	37.50	16.48	49.72

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	77.24	88.20	-10.96	69.63	3	Vertical	139.7	1.80	-	32.60	7.38	32.37
RMS	5.9242G	66.12	68.20	-2.08	58.50	3	Vertical	139.7	1.80	-	32.60	7.38	32.36
PK	6.2194G	118.48	Inf	-Inf	110.58	3	Vertical	139.7	1.80	-	32.98	7.58	32.66
RMS	6.209G	107.27	Inf	-Inf	99.42	3	Vertical	139.7	1.80	-	32.94	7.55	32.64

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36862G	57.62	74.00	-16.38	42.98	3	Vertical	166	1.77	-	38.73	10.60	34.69
AV	12.37163G	44.99	54.00	-9.01	30.35	3	Vertical	166	1.77	-	38.73	10.60	34.69

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3696G	57.34	74.00	-16.66	42.70	3	Horizontal	228	2.09	-	38.73	10.60	34.69
AV	12.37166G	44.99	54.00	-9.01	30.35	3	Horizontal	228	2.09	-	38.73	10.60	34.69

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55245G	58.06	83.54	-25.48	54.12	1	Vertical	90	1.12	-	37.62	16.67	50.35
AV	18.54015G	45.59	63.54	-17.95	41.65	1	Vertical	90	1.12	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54246G	57.83	83.54	-25.71	53.89	1	Horizontal	27	1.17	-	37.62	16.66	50.34
AV	18.54048G	45.59	63.54	-17.95	41.65	1	Horizontal	27	1.17	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	66.69	88.20	-21.51	59.07	3	Vertical	48.4	1.80	-	32.60	7.38	32.36
RMS	5.925G	55.19	68.20	-13.01	47.57	3	Vertical	48.4	1.80	-	32.60	7.38	32.36
PK	6.405G	117.42	Inf	-Inf	108.53	3	Vertical	48.4	1.80	-	33.81	8.00	32.92
RMS	6.319G	106.74	Inf	-Inf	98.35	3	Vertical	48.4	1.80	-	33.38	7.81	32.80

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68815G	58.29	74.00	-15.71	43.31	3	Vertical	97	2.18	-	38.98	10.70	34.70
AV	12.68998G	44.85	54.00	-9.15	29.87	3	Vertical	97	2.18	-	38.98	10.70	34.70

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69062G	56.82	74.00	-17.18	41.84	3	Horizontal	196	1.89	-	38.98	10.70	34.70
AV	12.69125G	44.72	54.00	-9.28	29.74	3	Horizontal	196	1.89	-	38.98	10.70	34.70

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04652G	57.66	83.54	-25.88	54.13	1	Vertical	95	2.89	-	37.52	16.87	50.86
AV	19.02201G	45.02	63.54	-18.52	41.48	1	Vertical	95	2.89	-	37.51	16.86	50.83

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02147G	57.37	83.54	-26.17	53.83	1	Horizontal	111	2.97	-	37.51	16.86	50.83
AV	19.02087G	45.02	63.54	-18.52	41.48	1	Horizontal	111	2.97	-	37.51	16.86	50.83

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9212G	63.69	88.20	-24.51	56.08	3	Vertical	269.5	1.80	-	32.60	7.38	32.37
RMS	5.925G	52.21	68.20	-15.99	44.59	3	Vertical	269.5	1.80	-	32.60	7.38	32.36
PK	6.4896G	118.23	Inf	-Inf	109.23	3	Vertical	269.5	1.80	-	34.06	7.99	33.05
RMS	6.4854G	107.12	Inf	-Inf	98.13	3	Vertical	269.5	1.80	-	34.04	7.99	33.04
PK	7.1518G	65.54	88.20	-22.66	54.40	3	Vertical	269.5	1.80	-	36.11	8.26	33.23
RMS	7.1294G	53.75	68.20	-14.45	42.66	3	Vertical	269.5	1.80	-	36.02	8.28	33.21

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00963G	57.44	88.20	-30.76	41.87	3	Vertical	92	1.81	-	39.48	10.80	34.71
RMS	13.00939G	44.92	68.20	-23.28	29.35	3	Vertical	92	1.81	-	39.48	10.80	34.71

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01108G	57.01	88.20	-31.19	41.44	3	Horizontal	15	2.31	-	39.48	10.80	34.71
RMS	13.00952G	44.92	68.20	-23.28	29.35	3	Horizontal	15	2.31	-	39.48	10.80	34.71

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50534G	59.53	83.54	-24.01	56.18	1	Vertical	291	2.04	-	37.70	17.06	51.41
AV	19.50402G	47.86	63.54	-15.68	44.50	1	Vertical	291	2.04	-	37.70	17.06	51.40

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52928G	59.74	83.54	-23.80	56.41	1	Horizontal	145	2.63	-	37.69	17.07	51.43
AV	19.50021G	47.73	63.54	-15.81	44.37	1	Horizontal	145	2.63	-	37.70	17.06	51.40

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6848G	118.18	Inf	-Inf	108.75	3	Vertical	75.1	1.80	-	34.50	7.98	33.05
RMS	6.6892G	107.60	Inf	-Inf	98.17	3	Vertical	75.1	1.80	-	34.50	7.98	33.05
PK	7.1963G	67.06	88.20	-21.14	55.86	3	Vertical	75.1	1.80	-	36.29	8.20	33.29
RMS	7.1292G	54.95	68.20	-13.25	43.86	3	Vertical	75.1	1.80	-	36.02	8.28	33.21

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33084G	59.11	74.00	-14.89	43.03	3	Vertical	160	1.35	-	39.85	10.91	34.68
AV	13.32872G	46.27	54.00	-7.73	30.20	3	Vertical	160	1.35	-	39.84	10.91	34.68

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32931G	58.74	74.00	-15.26	42.66	3	Horizontal	88	2.19	-	39.85	10.91	34.68
AV	13.33083G	46.21	54.00	-7.79	30.13	3	Horizontal	88	2.19	-	39.85	10.91	34.68

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98228G	56.68	83.54	-26.86	53.90	1	Vertical	219	2.37	-	37.41	17.25	51.88
AV	19.98027G	44.41	63.54	-19.13	41.62	1	Vertical	219	2.37	-	37.42	17.25	51.88

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98393G	56.63	83.54	-26.91	53.85	1	Horizontal	161	1.13	-	37.41	17.25	51.88
AV	19.99557G	44.52	63.54	-19.02	41.76	1	Horizontal	161	1.13	-	37.40	17.26	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	118.44	Inf	-Inf	108.64	3	Vertical	78	1.80	-	34.71	8.14	33.05
RMS	6.7994G	107.25	Inf	-Inf	97.81	3	Vertical	78	1.80	-	34.50	7.99	33.05
PK	7.1386G	75.93	88.20	-12.27	64.83	3	Vertical	78	1.80	-	36.05	8.27	33.22
RMS	7.129G	61.58	68.20	-6.62	50.48	3	Vertical	78	1.80	-	36.02	8.29	33.21

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65121G	59.00	88.20	-29.20	42.31	3	Vertical	11	1.01	-	40.35	11.01	34.67
RMS	13.64812G	46.96	68.20	-21.24	30.27	3	Vertical	11	1.01	-	40.35	11.01	34.67

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65156G	58.93	88.20	-29.27	42.24	3	Horizontal	3	2.34	-	40.35	11.01	34.67
RMS	13.6506G	47.06	68.20	-21.14	30.37	3	Horizontal	3	2.34	-	40.35	11.01	34.67

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 108
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46033G	56.12	83.54	-27.42	52.97	1	Vertical	135	1.89	-	37.68	17.46	51.99
AV	20.48262G	43.64	63.54	-19.90	40.48	1	Vertical	135	1.89	-	37.69	17.47	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 108
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46519G	55.71	83.54	-27.83	52.55	1	Horizontal	230	2.94	-	37.69	17.46	51.99
AV	20.48463G	43.65	63.54	-19.89	40.49	1	Horizontal	230	2.94	-	37.69	17.47	52.00

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 93
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9605G	115.64	Inf	-Inf	105.09	3	Vertical	226	1.99	-	35.24	8.35	33.04
RMS	6.961G	105.17	Inf	-Inf	94.62	3	Vertical	226	1.99	-	35.24	8.35	33.04
PK	7.1275G	79.85	88.20	-8.35	68.75	3	Vertical	226	1.99	-	36.01	8.29	33.20
RMS	7.126G	67.74	68.20	-0.46	56.65	3	Vertical	226	1.99	-	36.00	8.29	33.20

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 93
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97015G	60.82	88.20	-27.38	43.44	3	Vertical	78	1.64	-	40.94	11.11	34.67
RMS	13.9717G	48.43	68.20	-19.77	31.05	3	Vertical	78	1.64	-	40.94	11.11	34.67

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 93
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9687G	60.88	88.20	-27.32	43.50	3	Horizontal	126	1.01	-	40.94	11.11	34.67
RMS	13.96951G	48.39	68.20	-19.81	31.01	3	Horizontal	126	1.01	-	40.94	11.11	34.67

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 93
06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94456G	56.99	83.54	-26.55	53.22	1	Vertical	107	1.58	-	38.19	17.67	52.09
AV	20.95071G	44.75	63.54	-18.79	40.97	1	Vertical	107	1.58	-	38.20	17.67	52.09

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 93
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95251G	56.61	83.54	-26.93	52.82	1	Horizontal	344	1.60	-	38.21	17.67	52.09
AV	20.94327G	44.73	63.54	-18.81	40.96	1	Horizontal	344	1.60	-	38.19	17.67	52.09

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 90
06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	83.53	88.20	-4.67	75.92	3	Vertical	0	1.80	-	32.60	7.38	32.37
RMS	5.913G	67.87	68.20	-0.33	60.26	3	Vertical	0	1.80	-	32.60	7.38	32.37
PK	6.058G	112.77	Inf	-Inf	105.15	3	Vertical	0	1.80	-	32.60	7.44	32.42
RMS	6.131G	101.57	Inf	-Inf	93.95	3	Vertical	0	1.80	-	32.66	7.49	32.53

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2093G	58.03	74.00	-15.97	43.10	3	Vertical	119	1.80	-	39.07	10.55	34.69
AV	12.2083G	46.84	54.00	-7.16	31.90	3	Vertical	119	1.80	-	39.08	10.55	34.69

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20926G	57.99	74.00	-16.01	43.06	3	Horizontal	236	2.38	-	39.07	10.55	34.69
AV	12.208G	47.15	54.00	-6.85	32.21	3	Horizontal	236	2.38	-	39.08	10.55	34.69

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31209G	57.95	83.54	-25.59	53.90	1	Vertical	153	1.37	-	37.52	16.57	50.04
AV	18.30369G	46.37	63.54	-17.17	42.32	1	Vertical	153	1.37	-	37.52	16.56	50.03

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31584G	57.17	83.54	-26.37	53.11	1	Horizontal	198	1.81	-	37.53	16.57	50.04
AV	18.30138G	46.56	63.54	-16.98	42.50	1	Horizontal	198	1.81	-	37.52	16.56	50.02

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 75
06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53879G	55.94	74.00	-18.06	41.37	3	Vertical	160	1.79	-	38.62	10.65	34.70
AV	12.51854G	43.65	54.00	-10.35	29.14	3	Vertical	160	1.79	-	38.56	10.65	34.70

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51587G	55.81	74.00	-18.19	41.31	3	Horizontal	45	2.65	-	38.55	10.65	34.70
AV	12.51794G	43.64	54.00	-10.36	29.14	3	Horizontal	45	2.65	-	38.55	10.65	34.70

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78816G	48.00	74.00	-26.00	44.16	1	Vertical	17	1.09	-	37.67	16.76	50.59
AV	18.79236G	35.23	54.00	-18.77	31.39	1	Vertical	17	1.09	-	37.67	16.76	50.59

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80304G	47.80	74.00	-26.20	43.97	1	Horizontal	307	2.89	-	37.66	16.77	50.60
AV	18.78921G	35.16	54.00	-18.84	31.32	1	Horizontal	307	2.89	-	37.67	16.76	50.59

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	63.54	88.20	-24.66	55.93	3	Vertical	258.2	1.80	-	32.60	7.38	32.37
RMS	5.925G	54.55	68.20	-13.65	46.93	3	Vertical	258.2	1.80	-	32.60	7.38	32.36
PK	6.4614G	111.19	Inf	-Inf	102.25	3	Vertical	258.2	1.80	-	33.95	7.99	33.00
RMS	6.4718G	101.60	Inf	-Inf	92.64	3	Vertical	258.2	1.80	-	33.99	7.99	33.02

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
Setting 90
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84858G	57.96	88.20	-30.24	42.52	3	Vertical	359	1.80	-	39.40	10.75	34.71
RMS	12.84859G	47.05	68.20	-21.15	31.61	3	Vertical	359	1.80	-	39.40	10.75	34.71

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
Setting 90
06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85055G	58.62	88.20	-29.58	43.18	3	Horizontal	332	2.60	-	39.40	10.75	34.71
RMS	12.84835G	46.87	68.20	-21.33	31.43	3	Horizontal	332	2.60	-	39.40	10.75	34.71

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2606G	57.49	83.54	-26.05	54.04	1	Vertical	158	2.95	-	37.60	16.96	51.11
AV	19.28655G	45.66	63.54	-17.88	42.22	1	Vertical	158	2.95	-	37.61	16.97	51.14

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28334G	56.99	83.54	-26.55	53.55	1	Horizontal	327	2.26	-	37.61	16.97	51.14
AV	19.28379G	45.82	63.54	-17.72	42.38	1	Horizontal	327	2.26	-	37.61	16.97	51.14

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz_TX




EUT_Z_4TX
 Setting 76
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18101G	56.91	88.20	-31.29	41.29	3	Vertical	315	1.65	-	39.46	10.86	34.70
RMS	13.15722G	45.27	68.20	-22.93	29.71	3	Vertical	315	1.65	-	39.41	10.85	34.70

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz_TX




EUT_Z_4TX
 Setting 76
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1592G	57.50	88.20	-30.70	41.93	3	Horizontal	162	2.56	-	39.42	10.85	34.70
RMS	13.17093G	45.30	68.20	-22.90	29.71	3	Horizontal	162	2.56	-	39.44	10.85	34.70

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz_TX




EUT_Z_4TX
 Setting 76
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.74669G	47.16	74.00	-26.84	44.05	1	Vertical	308	2.78	-	37.60	17.16	51.65
AV	19.76913G	34.93	54.00	-19.07	31.85	1	Vertical	308	2.78	-	37.58	17.17	51.67

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz_TX




EUT_Z_4TX
Setting 76
06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.74204G	46.82	74.00	-27.18	43.71	1	Horizontal	39	1.84	-	37.60	17.15	51.64
AV	19.76994G	34.93	54.00	-19.07	31.85	1	Horizontal	39	1.84	-	37.58	17.17	51.67

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.789G	112.57	Inf	-Inf	103.15	3	Vertical	164	1.80	-	34.48	7.99	33.05
RMS	6.729G	99.12	Inf	-Inf	89.74	3	Vertical	164	1.80	-	34.44	7.99	33.05
PK	7.129G	70.47	88.20	-17.73	59.37	3	Vertical	164	1.80	-	36.02	8.29	33.21
RMS	7.129G	57.25	68.20	-10.95	46.15	3	Vertical	164	1.80	-	36.02	8.29	33.21

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49081G	59.48	88.20	-28.72	42.99	3	Vertical	33	2.47	-	40.20	10.96	34.67
RMS	13.48858G	48.11	68.20	-20.09	31.62	3	Vertical	33	2.47	-	40.20	10.96	34.67

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49019G	59.10	88.20	-29.10	42.61	3	Horizontal	204	2.24	-	40.20	10.96	34.67
RMS	13.49175G	48.02	68.20	-20.18	31.53	3	Horizontal	204	2.24	-	40.20	10.96	34.67

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT Z_4TX
 Setting 90
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23851G	57.72	83.54	-25.82	54.72	1	Vertical	101	3.00	-	37.59	17.36	51.95
AV	20.2452G	46.89	63.54	-16.65	43.87	1	Vertical	101	3.00	-	37.60	17.37	51.95

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 90
 06-I-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.22459G	57.73	83.54	-25.81	54.73	1	Horizontal	349	1.96	-	37.58	17.36	51.94
AV	20.24823G	46.89	63.54	-16.65	43.87	1	Horizontal	349	1.96	-	37.60	17.37	51.95

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 75
06-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9404G	107.74	Inf	-Inf	97.33	3	Vertical	78	1.80	-	35.14	8.31	33.04
RMS	6.959G	95.39	Inf	-Inf	84.84	3	Vertical	78	1.80	-	35.24	8.35	33.04
PK	7.142G	65.29	88.20	-22.91	54.17	3	Vertical	78	1.80	-	36.07	8.27	33.22
RMS	7.139G	53.26	68.20	-14.94	42.15	3	Vertical	78	1.80	-	36.06	8.27	33.22

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81546G	59.38	88.20	-28.82	42.44	3	Vertical	313	1.37	-	40.55	11.06	34.67
RMS	13.79785G	48.03	68.20	-20.17	31.14	3	Vertical	313	1.37	-	40.50	11.06	34.67

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80961G	59.90	88.20	-28.30	42.98	3	Horizontal	101	1.90	-	40.53	11.06	34.67
RMS	13.80157G	48.76	68.20	-19.44	31.87	3	Horizontal	101	1.90	-	40.50	11.06	34.67

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72661G	47.06	74.00	-26.94	43.74	1	Vertical	53	2.33	-	37.79	17.58	52.05
AV	20.70573G	35.43	54.00	-18.57	32.12	1	Vertical	53	2.33	-	37.78	17.57	52.04

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX



EUT_Z_4TX
 Setting 75
 06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7051G	46.83	74.00	-27.17	43.52	1	Horizontal	345	1.69	-	37.78	17.57	52.04
AV	20.70903G	35.32	54.00	-18.68	32.01	1	Horizontal	345	1.69	-	37.78	17.57	52.04

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
6265MHz_TX

MASK

22/02/2023

CF Freq
6.265GHz


Span
1.6GHz


RBW
5MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2346G	1.98	6.7642G	-46.85	-38.02	-8.83	1
6.2202G	2.61	6.7642G	-47.55	-37.39	-10.16	2
6.2282G	2.64	6.7594G	-46.88	-37.36	-9.52	3
6.3002G	2.81	6.761G	-46.89	-37.19	-9.70	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
6585MHz_TX

MASK

22/02/2023

CF Freq
6.585GHz


Span
1.6GHz


RBW
5MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS




Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6202G	0.98	5.9434G	-47.47	-39.02	-8.45	1
6.5402G	1.45	6.0826G	-47.18	-38.55	-8.63	2
6.5498G	1.50	6.0826G	-47.29	-38.50	-8.79	3
6.5498G	1.90	6.0858G	-47.25	-38.10	-9.15	4





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss2,(MCS0)_4TX	Pass	5.9538G	-9.94	5.9085G	-51.83	-49.94	-1.89	4
802.11be EHT40-BF_Nss2,(MCS0)_4TX	Pass	5.9686G	-5.24	5.868G	-49.66	-45.24	-4.42	2
802.11be EHT80-BF_Nss2,(MCS0)_4TX	Pass	6.39659G	-3.64	6.5078G	-47.21	-43.64	-3.57	2
802.11be EHT160-BF_Nss2,(MCS0)_4TX	Pass	6.32182G	3.63	6.7002G	-42.20	-36.37	-5.83	2
802.11be EHT320-BF_Nss2,(MCS0)_4TX	Pass	6.2298G	3.51	6.9962G	-41.83	-36.49	-5.34	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss2,(MCS0)_4TX	Pass	6.4785G	-10.33	6.4322G	-52.34	-50.33	-2.01	4
802.11be EHT40-BF_Nss2,(MCS0)_4TX	Pass	6.49G	-7.76	6.4144G	-50.10	-47.76	-2.34	4
802.11be EHT80-BF_Nss2,(MCS0)_4TX	Pass	6.53261G	-3.94	6.7106G	-46.59	-43.94	-2.65	1
802.11be EHT160-BF_Nss2,(MCS0)_4TX	Pass	6.48022G	2.12	6.7554G	-42.20	-37.88	-4.32	2
802.11be EHT320-BF_Nss2,(MCS0)_4TX	Pass	6.6186G	3.09	5.9162G	-42.14	-36.91	-5.23	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss2,(MCS0)_4TX	Pass	6.6999G	-10.60	6.7385G	-51.67	-50.60	-1.07	4
802.11be EHT40-BF_Nss2,(MCS0)_4TX	Pass	6.8802G	-6.75	6.9692G	-49.05	-46.75	-2.30	2
802.11be EHT80-BF_Nss2,(MCS0)_4TX	Pass	6.71739G	-4.89	6.8902G	-46.57	-44.89	-1.68	4
802.11be EHT160-BF_Nss2,(MCS0)_4TX	Pass	6.80102G	3.17	6.4266G	-42.23	-36.83	-5.40	1
802.11be EHT320-BF_Nss2,(MCS0)_4TX	Pass	6.8107G	2.97	6.4026G	-41.86	-37.03	-4.83	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss2,(MCS0)_4TX	Pass	6.9961G	-9.26	6.9539G	-51.05	-49.26	-1.79	3
802.11be EHT40-BF_Nss2,(MCS0)_4TX	Pass	6.99901G	-8.63	6.9362G	-48.90	-48.63	-0.27	2
802.11be EHT80-BF_Nss2,(MCS0)_4TX	Pass	7.01301G	-3.89	6.9014G	-46.14	-43.89	-2.25	2
802.11be EHT160-BF_Nss2,(MCS0)_4TX	Pass	6.96262G	3.03	6.7346G	-41.35	-36.97	-4.38	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9586G	-9.08	5.9061G	-51.78	-49.08	-2.70	1
5955MHz	Pass	5.9536G	-9.56	5.9168G	-51.89	-49.56	-2.33	2
5955MHz	Pass	5.96129G	-9.34	5.9087G	-52.05	-49.34	-2.71	3
5955MHz	Pass	5.9538G	-9.94	5.9085G	-51.83	-49.94	-1.89	4
6175MHz	Pass	6.1785G	-7.18	6.1264G	-52.39	-47.18	-5.21	1
6175MHz	Pass	6.1725G	-6.93	6.1264G	-52.55	-46.93	-5.62	2
6175MHz	Pass	6.1732G	-7.41	6.1403G	-52.72	-47.41	-5.31	3
6175MHz	Pass	6.1737G	-7.91	6.1351G	-52.59	-47.91	-4.68	4
6415MHz	Pass	6.4163G	-7.97	6.4565G	-52.23	-47.97	-4.26	1
6415MHz	Pass	6.4187G	-8.10	6.4508G	-52.29	-48.10	-4.19	2
6415MHz	Pass	6.413G	-8.31	6.3743G	-52.48	-48.31	-4.17	3
6415MHz	Pass	6.4124G	-8.85	6.4604G	-52.37	-48.85	-3.52	4
6435MHz	Pass	6.4336G	-9.13	6.48G	-52.09	-49.13	-2.96	1
6435MHz	Pass	6.4318G	-9.25	6.3941G	-52.30	-49.25	-3.05	2
6435MHz	Pass	6.4336G	-9.63	6.4689G	-52.41	-49.63	-2.78	3
6435MHz	Pass	6.4311G	-9.38	6.4723G	-52.22	-49.38	-2.84	4
6475MHz	Pass	6.4781G	-9.31	6.4323G	-52.25	-49.31	-2.94	1
6475MHz	Pass	6.4757G	-9.20	6.4348G	-52.28	-49.20	-3.08	2
6475MHz	Pass	6.4765G	-10.03	6.426G	-52.43	-50.03	-2.40	3
6475MHz	Pass	6.4785G	-10.33	6.4322G	-52.34	-50.33	-2.01	4
6515MHz	Pass	6.5157G	-9.39	6.4799G	-52.14	-49.39	-2.75	1
6515MHz	Pass	6.5137G	-9.17	6.4674G	-52.28	-49.17	-3.11	2
6515MHz	Pass	6.5136G	-10.13	6.479G	-52.36	-50.13	-2.23	3
6515MHz	Pass	6.5122G	-10.00	6.4724G	-52.24	-50.00	-2.24	4
6535MHz	Pass	6.5374G	-9.27	6.4971G	-52.17	-49.27	-2.90	1
6535MHz	Pass	6.5375G	-9.41	6.4951G	-52.26	-49.41	-2.85	2
6535MHz	Pass	6.5375G	-9.95	6.4851G	-52.33	-49.95	-2.38	3
6535MHz	Pass	6.5324G	-10.09	6.4856G	-52.20	-50.09	-2.11	4
6695MHz	Pass	6.6989G	-10.00	6.7341G	-51.62	-50.00	-1.62	1
6695MHz	Pass	6.6958G	-10.51	6.7321G	-51.72	-50.51	-1.21	2
6695MHz	Pass	6.6967G	-10.68	6.7304G	-51.85	-50.68	-1.17	3
6695MHz	Pass	6.6999G	-10.60	6.7385G	-51.67	-50.60	-1.07	4
6855MHz	Pass	6.86G	-8.53	6.892G	-51.58	-48.53	-3.05	1
6855MHz	Pass	6.8555G	-8.60	6.8999G	-51.58	-48.60	-2.98	2
6855MHz	Pass	6.8564G	-8.92	6.9009G	-51.70	-48.92	-2.78	3
6855MHz	Pass	6.8559G	-8.72	6.896G	-51.52	-48.72	-2.80	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8763G	-9.31	6.917G	-51.43	-49.31	-2.12	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8737G	-9.93	6.9182G	-51.38	-49.93	-1.45	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8711G	-10.19	6.9179G	-51.73	-50.19	-1.54	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8761G	-9.24	6.922G	-51.43	-49.24	-2.19	4
6895MHz	Pass	6.8973G	-8.79	6.9421G	-50.96	-48.79	-2.17	1
6895MHz	Pass	6.8939G	-8.54	6.9385G	-51.03	-48.54	-2.49	2
6895MHz	Pass	6.8936G	-9.03	6.941G	-51.22	-49.03	-2.19	3
6895MHz	Pass	6.8912G	-8.48	6.9367G	-51.09	-48.48	-2.61	4
6995MHz	Pass	6.9975G	-8.58	6.9599G	-50.75	-48.58	-2.17	1
6995MHz	Pass	6.9957G	-8.76	6.9566G	-50.73	-48.76	-1.97	2
6995MHz	Pass	6.9961G	-9.26	6.9539G	-51.05	-49.26	-1.79	3
6995MHz	Pass	6.994G	-8.72	6.9617G	-50.97	-48.72	-2.25	4
7095MHz	Pass	7.0913G	-10.47	7.0481G	-54.87	-50.47	-4.40	1
7095MHz	Pass	7.0919G	-10.39	7.0506G	-54.94	-50.39	-4.55	2
7095MHz	Pass	7.0912G	-11.06	7.1278G	-54.88	-51.06	-3.82	3
7095MHz	Pass	7.0976G	-10.63	7.0516G	-54.98	-50.63	-4.35	4
802.11be EHT40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97099G	-4.63	5.8712G	-49.54	-44.63	-4.91	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.9686G	-5.24	5.868G	-49.66	-45.24	-4.42	2
5965MHz	Pass	5.968G	-4.76	5.8656G	-49.78	-44.76	-5.02	3
5965MHz	Pass	5.9614G	-5.01	5.8986G	-49.67	-45.01	-4.66	4
6165MHz	Pass	6.1676G	-5.45	6.1036G	-50.29	-45.45	-4.84	1
6165MHz	Pass	6.1682G	-5.85	6.0668G	-50.42	-45.85	-4.57	2
6165MHz	Pass	6.1672G	-5.65	6.0972G	-50.63	-45.65	-4.98	3
6165MHz	Pass	6.1612G	-5.54	6.0912G	-50.34	-45.54	-4.80	4
6405MHz	Pass	6.41G	-4.92	6.4668G	-50.00	-44.92	-5.08	1
6405MHz	Pass	6.4026G	-5.19	6.47G	-50.06	-45.19	-4.87	2
6405MHz	Pass	6.4024G	-5.07	6.4788G	-50.27	-45.07	-5.20	3
6405MHz	Pass	6.4076G	-4.95	6.4668G	-50.04	-44.95	-5.09	4
6445MHz	Pass	6.43981G	-5.94	6.3784G	-50.08	-45.94	-4.14	1
6445MHz	Pass	6.4426G	-6.40	6.3834G	-50.11	-46.40	-3.71	2
6445MHz	Pass	6.43981G	-6.27	6.3634G	-50.31	-46.27	-4.04	3
6445MHz	Pass	6.43941G	-6.24	6.3704G	-50.13	-46.24	-3.89	4
6485MHz	Pass	6.4892G	-7.49	6.4222G	-49.97	-47.49	-2.48	1
6485MHz	Pass	6.4822G	-7.70	6.4238G	-50.08	-47.70	-2.38	2
6485MHz	Pass	6.49119G	-7.70	6.424G	-50.24	-47.70	-2.54	3
6485MHz	Pass	6.49G	-7.76	6.4144G	-50.10	-47.76	-2.34	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.5292G	-6.58	6.4474G	-49.94	-46.58	-3.36	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.51961G	-6.71	6.4276G	-50.01	-46.71	-3.30	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.521G	-6.44	6.4318G	-50.25	-46.44	-3.81	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.5222G	-6.76	6.4632G	-49.98	-46.76	-3.22	4
6565MHz	Pass	6.5608G	-5.84	6.6642G	-49.69	-45.84	-3.85	1
6565MHz	Pass	6.5602G	-5.72	6.652G	-49.77	-45.72	-4.05	2
6565MHz	Pass	6.5626G	-6.05	6.663G	-49.95	-46.05	-3.90	3
6565MHz	Pass	6.55981G	-5.78	6.662G	-49.76	-45.78	-3.98	4
6685MHz	Pass	6.69079G	-6.48	6.7482G	-49.50	-46.48	-3.02	1
6685MHz	Pass	6.6884G	-6.68	6.7628G	-49.57	-46.68	-2.89	2
6685MHz	Pass	6.6872G	-6.72	6.7498G	-49.73	-46.72	-3.01	3
6685MHz	Pass	6.6884G	-6.91	6.762G	-49.52	-46.91	-2.61	4
6845MHz	Pass	6.85019G	-5.38	6.9428G	-49.14	-45.38	-3.76	1
6845MHz	Pass	6.8486G	-5.70	6.9398G	-49.20	-45.70	-3.50	2
6845MHz	Pass	6.8488G	-5.60	6.9378G	-49.33	-45.60	-3.73	3
6845MHz	Pass	6.8476G	-5.45	6.9406G	-49.21	-45.45	-3.76	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.89G	-6.47	6.98G	-48.87	-46.47	-2.40	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.8802G	-6.75	6.9692G	-49.05	-46.75	-2.30	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.87981G	-6.38	6.983G	-49.15	-46.38	-2.77	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.8824G	-6.70	6.9812G	-49.00	-46.70	-2.30	4
6925MHz	Pass	6.93119G	-6.08	6.986G	-48.44	-46.08	-2.36	1
6925MHz	Pass	6.9208G	-6.11	6.9966G	-48.56	-46.11	-2.45	2
6925MHz	Pass	6.922G	-6.05	6.9906G	-48.70	-46.05	-2.65	3
6925MHz	Pass	6.921G	-6.32	6.9864G	-48.62	-46.32	-2.30	4
7005MHz	Pass	6.99921G	-8.15	6.9422G	-48.90	-48.15	-0.75	1
7005MHz	Pass	6.99901G	-8.63	6.9362G	-48.90	-48.63	-0.27	2
7005MHz	Pass	7.009G	-8.62	6.9442G	-49.03	-48.62	-0.41	3
7005MHz	Pass	6.99881G	-8.51	6.9426G	-48.97	-48.51	-0.46	4
7085MHz	Pass	7.0872G	-6.42	7.024G	-52.50	-46.42	-6.08	1
7085MHz	Pass	7.09119G	-6.74	7.0232G	-52.52	-46.74	-5.78	2
7085MHz	Pass	7.09119G	-6.76	7.0238G	-52.74	-46.76	-5.98	3
7085MHz	Pass	7.081G	-6.91	7.0238G	-52.68	-46.91	-5.77	4
802.11be EHT80-BF_Nss2.(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99659G	-1.58	5.8006G	-46.57	-41.58	-4.99	1
5985MHz	Pass	5.99659G	-2.36	5.7978G	-46.54	-42.36	-4.18	2
5985MHz	Pass	5.99579G	-1.82	5.7974G	-46.72	-41.82	-4.90	3
5985MHz	Pass	5.99699G	-2.14	5.8218G	-46.69	-42.14	-4.55	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.15539G	-2.94	5.9486G	-46.85	-42.94	-3.91	1
6145MHz	Pass	6.13381G	-3.09	5.961G	-47.00	-43.09	-3.91	2
6145MHz	Pass	6.13501G	-3.21	5.9566G	-47.14	-43.21	-3.93	3
6145MHz	Pass	6.13501G	-2.94	6.0098G	-47.03	-42.94	-4.09	4
6385MHz	Pass	6.39499G	-3.50	6.5234G	-47.27	-43.50	-3.77	1
6385MHz	Pass	6.39659G	-3.64	6.5078G	-47.21	-43.64	-3.57	2
6385MHz	Pass	6.39219G	-3.83	6.507G	-47.51	-43.83	-3.68	3
6385MHz	Pass	6.39699G	-3.49	6.513G	-47.32	-43.49	-3.83	4
6465MHz	Pass	6.45341G	-3.88	6.6602G	-46.87	-43.88	-2.99	1
6465MHz	Pass	6.47539G	-4.25	6.6622G	-46.94	-44.25	-2.69	2
6465MHz	Pass	6.45461G	-3.66	6.6602G	-47.14	-43.66	-3.48	3
6465MHz	Pass	6.47619G	-3.81	6.6598G	-46.98	-43.81	-3.17	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.53261G	-3.94	6.7106G	-46.59	-43.94	-2.65	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.53381G	-3.96	6.7314G	-46.73	-43.96	-2.77	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53581G	-3.80	6.7174G	-46.84	-43.80	-3.04	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.53661G	-3.79	6.7018G	-46.66	-43.79	-2.87	4
6625MHz	Pass	6.63339G	-2.90	6.753G	-46.47	-42.90	-3.57	1
6625MHz	Pass	6.63379G	-3.21	6.7574G	-46.59	-43.21	-3.38	2
6625MHz	Pass	6.63299G	-3.43	6.7718G	-46.75	-43.43	-3.32	3
6625MHz	Pass	6.63739G	-3.18	6.7506G	-46.43	-43.18	-3.25	4
6705MHz	Pass	6.71619G	-4.45	6.8934G	-46.56	-44.45	-2.11	1
6705MHz	Pass	6.69341G	-4.78	6.9022G	-46.60	-44.78	-1.82	2
6705MHz	Pass	6.71579G	-4.59	6.8934G	-46.76	-44.59	-2.17	3
6705MHz	Pass	6.71739G	-4.89	6.8902G	-46.57	-44.89	-1.68	4
6785MHz	Pass	6.77261G	-2.54	6.9602G	-45.90	-42.54	-3.36	1
6785MHz	Pass	6.77421G	-2.38	6.9694G	-46.08	-42.38	-3.70	2
6785MHz	Pass	6.77381G	-2.63	6.9786G	-46.25	-42.63	-3.62	3
6785MHz	Pass	6.77621G	-2.69	6.9514G	-45.97	-42.69	-3.28	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.85541G	-2.60	6.9906G	-45.78	-42.60	-3.18	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85261G	-2.42	6.9998G	-45.89	-42.42	-3.47	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.85421G	-2.45	6.9878G	-46.07	-42.45	-3.62	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.85341G	-2.30	6.9946G	-45.84	-42.30	-3.54	4
6945MHz	Pass	6.93341G	-3.07	6.7682G	-46.13	-43.07	-3.06	1
6945MHz	Pass	6.93381G	-3.18	6.771G	-46.09	-43.18	-2.91	2
6945MHz	Pass	6.93461G	-2.91	6.7546G	-46.37	-42.91	-3.46	3
6945MHz	Pass	6.93541G	-3.39	6.7662G	-46.34	-43.39	-2.95	4
7025MHz	Pass	7.01261G	-3.79	6.8846G	-46.13	-43.79	-2.34	1
7025MHz	Pass	7.01301G	-3.89	6.9014G	-46.14	-43.89	-2.25	2
7025MHz	Pass	7.01181G	-3.87	6.8974G	-46.34	-43.87	-2.47	3
7025MHz	Pass	7.01541G	-3.97	6.9022G	-46.26	-43.97	-2.29	4
802.11be EHT160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04898G	3.98	6.2714G	-41.94	-35.94	-6.00	1
6025MHz	Pass	6.04898G	3.67	6.2738G	-42.32	-36.33	-5.99	2
6025MHz	Pass	6.04898G	4.09	6.2722G	-42.05	-35.84	-6.21	3
6025MHz	Pass	6.04978G	4.11	6.2746G	-42.11	-35.89	-6.22	4
6185MHz	Pass	6.20978G	6.08	6.4346G	-40.47	-33.92	-6.55	1
6185MHz	Pass	6.21057G	5.29	6.4346G	-40.70	-34.68	-6.02	2
6185MHz	Pass	6.20898G	5.84	6.433G	-40.66	-34.00	-6.66	3
6185MHz	Pass	6.20978G	5.82	6.4346G	-40.42	-34.09	-6.33	4
6345MHz	Pass	6.32262G	4.08	6.7234G	-42.07	-35.92	-6.15	1
6345MHz	Pass	6.32182G	3.63	6.7002G	-42.20	-36.37	-5.83	2
6345MHz	Pass	6.32342G	4.48	6.0954G	-42.20	-35.52	-6.68	3
6345MHz	Pass	6.32022G	4.22	6.7186G	-42.08	-35.78	-6.30	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.47863G	2.64	6.7594G	-41.99	-37.36	-4.63	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.48022G	2.12	6.7554G	-42.20	-37.88	-4.32	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.48102G	2.46	6.7538G	-42.29	-37.54	-4.75	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz Straddle 6.425-6.525GHz	Pass	6.52978G	2.31	6.7634G	-42.03	-37.69	-4.34	4
6665MHz	Pass	6.63943G	4.80	6.9962G	-41.29	-35.20	-6.09	1
6665MHz	Pass	6.64102G	4.36	6.9978G	-41.41	-35.64	-5.77	2
6665MHz	Pass	6.63943G	4.79	6.9986G	-41.53	-35.21	-6.32	3
6665MHz	Pass	6.63863G	4.38	6.9906G	-41.21	-35.62	-5.59	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.80102G	3.17	6.4266G	-42.23	-36.83	-5.40	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.76346G	3.10	6.4586G	-42.30	-36.90	-5.40	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.79863G	3.58	6.4266G	-42.45	-36.42	-6.03	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.85137G	3.06	6.4354G	-42.35	-36.94	-5.41	4
6985MHz	Pass	6.96262G	3.03	6.7346G	-41.35	-36.97	-4.38	1
6985MHz	Pass	6.96022G	3.00	6.7186G	-41.39	-37.00	-4.39	2
6985MHz	Pass	6.95943G	3.24	6.7314G	-41.62	-36.76	-4.86	3
6985MHz	Pass	7.00898G	3.13	6.7298G	-41.65	-36.87	-4.78	4
802.11be EHT320-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0698G	6.80	6.5978G	-40.58	-33.12	-7.46	1
6105MHz	Pass	6.073G	6.68	6.5994G	-40.28	-33.30	-6.98	2
6105MHz	Pass	6.0714G	6.91	6.601G	-40.97	-33.09	-7.88	3
6105MHz	Pass	6.0698G	6.90	6.5978G	-40.19	-32.97	-7.22	4
6265MHz	Pass	6.2298G	3.51	6.9962G	-41.83	-36.49	-5.34	1
6265MHz	Pass	6.2202G	3.79	6.9978G	-42.09	-36.21	-5.88	2
6265MHz	Pass	6.2202G	4.14	6.9994G	-41.82	-35.86	-5.96	3
6265MHz	Pass	6.2298G	4.35	6.9994G	-41.89	-35.65	-6.24	4
6425MHz	Pass	6.3914G	6.65	6.9194G	-41.34	-33.35	-7.99	1
6425MHz	Pass	6.3898G	5.83	6.9258G	-42.09	-34.17	-7.92	2
6425MHz	Pass	6.393G	6.39	6.921G	-41.99	-33.61	-8.38	3
6425MHz	Pass	6.3914G	6.34	6.921G	-41.21	-33.65	-7.56	4
6585MHz	Pass	6.6186G	3.09	5.9162G	-42.14	-36.91	-5.23	1
6585MHz	Pass	6.537G	3.67	5.9226G	-42.15	-36.33	-5.82	2
6585MHz	Pass	6.5498G	3.46	5.9162G	-41.96	-36.54	-5.42	3
6585MHz	Pass	6.5514G	4.18	5.9034G	-42.01	-35.82	-6.19	4
6745MHz	Pass	6.7114G	7.01	6.2442G	-41.15	-32.99	-8.16	1
6745MHz	Pass	6.7098G	6.50	6.2458G	-41.70	-33.50	-8.20	2
6745MHz	Pass	6.7114G	6.79	6.2506G	-41.27	-33.14	-8.13	3
6745MHz	Pass	6.7786G	6.85	6.2474G	-42.05	-33.15	-8.90	4
6905MHz	Pass	6.8698G	2.69	6.4058G	-42.30	-37.31	-4.99	1
6905MHz	Pass	6.8602G	3.30	6.4074G	-41.97	-36.70	-5.27	2
6905MHz	Pass	6.8107G	2.97	6.4026G	-41.86	-37.03	-4.83	3
6905MHz	Pass	6.8698G	3.51	6.4106G	-41.80	-36.49	-5.31	4




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX
6415MHz_TX

MASK

06/02/2023

CF Freq
6.415GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4163G	-7.97	6.4565G	-52.23	-47.97	-4.26	1
6.4187G	-8.10	6.4508G	-52.29	-48.10	-4.19	2
6.413G	-8.31	6.3743G	-52.48	-48.31	-4.17	3
6.4124G	-8.85	6.4604G	-52.37	-48.85	-3.52	4

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX
6435MHz_TX

MASK

06/02/2023

CF Freq
6.435GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4336G	-9.13	6.48G	-52.09	-49.13	-2.96	1
6.4318G	-9.25	6.3941G	-52.30	-49.25	-3.05	2
6.4336G	-9.63	6.4689G	-52.41	-49.63	-2.78	3
6.4311G	-9.38	6.4723G	-52.22	-49.38	-2.84	4





6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX
6475MHz_TX

MASK

06/02/2023

CF Freq
6.475GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4781G	-9.31	6.4323G	-52.25	-49.31	-2.94	1
6.4757G	-9.20	6.4348G	-52.28	-49.20	-3.08	2
6.4765G	-10.03	6.426G	-52.43	-50.03	-2.40	3
6.4785G	-10.33	6.4322G	-52.34	-50.33	-2.01	4





6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX
6515MHz_TX

MASK

06/02/2023

CF Freq
6.515GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5157G	-9.39	6.4799G	-52.14	-49.39	-2.75	1
6.5137G	-9.17	6.4674G	-52.28	-49.17	-3.11	2
6.5136G	-10.13	6.479G	-52.36	-50.13	-2.23	3
6.5122G	-10.00	6.4724G	-52.24	-50.00	-2.24	4

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX
6535MHz_TX

MASK

06/02/2023

CF Freq
6.535GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5374G	-9.27	6.4971G	-52.17	-49.27	-2.90	1
6.5375G	-9.41	6.4951G	-52.26	-49.41	-2.85	2
6.5375G	-9.95	6.4851G	-52.33	-49.95	-2.38	3
6.5324G	-10.09	6.4856G	-52.20	-50.09	-2.11	4

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX
6695MHz_TX

MASK



06/02/2023

CF Freq
6.695GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6989G	-10.00	6.7341G	-51.62	-50.00	-1.62	1
6.6958G	-10.51	6.7321G	-51.72	-50.51	-1.21	2
6.6967G	-10.68	6.7304G	-51.85	-50.68	-1.17	3
6.6999G	-10.60	6.7385G	-51.67	-50.60	-1.07	4



6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6895MHz_TX

06/02/2023

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8973G	-8.79	6.9421G	-50.96	-48.79	-2.17	1
6.8939G	-8.54	6.9385G	-51.03	-48.54	-2.49	2
6.8936G	-9.03	6.941G	-51.22	-49.03	-2.19	3
6.8912G	-8.48	6.9367G	-51.09	-48.48	-2.61	4

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6995MHz_TX

06/02/2023

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9975G	-8.58	6.9599G	-50.75	-48.58	-2.17	1
6.9957G	-8.76	6.9566G	-50.73	-48.76	-1.97	2
6.9961G	-9.26	6.9539G	-51.05	-49.26	-1.79	3
6.994G	-8.72	6.9617G	-50.97	-48.72	-2.25	4

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

7095MHz_TX

06/02/2023

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0913G	-10.47	7.0481G	-54.87	-50.47	-4.40	1
7.0919G	-10.39	7.0506G	-54.94	-50.39	-4.55	2
7.0912G	-11.06	7.1278G	-54.88	-51.06	-3.82	3
7.0976G	-10.63	7.0516G	-54.98	-50.63	-4.35	4

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

06/02/2023

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97099G	-4.63	5.8712G	-49.54	-44.63	-4.91	1
5.9686G	-5.24	5.868G	-49.66	-45.24	-4.42	2
5.968G	-4.76	5.8656G	-49.78	-44.76	-5.02	3
5.9614G	-5.01	5.8986G	-49.67	-45.01	-4.66	4




6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6445MHz_TX

MASK

06/02/2023

CF Freq
6.445GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43981G	-5.94	6.3784G	-50.08	-45.94	-4.14	1
6.4426G	-6.40	6.3834G	-50.11	-46.40	-3.71	2
6.43981G	-6.27	6.3634G	-50.31	-46.27	-4.04	3
6.43941G	-6.24	6.3704G	-50.13	-46.24	-3.89	4

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6485MHz_TX

MASK

06/02/2023

CF Freq
6.485GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4892G	-7.49	6.4222G	-49.97	-47.49	-2.48	1
6.4822G	-7.70	6.4238G	-50.08	-47.70	-2.38	2
6.49119G	-7.70	6.424G	-50.24	-47.70	-2.54	3
6.49G	-7.76	6.4144G	-50.10	-47.76	-2.34	4

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX

MASK

06/02/2023

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5292G	-6.58	6.4474G	-49.94	-46.58	-3.36	1
6.51961G	-6.71	6.4276G	-50.01	-46.71	-3.30	2
6.521G	-6.44	6.4318G	-50.25	-46.44	-3.81	3
6.5222G	-6.76	6.4632G	-49.98	-46.76	-3.22	4

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6565MHz_TX

MASK

06/02/2023

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5608G	-5.84	6.6642G	-49.69	-45.84	-3.85	1
6.5602G	-5.72	6.652G	-49.77	-45.72	-4.05	2
6.5626G	-6.05	6.663G	-49.95	-46.05	-3.90	3
6.55981G	-5.78	6.662G	-49.76	-45.78	-3.98	4

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6685MHz_TX

MASK

06/02/2023

CF Freq
6.685GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69079G	-6.48	6.7482G	-49.50	-46.48	-3.02	1
6.6884G	-6.68	6.7628G	-49.57	-46.68	-2.89	2
6.6872G	-6.72	6.7498G	-49.73	-46.72	-3.01	3
6.6884G	-6.91	6.762G	-49.52	-46.91	-2.61	4

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6845MHz_TX

MASK

06/02/2023

CF Freq
6.845GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85019G	-5.38	6.9428G	-49.14	-45.38	-3.76	1
6.8486G	-5.70	6.9398G	-49.20	-45.70	-3.50	2
6.8488G	-5.60	6.9378G	-49.33	-45.60	-3.73	3
6.8476G	-5.45	6.9406G	-49.21	-45.45	-3.76	4

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX

MASK

06/02/2023

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89G	-6.47	6.98G	-48.87	-46.47	-2.40	1
6.8802G	-6.75	6.9692G	-49.05	-46.75	-2.30	2
6.87981G	-6.38	6.983G	-49.15	-46.38	-2.77	3
6.8824G	-6.70	6.9812G	-49.00	-46.70	-2.30	4

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX
6925MHz_TX

MASK

06/02/2023

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93119G	-6.08	6.986G	-48.44	-46.08	-2.36	1
6.9208G	-6.11	6.9966G	-48.56	-46.11	-2.45	2
6.922G	-6.05	6.9906G	-48.70	-46.05	-2.65	3
6.921G	-6.32	6.9864G	-48.62	-46.32	-2.30	4



5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TX

06/02/2023

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99659G	-1.58	5.8006G	-46.57	-41.58	-4.99	1
5.99659G	-2.36	5.7978G	-46.54	-42.36	-4.18	2
5.99579G	-1.82	5.7974G	-46.72	-41.82	-4.90	3
5.99699G	-2.14	5.8218G	-46.69	-42.14	-4.55	4

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6145MHz_TX

06/02/2023

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15539G	-2.94	5.9488G	-46.85	-42.94	-3.91	1
6.13381G	-3.09	5.961G	-47.00	-43.09	-3.91	2
6.13501G	-3.21	5.9566G	-47.14	-43.21	-3.93	3
6.13501G	-2.94	6.0098G	-47.03	-42.94	-4.09	4

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
6385MHz_TX

MASK

06/02/2023

CF Freq
6.385GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39499G	-3.50	6.5234G	-47.27	-43.50	-3.77	1
6.39659G	-3.64	6.5078G	-47.21	-43.64	-3.57	2
6.39219G	-3.83	6.507G	-47.51	-43.83	-3.68	3
6.39699G	-3.49	6.513G	-47.32	-43.49	-3.83	4

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
6465MHz_TX

MASK

06/02/2023

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-3.88	6.6602G	-46.87	-43.88	-2.99	1
6.47539G	-4.25	6.6622G	-46.94	-44.25	-2.69	2
6.45461G	-3.66	6.6602G	-47.14	-43.66	-3.48	3
6.47619G	-3.81	6.6598G	-46.98	-43.81	-3.17	4

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX

MASK

06/02/2023

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53261G	-3.94	6.7106G	-46.59	-43.94	-2.65	1
6.53381G	-3.96	6.7314G	-46.73	-43.96	-2.77	2
6.53581G	-3.80	6.7174G	-46.84	-43.80	-3.04	3
6.53661G	-3.79	6.7018G	-46.66	-43.79	-2.87	4

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
6625MHz_TX

MASK

06/02/2023

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63339G	-2.90	6.753G	-46.47	-42.90	-3.57	1
6.63379G	-3.21	6.7574G	-46.59	-43.21	-3.38	2
6.63299G	-3.43	6.7718G	-46.75	-43.43	-3.32	3
6.63739G	-3.18	6.7506G	-46.43	-43.18	-3.25	4

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
6705MHz_TX

MASK

06/02/2023

CF Freq
6.705GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71619G	-4.45	6.8934G	-46.56	-44.45	-2.11	1
6.69341G	-4.78	6.9022G	-46.60	-44.78	-1.82	2
6.71579G	-4.59	6.8934G	-46.76	-44.59	-2.17	3
6.71739G	-4.89	6.8902G	-46.57	-44.89	-1.68	4

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
6785MHz_TX

MASK

06/02/2023

CF Freq
6.785GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77261G	-2.54	6.9602G	-45.90	-42.54	-3.36	1
6.77421G	-2.38	6.9694G	-46.08	-42.38	-3.70	2
6.77381G	-2.63	6.9786G	-46.25	-42.63	-3.62	3
6.77621G	-2.69	6.9514G	-45.97	-42.69	-3.28	4

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

06/02/2023

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85541G	-2.60	6.9906G	-45.78	-42.60	-3.18	1
6.85261G	-2.42	6.9998G	-45.89	-42.42	-3.47	2
6.85421G	-2.45	6.9878G	-46.07	-42.45	-3.62	3
6.85341G	-2.30	6.9946G	-45.84	-42.30	-3.54	4

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6945MHz_TX

06/02/2023

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93341G	-3.07	6.7682G	-46.13	-43.07	-3.06	1
6.93381G	-3.18	6.771G	-46.09	-43.18	-2.91	2
6.93461G	-2.91	6.7546G	-46.37	-42.91	-3.46	3
6.93541G	-3.39	6.7662G	-46.34	-43.39	-2.95	4

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX
7025MHz_TX

MASK

06/02/2023

CF Freq
7.025GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01261G	-3.79	6.8846G	-46.13	-43.79	-2.34	1
7.01301G	-3.89	6.9014G	-46.14	-43.89	-2.25	2
7.01181G	-3.87	6.8974G	-46.34	-43.87	-2.47	3
7.01541G	-3.97	6.9022G	-46.26	-43.97	-2.29	4

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6025MHz_TX

MASK

06/02/2023

CF Freq
6.025GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	3.98	6.2714G	-41.94	-35.94	-6.00	1
6.04898G	3.67	6.2738G	-42.32	-36.33	-5.99	2
6.04898G	4.09	6.2722G	-42.05	-35.84	-6.21	3
6.04978G	4.11	6.2746G	-42.11	-35.89	-6.22	4





5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6185MHz_TX

MASK

06/02/2023

CF Freq
6.185GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20978G	6.08	6.4346G	-40.47	-33.92	-6.55	1
6.21057G	5.29	6.4346G	-40.70	-34.68	-6.02	2
6.20898G	5.84	6.433G	-40.66	-34.00	-6.66	3
6.20978G	5.82	6.4346G	-40.42	-34.09	-6.33	4





5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6345MHz_TX

MASK

06/02/2023

CF Freq
6.345GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32262G	4.08	6.7234G	-42.07	-35.92	-6.15	1
6.32182G	3.63	6.7002G	-42.20	-36.37	-5.83	2
6.32342G	4.48	6.0954G	-42.20	-35.52	-6.68	3
6.32022G	4.22	6.7186G	-42.08	-35.78	-6.30	4

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX

MASK

06/02/2023

CF Freq
6.505GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47863G	2.64	6.7594G	-41.99	-37.36	-4.63	1
6.48022G	2.12	6.7554G	-42.20	-37.88	-4.32	2
6.48102G	2.46	6.7538G	-42.29	-37.54	-4.75	3
6.52978G	2.31	6.7634G	-42.03	-37.69	-4.34	4

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6665MHz_TX

MASK

06/02/2023

CF Freq
6.665GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63943G	4.80	6.9962G	-41.29	-35.20	-6.09	1
6.64102G	4.36	6.9978G	-41.41	-35.64	-5.77	2
6.63943G	4.79	6.9986G	-41.53	-35.21	-6.32	3
6.63863G	4.38	6.9906G	-41.21	-35.62	-5.59	4

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX

MASK

06/02/2023

CF Freq
6.825GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80102G	3.17	6.4266G	-42.23	-36.83	-5.40	1
6.76346G	3.10	6.4586G	-42.30	-36.90	-5.40	2
6.79863G	3.58	6.4266G	-42.45	-36.42	-6.03	3
6.85137G	3.06	6.4354G	-42.35	-36.94	-5.41	4

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX
6985MHz_TX

MASK

06/02/2023

CF Freq
6.985GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96262G	3.03	6.7346G	-41.35	-36.97	-4.38	1
6.96022G	3.00	6.7186G	-41.39	-37.00	-4.39	2
6.95943G	3.24	6.7314G	-41.62	-36.76	-4.86	3
7.00898G	3.13	6.7298G	-41.65	-36.87	-4.78	4




6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX
6425MHz_TX

MASK

06/02/2023

CF Freq
6.425GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3914G	6.65	6.9194G	-41.34	-33.35	-7.99	1
6.3898G	5.83	6.9258G	-42.09	-34.17	-7.92	2
6.393G	6.39	6.921G	-41.99	-33.61	-8.38	3
6.3914G	6.34	6.921G	-41.21	-33.65	-7.56	4

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX
6585MHz_TX

MASK

22/02/2023

CF Freq
6.585GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6186G	3.09	5.9162G	-42.14	-36.91	-5.23	1
6.537G	3.67	5.9226G	-42.15	-36.33	-5.82	2
6.5498G	3.46	5.9162G	-41.96	-36.54	-5.42	3
6.5514G	4.18	5.9034G	-42.01	-35.82	-6.19	4

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX
6745MHz_TX

MASK

06/02/2023

CF Freq
6.745GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7114G	7.01	6.2442G	-41.15	-32.99	-8.16	1
6.7098G	6.50	6.2458G	-41.70	-33.50	-8.20	2
6.7114G	6.79	6.2506G	-41.27	-33.14	-8.13	3
6.7786G	6.85	6.2474G	-42.05	-33.15	-8.90	4

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX
6905MHz_TX

MASK

22/02/2023

CF Freq
6.905GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8698G	2.69	6.4058G	-42.30	-37.31	-4.99	1
6.8602G	3.30	6.4074G	-41.97	-36.70	-5.27	2
6.8107G	2.97	6.4026G	-41.86	-37.03	-4.83	3
6.8698G	3.51	6.4106G	-41.80	-36.49	-5.31	4