




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	382.11M	41.95	46.00	-4.05	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	34.85M	34.24	40.00	-5.76	-9.43	3	Vertical	195	1.00	"Worst"	43.67	21.63	1.00	32.06
PK	48.43M	30.51	40.00	-9.49	-15.99	3	Vertical	166	1.25	-	46.50	15.10	1.10	32.19
PK	372.41M	39.42	46.00	-6.58	-8.19	3	Vertical	347	1.50	-	47.61	20.73	2.63	31.55
QP	381.14M	39.46	46.00	-6.54	-8.00	3	Vertical	0	1.50	-	47.46	20.85	2.69	31.54
PK	393.75M	38.63	46.00	-7.37	-7.44	3	Vertical	332	1.25	-	46.07	21.33	2.76	31.53
PK	444.19M	36.38	46.00	-9.62	-5.98	3	Vertical	298	1.25	-	42.36	22.56	2.89	31.43

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	218.18M	36.68	46.00	-9.32	-15.04	3	Horizontal	18	1.50	-	51.72	14.95	1.97	31.96
PK	250.19M	33.51	46.00	-12.49	-11.51	3	Horizontal	318	1.00	-	45.02	18.31	2.10	31.92
PK	297.72M	31.82	46.00	-14.18	-10.42	3	Horizontal	208	1.00	-	42.24	19.03	2.29	31.74
PK	382.11M	41.95	46.00	-4.05	-7.99	3	Horizontal	107	1.00	"Worst"	49.94	20.86	2.69	31.54
PK	459.71M	34.34	46.00	-11.66	-5.68	3	Horizontal	359	2.00	-	40.02	22.83	2.94	31.45
PK	777.87M	34.93	46.00	-11.07	-1.87	3	Horizontal	195	1.00	-	36.80	25.75	3.86	31.48




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3628G	53.95	54.00	-0.05	3	Vertical	346	2.18	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
 SET 87
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	67.33	74.00	-6.67	61.16	3	Vertical	13	1.64	-	33.10	5.97	32.90
AV	5.145G	53.80	54.00	-0.20	47.63	3	Vertical	13	1.64	-	33.10	5.97	32.90
PK	5.1856G	125.07	Inf	-Inf	118.80	3	Vertical	13	1.64	-	33.17	5.99	32.89
AV	5.1852G	114.78	Inf	-Inf	108.51	3	Vertical	13	1.64	-	33.17	5.99	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 87
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37068G	52.37	68.20	-15.83	48.20	3	Vertical	72	1.84	-	38.74	8.45	43.02
PK	15.5478G	55.22	74.00	-18.78	48.75	3	Vertical	150	1.80	-	38.50	10.52	42.55
AV	15.54036G	40.54	54.00	-13.46	34.06	3	Vertical	150	1.80	-	38.52	10.52	42.56

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 87
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36318G	52.18	68.20	-16.02	48.02	3	Horizontal	173	1.32	-	38.73	8.45	43.02
PK	15.54507G	53.81	74.00	-20.19	47.34	3	Horizontal	182	2.55	-	38.51	10.52	42.56
AV	15.54027G	40.49	54.00	-13.51	34.01	3	Horizontal	182	2.55	-	38.52	10.52	42.56

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
SET 94
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	71.23	74.00	-2.77	65.06	3	Vertical	13	1.59	-	33.10	5.97	32.90
AV	5.146G	53.72	54.00	-0.28	47.55	3	Vertical	13	1.59	-	33.10	5.97	32.90
PK	5.2056G	126.83	Inf	-Inf	120.51	3	Vertical	13	1.59	-	33.21	6.00	32.89
AV	5.2056G	117.00	Inf	-Inf	110.68	3	Vertical	13	1.59	-	33.21	6.00	32.89
PK	5.3616G	64.30	74.00	-9.70	57.53	3	Vertical	13	1.59	-	33.55	6.08	32.86
AV	5.3632G	52.39	54.00	-1.61	45.62	3	Vertical	13	1.59	-	33.55	6.08	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39298G	51.69	68.20	-16.51	47.47	3	Vertical	29	2.56	-	38.79	8.46	43.03
PK	15.60996G	54.19	74.00	-19.81	47.74	3	Vertical	36	1.80	-	38.39	10.54	42.48
AV	15.60846G	40.96	54.00	-13.04	34.51	3	Vertical	36	1.80	-	38.39	10.54	42.48

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39082G	51.02	68.20	-17.18	46.81	3	Horizontal	143	2.84	-	38.78	8.46	43.03
PK	15.60366G	53.40	74.00	-20.60	46.95	3	Horizontal	57	1.18	-	38.40	10.54	42.49
AV	15.61341G	40.48	54.00	-13.52	34.02	3	Horizontal	57	1.18	-	38.39	10.55	42.48

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
SET 104
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1164G	72.20	74.00	-1.80	66.05	3	Vertical	11	1.53	-	33.10	5.96	32.91
AV	5.087G	53.29	54.00	-0.71	47.13	3	Vertical	11	1.53	-	33.13	5.94	32.91
PK	5.2454G	129.21	Inf	-Inf	122.78	3	Vertical	11	1.53	-	33.29	6.02	32.88
AV	5.246G	119.64	Inf	-Inf	113.21	3	Vertical	11	1.53	-	33.29	6.02	32.88
PK	5.3522G	69.75	74.00	-4.25	63.02	3	Vertical	11	1.53	-	33.51	6.08	32.86
AV	5.4038G	53.49	54.00	-0.51	46.52	3	Vertical	11	1.53	-	33.72	6.10	32.85
PK	5.4776G	62.92	68.20	-5.28	55.60	3	Vertical	11	1.53	-	34.01	6.14	32.83

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47433G	52.35	68.20	-15.85	48.10	3	Vertical	173	2.84	-	38.80	8.49	43.04
PK	15.73206G	57.64	74.00	-16.36	50.99	3	Vertical	328	2.50	-	38.40	10.59	42.34
AV	15.72867G	43.03	54.00	-10.97	36.39	3	Vertical	328	2.50	-	38.39	10.59	42.34

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48159G	52.11	68.20	-16.09	47.86	3	Horizontal	229	1.90	-	38.80	8.49	43.04
PK	15.72006G	54.05	74.00	-19.95	47.45	3	Horizontal	321	1.01	-	38.36	10.59	42.35
AV	15.72966G	40.15	54.00	-13.85	33.51	3	Horizontal	321	1.01	-	38.39	10.59	42.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
 SET 104
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	71.65	74.00	-2.35	65.50	3	Vertical	11	1.49	-	33.10	5.96	32.91
AV	5.107G	52.65	54.00	-1.35	46.51	3	Vertical	11	1.49	-	33.10	5.95	32.91
PK	5.266G	129.13	Inf	-Inf	122.65	3	Vertical	11	1.49	-	33.33	6.03	32.88
AV	5.2654G	119.11	Inf	-Inf	112.63	3	Vertical	11	1.49	-	33.33	6.03	32.88
PK	5.356G	69.69	74.00	-4.31	62.95	3	Vertical	11	1.49	-	33.52	6.08	32.86
AV	5.4244G	52.67	54.00	-1.33	45.61	3	Vertical	11	1.49	-	33.80	6.11	32.85
PK	5.5054G	63.38	68.20	-4.82	55.96	3	Vertical	11	1.49	-	34.10	6.15	32.83

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51445G	52.41	68.20	-15.79	48.14	3	Vertical	198	1.27	-	38.80	8.51	43.04
PK	15.77004G	58.82	74.00	-15.18	52.00	3	Vertical	330	2.23	-	38.51	10.61	42.30
AV	15.77091G	43.76	54.00	-10.24	36.94	3	Vertical	330	2.23	-	38.51	10.61	42.30

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 104
 01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52912G	51.79	68.20	-16.41	47.52	3	Horizontal	35	2.00	-	38.80	8.51	43.04
PK	15.77364G	54.80	74.00	-19.20	47.96	3	Horizontal	221	2.70	-	38.52	10.61	42.29
AV	15.76722G	40.88	54.00	-13.12	34.07	3	Horizontal	221	2.70	-	38.50	10.61	42.30

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
SET 100
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	63.00	74.00	-11.00	56.83	3	Vertical	347	2.40	-	33.10	5.97	32.90
AV	5.1452G	51.18	54.00	-2.82	45.01	3	Vertical	347	2.40	-	33.10	5.97	32.90
PK	5.3024G	128.86	Inf	-Inf	122.28	3	Vertical	347	2.40	-	33.40	6.05	32.87
AV	5.3028G	118.34	Inf	-Inf	111.75	3	Vertical	347	2.40	-	33.41	6.05	32.87
PK	5.3628G	73.06	74.00	-0.94	66.29	3	Vertical	347	2.40	-	33.55	6.08	32.86
AV	5.3628G	53.82	54.00	-0.18	47.05	3	Vertical	347	2.40	-	33.55	6.08	32.86
PK	5.462G	64.90	68.20	-3.30	57.66	3	Vertical	347	2.40	-	33.95	6.13	32.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 100
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60768G	51.59	74.00	-22.41	47.30	3	Vertical	74	1.69	-	38.80	8.54	43.05
AV	10.60867G	38.05	54.00	-15.95	33.76	3	Vertical	74	1.69	-	38.80	8.54	43.05
PK	15.90654G	59.35	74.00	-14.65	52.02	3	Vertical	332	2.39	-	38.81	10.66	42.14
AV	15.90828G	44.35	54.00	-9.65	37.01	3	Vertical	332	2.39	-	38.82	10.66	42.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 100
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6096G	52.62	74.00	-21.38	48.33	3	Horizontal	236	1.24	-	38.80	8.54	43.05
AV	10.60993G	38.02	54.00	-15.98	33.73	3	Horizontal	236	1.24	-	38.80	8.54	43.05
PK	15.91449G	55.45	74.00	-18.55	48.08	3	Horizontal	270	1.56	-	38.83	10.67	42.13
AV	15.91467G	41.12	54.00	-12.88	33.75	3	Horizontal	270	1.56	-	38.83	10.67	42.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




27/07/2023

EUT_Z_4TX
SET 92
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	126.25	Inf	-Inf	119.61	3	Vertical	346	2.18	-	33.45	6.06	32.87
AV	5.3232G	115.91	Inf	-Inf	109.27	3	Vertical	346	2.18	-	33.45	6.06	32.87
PK	5.3626G	70.69	74.00	-3.31	63.92	3	Vertical	346	2.18	-	33.55	6.08	32.86
AV	5.3628G	53.95	54.00	-0.05	47.18	3	Vertical	346	2.18	-	33.55	6.08	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 92
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64492G	51.62	74.00	-22.38	47.32	3	Vertical	300	1.71	-	38.80	8.56	43.06
AV	10.64219G	38.20	54.00	-15.80	33.90	3	Vertical	300	1.71	-	38.80	8.56	43.06
PK	15.95757G	55.60	74.00	-18.40	48.08	3	Vertical	68	2.36	-	38.92	10.68	42.08
AV	15.97398G	41.08	54.00	-12.92	33.50	3	Vertical	68	2.36	-	38.95	10.69	42.06

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 92
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65227G	52.06	74.00	-21.94	47.76	3	Horizontal	120	1.81	-	38.80	8.56	43.06
AV	10.64276G	38.19	54.00	-15.81	33.89	3	Horizontal	120	1.81	-	38.80	8.56	43.06
PK	15.96423G	54.55	74.00	-19.45	47.00	3	Horizontal	50	2.97	-	38.93	10.69	42.07
AV	15.97404G	41.11	54.00	-12.89	33.53	3	Horizontal	50	2.97	-	38.95	10.69	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
SET 78
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	67.57	74.00	-6.43	60.34	3	Vertical	38	1.80	-	33.94	6.13	32.84
AV	5.4599G	51.36	54.00	-2.64	44.13	3	Vertical	38	1.80	-	33.94	6.13	32.84
PK	5.4602G	68.01	68.20	-0.19	60.78	3	Vertical	38	1.80	-	33.94	6.13	32.84
PK	5.5012G	122.42	Inf	-Inf	115.00	3	Vertical	38	1.80	-	34.10	6.15	32.83
AV	5.5014G	111.80	Inf	-Inf	104.38	3	Vertical	38	1.80	-	34.10	6.15	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX



EUT_Z_4TX
Setting 78
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.991G	52.48	74.00	-21.52	48.18	3	Vertical	235	1.19	-	38.70	8.70	43.10
AV	10.99604G	38.63	54.00	-15.37	34.33	3	Vertical	235	1.19	-	38.70	8.70	43.10
PK	16.48518G	58.24	68.20	-9.96	48.53	3	Vertical	143	2.38	-	40.43	10.89	41.61

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 78
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99127G	52.68	74.00	-21.32	48.38	3	Horizontal	297	2.40	-	38.70	8.70	43.10
AV	10.99589G	38.62	54.00	-15.38	34.32	3	Horizontal	297	2.40	-	38.70	8.70	43.10
PK	16.48542G	57.45	68.20	-10.75	47.74	3	Horizontal	123	1.28	-	40.43	10.89	41.61

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX



EUT_Z_4TX
 SET 104
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	61.74	68.20	-6.46	55.06	3	Vertical	256	1.80	-	33.47	6.07	32.86
PK	5.4564G	64.28	74.00	-9.72	57.06	3	Vertical	256	1.80	-	33.93	6.13	32.84
AV	5.4168G	51.75	54.00	-2.25	44.72	3	Vertical	256	1.80	-	33.77	6.11	32.85
PK	5.466G	65.82	68.20	-2.38	58.57	3	Vertical	256	1.80	-	33.96	6.13	32.84
PK	5.5824G	127.23	Inf	-Inf	119.67	3	Vertical	256	1.80	-	34.23	6.19	32.86
AV	5.5818G	117.29	Inf	-Inf	109.73	3	Vertical	256	1.80	-	34.23	6.19	32.86
PK	5.8248G	64.09	68.20	-4.11	55.97	3	Vertical	256	1.80	-	34.75	6.31	32.94

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15475G	51.93	74.00	-22.07	47.68	3	Vertical	99	1.03	-	38.65	8.76	43.16
AV	11.17281G	38.33	54.00	-15.67	34.10	3	Vertical	99	1.03	-	38.63	8.77	43.17
PK	16.73613G	59.56	68.20	-8.64	49.66	3	Vertical	335	1.80	-	40.74	10.99	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16567G	52.52	74.00	-21.48	48.29	3	Horizontal	251	1.53	-	38.63	8.77	43.17
AV	11.17461G	38.31	54.00	-15.69	34.08	3	Horizontal	251	1.53	-	38.63	8.77	43.17
PK	16.75098G	58.06	68.20	-10.14	48.11	3	Horizontal	268	1.89	-	40.80	11.00	41.85

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
 SET 70
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	119.81	Inf	-Inf	111.96	3	Vertical	26	1.80	-	34.50	6.25	32.90
AV	5.7042G	109.31	Inf	-Inf	101.46	3	Vertical	26	1.80	-	34.50	6.25	32.90
PK	5.7264G	68.00	68.20	-0.20	60.15	3	Vertical	26	1.80	-	34.50	6.26	32.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 70
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3973G	51.79	74.00	-22.21	47.39	3	Vertical	73	1.74	-	38.80	8.86	43.26
AV	11.41416G	38.13	54.00	-15.87	33.73	3	Vertical	73	1.74	-	38.80	8.87	43.27
PK	17.10345G	58.33	68.20	-9.87	47.46	3	Vertical	63	1.23	-	41.80	11.14	42.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 70
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38992G	52.36	74.00	-21.64	47.97	3	Horizontal	156	2.79	-	38.79	8.86	43.26
AV	11.41407G	38.10	54.00	-15.90	33.70	3	Horizontal	156	2.79	-	38.80	8.87	43.27
PK	17.09685G	57.88	68.20	-10.32	47.03	3	Horizontal	269	2.75	-	41.78	11.14	42.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 SET 104
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.423G	61.39	74.00	-12.61	54.34	3	Vertical	222	1.80	-	33.79	6.11	32.85
PK	5.468G	61.00	68.20	-7.20	53.74	3	Vertical	222	1.80	-	33.97	6.13	32.84
AV	5.459G	48.12	54.00	-5.88	40.89	3	Vertical	222	1.80	-	33.94	6.13	32.84
PK	5.7236G	128.30	Inf	-Inf	120.45	3	Vertical	222	1.80	-	34.50	6.26	32.91
AV	5.7242G	117.59	Inf	-Inf	109.74	3	Vertical	222	1.80	-	34.50	6.26	32.91
PK	5.8544G	60.84	68.20	-7.36	52.52	3	Vertical	222	1.80	-	34.94	6.33	32.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43904G	51.58	74.00	-22.42	47.18	3	Vertical	278	2.42	-	38.80	8.88	43.28
AV	11.4388G	38.32	54.00	-15.68	33.92	3	Vertical	278	2.42	-	38.80	8.88	43.28
PK	17.15298G	60.33	68.20	-7.87	49.37	3	Vertical	334	1.80	-	41.85	11.16	42.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45233G	51.82	74.00	-22.18	47.42	3	Horizontal	98	2.00	-	38.80	8.88	43.28
AV	11.43388G	38.18	54.00	-15.82	33.78	3	Horizontal	98	2.00	-	38.80	8.87	43.27
PK	17.15553G	58.02	68.20	-10.18	47.05	3	Horizontal	157	2.76	-	41.86	11.16	42.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
 SET 103
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	67.98	68.20	-0.22	60.35	3	Vertical	326	2.31	-	34.30	6.20	32.87
PK	5.748G	129.19	Inf	-Inf	121.33	3	Vertical	326	2.31	-	34.50	6.27	32.91
AV	5.748G	117.78	Inf	-Inf	109.92	3	Vertical	326	2.31	-	34.50	6.27	32.91
PK	5.9695G	60.79	68.20	-7.41	51.90	3	Vertical	326	2.31	-	35.50	6.38	32.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 103
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4936G	52.97	74.00	-21.03	48.57	3	Vertical	316	2.94	-	38.80	8.90	43.30
AV	11.48373G	39.04	54.00	-14.96	34.64	3	Vertical	316	2.94	-	38.80	8.89	43.29
PK	17.22924G	61.27	68.20	-6.93	50.09	3	Vertical	330	3.00	-	42.02	11.19	42.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 103
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47629G	52.46	74.00	-21.54	48.06	3	Horizontal	87	1.44	-	38.80	8.89	43.29
AV	11.48574G	38.70	54.00	-15.30	34.30	3	Horizontal	87	1.44	-	38.80	8.89	43.29
PK	17.22627G	58.53	68.20	-9.67	47.37	3	Horizontal	185	2.80	-	42.01	11.19	42.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
SET 101
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	67.52	68.20	-0.68	59.88	3	Vertical	327	2.14	-	34.30	6.21	32.87
PK	5.788G	127.66	Inf	-Inf	119.72	3	Vertical	327	2.14	-	34.58	6.29	32.93
AV	5.7885G	117.34	Inf	-Inf	109.40	3	Vertical	327	2.14	-	34.58	6.29	32.93
PK	5.9745G	61.06	68.20	-7.14	52.16	3	Vertical	327	2.14	-	35.50	6.39	32.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 101
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56145G	52.24	74.00	-21.76	47.81	3	Vertical	296	1.41	-	38.80	8.92	43.29
AV	11.55998G	38.70	54.00	-15.30	34.27	3	Vertical	296	1.41	-	38.80	8.92	43.29
PK	17.34726G	60.62	68.20	-7.58	48.95	3	Vertical	334	1.79	-	42.44	11.24	42.01

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 101
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.555G	52.06	74.00	-21.94	47.63	3	Horizontal	336	2.58	-	38.80	8.92	43.29
AV	11.55503G	38.56	54.00	-15.44	34.13	3	Horizontal	336	2.58	-	38.80	8.92	43.29
PK	17.3418G	59.57	68.20	-8.63	47.91	3	Horizontal	222	1.55	-	42.43	11.24	42.01

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
 SET 104
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	66.79	68.20	-1.41	59.15	3	Vertical	145	2.08	-	34.30	6.22	32.88
PK	5.8225G	126.66	Inf	-Inf	118.56	3	Vertical	145	2.08	-	34.73	6.31	32.94
AV	5.8225G	116.08	Inf	-Inf	107.98	3	Vertical	145	2.08	-	34.73	6.31	32.94
PK	6.054G	61.17	68.20	-7.03	52.15	3	Vertical	145	2.08	-	35.60	6.43	33.01

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6437G	52.62	74.00	-21.38	48.10	3	Vertical	75	1.45	-	38.84	8.96	43.28
AV	11.65732G	39.00	54.00	-15.00	34.45	3	Vertical	75	1.45	-	38.86	8.96	43.27
PK	17.47647G	60.08	68.20	-8.12	48.25	3	Vertical	326	1.80	-	42.52	11.29	41.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65501G	53.24	74.00	-20.76	48.70	3	Horizontal	284	1.07	-	38.86	8.96	43.28
AV	11.665G	38.96	54.00	-15.04	34.39	3	Horizontal	284	1.07	-	38.87	8.97	43.27
PK	17.4735G	58.89	68.20	-9.31	47.05	3	Horizontal	280	1.94	-	42.53	11.29	41.98

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
 SET 86
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	69.30	74.00	-4.70	63.13	3	Vertical	0	2.55	-	33.10	5.97	32.90
AV	5.1388G	53.69	54.00	-0.31	47.52	3	Vertical	0	2.55	-	33.10	5.97	32.90
PK	5.187G	126.14	Inf	-Inf	119.87	3	Vertical	0	2.55	-	33.17	5.99	32.89
AV	5.188G	114.43	Inf	-Inf	108.15	3	Vertical	0	2.55	-	33.18	5.99	32.89

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 86
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35961G	54.02	68.20	-14.18	49.88	3	Vertical	30	2.32	-	38.72	8.44	43.02
PK	15.54999G	54.52	74.00	-19.48	48.05	3	Vertical	285	1.80	-	38.50	10.52	42.55
AV	15.5436G	41.43	54.00	-12.57	34.96	3	Vertical	285	1.80	-	38.51	10.52	42.56

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 86
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35757G	53.05	68.20	-15.15	48.91	3	Horizontal	41	2.40	-	38.72	8.44	43.02
PK	15.5397G	53.42	74.00	-20.58	46.94	3	Horizontal	190	1.34	-	38.52	10.52	42.56
AV	15.53922G	40.94	54.00	-13.06	34.46	3	Horizontal	190	1.34	-	38.52	10.52	42.56

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
SET 90
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.92	74.00	-3.08	64.75	3	Vertical	356	2.39	-	33.10	5.97	32.90
AV	5.15G	53.83	54.00	-0.17	47.66	3	Vertical	356	2.39	-	33.10	5.97	32.90
PK	5.1916G	128.49	Inf	-Inf	122.20	3	Vertical	356	2.39	-	33.18	6.00	32.89
AV	5.1916G	116.78	Inf	-Inf	110.49	3	Vertical	356	2.39	-	33.18	6.00	32.89
PK	5.368G	63.14	74.00	-10.86	56.35	3	Vertical	356	2.39	-	33.57	6.08	32.86
AV	5.3664G	51.79	54.00	-2.21	45.00	3	Vertical	356	2.39	-	33.57	6.08	32.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 90
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39922G	51.93	68.20	-16.27	47.70	3	Vertical	269	2.72	-	38.80	8.46	43.03
PK	15.61494G	54.58	74.00	-19.42	48.12	3	Vertical	29	2.00	-	38.39	10.55	42.48
AV	15.61224G	41.49	54.00	-12.51	35.04	3	Vertical	29	2.00	-	38.39	10.54	42.48

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 90
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41455G	51.73	68.20	-16.47	47.49	3	Horizontal	148	2.21	-	38.80	8.47	43.03
PK	15.60837G	54.79	74.00	-19.21	48.34	3	Horizontal	240	1.49	-	38.39	10.54	42.48
AV	15.61224G	41.54	54.00	-12.46	35.09	3	Horizontal	240	1.49	-	38.39	10.54	42.48

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 SET 103
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	68.80	74.00	-5.20	62.66	3	Vertical	89	1.80	-	33.10	5.95	32.91
AV	5.0864G	50.49	54.00	-3.51	44.33	3	Vertical	89	1.80	-	33.13	5.94	32.91
PK	5.2328G	127.44	Inf	-Inf	121.03	3	Vertical	89	1.80	-	33.27	6.02	32.88
AV	5.231G	116.27	Inf	-Inf	109.87	3	Vertical	89	1.80	-	33.26	6.02	32.88
PK	5.3612G	68.67	74.00	-5.33	61.91	3	Vertical	89	1.80	-	33.54	6.08	32.86
AV	5.4008G	51.36	54.00	-2.64	44.41	3	Vertical	89	1.80	-	33.70	6.10	32.85
PK	5.4674G	61.91	68.20	-6.29	54.65	3	Vertical	89	1.80	-	33.97	6.13	32.84

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48516G	53.62	68.20	-14.58	49.37	3	Vertical	134	2.85	-	38.80	8.49	43.04
PK	15.73221G	57.71	74.00	-16.29	51.06	3	Vertical	332	2.87	-	38.40	10.59	42.34
AV	15.72846G	44.56	54.00	-9.44	37.92	3	Vertical	332	2.87	-	38.39	10.59	42.34

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46614G	53.81	68.20	-14.39	49.56	3	Horizontal	241	1.80	-	38.80	8.49	43.04
PK	15.71019G	54.76	74.00	-19.24	48.22	3	Horizontal	58	1.01	-	38.33	10.58	42.37
AV	15.70908G	40.85	54.00	-13.15	34.31	3	Horizontal	58	1.01	-	38.33	10.58	42.37

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
SET 104
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	68.55	74.00	-5.45	62.38	3	Vertical	317	1.80	-	33.10	5.97	32.90
AV	5.1076G	51.32	54.00	-2.68	45.18	3	Vertical	317	1.80	-	33.10	5.95	32.91
PK	5.2522G	128.69	Inf	-Inf	122.24	3	Vertical	317	1.80	-	33.30	6.03	32.88
AV	5.2522G	116.72	Inf	-Inf	110.27	3	Vertical	317	1.80	-	33.30	6.03	32.88
PK	5.3542G	71.59	74.00	-2.41	64.85	3	Vertical	317	1.80	-	33.52	6.08	32.86
AV	5.416G	50.84	54.00	-3.16	43.82	3	Vertical	317	1.80	-	33.76	6.11	32.85
PK	5.4952G	60.97	68.20	-7.23	53.57	3	Vertical	317	1.80	-	34.08	6.15	32.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50506G	52.84	68.20	-15.36	48.58	3	Vertical	170	1.68	-	38.80	8.50	43.04
PK	15.7662G	58.03	74.00	-15.97	51.22	3	Vertical	330	2.22	-	38.50	10.61	42.30
AV	15.76782G	44.83	54.00	-9.17	38.02	3	Vertical	330	2.22	-	38.50	10.61	42.30

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51922G	52.91	68.20	-15.29	48.64	3	Horizontal	84	1.14	-	38.80	8.51	43.04
PK	15.77931G	55.57	74.00	-18.43	48.71	3	Horizontal	146	2.17	-	38.54	10.61	42.29
AV	15.76596G	41.69	54.00	-12.31	34.88	3	Horizontal	146	2.17	-	38.50	10.61	42.30

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
SET 91
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	62.06	74.00	-11.94	55.89	3	Vertical	92	1.80	-	33.10	5.97	32.90
AV	5.1336G	49.17	54.00	-4.83	43.00	3	Vertical	92	1.80	-	33.10	5.97	32.90
PK	5.2952G	129.21	Inf	-Inf	122.64	3	Vertical	92	1.80	-	33.39	6.05	32.87
AV	5.2952G	116.00	Inf	-Inf	109.43	3	Vertical	92	1.80	-	33.39	6.05	32.87
PK	5.3536G	71.08	74.00	-2.92	64.35	3	Vertical	92	1.80	-	33.51	6.08	32.86
AV	5.35G	53.43	54.00	-0.57	46.72	3	Vertical	92	1.80	-	33.50	6.07	32.86
PK	5.4652G	61.81	68.20	-6.39	54.56	3	Vertical	92	1.80	-	33.96	6.13	32.84

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 91
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58836G	51.98	68.20	-16.22	47.69	3	Vertical	245	1.37	-	38.80	8.54	43.05
PK	15.91233G	57.91	74.00	-16.09	50.56	3	Vertical	330	1.80	-	38.82	10.66	42.13
AV	15.90822G	43.90	54.00	-10.10	36.56	3	Vertical	330	1.80	-	38.82	10.66	42.14

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 91
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59739G	52.76	68.20	-15.44	48.47	3	Horizontal	292	2.30	-	38.80	8.54	43.05
PK	15.90639G	55.46	74.00	-18.54	48.13	3	Horizontal	66	1.42	-	38.81	10.66	42.14
AV	15.90648G	42.24	54.00	-11.76	34.91	3	Horizontal	66	1.42	-	38.81	10.66	42.14

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 SET 86
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	126.37	Inf	-Inf	119.72	3	Vertical	90	1.80	-	33.45	6.06	32.86
AV	5.326G	114.49	Inf	-Inf	107.84	3	Vertical	90	1.80	-	33.45	6.06	32.86
PK	5.3516G	66.28	74.00	-7.72	59.55	3	Vertical	90	1.80	-	33.51	6.08	32.86
AV	5.35G	53.82	54.00	-0.18	47.11	3	Vertical	90	1.80	-	33.50	6.07	32.86

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 86
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63334G	52.31	74.00	-21.69	48.02	3	Vertical	74	1.25	-	38.80	8.55	43.06
AV	10.63043G	39.07	54.00	-14.93	34.78	3	Vertical	74	1.25	-	38.80	8.55	43.06
PK	15.96705G	56.18	74.00	-17.82	48.63	3	Vertical	345	1.80	-	38.93	10.69	42.07
AV	15.96195G	42.77	54.00	-11.23	35.24	3	Vertical	345	1.80	-	38.92	10.68	42.07

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 86
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65735G	52.59	74.00	-21.41	48.29	3	Horizontal	68	1.16	-	38.80	8.56	43.06
AV	10.63325G	39.43	54.00	-14.57	35.14	3	Horizontal	68	1.16	-	38.80	8.55	43.06
PK	15.97695G	55.17	74.00	-18.83	47.59	3	Horizontal	347	2.84	-	38.95	10.69	42.06
AV	15.98415G	42.49	54.00	-11.51	34.88	3	Horizontal	347	2.84	-	38.97	10.69	42.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
 SET 86
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	68.47	74.00	-5.53	61.25	3	Vertical	51	1.80	-	33.93	6.13	32.84
PK	5.4604G	67.59	68.20	-0.61	60.36	3	Vertical	51	1.80	-	33.94	6.13	32.84
AV	5.4598G	53.54	54.00	-0.46	46.31	3	Vertical	51	1.80	-	33.94	6.13	32.84
PK	5.5036G	126.14	Inf	-Inf	118.72	3	Vertical	51	1.80	-	34.10	6.15	32.83
AV	5.5044G	113.78	Inf	-Inf	106.36	3	Vertical	51	1.80	-	34.10	6.15	32.83

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 86
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99692G	53.06	74.00	-20.94	48.76	3	Vertical	253	1.62	-	38.70	8.70	43.10
AV	11.00316G	39.60	54.00	-14.40	35.30	3	Vertical	253	1.62	-	38.70	8.70	43.10
PK	16.476G	58.28	68.20	-9.92	48.63	3	Vertical	320	1.82	-	40.38	10.89	41.62

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 86
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0052G	52.86	74.00	-21.14	48.56	3	Horizontal	233	1.11	-	38.70	8.70	43.10
AV	11.01435G	39.66	54.00	-14.34	35.36	3	Horizontal	233	1.11	-	38.70	8.71	43.11
PK	16.51835G	57.94	68.20	-10.26	48.22	3	Horizontal	100	2.11	-	40.43	10.91	41.62

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX



EUT_Z_4TX
 SET 103
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	60.91	68.20	-7.29	54.22	3	Vertical	295	1.80	-	33.48	6.07	32.86
PK	5.4546G	62.75	74.00	-11.25	55.54	3	Vertical	295	1.80	-	33.92	6.13	32.84
AV	5.4198G	50.15	54.00	-3.85	43.11	3	Vertical	295	1.80	-	33.78	6.11	32.85
PK	5.4654G	61.56	68.20	-6.64	54.31	3	Vertical	295	1.80	-	33.96	6.13	32.84
PK	5.5734G	128.33	Inf	-Inf	120.80	3	Vertical	295	1.80	-	34.19	6.19	32.85
AV	5.5722G	116.49	Inf	-Inf	108.96	3	Vertical	295	1.80	-	34.19	6.19	32.85
PK	5.736G	67.85	68.20	-0.35	59.99	3	Vertical	295	1.80	-	34.50	6.27	32.91

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 103
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15698G	52.27	74.00	-21.73	48.03	3	Vertical	229	2.35	-	38.64	8.76	43.16
AV	11.16484G	39.37	54.00	-14.63	35.13	3	Vertical	229	2.35	-	38.64	8.77	43.17
PK	16.7342G	60.44	68.20	-7.76	50.54	3	Vertical	330	1.79	-	40.74	10.99	41.83

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 103
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.18245G	53.96	74.00	-20.04	49.74	3	Horizontal	336	1.27	-	38.62	8.77	43.17
AV	11.13825G	39.52	54.00	-14.48	35.26	3	Horizontal	336	1.27	-	38.66	8.76	43.16
PK	16.7443G	58.29	68.20	-9.91	48.35	3	Horizontal	70	1.96	-	40.78	11.00	41.84

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
 SET 65
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7072G	115.82	Inf	-Inf	107.97	3	Vertical	330	2.00	-	34.50	6.25	32.90
AV	5.6968G	102.68	Inf	-Inf	94.84	3	Vertical	330	2.00	-	34.49	6.25	32.90
PK	5.725G	67.88	68.20	-0.32	60.03	3	Vertical	330	2.00	-	34.50	6.26	32.91

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 65
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40431G	51.50	74.00	-22.50	47.10	3	Vertical	253	2.03	-	38.80	8.86	43.26
AV	11.40385G	38.38	54.00	-15.62	33.98	3	Vertical	253	2.03	-	38.80	8.86	43.26
PK	17.0923G	58.71	68.20	-9.49	47.88	3	Vertical	301	2.85	-	41.76	11.14	42.07

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 65
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3858G	51.65	74.00	-22.35	47.26	3	Horizontal	59	3.00	-	38.79	8.85	43.25
AV	11.37835G	38.64	54.00	-15.36	34.26	3	Horizontal	59	3.00	-	38.78	8.85	43.25
PK	17.10015G	58.47	68.20	-9.73	47.60	3	Horizontal	347	1.22	-	41.80	11.14	42.07

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 SET 104
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	61.06	74.00	-12.94	53.84	3	Vertical	141	2.18	-	33.93	6.13	32.84
AV	5.4566G	49.24	54.00	-4.76	42.02	3	Vertical	141	2.18	-	33.93	6.13	32.84
PK	5.4662G	61.99	68.20	-6.21	54.74	3	Vertical	141	2.18	-	33.96	6.13	32.84
PK	5.7152G	130.65	Inf	-Inf	122.79	3	Vertical	141	2.18	-	34.50	6.26	32.90
AV	5.714G	118.76	Inf	-Inf	110.90	3	Vertical	141	2.18	-	34.50	6.26	32.90
PK	5.9264G	61.14	68.20	-7.06	52.34	3	Vertical	141	2.18	-	35.41	6.36	32.97

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43571G	51.80	74.00	-22.20	47.40	3	Vertical	347	1.78	-	38.80	8.87	43.27
AV	11.44316G	38.73	54.00	-15.27	34.33	3	Vertical	347	1.78	-	38.80	8.88	43.28
PK	17.15746G	61.46	68.20	-6.74	50.49	3	Vertical	329	1.80	-	41.86	11.16	42.05

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4375G	52.07	74.00	-21.93	47.67	3	Horizontal	106	2.90	-	38.80	8.87	43.27
AV	11.43592G	38.80	54.00	-15.20	34.40	3	Horizontal	106	2.90	-	38.80	8.87	43.27
PK	17.15502G	58.81	68.20	-9.39	47.84	3	Horizontal	5	2.05	-	41.86	11.16	42.05

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 SET 101
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	69.63	69.68	-0.05	61.97	3	Vertical	45	1.80	-	34.31	6.23	32.88
PK	5.738G	130.28	Inf	-Inf	122.42	3	Vertical	45	1.80	-	34.50	6.27	32.91
AV	5.7415G	117.42	Inf	-Inf	109.56	3	Vertical	45	1.80	-	34.50	6.27	32.91
PK	5.944G	61.11	68.20	-7.09	52.24	3	Vertical	45	1.80	-	35.48	6.37	32.98

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 101
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49435G	52.80	74.00	-21.20	48.40	3	Vertical	12	2.51	-	38.80	8.90	43.30
AV	11.48516G	39.45	54.00	-14.55	35.05	3	Vertical	12	2.51	-	38.80	8.89	43.29
PK	17.23249G	61.38	68.20	-6.82	50.19	3	Vertical	327	1.80	-	42.03	11.19	42.03

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 101
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48564G	52.06	74.00	-21.94	47.66	3	Horizontal	74	2.04	-	38.80	8.89	43.29
AV	11.4851G	39.48	54.00	-14.52	35.08	3	Horizontal	74	2.04	-	38.80	8.89	43.29
PK	17.23496G	59.31	68.20	-8.89	48.11	3	Horizontal	151	2.39	-	42.04	11.19	42.03

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
SET 97
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	67.70	68.20	-0.50	60.06	3	Vertical	323	2.27	-	34.30	6.22	32.88
PK	5.794G	129.37	Inf	-Inf	121.41	3	Vertical	323	2.27	-	34.59	6.30	32.93
AV	5.7935G	117.86	Inf	-Inf	109.90	3	Vertical	323	2.27	-	34.59	6.30	32.93
PK	6.025G	61.80	68.20	-6.40	52.84	3	Vertical	323	2.27	-	35.55	6.41	33.00

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 97
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57378G	52.60	74.00	-21.40	48.16	3	Vertical	8	1.84	-	38.80	8.93	43.29
AV	11.56939G	39.44	54.00	-14.56	35.00	3	Vertical	8	1.84	-	38.80	8.93	43.29
PK	17.35329G	60.16	68.20	-8.04	48.47	3	Vertical	324	1.80	-	42.46	11.24	42.01

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 97
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57164G	52.24	74.00	-21.76	47.80	3	Horizontal	27	2.57	-	38.80	8.93	43.29
AV	11.56741G	39.45	54.00	-14.55	35.01	3	Horizontal	27	2.57	-	38.80	8.93	43.29
PK	17.35795G	59.57	68.20	-8.63	47.86	3	Horizontal	135	2.40	-	42.47	11.24	42.00

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 SET 104
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6085G	62.80	68.20	-5.40	55.17	3	Vertical	119	1.80	-	34.30	6.20	32.87
PK	5.8175G	127.37	Inf	-Inf	119.30	3	Vertical	119	1.80	-	34.70	6.31	32.94
AV	5.8175G	115.08	Inf	-Inf	107.01	3	Vertical	119	1.80	-	34.70	6.31	32.94
PK	6.0125G	61.51	68.20	-6.69	52.58	3	Vertical	119	1.80	-	35.52	6.41	33.00

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64502G	53.10	74.00	-20.90	48.57	3	Vertical	36	1.96	-	38.85	8.96	43.28
AV	11.64576G	39.92	54.00	-14.08	35.39	3	Vertical	36	1.96	-	38.85	8.96	43.28
PK	17.48996G	60.56	68.20	-7.64	48.72	3	Vertical	332	2.19	-	42.51	11.30	41.97

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65302G	53.29	74.00	-20.71	48.76	3	Horizontal	74	2.34	-	38.85	8.96	43.28
AV	11.6514G	40.17	54.00	-13.83	35.64	3	Horizontal	74	2.34	-	38.85	8.96	43.28
PK	17.47995G	60.36	68.20	-7.84	48.52	3	Horizontal	51	2.96	-	42.52	11.29	41.97

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
 SET 73
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.67	74.00	-7.33	60.50	3	Vertical	187.5	1.96	-	33.10	5.97	32.90
AV	5.15G	53.57	54.00	-0.43	47.40	3	Vertical	187.5	1.96	-	33.10	5.97	32.90
PK	5.1728G	121.15	Inf	-Inf	114.91	3	Vertical	187.5	1.96	-	33.15	5.99	32.90
AV	5.1724G	108.37	Inf	-Inf	102.14	3	Vertical	187.5	1.96	-	33.14	5.99	32.90
PK	5.3688G	60.97	74.00	-13.03	54.17	3	Vertical	187.5	1.96	-	33.58	6.08	32.86
AV	5.3588G	48.35	54.00	-5.65	41.59	3	Vertical	187.5	1.96	-	33.54	6.08	32.86

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 73
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38384G	52.53	68.20	-15.67	48.34	3	Vertical	218	1.75	-	38.77	8.45	43.03
PK	15.57078G	53.93	74.00	-20.07	47.47	3	Vertical	10	1.80	-	38.46	10.53	42.53
AV	15.56681G	39.81	54.00	-14.19	33.34	3	Vertical	10	1.80	-	38.47	10.53	42.53

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 73
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38362G	52.29	68.20	-15.91	48.10	3	Horizontal	237	1.26	-	38.77	8.45	43.03
PK	15.57318G	53.98	74.00	-20.02	47.53	3	Horizontal	165	1.17	-	38.45	10.53	42.53
AV	15.57426G	40.27	54.00	-13.73	33.81	3	Horizontal	165	1.17	-	38.45	10.53	42.52

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
 SET 93
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	69.76	74.00	-4.24	63.59	3	Vertical	111	1.80	-	33.10	5.97	32.90
AV	5.15G	53.46	54.00	-0.54	47.29	3	Vertical	111	1.80	-	33.10	5.97	32.90
PK	5.2476G	128.02	Inf	-Inf	121.58	3	Vertical	111	1.80	-	33.30	6.02	32.88
AV	5.2484G	115.13	Inf	-Inf	108.69	3	Vertical	111	1.80	-	33.30	6.02	32.88
PK	5.3508G	69.51	74.00	-4.49	62.79	3	Vertical	111	1.80	-	33.50	6.08	32.86
AV	5.3524G	51.48	54.00	-2.52	44.75	3	Vertical	111	1.80	-	33.51	6.08	32.86

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 93
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45964G	52.71	68.20	-15.49	48.47	3	Vertical	100	1.54	-	38.80	8.48	43.04
PK	15.69429G	55.95	74.00	-18.05	49.44	3	Vertical	330	1.80	-	38.31	10.58	42.38
AV	15.69438G	41.87	54.00	-12.13	35.36	3	Vertical	330	1.80	-	38.31	10.58	42.38

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 93
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45666G	52.28	68.20	-15.92	48.03	3	Horizontal	341	1.81	-	38.80	8.48	43.03
PK	15.69357G	55.37	74.00	-18.63	48.87	3	Horizontal	7	2.98	-	38.31	10.58	42.39
AV	15.68671G	41.55	54.00	-12.45	35.06	3	Horizontal	7	2.98	-	38.31	10.57	42.39

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
SET 88
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	61.71	74.00	-12.29	55.55	3	Vertical	52	1.80	-	33.10	5.96	32.90
AV	5.1496G	49.21	54.00	-4.79	43.04	3	Vertical	52	1.80	-	33.10	5.97	32.90
PK	5.2864G	125.07	Inf	-Inf	118.53	3	Vertical	52	1.80	-	33.37	6.04	32.87
AV	5.2872G	112.60	Inf	-Inf	106.06	3	Vertical	52	1.80	-	33.37	6.04	32.87
PK	5.3556G	73.09	74.00	-0.91	66.35	3	Vertical	52	1.80	-	33.52	6.08	32.86
AV	5.35G	53.94	54.00	-0.06	47.23	3	Vertical	52	1.80	-	33.50	6.07	32.86
PK	5.4604G	61.87	68.20	-6.33	54.64	3	Vertical	52	1.80	-	33.94	6.13	32.84

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 88
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5596G	52.73	68.20	-15.47	48.46	3	Vertical	196	2.68	-	38.80	8.52	43.05
PK	15.81804G	56.04	74.00	-17.96	49.01	3	Vertical	328	1.80	-	38.64	10.63	42.24
AV	15.8294G	42.23	54.00	-11.77	35.17	3	Vertical	328	1.80	-	38.66	10.63	42.23

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 88
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54504G	52.71	68.20	-15.49	48.44	3	Horizontal	126	1.98	-	38.80	8.52	43.05
PK	15.8246G	55.56	74.00	-18.44	48.51	3	Horizontal	82	3.00	-	38.65	10.63	42.23
AV	15.8234G	41.63	54.00	-12.37	34.58	3	Horizontal	82	3.00	-	38.65	10.63	42.23

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 SET 69
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3223G	117.85	Inf	-Inf	111.22	3	Vertical	90	1.80	-	33.44	6.06	32.87
AV	5.3223G	105.01	Inf	-Inf	98.38	3	Vertical	90	1.80	-	33.44	6.06	32.87
PK	5.3541G	67.46	74.00	-6.54	60.72	3	Vertical	90	1.80	-	33.52	6.08	32.86
AV	5.35G	53.79	54.00	-0.21	47.08	3	Vertical	90	1.80	-	33.50	6.07	32.86

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 69
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61672G	51.24	74.00	-22.76	46.94	3	Vertical	127	1.38	-	38.80	8.55	43.05
AV	10.62387G	38.07	54.00	-15.93	33.77	3	Vertical	127	1.38	-	38.80	8.55	43.05
PK	15.92876G	54.88	74.00	-19.12	47.46	3	Vertical	318	2.02	-	38.86	10.67	42.11
AV	15.92555G	41.37	54.00	-12.63	33.97	3	Vertical	318	2.02	-	38.85	10.67	42.12

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 69
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62421G	51.39	74.00	-22.61	47.09	3	Horizontal	26	2.86	-	38.80	8.55	43.05
AV	10.61915G	38.16	54.00	-15.84	33.86	3	Horizontal	26	2.86	-	38.80	8.55	43.05
PK	15.92902G	55.32	74.00	-18.68	47.90	3	Horizontal	110	2.13	-	38.86	10.67	42.11
AV	15.92762G	41.42	54.00	-12.58	34.00	3	Horizontal	110	2.13	-	38.86	10.67	42.11

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
 SET 85
 01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.54	74.00	-8.46	58.32	3	Vertical	270	1.80	-	33.93	6.13	32.84
AV	5.4596G	52.35	54.00	-1.65	45.12	3	Vertical	270	1.80	-	33.94	6.13	32.84
PK	5.465G	68.05	68.20	-0.15	60.80	3	Vertical	270	1.80	-	33.96	6.13	32.84
PK	5.5118G	124.85	Inf	-Inf	117.42	3	Vertical	270	1.80	-	34.10	6.16	32.83
AV	5.509G	111.85	Inf	-Inf	104.43	3	Vertical	270	1.80	-	34.10	6.15	32.83

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 85
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03143G	52.45	74.00	-21.55	48.15	3	Vertical	180	1.88	-	38.70	8.71	43.11
AV	11.02753G	39.00	54.00	-15.00	34.70	3	Vertical	180	1.88	-	38.70	8.71	43.11
PK	16.52361G	58.03	68.20	-10.17	48.33	3	Vertical	318	2.97	-	40.41	10.91	41.62

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 85
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02453G	52.66	74.00	-21.34	48.36	3	Horizontal	275	2.87	-	38.70	8.71	43.11
AV	11.00566G	38.97	54.00	-15.03	34.67	3	Horizontal	275	2.87	-	38.70	8.70	43.10
PK	16.52979G	58.57	68.20	-9.63	48.91	3	Horizontal	0	2.43	-	40.38	10.91	41.63

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
SET 85
01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	63.76	74.00	-10.24	56.60	3	Vertical	301	1.76	-	33.88	6.12	32.84
PK	5.4696G	67.79	68.20	-0.41	60.52	3	Vertical	301	1.76	-	33.98	6.13	32.84
AV	5.46G	50.21	54.00	-3.79	42.98	3	Vertical	301	1.76	-	33.94	6.13	32.84
PK	5.5677G	125.30	Inf	-Inf	117.80	3	Vertical	301	1.76	-	34.17	6.18	32.85
AV	5.5671G	112.71	Inf	-Inf	105.21	3	Vertical	301	1.76	-	34.17	6.18	32.85

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 85
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10219G	52.06	74.00	-21.94	47.76	3	Vertical	336	2.06	-	38.70	8.74	43.14
AV	11.09772G	38.73	54.00	-15.27	34.43	3	Vertical	336	2.06	-	38.70	8.74	43.14
PK	16.66482G	57.96	68.20	-10.24	48.33	3	Vertical	190	1.80	-	40.42	10.97	41.76

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 85
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08584G	52.55	74.00	-21.45	48.25	3	Horizontal	181	1.87	-	38.70	8.73	43.13
AV	11.11047G	38.77	54.00	-15.23	34.48	3	Horizontal	181	1.87	-	38.69	8.74	43.14
PK	16.65897G	57.33	68.20	-10.87	47.74	3	Horizontal	62	2.20	-	40.39	10.96	41.76

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
 SET 72
 01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6734G	120.27	Inf	-Inf	112.53	3	Vertical	59	1.80	-	34.39	6.24	32.89
AV	5.673G	107.32	Inf	-Inf	99.58	3	Vertical	59	1.80	-	34.39	6.24	32.89
PK	5.7276G	67.31	68.20	-0.89	59.46	3	Vertical	59	1.80	-	34.50	6.26	32.91

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 72
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35356G	52.04	74.00	-21.96	47.69	3	Vertical	195	2.94	-	38.75	8.84	43.24
AV	11.35182G	38.30	54.00	-15.70	33.95	3	Vertical	195	2.94	-	38.75	8.84	43.24
PK	17.01501G	58.90	68.20	-9.30	48.50	3	Vertical	331	1.80	-	41.38	11.11	42.09

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 72
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35326G	51.64	74.00	-22.36	47.29	3	Horizontal	236	1.95	-	38.75	8.84	43.24
AV	11.34954G	38.22	54.00	-15.78	33.87	3	Horizontal	236	1.95	-	38.75	8.84	43.24
PK	17.01789G	58.32	68.20	-9.88	47.91	3	Horizontal	57	1.90	-	41.39	11.11	42.09

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 SET 104
 01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	128.45	Inf	-Inf	120.62	3	Vertical	223	1.80	-	34.48	6.25	32.90
AV	5.6948G	115.44	Inf	-Inf	107.61	3	Vertical	223	1.80	-	34.48	6.25	32.90
PK	5.8524G	66.64	68.20	-1.56	58.34	3	Vertical	223	1.80	-	34.92	6.33	32.95

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4314G	51.86	74.00	-22.14	47.46	3	Vertical	86	1.70	-	38.80	8.87	43.27
AV	11.41568G	38.60	54.00	-15.40	34.20	3	Vertical	86	1.70	-	38.80	8.87	43.27
PK	17.14137G	59.52	68.20	-8.68	48.58	3	Vertical	329	3.00	-	41.84	11.16	42.06

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42714G	52.87	74.00	-21.13	48.47	3	Horizontal	294	2.70	-	38.80	8.87	43.27
AV	11.42576G	38.67	54.00	-15.33	34.27	3	Horizontal	294	2.70	-	38.80	8.87	43.27
PK	17.14425G	58.42	68.20	-9.78	47.48	3	Horizontal	6	1.80	-	41.84	11.16	42.06

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 SET 95
 01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	69.28	69.68	-0.40	61.62	3	Vertical	144	2.00	-	34.31	6.23	32.88
PK	5.764G	126.20	Inf	-Inf	118.31	3	Vertical	144	2.00	-	34.53	6.28	32.92
AV	5.761G	113.70	Inf	-Inf	105.82	3	Vertical	144	2.00	-	34.52	6.28	32.92
PK	5.9615G	61.26	68.20	-6.94	52.37	3	Vertical	144	2.00	-	35.50	6.38	32.99

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 95
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51513G	53.55	74.00	-20.45	49.14	3	Vertical	315	1.01	-	38.80	8.91	43.30
AV	11.51756G	39.29	54.00	-14.71	34.88	3	Vertical	315	1.01	-	38.80	8.91	43.30
PK	17.26716G	59.20	68.20	-9.00	47.85	3	Vertical	320	1.79	-	42.17	11.21	42.03

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 95
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49632G	52.52	74.00	-21.48	48.12	3	Horizontal	221	1.03	-	38.80	8.90	43.30
AV	11.49536G	38.96	54.00	-15.04	34.56	3	Horizontal	221	1.03	-	38.80	8.90	43.30
PK	17.26791G	59.28	68.20	-8.92	47.93	3	Horizontal	29	2.05	-	42.17	11.21	42.03

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
 SET 99
 01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6225G	67.59	68.20	-0.61	59.95	3	Vertical	215	1.80	-	34.30	6.21	32.87
PK	5.7895G	125.93	Inf	-Inf	117.99	3	Vertical	215	1.80	-	34.58	6.29	32.93
AV	5.7865G	113.05	Inf	-Inf	105.12	3	Vertical	215	1.80	-	34.57	6.29	32.93
PK	5.968G	61.30	68.20	-6.90	52.41	3	Vertical	215	1.80	-	35.50	6.38	32.99

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 99
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60272G	52.96	74.00	-21.04	48.50	3	Vertical	353	1.94	-	38.80	8.94	43.28
AV	11.60101G	39.07	54.00	-14.93	34.61	3	Vertical	353	1.94	-	38.80	8.94	43.28
PK	17.39301G	58.74	68.20	-9.46	46.90	3	Vertical	103	1.08	-	42.58	11.26	42.00

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 99
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59141G	52.99	74.00	-21.01	48.54	3	Horizontal	140	1.92	-	38.80	8.94	43.29
AV	11.60254G	39.22	54.00	-14.78	34.76	3	Horizontal	140	1.92	-	38.80	8.94	43.28
PK	17.37702G	58.66	68.20	-9.54	46.88	3	Horizontal	246	1.73	-	42.53	11.25	42.00

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
SET 78
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	67.76	74.00	-6.24	61.62	3	Vertical	111	1.81	-	33.10	5.95	32.91
AV	5.15G	53.91	54.00	-0.09	47.74	3	Vertical	111	1.81	-	33.10	5.97	32.90
PK	5.244G	120.80	Inf	-Inf	114.37	3	Vertical	111	1.81	-	33.29	6.02	32.88
AV	5.2476G	109.44	Inf	-Inf	103.00	3	Vertical	111	1.81	-	33.30	6.02	32.88
PK	5.3716G	63.44	74.00	-10.56	56.62	3	Vertical	111	1.81	-	33.59	6.09	32.86
AV	5.3512G	50.75	54.00	-3.25	44.03	3	Vertical	111	1.81	-	33.50	6.08	32.86

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 78
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43137G	54.04	68.20	-14.16	49.80	3	Vertical	182	1.46	-	38.80	8.47	43.03
PK	15.61641G	57.03	74.00	-16.97	50.57	3	Vertical	58	1.76	-	38.38	10.55	42.47
AV	15.61716G	43.10	54.00	-10.90	36.64	3	Vertical	58	1.76	-	38.38	10.55	42.47

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 78
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41769G	55.16	68.20	-13.04	50.92	3	Horizontal	94	1.31	-	38.80	8.47	43.03
PK	15.6291G	56.96	74.00	-17.04	50.50	3	Horizontal	335	2.86	-	38.37	10.55	42.46
AV	15.61725G	43.35	54.00	-10.65	36.89	3	Horizontal	335	2.86	-	38.38	10.55	42.47

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
SET 71
01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	60.24	74.00	-13.76	54.10	3	Vertical	50	1.80	-	33.10	5.95	32.91
AV	5.13G	47.35	54.00	-6.65	41.19	3	Vertical	50	1.80	-	33.10	5.96	32.90
PK	5.2945G	117.68	Inf	-Inf	111.11	3	Vertical	50	1.80	-	33.39	6.05	32.87
AV	5.295G	104.62	Inf	-Inf	98.05	3	Vertical	50	1.80	-	33.39	6.05	32.87
PK	5.35G	66.99	74.00	-7.01	60.28	3	Vertical	50	1.80	-	33.50	6.07	32.86
AV	5.35G	53.79	54.00	-0.21	47.08	3	Vertical	50	1.80	-	33.50	6.07	32.86
PK	5.5235G	61.29	68.20	-6.91	53.87	3	Vertical	50	1.80	-	34.10	6.16	32.84

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 71
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5689G	52.37	68.20	-15.83	48.09	3	Vertical	21	2.69	-	38.80	8.53	43.05
PK	15.86829G	55.31	74.00	-18.69	48.10	3	Vertical	1	1.71	-	38.74	10.65	42.18
AV	15.85803G	41.37	54.00	-12.63	34.20	3	Vertical	1	1.71	-	38.72	10.64	42.19

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 71
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57826G	52.61	68.20	-15.59	48.33	3	Horizontal	340	2.10	-	38.80	8.53	43.05
PK	15.87132G	54.77	74.00	-19.23	47.56	3	Horizontal	98	1.13	-	38.74	10.65	42.18
AV	15.85785G	41.32	54.00	-12.68	34.15	3	Horizontal	98	1.13	-	38.72	10.64	42.19

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
SET 82
01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3385G	62.48	68.20	-5.72	55.79	3	Vertical	54	1.80	-	33.48	6.07	32.86
AV	5.35G	49.21	54.00	-4.79	42.50	3	Vertical	54	1.80	-	33.50	6.07	32.86
PK	5.4585G	65.89	74.00	-8.11	58.67	3	Vertical	54	1.80	-	33.93	6.13	32.84
AV	5.4595G	53.86	54.00	-0.14	46.63	3	Vertical	54	1.80	-	33.94	6.13	32.84
PK	5.466G	67.88	68.20	-0.32	60.63	3	Vertical	54	1.80	-	33.96	6.13	32.84
PK	5.5175G	119.50	Inf	-Inf	112.08	3	Vertical	54	1.80	-	34.10	6.16	32.84
AV	5.519G	106.91	Inf	-Inf	99.49	3	Vertical	54	1.80	-	34.10	6.16	32.84
PK	5.7645G	62.29	68.20	-5.91	54.40	3	Vertical	54	1.80	-	34.53	6.28	32.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 82
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06465G	52.61	74.00	-21.39	48.31	3	Vertical	108	2.23	-	38.70	8.73	43.13
AV	11.0471G	39.04	54.00	-14.96	34.74	3	Vertical	108	2.23	-	38.70	8.72	43.12
PK	16.58754G	57.35	68.20	-10.85	47.95	3	Vertical	210	1.75	-	40.15	10.94	41.69

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 82
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0588G	52.20	74.00	-21.80	47.90	3	Horizontal	27	2.12	-	38.70	8.72	43.12
AV	11.05187G	39.06	54.00	-14.94	34.76	3	Horizontal	27	2.12	-	38.70	8.72	43.12
PK	16.57629G	57.51	68.20	-10.69	48.06	3	Horizontal	113	2.28	-	40.19	10.93	41.67

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
SET 77
01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.81	74.00	-11.19	55.62	3	Vertical	220	1.80	-	33.90	6.13	32.84
PK	5.4665G	65.92	68.20	-2.28	58.66	3	Vertical	220	1.80	-	33.97	6.13	32.84
AV	5.4595G	49.88	54.00	-4.12	42.65	3	Vertical	220	1.80	-	33.94	6.13	32.84
PK	5.577G	118.64	Inf	-Inf	111.10	3	Vertical	220	1.80	-	34.21	6.19	32.86
AV	5.573G	105.82	Inf	-Inf	98.29	3	Vertical	220	1.80	-	34.19	6.19	32.85
PK	5.733G	68.12	68.20	-0.08	60.26	3	Vertical	220	1.80	-	34.50	6.27	32.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 77
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20773G	51.33	74.00	-22.67	47.12	3	Vertical	65	1.97	-	38.61	8.78	43.18
AV	11.20527G	38.15	54.00	-15.85	33.94	3	Vertical	65	1.97	-	38.61	8.78	43.18
PK	16.82406G	58.85	68.20	-9.35	48.67	3	Vertical	250	1.80	-	41.07	11.03	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 77
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20602G	51.62	74.00	-22.38	47.41	3	Horizontal	197	2.78	-	38.61	8.78	43.18
AV	11.20749G	38.25	54.00	-15.75	34.04	3	Horizontal	197	2.78	-	38.61	8.78	43.18
PK	16.82751G	58.57	68.20	-9.63	48.38	3	Horizontal	226	2.20	-	41.08	11.03	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 SET 100
 01-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	66.99	74.00	-7.01	59.77	3	Vertical	53	1.80	-	33.93	6.13	32.84
AV	5.46G	51.76	54.00	-2.24	44.53	3	Vertical	53	1.80	-	33.94	6.13	32.84
PK	5.468G	65.55	68.20	-2.65	58.29	3	Vertical	53	1.80	-	33.97	6.13	32.84
PK	5.682G	123.97	Inf	-Inf	116.19	3	Vertical	53	1.80	-	34.43	6.24	32.89
AV	5.6815G	110.80	Inf	-Inf	103.02	3	Vertical	53	1.80	-	34.43	6.24	32.89
PK	5.857G	67.62	68.20	-0.58	59.28	3	Vertical	53	1.80	-	34.96	6.33	32.95

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 100
 01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37652G	52.08	74.00	-21.92	47.70	3	Vertical	200	2.76	-	38.78	8.85	43.25
AV	11.37148G	38.23	54.00	-15.77	33.86	3	Vertical	200	2.76	-	38.77	8.85	43.25
PK	17.06352G	58.81	68.20	-9.39	48.13	3	Vertical	138	2.83	-	41.62	11.13	42.07

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37784G	52.34	74.00	-21.66	47.96	3	Horizontal	13	2.78	-	38.78	8.85	43.25
AV	11.36521G	38.42	54.00	-15.58	34.05	3	Horizontal	13	2.78	-	38.77	8.85	43.25
PK	17.07681G	58.72	68.20	-9.48	47.98	3	Horizontal	358	2.60	-	41.68	11.13	42.07

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




04/08/2023

EUT_Z_4TX
SET 89
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	67.42	68.20	-0.78	59.78	3	Vertical	222	1.80	-	34.30	6.22	32.88
PK	5.768G	122.01	Inf	-Inf	114.11	3	Vertical	222	1.80	-	34.54	6.28	32.92
AV	5.743G	109.45	Inf	-Inf	101.59	3	Vertical	222	1.80	-	34.50	6.27	32.91
PK	5.9755G	61.19	68.20	-7.01	52.29	3	Vertical	222	1.80	-	35.50	6.39	32.99

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 89
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55987G	55.29	74.00	-18.71	50.86	3	Vertical	49	1.06	-	38.80	8.92	43.29
AV	11.54952G	41.01	54.00	-12.99	36.58	3	Vertical	49	1.06	-	38.80	8.92	43.29
PK	17.33307G	61.93	68.20	-6.27	50.31	3	Vertical	152	1.80	-	42.40	11.23	42.01

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 89
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53983G	55.10	74.00	-18.90	50.67	3	Horizontal	349	2.26	-	38.80	8.92	43.29
AV	11.55555G	41.09	54.00	-12.91	36.66	3	Horizontal	349	2.26	-	38.80	8.92	43.29
PK	17.33022G	61.56	68.20	-6.64	49.95	3	Horizontal	6	2.96	-	42.39	11.23	42.01

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
SET 74
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.19	74.00	-1.81	66.02	3	Vertical	45	1.81	-	33.10	5.97	32.90
AV	5.086G	52.51	54.00	-1.49	46.35	3	Vertical	45	1.81	-	33.13	5.94	32.91
PK	5.286G	116.46	Inf	-Inf	109.92	3	Vertical	45	1.81	-	33.37	6.04	32.87
AV	5.282G	103.82	Inf	-Inf	97.29	3	Vertical	45	1.81	-	33.36	6.04	32.87
PK	5.366G	72.62	74.00	-1.38	65.84	3	Vertical	45	1.81	-	33.56	6.08	32.86
AV	5.3508G	53.46	54.00	-0.54	46.74	3	Vertical	45	1.81	-	33.50	6.08	32.86
PK	5.5484G	65.73	68.20	-2.47	58.31	3	Vertical	45	1.81	-	34.10	6.17	32.85

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 74
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5048G	54.44	68.20	-13.76	50.18	3	Vertical	341	1.36	-	38.80	8.50	43.04
PK	15.75849G	56.67	74.00	-17.33	49.90	3	Vertical	118	1.51	-	38.48	10.60	42.31
AV	15.76452G	43.18	54.00	-10.82	36.38	3	Vertical	118	1.51	-	38.49	10.61	42.30

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 74
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49349G	54.87	68.20	-13.33	50.61	3	Horizontal	202	2.57	-	38.80	8.50	43.04
PK	15.74382G	57.13	74.00	-16.87	50.43	3	Horizontal	3	1.05	-	38.43	10.60	42.33
AV	15.7596G	43.26	54.00	-10.74	36.49	3	Horizontal	3	1.05	-	38.48	10.60	42.31

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
SET 69
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	62.66	68.20	-5.54	55.96	3	Vertical	54	1.79	-	33.49	6.07	32.86
AV	5.35G	49.82	54.00	-4.18	43.11	3	Vertical	54	1.79	-	33.50	6.07	32.86
PK	5.4164G	66.83	74.00	-7.17	59.80	3	Vertical	54	1.79	-	33.77	6.11	32.85
PK	5.4612G	67.95	68.20	-0.25	60.72	3	Vertical	54	1.79	-	33.94	6.13	32.84
AV	5.4492G	53.19	54.00	-0.81	46.01	3	Vertical	54	1.79	-	33.90	6.12	32.84
PK	5.5388G	116.59	Inf	-Inf	109.16	3	Vertical	54	1.79	-	34.10	6.17	32.84
AV	5.5468G	102.66	Inf	-Inf	95.24	3	Vertical	54	1.79	-	34.10	6.17	32.85
PK	5.762G	63.72	68.20	-4.48	55.84	3	Vertical	54	1.79	-	34.52	6.28	32.92

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 69
01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13841G	54.80	74.00	-19.20	50.54	3	Vertical	171	1.88	-	38.66	8.76	43.16
AV	11.14065G	40.57	54.00	-13.43	36.31	3	Vertical	171	1.88	-	38.66	8.76	43.16
PK	16.71699G	59.21	68.20	-8.99	49.36	3	Vertical	192	1.35	-	40.67	10.99	41.81

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Z_4TX
 Setting 69
 01-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15041G	54.60	74.00	-19.40	50.35	3	Horizontal	137	2.86	-	38.65	8.76	43.16
AV	11.15292G	40.76	54.00	-13.24	36.51	3	Horizontal	137	2.86	-	38.65	8.76	43.16
PK	16.70457G	59.26	68.20	-8.94	49.46	3	Horizontal	77	2.34	-	40.62	10.98	41.80




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss2,(MCS0)_4TX	Pass	AV	5.15G	53.92	54.00	-0.08	3	Vertical	104	1.80	-

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
 SET 88
 01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	67.19	74.00	-6.81	61.02	3	Vertical	104	1.80	-	33.10	5.97	32.90
AV	5.15G	53.92	54.00	-0.08	47.75	3	Vertical	104	1.80	-	33.10	5.97	32.90
PK	5.174G	122.87	Inf	-Inf	116.63	3	Vertical	104	1.80	-	33.15	5.99	32.90
AV	5.1734G	110.11	Inf	-Inf	103.87	3	Vertical	104	1.80	-	33.15	5.99	32.90

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
SET 88
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3663G	53.91	68.20	-14.29	49.75	3	Vertical	46	1.92	-	38.73	8.45	43.02
PK	15.54702G	55.90	74.00	-18.10	49.43	3	Vertical	352	1.83	-	38.51	10.52	42.56
AV	15.52566G	43.16	54.00	-10.84	36.68	3	Vertical	352	1.83	-	38.55	10.51	42.58

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
SET 88
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3651G	53.81	68.20	-14.39	49.65	3	Horizontal	80	1.59	-	38.73	8.45	43.02
PK	15.52836G	55.66	74.00	-18.34	49.19	3	Horizontal	83	1.54	-	38.54	10.51	42.58
AV	15.52506G	43.25	54.00	-10.75	36.77	3	Horizontal	83	1.54	-	38.55	10.51	42.58



5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
 SET 76
 01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.74	74.00	-8.26	59.57	3	Vertical	55	1.80	-	33.10	5.97	32.90
AV	5.15G	53.68	54.00	-0.32	47.51	3	Vertical	55	1.80	-	33.10	5.97	32.90
PK	5.2044G	119.33	Inf	-Inf	113.01	3	Vertical	55	1.80	-	33.21	6.00	32.89
AV	5.1868G	106.08	Inf	-Inf	99.81	3	Vertical	55	1.80	-	33.17	5.99	32.89

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
SET 76
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39224G	53.33	68.20	-14.87	49.12	3	Vertical	152	1.95	-	38.78	8.46	43.03
PK	15.55908G	55.70	74.00	-18.30	49.24	3	Vertical	171	1.35	-	38.48	10.52	42.54
AV	15.5808G	43.03	54.00	-10.97	36.58	3	Vertical	171	1.35	-	38.44	10.53	42.52

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
SET 76
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37172G	53.53	68.20	-14.67	49.36	3	Horizontal	324	1.76	-	38.74	8.45	43.02
PK	15.58176G	54.96	74.00	-19.04	48.51	3	Horizontal	336	1.81	-	38.44	10.53	42.52
AV	15.56892G	43.13	54.00	-10.87	36.67	3	Horizontal	336	1.81	-	38.46	10.53	42.53

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
SET 91
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.87	74.00	-5.13	62.70	3	Vertical	230	1.85	-	33.10	5.97	32.90
AV	5.1496G	53.65	54.00	-0.35	47.48	3	Vertical	230	1.85	-	33.10	5.97	32.90
PK	5.2312G	124.16	Inf	-Inf	117.76	3	Vertical	230	1.85	-	33.26	6.02	32.88
AV	5.227G	111.60	Inf	-Inf	105.22	3	Vertical	230	1.85	-	33.25	6.01	32.88
PK	5.35G	65.82	74.00	-8.18	59.11	3	Vertical	230	1.85	-	33.50	6.07	32.86
AV	5.377G	50.72	54.00	-3.28	43.87	3	Vertical	230	1.85	-	33.61	6.09	32.85

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
SET 91
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4456G	53.86	68.20	-14.34	49.61	3	Vertical	165	1.75	-	38.80	8.48	43.03
PK	15.69018G	55.00	74.00	-19.00	48.50	3	Vertical	166	1.93	-	38.31	10.58	42.39
AV	15.70116G	42.78	54.00	-11.22	36.28	3	Vertical	166	1.93	-	38.30	10.58	42.38

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
SET 91
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45766G	53.72	68.20	-14.48	49.47	3	Horizontal	105	1.61	-	38.80	8.48	43.03
PK	15.69882G	54.99	74.00	-19.01	48.49	3	Horizontal	191	1.39	-	38.30	10.58	42.38
AV	15.70374G	42.94	54.00	-11.06	36.42	3	Horizontal	191	1.39	-	38.31	10.58	42.37

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
 SET 77
 01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.58	74.00	-6.42	61.41	3	Vertical	180	1.80	-	33.10	5.97	32.90
AV	5.15G	53.84	54.00	-0.16	47.67	3	Vertical	180	1.80	-	33.10	5.97	32.90
PK	5.2236G	116.09	Inf	-Inf	109.72	3	Vertical	180	1.80	-	33.25	6.01	32.89
AV	5.2204G	103.41	Inf	-Inf	97.05	3	Vertical	180	1.80	-	33.24	6.01	32.89
PK	5.3628G	62.83	74.00	-11.17	56.06	3	Vertical	180	1.80	-	33.55	6.08	32.86
AV	5.37G	49.64	54.00	-4.36	42.84	3	Vertical	180	1.80	-	33.58	6.08	32.86

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
SET 77
01-L-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42444G	53.99	68.20	-14.21	49.75	3	Vertical	237	1.74	-	38.80	8.47	43.03
PK	15.63366G	55.42	74.00	-18.58	48.95	3	Vertical	188	1.34	-	38.37	10.55	42.45
AV	15.6405G	43.12	54.00	-10.88	36.65	3	Vertical	188	1.34	-	38.36	10.56	42.45

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX



EUT_Z_4TX
SET 77
01-L-C-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4335G	54.22	68.20	-13.98	49.98	3	Horizontal	337	1.69	-	38.80	8.47	43.03
PK	15.6282G	55.58	74.00	-18.42	49.12	3	Horizontal	165	1.38	-	38.37	10.55	42.46
AV	15.636G	43.13	54.00	-10.87	36.67	3	Horizontal	165	1.38	-	38.36	10.55	42.45



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	3.8417G	39.29	54.00	-14.71	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	3.8451G	51.01	74.00	-22.99	4.18	3	Vertical	223	1.50	-	46.83	32.87	5.80	34.49		
AV	3.8498G	39.27	54.00	-14.73	4.21	3	Vertical	223	1.50	"Worst"	35.06	32.90	5.80	34.49		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.8612G	49.93	74.00	-24.07	4.21	3	Horizontal	-0	1.80	-	45.72	32.88	5.80	34.47
AV	3.8417G	39.29	54.00	-14.71	4.15	3	Horizontal	-0	1.80	"Worst"	35.14	32.85	5.80	34.50