




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	382.11M	41.95	46.00	-4.05	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	34.85M	34.24	40.00	-5.76	-9.43	3	Vertical	195	1.00	"Worst"	43.67	21.63	1.00	32.06
PK	48.43M	30.51	40.00	-9.49	-15.99	3	Vertical	166	1.25	-	46.50	15.10	1.10	32.19
PK	372.41M	39.42	46.00	-6.58	-8.19	3	Vertical	347	1.50	-	47.61	20.73	2.63	31.55
QP	381.14M	39.46	46.00	-6.54	-8.00	3	Vertical	0	1.50	-	47.46	20.85	2.69	31.54
PK	393.75M	38.63	46.00	-7.37	-7.44	3	Vertical	332	1.25	-	46.07	21.33	2.76	31.53
PK	444.19M	36.38	46.00	-9.62	-5.98	3	Vertical	298	1.25	-	42.36	22.56	2.89	31.43

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	218.18M	36.68	46.00	-9.32	-15.04	3	Horizontal	18	1.50	-	51.72	14.95	1.97	31.96
PK	250.19M	33.51	46.00	-12.49	-11.51	3	Horizontal	318	1.00	-	45.02	18.31	2.10	31.92
PK	297.72M	31.82	46.00	-14.18	-10.42	3	Horizontal	208	1.00	-	42.24	19.03	2.29	31.74
PK	382.11M	41.95	46.00	-4.05	-7.99	3	Horizontal	107	1.00	"Worst"	49.94	20.86	2.69	31.54
PK	459.71M	34.34	46.00	-11.66	-5.68	3	Horizontal	359	2.00	-	40.02	22.83	2.94	31.45
PK	777.87M	34.93	46.00	-11.07	-1.87	3	Horizontal	195	1.00	-	36.80	25.75	3.86	31.48




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss2,(MCS0)_4TX	Pass	AV	7.2518G	53.47	54.00	-0.53	3	Vertical	357	1.79	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 Setting 27
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9128G	61.13	88.20	-27.07	52.39	3	Vertical	134	1.80	-	35.35	6.36	32.97
RMS	5.9036G	50.19	68.20	-18.01	41.50	3	Vertical	134	1.80	-	35.31	6.35	32.97
PK	5.9472G	110.17	Inf	-Inf	101.29	3	Vertical	134	1.80	-	35.49	6.37	32.98
RMS	5.9464G	100.11	Inf	-Inf	91.23	3	Vertical	134	1.80	-	35.49	6.37	32.98

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 27
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91784G	55.33	74.00	-18.67	72.59	3	Vertical	215	1.80	-	38.82	9.07	65.15
AV	11.90616G	41.97	54.00	-12.03	59.25	3	Vertical	215	1.80	-	38.81	9.06	65.15
PK	17.87921G	60.31	74.00	-13.69	68.97	3	Vertical	210	1.55	-	42.74	11.45	62.85
AV	17.88071G	47.62	54.00	-6.38	56.29	3	Vertical	210	1.55	-	42.74	11.45	62.86

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 27
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89717G	53.91	74.00	-20.09	71.19	3	Horizontal	201	1.80	-	38.80	9.06	65.14
AV	11.89621G	41.57	54.00	-12.43	58.85	3	Horizontal	201	1.80	-	38.80	9.06	65.14
PK	17.89503G	61.08	74.00	-12.92	69.70	3	Horizontal	38	2.17	-	42.79	11.46	62.87
AV	17.88961G	48.92	54.00	-5.08	57.56	3	Horizontal	38	2.17	-	42.77	11.46	62.87

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39077G	52.97	74.00	-21.03	69.44	3	Vertical	313	1.75	-	38.98	9.26	64.71
AV	12.39161G	40.03	54.00	-13.97	56.49	3	Vertical	313	1.75	-	38.98	9.26	64.70

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38153G	51.95	74.00	-22.05	68.46	3	Horizontal	37	1.50	-	38.96	9.25	64.72
AV	12.3907G	40.61	54.00	-13.39	57.08	3	Horizontal	37	1.50	-	38.98	9.26	64.71

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58921G	46.57	83.54	-36.97	42.64	1	Vertical	92	1.37	-	37.64	16.68	50.39
AV	18.58172G	33.92	63.54	-29.62	29.99	1	Vertical	92	1.37	-	37.63	16.68	50.38

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5762G	45.92	83.54	-37.62	41.99	1	Horizontal	333	1.73	-	37.63	16.68	50.38
AV	18.5713G	32.07	63.54	-31.47	28.14	1	Horizontal	333	1.73	-	37.63	16.67	50.37

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8291G	54.97	88.20	-33.23	70.40	3	Vertical	13	1.85	-	39.63	9.43	64.49
RMS	12.82671G	43.92	68.20	-24.28	59.35	3	Vertical	13	1.85	-	39.63	9.43	64.49

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8407G	56.24	88.20	-31.96	71.65	3	Horizontal	55	1.80	-	39.64	9.44	64.49
RMS	12.83952G	43.11	68.20	-25.09	58.52	3	Horizontal	55	1.80	-	39.64	9.44	64.49

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2395G	46.57	83.54	-36.97	43.11	1	Vertical	221	1.58	-	37.60	16.95	51.09
AV	19.24071G	34.11	63.54	-29.43	30.65	1	Vertical	221	1.58	-	37.60	16.95	51.09

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24536G	45.83	83.54	-37.71	42.37	1	Horizontal	111	1.83	-	37.60	16.95	51.09
AV	19.24333G	33.91	63.54	-29.63	30.45	1	Horizontal	111	1.83	-	37.60	16.95	51.09

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 31
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1893G	55.17	88.20	-33.03	69.63	3	Vertical	119	1.92	-	40.18	9.58	64.22
RMS	13.18907G	42.88	88.20	-45.32	57.34	3	Vertical	119	1.92	-	40.18	9.58	64.22

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 31
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1907G	55.37	88.20	-32.83	69.83	3	Horizontal	81	1.80	-	40.18	9.58	64.22
RMS	13.19221G	42.83	68.20	-25.37	57.29	3	Horizontal	81	1.80	-	40.18	9.58	64.22

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 31
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7891G	46.11	83.54	-37.43	43.06	1	Vertical	99	1.80	-	37.57	17.17	51.69
AV	19.7907G	34.97	63.54	-28.57	31.92	1	Vertical	99	1.80	-	37.57	17.17	51.69

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 31
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1931G	45.83	83.54	-37.71	42.35	1	Horizontal	38	1.76	-	37.58	16.93	51.03
AV	19.19512G	33.92	63.54	-29.62	30.44	1	Horizontal	38	1.76	-	37.58	16.93	51.03

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 28
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37115G	53.37	74.00	-20.63	67.35	3	Vertical	272	1.37	-	40.37	9.65	64.00
AV	13.37083G	42.51	54.00	-11.49	56.49	3	Vertical	272	1.37	-	40.37	9.65	64.00

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 28
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37021G	54.29	74.00	-19.71	68.27	3	Horizontal	92	2.21	-	40.37	9.65	64.00
AV	13.37083G	43.92	54.00	-10.08	57.90	3	Horizontal	92	2.21	-	40.37	9.65	64.00

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 28
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0871G	45.87	83.54	-37.67	43.02	1	Vertical	77	1.92	-	37.47	17.30	51.92
AV	20.07931G	33.92	63.54	-29.62	31.09	1	Vertical	77	1.92	-	37.46	17.29	51.92

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 28
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0813G	46.27	83.54	-37.27	43.42	1	Horizontal	135	1.80	-	37.47	17.30	51.92
AV	20.08413G	34.71	63.54	-28.83	31.86	1	Horizontal	135	1.80	-	37.47	17.30	51.92

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 23
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7861G	55.83	88.20	-32.37	69.07	3	Vertical	171	1.80	-	40.66	9.81	63.71
RMS	13.78092G	43.92	68.20	-24.28	57.18	3	Vertical	171	1.80	-	40.64	9.81	63.71

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 23
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7791G	56.71	88.20	-31.49	69.97	3	Horizontal	83	1.57	-	40.64	9.81	63.71
RMS	13.78092G	44.35	68.20	-23.85	57.61	3	Horizontal	83	1.57	-	40.64	9.81	63.71

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 23
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6271G	46.95	83.54	-36.59	43.70	1	Vertical	273	1.79	-	37.75	17.53	52.03
AV	20.624G	34.87	63.54	-28.67	31.61	1	Vertical	273	1.79	-	37.75	17.53	52.02

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 23
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6257G	46.51	83.54	-37.03	43.26	1	Horizontal	307	2.09	-	37.75	17.53	52.03
AV	20.62491G	34.39	63.54	-29.15	31.13	1	Horizontal	307	2.09	-	37.75	17.53	52.02

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8251G	55.38	88.20	-32.82	68.49	3	Vertical	55	1.80	-	40.75	9.83	63.69
RMS	13.82497G	42.97	68.20	-25.23	56.08	3	Vertical	55	1.80	-	40.75	9.83	63.69

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.82073G	56.89	88.20	-31.31	70.01	3	Horizontal	333	1.62	-	40.74	9.83	63.69
RMS	13.82617G	44.61	68.20	-23.59	57.72	3	Horizontal	333	1.62	-	40.75	9.83	63.69

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67917G	45.63	83.54	-37.91	42.34	1	Vertical	63	1.72	-	37.77	17.56	52.04
AV	20.68162G	33.95	63.54	-29.59	30.66	1	Vertical	63	1.72	-	37.77	17.56	52.04

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6837G	45.92	83.54	-37.62	42.63	1	Horizontal	162	1.80	-	37.77	17.56	52.04
AV	20.6802G	34.86	63.54	-28.68	31.57	1	Horizontal	162	1.80	-	37.77	17.56	52.04

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02961G	57.11	88.20	-31.09	69.71	3	Vertical	241	1.91	-	41.03	9.91	63.54
RMS	14.02731G	46.09	68.20	-22.11	58.70	3	Vertical	241	1.91	-	41.03	9.91	63.55

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02931G	56.17	88.20	-32.03	68.77	3	Horizontal	53	1.80	-	41.03	9.91	63.54
RMS	14.02137G	43.92	68.20	-24.28	56.55	3	Horizontal	53	1.80	-	41.02	9.91	63.56

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98571G	46.15	83.54	-37.39	42.29	1	Vertical	119	1.80	-	38.27	17.69	52.10
AV	20.9887G	34.88	63.54	-28.66	31.01	1	Vertical	119	1.80	-	38.28	17.69	52.10

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 24
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9861G	45.92	83.54	-37.62	42.06	1	Horizontal	27	1.65	-	38.27	17.69	52.10
AV	20.98553G	33.71	63.54	-29.83	29.85	1	Horizontal	27	1.65	-	38.27	17.69	52.10

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
 Setting 25
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1014G	110.26	Inf	-Inf	99.39	3	Vertical	355	1.80	-	36.91	7.00	33.04
RMS	7.1032G	100.07	Inf	-Inf	89.20	3	Vertical	355	1.80	-	36.91	7.00	33.04
PK	7.1428G	63.45	88.20	-24.75	52.39	3	Vertical	355	1.80	-	37.07	7.04	33.05
RMS	7.1944G	53.03	68.20	-15.17	41.73	3	Vertical	355	1.80	-	37.28	7.09	33.07

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2121G	57.16	88.20	-31.04	69.32	3	Vertical	355	1.85	-	40.99	9.98	63.13
RMS	14.2128G	44.68	68.20	-23.52	56.82	3	Vertical	355	1.85	-	40.99	9.99	63.12

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2188G	58.62	88.20	-29.58	70.77	3	Horizontal	163	1.80	-	40.98	9.99	63.12
RMS	14.2188G	46.57	68.20	-21.63	58.71	3	Horizontal	163	1.80	-	40.98	9.99	63.11

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29264G	46.55	83.54	-36.99	42.76	1	Vertical	51	1.76	-	38.07	17.82	52.10
AV	21.29413G	34.28	63.54	-29.26	30.50	1	Vertical	51	1.76	-	38.06	17.82	52.10

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 25
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2971G	46.99	83.54	-36.55	43.21	1	Horizontal	70	1.80	-	38.06	17.82	52.10
AV	21.2968G	34.51	63.54	-29.03	30.73	1	Horizontal	70	1.80	-	38.06	17.82	52.10

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9104G	61.20	88.20	-27.00	52.47	3	Vertical	134	1.96	-	35.34	6.36	32.97
RMS	5.8962G	50.36	68.20	-17.84	41.70	3	Vertical	134	1.96	-	35.27	6.35	32.96
PK	5.9824G	110.43	Inf	-Inf	101.53	3	Vertical	134	1.96	-	35.50	6.39	32.99
RMS	5.9812G	100.15	Inf	-Inf	91.25	3	Vertical	134	1.96	-	35.50	6.39	32.99

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96984G	52.18	74.00	-21.82	69.40	3	Vertical	305	1.16	-	38.87	9.09	65.18
AV	11.96992G	38.54	54.00	-15.46	55.76	3	Vertical	305	1.16	-	38.87	9.09	65.18
PK	17.89852G	58.73	74.00	-15.27	67.35	3	Vertical	75	2.13	-	42.80	11.46	62.88
AV	17.8934G	46.31	54.00	-7.69	54.94	3	Vertical	75	2.13	-	42.78	11.46	62.87

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9669G	51.37	74.00	-22.63	68.58	3	Horizontal	313	1.65	-	38.87	9.09	65.17
AV	11.96945G	38.70	54.00	-15.30	55.92	3	Horizontal	313	1.65	-	38.87	9.09	65.18
PK	17.89425G	59.48	74.00	-14.52	68.11	3	Horizontal	243	1.01	-	42.78	11.46	62.87
AV	17.89605G	46.25	54.00	-7.75	54.87	3	Horizontal	243	1.01	-	42.79	11.46	62.87

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46745G	51.53	74.00	-22.47	67.78	3	Vertical	253	1.44	-	39.07	9.29	64.61
AV	12.47225G	39.02	54.00	-14.98	55.26	3	Vertical	253	1.44	-	39.07	9.29	64.60

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4034G	50.96	74.00	-23.04	67.39	3	Horizontal	69	2.54	-	39.00	9.26	64.69
AV	12.46955G	39.11	54.00	-14.89	55.36	3	Horizontal	69	2.54	-	39.07	9.29	64.61

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6123G	46.51	83.54	-37.03	42.59	1	Vertical	185	1.67	-	37.64	16.69	50.41
AV	18.61527G	33.98	63.54	-29.56	30.06	1	Vertical	185	1.67	-	37.65	16.69	50.42

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61052G	46.59	83.54	-36.95	42.67	1	Vertical	56	1.80	-	37.64	16.69	50.41
AV	18.61571G	34.62	63.54	-28.92	30.70	1	Vertical	56	1.80	-	37.65	16.69	50.42

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 Setting 38
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83145G	52.64	88.20	-35.56	68.07	3	Vertical	22	1.27	-	39.63	9.43	64.49
RMS	12.8589G	40.26	68.20	-27.94	55.64	3	Vertical	22	1.27	-	39.66	9.44	64.48

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 38
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7437G	52.84	88.20	-35.36	68.46	3	Horizontal	16	2.47	-	39.49	9.40	64.51
RMS	12.7953G	40.21	68.20	-27.99	55.70	3	Horizontal	16	2.47	-	39.59	9.42	64.50

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 38
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22548G	46.36	83.54	-37.18	42.90	1	Vertical	181	1.49	-	37.59	16.94	51.07
AV	19.225371G	35.87	63.54	-27.67	32.41	1	Vertical	181	1.49	-	37.59	16.94	51.07

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 38
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2271G	46.58	83.54	-36.96	43.12	1	Vertical	59	1.51	-	37.59	16.94	51.07
AV	19.22885G	34.95	63.54	-28.59	31.49	1	Vertical	59	1.51	-	37.59	16.94	51.07

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
 Setting 39
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26141G	54.59	74.00	-19.41	68.86	3	Vertical	67	2.00	-	40.26	9.60	64.13
AV	13.27968G	41.57	54.00	-12.43	55.79	3	Vertical	67	2.00	-	40.28	9.61	64.11

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 39
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26152G	54.93	74.00	-19.07	69.20	3	Horizontal	42	1.81	-	40.26	9.60	64.13
AV	13.28371G	41.48	54.00	-12.52	55.69	3	Horizontal	42	1.81	-	40.28	9.61	64.10

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 39
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.82413G	47.65	83.54	-35.89	44.64	1	Vertical	38	1.06	-	37.54	17.19	51.72
AV	19.82871G	35.98	63.54	-27.56	32.98	1	Vertical	38	1.06	-	37.54	17.19	51.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 39
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8257G	48.09	83.54	-35.45	45.09	1	Vertical	58	1.80	-	37.54	17.19	51.73
AV	19.82691G	37.11	63.54	-26.43	34.11	1	Vertical	58	1.80	-	37.54	17.19	51.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3289G	54.53	74.00	-19.47	68.62	3	Vertical	93	2.62	-	40.33	9.63	64.05
AV	13.30565G	41.70	54.00	-12.30	55.85	3	Vertical	93	2.62	-	40.31	9.62	64.08

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUTZ_4TX
Setting 33
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34825G	54.33	74.00	-19.67	68.37	3	Horizontal	311	2.73	-	40.35	9.64	64.03
AV	13.3406G	41.82	54.00	-12.18	55.87	3	Horizontal	311	2.73	-	40.34	9.64	64.03

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0635G	45.31	83.54	-38.23	42.48	1	Vertical	25	1.80	-	37.45	17.29	51.91
AV	20.06587G	34.83	63.54	-28.71	32.00	1	Vertical	25	1.80	-	37.45	17.29	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 33
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0631G	45.38	83.54	-38.16	42.55	1	Vertical	136	2.37	-	37.45	17.29	51.91
AV	20.06395G	33.96	63.54	-29.58	31.13	1	Vertical	136	2.37	-	37.45	17.29	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 32
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84335G	55.76	88.20	-32.44	68.81	3	Vertical	294	2.70	-	40.79	9.84	63.68
RMS	13.79385G	42.83	68.20	-25.37	56.03	3	Vertical	294	2.70	-	40.68	9.82	63.70

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 32
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78905G	55.48	88.20	-32.72	68.70	3	Horizontal	159	1.66	-	40.67	9.82	63.71
RMS	13.79325G	42.84	68.20	-25.36	56.05	3	Horizontal	159	1.66	-	40.68	9.82	63.71

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 32
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6518G	45.36	83.54	-38.18	42.09	1	Vertical	231	1.55	-	37.76	17.54	52.03
AV	20.6591G	35.71	63.54	-27.83	32.43	1	Vertical	231	1.55	-	37.76	17.55	52.03

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 32
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65178G	45.71	83.54	-37.83	42.44	1	Vertical	241	1.13	-	37.76	17.54	52.03
AV	20.65313G	35.89	63.54	-27.65	32.62	1	Vertical	241	1.13	-	37.76	17.54	52.03

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78265G	55.51	88.20	-32.69	68.76	3	Vertical	232	2.23	-	40.65	9.81	63.71
RMS	13.7909G	42.89	68.20	-25.31	56.11	3	Vertical	232	2.23	-	40.67	9.82	63.71

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
 Setting 35
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7852G	55.49	88.20	-32.71	68.73	3	Horizontal	330	2.60	-	40.66	9.81	63.71
RMS	13.7897G	43.03	68.20	-25.17	56.25	3	Horizontal	330	2.60	-	40.67	9.82	63.71

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7791G	46.41	83.54	-37.13	43.01	1	Vertical	99	1.80	-	37.86	17.60	52.06
AV	20.77583G	34.71	63.54	-28.83	31.32	1	Vertical	99	1.80	-	37.85	17.60	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7711G	46.95	83.54	-36.59	43.56	1	Vertical	137	1.59	-	37.84	17.60	52.05
AV	20.779G	35.83	63.54	-27.71	32.43	1	Vertical	137	1.59	-	37.86	17.60	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 37
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.06505G	55.42	88.20	-32.78	67.88	3	Vertical	207	2.32	-	41.07	9.93	63.46
RMS	14.0769G	42.87	68.20	-25.33	55.29	3	Vertical	207	2.32	-	41.08	9.93	63.43

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 37
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9485G	55.32	88.20	-32.88	68.12	3	Horizontal	262	1.63	-	40.95	9.88	63.63
RMS	14.08245G	42.93	68.20	-25.27	55.34	3	Horizontal	262	1.63	-	41.08	9.93	63.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 37
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00831G	46.81	83.54	-36.73	42.92	1	Vertical	0	1.80	-	38.29	17.70	52.10
AV	21.0017G	36.38	63.54	-27.16	32.48	1	Vertical	0	1.80	-	38.30	17.70	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 37
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0171G	47.38	83.54	-36.16	43.49	1	Vertical	306	1.38	-	38.29	17.70	52.10
AV	21.0095G	36.59	63.54	-26.95	32.70	1	Vertical	306	1.38	-	38.29	17.70	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 SET 30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0968G	109.83	Inf	-Inf	98.98	3	Vertical	121	1.80	-	36.89	7.00	33.04
RMS	7.0978G	99.49	Inf	-Inf	88.63	3	Vertical	121	1.80	-	36.90	7.00	33.04
PK	7.1538G	63.44	88.20	-24.76	52.33	3	Vertical	121	1.80	-	37.12	7.05	33.06
RMS	7.1254G	52.96	68.20	-15.24	41.98	3	Vertical	121	1.80	-	37.00	7.03	33.05

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.11165G	55.55	88.20	-32.65	67.88	3	Vertical	11	2.90	-	41.09	9.94	63.36
RMS	14.2069G	43.28	68.20	-24.92	55.45	3	Vertical	11	2.90	-	40.99	9.98	63.14

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 30
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2144G	56.08	88.20	-32.12	68.22	3	Horizontal	134	2.16	-	40.99	9.99	63.12
RMS	14.13535G	43.30	68.20	-24.90	55.59	3	Horizontal	134	2.16	-	41.06	9.95	63.30

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26091G	46.39	83.54	-37.15	42.59	1	Vertical	179	1.60	-	38.09	17.81	52.10
AV	21.26395G	36.62	63.54	-26.92	32.82	1	Vertical	179	1.60	-	38.09	17.81	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 30
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2658G	46.39	83.54	-37.15	42.59	1	Vertical	360	1.37	-	38.09	17.81	52.10
AV	21.26331G	33.95	63.54	-29.59	30.15	1	Vertical	360	1.37	-	38.09	17.81	52.10

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 41
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	60.13	88.20	-28.07	51.36	3	Vertical	100	1.80	-	35.38	6.36	32.97
RMS	5.919G	49.82	68.20	-18.38	41.05	3	Vertical	100	1.80	-	35.38	6.36	32.97
PK	5.9502G	107.82	Inf	-Inf	98.92	3	Vertical	100	1.80	-	35.50	6.38	32.98
RMS	5.9954G	98.55	Inf	-Inf	89.65	3	Vertical	100	1.80	-	35.50	6.40	33.00

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.01845G	52.75	74.00	-21.25	69.93	3	Vertical	39	2.39	-	38.88	9.11	65.17
AV	12.01665G	39.29	54.00	-14.71	56.47	3	Vertical	39	2.39	-	38.88	9.11	65.17
PK	17.95155G	58.57	74.00	-15.43	66.97	3	Vertical	241	2.79	-	43.06	11.48	62.94
AV	17.8899G	46.41	54.00	-7.59	55.05	3	Vertical	241	2.79	-	42.77	11.46	62.87

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 45
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9694G	51.81	74.00	-22.19	69.03	3	Horizontal	36	1.99	-	38.87	9.09	65.18
AV	12.0168G	39.32	54.00	-14.68	56.50	3	Horizontal	36	1.99	-	38.88	9.11	65.17
PK	17.9512G	58.91	74.00	-15.09	67.31	3	Horizontal	170	2.46	-	43.06	11.48	62.94
AV	17.8905G	46.37	54.00	-7.63	55.01	3	Horizontal	170	2.46	-	42.77	11.46	62.87

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 Setting 52
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46065G	51.92	74.00	-22.08	68.20	3	Vertical	35	2.39	-	39.06	9.28	64.62
AV	12.52305G	39.67	54.00	-14.33	55.80	3	Vertical	35	2.39	-	39.12	9.31	64.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 52
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4425G	51.67	74.00	-22.33	67.99	3	Horizontal	96	1.66	-	39.04	9.28	64.64
AV	12.52335G	39.62	54.00	-14.38	55.75	3	Horizontal	96	1.66	-	39.12	9.31	64.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 52
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67951G	47.53	83.54	-36.01	43.62	1	Vertical	183	1.80	-	37.67	16.72	50.48
AV	18.67574G	36.18	63.54	-27.36	32.27	1	Vertical	183	1.80	-	37.67	16.72	50.48

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 52
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67535G	46.95	83.54	-36.59	43.04	1	Horizontal	53	1.76	-	37.67	16.72	50.48
AV	18.67581G	35.91	63.54	-27.63	32.00	1	Horizontal	53	1.76	-	37.67	16.72	50.48

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 47
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7157G	52.94	88.20	-35.26	68.64	3	Vertical	181	1.74	-	39.43	9.39	64.52
RMS	12.83255G	40.37	68.20	-27.83	55.80	3	Vertical	181	1.74	-	39.63	9.43	64.49

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 47
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84245G	52.65	88.20	-35.55	68.06	3	Horizontal	280	1.83	-	39.64	9.44	64.49
RMS	12.83G	40.41	68.20	-27.79	55.84	3	Horizontal	280	1.83	-	39.63	9.43	64.49

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 47
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15361G	44.97	83.54	-38.57	41.48	1	Vertical	72	1.80	-	37.56	16.91	50.98
AV	19.15582G	34.81	63.54	-28.73	31.33	1	Vertical	72	1.80	-	37.56	16.91	50.99

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 47
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15732G	44.91	83.54	-38.63	41.43	1	Horizontal	51	1.92	-	37.56	16.91	50.99
AV	19.15284G	34.00	63.54	-29.54	30.51	1	Horizontal	51	1.92	-	37.56	16.91	50.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.28015G	54.28	74.00	-19.72	68.50	3	Vertical	346	1.57	-	40.28	9.61	64.11
AV	13.3241G	41.80	54.00	-12.20	55.90	3	Vertical	346	1.57	-	40.32	9.63	64.05

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 43
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2764G	55.08	74.00	-18.92	69.30	3	Horizontal	142	1.95	-	40.28	9.61	64.11
AV	13.30835G	41.85	54.00	-12.15	55.99	3	Horizontal	142	1.95	-	40.31	9.62	64.07

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88901G	46.38	83.54	-37.16	43.47	1	Vertical	351	2.53	-	37.49	17.21	51.79
AV	19.88773G	35.09	63.54	-28.45	32.18	1	Vertical	351	2.53	-	37.49	17.21	51.79

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88616G	45.91	83.54	-37.63	43.00	1	Horizontal	145	1.80	-	37.49	17.21	51.79
AV	19.88387G	34.83	63.54	-28.71	31.91	1	Horizontal	145	1.80	-	37.49	17.21	51.78

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 41
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35457G	54.21	74.00	-19.79	68.24	3	Vertical	345	1.39	-	40.35	9.64	64.02
AV	13.33962G	41.92	54.00	-12.08	55.98	3	Vertical	345	1.39	-	40.34	9.64	64.04

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 41
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39474G	54.46	74.00	-19.54	68.38	3	Horizontal	271	2.46	-	40.39	9.66	63.97
AV	13.3389G	41.82	54.00	-12.18	55.88	3	Horizontal	271	2.46	-	40.34	9.64	64.04

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 41
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11674G	49.42	74.00	-24.58	46.54	1	Vertical	48	1.46	-	37.49	17.31	51.92
AV	20.10276G	35.50	54.00	-18.50	32.64	1	Vertical	48	1.46	-	37.48	17.30	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 41
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11326G	48.56	74.00	-25.44	45.68	1	Horizontal	32	2.12	-	37.49	17.31	51.92
AV	20.11578G	35.72	54.00	-18.28	32.84	1	Horizontal	32	2.12	-	37.49	17.31	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 44
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.54645G	54.73	88.20	-33.47	68.43	3	Vertical	120	2.53	-	40.40	9.72	63.82
RMS	13.59625G	42.20	68.20	-26.00	55.86	3	Vertical	120	2.53	-	40.40	9.74	63.80

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 44
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.63915G	54.74	88.20	-33.46	68.36	3	Horizontal	329	2.10	-	40.40	9.76	63.78
RMS	13.63855G	42.39	68.20	-25.81	56.01	3	Horizontal	329	2.10	-	40.40	9.76	63.78

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 44
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34159G	48.60	74.00	-25.40	45.52	1	Vertical	58	1.09	-	37.64	17.41	51.97
AV	20.35632G	34.71	54.00	-19.29	31.63	1	Vertical	58	1.09	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 44
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36127G	47.41	74.00	-26.59	44.32	1	Horizontal	69	2.34	-	37.64	17.42	51.97
AV	20.34771G	34.74	54.00	-19.26	31.66	1	Horizontal	69	2.34	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7963G	55.59	88.20	-32.61	68.78	3	Vertical	98	2.67	-	40.69	9.82	63.70
RMS	13.7894G	42.85	68.20	-25.35	56.07	3	Vertical	98	2.67	-	40.67	9.82	63.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8047G	55.26	88.20	-32.94	68.43	3	Horizontal	217	2.45	-	40.71	9.82	63.70
RMS	13.7705G	42.93	68.20	-25.27	56.23	3	Horizontal	217	2.45	-	40.61	9.81	63.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60649G	48.14	74.00	-25.86	44.90	1	Vertical	108	2.97	-	37.74	17.52	52.02
AV	20.59536G	35.45	54.00	-18.55	32.21	1	Vertical	108	2.97	-	37.74	17.52	52.02

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59305G	48.94	74.00	-25.06	45.70	1	Horizontal	62	1.70	-	37.74	17.52	52.02
AV	20.58696G	35.55	54.00	-18.45	32.32	1	Horizontal	62	1.70	-	37.73	17.52	52.02

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 44
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9353G	55.41	88.20	-32.79	68.24	3	Vertical	120	2.07	-	40.94	9.87	63.64
RMS	13.8336G	42.81	68.20	-25.39	55.90	3	Vertical	120	2.07	-	40.77	9.83	63.69

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 44
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8258G	55.92	88.20	-32.28	69.03	3	Horizontal	93	1.41	-	40.75	9.83	63.69
RMS	13.8225G	42.75	68.20	-25.45	55.87	3	Horizontal	93	1.41	-	40.74	9.83	63.69

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 44
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82537G	48.04	74.00	-25.96	44.54	1	Vertical	15	2.57	-	37.95	17.62	52.07
AV	20.84436G	34.86	54.00	-19.14	31.31	1	Vertical	15	2.57	-	37.99	17.63	52.07

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 44
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84598G	48.81	74.00	-25.19	45.26	1	Horizontal	289	1.96	-	37.99	17.63	52.07
AV	20.84217G	34.90	54.00	-19.10	31.36	1	Horizontal	289	1.96	-	37.98	17.63	52.07

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 37
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.047G	108.59	Inf	-Inf	97.86	3	Vertical	342	1.81	-	36.80	6.95	33.02
RMS	7.0502G	97.34	Inf	-Inf	86.62	3	Vertical	342	1.81	-	36.80	6.95	33.03
PK	7.1638G	64.31	88.20	-23.89	53.15	3	Vertical	342	1.81	-	37.16	7.06	33.06
RMS	7.2066G	52.91	68.20	-15.29	41.57	3	Vertical	342	1.81	-	37.31	7.10	33.07

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 41
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1004G	56.36	88.20	-31.84	68.70	3	Vertical	205	1.06	-	41.10	9.94	63.38
RMS	14.07685G	43.26	68.20	-24.94	55.68	3	Vertical	205	1.06	-	41.08	9.93	63.43

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 41
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0821G	56.26	88.20	-31.94	68.67	3	Horizontal	242	2.32	-	41.08	9.93	63.42
RMS	14.0791G	43.10	68.20	-25.10	55.52	3	Horizontal	242	2.32	-	41.08	9.93	63.43

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 41
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07839G	48.29	74.00	-25.71	44.42	1	Vertical	349	1.51	-	38.24	17.73	52.10
AV	21.08205G	35.37	54.00	-18.63	31.51	1	Vertical	349	1.51	-	38.23	17.73	52.10

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 41
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08355G	48.34	74.00	-25.66	44.48	1	Horizontal	110	1.35	-	38.23	17.73	52.10
AV	21.0876G	35.35	54.00	-18.65	31.49	1	Horizontal	110	1.35	-	38.23	17.73	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 59
 01-F-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8485G	59.33	88.20	-28.87	51.07	3	Vertical	104	1.84	-	34.89	6.32	32.95
RMS	5.921G	49.75	68.20	-18.45	40.98	3	Vertical	104	1.84	-	35.38	6.36	32.97
PK	5.992G	108.41	Inf	-Inf	99.51	3	Vertical	104	1.84	-	35.50	6.40	33.00
RMS	5.9975G	97.94	Inf	-Inf	89.04	3	Vertical	104	1.84	-	35.50	6.40	33.00

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 59
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9984G	52.24	74.00	-21.76	69.43	3	Vertical	194	2.43	-	38.90	9.10	65.19
AV	12.014G	39.32	54.00	-14.68	56.49	3	Vertical	194	2.43	-	38.89	9.11	65.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUTZ_4TX
Setting 59
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00545G	52.14	74.00	-21.86	69.33	3	Horizontal	232	2.72	-	38.89	9.10	65.18
AV	12.0035G	39.30	54.00	-14.70	56.49	3	Horizontal	232	2.72	-	38.90	9.10	65.19

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 59
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06243G	48.77	74.00	-25.23	44.49	1	Vertical	126	2.59	-	37.50	16.47	49.69
AV	18.06414G	35.76	54.00	-18.24	31.48	1	Vertical	126	2.59	-	37.50	16.47	49.69

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 59
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08298G	48.44	74.00	-25.56	44.19	1	Horizontal	335	2.57	-	37.50	16.47	49.72
AV	18.06225G	35.71	54.00	-18.29	31.43	1	Horizontal	335	2.57	-	37.50	16.47	49.69

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUTZ_4TX
Setting 67
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4111G	51.74	74.00	-22.26	68.15	3	Vertical	219	2.71	-	39.01	9.26	64.68
AV	12.409G	39.26	54.00	-14.74	55.67	3	Vertical	219	2.71	-	39.01	9.26	64.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 67
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43165G	52.47	74.00	-21.53	68.82	3	Horizontal	84	2.43	-	39.03	9.27	64.65
AV	12.4009G	39.17	54.00	-14.83	55.60	3	Horizontal	84	2.43	-	39.00	9.26	64.69

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 67
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54816G	47.97	74.00	-26.03	44.04	1	Vertical	86	2.67	-	37.62	16.66	50.35
AV	18.54072G	35.23	54.00	-18.77	31.29	1	Vertical	86	2.67	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 67
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56526G	47.68	74.00	-26.32	43.75	1	Horizontal	328	1.00	-	37.63	16.67	50.37
AV	18.54336G	35.22	54.00	-18.78	31.28	1	Horizontal	328	1.00	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 57
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6431G	53.31	74.00	-20.69	69.20	3	Vertical	91	2.13	-	39.29	9.36	64.54
AV	12.6426G	40.66	54.00	-13.34	56.55	3	Vertical	91	2.13	-	39.29	9.36	64.54

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 57
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6952G	52.96	74.00	-21.04	68.71	3	Horizontal	29	2.17	-	39.39	9.38	64.52
AV	12.6920G	40.39	54.00	-13.61	56.15	3	Horizontal	29	2.17	-	39.38	9.38	64.52

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 57
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02021G	48.06	83.54	-35.48	44.51	1	Vertical	122	2.22	-	37.51	16.86	50.82
AV	19.02033G	35.33	63.54	-28.21	31.78	1	Vertical	122	2.22	-	37.51	16.86	50.82

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 57
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02113G	47.96	83.54	-35.58	44.42	1	Horizontal	14	1.08	-	37.51	16.86	50.83
AV	19.02107G	35.24	63.54	-28.30	31.70	1	Horizontal	14	1.08	-	37.51	16.86	50.83

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 60
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26445G	54.18	74.00	-19.82	68.44	3	Vertical	358	2.18	-	40.26	9.61	64.13
AV	13.32475G	41.96	54.00	-12.04	56.06	3	Vertical	358	2.18	-	40.32	9.63	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 60
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39615G	54.22	74.00	-19.78	68.13	3	Horizontal	110	1.46	-	40.40	9.66	63.97
AV	13.3276G	41.95	54.00	-12.05	56.04	3	Horizontal	110	1.46	-	40.33	9.63	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 60
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00136G	48.04	74.00	-25.96	45.28	1	Vertical	39	1.74	-	37.40	17.26	51.90
AV	19.99965G	34.90	54.00	-19.10	32.14	1	Vertical	39	1.74	-	37.40	17.26	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 60
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98675G	47.94	74.00	-26.06	45.17	1	Horizontal	219	1.95	-	37.41	17.25	51.89
AV	20.00847G	34.96	54.00	-19.04	32.19	1	Horizontal	219	1.95	-	37.41	17.26	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 57
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6332G	55.01	88.20	-33.19	68.64	3	Vertical	49	2.36	-	40.40	9.75	63.78
RMS	13.725G	42.61	68.20	-25.59	56.08	3	Vertical	49	2.36	-	40.48	9.79	63.74

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 57
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6581G	55.44	88.20	-32.76	69.05	3	Horizontal	27	1.51	-	40.40	9.76	63.77
RMS	13.725G	42.56	68.20	-25.64	56.03	3	Horizontal	27	1.51	-	40.48	9.79	63.74

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 57
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48751G	47.52	74.00	-26.48	44.35	1	Vertical	11	1.26	-	37.70	17.47	52.00
AV	20.48889G	34.62	54.00	-19.38	31.45	1	Vertical	11	1.26	-	37.70	17.47	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 57
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48862G	47.75	74.00	-26.25	44.58	1	Horizontal	48	2.93	-	37.70	17.47	52.00
AV	20.48946G	34.58	54.00	-19.42	31.41	1	Horizontal	48	2.93	-	37.70	17.47	52.00

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 57
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9585G	110.07	Inf	-Inf	99.40	3	Vertical	12	1.80	-	36.80	6.88	33.01
RMS	6.9555G	99.89	Inf	-Inf	89.22	3	Vertical	12	1.80	-	36.80	6.88	33.01
PK	7.141G	63.35	88.20	-24.85	52.30	3	Vertical	12	1.80	-	37.06	7.04	33.05
RMS	7.184G	52.81	68.20	-15.39	41.56	3	Vertical	12	1.80	-	37.24	7.08	33.07

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0195G	54.99	88.20	-33.21	67.63	3	Vertical	241	2.10	-	41.02	9.91	63.57
RMS	14.01005G	42.77	68.20	-25.43	55.45	3	Vertical	241	2.10	-	41.01	9.90	63.59

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0036G	55.59	88.20	-32.61	68.29	3	Horizontal	267	2.45	-	41.00	9.90	63.60
RMS	14.0174G	42.77	68.20	-25.43	55.41	3	Horizontal	267	2.45	-	41.02	9.91	63.57

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94075G	47.63	74.00	-26.37	43.87	1	Vertical	278	1.65	-	38.18	17.67	52.09
AV	20.958G	34.42	54.00	-19.58	30.61	1	Vertical	278	1.65	-	38.22	17.68	52.09

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96427G	49.48	74.00	-24.52	45.66	1	Horizontal	78	1.21	-	38.23	17.68	52.09
AV	20.94006G	34.40	54.00	-19.60	30.64	1	Horizontal	78	1.21	-	38.18	17.67	52.09

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 71
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	63.78	88.20	-24.42	55.00	3	Vertical	100	1.83	-	35.39	6.36	32.97
RMS	5.925G	51.43	68.20	-16.77	42.64	3	Vertical	100	1.83	-	35.40	6.36	32.97
PK	5.998G	110.46	Inf	-Inf	101.56	3	Vertical	100	1.83	-	35.50	6.40	33.00
RMS	5.996G	100.01	Inf	-Inf	91.11	3	Vertical	100	1.83	-	35.50	6.40	33.00

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUTZ_4TX
Setting 71
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1196G	51.41	74.00	-22.59	68.48	3	Vertical	95	2.29	-	38.82	9.15	65.04
AV	12.151G	39.24	54.00	-14.76	56.23	3	Vertical	95	2.29	-	38.85	9.16	65.00

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 71
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2802G	51.39	74.00	-22.61	68.20	3	Horizontal	65	2.00	-	38.82	9.21	64.84
AV	12.1518G	39.27	54.00	-14.73	56.26	3	Horizontal	65	2.00	-	38.85	9.16	65.00

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 71
04-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30582G	47.97	74.00	-26.03	43.91	1	Vertical	231	2.83	-	37.52	16.57	50.03			
AV	18.32871G	34.77	54.00	-19.23	30.73	1	Vertical	231	2.83	-	37.53	16.57	50.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 71
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31269G	47.33	74.00	-26.67	43.27	1	Horizontal	258	1.41	-	37.53	16.57	50.04
AV	18.3243G	34.80	54.00	-19.20	30.75	1	Horizontal	258	1.41	-	37.53	16.57	50.05

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 70
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6266G	53.32	74.00	-20.68	69.26	3	Vertical	147	2.25	-	39.25	9.35	64.54
AV	12.6291G	40.37	54.00	-13.63	56.30	3	Vertical	147	2.25	-	39.26	9.35	64.54

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 70
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6033G	53.21	74.00	-20.79	69.21	3	Horizontal	32	1.43	-	39.21	9.34	64.55
AV	12.6041G	40.33	54.00	-13.67	56.33	3	Horizontal	32	1.43	-	39.21	9.34	64.55

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 70
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79326G	47.57	83.54	-35.97	43.72	1	Vertical	201	1.13	-	37.67	16.77	50.59
AV	18.79308G	34.62	63.54	-28.92	30.77	1	Vertical	201	1.13	-	37.67	16.77	50.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 70
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79906G	47.71	83.54	-35.83	43.88	1	Horizontal	132	2.94	-	37.66	16.77	50.60
AV	18.79553G	34.33	63.54	-29.21	30.50	1	Horizontal	132	2.94	-	37.66	16.77	50.60

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 71
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5718G	55.34	88.20	-32.86	69.02	3	Vertical	177	1.46	-	40.40	9.73	63.81
RMS	13.589G	42.01	68.20	-26.19	55.67	3	Vertical	177	1.46	-	40.40	9.74	63.80

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 71
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4422G	54.60	88.20	-33.60	68.43	3	Horizontal	312	1.96	-	40.40	9.68	63.91
RMS	13.5884G	42.11	68.20	-26.09	55.77	3	Horizontal	312	1.96	-	40.40	9.74	63.80

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 71
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.22171G	48.14	74.00	-25.86	45.14	1	Vertical	100	2.86	-	37.58	17.36	51.94
AV	20.22G	35.30	54.00	-18.70	32.30	1	Vertical	100	2.86	-	37.58	17.36	51.94

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 71
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.24109G	48.22	74.00	-25.78	45.22	1	Horizontal	107	2.13	-	37.59	17.36	51.95
AV	20.22417G	35.41	54.00	-18.59	32.41	1	Horizontal	107	2.13	-	37.58	17.36	51.94

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7484G	117.76	Inf	-Inf	107.40	3	Vertical	358.6	1.81	-	36.59	6.80	33.03
RMS	6.9464G	100.20	Inf	-Inf	89.56	3	Vertical	358.6	1.81	-	36.78	6.87	33.01
PK	7.1258G	66.06	88.20	-22.14	55.08	3	Vertical	358.6	1.81	-	37.00	7.03	33.05
RMS	7.1252G	54.65	68.20	-13.55	43.67	3	Vertical	358.6	1.81	-	37.00	7.03	33.05

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 73
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7478G	56.21	88.20	-31.99	69.60	3	Vertical	30	2.73	-	40.54	9.80	63.73
RMS	13.8242G	43.03	68.20	-25.17	56.14	3	Vertical	30	2.73	-	40.75	9.83	63.69

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 73
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8018G	55.83	88.20	-32.37	69.01	3	Horizontal	67	2.61	-	40.70	9.82	63.70
RMS	13.7756G	42.92	68.20	-25.28	56.19	3	Horizontal	67	2.61	-	40.63	9.81	63.71

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 73
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70627G	48.05	74.00	-25.95	44.74	1	Vertical	290	2.19	-	37.78	17.57	52.04
AV	20.72187G	35.59	54.00	-18.41	32.27	1	Vertical	290	2.19	-	37.79	17.57	52.04

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 73
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71893G	48.39	74.00	-25.61	45.07	1	Horizontal	301	2.95	-	37.79	17.57	52.04
AV	20.71182G	35.52	54.00	-18.48	32.21	1	Horizontal	301	2.95	-	37.78	17.57	52.04

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 Setting 40
 01-F-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	60.22	88.20	-27.98	51.50	3	Vertical	100	1.80	-	35.34	6.35	32.97
RMS	5.8938G	50.05	68.20	-18.15	41.41	3	Vertical	100	1.80	-	35.25	6.35	32.96
PK	5.9474G	110.14	Inf	-Inf	101.26	3	Vertical	100	1.80	-	35.49	6.37	32.98
RMS	5.9494G	100.31	Inf	-Inf	91.42	3	Vertical	100	1.80	-	35.50	6.37	32.98

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 40
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90553G	46.27	74.00	-27.73	41.95	3	Vertical	254	2.94	-	38.99	8.57	43.24
AV	11.91381G	33.67	54.00	-20.33	29.36	3	Vertical	254	2.94	-	38.97	8.57	43.23
PK	17.87562G	58.63	74.00	-15.37	46.94	3	Vertical	330	1.68	-	41.55	11.52	41.38
AV	17.86962G	44.53	54.00	-9.47	32.86	3	Vertical	330	1.68	-	41.54	11.52	41.39

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 40
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89902G	46.83	74.00	-27.17	42.50	3	Horizontal	328	2.87	-	39.00	8.57	43.24
AV	11.91672G	33.68	54.00	-20.32	29.36	3	Horizontal	328	2.87	-	38.97	8.58	43.23
PK	17.87766G	58.01	74.00	-15.99	46.31	3	Horizontal	266	1.01	-	41.56	11.52	41.38
AV	17.85561G	44.54	54.00	-9.46	32.94	3	Horizontal	266	1.01	-	41.51	11.51	41.42

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 40
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.80737G	49.90	74.00	-24.10	42.43	1	Vertical	15	1.99	-	38.80	18.95	50.28
AV	23.81679G	36.97	54.00	-17.03	29.48	1	Vertical	15	1.99	-	38.80	18.96	50.27

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 40
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83389G	50.57	74.00	-23.43	43.08	1	Horizontal	186	1.79	-	38.80	18.96	50.27
AV	23.8125G	37.07	54.00	-16.93	29.59	1	Horizontal	186	1.79	-	38.80	18.95	50.27

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38811G	46.18	74.00	-27.82	62.65	3	Vertical	245	1.29	-	38.98	9.26	64.71
AV	12.38931G	33.62	54.00	-20.38	50.09	3	Vertical	245	1.29	-	38.98	9.26	64.71

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39117G	46.53	74.00	-27.47	62.99	3	Horizontal	253	2.60	-	38.98	9.26	64.70
AV	12.38922G	33.74	54.00	-20.26	50.21	3	Horizontal	253	2.60	-	38.98	9.26	64.71

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58926G	47.93	83.54	-35.61	44.00	1	Vertical	358	1.63	-	37.64	16.68	50.39
AV	18.57708G	35.09	63.54	-28.45	31.16	1	Vertical	358	1.63	-	37.63	16.68	50.38

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 35
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58257G	48.54	83.54	-35.00	44.61	1	Horizontal	231	1.11	-	37.63	16.68	50.38
AV	18.5775G	35.16	63.54	-28.38	31.23	1	Horizontal	231	1.11	-	37.63	16.68	50.38

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 42
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83504G	46.80	88.20	-41.40	62.22	3	Vertical	288	1.43	-	39.64	9.43	64.49
RMS	12.83582G	33.84	68.20	-34.36	49.26	3	Vertical	288	1.43	-	39.64	9.43	64.49

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 42
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82442G	47.40	88.20	-40.80	41.18	3	Horizontal	211	1.62	-	39.62	9.43	42.83
RMS	12.81827G	33.76	68.20	-34.44	27.54	3	Horizontal	211	1.62	-	39.62	9.43	42.83

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 42
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23612G	49.49	83.54	-34.05	46.03	1	Vertical	344	1.82	-	37.59	16.95	51.08
AV	19.23021G	34.42	63.54	-29.12	30.97	1	Vertical	344	1.82	-	37.59	16.94	51.08

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 42
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23672G	47.61	83.54	-35.93	44.15	1	Horizontal	163	1.60	-	37.59	16.95	51.08
AV	19.25295G	34.36	63.54	-29.18	30.91	1	Horizontal	163	1.60	-	37.60	16.95	51.10

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18709G	47.49	88.20	-40.71	61.97	3	Vertical	322	2.84	-	40.17	9.57	64.22
RMS	13.1903G	34.89	68.20	-33.31	49.35	3	Vertical	32	2.84	-	40.18	9.58	64.22

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.20155G	48.05	88.20	-40.15	62.47	3	Horizontal	48	1.45	-	40.20	9.58	64.20
RMS	13.18097G	35.04	68.20	-33.16	49.54	3	Horizontal	48	1.45	-	40.16	9.57	64.23

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.77381G	46.81	83.54	-36.73	43.73	1	Vertical	95	1.48	-	37.58	17.17	51.67
AV	19.77447G	34.20	63.54	-29.34	31.12	1	Vertical	95	1.48	-	37.58	17.17	51.67

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.79577G	47.16	83.54	-36.38	44.12	1	Horizontal	176	1.37	-	37.56	17.18	51.70
AV	19.77246G	34.21	63.54	-29.33	31.13	1	Horizontal	176	1.37	-	37.58	17.17	51.67

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38073G	48.62	74.00	-25.38	41.98	3	Vertical	123	2.02	-	40.08	9.29	42.73
AV	13.39645G	35.13	54.00	-18.87	28.47	3	Vertical	123	2.02	-	40.10	9.30	42.74

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39411G	47.35	74.00	-26.65	40.70	3	Horizontal	31	1.99	-	40.09	9.30	42.74
AV	13.39951G	35.10	54.00	-18.90	28.44	3	Horizontal	31	1.99	-	40.10	9.30	42.74

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0784G	48.32	74.00	-25.68	45.49	1	Vertical	28	1.78	-	37.46	17.29	51.92
AV	20.07117G	35.44	54.00	-18.56	32.60	1	Vertical	28	1.78	-	37.46	17.29	51.91

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08539G	48.34	74.00	-25.66	45.49	1	Horizontal	38	2.81	-	37.47	17.30	51.92
AV	20.08863G	35.53	54.00	-18.47	32.68	1	Horizontal	38	2.81	-	37.47	17.30	51.92

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 35
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74664G	51.98	88.20	-36.22	44.77	3	Vertical	191	2.99	-	40.35	9.47	42.61
RMS	13.75531G	38.82	68.20	-29.38	31.59	3	Vertical	191	2.99	-	40.36	9.48	42.61

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76062G	51.50	88.20	-36.70	44.26	3	Horizontal	139	2.36	-	40.36	9.48	42.60
RMS	13.76155G	38.71	68.20	-29.49	31.47	3	Horizontal	139	2.36	-	40.36	9.48	42.60

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63526G	48.85	74.00	-25.15	45.59	1	Vertical	58	1.19	-	37.75	17.54	52.03
AV	20.63742G	35.76	54.00	-18.24	32.50	1	Vertical	58	1.19	-	37.75	17.54	52.03

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 35
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63055G	48.85	74.00	-25.15	45.60	1	Horizontal	346	2.98	-	37.75	17.53	52.03
AV	20.63238G	35.75	54.00	-18.25	32.49	1	Horizontal	346	2.98	-	37.75	17.54	52.03

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78541G	52.53	88.20	-35.67	65.77	3	Vertical	32	1.63	-	40.66	9.81	63.71
RMS	13.77518G	38.94	68.20	-29.26	52.21	3	Vertical	32	1.63	-	40.63	9.81	63.71

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79528G	52.62	88.20	-35.58	65.81	3	Horizontal	204	1.03	-	40.69	9.82	63.70
RMS	13.77629G	39.04	68.20	-29.16	52.31	3	Horizontal	204	1.03	-	40.63	9.81	63.71

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67825G	48.75	83.54	-34.79	45.46	1	Vertical	83	1.10	-	37.77	17.56	52.04
AV	20.69253G	35.76	63.54	-27.78	32.46	1	Vertical	83	1.10	-	37.78	17.56	52.04

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 34
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69673G	48.99	83.54	-34.55	45.69	1	Horizontal	277	2.42	-	37.78	17.56	52.04
AV	20.67567G	35.66	63.54	-27.88	32.38	1	Horizontal	277	2.42	-	37.77	17.55	52.04

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 36
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97548G	51.97	88.20	-36.23	44.10	3	Vertical	11	2.72	-	40.75	9.59	42.47
RMS	13.99225G	39.33	68.20	-28.87	31.41	3	Vertical	11	2.72	-	40.78	9.60	42.46

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 36
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99438G	51.85	88.20	-36.35	43.92	3	Horizontal	127	2.76	-	40.79	9.60	42.46
RMS	13.97851G	39.24	68.20	-28.96	31.36	3	Horizontal	127	2.76	-	40.76	9.59	42.47

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 36
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97615G	47.29	74.00	-26.71	43.46	1	Vertical	198	2.56	-	38.25	17.68	52.10
AV	20.99916G	34.38	54.00	-19.62	30.49	1	Vertical	198	2.56	-	38.30	17.69	52.10

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 36
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97396G	47.16	74.00	-26.84	43.32	1	Horizontal	335	1.22	-	38.25	17.68	52.09
AV	20.99907G	34.43	54.00	-19.57	30.54	1	Horizontal	335	1.22	-	38.30	17.69	52.10

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
 Setting 32
 01-F-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0914G	110.09	Inf	-Inf	99.26	3	Vertical	185	1.78	-	36.88	6.99	33.04
RMS	7.094G	100.04	Inf	-Inf	89.20	3	Vertical	185	1.78	-	36.89	6.99	33.04
PK	7.1858G	63.14	88.20	-25.06	51.88	3	Vertical	185	1.78	-	37.24	7.09	33.07
RMS	7.126G	52.97	68.20	-15.23	41.99	3	Vertical	185	1.78	-	37.00	7.03	33.05

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20428G	52.26	88.20	-35.94	44.40	3	Vertical	4	2.40	-	40.60	9.67	42.41
RMS	14.18061G	38.97	68.20	-29.23	31.09	3	Vertical	4	2.40	-	40.64	9.66	42.42

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
 Setting 32
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19909G	51.98	88.20	-36.22	44.12	3	Horizontal	240	2.50	-	40.60	9.67	42.41
RMS	14.18055G	39.05	68.20	-29.15	31.17	3	Horizontal	240	2.50	-	40.64	9.66	42.42

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28038G	49.50	74.00	-24.50	45.70	1	Vertical	262	2.04	-	38.08	17.82	52.10
AV	21.27969G	36.14	54.00	-17.86	32.34	1	Vertical	262	2.04	-	38.08	17.82	52.10

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27885G	48.93	74.00	-25.07	45.13	1	Horizontal	48	2.37	-	38.08	17.82	52.10
AV	21.29799G	36.08	54.00	-17.92	32.30	1	Horizontal	48	2.37	-	38.06	17.82	52.10

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 58
01-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	60.46	88.20	-27.74	51.97	3	Vertical	73	1.80	-	35.11	6.34	32.96
RMS	5.9246G	50.12	68.20	-18.08	41.33	3	Vertical	73	1.80	-	35.40	6.36	32.97
PK	5.9494G	110.44	Inf	-Inf	101.55	3	Vertical	73	1.80	-	35.50	6.37	32.98
RMS	5.9826G	100.52	Inf	-Inf	91.62	3	Vertical	73	1.80	-	35.50	6.39	32.99

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 58
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9866G	51.11	74.00	-22.89	68.31	3	Vertical	306	1.42	-	38.89	9.09	65.18
AV	12.016G	39.19	54.00	-14.81	56.37	3	Vertical	306	1.42	-	38.88	9.11	65.17
PK	17.8954G	59.35	74.00	-14.65	67.97	3	Vertical	308	1.43	-	42.79	11.46	62.87
AV	17.8852G	46.26	54.00	-7.74	54.91	3	Vertical	308	1.43	-	42.76	11.45	62.86

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 Setting 58
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9548G	52.94	74.00	-21.06	70.18	3	Horizontal	264	1.50	-	38.85	9.08	65.17
AV	12.0144G	39.32	54.00	-14.68	56.49	3	Horizontal	264	1.50	-	38.89	9.11	65.17
PK	17.898G	58.01	74.00	-15.99	66.64	3	Horizontal	224	1.97	-	42.79	11.46	62.88
AV	17.885G	46.42	54.00	-7.58	55.07	3	Horizontal	224	1.97	-	42.76	11.45	62.86

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 58
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.87386G	50.22	74.00	-23.78	42.69	1	Vertical	116	2.97	-	38.80	18.98	50.25
AV	23.87413G	37.01	54.00	-16.99	29.48	1	Vertical	116	2.97	-	38.80	18.98	50.25

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 Setting 58
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8528G	51.03	74.00	-22.97	43.52	1	Horizontal	307	1.02	-	38.80	18.97	50.26
AV	23.86597G	37.05	54.00	-16.95	29.52	1	Horizontal	307	1.02	-	38.80	18.98	50.25

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 55
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4856G	51.64	74.00	-22.36	67.85	3	Vertical	276	2.49	-	39.09	9.29	64.59
AV	12.5036G	39.52	54.00	-14.48	55.69	3	Vertical	276	2.49	-	39.10	9.30	64.57

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 Setting 55
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.436G	51.66	74.00	-22.34	68.00	3	Horizontal	91	1.98	-	39.04	9.27	64.65
AV	12.5086G	39.78	54.00	-14.22	55.94	3	Horizontal	91	1.98	-	39.11	9.30	64.57

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 Setting 55
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62595G	48.27	74.00	-25.73	44.35	1	Vertical	146	1.08	-	37.65	16.70	50.43
AV	18.61734G	35.14	54.00	-18.86	31.22	1	Vertical	146	1.08	-	37.65	16.69	50.42

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 Setting 55
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61857G	48.71	74.00	-25.29	44.79	1	Horizontal	48	1.01	-	37.65	16.69	50.42
AV	18.62724G	35.25	54.00	-18.75	31.33	1	Horizontal	48	1.01	-	37.65	16.70	50.43

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 54
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7324G	53.26	88.20	-34.94	68.92	3	Vertical	358	2.09	-	39.46	9.39	64.51
RMS	12.8444G	40.42	68.20	-27.78	55.83	3	Vertical	358	2.09	-	39.64	9.44	64.49

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 54
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8286G	53.45	88.20	-34.75	68.88	3	Horizontal	152	1.86	-	39.63	9.43	64.49
RMS	12.9092G	40.53	68.20	-27.67	55.82	3	Horizontal	152	1.86	-	39.72	9.46	64.47

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 54
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20222G	47.59	74.00	-26.41	44.12	1	Vertical	138	2.88	-	37.58	16.93	51.04
AV	19.20954G	34.48	54.00	-19.52	31.01	1	Vertical	138	2.88	-	37.58	16.94	51.05

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 54
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22139G	47.02	74.00	-26.98	43.56	1	Horizontal	30	1.58	-	37.59	16.94	51.07
AV	19.21275G	34.45	54.00	-19.55	30.98	1	Horizontal	30	1.58	-	37.59	16.94	51.06

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 50
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2386G	55.51	88.20	-32.69	69.83	3	Vertical	321	2.99	-	40.24	9.60	64.16
RMS	13.1518G	41.93	68.20	-26.27	56.53	3	Vertical	321	2.99	-	40.10	9.56	64.26

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 50
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1858G	54.30	88.20	-33.90	68.78	3	Horizontal	278	2.20	-	40.17	9.57	64.22
RMS	13.1482G	41.91	68.20	-26.29	56.52	3	Horizontal	278	2.20	-	40.10	9.56	64.27

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 50
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.80639G	47.14	74.00	-26.86	44.12	1	Vertical	61	2.73	-	37.55	17.18	51.71
AV	19.81593G	33.79	54.00	-20.21	30.78	1	Vertical	61	2.73	-	37.55	17.18	51.72

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 50
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.80102G	46.56	74.00	-27.44	43.52	1	Horizontal	23	1.23	-	37.56	17.18	51.70
AV	19.80117G	33.78	54.00	-20.22	30.74	1	Horizontal	23	1.23	-	37.56	17.18	51.70

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 49
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3514G	54.39	74.00	-19.61	68.42	3	Vertical	312	1.38	-	40.35	9.64	64.02
AV	13.3262G	41.94	54.00	-12.06	56.03	3	Vertical	312	1.38	-	40.33	9.63	64.05

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 49
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3066G	54.98	74.00	-19.02	69.13	3	Horizontal	182	2.53	-	40.31	9.62	64.08
AV	13.3392G	41.91	54.00	-12.09	55.97	3	Horizontal	182	2.53	-	40.34	9.64	64.04

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 49
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06805G	48.79	74.00	-25.21	45.96	1	Vertical	125	1.07	-	37.45	17.29	51.91
AV	20.05977G	35.46	54.00	-18.54	32.63	1	Vertical	125	1.07	-	37.45	17.29	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 49
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06439G	48.72	74.00	-25.28	45.89	1	Horizontal	27	2.56	-	37.45	17.29	51.91
AV	20.04219G	35.56	54.00	-18.44	32.76	1	Horizontal	27	2.56	-	37.43	17.28	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 51
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7854G	56.03	88.20	-32.17	69.27	3	Vertical	163	1.59	-	40.66	9.81	63.71
RMS	13.7878G	42.97	68.20	-25.23	56.20	3	Vertical	163	1.59	-	40.66	9.82	63.71

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 51
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7906G	56.34	88.20	-31.86	69.56	3	Horizontal	75	2.97	-	40.67	9.82	63.71
RMS	13.7406G	42.87	68.20	-25.33	56.28	3	Horizontal	75	2.97	-	40.52	9.80	63.73

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 51
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64627G	49.33	74.00	-24.67	46.06	1	Vertical	323	1.94	-	37.76	17.54	52.03
AV	20.66367G	35.87	54.00	-18.13	32.58	1	Vertical	323	1.94	-	37.77	17.55	52.03

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 51
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66322G	48.78	74.00	-25.22	45.49	1	Horizontal	19	2.61	-	37.77	17.55	52.03
AV	20.6439G	35.84	54.00	-18.16	32.57	1	Horizontal	19	2.61	-	37.76	17.54	52.03

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 46
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8926G	55.26	88.20	-32.94	68.17	3	Vertical	173	2.09	-	40.89	9.86	63.66
RMS	13.7926G	42.89	68.20	-25.31	56.10	3	Vertical	173	2.09	-	40.68	9.82	63.71

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 46
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8584G	54.80	88.20	-33.40	67.82	3	Horizontal	311	2.92	-	40.82	9.84	63.68
RMS	13.7894G	42.84	68.20	-25.36	56.06	3	Horizontal	311	2.92	-	40.67	9.82	63.71

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 46
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77533G	47.99	74.00	-26.01	44.60	1	Vertical	224	2.24	-	37.85	17.60	52.06
AV	20.76468G	35.25	54.00	-18.75	31.88	1	Vertical	224	2.24	-	37.83	17.59	52.05

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 46
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76192G	48.90	74.00	-25.10	45.54	1	Horizontal	331	2.88	-	37.82	17.59	52.05
AV	20.76042G	35.23	54.00	-18.77	31.87	1	Horizontal	331	2.88	-	37.82	17.59	52.05

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 52
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9198G	55.42	88.20	-32.78	68.28	3	Vertical	261	1.82	-	40.92	9.87	63.65
RMS	14.0892G	43.16	68.20	-25.04	55.54	3	Vertical	261	1.82	-	41.09	9.94	63.41

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
 Setting 52
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0886G	56.16	88.20	-32.04	68.54	3	Horizontal	50	1.49	-	41.09	9.94	63.41
RMS	14.0802G	43.18	68.20	-25.02	55.60	3	Horizontal	50	1.49	-	41.08	9.93	63.43

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
 Setting 52
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01023G	47.21	74.00	-26.79	43.32	1	Vertical	331	1.71	-	38.29	17.70	52.10
AV	21.02907G	34.52	54.00	-19.48	30.63	1	Vertical	331	1.71	-	38.28	17.71	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 52
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02697G	47.26	74.00	-26.74	43.37	1	Horizontal	297	1.08	-	38.28	17.71	52.10
AV	21.0243G	34.70	54.00	-19.30	30.81	1	Horizontal	297	1.08	-	38.28	17.71	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 49
01-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0726G	110.24	Inf	-Inf	99.45	3	Vertical	360	1.80	-	36.85	6.97	33.03
RMS	7.0796G	100.15	Inf	-Inf	89.34	3	Vertical	360	1.80	-	36.86	6.98	33.03
PK	7.1426G	63.48	88.20	-24.72	52.42	3	Vertical	360	1.80	-	37.07	7.04	33.05
RMS	7.146G	52.81	68.20	-15.39	41.73	3	Vertical	360	1.80	-	37.08	7.05	33.05

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 49
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2658G	55.77	88.20	-32.43	67.83	3	Vertical	126	2.60	-	40.93	10.01	63.00
RMS	14.1358G	43.53	68.20	-24.67	55.82	3	Vertical	126	2.60	-	41.06	9.95	63.30

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 49
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1506G	55.84	88.20	-32.36	68.10	3	Horizontal	205	1.70	-	41.05	9.96	63.27
RMS	14.2106G	43.50	68.20	-24.70	55.66	3	Horizontal	205	1.70	-	40.99	9.98	63.13

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 49
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24261G	49.05	74.00	-24.95	45.24	1	Vertical	157	1.41	-	38.11	17.80	52.10
AV	21.24621G	36.23	54.00	-17.77	32.43	1	Vertical	157	1.41	-	38.10	17.80	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 49
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26652G	49.48	74.00	-24.52	45.68	1	Horizontal	96	2.16	-	38.09	17.81	52.10
AV	21.25032G	36.23	54.00	-17.77	32.43	1	Horizontal	96	2.16	-	38.10	17.80	52.10

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 62
 01-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	62.48	88.20	-25.72	53.70	3	Vertical	215	1.80	-	35.39	6.36	32.97
RMS	5.9234G	50.39	68.20	-17.81	41.61	3	Vertical	215	1.80	-	35.39	6.36	32.97
PK	5.9734G	111.33	Inf	-Inf	102.43	3	Vertical	215	1.80	-	35.50	6.39	32.99
RMS	5.975G	100.14	Inf	-Inf	91.24	3	Vertical	215	1.80	-	35.50	6.39	32.99

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 62
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0654G	51.97	74.00	-22.03	69.12	3	Vertical	339	1.76	-	38.83	9.13	65.11
AV	12.0034G	39.22	54.00	-14.78	56.41	3	Vertical	339	1.76	-	38.90	9.10	65.19
PK	17.8704G	58.98	74.00	-15.02	67.66	3	Vertical	325	1.22	-	42.71	11.45	62.84
AV	17.8924G	46.25	54.00	-7.75	54.88	3	Vertical	325	1.22	-	42.78	11.46	62.87

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 62
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9572G	52.77	74.00	-21.23	70.00	3	Horizontal	22	2.99	-	38.86	9.08	65.17
AV	12.0038G	39.28	54.00	-14.72	56.47	3	Horizontal	22	2.99	-	38.90	9.10	65.19
PK	17.948G	59.06	74.00	-14.94	67.47	3	Horizontal	302	1.66	-	43.04	11.48	62.93
AV	17.886G	46.32	54.00	-7.68	54.97	3	Horizontal	302	1.66	-	42.76	11.45	62.86

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 62
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93103G	50.48	74.00	-23.52	42.90	1	Vertical	41	1.63	-	38.80	19.01	50.23
AV	23.92914G	37.01	54.00	-16.99	29.43	1	Vertical	41	1.63	-	38.80	19.01	50.23

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 62
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95437G	50.01	74.00	-23.99	42.41	1	Horizontal	350	1.47	-	38.80	19.02	50.22
AV	23.93268G	37.07	54.00	-16.93	29.49	1	Horizontal	350	1.47	-	38.80	19.01	50.23

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 62
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5412G	51.68	74.00	-22.32	67.78	3	Vertical	70	1.77	-	39.14	9.32	64.56
AV	12.527G	39.90	54.00	-14.10	56.02	3	Vertical	70	1.77	-	39.13	9.31	64.56

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUTZ_4TX
Setting 62
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5464G	52.01	74.00	-21.99	68.10	3	Horizontal	22	1.00	-	39.15	9.32	64.56
AV	12.526G	39.81	54.00	-14.19	55.93	3	Horizontal	22	1.00	-	39.13	9.31	64.56

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 62
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67248G	48.80	74.00	-25.20	44.88	1	Vertical	66	2.57	-	37.67	16.72	50.47
AV	18.66261G	35.16	54.00	-18.84	31.24	1	Vertical	66	2.57	-	37.67	16.71	50.46

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 Setting 62
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66912G	47.66	74.00	-26.34	43.75	1	Horizontal	184	2.46	-	37.67	16.71	50.47
AV	18.66135G	35.12	54.00	-18.88	31.21	1	Horizontal	184	2.46	-	37.66	16.71	50.46

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 63
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7928G	53.47	88.20	-34.73	68.96	3	Vertical	245	1.68	-	39.59	9.42	64.50
RMS	12.8472G	40.43	68.20	-27.77	55.83	3	Vertical	245	1.68	-	39.65	9.44	64.49

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 63
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7362G	53.32	88.20	-34.88	68.97	3	Horizontal	0	1.96	-	39.47	9.39	64.51
RMS	12.8542G	40.41	68.20	-27.79	55.80	3	Horizontal	0	1.96	-	39.65	9.44	64.48

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 63
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15374G	47.57	74.00	-26.43	44.08	1	Vertical	163	1.92	-	37.56	16.91	50.98
AV	19.14021G	34.64	54.00	-19.36	31.14	1	Vertical	163	1.92	-	37.56	16.91	50.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 63
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15968G	47.18	74.00	-26.82	43.69	1	Horizontal	279	2.52	-	37.56	16.92	50.99
AV	19.14318G	34.73	54.00	-19.27	31.23	1	Horizontal	279	2.52	-	37.56	16.91	50.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 59
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3706G	54.32	74.00	-19.68	68.30	3	Vertical	115	1.39	-	40.37	9.65	64.00
AV	13.3708G	41.82	54.00	-12.18	55.80	3	Vertical	115	1.39	-	40.37	9.65	64.00

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 59
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3212G	55.47	74.00	-18.53	69.58	3	Horizontal	218	1.62	-	40.32	9.63	64.06
AV	13.3278G	41.89	54.00	-12.11	55.98	3	Horizontal	218	1.62	-	40.33	9.63	64.05

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 59
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87344G	46.70	74.00	-27.30	43.76	1	Vertical	166	1.23	-	37.50	17.21	51.77
AV	19.88292G	33.71	54.00	-20.29	30.79	1	Vertical	166	1.23	-	37.49	17.21	51.78

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 59
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86321G	47.41	74.00	-26.59	44.46	1	Horizontal	251	1.56	-	37.51	17.20	51.76
AV	19.88601G	33.75	54.00	-20.25	30.84	1	Horizontal	251	1.56	-	37.49	17.21	51.79

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 65
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3294G	55.00	74.00	-19.00	69.09	3	Vertical	15	1.11	-	40.33	9.63	64.05
AV	13.3376G	41.93	54.00	-12.07	55.99	3	Vertical	15	1.11	-	40.34	9.64	64.04

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 65
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3292G	54.11	74.00	-19.89	68.20	3	Horizontal	136	2.24	-	40.33	9.63	64.05
AV	13.3256G	41.83	54.00	-12.17	55.92	3	Horizontal	136	2.24	-	40.33	9.63	64.05

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 65
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.121G	49.21	74.00	-24.79	46.32	1	Vertical	243	1.72	-	37.50	17.31	51.92
AV	20.11932G	35.80	54.00	-18.20	32.91	1	Vertical	243	1.72	-	37.50	17.31	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 65
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12505G	49.20	74.00	-24.80	46.32	1	Horizontal	62	1.90	-	37.50	17.31	51.93
AV	20.10225G	35.77	54.00	-18.23	32.91	1	Horizontal	62	1.90	-	37.48	17.30	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 62
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5158G	54.88	88.20	-33.32	68.60	3	Vertical	240	2.58	-	40.40	9.71	63.83
RMS	13.67G	42.35	68.20	-25.85	55.94	3	Vertical	240	2.58	-	40.40	9.77	63.76

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 62
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.564G	54.46	88.20	-33.74	68.14	3	Horizontal	91	2.45	-	40.40	9.73	63.81
RMS	13.6548G	42.49	68.20	-25.71	56.10	3	Horizontal	91	2.45	-	40.40	9.76	63.77

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 62
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35614G	46.73	74.00	-27.27	43.65	1	Vertical	316	2.87	-	37.64	17.41	51.97
AV	20.34483G	34.44	54.00	-19.56	31.36	1	Vertical	316	2.87	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 62
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34768G	47.37	74.00	-26.63	44.29	1	Horizontal	77	1.57	-	37.64	17.41	51.97
AV	20.34282G	34.52	54.00	-19.48	31.44	1	Horizontal	77	1.57	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 63
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74666G	55.68	88.20	-32.52	69.07	3	Vertical	312	1.43	-	40.54	9.80	63.73
RMS	13.7466G	42.93	68.20	-25.27	56.32	3	Vertical	312	1.43	-	40.54	9.80	63.73

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 63
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8002G	55.78	88.20	-32.42	68.96	3	Horizontal	243	2.41	-	40.70	9.82	63.70
RMS	13.7926G	42.86	68.20	-25.34	56.07	3	Horizontal	243	2.41	-	40.68	9.82	63.71

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 63
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59026G	48.51	74.00	-25.49	45.27	1	Vertical	334	2.48	-	37.74	17.52	52.02
AV	20.60691G	35.92	54.00	-18.08	32.68	1	Vertical	334	2.48	-	37.74	17.52	52.02

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 63
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59956G	49.27	74.00	-24.73	46.03	1	Horizontal	65	1.61	-	37.74	17.52	52.02
AV	20.59863G	35.98	54.00	-18.02	32.74	1	Horizontal	65	1.61	-	37.74	17.52	52.02

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 61
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8782G	55.46	88.20	-32.74	68.42	3	Vertical	205	2.70	-	40.86	9.85	63.67
RMS	13.792G	43.04	68.20	-25.16	56.25	3	Vertical	205	2.70	-	40.68	9.82	63.71

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 61
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8426G	55.02	88.20	-33.18	68.07	3	Horizontal	141	1.15	-	40.79	9.84	63.68
RMS	13.7984G	42.82	68.20	-25.38	56.00	3	Horizontal	141	1.15	-	40.70	9.82	63.70

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX



EUT_Z_4TX
Setting 61
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84961G	47.99	74.00	-26.01	44.43	1	Vertical	151	2.54	-	38.00	17.63	52.07
AV	20.83965G	34.83	54.00	-19.17	31.29	1	Vertical	151	2.54	-	37.98	17.63	52.07