


6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 61
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84718G	47.57	74.00	-26.43	44.02	1	Horizontal	112	2.35	-	37.99	17.63	52.07
AV	20.82291G	34.77	54.00	-19.23	31.26	1	Horizontal	112	2.35	-	37.95	17.62	52.06

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 SET 60
 01-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.999G	116.96	Inf	-Inf	106.27	3	Vertical	120	1.80	-	36.80	6.90	33.01
RMS	7.0002G	99.25	Inf	-Inf	88.56	3	Vertical	120	1.80	-	36.80	6.90	33.01
PK	7.1882G	64.19	88.20	-24.01	52.92	3	Vertical	120	1.80	-	37.25	7.09	33.07
RMS	7.133G	51.26	68.20	-16.94	40.25	3	Vertical	120	1.80	-	37.03	7.03	33.05

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 60
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1374G	56.06	88.20	-32.14	68.35	3	Vertical	30	1.82	-	41.06	9.95	63.30
RMS	14.1376G	43.47	68.20	-24.73	55.75	3	Vertical	30	1.82	-	41.06	9.96	63.30

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 60
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1398G	55.89	88.20	-32.31	68.16	3	Horizontal	353	2.74	-	41.06	9.96	63.29
RMS	14.1386G	43.45	68.20	-24.75	55.72	3	Horizontal	353	2.74	-	41.06	9.96	63.29

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 60
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08499G	48.26	74.00	-25.74	44.40	1	Vertical	33	2.57	-	38.23	17.73	52.10
AV	21.08493G	35.49	54.00	-18.51	31.63	1	Vertical	33	2.57	-	38.23	17.73	52.10

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 60
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08928G	48.28	74.00	-25.72	44.42	1	Horizontal	228	2.35	-	38.23	17.73	52.10
AV	21.08964G	35.61	54.00	-18.39	31.75	1	Horizontal	228	2.35	-	38.23	17.73	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 74
 01-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9245G	67.17	88.20	-21.03	58.38	3	Vertical	164	1.80	-	35.40	6.36	32.97
RMS	5.924G	53.75	68.20	-14.45	44.96	3	Vertical	164	1.80	-	35.40	6.36	32.97
PK	6.05G	109.72	Inf	-Inf	100.70	3	Vertical	164	1.80	-	35.60	6.43	33.01
RMS	5.9995G	100.15	Inf	-Inf	91.25	3	Vertical	164	1.80	-	35.50	6.40	33.00

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUTZ_4TX
Setting 74
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.113G	51.42	74.00	-22.58	68.51	3	Vertical	314	2.70	-	38.81	9.15	65.05
AV	12.0066G	39.41	54.00	-14.59	56.60	3	Vertical	314	2.70	-	38.89	9.10	65.18

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 74
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1464G	51.69	74.00	-22.31	68.69	3	Horizontal	247	1.84	-	38.85	9.16	65.01
AV	12.0162G	39.26	54.00	-14.74	56.44	3	Horizontal	247	1.84	-	38.88	9.11	65.17

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 74
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06318G	48.59	74.00	-25.41	44.31	1	Vertical	357	2.04	-	37.50	16.47	49.69
AV	18.06624G	35.67	54.00	-18.33	31.39	1	Vertical	357	2.04	-	37.50	16.47	49.69

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 74
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06981G	48.80	74.00	-25.20	44.53	1	Horizontal	302	1.77	-	37.50	16.47	49.70
AV	18.06G	35.71	54.00	-18.29	31.43	1	Horizontal	302	1.77	-	37.50	16.46	49.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUTZ_4TX
 Setting 75
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2886G	51.68	74.00	-22.32	68.48	3	Vertical	313	1.80	-	38.81	9.22	64.83
AV	12.423G	39.24	54.00	-14.76	55.62	3	Vertical	313	1.80	-	39.02	9.27	64.67

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUTZ_4TX
Setting 75
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4442G	51.86	74.00	-22.14	68.18	3	Horizontal	20	1.24	-	39.04	9.28	64.64
AV	12.467G	39.31	54.00	-14.69	55.56	3	Horizontal	20	1.24	-	39.07	9.29	64.61

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 75
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56394G	47.63	74.00	-26.37	43.69	1	Vertical	40	1.82	-	37.63	16.67	50.36
AV	18.54141G	35.32	54.00	-18.68	31.38	1	Vertical	40	1.82	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 75
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54018G	48.07	74.00	-25.93	44.13	1	Horizontal	286	2.54	-	37.62	16.66	50.34
AV	18.54396G	35.34	54.00	-18.66	31.40	1	Horizontal	286	2.54	-	37.62	16.66	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 71
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7564G	53.42	88.20	-34.78	69.02	3	Vertical	250	1.27	-	39.51	9.40	64.51
RMS	12.79G	40.35	68.20	-27.85	55.85	3	Vertical	250	1.27	-	39.58	9.42	64.50

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 71
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.738G	52.66	88.20	-35.54	68.29	3	Horizontal	84	1.30	-	39.48	9.40	64.51
RMS	12.7844G	40.34	68.20	-27.86	55.86	3	Horizontal	84	1.30	-	39.57	9.41	64.50

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 71
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03179G	47.84	74.00	-26.16	44.31	1	Vertical	238	1.17	-	37.51	16.86	50.84
AV	19.02024G	35.11	54.00	-18.89	31.56	1	Vertical	238	1.17	-	37.51	16.86	50.82

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 71
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02681G	47.86	74.00	-26.14	44.32	1	Horizontal	34	1.64	-	37.51	16.86	50.83
AV	19.02849G	35.08	54.00	-18.92	31.54	1	Horizontal	34	1.64	-	37.51	16.86	50.83

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 69
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3172G	54.90	74.00	-19.10	69.01	3	Vertical	53	1.65	-	40.32	9.63	64.06
AV	13.3258G	41.80	54.00	-12.20	55.89	3	Vertical	53	1.65	-	40.33	9.63	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 69
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3966G	54.19	74.00	-19.81	68.10	3	Horizontal	248	1.81	-	40.40	9.66	63.97
AV	13.3362G	41.79	54.00	-12.21	55.86	3	Horizontal	248	1.81	-	40.34	9.63	64.04

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 69
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00745G	48.33	74.00	-25.67	45.56	1	Vertical	145	2.83	-	37.41	17.26	51.90
AV	20.00847G	35.09	54.00	-18.91	32.32	1	Vertical	145	2.83	-	37.41	17.26	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 69
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98018G	47.46	74.00	-26.54	44.67	1	Horizontal	267	2.52	-	37.42	17.25	51.88
AV	20.00562G	35.21	54.00	-18.79	32.45	1	Horizontal	267	2.52	-	37.40	17.26	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 72
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7468G	54.63	88.20	-33.57	68.02	3	Vertical	308	1.11	-	40.54	9.80	63.73
RMS	13.7472G	42.86	68.20	-25.34	56.25	3	Vertical	308	1.11	-	40.54	9.80	63.73

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 72
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.736G	55.81	88.20	-32.39	69.24	3	Horizontal	293	1.67	-	40.51	9.79	63.73
RMS	13.7392G	42.71	68.20	-25.49	56.12	3	Horizontal	293	1.67	-	40.52	9.80	63.73

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 72
 04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48724G	47.56	74.00	-26.44	44.40	1	Vertical	145	2.63	-	37.69	17.47	52.00
AV	20.48856G	34.59	54.00	-19.41	31.42	1	Vertical	145	2.63	-	37.70	17.47	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 72
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47896G	48.50	74.00	-25.50	45.34	1	Horizontal	117	1.28	-	37.69	17.47	52.00
AV	20.48481G	34.61	54.00	-19.39	31.45	1	Horizontal	117	1.28	-	37.69	17.47	52.00

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 SET 75
 01-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9285G	109.32	Inf	-Inf	98.81	3	Vertical	174	1.80	-	36.67	6.86	33.02
RMS	7.008G	99.62	Inf	-Inf	88.92	3	Vertical	174	1.80	-	36.80	6.91	33.01
PK	7.1395G	71.55	88.20	-16.65	60.50	3	Vertical	174	1.80	-	37.06	7.04	33.05
RMS	7.1265G	56.08	68.20	-12.12	45.09	3	Vertical	174	1.80	-	37.01	7.03	33.05

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUTZ_4TX
Setting 75
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0012G	55.64	88.20	-32.56	68.35	3	Vertical	215	1.91	-	41.00	9.90	63.61
RMS	14.0674G	42.91	68.20	-25.29	55.37	3	Vertical	215	1.91	-	41.07	9.93	63.46

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 75
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9482G	55.19	88.20	-33.01	67.99	3	Horizontal	312	1.33	-	40.95	9.88	63.63
RMS	14.0662G	42.77	68.20	-25.43	55.23	3	Horizontal	312	1.33	-	41.07	9.93	63.46

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 75
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95701G	47.93	74.00	-26.07	44.13	1	Vertical	167	1.28	-	38.21	17.68	52.09
AV	20.94486G	34.38	54.00	-19.62	30.61	1	Vertical	167	1.28	-	38.19	17.67	52.09

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 75
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95389G	47.26	74.00	-26.74	43.47	1	Horizontal	200	2.58	-	38.21	17.67	52.09
AV	20.94651G	34.27	54.00	-19.73	30.50	1	Horizontal	200	2.58	-	38.19	17.67	52.09

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 78
 01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	65.95	88.20	-22.25	57.16	3	Vertical	98	1.90	-	35.40	6.36	32.97
RMS	5.925G	56.82	68.20	-11.38	48.03	3	Vertical	98	1.90	-	35.40	6.36	32.97
PK	6.0702G	109.45	Inf	-Inf	100.42	3	Vertical	98	1.90	-	35.60	6.44	33.01
RMS	6.0582G	99.99	Inf	-Inf	90.97	3	Vertical	98	1.90	-	35.60	6.43	33.01

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 78
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.231G	51.43	74.00	-22.57	68.27	3	Vertical	116	1.05	-	38.87	9.19	64.90
AV	12.1466G	39.13	54.00	-14.87	56.13	3	Vertical	116	1.05	-	38.85	9.16	65.01

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 78
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2044G	52.10	74.00	-21.90	68.96	3	Horizontal	31	2.58	-	38.90	9.18	64.94
AV	12.1394G	39.26	54.00	-14.74	56.28	3	Horizontal	31	2.58	-	38.84	9.16	65.02

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 78
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32559G	47.99	74.00	-26.01	43.95	1	Vertical	5	2.68	-	37.53	16.57	50.06
AV	18.318G	34.85	54.00	-19.15	30.80	1	Vertical	5	2.68	-	37.53	16.57	50.05

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 78
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31803G	48.08	74.00	-25.92	44.03	1	Horizontal	259	2.00	-	37.53	16.57	50.05
AV	18.32592G	34.88	54.00	-19.12	30.84	1	Horizontal	259	2.00	-	37.53	16.57	50.06

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
 Setting 82
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5914G	52.46	74.00	-21.54	68.48	3	Vertical	240	2.55	-	39.19	9.34	64.55
AV	12.5886G	40.02	54.00	-13.98	56.04	3	Vertical	240	2.55	-	39.19	9.34	64.55

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
 Setting 82
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5972G	52.47	74.00	-21.53	68.48	3	Horizontal	322	2.69	-	39.20	9.34	64.55
AV	12.6078G	40.12	54.00	-13.88	56.10	3	Horizontal	322	2.69	-	39.22	9.34	64.54

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 82
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79869G	47.43	74.00	-26.57	43.60	1	Vertical	55	1.77	-	37.66	16.77	50.60
AV	18.78327G	34.21	54.00	-19.79	30.36	1	Vertical	55	1.77	-	37.67	16.76	50.58

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 82
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79815G	47.64	74.00	-26.36	43.81	1	Horizontal	198	2.74	-	37.66	16.77	50.60
AV	18.78474G	34.13	54.00	-19.87	30.28	1	Horizontal	198	2.74	-	37.67	16.76	50.58

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 81
 01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.424G	54.40	88.20	-33.80	68.26	3	Vertical	196	1.13	-	40.40	9.67	63.93
RMS	13.5874G	42.17	68.20	-26.03	55.84	3	Vertical	196	1.13	-	40.40	9.73	63.80

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 81
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5724G	53.99	88.20	-34.21	67.67	3	Horizontal	145	1.80	-	40.40	9.73	63.81
RMS	13.5202G	42.15	68.20	-26.05	55.87	3	Horizontal	145	1.80	-	40.40	9.71	63.83

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 81
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.2239G	49.71	74.00	-24.29	46.71	1	Vertical	23	2.25	-	37.58	17.36	51.94
AV	20.22678G	35.36	54.00	-18.64	32.37	1	Vertical	23	2.25	-	37.58	17.36	51.95

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 81
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.24364G	48.75	74.00	-25.25	45.74	1	Horizontal	302	2.20	-	37.59	17.37	51.95
AV	20.22027G	35.26	54.00	-18.74	32.26	1	Horizontal	302	2.20	-	37.58	17.36	51.94

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 84
01-F-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.947G	110.45	Inf	-Inf	99.81	3	Vertical	357	1.79	-	36.78	6.87	33.01
AV	6.7502G	99.61	Inf	-Inf	89.24	3	Vertical	357	1.79	-	36.60	6.80	33.03
PK	7.1426G	72.62	88.20	-15.58	61.56	3	Vertical	357	1.79	-	37.07	7.04	33.05
AV	7.1258G	61.47	68.20	-6.73	50.49	3	Vertical	357	1.79	-	37.00	7.03	33.05
PK	7.2506G	64.94	74.00	-9.06	53.50	3	Vertical	357	1.79	-	37.40	7.13	33.09
AV	7.2518G	53.47	54.00	-0.53	42.02	3	Vertical	357	1.79	-	37.41	7.13	33.09

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 84
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.837G	56.08	88.20	-32.12	69.16	3	Vertical	46	1.66	-	40.77	9.83	63.68
RMS	13.7912G	42.91	68.20	-25.29	56.13	3	Vertical	46	1.66	-	40.67	9.82	63.71

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 84
01-F-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7616G	55.30	88.20	-32.90	68.64	3	Horizontal	110	3.00	-	40.58	9.80	63.72
RMS	13.789G	42.95	68.20	-25.25	56.17	3	Horizontal	110	3.00	-	40.67	9.82	63.71

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 84
04-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70732G	48.19	74.00	-25.81	44.88	1	Vertical	278	1.41	-	37.78	17.57	52.04
AV	20.7024G	35.50	54.00	-18.50	32.19	1	Vertical	278	1.41	-	37.78	17.57	52.04



6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX



6905MHz_TX







EUT_Z_4TX
Setting 84
04-E-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71227G	48.41	74.00	-25.59	45.10	1	Horizontal	273	1.48	-	37.78	17.57	52.04
AV	20.7144G	35.55	54.00	-18.45	32.23	1	Horizontal	273	1.48	-	37.79	17.57	52.04











5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

02/08/2023

CF (Hz)
5.965G

Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.978897G	-11.66	6.0532G	-61.40	-51.66	-9.74	1
5.978597G	-11.19	6.0263G	-61.85	-51.19	-10.66	2
5.980446G	-10.85	6.04325G	-61.60	-50.85	-10.75	3
5.972298G	-10.87	6.0259G	-61.82	-50.87	-10.95	4



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

02/08/2023

CF (Hz)
6.605G


Span (Hz)
200M


RBW (Hz)
300k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.613548G	-8.82	6.6668G	-59.91	-48.82	-11.09	1
6.610049G	-9.16	6.6667G	-61.21	-49.16	-12.05	2
6.607249G	-8.93	6.66615G	-60.68	-48.93	-11.75	3
6.6062G	-9.03	6.66605G	-60.36	-49.03	-11.33	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

02/08/2023

CF (Hz)
6.685G


Span (Hz)
200M


RBW (Hz)
300k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688199G	-9.96	6.7465G	-60.75	-49.96	-10.79	1
6.676902G	-10.54	6.7573G	-61.18	-50.54	-10.64	2
6.682451G	-10.11	6.7804G	-61.39	-50.11	-11.28	3
6.681951G	-10.05	6.7461G	-60.94	-50.05	-10.89	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

02/08/2023

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882801G	-10.30	6.96505G	-59.83	-50.30	-9.53	1
6.880601G	-10.75	6.96705G	-60.09	-50.75	-9.34	2
6.881451G	-10.57	6.9461G	-60.11	-50.57	-9.54	3
6.887949G	-10.49	6.82405G	-60.08	-50.49	-9.59	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

02/08/2023

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.921601G	-9.31	6.98715G	-59.40	-49.31	-10.09	1
6.922301G	-10.07	6.9861G	-59.76	-50.07	-9.69	2
6.932348G	-9.40	6.98595G	-59.66	-49.40	-10.26	3
6.918452G	-9.28	6.98645G	-59.46	-49.28	-10.18	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

02/08/2023

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.995952G	-8.86	6.94375G	-59.47	-48.86	-10.61	1
6.997802G	-9.68	6.9289G	-59.53	-49.68	-9.85	2
7.011198G	-9.13	6.9436G	-59.59	-49.13	-10.46	3
7.008749G	-8.87	6.943G	-59.62	-48.87	-10.75	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

02/08/2023

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1



Port 2



Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.071653G	-11.44	6.99545G	-59.66	-51.44	-8.22	1
7.070354G	-11.99	6.9881G	-59.92	-51.99	-7.93	2
7.081301G	-11.39	6.999G	-59.96	-51.39	-8.57	3
7.079801G	-11.35	7.00255G	-59.70	-51.35	-8.35	4







6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

02/08/2023

CF (Hz)
6.865G


Span (Hz)
400M


RBW (Hz)
1M


VBW (Hz)
3M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8755G	-4.40	6.9881G	-53.98	-44.40	-9.58	1
6.8544G	-5.18	6.9867G	-54.44	-45.18	-9.26	2
6.85G	-4.95	7.0011G	-54.53	-44.95	-9.58	3
6.852G	-4.63	7.0059G	-54.51	-44.63	-9.88	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

02/08/2023

CF (Hz)
6.945G


Span (Hz)
400M


RBW (Hz)
1M


VBW (Hz)
3M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9294G	-4.91	6.7623G	-53.94	-44.91	-9.03	1
6.9554G	-5.31	6.7621G	-54.74	-45.31	-9.43	2
6.9338G	-5.05	6.7621G	-54.48	-45.05	-9.43	3
6.9334G	-4.75	6.8223G	-54.22	-44.75	-9.47	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

02/08/2023

CF (Hz)
7.025G


Span (Hz)
400M


RBW (Hz)
1M


VBW (Hz)
3M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0108G	-5.76	6.8648G	-54.21	-45.76	-8.45	1
7.0141G	-6.17	6.8988G	-54.79	-46.17	-8.62	2
7.0158G	-5.93	6.8492G	-53.98	-45.93	-8.05	3
7.0164G	-5.68	6.8492G	-54.20	-45.68	-8.52	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

02/08/2023

CF (Hz)
6.025G


Span (Hz)
800M


RBW (Hz)
2M


VBW (Hz)
10M


Sweep Time (s)
4.01m


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05119G	-0.81	6.2674G	-50.96	-40.74	-10.22	1
6.08858G	-0.95	6.2678G	-51.19	-40.95	-10.24	2
6.08638G	-0.93	6.2678G	-51.28	-40.92	-10.36	3
6.10118G	-0.88	6.2682G	-50.47	-40.64	-9.83	4



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

02/08/2023

CF (Hz)
6.665G


Span (Hz)
800M


RBW (Hz)
2M


VBW (Hz)
10M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63881G	-1.07	6.9076G	-50.23	-40.83	-9.40	1
6.64061G	-1.37	6.9084G	-50.79	-41.37	-9.42	2
6.63961G	-1.31	6.909G	-50.94	-41.18	-9.76	3
6.68739G	-1.51	6.9078G	-50.86	-41.51	-9.35	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

02/08/2023

CF (Hz)
6.825G


Span (Hz)
800M


RBW (Hz)
2M


VBW (Hz)
10M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79981G	-1.67	6.5826G	-51.54	-41.60	-9.94	1
6.76382G	-2.02	6.5818G	-52.05	-41.78	-10.27	2
6.76462G	-1.74	6.5824G	-51.87	-41.70	-10.17	3
6.79921G	-1.64	7.0686G	-51.67	-41.64	-10.03	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

02/08/2023

CF (Hz)
6.985G


Span (Hz)
800M


RBW (Hz)
2M


VBW (Hz)
10M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95761G	-1.83	6.742G	-50.94	-41.75	-9.19	1
6.96141G	-2.73	6.741G	-51.97	-42.73	-9.24	2
6.96381G	-2.07	6.742G	-51.24	-42.07	-9.17	3
6.92501G	-2.10	6.7418G	-50.71	-41.95	-8.76	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

02/08/2023

CF (Hz)
6.105G


Span (Hz)
1.6G


RBW (Hz)
3M


VBW (Hz)
10M


Sweep Time (s)
4.01m


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06941G	0.63	6.2678G	-27.38	-16.97	-10.41	1
6.07221G	0.32	6.2678G	-27.03	-17.28	-9.75	2
6.07061G	0.59	6.2678G	-27.99	-17.01	-10.98	3
6.14939G	0.84	6.2678G	-27.00	-16.76	-10.24	4



6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

02/08/2023

CF (Hz)
6.905G


Span (Hz)
1.6G


RBW (Hz)
3M


VBW (Hz)
10M


Sweep Time (s)
6.4m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79943G	1.50	6.7422G	-26.99	-16.10	-10.89	1
6.76384G	1.10	6.7422G	-27.27	-16.50	-10.77	2
6.79943G	1.12	6.7426G	-23.28	-17.28	-6.00	3
6.79823G	1.59	6.7422G	-25.74	-16.01	-9.73	4

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TX

02/08/2023

CF (Hz)
5.955G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS





Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958299G	-8.41	5.985675G	-60.63	-47.55	-13.08	1
5.961373G	-8.64	5.98575G	-61.19	-47.05	-14.14	2
5.960699G	-7.86	5.985625G	-60.62	-47.13	-13.49	3
5.964323G	-8.12	5.9856G	-61.22	-47.44	-13.78	4



6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6595MHz_TX

07/08/2023

CF (Hz)
6.595G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.592726G	-8.55	6.6414G	-61.11	-48.55	-12.56	1
6.602573G	-8.87	6.625725G	-60.15	-48.15	-12.00	2
6.598624G	-8.97	6.6256G	-60.09	-48.40	-11.69	3
6.601248G	-8.63	6.627225G	-61.04	-48.63	-12.41	4

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TX

02/08/2023

CF (Hz)
6.695G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691176G	-8.00	6.725525G	-60.90	-48.00	-12.90	1
6.700524G	-8.49	6.66435G	-61.17	-48.49	-12.68	2
6.702548G	-8.54	6.725475G	-61.34	-48.54	-12.80	3
6.691501G	-8.41	6.7257G	-61.37	-47.48	-13.89	4

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6875MHz_TX

02/08/2023

CF (Hz)
6.875G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.871651G	-8.36	6.8442G	-60.66	-47.36	-13.30	1
6.868077G	-8.61	6.905525G	-61.01	-48.61	-12.40	2
6.868877G	-8.47	6.9055G	-60.48	-48.06	-12.42	3
6.866002G	-7.98	6.90595G	-60.81	-47.71	-13.10	4

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6895MHz_TX

07/08/2023

CF (Hz)
6.895G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8962G	-8.48	6.93665G	-60.34	-48.48	-11.86	1
6.890851G	-8.43	6.92555G	-59.10	-48.07	-11.03	2
6.892076G	-8.12	6.938125G	-60.36	-48.12	-12.24	3
6.901848G	-8.37	6.925575G	-59.41	-47.85	-11.56	4

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6995MHz_TX

02/08/2023

CF (Hz)
6.995G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.002898G	-8.24	6.96435G	-60.23	-48.00	-12.23	1
6.988402G	-8.69	6.964425G	-60.19	-48.28	-11.91	2
6.988002G	-8.37	6.964175G	-60.58	-47.95	-12.63	3
6.99375G	-8.03	6.964425G	-60.15	-48.03	-12.12	4

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

7095MHz_TX

02/08/2023

CF (Hz)
7.095G


Span (Hz)
100M


RBW (Hz)
200k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.104173G	-9.68	7.135775G	-62.30	-49.68	-12.62	1
7.087077G	-10.36	7.064425G	-61.88	-50.31	-11.57	2
7.089451G	-9.71	7.064375G	-61.44	-49.71	-11.73	3
7.090276G	-9.67	7.064375G	-61.04	-49.67	-11.37	4

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

02/08/2023

CF (Hz)
5.965G


Span (Hz)
200M


RBW (Hz)
300k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.974448G	-4.72	6.0263G	-57.25	-44.72	-12.53	1
5.977197G	-4.65	6.0261G	-57.73	-44.65	-13.08	2
5.978197G	-4.48	6.02635G	-57.44	-44.48	-12.96	3
5.979846G	-3.99	6.0261G	-57.92	-43.99	-13.93	4

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

02/08/2023

CF (Hz)
6.205G


Span (Hz)
200M


RBW (Hz)
300k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS





Port 1 



Port 2 



Port 3 



Port 4 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20635G	-4.65	6.1438G	-58.40	-44.65	-13.75	1
6.201351G	-5.09	6.14365G	-58.68	-45.09	-13.59	2
6.213148G	-5.19	6.2661G	-58.49	-45.19	-13.30	3
6.196302G	-4.91	6.1433G	-58.03	-44.91	-13.12	4













































Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-71.26	1.74	-73.05	≤ -62
						Minimal	-72.26	1.74	-74.00	≤ -62
						ON	-80.26	1.74	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-65.62	1.38	-67.04	≤ -62
						Minimal	-66.62	1.38	-68.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-70.09	1.91	-72.02	≤ -62
						Minimal	-71.09	1.91	-73.00	≤ -62
						ON	-80.09	1.91	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F



Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-68.26	1.74	-70.04	≤ -62
						Minimal	-69.26	1.74	-71.00	≤ -62
						ON	-80.26	1.74	-82.00	≤ -62
				Center	6105	OFF	-75.26	1.74	-77.03	≤ -62
						Minimal	-76.26	1.74	-78.00	≤ -62
						ON	-80.26	1.74	-82.00	≤ -62
				High edge	6260	OFF	-69.26	1.74	-71.04	≤ -62
						Minimal	-70.26	1.74	-72.00	≤ -62
						ON	-80.26	1.74	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-62.62	1.38	-64.03	≤ -62
						Minimal	-63.62	1.38	-65.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62
				Center	6745	OFF	-68.62	1.38	-70.07	≤ -62
						Minimal	-69.62	1.38	-71.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62
				High edge	6900	OFF	-60.62	1.38	-62.03	≤ -62
						Minimal	-61.62	1.38	-63.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-71.62	1.38	-73.04	≤ -62
						Minimal	-72.62	1.38	-74.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62
				Center	6905	OFF	-73.62	1.38	-75.02	≤ -62
						Minimal	-74.62	1.38	-76.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62
				High edge	7060	OFF	-67.62	1.38	-69.05	≤ -62
						Minimal	-68.62	1.38	-70.00	≤ -62
						ON	-80.62	1.38	-82.00	≤ -62





Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.05	OFF	9	90	90	Pass
7	149	20	6695	Center	6695	-67.04	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-72.02	OFF	10	100	90	Pass



Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.04	OFF	10	100	90	Pass
				Center	6105	-77.03	OFF	9	90	90	Pass
				High edge	6260	-71.04	OFF	10	100	90	Pass
7/8	159	320	6745	Low edge	6590	-64.03	OFF	9	90	90	Pass
				Center	6745	-70.07	OFF	10	100	90	Pass
				High edge	6900	-62.03	OFF	9	90	90	Pass
7/8	191	320	6905	Low edge	6750	-73.04	OFF	10	100	90	Pass
				Center	6905	-75.02	OFF	10	100	90	Pass
				High edge	7060	-69.05	OFF	10	100	90	Pass






Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz






Date: 16.AUG.2023 00:32:44



Frequency (MHz): 6695 MHz







Date: 16.AUG.2023 00:55:33




















Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal







Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal

