


5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 83  
05-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	82.71	88.20	-5.49	75.98	3	Vertical	130	1.90	-	34.20	8.11	35.58
RMS	5.925G	67.37	68.20	-0.83	60.64	3	Vertical	130	1.90	-	34.20	8.11	35.58
PK	5.951G	120.11	Inf	-Inf	113.37	3	Vertical	130	1.90	-	34.20	8.13	35.59
RMS	5.995G	107.83	Inf	-Inf	101.17	3	Vertical	130	1.90	-	34.11	8.16	35.61

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 83  
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96166G	54.67	74.00	-19.33	70.14	3	Vertical	98	1.83	-	38.65	11.05	65.17
AV	11.9559G	42.59	54.00	-11.41	58.09	3	Vertical	98	1.83	-	38.62	11.05	65.17
PK	17.96778G	60.00	74.00	-14.00	67.06	3	Vertical	267	1.74	-	42.54	13.35	62.95
AV	17.95866G	48.10	54.00	-5.90	55.23	3	Vertical	267	1.74	-	42.47	13.34	62.94

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
 Setting 83  
 05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9733G	54.83	74.00	-19.17	70.26	3	Horizontal	229	1.51	-	38.69	11.06	65.18
AV	11.95536G	42.56	54.00	-11.44	58.06	3	Horizontal	229	1.51	-	38.62	11.05	65.17
PK	17.95842G	59.95	74.00	-14.05	67.08	3	Horizontal	31	1.70	-	42.47	13.34	62.94
AV	17.95842G	48.06	54.00	-5.94	55.19	3	Horizontal	31	1.70	-	42.47	13.34	62.94

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
 Setting 83  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.94G	62.92	83.54	-20.62	57.07	1	Vertical	50.8	1.53	-	38.88	17.38	50.41
AV	23.94567G	49.19	63.54	-14.35	43.33	1	Vertical	50.8	1.53	-	38.89	17.38	50.41

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 83  
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95152G	55.96	83.54	-27.58	50.07	1	Horizontal	58.7	1.52	-	38.91	17.39	50.41
AV	23.94888G	43.47	63.54	-20.07	37.60	1	Horizontal	58.7	1.52	-	38.90	17.38	50.41

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44004G	58.58	74.00	-15.42	41.52	3	Vertical	42	1.92	-	38.82	11.22	32.98
AV	12.4371G	45.55	54.00	-8.45	28.49	3	Vertical	42	1.92	-	38.83	11.22	32.99

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46476G	57.61	74.00	-16.39	40.54	3	Horizontal	350	1.80	-	38.80	11.23	32.96
AV	12.43596G	45.55	54.00	-8.45	28.49	3	Horizontal	350	1.80	-	38.83	11.22	32.99

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67284G	51.56	83.54	-31.98	49.19	1	Vertical	326	1.76	-	37.71	15.27	50.61
AV	18.66279G	39.22	63.54	-24.32	36.80	1	Vertical	326	1.76	-	37.75	15.27	50.60



5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66669G	51.70	83.54	-31.84	49.30	1	Horizontal	247	1.74	-	37.73	15.27	50.60
AV	18.67173G	39.20	63.54	-24.34	36.83	1	Horizontal	247	1.74	-	37.71	15.27	50.61

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76304G	58.65	88.20	-29.55	41.07	3	Vertical	292	1.72	-	39.53	11.33	33.28
RMS	12.78308G	45.95	68.20	-22.25	28.34	3	Vertical	292	1.72	-	39.57	11.34	33.30

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7793G	58.12	88.20	-30.08	40.52	3	Horizontal	292	1.68	-	39.56	11.34	33.30
RMS	12.78332G	45.86	68.20	-22.34	28.26	3	Horizontal	292	1.68	-	39.57	11.34	33.31

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
Setting 103  
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15341G	52.45	83.54	-31.09	50.67	1	Vertical	90	1.55	-	37.72	15.24	51.18
AV	19.14069G	39.71	63.54	-23.83	37.90	1	Vertical	90	1.55	-	37.74	15.24	51.17

5.925-6.425GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15494G	52.12	83.54	-31.42	50.34	1	Horizontal	184	1.84	-	37.73	15.24	51.19
AV	19.15416G	39.55	63.54	-23.99	37.77	1	Horizontal	184	1.84	-	37.72	15.24	51.18

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25364G	58.58	74.00	-15.42	40.58	3	Vertical	186	1.51	-	39.99	11.50	33.49
AV	13.25956G	46.53	54.00	-7.47	28.54	3	Vertical	186	1.51	-	39.98	11.50	33.49

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25648G	58.65	74.00	-15.35	40.65	3	Horizontal	209	1.57	-	39.99	11.50	33.49
AV	13.2629G	46.56	54.00	-7.44	28.57	3	Horizontal	209	1.57	-	39.97	11.51	33.49

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86558G	50.75	83.54	-32.79	49.74	1	Vertical	112	1.70	-	37.69	15.21	51.89
AV	19.8789G	38.54	63.54	-25.00	37.46	1	Vertical	112	1.70	-	37.77	15.21	51.90



6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88865G	50.33	83.54	-33.21	49.20	1	Horizontal	56	1.68	-	37.83	15.21	51.91
AV	19.86894G	38.55	63.54	-24.99	37.53	1	Horizontal	56	1.68	-	37.71	15.21	51.90

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6705MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40502G	59.25	88.20	-28.95	40.84	3	Vertical	95	1.85	-	40.29	11.55	33.43
RMS	13.40442G	46.47	68.20	-21.73	28.06	3	Vertical	95	1.85	-	40.29	11.55	33.43

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6705MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4028G	58.53	88.20	-29.67	40.12	3	Horizontal	334	1.67	-	40.29	11.55	33.43
RMS	13.41512G	46.63	68.20	-21.57	28.23	3	Horizontal	334	1.67	-	40.27	11.56	33.43

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6705MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1114G	50.87	83.54	-32.67	49.75	1	Vertical	16	1.58	-	37.83	15.29	52.00
AV	20.12979G	38.59	63.54	-24.95	37.57	1	Vertical	16	1.58	-	37.72	15.30	52.00

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6705MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12649G	51.22	83.54	-32.32	50.18	1	Horizontal	190	1.46	-	37.74	15.30	52.00
AV	20.11194G	38.49	63.54	-25.05	37.37	1	Horizontal	190	1.46	-	37.83	15.29	52.00

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6785MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55782G	58.89	88.20	-29.31	40.12	3	Vertical	24	1.76	-	40.57	11.61	33.41
RMS	13.5715G	46.76	68.20	-21.44	28.05	3	Vertical	24	1.76	-	40.51	11.61	33.41

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6785MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.576G	59.28	88.20	-28.92	40.58	3	Horizontal	3	1.61	-	40.50	11.61	33.41
RMS	13.57084G	46.70	68.20	-21.50	27.98	3	Horizontal	3	1.61	-	40.52	11.61	33.41

6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6785MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34291G	52.13	83.54	-31.41	50.55	1	Vertical	173	1.56	-	38.11	15.47	52.00
AV	20.34888G	39.08	63.54	-24.46	37.50	1	Vertical	173	1.56	-	38.10	15.48	52.00



6.525-6.875GHz\_802.11be EHT80-BF\_Nss2,(MCS0)\_4TX

6785MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34171G	51.83	83.54	-31.71	50.24	1	Horizontal	144	1.57	-	38.12	15.47	52.00
AV	20.34444G	39.20	63.54	-24.34	37.61	1	Horizontal	144	1.57	-	38.11	15.48	52.00

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 84  
05-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	80.31	88.20	-7.89	73.58	3	Vertical	80	1.79	-	34.20	8.11	35.58
RMS	5.925G	68.08	68.20	-0.12	61.35	3	Vertical	80	1.79	-	34.20	8.11	35.58
PK	6.0458G	116.91	Inf	-Inf	110.16	3	Vertical	80	1.79	-	34.10	8.17	35.52
RMS	6.0386G	105.73	Inf	-Inf	98.99	3	Vertical	80	1.79	-	34.10	8.17	35.53

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 84  
05-H-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.04328G	57.04	74.00	-16.96	40.47	3	Vertical	4	1.72	-	38.89	11.08	33.40
AV	12.0485G	45.06	54.00	-8.94	28.47	3	Vertical	4	1.72	-	38.90	11.09	33.40

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 84  
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04844G	57.04	74.00	-16.96	40.45	3	Horizontal	93	1.61	-	38.90	11.09	33.40
AV	12.05006G	44.99	54.00	-9.01	28.40	3	Horizontal	93	1.61	-	38.90	11.09	33.40

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
 Setting 84  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08901G	62.75	83.54	-20.79	59.63	1	Vertical	68.6	1.56	-	37.56	15.30	49.74
AV	18.08916G	50.19	63.54	-13.35	47.07	1	Vertical	68.6	1.56	-	37.56	15.30	49.74

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 84  
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08922G	62.60	83.54	-20.94	59.48	1	Horizontal	45.7	1.51	-	37.56	15.30	49.74
AV	18.08964G	47.49	63.54	-16.05	44.37	1	Horizontal	45.7	1.51	-	37.56	15.30	49.74

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38116G	57.91	74.00	-16.09	40.86	3	Vertical	143	1.06	-	38.90	11.20	33.05
AV	12.38206G	45.58	54.00	-8.42	28.53	3	Vertical	143	1.06	-	38.90	11.20	33.05

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3742G	57.70	74.00	-16.30	40.65	3	Horizontal	313	1.80	-	38.90	11.20	33.05
AV	12.38386G	45.61	54.00	-8.39	28.55	3	Horizontal	313	1.80	-	38.90	11.20	33.04



5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5466G	61.79	83.54	-21.75	59.27	1	Vertical	270	1.68	-	37.71	15.27	50.46
AV	18.54459G	49.78	63.54	-13.76	47.24	1	Vertical	270	1.68	-	37.72	15.27	50.45

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54072G	62.62	83.54	-20.92	60.06	1	Horizontal	174	1.70	-	37.74	15.27	50.45
AV	18.54549G	49.83	63.54	-13.71	47.29	1	Horizontal	174	1.70	-	37.72	15.27	50.45

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68664G	57.54	74.00	-16.46	40.03	3	Vertical	322	1.73	-	39.37	11.31	33.17
AV	12.67512G	45.57	54.00	-8.43	28.08	3	Vertical	322	1.73	-	39.35	11.30	33.16

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6864G	57.73	74.00	-16.27	40.22	3	Horizontal	338	1.73	-	39.37	11.31	33.17
AV	12.67518G	45.57	54.00	-8.43	28.08	3	Horizontal	338	1.73	-	39.35	11.30	33.16

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03113G	61.28	83.54	-22.26	59.17	1	Vertical	201	1.51	-	37.90	15.25	51.04
AV	19.02222G	49.56	63.54	-13.98	47.44	1	Vertical	201	1.51	-	37.90	15.25	51.03

5.925-6.425GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03777G	62.30	83.54	-21.24	60.20	1	Horizontal	35	1.85	-	37.90	15.25	51.05
AV	19.02648G	48.58	63.54	-14.96	46.46	1	Horizontal	35	1.85	-	37.90	15.25	51.03

6.525-6.875GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32802G	58.90	74.00	-15.10	40.82	3	Vertical	13	1.83	-	40.01	11.53	33.46
AV	13.3351G	46.62	54.00	-7.38	28.51	3	Vertical	13	1.83	-	40.04	11.53	33.46

6.525-6.875GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33906G	58.39	74.00	-15.61	40.26	3	Horizontal	102	1.74	-	40.06	11.53	33.46
AV	13.34212G	46.49	54.00	-7.51	28.35	3	Horizontal	102	1.74	-	40.07	11.53	33.46



6.525-6.875GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98819G	60.89	83.54	-22.65	59.88	1	Vertical	136	1.61	-	37.80	15.20	51.99
AV	19.99953G	50.40	63.54	-13.14	49.40	1	Vertical	136	1.61	-	37.80	15.20	52.00

6.525-6.875GHz\_802.11be EHT160-BF\_Nss2,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99965G	60.69	83.54	-22.85	59.69	1	Horizontal	226	1.44	-	37.80	15.20	52.00
AV	19.99962G	48.40	63.54	-15.14	47.40	1	Horizontal	226	1.44	-	37.80	15.20	52.00

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
 Setting 87  
 05-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4202G	57.38	74.00	-16.62	52.39	3	Vertical	215	1.77	-	32.86	7.57	35.44
AV	5.4042G	48.60	54.00	-5.40	43.61	3	Vertical	215	1.77	-	32.89	7.55	35.45
PK	5.9226G	82.93	88.20	-5.27	76.20	3	Vertical	215	1.77	-	34.20	8.11	35.58
RMS	5.9242G	67.89	68.20	-0.31	61.16	3	Vertical	215	1.77	-	34.20	8.11	35.58
PK	6.2138G	112.54	Inf	-Inf	105.14	3	Vertical	215	1.77	-	34.36	8.23	35.19
RMS	6.2074G	102.74	Inf	-Inf	95.38	3	Vertical	215	1.77	-	34.33	8.23	35.20

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
Setting 87  
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2094G	56.34	74.00	-17.66	39.53	3	Vertical	152	1.85	-	38.90	11.14	33.23
AV	12.198G	44.95	54.00	-9.05	28.15	3	Vertical	152	1.85	-	38.90	11.14	33.24

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
 Setting 87  
 05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1983G	56.23	74.00	-17.77	39.43	3	Horizontal	199	1.47	-	38.90	11.14	33.24
AV	12.19812G	44.88	54.00	-9.12	28.08	3	Horizontal	199	1.47	-	38.90	11.14	33.24

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
 Setting 87  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.318G	57.66	83.54	-25.88	54.99	1	Vertical	100.5	1.60	-	37.50	15.28	50.11
AV	18.32928G	44.72	63.54	-18.82	42.07	1	Vertical	100.5	1.60	-	37.50	15.28	50.13

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
 Setting 87  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30903G	55.18	83.54	-28.36	52.49	1	Horizontal	67.9	1.51	-	37.50	15.28	50.09
AV	18.32397G	41.79	63.54	-21.75	39.13	1	Horizontal	67.9	1.51	-	37.50	15.28	50.12

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51818G	57.42	74.00	-16.58	40.27	3	Vertical	90	1.69	-	38.84	11.25	32.94
AV	12.5153G	45.51	54.00	-8.49	28.37	3	Vertical	90	1.69	-	38.83	11.25	32.94



5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5423G	57.74	74.00	-16.26	40.58	3	Horizontal	-0	2.68	-	38.88	11.26	32.98
AV	12.51536G	45.35	54.00	-8.65	28.21	3	Horizontal	-0	2.68	-	38.83	11.25	32.94

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78087G	56.31	83.54	-27.23	53.99	1	Vertical	255	1.42	-	37.80	15.26	50.74
AV	18.79299G	44.82	63.54	-18.72	42.51	1	Vertical	255	1.42	-	37.80	15.26	50.75

5.925-6.425GHz\_802.11be EHT320-BF\_Nss2,(MCS0)\_4TX

6265MHz\_TX



EUT\_Z\_4TX  
 Setting 103  
 05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78369G	57.00	83.54	-26.54	54.68	1	Horizontal	108	1.85	-	37.80	15.26	50.74
AV	18.78936G	45.00	63.54	-18.54	42.69	1	Horizontal	108	1.85	-	37.80	15.26	50.75

