


6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2147G	53.99	88.20	-34.21	68.21	3	Horizontal	118	1.24	-	39.73	10.24	64.19
RMS	13.21318G	40.07	68.20	-28.13	54.29	3	Horizontal	118	1.24	-	39.73	10.24	64.19

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.81124G	55.44	83.54	-28.10	54.13	1	Vertical	312	1.60	-	37.99	15.03	51.71
AV	19.81122G	44.79	63.54	-18.75	43.48	1	Vertical	312	1.60	-	37.99	15.03	51.71

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.81778G	55.57	83.54	-27.97	54.33	1	Horizontal	260	2.92	-	37.92	15.04	51.72
AV	19.81024G	42.78	63.54	-20.76	41.46	1	Horizontal	260	2.92	-	38.00	15.03	51.71

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38716G	54.31	74.00	-19.69	67.87	3	Vertical	359	1.34	-	40.14	10.28	63.98
AV	13.3994G	41.28	54.00	-12.72	54.76	3	Vertical	359	1.34	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39976G	54.50	74.00	-19.50	67.98	3	Horizontal	10	2.83	-	40.20	10.28	63.96
AV	13.39988G	41.25	54.00	-12.75	54.73	3	Horizontal	10	2.83	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.03052G	53.81	83.54	-29.73	52.87	1	Vertical	146	1.55	-	37.74	15.11	51.91
AV	20.08296G	40.98	63.54	-22.56	39.95	1	Vertical	146	1.55	-	37.83	15.12	51.92

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04732G	54.22	83.54	-29.32	53.31	1	Horizontal	264	1.85	-	37.71	15.11	51.91
AV	20.08428G	40.95	63.54	-22.59	39.91	1	Horizontal	264	1.85	-	37.84	15.12	51.92

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77996G	54.92	88.20	-33.28	67.81	3	Vertical	138	1.85	-	40.46	10.36	63.71
RMS	13.7412G	41.61	68.20	-26.59	54.61	3	Vertical	138	1.85	-	40.38	10.35	63.73

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74144G	55.75	88.20	-32.45	68.75	3	Horizontal	45	1.98	-	40.38	10.35	63.73
RMS	13.74204G	41.66	68.20	-26.54	54.66	3	Horizontal	45	1.98	-	40.38	10.35	63.73

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.679G	54.66	83.54	-28.88	NaN	1	Vertical	161	1.77	-	37.90	NaN	52.04
AV	20.6484G	41.65	63.54	-21.89	NaN	1	Vertical	161	1.77	-	37.90	NaN	52.03

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66544G	54.57	83.54	-28.97	NaN	1	Horizontal	46	1.72	-	37.90	NaN	52.03
AV	20.64828G	41.71	63.54	-21.83	NaN	1	Horizontal	46	1.72	-	37.90	NaN	52.03

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.87964G	53.90	88.20	-34.30	66.45	3	Vertical	34	1.66	-	40.74	10.38	63.67			
RMS	13.87004G	41.17	68.20	-27.03	53.76	3	Vertical	34	1.66	-	40.71	10.37	63.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.82708G	53.79	88.20	-34.41	66.53	3	Horizontal	70	2.73	-	40.58	10.37	63.69
RMS	13.84892G	41.25	68.20	-26.95	53.91	3	Horizontal	70	2.73	-	40.65	10.37	63.68

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.74884G	54.11	83.54	-29.43	53.07	1	Vertical	144	1.81	-	37.80	15.29	52.05
AV	20.7918G	41.49	63.54	-22.05	40.12	1	Vertical	144	1.81	-	38.13	15.30	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.75124G	54.71	83.54	-28.83	53.66	1	Horizontal	86	1.72	-	37.81	15.29	52.05
AV	20.79396G	41.42	63.54	-22.12	40.03	1	Horizontal	86	1.72	-	38.15	15.30	52.06

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03424G	57.14	88.20	-31.06	69.16	3	Vertical	185	2.60	-	41.10	10.41	63.53
RMS	14.03664G	44.19	68.20	-24.01	56.20	3	Vertical	185	2.60	-	41.11	10.41	63.53

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01768G	55.95	88.20	-32.25	68.07	3	Horizontal	194	2.62	-	41.05	10.40	63.57
RMS	14.02872G	42.66	68.20	-25.54	54.70	3	Horizontal	194	2.62	-	41.09	10.41	63.54

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0372G	53.03	83.54	-30.51	51.50	1	Vertical	37	1.56	-	38.27	15.36	52.10
AV	21.04044G	41.25	63.54	-22.29	39.69	1	Vertical	37	1.56	-	38.30	15.36	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0258G	53.27	83.54	-30.27	51.85	1	Horizontal	135	1.88	-	38.16	15.36	52.10
AV	21.03864G	40.29	63.54	-23.25	38.74	1	Horizontal	135	1.88	-	38.29	15.36	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 86
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0832G	118.52	Inf	-Inf	106.95	3	Vertical	147.1	1.79	-	35.93	7.92	32.28
RMS	7.079G	107.87	Inf	-Inf	96.30	3	Vertical	147.1	1.79	-	35.92	7.92	32.27
PK	7.127G	83.08	88.20	-5.12	71.39	3	Vertical	147.1	1.79	-	36.16	7.87	32.34
RMS	7.1261G	67.79	68.20	-0.41	56.10	3	Vertical	147.1	1.79	-	36.16	7.87	32.34

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 86
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	116.14	Inf	-Inf	104.55	3	Horizontal	284.4	2.90	-	35.99	7.90	32.30
RMS	7.0973G	107.36	Inf	-Inf	95.77	3	Horizontal	284.4	2.90	-	35.99	7.90	32.30
PK	7.1252G	80.41	88.20	-7.79	68.73	3	Horizontal	284.4	2.90	-	36.15	7.87	32.34
RMS	7.1264G	67.85	68.20	-0.35	56.16	3	Horizontal	284.4	2.90	-	36.16	7.87	32.34

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15716G	56.38	88.20	-31.82	68.28	3	Vertical	327	1.93	-	40.91	10.44	63.25
RMS	14.18488G	43.97	68.20	-24.23	55.74	3	Vertical	327	1.93	-	40.97	10.45	63.19

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17468G	56.60	88.20	-31.60	68.42	3	Horizontal	144	1.79	-	40.95	10.44	63.21
RMS	14.18296G	43.86	68.20	-24.34	55.63	3	Horizontal	144	1.79	-	40.97	10.45	63.19

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26496G	65.68	83.54	-17.86	64.24	1	Vertical	172	1.02	-	38.12	15.42	52.10
AV	21.26178G	52.06	63.54	-11.48	50.65	1	Vertical	172	1.02	-	38.09	15.42	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26172G	65.78	83.54	-17.76	64.37	1	Horizontal	348	1.87	-	38.09	15.42	52.10
AV	21.2679G	51.94	63.54	-11.60	50.48	1	Horizontal	348	1.87	-	38.14	15.42	52.10

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 87
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.83	88.20	-11.37	68.94	3	Vertical	176.7	2.24	-	32.55	6.94	31.60
RMS	5.925G	66.65	68.20	-1.55	58.76	3	Vertical	176.7	2.24	-	32.55	6.94	31.60
PK	5.9722G	115.76	Inf	-Inf	107.90	3	Vertical	176.7	2.24	-	32.56	6.91	31.61
RMS	5.975G	107.13	Inf	-Inf	99.28	3	Vertical	176.7	2.24	-	32.55	6.91	31.61

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
 Setting 84
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	75.12	88.20	-13.08	67.23	3	Horizontal	335.1	1.80	-	32.55	6.94	31.60
RMS	5.925G	63.05	68.20	-5.15	55.16	3	Horizontal	335.1	1.80	-	32.55	6.94	31.60
PK	5.9962G	111.96	Inf	-Inf	104.16	3	Horizontal	335.1	1.80	-	32.51	6.90	31.61
RMS	5.9966G	102.21	Inf	-Inf	94.41	3	Horizontal	335.1	1.80	-	32.51	6.90	31.61

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
 Setting 84
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94036G	52.82	74.00	-21.18	69.00	3	Vertical	256	2.05	-	38.98	10.00	65.16
AV	11.99004G	39.89	54.00	-14.11	56.00	3	Vertical	256	2.05	-	39.08	10.00	65.19
PK	17.96508G	64.76	74.00	-9.24	65.05	3	Vertical	60	1.60	-	50.58	12.08	62.95
AV	17.98056G	51.44	54.00	-2.56	51.24	3	Vertical	60	1.60	-	51.08	12.09	62.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 84
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.99292G	52.85	74.00	-21.15	68.95	3	Horizontal	57	2.80	-	39.09	10.00	65.19
AV	11.98956G	39.89	54.00	-14.11	56.00	3	Horizontal	57	2.80	-	39.08	10.00	65.19
PK	17.98164G	63.77	74.00	-10.23	63.54	3	Horizontal	179	1.51	-	51.11	12.09	62.97
AV	17.98104G	51.53	54.00	-2.47	51.32	3	Horizontal	179	1.51	-	51.09	12.09	62.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44124G	52.95	74.00	-21.05	68.88	3	Vertical	154	1.23	-	38.62	10.09	64.64
AV	12.42204G	40.30	54.00	-13.70	56.23	3	Vertical	154	1.23	-	38.66	10.08	64.67

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44736G	53.45	74.00	-20.55	69.39	3	Horizontal	241	1.70	-	38.61	10.09	64.64
AV	12.462G	40.31	54.00	-13.69	56.26	3	Horizontal	241	1.70	-	38.58	10.09	64.62

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7026G	54.83	83.54	-28.71	53.07	1	Vertical	273	1.84	-	37.61	14.65	50.50
AV	18.65832G	41.65	63.54	-21.89	39.71	1	Vertical	273	1.84	-	37.77	14.63	50.46

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68556G	54.86	83.54	-28.68	53.05	1	Horizontal	193	1.76	-	37.66	14.64	50.49
AV	18.65988G	41.69	63.54	-21.85	39.76	1	Horizontal	193	1.76	-	37.76	14.63	50.46

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79676G	52.63	88.20	-35.57	67.68	3	Vertical	14	1.07	-	39.29	10.16	64.50
RMS	12.7958G	39.99	68.20	-28.21	55.04	3	Vertical	14	1.07	-	39.29	10.16	64.50

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.74372G	52.98	88.20	-35.22	68.21	3	Horizontal	155	1.25	-	39.13	10.15	64.51
RMS	12.7946G	40.04	68.20	-28.16	55.10	3	Horizontal	155	1.25	-	39.28	10.16	64.50

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14804G	53.83	83.54	-29.71	52.30	1	Vertical	128	1.81	-	37.71	14.80	50.98
AV	19.13976G	41.20	63.54	-22.34	39.63	1	Vertical	128	1.81	-	37.74	14.80	50.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1832G	53.68	83.54	-29.86	51.99	1	Horizontal	3	1.88	-	37.90	14.81	51.02
AV	19.13076G	41.15	63.54	-22.39	39.53	1	Horizontal	3	1.88	-	37.78	14.80	50.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25624G	54.00	74.00	-20.00	68.28	3	Vertical	223	1.32	-	39.61	10.25	64.14
AV	13.2566G	40.86	54.00	-13.14	55.14	3	Vertical	223	1.32	-	39.61	10.25	64.14

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25396G	53.38	74.00	-20.62	67.66	3	Horizontal	306	1.00	-	39.61	10.25	64.14
AV	13.26452G	40.72	54.00	-13.28	54.97	3	Horizontal	306	1.00	-	39.63	10.25	64.13

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.89168G	54.19	83.54	-29.35	53.07	1	Vertical	36	1.53	-	37.85	15.06	51.79
AV	19.90392G	40.35	63.54	-23.19	39.19	1	Vertical	36	1.53	-	37.89	15.07	51.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.85112G	53.41	83.54	-30.13	52.50	1	Horizontal	201	1.57	-	37.61	15.05	51.75
AV	19.90332G	40.47	63.54	-23.07	39.31	1	Horizontal	201	1.57	-	37.89	15.07	51.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41254G	54.38	88.20	-33.82	67.85	3	Vertical	118	1.52	-	40.20	10.28	63.95
RMS	13.40052G	41.52	68.20	-26.68	55.00	3	Vertical	118	1.52	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.43244G	54.23	88.20	-33.97	67.66	3	Horizontal	313	2.38	-	40.20	10.29	63.92
RMS	13.40028G	41.23	68.20	-26.97	54.71	3	Horizontal	313	2.38	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08656G	54.99	83.54	-28.55	53.94	1	Vertical	350	1.85	-	37.85	15.12	51.92
AV	20.1006G	41.48	63.54	-22.06	40.37	1	Vertical	350	1.85	-	37.90	15.13	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.13672G	54.05	83.54	-29.49	53.17	1	Horizontal	171	1.94	-	37.68	15.13	51.93
AV	20.09664G	41.53	63.54	-22.01	40.44	1	Horizontal	171	1.94	-	37.89	15.12	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57504G	54.62	88.20	-33.58	67.76	3	Vertical	319	1.99	-	40.35	10.32	63.81
RMS	13.58728G	42.50	68.20	-25.70	55.61	3	Vertical	319	1.99	-	40.37	10.32	63.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.59448G	55.61	88.20	-32.59	68.70	3	Horizontal	18	1.54	-	40.39	10.32	63.80
RMS	13.59712G	42.65	68.20	-25.55	55.74	3	Horizontal	18	1.54	-	40.39	10.32	63.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35584G	54.43	83.54	-29.11	53.12	1	Vertical	12	1.94	-	38.09	15.19	51.97
AV	20.33256G	41.74	63.54	-21.80	40.40	1	Vertical	12	1.94	-	38.13	15.18	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35596G	54.99	83.54	-28.55	53.68	1	Horizontal	194	1.77	-	38.09	15.19	51.97
AV	20.325G	41.82	63.54	-21.72	40.45	1	Horizontal	194	1.77	-	38.15	15.18	51.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74152G	55.24	88.20	-32.96	68.24	3	Vertical	204	1.65	-	40.38	10.35	63.73
RMS	13.74164G	41.75	68.20	-26.45	54.75	3	Vertical	204	1.65	-	40.38	10.35	63.73

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72028G	55.11	88.20	-33.09	68.17	3	Horizontal	135	2.15	-	40.34	10.34	63.74
RMS	13.72268G	42.03	68.20	-26.17	55.08	3	Horizontal	135	2.15	-	40.35	10.34	63.74

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60124G	54.41	83.54	-29.13	53.18	1	Vertical	208	1.82	-	38.00	15.25	52.02
AV	20.62284G	41.49	63.54	-22.05	40.30	1	Vertical	208	1.82	-	37.95	15.26	52.02

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61504G	54.54	83.54	-29.00	53.34	1	Horizontal	206	1.77	-	37.97	15.25	52.02
AV	20.625G	41.63	63.54	-21.91	40.44	1	Horizontal	206	1.77	-	37.95	15.26	52.02

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.91976G	54.83	88.20	-33.37	67.26	3	Vertical	344	1.61	-	40.84	10.38	63.65
RMS	13.902G	41.44	68.20	-26.76	53.92	3	Vertical	344	1.61	-	40.80	10.38	63.66

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.90104G	53.77	88.20	-34.43	66.25	3	Horizontal	239	1.68	-	40.80	10.38	63.66
RMS	13.91484G	41.39	68.20	-26.81	53.83	3	Horizontal	239	1.68	-	40.83	10.38	63.65

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84712G	54.63	83.54	-28.91	53.19	1	Vertical	295	1.84	-	38.20	15.31	52.07
AV	20.82588G	41.68	63.54	-21.86	40.24	1	Vertical	295	1.84	-	38.20	15.31	52.07

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8632G	55.03	83.54	-28.51	53.61	1	Horizontal	350	1.73	-	38.17	15.32	52.07
AV	20.81388G	41.77	63.54	-21.77	40.33	1	Horizontal	350	1.73	-	38.20	15.30	52.06

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
 Setting 94
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0202G	114.09	Inf	-Inf	102.68	3	Vertical	139	1.80	-	35.62	7.98	32.19
RMS	7.0006G	105.09	Inf	-Inf	93.75	3	Vertical	139	1.80	-	35.50	8.00	32.16
PK	7.1322G	78.41	88.20	-9.79	66.70	3	Vertical	139	1.80	-	36.19	7.87	32.35
RMS	7.1262G	67.64	68.20	-0.56	55.95	3	Vertical	139	1.80	-	36.16	7.87	32.34

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
 Setting 94
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	117.92	Inf	-Inf	106.60	3	Horizontal	172.7	1.55	-	35.47	7.98	32.13
RMS	7.0398G	104.49	Inf	-Inf	93.01	3	Horizontal	172.7	1.55	-	35.74	7.96	32.22
PK	7.125G	75.81	88.20	-12.39	64.13	3	Horizontal	172.7	1.55	-	36.15	7.87	32.34
RMS	7.1254G	66.09	68.20	-2.11	54.41	3	Horizontal	172.7	1.55	-	36.15	7.87	32.34

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0308G	55.72	88.20	-32.48	67.95	3	Vertical	130	2.20	-	40.90	10.41	63.54
RMS	14.04676G	42.68	68.20	-25.52	54.87	3	Vertical	130	2.20	-	40.90	10.41	63.50

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.07388G	55.13	88.20	-33.07	67.25	3	Horizontal	176	1.84	-	40.90	10.42	63.44
RMS	14.0404G	42.49	68.20	-25.71	54.70	3	Horizontal	176	1.84	-	40.90	10.41	63.52

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0954G	54.70	83.54	-28.84	53.30	1	Vertical	149	1.83	-	38.13	15.37	52.10
AV	21.04512G	41.27	63.54	-22.27	39.66	1	Vertical	149	1.83	-	38.35	15.36	52.10

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08052G	53.70	83.54	-29.84	52.21	1	Horizontal	192	1.86	-	38.22	15.37	52.10
AV	21.04512G	41.25	63.54	-22.29	39.64	1	Horizontal	192	1.86	-	38.35	15.36	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 93
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	77.56	88.20	-10.64	70.38	3	Vertical	177.2	1.80	-	32.60	6.94	32.36
RMS	5.925G	67.28	68.20	-0.92	60.10	3	Vertical	177.2	1.80	-	32.60	6.94	32.36
PK	6.0986G	113.86	Inf	-Inf	106.59	3	Vertical	177.2	1.80	-	32.60	7.15	32.48
RMS	6.0834G	103.77	Inf	-Inf	96.52	3	Vertical	177.2	1.80	-	32.60	7.11	32.46

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 93
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	78.50	88.20	-9.70	70.61	3	Horizontal	325.6	1.80	-	32.55	6.94	31.60
RMS	5.925G	67.29	68.20	-0.91	59.40	3	Horizontal	325.6	1.80	-	32.55	6.94	31.60
PK	5.9482G	114.07	Inf	-Inf	106.14	3	Horizontal	325.6	1.80	-	32.60	6.93	31.60
RMS	6.081G	103.07	Inf	-Inf	94.80	3	Horizontal	325.6	1.80	-	32.60	7.10	31.43

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06788G	52.17	74.00	-21.83	68.10	3	Vertical	58	2.77	-	39.17	10.01	65.11
AV	12.06356G	39.68	54.00	-14.32	55.62	3	Vertical	58	2.77	-	39.16	10.01	65.11

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06092G	53.16	74.00	-20.84	69.10	3	Horizontal	54	2.54	-	39.16	10.01	65.11
AV	12.06308G	39.69	54.00	-14.31	55.63	3	Horizontal	54	2.54	-	39.16	10.01	65.11

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0546G	54.11	83.54	-29.43	51.95	1	Vertical	302	1.74	-	37.42	14.42	49.68
AV	18.05856G	41.46	63.54	-22.08	39.29	1	Vertical	302	1.74	-	37.43	14.42	49.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
 Setting 92
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06492G	54.55	83.54	-28.99	52.36	1	Horizontal	326	1.85	-	37.46	14.42	49.69
AV	18.05484G	41.32	63.54	-22.22	39.16	1	Horizontal	326	1.85	-	37.42	14.42	49.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39928G	53.83	74.00	-20.17	69.74	3	Vertical	107	1.98	-	38.70	10.08	64.69
AV	12.39964G	39.96	54.00	-14.04	55.87	3	Vertical	107	1.98	-	38.70	10.08	64.69

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3898G	52.85	74.00	-21.15	68.77	3	Horizontal	122	2.17	-	38.71	10.08	64.71
AV	12.35644G	39.86	54.00	-14.14	55.80	3	Horizontal	122	2.17	-	38.74	10.07	64.75

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54648G	54.11	83.54	-29.43	52.16	1	Vertical	32	1.62	-	37.71	14.59	50.35
AV	18.537G	41.46	63.54	-22.08	39.46	1	Vertical	32	1.62	-	37.75	14.59	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53376G	54.55	83.54	-28.99	52.53	1	Horizontal	233	1.83	-	37.76	14.59	50.33
AV	18.54996G	41.32	63.54	-22.22	39.38	1	Horizontal	233	1.83	-	37.70	14.59	50.35

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6828G	53.19	74.00	-20.81	68.61	3	Vertical	112	2.00	-	38.97	10.14	64.53
AV	12.66948G	39.32	54.00	-14.68	54.78	3	Vertical	112	2.00	-	38.94	10.13	64.53

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.66636G	53.56	74.00	-20.44	69.03	3	Horizontal	288	2.02	-	38.93	10.13	64.53
AV	12.66912G	40.22	54.00	-13.78	55.68	3	Horizontal	288	2.02	-	38.94	10.13	64.53

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03416G	54.15	83.54	-29.39	52.33	1	Vertical	153	1.81	-	37.90	14.76	50.84
AV	19.0434G	40.90	63.54	-22.64	39.08	1	Vertical	153	1.81	-	37.90	14.77	50.85

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04808G	53.74	83.54	-29.80	51.93	1	Horizontal	127	1.68	-	37.90	14.77	50.86
AV	19.03692G	40.92	63.54	-22.62	39.10	1	Horizontal	127	1.68	-	37.90	14.76	50.84

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3066G	53.38	74.00	-20.62	67.47	3	Vertical	351	1.27	-	39.73	10.26	64.08
AV	13.31872G	40.50	54.00	-13.50	54.51	3	Vertical	351	1.27	-	39.79	10.26	64.06

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34452G	54.27	74.00	-19.73	68.11	3	Horizontal	197	2.69	-	39.92	10.27	64.03
AV	13.32736G	40.58	54.00	-13.42	54.52	3	Horizontal	197	2.69	-	39.84	10.27	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.01084G	53.88	83.54	-29.66	52.90	1	Vertical	155	1.93	-	37.78	15.10	51.90
AV	19.9998G	40.43	63.54	-23.11	39.43	1	Vertical	155	1.93	-	37.80	15.10	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.965G	53.65	83.54	-29.89	52.62	1	Horizontal	134	1.99	-	37.80	15.09	51.86
AV	19.99944G	40.40	63.54	-23.14	39.40	1	Horizontal	134	1.99	-	37.80	15.10	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.63812G	56.36	88.20	-31.84	69.45	3	Vertical	182	1.34	-	40.36	10.33	63.78
RMS	13.66008G	43.42	68.20	-24.78	56.52	3	Vertical	182	1.34	-	40.34	10.33	63.77

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.67796G	55.06	88.20	-33.14	68.16	3	Horizontal	111	2.76	-	40.32	10.34	63.76
RMS	13.65864G	42.01	68.20	-26.19	55.11	3	Horizontal	111	2.76	-	40.34	10.33	63.77

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.45988G	53.59	83.54	-29.95	52.45	1	Vertical	301	1.86	-	37.92	15.21	51.99
AV	20.4576G	40.83	63.54	-22.71	39.67	1	Vertical	301	1.86	-	37.94	15.21	51.99

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46684G	53.63	83.54	-29.91	52.53	1	Horizontal	64	1.84	-	37.87	15.22	51.99
AV	20.445G	40.89	63.54	-22.65	39.67	1	Horizontal	64	1.84	-	38.00	15.21	51.99

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 90
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.012G	113.43	Inf	-Inf	102.05	3	Vertical	147	1.80	-	35.57	7.99	32.18
RMS	6.9238G	101.20	Inf	-Inf	90.16	3	Vertical	147	1.80	-	35.14	7.81	31.91
PK	7.1362G	78.17	88.20	-10.03	66.44	3	Vertical	147	1.80	-	36.22	7.86	32.35
RMS	7.1362G	65.35	68.20	-2.85	53.62	3	Vertical	147	1.80	-	36.22	7.86	32.35
PK	7.2532G	64.35	74.00	-9.65	52.35	3	Vertical	147	1.80	-	36.69	7.83	32.52
AV	7.2514G	53.87	54.00	-0.13	41.86	3	Vertical	147	1.80	-	36.70	7.83	32.52

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 90
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	111.31	Inf	-Inf	99.95	3	Horizontal	194.8	1.80	-	35.52	8.00	32.16
RMS	7.0012G	99.86	Inf	-Inf	88.51	3	Horizontal	194.8	1.80	-	35.51	8.00	32.16
PK	7.1488G	77.32	88.20	-10.88	65.55	3	Horizontal	194.8	1.80	-	36.29	7.85	32.37
RMS	7.1344G	61.50	68.20	-6.70	49.77	3	Horizontal	194.8	1.80	-	36.21	7.87	32.35
PK	7.2514G	59.88	74.00	-14.12	47.87	3	Horizontal	194.8	1.80	-	36.70	7.83	32.52
AV	7.25G	49.53	54.00	-4.47	37.52	3	Horizontal	194.8	1.80	-	36.70	7.83	32.52

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 90
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99496G	54.56	88.20	-33.64	66.89	3	Vertical	145	2.72	-	40.88	10.40	63.61
RMS	13.9556G	41.73	68.20	-26.47	54.25	3	Vertical	145	2.72	-	40.72	10.39	63.63

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 90
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97144G	54.73	88.20	-33.47	67.17	3	Horizontal	358	1.93	-	40.79	10.39	63.62
RMS	13.97396G	41.81	68.20	-26.39	54.24	3	Horizontal	358	1.93	-	40.80	10.39	63.62

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 90
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.93148G	50.67	83.54	-32.87	49.33	1	Vertical	31	1.64	-	38.10	15.33	52.09
AV	20.9334G	39.04	63.54	-24.50	37.70	1	Vertical	31	1.64	-	38.10	15.33	52.09

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 90
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9412G	50.35	83.54	-33.19	49.00	1	Horizontal	232	1.89	-	38.10	15.34	52.09
AV	20.92596G	39.02	63.54	-24.52	37.68	1	Horizontal	232	1.89	-	38.10	15.33	52.09

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	76.10	88.20	-12.10	68.21	3	Vertical	265	1.80	-	32.55	6.94	31.60
RMS	5.925G	67.15	68.20	-1.05	59.26	3	Vertical	265	1.80	-	32.55	6.94	31.60
PK	6.1578G	111.36	Inf	-Inf	102.58	3	Vertical	265	1.80	-	32.75	7.29	31.26
RMS	6.153G	101.30	Inf	-Inf	92.57	3	Vertical	265	1.80	-	32.72	7.28	31.27

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	75.93	88.20	-12.27	68.04	3	Horizontal	153.6	2.34	-	32.55	6.94	31.60
RMS	5.925G	63.97	68.20	-4.23	56.08	3	Horizontal	153.6	2.34	-	32.55	6.94	31.60
PK	6.0714G	109.29	Inf	-Inf	101.06	3	Horizontal	153.6	2.34	-	32.60	7.08	31.45
RMS	6.0762G	98.44	Inf	-Inf	90.19	3	Horizontal	153.6	2.34	-	32.60	7.09	31.44

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22416G	52.54	74.00	-21.46	68.38	3	Vertical	360	1.77	-	39.03	10.04	64.91
AV	12.20952G	39.04	54.00	-14.96	54.86	3	Vertical	360	1.77	-	39.07	10.04	64.93

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22836G	51.43	74.00	-22.57	67.28	3	Horizontal	73	2.54	-	39.01	10.05	64.91
AV	12.20952G	39.12	54.00	-14.88	54.94	3	Horizontal	73	2.54	-	39.07	10.04	64.93

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31584G	53.37	83.54	-30.17	51.40	1	Vertical	259	1.97	-	37.50	14.51	50.04
AV	18.31308G	41.47	63.54	-22.07	39.50	1	Vertical	259	1.97	-	37.50	14.51	50.04

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31692G	53.14	83.54	-30.40	51.17	1	Horizontal	347	1.81	-	37.50	14.51	50.04
AV	18.31188G	41.61	63.54	-21.93	39.64	1	Horizontal	347	1.81	-	37.50	14.51	50.04

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53672G	55.02	74.00	-18.98	38.56	3	Vertical	304	1.42	-	38.60	9.19	31.33
AV	12.54224G	42.25	54.00	-11.75	25.80	3	Vertical	304	1.42	-	38.60	9.19	31.34

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5423G	55.24	74.00	-18.76	38.79	3	Horizontal	213	1.81	-	38.60	9.19	31.34
AV	12.54374G	42.35	54.00	-11.65	25.90	3	Horizontal	213	1.81	-	38.60	9.19	31.34

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80862G	56.17	83.54	-27.37	54.27	1	Vertical	22	2.00	-	37.83	14.68	50.61
AV	18.78402G	43.13	63.54	-20.41	41.24	1	Vertical	22	2.00	-	37.80	14.67	50.58

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78564G	57.84	83.54	-25.70	55.96	1	Horizontal	160	1.99	-	37.80	14.67	50.59
AV	18.78276G	45.05	63.54	-18.49	43.16	1	Horizontal	160	1.99	-	37.80	14.67	50.58

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.50704G	55.67	88.20	-32.53	69.00	3	Vertical	287	2.17	-	40.21	10.30	63.84
RMS	13.51568G	41.94	68.20	-26.26	55.24	3	Vertical	287	2.17	-	40.23	10.30	63.83

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.51592G	54.59	88.20	-33.61	67.89	3	Horizontal	265	2.30	-	40.23	10.30	63.83
RMS	13.51832G	41.93	68.20	-26.27	55.22	3	Horizontal	265	2.30	-	40.24	10.30	63.83

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.21652G	55.58	83.54	-27.96	54.44	1	Vertical	220	1.75	-	37.93	15.15	51.94
AV	20.2188G	42.41	63.54	-21.13	41.26	1	Vertical	220	1.75	-	37.94	15.15	51.94

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.21664G	55.44	83.54	-28.10	54.30	1	Horizontal	198	1.89	-	37.93	15.15	51.94
AV	20.22024G	42.42	63.54	-21.12	41.26	1	Horizontal	198	1.89	-	37.94	15.16	51.94

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 84
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9434G	109.36	Inf	-Inf	99.38	3	Vertical	149	1.47	-	35.16	7.86	33.04
RMS	6.9018G	104.06	Inf	-Inf	94.44	3	Vertical	149	1.47	-	34.91	7.75	33.04
PK	7.1674G	70.00	88.20	-18.20	59.25	3	Vertical	149	1.47	-	36.17	7.83	33.25
RMS	7.1546G	57.19	68.20	-11.01	46.46	3	Vertical	149	1.47	-	36.12	7.85	33.24
PK	7.25G	65.27	74.00	-8.73	54.20	3	Vertical	149	1.47	-	36.60	7.83	33.36
AV	7.25G	53.81	54.00	-0.19	42.44	3	Vertical	149	1.47	-	36.60	7.83	33.36

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 84
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.873G	108.12	Inf	-Inf	98.75	3	Horizontal	274	1.68	-	34.74	7.68	33.05
RMS	6.8666G	98.80	Inf	-Inf	89.48	3	Horizontal	274	1.68	-	34.70	7.67	33.05
PK	7.145G	69.12	88.20	-19.08	58.42	3	Horizontal	274	1.68	-	36.08	7.85	33.23
RMS	7.1514G	56.36	68.20	-11.84	45.63	3	Horizontal	274	1.68	-	36.11	7.85	33.23
PK	7.257G	65.69	74.00	-8.31	54.62	3	Horizontal	274	1.68	-	36.61	7.83	33.37
AV	7.25G	53.05	54.00	-0.95	41.98	3	Horizontal	274	1.68	-	36.60	7.83	33.36

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT Y_4TX
Setting 84
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78576G	54.83	88.20	-33.37	67.71	3	Vertical	304	2.32	-	40.47	10.36	63.71
RMS	13.80712G	41.02	68.20	-27.18	53.84	3	Vertical	304	2.32	-	40.52	10.36	63.70

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT Y_4TX
Setting 84
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.83604G	54.51	88.20	-33.69	67.22	3	Horizontal	174	1.29	-	40.61	10.37	63.69
RMS	13.82656G	41.05	68.20	-27.15	53.79	3	Horizontal	174	1.29	-	40.58	10.37	63.69

6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT Y_4TX
Setting 84
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69616G	54.82	83.54	-28.72	53.69	1	Vertical	234	1.82	-	37.90	15.27	52.04
AV	20.69424G	41.82	63.54	-21.72	40.69	1	Vertical	234	1.82	-	37.90	15.27	52.04



6.875-7.125GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX



6905MHz_TX







EUT Y_4TX
Setting 84
06-C-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69928G	54.49	83.54	-29.05	53.36	1	Horizontal	148	1.72	-	37.90	15.27	52.04
AV	20.7096G	41.74	63.54	-21.80	40.62	1	Horizontal	148	1.72	-	37.88	15.28	52.04
































































6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7095MHz_TX

16/10/2023

CF (Hz)
7.095G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1 


Port 2 


Port 3 



Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087427G	-11.29	7.059175G	-68.82	-51.29	-17.53	1
7.092751G	-13.03	7.083625G	-48.72	-33.04	-15.68	2
7.091426G	-11.48	7.08365G	-47.78	-31.18	-16.60	3
7.090876G	-12.89	7.061025G	-69.81	-52.89	-16.92	4

















































































Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-61.32	1.68	-63.00	≤ -62
						Minimal	-62.32	1.68	-64.00	≤ -62
						ON	-80.30	1.68	-81.98	≤ -62
7	149	20	6695	Center	6695	OFF	-64.48	1.52	-66.01	≤ -62
						Minimal	-65.48	1.52	-67.00	≤ -62
						ON	-80.48	1.52	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-64.30	1.70	-66.01	≤ -62
						Minimal	-65.30	1.70	-67.00	≤ -62
						ON	-80.30	1.70	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.32	1.68	-68.00	≤ -62
						Minimal	-69.32	1.68	-71.00	≤ -62
						ON	-80.32	1.68	-82.00	≤ -62
				Center	6105	OFF	-72.32	1.68	-74.01	≤ -62
						Minimal	-73.32	1.68	-75.00	≤ -62
						ON	-80.32	1.68	-82.00	≤ -62
				High edge	6260	OFF	-68.32	1.68	-70.01	≤ -62
						Minimal	-69.32	1.68	-71.00	≤ -62
						ON	-80.32	1.68	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-64.48	1.52	-66.01	≤ -62
						Minimal	-65.48	1.52	-67.00	≤ -62
						ON	-80.48	1.52	-82.00	≤ -62
				Center	6745	OFF	-67.48	1.52	-69.00	≤ -62
						Minimal	-68.48	1.52	-70.00	≤ -62
						ON	-80.48	1.52	-82.00	≤ -62
				High edge	6900	OFF	-61.48	1.52	-63.02	≤ -62
						Minimal	-62.48	1.52	-64.00	≤ -62
						ON	-80.48	1.52	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-69.30	1.70	-71.00	≤ -62
						Minimal	-70.30	1.70	-72.00	≤ -62
						ON	-80.30	1.70	-82.00	≤ -62
				Center	6905	OFF	-74.30	1.70	-76.01	≤ -62
						Minimal	-75.30	1.70	-77.00	≤ -62
						ON	-80.30	1.70	-82.00	≤ -62
				High edge	7060	OFF	-67.30	1.70	-69.02	≤ -62
						Minimal	-68.30	1.70	-70.00	≤ -62
						ON	-80.30	1.70	-82.00	≤ -62




Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-63.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-66.01	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-66.01	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-68.00	OFF	9	90	90	PASS
				Center	6105	-74.01	OFF	9	90	90	PASS
				High edge	6260	-70.01	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-66.01	OFF	10	100	90	PASS
				Center	6745	-69.00	OFF	9	90	90	PASS
				High edge	6900	-63.02	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-71.00	OFF	10	100	90	PASS
				Center	6905	-76.01	OFF	10	100	90	PASS
				High edge	7060	-69.02	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz






Date: 26.OCT.2023 00:00:20



Frequency (MHz): 6695 MHz







Date: 26.OCT.2023 00:04:57




















Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal







Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal

