




**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	65.89M	35.99	40.00	-4.01	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	49.4M	34.93	40.00	-5.07	-16.11	3	Vertical	353	1.00	-	51.04	14.77	1.32	32.20
QP	58.13M	33.55	40.00	-6.45	-18.04	3	Vertical	41	1.25	-	51.59	12.77	1.40	32.21
PK	65.89M	35.99	40.00	-4.01	-18.39	3	Vertical	154	2.00	"Worst"	54.38	12.27	1.45	32.11
PK	80.44M	31.12	40.00	-8.88	-17.16	3	Vertical	360	1.25	-	48.28	13.25	1.57	31.98
PK	104.69M	29.11	43.50	-14.39	-13.07	3	Vertical	285	1.00	-	42.18	17.33	1.70	32.10
PK	136.7M	27.44	43.50	-16.06	-12.45	3	Vertical	198	1.00	-	39.89	17.66	1.88	31.99

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	58.13M	29.89	40.00	-10.11	-18.04	3	Horizontal	120	3.00	"Worst"	47.93	12.77	1.40	32.21
PK	80.44M	28.18	40.00	-11.82	-17.16	3	Horizontal	85	2.00	-	45.34	13.25	1.57	31.98
PK	104.69M	30.94	43.50	-12.56	-13.07	3	Horizontal	76	2.00	-	44.01	17.33	1.70	32.10
PK	142.52M	32.54	43.50	-10.96	-13.10	3	Horizontal	250	2.00	-	45.64	17.01	1.91	32.02
PK	144.46M	32.45	43.50	-11.05	-13.17	3	Horizontal	103	2.00	-	45.62	16.94	1.92	32.03
PK	315.18M	25.94	46.00	-20.06	-9.58	3	Horizontal	151	1.00	-	35.52	19.45	2.65	31.68




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	20.62698G	63.49	63.54	-0.05	1	Vertical	333	1.46	-

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9243G	79.07	88.20	-9.13	70.68	3	Vertical	263	1.30	-	32.55	7.44	31.60
RMS	5.9191G	65.03	68.20	-3.17	56.65	3	Vertical	263	1.30	-	32.54	7.44	31.60
PK	5.9575G	125.46	Inf	-Inf	117.02	3	Vertical	263	1.30	-	32.59	7.45	31.60
RMS	5.9578G	116.96	Inf	-Inf	108.53	3	Vertical	263	1.30	-	32.58	7.45	31.60

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	72.58	88.20	-15.62	64.20	3	Horizontal	222	1.80	-	32.54	7.44	31.60
RMS	5.9248G	60.08	68.20	-8.12	51.69	3	Horizontal	222	1.80	-	32.55	7.44	31.60
PK	5.9516G	120.79	Inf	-Inf	112.34	3	Horizontal	222	1.80	-	32.60	7.45	31.60
RMS	5.9523G	113.26	Inf	-Inf	104.81	3	Horizontal	222	1.80	-	32.60	7.45	31.60



5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90823G	62.25	74.00	-11.75	45.72	3	Vertical	12	1.96	-	38.72	10.77	32.96
AV	11.90883G	49.22	54.00	-4.78	32.69	3	Vertical	12	1.96	-	38.72	10.77	32.96

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91102G	62.53	74.00	-11.47	46.00	3	Horizontal	284	1.80	-	38.72	10.77	32.96
AV	11.90976G	48.95	54.00	-5.05	32.42	3	Horizontal	284	1.80	-	38.72	10.77	32.96

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81688G	64.51	83.54	-19.03	54.96	1	Vertical	344	1.62	-	39.00	20.82	50.27
AV	23.81682G	49.69	63.54	-13.85	40.14	1	Vertical	344	1.62	-	39.00	20.82	50.27

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.82258G	60.88	83.54	-22.66	51.37	1	Horizontal	128	1.73	-	38.96	20.82	50.27
AV	23.82156G	47.25	63.54	-16.29	37.73	1	Horizontal	128	1.73	-	38.97	20.82	50.27

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38727G	60.08	74.00	-13.92	42.78	3	Vertical	76	2.39	-	38.93	10.99	32.62
AV	12.37515G	46.17	54.00	-7.83	28.87	3	Vertical	76	2.39	-	38.95	10.98	32.63

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37782G	59.71	74.00	-14.29	42.42	3	Horizontal	199	1.80	-	38.94	10.98	32.63
AV	12.37533G	46.19	54.00	-7.81	28.89	3	Horizontal	199	1.80	-	38.95	10.98	32.63

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58686G	68.16	83.54	-15.38	61.95	1	Vertical	337	1.47	-	37.70	18.90	50.39
AV	18.58512G	52.72	63.54	-10.82	46.51	1	Vertical	337	1.47	-	37.70	18.90	50.39

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5793G	63.23	83.54	-20.31	57.02	1	Horizontal	314	1.53	-	37.70	18.89	50.38
AV	18.57924G	48.29	63.54	-15.25	42.08	1	Horizontal	314	1.53	-	37.70	18.89	50.38



5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 98  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83984G	60.15	88.20	-28.05	42.13	3	Vertical	223	2.81	-	39.38	11.19	32.55
RMS	12.82991G	46.62	68.20	-21.58	28.62	3	Vertical	223	2.81	-	39.36	11.19	32.55

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 98  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8444G	60.82	88.20	-27.38	42.79	3	Horizontal	320	2.56	-	39.39	11.19	32.55
RMS	12.82982G	46.78	68.20	-21.42	28.78	3	Horizontal	320	2.56	-	39.36	11.19	32.55

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 98  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2453G	77.89	83.54	-5.65	71.71	1	Vertical	351	1.58	-	37.91	19.36	51.09
AV	19.24458G	63.31	63.54	-0.23	57.14	1	Vertical	351	1.58	-	37.91	19.35	51.09

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 98  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24524G	76.87	83.54	-6.67	70.69	1	Horizontal	334	1.97	-	37.91	19.36	51.09
AV	19.24458G	62.27	63.54	-1.27	56.10	1	Horizontal	334	1.97	-	37.91	19.35	51.09

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6595MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1837G	63.00	88.20	-25.20	44.70	3	Vertical	90	1.50	-	39.70	11.35	32.75
AV	13.18241G	48.23	68.20	-19.97	29.93	3	Vertical	90	1.50	-	39.70	11.35	32.75

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18325G	60.62	88.20	-27.58	42.32	3	Horizontal	155	1.65	-	39.70	11.35	32.75
AV	13.19231G	47.29	68.20	-20.91	29.00	3	Horizontal	155	1.65	-	39.70	11.35	32.76

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6595MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.78926G	73.34	83.54	-10.20	67.24	1	Vertical	347	1.50	-	38.06	19.73	51.69
AV	19.78824G	59.10	63.54	-4.44	53.01	1	Vertical	347	1.50	-	38.05	19.73	51.69

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6595MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7973G	75.39	83.54	-8.15	69.26	1	Horizontal	195	1.58	-	38.09	19.74	51.70
AV	19.77828G	60.07	63.54	-3.47	54.01	1	Horizontal	195	1.58	-	38.01	19.73	51.68



6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39414G	62.71	74.00	-11.29	43.95	3	Vertical	340	2.08	-	40.28	11.44	32.96
AV	13.3939G	49.29	54.00	-4.71	30.53	3	Vertical	340	2.08	-	40.28	11.44	32.96

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39909G	62.16	74.00	-11.84	43.38	3	Horizontal	292	1.90	-	40.30	11.45	32.97
AV	13.38418G	48.29	54.00	-5.71	29.56	3	Horizontal	292	1.90	-	40.24	11.44	32.95

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08098G	77.28	83.54	-6.26	71.51	1	Vertical	348	1.50	-	37.82	19.87	51.92
AV	20.08158G	63.21	63.54	-0.33	57.43	1	Vertical	348	1.50	-	37.83	19.87	51.92

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07936G	78.45	83.54	-5.09	72.68	1	Horizontal	45	1.64	-	37.82	19.87	51.92
AV	20.07888G	62.53	63.54	-1.01	56.76	1	Horizontal	45	1.64	-	37.82	19.87	51.92

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 100  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75129G	67.34	88.20	-20.86	47.74	3	Vertical	1	1.93	-	40.69	11.61	32.70
RMS	13.75096G	53.75	68.20	-14.45	34.14	3	Vertical	1	1.93	-	40.70	11.61	32.70

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75117G	66.51	88.20	-21.69	46.90	3	Horizontal	181	2.25	-	40.70	11.61	32.70
RMS	13.75099G	53.23	68.20	-14.97	33.62	3	Horizontal	181	2.25	-	40.70	11.61	32.70

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 100  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61336G	79.58	83.54	-3.96	73.81	1	Vertical	333	1.46	-	37.97	19.82	52.02
AV	20.62698G	63.49	63.54	-0.05	57.75	1	Vertical	333	1.46	-	37.95	19.82	52.03

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 100  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61768G	77.62	83.54	-5.92	71.86	1	Horizontal	47	1.64	-	37.96	19.82	52.02
AV	20.61774G	60.87	63.54	-2.67	55.11	1	Horizontal	47	1.64	-	37.96	19.82	52.02



6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79018G	68.02	88.20	-20.18	48.50	3	Vertical	2	1.90	-	40.54	11.62	32.64
AV	13.7912G	54.09	68.20	-14.11	34.57	3	Vertical	2	1.90	-	40.54	11.62	32.64

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78979G	67.19	88.20	-21.01	47.67	3	Horizontal	90	1.28	-	40.54	11.62	32.64
AV	13.79138G	53.20	68.20	-15.00	33.68	3	Horizontal	90	1.28	-	40.53	11.63	32.64

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6745G	77.38	83.54	-6.16	71.69	1	Vertical	333	1.44	-	37.90	19.82	52.03
AV	20.6808G	62.06	63.54	-1.48	56.38	1	Vertical	333	1.44	-	37.90	19.82	52.04

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67876G	77.85	83.54	-5.69	72.17	1	Horizontal	47	1.50	-	37.90	19.82	52.04
AV	20.67804G	62.18	63.54	-1.36	56.50	1	Horizontal	47	1.50	-	37.90	19.82	52.04

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99345G	67.57	88.20	-20.63	47.32	3	Vertical	0	2.14	-	40.87	11.72	32.34
AV	13.99312G	54.08	68.20	-14.12	33.83	3	Vertical	0	2.14	-	40.87	11.72	32.34

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.993G	67.06	88.20	-21.14	46.81	3	Horizontal	273	2.46	-	40.87	11.72	32.34
AV	13.99297G	53.40	68.20	-14.80	33.15	3	Horizontal	273	2.46	-	40.87	11.72	32.34

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98548G	67.44	83.54	-16.10	61.79	1	Vertical	332	1.57	-	37.96	19.79	52.10
AV	20.98452G	51.57	63.54	-11.97	45.92	1	Vertical	332	1.57	-	37.96	19.79	52.10

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.988G	65.43	83.54	-18.11	59.79	1	Horizontal	135	1.53	-	37.95	19.79	52.10
AV	20.98746G	50.33	63.54	-13.21	44.69	1	Horizontal	135	1.53	-	37.95	19.79	52.10



6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT Y\_4TX  
 Setting 95  
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1023G	124.37	Inf	-Inf	112.42	3	Vertical	142	1.57	-	36.01	8.25	32.31
RMS	7.1023G	116.91	Inf	-Inf	104.96	3	Vertical	142	1.57	-	36.01	8.25	32.31
PK	7.1261G	84.32	88.20	-3.88	72.23	3	Vertical	142	1.57	-	36.16	8.27	32.34
RMS	7.1253G	68.03	68.20	-0.17	55.95	3	Vertical	142	1.57	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT Y\_4TX  
 Setting 95  
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0977G	121.35	Inf	-Inf	109.42	3	Horizontal	322	1.69	-	35.99	8.24	32.30
RMS	7.0991G	113.61	Inf	-Inf	101.67	3	Horizontal	322	1.69	-	36.00	8.24	32.30
PK	7.1302G	80.32	88.20	-7.88	68.21	3	Horizontal	322	1.69	-	36.18	8.27	32.34
RMS	7.1351G	60.69	68.20	-7.51	48.55	3	Horizontal	322	1.69	-	36.21	8.28	32.35

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1909G	65.63	88.20	-22.57	45.29	3	Vertical	42	1.72	-	40.98	11.81	32.45
RMS	14.189G	52.95	68.20	-15.25	32.61	3	Vertical	42	1.72	-	40.98	11.81	32.45

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1771G	65.16	88.20	-23.04	44.85	3	Horizontal	68	1.17	-	40.95	11.80	32.44
RMS	14.1452G	51.99	68.20	-16.21	31.72	3	Horizontal	68	1.17	-	40.90	11.79	32.42

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28824G	71.03	83.54	-12.51	65.06	1	Vertical	4	1.50	-	38.31	19.76	52.10
AV	21.28854G	54.69	63.54	-8.85	48.72	1	Vertical	4	1.50	-	38.31	19.76	52.10

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28806G	70.76	83.54	-12.78	64.80	1	Horizontal	56	1.66	-	38.30	19.76	52.10
AV	21.28674G	55.29	63.54	-8.25	49.34	1	Horizontal	56	1.66	-	38.29	19.76	52.10

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 100  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.79	88.20	-10.41	69.90	3	Vertical	156	1.47	-	32.55	6.94	31.60
RMS	5.9244G	68.01	68.20	-0.19	60.12	3	Vertical	156	1.47	-	32.55	6.94	31.60
PK	5.9598G	125.67	Inf	-Inf	117.78	3	Vertical	156	1.47	-	32.58	6.92	31.61
RMS	5.9622G	117.38	Inf	-Inf	109.49	3	Vertical	156	1.47	-	32.58	6.92	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 100  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	71.41	88.20	-16.79	63.52	3	Horizontal	242	2.69	-	32.55	6.94	31.60
RMS	5.9244G	61.98	68.20	-6.22	54.09	3	Horizontal	242	2.69	-	32.55	6.94	31.60
PK	5.9598G	121.21	Inf	-Inf	113.32	3	Horizontal	242	2.69	-	32.58	6.92	31.61
RMS	5.9604G	113.66	Inf	-Inf	105.77	3	Horizontal	242	2.69	-	32.58	6.92	31.61



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX  
Setting 100  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91904G	56.20	74.00	-17.80	72.61	3	Vertical	180	2.58	-	38.74	10.00	65.15
AV	11.91788G	43.27	54.00	-10.73	59.68	3	Vertical	180	2.58	-	38.74	10.00	65.15

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX  
Setting 100  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9172G	57.13	74.00	-16.87	73.55	3	Horizontal	298	1.71	-	38.73	10.00	65.15
AV	11.91948G	43.42	54.00	-10.58	59.83	3	Horizontal	298	1.71	-	38.74	10.00	65.15

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 100  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81394G	68.82	83.54	-14.72	64.11	1	Vertical	223	2.04	-	39.02	15.96	50.27
AV	23.8119G	56.94	63.54	-6.60	52.23	1	Vertical	223	2.04	-	39.03	15.96	50.28

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX  
 Setting 100  
 06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8164G	69.16	83.54	-14.38	64.47	1	Horizontal	269	1.64	-	39.00	15.96	50.27
AV	23.81094G	56.29	63.54	-7.25	51.58	1	Horizontal	269	1.64	-	39.03	15.96	50.28

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4136G	53.87	74.00	-20.13	69.65	3	Vertical	0	2.93	-	38.82	10.08	64.68
AV	12.3847G	41.07	54.00	-12.93	56.77	3	Vertical	0	2.93	-	38.93	10.08	64.71

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3838G	54.74	74.00	-19.26	70.44	3	Horizontal	349	2.48	-	38.93	10.08	64.71
AV	12.3941G	41.86	54.00	-12.14	57.57	3	Horizontal	349	2.48	-	38.91	10.08	64.70

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
 Setting 102  
 06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58444G	74.21	83.54	-9.33	72.29	1	Vertical	356.4	1.77	-	37.70	14.60	50.38
AV	18.58652G	61.20	63.54	-2.34	59.28	1	Vertical	356.4	1.77	-	37.70	14.61	50.39

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57884G	70.78	83.54	-12.76	68.86	1	Horizontal	85	1.77	-	37.70	14.60	50.38
AV	18.5798G	57.41	63.54	-6.13	55.49	1	Horizontal	85	1.77	-	37.70	14.60	50.38



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82952G	56.39	88.20	-31.81	71.35	3	Vertical	107	2.24	-	39.36	10.17	64.49
RMS	12.8429G	45.13	68.20	-23.07	60.06	3	Vertical	107	2.24	-	39.39	10.17	64.49

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83954G	54.39	88.20	-33.81	69.33	3	Horizontal	299	1.71	-	39.38	10.17	64.49
RMS	12.84374G	42.03	68.20	-26.17	56.96	3	Horizontal	299	1.71	-	39.39	10.17	64.49

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.237G	76.02	83.54	-7.52	74.34	1	Vertical	0	1.66	-	37.93	14.83	51.08
AV	19.23916G	61.02	63.54	-2.52	59.36	1	Vertical	0	1.66	-	37.92	14.83	51.09

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2362G	71.91	83.54	-11.63	70.23	1	Horizontal	29	2.66	-	37.93	14.83	51.08
AV	19.237G	56.38	63.54	-7.16	54.70	1	Horizontal	29	2.66	-	37.93	14.83	51.08

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.19384G	54.25	88.20	-33.95	68.52	3	Vertical	14	1.70	-	39.70	10.24	64.21
RMS	13.19484G	41.40	68.20	-26.80	55.67	3	Vertical	14	1.70	-	39.70	10.24	64.21

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT\_Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.19058G	55.46	88.20	-32.74	69.74	3	Horizontal	209	1.26	-	39.70	10.24	64.22
RMS	13.19498G	41.38	68.20	-26.82	55.65	3	Horizontal	209	1.26	-	39.70	10.24	64.21

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7832G	73.06	83.54	-10.48	71.69	1	Vertical	299	2.56	-	38.03	15.02	51.68
AV	19.7825G	61.22	63.54	-2.32	59.85	1	Vertical	299	2.56	-	38.03	15.02	51.68

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.78132G	65.73	83.54	-17.81	64.36	1	Horizontal	337	2.52	-	38.03	15.02	51.68
AV	19.7873G	52.82	63.54	-10.72	51.43	1	Horizontal	337	2.52	-	38.05	15.03	51.69



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38958G	58.48	74.00	-15.52	71.91	3	Vertical	8	1.80	-	40.26	10.28	63.97
AV	13.38946G	46.48	54.00	-7.52	59.91	3	Vertical	8	1.80	-	40.26	10.28	63.97

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39006G	59.11	74.00	-14.89	72.54	3	Horizontal	285	1.80	-	40.26	10.28	63.97
AV	13.39204G	46.33	54.00	-7.67	59.75	3	Horizontal	285	1.80	-	40.27	10.28	63.97

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0784G	71.68	83.54	-11.86	70.67	1	Vertical	327	1.80	-	37.81	15.12	51.92
AV	20.08302G	58.32	63.54	-5.22	57.29	1	Vertical	327	1.80	-	37.83	15.12	51.92
PK	26.7752G	61.05	97.74	-36.69	52.90	1	Vertical	158	1.80	-	39.90	17.35	49.10
RMS	26.7744G	46.79	77.74	-30.95	38.64	1	Vertical	158	1.80	-	39.90	17.35	49.10

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08716G	68.82	83.54	-14.72	67.77	1	Horizontal	119	1.80	-	37.85	15.12	51.92
AV	20.08332G	55.17	63.54	-8.37	54.14	1	Horizontal	119	1.80	-	37.83	15.12	51.92
PK	26.76024G	59.86	97.74	-37.88	51.66	1	Horizontal	326	1.80	-	39.96	17.34	49.10
RMS	26.7832G	46.57	77.74	-31.17	38.45	1	Horizontal	326	1.80	-	39.87	17.35	49.10

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75774G	56.52	88.20	-31.68	69.22	3	Vertical	119	1.18	-	40.67	10.35	63.72
RMS	13.7398G	43.59	68.20	-24.61	56.33	3	Vertical	119	1.18	-	40.64	10.35	63.73

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74304G	56.98	88.20	-31.22	69.70	3	Horizontal	118	2.69	-	40.66	10.35	63.73
RMS	13.75348G	43.64	68.20	-24.56	56.32	3	Horizontal	118	2.69	-	40.69	10.35	63.72

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62344G	69.85	83.54	-13.69	68.66	1	Vertical	185	2.89	-	37.95	15.26	52.02
AV	20.63652G	57.20	63.54	-6.34	56.04	1	Vertical	185	2.89	-	37.93	15.26	52.03

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63844G	64.95	83.54	-18.59	63.80	1	Horizontal	80	2.22	-	37.92	15.26	52.03
AV	20.63088G	52.40	63.54	-11.14	51.23	1	Horizontal	80	2.22	-	37.94	15.26	52.03



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78442G	55.54	88.20	-32.66	68.33	3	Vertical	56	1.55	-	40.56	10.36	63.71
RMS	13.7771G	43.17	68.20	-25.03	55.93	3	Vertical	56	1.55	-	40.59	10.36	63.71

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78082G	56.84	88.20	-31.36	69.61	3	Horizontal	35	3.00	-	40.58	10.36	63.71
RMS	13.78118G	43.35	68.20	-24.85	56.12	3	Horizontal	35	3.00	-	40.58	10.36	63.71

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6886G	70.44	83.54	-13.10	69.31	1	Vertical	244	2.02	-	37.90	15.27	52.04
AV	20.67924G	57.42	63.54	-6.12	56.29	1	Vertical	244	2.02	-	37.90	15.27	52.04

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67348G	66.52	83.54	-17.02	65.38	1	Horizontal	184	2.55	-	37.90	15.27	52.03
AV	20.67012G	54.22	63.54	-9.32	53.08	1	Horizontal	184	2.55	-	37.90	15.27	52.03

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9798G	66.39	88.20	-21.81	78.79	3	Vertical	20.5	2.04	-	40.82	10.40	63.62
RMS	13.9898G	53.34	68.20	-14.86	65.69	3	Vertical	20.5	2.04	-	40.86	10.40	63.61

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98646G	71.57	88.20	-16.63	83.94	3	Horizontal	62	2.17	-	40.85	10.40	63.62
RMS	13.98574G	57.70	68.20	-10.50	70.08	3	Horizontal	62	2.17	-	40.84	10.40	63.62

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97222G	68.96	83.54	-14.58	67.70	1	Vertical	11	1.38	-	38.01	15.34	52.09
AV	20.97642G	56.57	63.54	-6.97	55.34	1	Vertical	11	1.38	-	37.99	15.34	52.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97474G	65.16	83.54	-18.38	63.91	1	Horizontal	120	1.23	-	38.00	15.34	52.09
AV	20.9763G	52.32	63.54	-11.22	51.09	1	Horizontal	120	1.23	-	37.99	15.34	52.10



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0934G	124.50	Inf	-Inf	112.91	3	Vertical	139	1.61	-	35.97	7.91	32.29
RMS	7.0898G	114.51	Inf	-Inf	102.93	3	Vertical	139	1.61	-	35.96	7.91	32.29
PK	7.1262G	78.58	88.20	-9.62	66.89	3	Vertical	139	1.61	-	36.16	7.87	32.34
RMS	7.1256G	67.57	68.20	-0.63	55.89	3	Vertical	139	1.61	-	36.15	7.87	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0926G	120.08	Inf	-Inf	108.49	3	Horizontal	195	1.80	-	35.97	7.91	32.29
RMS	7.0974G	110.88	Inf	-Inf	99.29	3	Horizontal	195	1.80	-	35.99	7.90	32.30
PK	7.1254G	79.97	88.20	-8.23	68.29	3	Horizontal	195	1.80	-	36.15	7.87	32.34
RMS	7.1252G	65.51	68.20	-2.69	53.83	3	Horizontal	195	1.80	-	36.15	7.87	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1816G	56.45	88.20	-31.75	68.24	3	Vertical	31	2.08	-	40.96	10.45	63.20
RMS	14.18184G	44.34	68.20	-23.86	56.13	3	Vertical	31	2.08	-	40.96	10.45	63.20

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18328G	56.54	88.20	-31.66	68.31	3	Horizontal	355	2.22	-	40.97	10.45	63.19
RMS	14.18346G	44.33	68.20	-23.87	56.10	3	Horizontal	355	2.22	-	40.97	10.45	63.19

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2946G	66.00	83.54	-17.54	64.32	1	Vertical	196.1	1.80	-	38.36	15.42	52.10
AV	21.29164G	52.69	63.54	-10.85	51.04	1	Vertical	196.1	1.80	-	38.33	15.42	52.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28588G	65.91	83.54	-17.63	64.30	1	Horizontal	61	1.88	-	38.29	15.42	52.10
AV	21.2854G	51.96	63.54	-11.58	50.36	1	Horizontal	61	1.88	-	38.28	15.42	52.10

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
 Setting 91  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.36	88.20	-8.84	71.47	3	Vertical	156	1.46	-	32.55	6.94	31.60
RMS	5.9248G	67.80	68.20	-0.40	59.91	3	Vertical	156	1.46	-	32.55	6.94	31.60
PK	5.9836G	117.37	Inf	-Inf	109.54	3	Vertical	156	1.46	-	32.53	6.91	31.61
RMS	5.9806G	108.62	Inf	-Inf	100.78	3	Vertical	156	1.46	-	32.54	6.91	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
Setting 91  
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	80.47	88.20	-7.73	72.58	3	Horizontal	322	1.46	-	32.55	6.94	31.60
RMS	5.925G	66.06	68.20	-2.14	58.17	3	Horizontal	322	1.46	-	32.55	6.94	31.60
PK	5.9508G	112.93	Inf	-Inf	105.01	3	Horizontal	322	1.46	-	32.60	6.92	31.60
RMS	5.953G	104.36	Inf	-Inf	96.45	3	Horizontal	322	1.46	-	32.59	6.92	31.60



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92355G	54.23	74.00	-19.77	70.63	3	Vertical	334	1.43	-	38.75	10.00	65.15
AV	11.9214G	41.05	54.00	-12.95	57.46	3	Vertical	334	1.43	-	38.74	10.00	65.15
PK	17.90995G	54.90	74.00	-19.10	56.84	3	Vertical	274	2.91	-	48.90	12.05	62.89
AV	17.91855G	41.84	54.00	-12.16	43.53	3	Vertical	274	2.91	-	49.16	12.05	62.90

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90885G	53.71	74.00	-20.29	70.14	3	Horizontal	78	2.05	-	38.72	10.00	65.15
AV	11.9206G	41.02	54.00	-12.98	57.43	3	Horizontal	78	2.05	-	38.74	10.00	65.15
PK	17.9168G	55.26	74.00	-18.74	57.01	3	Horizontal	186	2.35	-	49.10	12.05	62.90
AV	17.91455G	42.53	54.00	-11.47	44.33	3	Horizontal	186	2.35	-	49.04	12.05	62.89

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86232G	56.08	74.00	-17.92	51.57	3	Vertical	105	2.54	-	38.80	15.97	50.26
AV	23.8536G	42.40	54.00	-11.60	37.89	3	Vertical	105	2.54	-	38.80	15.97	50.26

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86644G	48.36	74.00	-25.64	43.84	3	Horizontal	262	1.60	-	38.80	15.97	50.25
AV	23.86752G	35.18	54.00	-18.82	30.66	3	Horizontal	262	1.60	-	38.80	15.97	50.25

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41441G	60.44	74.00	-13.56	44.14	3	Vertical	298	2.11	-	38.81	10.08	32.59
AV	12.41007G	46.23	54.00	-7.77	29.91	3	Vertical	298	2.11	-	38.84	10.08	32.60

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40753G	59.92	74.00	-14.08	43.59	3	Horizontal	228	2.60	-	38.85	10.08	32.60
AV	12.41376G	46.29	54.00	-7.71	29.98	3	Horizontal	228	2.60	-	38.82	10.08	32.59

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61428G	76.37	83.54	-7.17	74.44	1	Vertical	36	1.80	-	37.73	14.61	50.41
AV	18.59856G	60.89	63.54	-2.65	58.98	1	Vertical	36	1.80	-	37.70	14.61	50.40

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62388G	73.49	83.54	-10.05	71.54	1	Horizontal	288	1.80	-	37.75	14.62	50.42
AV	18.63396G	59.02	63.54	-4.52	57.06	1	Horizontal	288	1.80	-	37.77	14.62	50.43



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8079G	60.78	88.20	-27.42	43.85	3	Vertical	283	1.12	-	39.32	10.16	32.55			
RMS	12.80625G	46.73	68.20	-21.47	29.81	3	Vertical	283	1.12	-	39.31	10.16	32.55			

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81303G	60.62	88.20	-27.58	43.68	3	Horizontal	124	1.36	-	39.33	10.16	32.55
RMS	12.80667G	46.57	68.20	-21.63	29.65	3	Horizontal	124	1.36	-	39.31	10.16	32.55

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.191G	73.39	83.54	-10.15	71.65	1	Vertical	342	1.80	-	37.95	14.82	51.03
AV	19.22172G	58.81	63.54	-4.73	57.09	1	Vertical	342	1.80	-	37.96	14.83	51.07

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24104G	75.40	83.54	-8.14	73.74	1	Horizontal	33	1.78	-	37.92	14.83	51.09
AV	19.23492G	61.48	63.54	-2.06	59.80	1	Horizontal	33	1.78	-	37.93	14.83	51.08

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6605MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2065G	58.81	88.20	-29.39	73.06	3	Vertical	108	1.32	-	39.71	10.24	64.20
RMS	13.20944G	44.07	68.20	-24.13	58.30	3	Vertical	108	1.32	-	39.72	10.24	64.19

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6605MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.20998G	58.20	88.20	-30.00	72.43	3	Horizontal	197	2.10	-	39.72	10.24	64.19
RMS	13.21306G	44.14	68.20	-24.06	58.36	3	Horizontal	197	2.10	-	39.73	10.24	64.19

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6605MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.81084G	72.42	83.54	-11.12	71.11	1	Vertical	130	2.81	-	37.99	15.03	51.71
AV	19.81204G	58.87	63.54	-4.67	57.57	1	Vertical	130	2.81	-	37.98	15.03	51.71

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6605MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.81156G	70.56	83.54	-12.98	69.26	1	Horizontal	318	1.56	-	37.98	15.03	51.71
AV	19.81714G	55.82	63.54	-7.72	54.57	1	Horizontal	318	1.56	-	37.93	15.04	51.72



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36336G	59.71	74.00	-14.29	42.22	3	Vertical	30	1.05	-	40.15	10.27	32.93
AV	13.37624G	46.45	54.00	-7.55	28.92	3	Vertical	30	1.05	-	40.20	10.28	32.95

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35448G	59.56	74.00	-14.44	42.09	3	Horizontal	256	1.70	-	40.12	10.27	32.92
AV	13.3776G	46.53	54.00	-7.47	28.99	3	Horizontal	256	1.70	-	40.21	10.28	32.95

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.02608G	75.39	83.54	-8.15	74.44	1	Vertical	356	1.80	-	37.75	15.11	51.91
AV	20.03688G	59.66	63.54	-3.88	58.73	1	Vertical	356	1.80	-	37.73	15.11	51.91

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0328G	72.00	83.54	-11.54	71.07	1	Horizontal	152	1.75	-	37.73	15.11	51.91
AV	20.03676G	59.16	63.54	-4.38	58.23	1	Horizontal	152	1.75	-	37.73	15.11	51.91

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77012G	65.42	88.20	-22.78	47.12	3	Vertical	341	1.68	-	40.62	10.35	32.67
RMS	13.75572G	49.44	68.20	-18.76	31.10	3	Vertical	341	1.68	-	40.68	10.35	32.69

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76982G	64.98	88.20	-23.22	46.68	3	Horizontal	166	2.17	-	40.62	10.35	32.67
RMS	13.75632G	49.46	68.20	-18.74	31.13	3	Horizontal	166	2.17	-	40.67	10.35	32.69

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62992G	78.38	83.54	-5.16	77.21	1	Vertical	350	1.79	-	37.94	15.26	52.03
AV	20.63784G	59.63	63.54	-3.91	58.48	1	Vertical	350	1.79	-	37.92	15.26	52.03

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63856G	74.51	83.54	-9.03	73.36	1	Horizontal	36	1.84	-	37.92	15.26	52.03
AV	20.66064G	60.21	63.54	-3.33	59.07	1	Horizontal	36	1.84	-	37.90	15.27	52.03



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85138G	61.84	88.20	-26.36	43.61	3	Vertical	293	1.49	-	40.41	10.37	32.55
RMS	13.86266G	49.19	68.20	-19.01	30.87	3	Vertical	293	1.49	-	40.48	10.37	32.53

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.86326G	62.06	88.20	-26.14	43.74	3	Horizontal	86	2.33	-	40.48	10.37	32.53
RMS	13.86122G	49.13	68.20	-19.07	30.83	3	Horizontal	86	2.33	-	40.47	10.37	32.54

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.74524G	65.62	83.54	-17.92	64.57	1	Vertical	333	1.62	-	37.81	15.29	52.05
AV	20.74596G	52.11	63.54	-11.43	51.06	1	Vertical	333	1.62	-	37.81	15.29	52.05

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.75664G	68.07	83.54	-15.47	66.98	1	Horizontal	35	1.88	-	37.85	15.29	52.05
AV	20.75112G	50.32	63.54	-13.22	49.27	1	Horizontal	35	1.88	-	37.81	15.29	52.05

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01072G	62.65	88.20	-25.55	43.69	3	Vertical	273	2.12	-	40.90	10.40	32.34
RMS	13.99674G	49.80	68.20	-18.40	30.84	3	Vertical	273	2.12	-	40.89	10.40	32.33

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99806G	63.65	88.20	-24.55	44.69	3	Horizontal	301	2.89	-	40.89	10.40	32.33
RMS	13.99992G	51.06	68.20	-17.14	32.09	3	Horizontal	301	2.89	-	40.90	10.40	32.33

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99952G	61.52	83.54	-22.02	60.37	1	Vertical	193	1.81	-	37.90	15.35	52.10
AV	21.00684G	46.44	63.54	-17.10	45.22	1	Vertical	193	1.81	-	37.97	15.35	52.10

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00432G	59.00	83.54	-24.54	57.81	1	Horizontal	92	1.80	-	37.94	15.35	52.10
AV	21.00072G	45.97	63.54	-17.57	44.81	1	Horizontal	92	1.80	-	37.91	15.35	52.10



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
 Setting 82  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0774G	121.83	Inf	-Inf	110.27	3	Vertical	145	1.56	-	35.91	7.92	32.27
RMS	7.0756G	111.65	Inf	-Inf	100.10	3	Vertical	145	1.56	-	35.90	7.92	32.27
PK	7.1286G	83.61	88.20	-4.59	71.91	3	Vertical	145	1.56	-	36.17	7.87	32.34
RMS	7.1258G	67.26	68.20	-0.94	55.58	3	Vertical	145	1.56	-	36.15	7.87	32.34

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
 Setting 82  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	117.86	Inf	-Inf	106.25	3	Horizontal	268	1.80	-	36.01	7.90	32.30
RMS	7.0974G	107.69	Inf	-Inf	96.10	3	Horizontal	268	1.80	-	35.99	7.90	32.30
PK	7.1342G	79.02	88.20	-9.18	67.29	3	Horizontal	268	1.80	-	36.21	7.87	32.35
RMS	7.1252G	61.67	68.20	-6.53	49.99	3	Horizontal	268	1.80	-	36.15	7.87	32.34

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0752G	63.60	88.20	-24.60	44.66	3	Vertical	360	1.80	-	40.90	10.42	32.38
RMS	14.0772G	50.18	68.20	-18.02	31.24	3	Vertical	360	1.80	-	40.90	10.42	32.38

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.11G	62.99	88.20	-25.21	44.06	3	Horizontal	87	1.30	-	40.90	10.43	32.40
RMS	14.1856G	50.18	68.20	-18.02	31.21	3	Horizontal	87	1.30	-	40.97	10.45	32.45

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.23904G	60.19	83.54	-23.35	58.88	1	Vertical	175	1.73	-	38.00	15.41	52.10
AV	21.2412G	43.78	63.54	-19.76	42.47	1	Vertical	175	1.73	-	38.00	15.41	52.10

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24144G	56.10	83.54	-27.44	54.79	1	Horizontal	20	1.80	-	38.00	15.41	52.10
AV	21.2406G	40.68	63.54	-22.86	39.37	1	Horizontal	20	1.80	-	38.00	15.41	52.10

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 89  
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	77.61	88.20	-10.59	69.73	3	Vertical	285	1.80	-	32.54	6.94	31.60
RMS	5.9242G	67.30	68.20	-0.90	59.41	3	Vertical	285	1.80	-	32.55	6.94	31.60
PK	5.9774G	116.10	Inf	-Inf	108.25	3	Vertical	285	1.80	-	32.55	6.91	31.61
RMS	5.9766G	108.22	Inf	-Inf	100.37	3	Vertical	285	1.80	-	32.55	6.91	31.61

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT Y\_4TX  
Setting 89  
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.09	88.20	-9.11	71.20	3	Horizontal	319	1.80	-	32.55	6.94	31.60
RMS	5.925G	67.55	68.20	-0.65	59.66	3	Horizontal	319	1.80	-	32.55	6.94	31.60
PK	5.9606G	110.31	Inf	-Inf	102.42	3	Horizontal	319	1.80	-	32.58	6.92	31.61
RMS	6.0222G	100.57	Inf	-Inf	92.63	3	Horizontal	319	1.80	-	32.54	6.96	31.56



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT Y\_4TX  
Setting 89  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96957G	60.12	74.00	-13.88	44.18	3	Vertical	265	2.87	-	38.92	10.00	32.98
AV	11.96547G	46.11	54.00	-7.89	30.20	3	Vertical	265	2.87	-	38.89	10.00	32.98

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT Y\_4TX  
Setting 89  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96643G	59.99	74.00	-14.01	44.07	3	Horizontal	36	1.41	-	38.90	10.00	32.98
AV	11.96859G	46.11	54.00	-7.89	30.18	3	Horizontal	36	1.41	-	38.91	10.00	32.98

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44538G	60.38	74.00	-13.62	44.22	3	Vertical	13	2.52	-	38.63	10.09	32.56
AV	12.45269G	46.38	54.00	-7.62	30.26	3	Vertical	13	2.52	-	38.59	10.09	32.56

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44565G	60.70	74.00	-13.30	44.54	3	Horizontal	186	2.88	-	38.63	10.09	32.56
AV	12.45278G	46.37	54.00	-7.63	30.25	3	Horizontal	186	2.88	-	38.59	10.09	32.56

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.64596G	71.58	83.54	-11.96	69.61	1	Vertical	358	1.80	-	37.79	14.63	50.45
AV	18.64704G	58.33	63.54	-5.21	56.36	1	Vertical	358	1.80	-	37.79	14.63	50.45

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6642G	69.83	83.54	-13.71	67.92	1	Horizontal	290	1.80	-	37.74	14.63	50.46
AV	18.645G	55.88	63.54	-7.66	53.91	1	Horizontal	290	1.80	-	37.79	14.63	50.45

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77302G	59.83	88.20	-28.37	43.08	3	Vertical	59	1.81	-	39.14	10.15	32.54
RMS	12.7738G	46.25	68.20	-21.95	29.50	3	Vertical	59	1.81	-	39.14	10.15	32.54

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77287G	59.71	88.20	-28.49	42.96	3	Horizontal	195	1.83	-	39.14	10.15	32.54
RMS	12.76783G	46.28	68.20	-21.92	29.56	3	Horizontal	195	1.83	-	39.11	10.15	32.54



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15128G	72.24	83.54	-11.30	70.71	1	Vertical	345	1.97	-	37.71	14.80	50.98
AV	19.15272G	58.48	63.54	-5.06	56.94	1	Vertical	345	1.97	-	37.72	14.80	50.98

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14228G	73.66	83.54	-9.88	72.10	1	Horizontal	30	1.81	-	37.73	14.80	50.97
AV	19.1466G	59.60	63.54	-3.94	58.07	1	Horizontal	30	1.81	-	37.71	14.80	50.98

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25199G	60.30	74.00	-13.70	43.07	3	Vertical	181	1.72	-	39.80	10.25	32.82
AV	13.25271G	46.84	54.00	-7.16	29.60	3	Vertical	181	1.72	-	39.81	10.25	32.82

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25354G	62.14	74.00	-11.86	44.90	3	Horizontal	227	2.55	-	39.81	10.25	32.82
AV	13.25439G	46.87	54.00	-7.13	29.63	3	Horizontal	227	2.55	-	39.81	10.25	32.82

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.90212G	65.80	83.54	-17.74	64.63	1	Vertical	11	1.84	-	37.90	15.07	51.80
AV	19.90404G	52.61	63.54	-10.93	51.45	1	Vertical	11	1.84	-	37.89	15.07	51.80

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.905G	65.21	83.54	-18.33	64.05	1	Horizontal	190	1.82	-	37.89	15.07	51.80
AV	19.8666G	51.66	63.54	-11.88	50.68	1	Horizontal	190	1.82	-	37.70	15.05	51.77

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41382G	60.38	88.20	-27.82	42.78	3	Vertical	201	2.51	-	40.30	10.28	32.98
RMS	13.40698G	46.42	68.20	-21.78	28.82	3	Vertical	201	2.51	-	40.30	10.28	32.98

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41391G	60.59	88.20	-27.61	42.99	3	Horizontal	31	1.75	-	40.30	10.28	32.98
RMS	13.41334G	46.44	68.20	-21.76	28.84	3	Horizontal	31	1.75	-	40.30	10.28	32.98



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09568G	64.11	83.54	-19.43	63.03	1	Vertical	355	1.80	-	37.88	15.12	51.92
AV	20.08584G	50.70	63.54	-12.84	49.66	1	Vertical	355	1.80	-	37.84	15.12	51.92

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08776G	60.32	83.54	-23.22	59.27	1	Horizontal	151	1.79	-	37.85	15.12	51.92
AV	20.0856G	47.63	63.54	-15.91	46.59	1	Horizontal	151	1.79	-	37.84	15.12	51.92

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56754G	61.63	88.20	-26.57	43.73	3	Vertical	192	1.36	-	40.56	10.31	32.97
RMS	13.57296G	47.20	68.20	-21.00	29.30	3	Vertical	192	1.36	-	40.55	10.31	32.96

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57046G	60.91	88.20	-27.29	43.01	3	Horizontal	49	1.10	-	40.56	10.31	32.97
RMS	13.57361G	47.26	68.20	-20.94	29.36	3	Horizontal	49	1.10	-	40.55	10.31	32.96

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.32884G	58.79	83.54	-24.75	57.44	1	Vertical	356	1.80	-	38.14	15.18	51.97
AV	20.32992G	45.15	63.54	-18.39	43.80	1	Vertical	356	1.80	-	38.14	15.18	51.97

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3832G	56.33	83.54	-27.21	55.08	1	Horizontal	293	1.91	-	38.03	15.20	51.98
AV	20.38368G	42.53	63.54	-21.01	41.28	1	Horizontal	293	1.91	-	38.03	15.20	51.98

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72966G	62.54	88.20	-25.66	44.34	3	Vertical	160	1.41	-	40.58	10.35	32.73
RMS	13.73248G	48.93	68.20	-19.27	30.72	3	Vertical	160	1.41	-	40.59	10.35	32.73

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73064G	62.81	88.20	-25.39	44.61	3	Horizontal	151	1.62	-	40.58	10.35	32.73
RMS	13.73386G	48.83	68.20	-19.37	30.60	3	Horizontal	151	1.62	-	40.60	10.35	32.72



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.601G	71.12	83.54	-12.42	69.89	1	Vertical	349	1.81	-	38.00	15.25	52.02
AV	20.6094G	57.33	63.54	-6.21	56.12	1	Vertical	349	1.81	-	37.98	15.25	52.02

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5668G	70.62	83.54	-12.92	69.46	1	Horizontal	152	1.83	-	37.93	15.24	52.01
AV	20.568G	56.99	63.54	-6.55	55.82	1	Horizontal	152	1.83	-	37.94	15.24	52.01

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89012G	63.14	88.20	-25.06	44.61	3	Vertical	136	1.37	-	40.64	10.38	32.49
RMS	13.89436G	49.32	68.20	-18.88	30.76	3	Vertical	136	1.37	-	40.67	10.38	32.49

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89201G	62.74	88.20	-25.46	44.20	3	Horizontal	39	2.79	-	40.65	10.38	32.49
RMS	13.89409G	49.27	68.20	-18.93	30.72	3	Horizontal	39	2.79	-	40.66	10.38	32.49

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.85528G	57.95	83.54	-25.59	56.52	1	Vertical	338	1.56	-	38.19	15.31	52.07
AV	20.83896G	44.48	63.54	-19.06	43.04	1	Vertical	338	1.56	-	38.20	15.31	52.07

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84964G	53.90	83.54	-29.64	52.46	1	Horizontal	336	1.81	-	38.20	15.31	52.07
AV	20.8578G	39.76	63.54	-23.78	38.34	1	Horizontal	336	1.81	-	38.18	15.31	52.07

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0382G	119.18	Inf	-Inf	107.70	3	Vertical	2	1.80	-	35.73	7.96	32.21
RMS	7.0378G	109.36	Inf	-Inf	97.88	3	Vertical	2	1.80	-	35.73	7.96	32.21
PK	7.1266G	77.82	88.20	-10.38	66.13	3	Vertical	2	1.80	-	36.16	7.87	32.34
RMS	7.1266G	67.75	68.20	-0.45	56.06	3	Vertical	2	1.80	-	36.16	7.87	32.34

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
 Setting 94  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	116.41	Inf	-Inf	105.11	3	Horizontal	286	2.81	-	35.45	7.97	32.12
RMS	7.037G	107.53	Inf	-Inf	96.06	3	Horizontal	286	2.81	-	35.72	7.96	32.21
PK	7.1278G	79.96	88.20	-8.24	68.26	3	Horizontal	286	2.81	-	36.17	7.87	32.34
RMS	7.1262G	66.30	68.20	-1.90	54.61	3	Horizontal	286	2.81	-	36.16	7.87	32.34



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02333G	55.53	88.20	-32.67	67.61	3	Vertical	261	2.36	-	41.07	10.41	63.56
RMS	14.0398G	42.80	68.20	-25.40	54.79	3	Vertical	261	2.36	-	41.12	10.41	63.52

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03686G	55.40	88.20	-32.80	67.41	3	Horizontal	313	1.06	-	41.11	10.41	63.53
RMS	14.04574G	42.71	68.20	-25.49	54.67	3	Horizontal	313	1.06	-	41.14	10.41	63.51

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.10416G	56.19	83.54	-27.35	54.80	1	Vertical	174	1.80	-	38.11	15.38	52.10
AV	21.10116G	42.77	63.54	-20.77	41.39	1	Vertical	174	1.80	-	38.10	15.38	52.10

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.10212G	54.40	83.54	-29.14	53.02	1	Horizontal	33	1.86	-	38.10	15.38	52.10
AV	21.10452G	41.26	63.54	-22.28	39.87	1	Horizontal	33	1.86	-	38.11	15.38	52.10

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
 Setting 90  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	79.18	88.20	-9.02	71.29	3	Vertical	288	1.49	-	32.55	6.94	31.60
RMS	5.9242G	67.20	68.20	-1.00	59.31	3	Vertical	288	1.49	-	32.55	6.94	31.60
PK	5.9506G	117.17	Inf	-Inf	109.25	3	Vertical	288	1.49	-	32.60	6.92	31.60
RMS	6.0818G	106.58	Inf	-Inf	98.31	3	Vertical	288	1.49	-	32.60	7.10	31.43

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	81.37	88.20	-6.83	73.48	3	Horizontal	275	1.80	-	32.55	6.94	31.60
RMS	5.9234G	66.77	68.20	-1.43	58.88	3	Horizontal	275	1.80	-	32.55	6.94	31.60
PK	5.9554G	117.57	Inf	-Inf	109.66	3	Horizontal	275	1.80	-	32.59	6.92	31.60
RMS	6.0522G	105.51	Inf	-Inf	97.38	3	Horizontal	275	1.80	-	32.60	7.03	31.50

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04685G	60.40	74.00	-13.60	44.15	3	Vertical	118	2.98	-	39.19	10.01	32.95
AV	12.055G	45.92	54.00	-8.08	29.64	3	Vertical	118	2.98	-	39.21	10.01	32.94

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04536G	59.94	74.00	-14.06	43.69	3	Horizontal	95	2.47	-	39.19	10.01	32.95
AV	12.04791G	45.96	54.00	-8.04	29.69	3	Horizontal	95	2.47	-	39.20	10.01	32.94



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.1008G	62.91	83.54	-20.63	60.61	1	Vertical	22	1.80	-	37.60	14.44	49.74
AV	18.10392G	46.12	63.54	-17.42	43.81	1	Vertical	22	1.80	-	37.62	14.44	49.75

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.05244G	60.90	83.54	-22.64	58.74	1	Horizontal	19	1.82	-	37.41	14.42	49.67
AV	18.066G	44.69	63.54	-18.85	42.50	1	Horizontal	19	1.82	-	37.46	14.42	49.69

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36853G	60.01	74.00	-13.99	43.62	3	Vertical	200	2.34	-	38.96	10.07	32.64
AV	12.37082G	45.97	54.00	-8.03	29.57	3	Vertical	200	2.34	-	38.96	10.07	32.63

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37317G	60.23	74.00	-13.77	43.84	3	Horizontal	85	1.16	-	38.95	10.07	32.63
AV	12.37326G	46.02	54.00	-7.98	29.63	3	Horizontal	85	1.16	-	38.95	10.07	32.63

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57504G	67.74	83.54	-15.80	65.82	1	Vertical	346	1.80	-	37.70	14.60	50.38
AV	18.57936G	53.23	63.54	-10.31	51.31	1	Vertical	346	1.80	-	37.70	14.60	50.38

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58116G	69.37	83.54	-14.17	67.45	1	Horizontal	49	1.77	-	37.70	14.60	50.38
AV	18.5766G	55.04	63.54	-8.50	53.12	1	Horizontal	49	1.77	-	37.70	14.60	50.38

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68859G	59.75	74.00	-14.25	43.21	3	Vertical	227	1.56	-	38.93	10.14	32.53
AV	12.68859G	45.93	54.00	-8.07	29.40	3	Vertical	227	1.56	-	38.92	10.14	32.53

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68663G	59.79	74.00	-14.21	43.25	3	Horizontal	59	2.12	-	38.93	10.14	32.53
AV	12.69192G	45.90	54.00	-8.10	29.37	3	Horizontal	59	2.12	-	38.92	10.14	32.53



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.01412G	68.89	83.54	-14.65	67.06	1	Vertical	36	1.87	-	37.90	14.75	50.82
AV	19.01844G	53.77	63.54	-9.77	51.93	1	Vertical	36	1.87	-	37.90	14.76	50.82

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.011G	68.42	83.54	-15.12	66.58	1	Horizontal	163	1.83	-	37.90	14.75	50.81			
AV	19.005G	52.88	63.54	-10.66	51.04	1	Horizontal	163	1.83	-	37.90	14.75	50.81			

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32922G	59.66	74.00	-14.34	42.27	3	Vertical	175	2.85	-	40.02	10.27	32.90
AV	13.33308G	46.04	54.00	-7.96	28.64	3	Vertical	175	2.85	-	40.03	10.27	32.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33273G	59.47	74.00	-14.53	42.07	3	Horizontal	330	1.99	-	40.03	10.27	32.90
AV	13.33472G	46.12	54.00	-7.88	28.71	3	Horizontal	330	1.99	-	40.04	10.27	32.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00556G	66.21	83.54	-17.33	65.22	1	Vertical	150	1.85	-	37.79	15.10	51.90
AV	20.00064G	51.97	63.54	-11.57	50.97	1	Vertical	150	1.85	-	37.80	15.10	51.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.01648G	63.66	83.54	-19.88	62.69	1	Horizontal	163	1.77	-	37.77	15.10	51.90
AV	20.00724G	50.14	63.54	-13.40	49.15	1	Horizontal	163	1.77	-	37.79	15.10	51.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64552G	62.54	88.20	-25.66	44.65	3	Vertical	179	1.17	-	40.41	10.33	32.85
RMS	13.65373G	48.59	68.20	-19.61	30.70	3	Vertical	179	1.17	-	40.40	10.33	32.84

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64742G	62.31	88.20	-25.89	44.42	3	Horizontal	151	2.46	-	40.41	10.33	32.85
RMS	13.6472G	48.62	68.20	-19.58	30.73	3	Horizontal	151	2.46	-	40.41	10.33	32.85



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.49504G	63.19	83.54	-20.35	62.33	1	Vertical	201	1.80	-	37.64	15.22	52.00
AV	20.50476G	48.21	63.54	-15.33	47.35	1	Vertical	201	1.80	-	37.63	15.23	52.00

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48784G	58.03	83.54	-25.51	57.11	1	Horizontal	203	1.80	-	37.70	15.22	52.00
AV	20.50392G	45.17	63.54	-18.37	44.32	1	Horizontal	203	1.80	-	37.62	15.23	52.00

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 88  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.061G	114.19	Inf	-Inf	102.66	3	Vertical	149.4	1.65	-	35.84	7.94	32.25
RMS	6.97G	105.49	Inf	-Inf	94.24	3	Vertical	149.4	1.65	-	35.38	7.93	32.06
PK	7.1525G	82.60	88.20	-5.60	70.83	3	Vertical	149.4	1.65	-	36.30	7.85	32.38
RMS	7.1415G	67.79	68.20	-0.41	56.04	3	Vertical	149.4	1.65	-	36.25	7.86	32.36

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 88  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0095G	113.00	Inf	-Inf	101.62	3	Horizontal	193	1.80	-	35.56	7.99	32.17
RMS	7.0115G	102.83	Inf	-Inf	91.45	3	Horizontal	193	1.80	-	35.57	7.99	32.18
PK	7.138G	79.28	88.20	-8.92	67.55	3	Horizontal	193	1.80	-	36.23	7.86	32.36
RMS	7.132G	66.90	68.20	-1.30	55.19	3	Horizontal	193	1.80	-	36.19	7.87	32.35

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97299G	63.30	88.20	-24.90	44.49	3	Vertical	188	1.42	-	40.79	10.39	32.37
RMS	13.97395G	49.82	68.20	-18.38	31.00	3	Vertical	188	1.42	-	40.80	10.39	32.37

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96965G	63.81	88.20	-24.39	45.01	3	Horizontal	296	1.92	-	40.78	10.39	32.37
RMS	13.97488G	49.91	68.20	-18.29	31.09	3	Horizontal	296	1.92	-	40.80	10.39	32.37

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 88  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96592G	53.39	83.54	-30.15	52.10	1	Vertical	161	1.72	-	38.04	15.34	52.09
AV	20.98116G	39.70	63.54	-23.84	38.47	1	Vertical	161	1.72	-	37.98	15.35	52.10

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 88  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95152G	51.67	83.54	-31.87	50.33	1	Horizontal	166	1.87	-	38.09	15.34	52.09
AV	20.9844G	38.45	63.54	-25.09	37.24	1	Horizontal	166	1.87	-	37.96	15.35	52.10



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
 Setting 94  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.23	88.20	-10.97	69.34	3	Vertical	172	1.80	-	32.55	6.94	31.60
RMS	5.9226G	67.35	68.20	-0.85	59.46	3	Vertical	172	1.80	-	32.55	6.94	31.60
PK	6.0594G	115.85	Inf	-Inf	107.68	3	Vertical	172	1.80	-	32.60	7.05	31.48
RMS	6.0738G	104.96	Inf	-Inf	96.73	3	Vertical	172	1.80	-	32.60	7.08	31.45

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
 Setting 94  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	72.13	88.20	-16.07	64.24	3	Horizontal	264	2.27	-	32.55	6.94	31.60
RMS	5.925G	64.89	68.20	-3.31	57.00	3	Horizontal	264	2.27	-	32.55	6.94	31.60
PK	6.0066G	109.18	Inf	-Inf	101.35	3	Horizontal	264	2.27	-	32.51	6.92	31.60
RMS	6.1278G	99.75	Inf	-Inf	91.20	3	Horizontal	264	2.27	-	32.66	7.22	31.33

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21494G	59.11	74.00	-14.89	42.85	3	Vertical	40	2.74	-	39.00	10.04	32.78
AV	12.21218G	45.37	54.00	-8.63	29.12	3	Vertical	40	2.74	-	39.00	10.04	32.79

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21396G	59.29	74.00	-14.71	43.03	3	Horizontal	326	2.10	-	39.00	10.04	32.78
AV	12.21332G	45.39	54.00	-8.61	29.14	3	Horizontal	326	2.10	-	39.00	10.04	32.79

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.33168G	60.40	83.54	-23.14	58.44	1	Vertical	23	1.80	-	37.50	14.52	50.06
AV	18.342G	41.09	63.54	-22.45	39.15	1	Vertical	23	1.80	-	37.50	14.52	50.08

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34032G	58.59	83.54	-24.95	56.65	1	Horizontal	34	1.66	-	37.50	14.52	50.08
AV	18.34224G	40.40	63.54	-23.14	38.46	1	Horizontal	34	1.66	-	37.50	14.52	50.08

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 108  
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53348G	55.70	74.00	-18.30	39.24	3	Vertical	283	1.44	-	38.60	9.19	31.33
AV	12.53102G	42.32	54.00	-11.68	25.86	3	Vertical	283	1.44	-	38.60	9.19	31.33

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 108  
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.54128G	55.07	74.00	-18.93	38.61	3	Horizontal	237	1.51	-	38.60	9.19	31.33
AV	12.53924G	42.50	54.00	-11.50	26.04	3	Horizontal	237	1.51	-	38.60	9.19	31.33



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 108  
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79386G	56.29	83.54	-27.25	54.40	1	Vertical	358	1.96	-	37.80	14.68	50.59
AV	18.78162G	43.07	63.54	-20.47	41.18	1	Vertical	358	1.96	-	37.80	14.67	50.58

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 108  
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80586G	54.28	83.54	-29.26	52.39	1	Horizontal	235	1.82	-	37.82	14.68	50.61
AV	18.78246G	41.14	63.54	-22.40	39.25	1	Horizontal	235	1.82	-	37.80	14.67	50.58

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48768G	61.27	88.20	-26.93	43.65	3	Vertical	16	1.28	-	40.38	10.30	33.06
RMS	13.49068G	46.71	68.20	-21.49	29.09	3	Vertical	16	1.28	-	40.38	10.30	33.06

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48754G	60.37	88.20	-27.83	42.75	3	Horizontal	196	2.19	-	40.38	10.30	33.06
RMS	13.49096G	46.71	68.20	-21.49	29.09	3	Horizontal	196	2.19	-	40.38	10.30	33.06

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.26272G	62.79	83.54	-20.75	61.52	1	Vertical	42	1.80	-	38.05	15.17	51.95
AV	20.25888G	46.09	63.54	-17.45	44.84	1	Vertical	42	1.80	-	38.04	15.16	51.95

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.25888G	62.97	83.54	-20.57	61.72	1	Horizontal	28	2.61	-	38.04	15.16	51.95
AV	20.25876G	43.82	63.54	-19.72	42.57	1	Horizontal	28	2.61	-	38.04	15.16	51.95

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 79  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8122G	109.86	Inf	-Inf	99.22	3	Vertical	147.4	2.13	-	34.65	7.53	31.54
RMS	6.8122G	98.20	Inf	-Inf	87.56	3	Vertical	147.4	2.13	-	34.65	7.53	31.54
PK	7.1546G	67.72	88.20	-20.48	55.94	3	Vertical	147.4	2.13	-	36.31	7.85	32.38
RMS	7.1994G	54.35	68.20	-13.85	42.59	3	Vertical	147.4	2.13	-	36.40	7.80	32.44
PK	7.25G	64.83	74.00	-9.17	52.82	3	Vertical	147.4	2.13	-	36.70	7.83	32.52
AV	7.25G	53.65	54.00	-0.35	41.64	3	Vertical	147.4	2.13	-	36.70	7.83	32.52

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 79  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	108.08	Inf	-Inf	97.45	3	Horizontal	296.6	1.80	-	34.56	7.50	31.43
RMS	6.8922G	97.23	Inf	-Inf	86.33	3	Horizontal	296.6	1.80	-	34.97	7.73	31.80
PK	7.1738G	62.85	88.20	-25.35	51.08	3	Horizontal	296.6	1.80	-	36.35	7.83	32.41
RMS	7.145G	50.62	68.20	-17.58	38.87	3	Horizontal	296.6	1.80	-	36.27	7.85	32.37
PK	7.2538G	60.48	74.00	-13.52	48.48	3	Horizontal	296.6	1.80	-	36.69	7.83	32.52
AV	7.25G	48.77	54.00	-5.23	36.76	3	Horizontal	296.6	1.80	-	36.70	7.83	32.52



6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
Setting 79  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8119G	62.29	88.20	-25.91	44.06	3	Vertical	56	2.61	-	40.48	10.36	32.61
RMS	13.81096G	48.79	68.20	-19.41	30.56	3	Vertical	56	2.61	-	40.48	10.36	32.61

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
Setting 79  
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8081G	62.69	88.20	-25.51	44.46	3	Horizontal	202	1.42	-	40.48	10.36	32.61
RMS	13.809G	48.79	68.20	-19.41	30.56	3	Horizontal	202	1.42	-	40.48	10.36	32.61

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
Setting 79  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71608G	68.14	83.54	-15.40	67.03	1	Vertical	0.4	1.50	-	37.87	15.28	52.04
AV	20.7165G	54.66	63.54	-8.88	53.55	1	Vertical	0.4	1.50	-	37.87	15.28	52.04

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
Setting 79  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71704G	63.24	83.54	-20.30	62.13	1	Horizontal	40	1.95	-	37.87	15.28	52.04
AV	20.71674G	50.74	63.54	-12.80	49.63	1	Horizontal	40	1.95	-	37.87	15.28	52.04

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 97  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.70	88.20	-8.50	71.81	3	Vertical	278	1.79	-	32.55	6.94	31.60
RMS	5.925G	67.96	68.20	-0.24	60.07	3	Vertical	278	1.79	-	32.55	6.94	31.60
PK	5.961G	123.15	Inf	-Inf	115.26	3	Vertical	278	1.79	-	32.58	6.92	31.61
RMS	5.9625G	114.26	Inf	-Inf	106.37	3	Vertical	278	1.79	-	32.58	6.92	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX  
Setting 97  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	73.60	88.20	-14.60	65.71	3	Horizontal	277	2.37	-	32.55	6.94	31.60
RMS	5.925G	63.44	68.20	-4.76	55.55	3	Horizontal	277	2.37	-	32.55	6.94	31.60
PK	5.959G	121.73	Inf	-Inf	113.84	3	Horizontal	277	2.37	-	32.58	6.92	31.61
RMS	5.959G	111.24	Inf	-Inf	103.35	3	Horizontal	277	2.37	-	32.58	6.92	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 97  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89392G	52.85	74.00	-21.15	69.29	3	Vertical	134	2.00	-	38.71	9.99	65.14
AV	11.88384G	40.24	54.00	-13.76	56.66	3	Vertical	134	2.00	-	38.73	9.99	65.14
PK	17.88588G	61.82	74.00	-12.18	64.53	3	Vertical	198	1.67	-	48.12	12.03	62.86
AV	17.89416G	48.11	54.00	-5.89	50.54	3	Vertical	198	1.67	-	48.40	12.04	62.87

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 97  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92524G	53.31	74.00	-20.69	69.72	3	Horizontal	285	1.68	-	38.75	10.00	65.16
AV	11.88468G	40.23	54.00	-13.77	56.65	3	Horizontal	285	1.68	-	38.73	9.99	65.14
PK	17.89392G	61.14	74.00	-12.86	63.58	3	Horizontal	43	1.65	-	48.39	12.04	62.87
AV	17.89416G	48.12	54.00	-5.88	50.55	3	Horizontal	43	1.65	-	48.40	12.04	62.87



5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38724G	52.72	74.00	-21.28	68.42	3	Vertical	360	2.21	-	38.93	10.08	64.71
AV	12.42G	40.04	54.00	-13.96	55.85	3	Vertical	360	2.21	-	38.78	10.08	64.67

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38316G	53.09	74.00	-20.91	68.79	3	Horizontal	239	1.08	-	38.93	10.08	64.71
AV	12.41928G	40.29	54.00	-13.71	56.10	3	Horizontal	239	1.08	-	38.78	10.08	64.67

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56088G	55.05	83.54	-28.49	53.11	1	Vertical	103	1.77	-	37.70	14.60	50.36
AV	18.55512G	41.44	63.54	-22.10	39.51	1	Vertical	103	1.77	-	37.70	14.59	50.36

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4608G	53.93	83.54	-29.61	51.88	1	Horizontal	97	1.87	-	37.74	14.56	50.25
AV	18.4512G	40.77	63.54	-22.77	38.74	1	Horizontal	97	1.87	-	37.70	14.56	50.23

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85556G	53.32	88.20	-34.88	68.22	3	Vertical	280	2.97	-	39.41	10.17	64.48
RMS	12.85484G	40.67	68.20	-27.53	55.57	3	Vertical	280	2.97	-	39.41	10.17	64.48

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8462G	53.80	88.20	-34.40	68.73	3	Horizontal	33	1.90	-	39.39	10.17	64.49
RMS	12.85736G	40.71	68.20	-27.49	55.61	3	Horizontal	33	1.90	-	39.41	10.17	64.48

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21572G	53.53	83.54	-30.01	51.79	1	Vertical	90	1.75	-	37.97	14.83	51.06
AV	19.22868G	40.78	63.54	-22.76	39.08	1	Vertical	90	1.75	-	37.94	14.83	51.07

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22736G	53.93	83.54	-29.61	52.22	1	Horizontal	332	1.82	-	37.95	14.83	51.07
AV	19.221G	40.75	63.54	-22.79	39.03	1	Horizontal	332	1.82	-	37.96	14.83	51.07



6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18672G	53.18	88.20	-35.02	67.46	3	Vertical	336	2.11	-	39.70	10.24	64.22
RMS	13.19338G	40.04	68.20	-28.16	54.31	3	Vertical	336	2.11	-	39.70	10.24	64.21

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6595MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.19496G	53.38	88.20	-34.82	67.65	3	Horizontal	184	1.31	-	39.70	10.24	64.21
RMS	13.19432G	40.02	68.20	-28.18	54.29	3	Horizontal	184	1.31	-	39.70	10.24	64.21

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7867G	56.90	83.54	-26.64	55.51	1	Vertical	213	1.88	-	38.05	15.03	51.69
AV	19.78302G	43.21	63.54	-20.33	41.84	1	Vertical	213	1.88	-	38.03	15.02	51.68

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.78494G	54.92	83.54	-28.62	53.54	1	Horizontal	57	2.19	-	38.04	15.02	51.68
AV	19.7817G	41.23	63.54	-22.31	39.86	1	Horizontal	57	2.19	-	38.03	15.02	51.68

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39156G	54.70	74.00	-19.30	68.12	3	Vertical	167	2.01	-	40.27	10.28	63.97
AV	13.39972G	41.30	54.00	-12.70	54.68	3	Vertical	167	2.01	-	40.30	10.28	63.96

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39096G	54.11	74.00	-19.89	67.54	3	Horizontal	258	2.04	-	40.26	10.28	63.97
AV	13.39936G	41.28	54.00	-12.72	54.66	3	Horizontal	258	2.04	-	40.30	10.28	63.96

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07308G	71.25	83.54	-12.29	70.25	1	Vertical	358	1.76	-	37.79	15.12	51.91
AV	20.08116G	57.41	63.54	-6.13	56.39	1	Vertical	358	1.76	-	37.82	15.12	51.92

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08692G	64.06	83.54	-19.48	63.01	1	Horizontal	245	1.29	-	37.85	15.12	51.92
AV	20.105G	51.53	63.54	-12.01	50.45	1	Horizontal	245	1.29	-	37.87	15.13	51.92



6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73452G	54.73	88.20	-33.47	67.50	3	Vertical	77	1.41	-	40.61	10.35	63.73
RMS	13.72192G	41.90	68.20	-26.30	54.77	3	Vertical	77	1.41	-	40.53	10.34	63.74

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73692G	55.21	88.20	-32.99	67.97	3	Horizontal	238	2.08	-	40.62	10.35	63.73
RMS	13.74292G	42.00	68.20	-26.20	54.72	3	Horizontal	238	2.08	-	40.66	10.35	63.73

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6502G	54.68	83.54	-28.86	53.55	1	Vertical	158	1.85	-	37.90	15.26	52.03
AV	20.65092G	41.68	63.54	-21.86	40.55	1	Vertical	158	1.85	-	37.90	15.26	52.03

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62776G	54.55	83.54	-28.99	53.38	1	Horizontal	31	1.65	-	37.94	15.26	52.03
AV	20.6382G	41.65	63.54	-21.89	40.50	1	Horizontal	31	1.65	-	37.92	15.26	52.03

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76384G	54.47	88.20	-33.73	67.20	3	Vertical	107	1.70	-	40.64	10.35	63.72
RMS	13.76096G	41.53	68.20	-26.67	54.24	3	Vertical	107	1.70	-	40.66	10.35	63.72

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78136G	54.32	88.20	-33.88	67.10	3	Horizontal	140	2.31	-	40.57	10.36	63.71
RMS	13.76084G	41.55	68.20	-26.65	54.26	3	Horizontal	140	2.31	-	40.66	10.35	63.72

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67252G	54.41	83.54	-29.13	53.27	1	Vertical	357	1.89	-	37.90	15.27	52.03
AV	20.66232G	41.62	63.54	-21.92	40.48	1	Vertical	357	1.89	-	37.90	15.27	52.03

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68188G	55.04	83.54	-28.50	53.91	1	Horizontal	332	1.71	-	37.90	15.27	52.04
AV	20.694G	41.76	63.54	-21.78	40.63	1	Horizontal	332	1.71	-	37.90	15.27	52.04



6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0176G	55.18	88.20	-33.02	67.45	3	Vertical	89	2.98	-	40.90	10.40	63.57
RMS	14.01832G	42.00	68.20	-26.20	54.27	3	Vertical	89	2.98	-	40.90	10.40	63.57

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97656G	56.46	88.20	-31.74	68.87	3	Horizontal	152	2.59	-	40.81	10.40	63.62
RMS	14.01892G	43.32	68.20	-24.88	55.59	3	Horizontal	152	2.59	-	40.90	10.40	63.57

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97684G	54.12	83.54	-29.42	52.89	1	Vertical	247	1.74	-	37.99	15.34	52.10
AV	20.96604G	40.68	63.54	-22.86	39.39	1	Vertical	247	1.74	-	38.04	15.34	52.09

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99136G	53.21	83.54	-30.33	52.03	1	Horizontal	147	1.64	-	37.93	15.35	52.10
AV	20.95884G	40.61	63.54	-22.93	39.30	1	Horizontal	147	1.64	-	38.06	15.34	52.09

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
 Setting 92  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1014G	122.18	Inf	-Inf	110.57	3	Vertical	146	1.80	-	36.01	7.90	32.30
RMS	7.103G	111.73	Inf	-Inf	100.12	3	Vertical	146	1.80	-	36.02	7.90	32.31
PK	7.1258G	78.80	88.20	-9.40	67.12	3	Vertical	146	1.80	-	36.15	7.87	32.34
RMS	7.125G	67.69	68.20	-0.51	56.01	3	Vertical	146	1.80	-	36.15	7.87	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
 Setting 92  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.099G	121.59	Inf	-Inf	109.99	3	Horizontal	107	2.41	-	36.00	7.90	32.30
RMS	7.0982G	112.66	Inf	-Inf	101.07	3	Horizontal	107	2.41	-	35.99	7.90	32.30
PK	7.125G	78.77	88.20	-9.43	67.09	3	Horizontal	107	2.41	-	36.15	7.87	32.34
RMS	7.1258G	66.92	68.20	-1.28	55.24	3	Horizontal	107	2.41	-	36.15	7.87	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 92  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20692G	54.71	88.20	-33.49	66.39	3	Vertical	336	1.74	-	41.01	10.45	63.14
RMS	14.1822G	42.07	68.20	-26.13	53.85	3	Vertical	336	1.74	-	40.96	10.45	63.19

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 92  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18964G	55.29	88.20	-32.91	67.04	3	Horizontal	221	1.16	-	40.98	10.45	63.18
RMS	14.1834G	42.09	68.20	-26.11	53.86	3	Horizontal	221	1.16	-	40.97	10.45	63.19



6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 92  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27204G	66.97	83.54	-16.57	65.47	1	Vertical	196	1.80	-	38.18	15.42	52.10
AV	21.28004G	53.69	63.54	-9.85	52.13	1	Vertical	196	1.80	-	38.24	15.42	52.10
PK	28.37968G	63.17	97.74	-34.57	54.26	1	Vertical	25.4	1.80	-	40.00	18.01	49.10
RMS	28.3796G	48.55	77.74	-29.19	39.64	1	Vertical	25.4	1.80	-	40.00	18.01	49.10

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 92  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27868G	67.77	83.54	-15.77	66.22	1	Horizontal	120	1.82	-	38.23	15.42	52.10
AV	21.27996G	53.67	63.54	-9.87	52.11	1	Horizontal	120	1.82	-	38.24	15.42	52.10
PK	28.37704G	68.93	97.74	-28.81	60.02	1	Horizontal	9	1.71	-	40.00	18.01	49.10
RMS	28.37712G	52.76	77.74	-24.98	43.85	1	Horizontal	9	1.71	-	40.00	18.01	49.10

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
 Setting 89  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	79.11	88.20	-9.09	71.22	3	Vertical	360	1.80	-	32.55	6.94	31.60
RMS	5.9244G	67.43	68.20	-0.77	59.54	3	Vertical	360	1.80	-	32.55	6.94	31.60
PK	5.9594G	117.69	Inf	-Inf	109.80	3	Vertical	360	1.80	-	32.58	6.92	31.61
RMS	5.9602G	107.49	Inf	-Inf	99.60	3	Vertical	360	1.80	-	32.58	6.92	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
 Setting 89  
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	74.73	88.20	-13.47	66.84	3	Horizontal	292	2.56	-	32.55	6.94	31.60
RMS	5.925G	64.71	68.20	-3.49	56.82	3	Horizontal	292	2.56	-	32.55	6.94	31.60
PK	5.9782G	114.55	Inf	-Inf	106.71	3	Horizontal	292	2.56	-	32.54	6.91	31.61
RMS	5.97G	105.47	Inf	-Inf	97.60	3	Horizontal	292	2.56	-	32.56	6.92	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX  
Setting 89  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92952G	53.64	74.00	-20.36	69.84	3	Vertical	20	1.37	-	38.96	10.00	65.16
AV	11.906G	40.11	54.00	-13.89	56.35	3	Vertical	20	1.37	-	38.91	10.00	65.15
PK	17.92416G	62.47	74.00	-11.53	64.06	3	Vertical	236	1.93	-	49.27	12.05	62.91
AV	17.92272G	49.78	54.00	-4.22	51.40	3	Vertical	236	1.93	-	49.23	12.05	62.90

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 89  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90144G	53.33	74.00	-20.67	69.57	3	Horizontal	238	2.54	-	38.90	10.00	65.14
AV	11.9054G	40.15	54.00	-13.85	56.39	3	Horizontal	238	2.54	-	38.91	10.00	65.15
PK	17.91624G	62.59	74.00	-11.41	64.42	3	Horizontal	259	2.48	-	49.02	12.05	62.90
AV	17.9244G	49.83	54.00	-4.17	51.41	3	Horizontal	259	2.48	-	49.28	12.05	62.91

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42656G	53.07	74.00	-20.93	68.99	3	Vertical	0	2.26	-	38.65	10.09	64.66
AV	12.42188G	40.16	54.00	-13.84	56.09	3	Vertical	0	2.26	-	38.66	10.08	64.67

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4232G	53.21	74.00	-20.79	69.15	3	Horizontal	5	2.93	-	38.65	10.08	64.67
AV	12.42092G	40.18	54.00	-13.82	56.11	3	Horizontal	5	2.93	-	38.66	10.08	64.67



5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97516G	53.13	83.54	-30.41	51.89	1	Vertical	235	1.88	-	38.00	15.34	52.10
AV	20.9556G	40.84	63.54	-22.70	39.51	1	Vertical	235	1.88	-	38.08	15.34	52.09

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99244G	53.99	83.54	-29.55	52.81	1	Horizontal	107	1.80	-	37.93	15.35	52.10
AV	20.95644G	40.57	63.54	-22.97	39.25	1	Horizontal	107	1.80	-	38.07	15.34	52.09

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8364G	53.14	88.20	-35.06	68.09	3	Vertical	330	1.64	-	39.37	10.17	64.49
RMS	12.81612G	40.40	68.20	-27.80	55.40	3	Vertical	330	1.64	-	39.33	10.16	64.49

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8376G	54.21	88.20	-33.99	69.15	3	Horizontal	330	1.32	-	39.38	10.17	64.49
RMS	12.81432G	41.22	68.20	-26.98	56.22	3	Horizontal	330	1.32	-	39.33	10.16	64.49

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.194G	53.96	83.54	-29.58	52.21	1	Vertical	42	1.94	-	37.96	14.82	51.03
AV	19.19904G	41.22	63.54	-22.32	39.45	1	Vertical	42	1.94	-	37.99	14.82	51.04

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21704G	55.69	83.54	-27.85	53.95	1	Horizontal	138	1.94	-	37.97	14.83	51.06
AV	19.18932G	41.13	63.54	-22.41	39.40	1	Horizontal	138	1.94	-	37.94	14.82	51.03

6.525-6.875GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6605MHz\_TX



EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.21094G	55.77	88.20	-32.43	70.00	3	Vertical	343	1.93	-	39.72	10.24	64.19
RMS	13.2148G	41.04	68.20	-27.16	55.26	3	Vertical	343	1.93	-	39.73	10.24	64.19