


5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 82
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95064G	59.99	74.00	-14.01	44.11	3	Vertical	135	1.58	-	37.90	10.89	32.91
AV	15.95574G	46.42	54.00	-7.58	30.54	3	Vertical	135	1.58	-	37.90	10.89	32.91

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 82
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96618G	59.45	74.00	-14.55	43.57	3	Horizontal	306	1.72	-	37.90	10.89	32.91
AV	15.95226G	46.46	54.00	-7.54	30.58	3	Horizontal	306	1.72	-	37.90	10.89	32.91

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 86
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45845G	67.63	74.00	-6.37	59.77	3	Vertical	8	1.80	-	31.82	7.57	31.53
PK	5.4601G	66.80	68.20	-1.40	58.95	3	Vertical	8	1.80	-	31.82	7.56	31.53
AV	5.45965G	53.88	54.00	-0.12	46.03	3	Vertical	8	1.80	-	31.82	7.56	31.53
PK	5.4982G	122.21	Inf	-Inf	114.45	3	Vertical	8	1.80	-	31.90	7.41	31.55
AV	5.4985G	110.07	Inf	-Inf	102.31	3	Vertical	8	1.80	-	31.90	7.41	31.55

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 86
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	65.01	74.00	-8.99	57.15	3	Horizontal	6	1.80	-	31.81	7.58	31.53
AV	5.4589G	51.58	54.00	-2.42	43.73	3	Horizontal	6	1.80	-	31.82	7.56	31.53
PK	5.4688G	63.22	68.20	-4.98	55.39	3	Horizontal	6	1.80	-	31.84	7.52	31.53
PK	5.49265G	119.45	Inf	-Inf	111.68	3	Horizontal	6	1.80	-	31.89	7.43	31.55
AV	5.49235G	106.99	Inf	-Inf	99.23	3	Horizontal	6	1.80	-	31.88	7.43	31.55

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99703G	60.21	74.00	-13.79	42.27	3	Vertical	80	1.53	-	40.51	9.95	32.52
AV	10.98599G	46.67	54.00	-7.33	28.71	3	Vertical	80	1.53	-	40.53	9.95	32.52

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98689G	60.35	74.00	-13.65	42.39	3	Horizontal	138	1.56	-	40.53	9.95	32.52
AV	10.98758G	46.59	54.00	-7.41	28.64	3	Horizontal	138	1.56	-	40.52	9.95	32.52

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	70.39	74.00	-3.61	62.51	3	Vertical	8	1.78	-	31.76	7.64	31.52
AV	5.428G	52.11	54.00	-1.89	44.22	3	Vertical	8	1.78	-	31.71	7.69	31.51
PK	5.4672G	64.56	68.20	-3.64	56.73	3	Vertical	8	1.78	-	31.83	7.53	31.53
PK	5.5716G	125.63	Inf	-Inf	118.22	3	Vertical	8	1.78	-	31.86	7.11	31.56
AV	5.5748G	113.52	Inf	-Inf	106.13	3	Vertical	8	1.78	-	31.85	7.10	31.56
PK	5.7344G	61.55	68.20	-6.65	54.02	3	Vertical	8	1.78	-	32.11	7.00	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3816G	61.96	74.00	-12.04	54.15	3	Horizontal	356	1.80	-	31.56	7.74	31.49
AV	5.4124G	48.73	54.00	-5.27	40.83	3	Horizontal	356	1.80	-	31.65	7.75	31.50
PK	5.4648G	61.58	68.20	-6.62	53.74	3	Horizontal	356	1.80	-	31.83	7.54	31.53
PK	5.5872G	122.92	Inf	-Inf	115.60	3	Horizontal	356	1.80	-	31.83	7.05	31.56
AV	5.5876G	110.67	Inf	-Inf	103.36	3	Horizontal	356	1.80	-	31.82	7.05	31.56
PK	5.7408G	61.50	68.20	-6.70	53.94	3	Horizontal	356	1.80	-	32.14	7.00	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 104
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15553G	59.08	74.00	-14.92	41.84	3	Vertical	15	1.22	-	39.89	9.96	32.61
AV	11.15989G	45.34	54.00	-8.66	28.11	3	Vertical	15	1.22	-	39.88	9.96	32.61

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 104
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16157G	59.43	74.00	-14.57	42.20	3	Horizontal	267	2.28	-	39.88	9.96	32.61
AV	11.16116G	45.41	54.00	-8.59	28.18	3	Horizontal	267	2.28	-	39.88	9.96	32.61

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
 Setting 70
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	117.48	Inf	-Inf	110.16	3	Vertical	8	1.75	-	31.89	7.00	31.57
AV	5.69625G	104.82	Inf	-Inf	97.50	3	Vertical	8	1.75	-	31.89	7.00	31.57
PK	5.72625G	67.53	68.20	-0.67	60.05	3	Vertical	8	1.75	-	32.06	7.00	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
 Setting 70
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.69505G	114.57	Inf	-Inf	107.26	3	Horizontal	264	1.80	-	31.88	7.00	31.57
AV	5.69295G	102.30	Inf	-Inf	95.00	3	Horizontal	264	1.80	-	31.87	7.00	31.57
PK	5.7252G	64.03	68.20	-4.17	56.56	3	Horizontal	264	1.80	-	32.05	7.00	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 70
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40069G	60.36	74.00	-13.64	43.13	3	Vertical	338	1.52	-	40.00	9.97	32.74
AV	11.39826G	46.34	54.00	-7.66	29.11	3	Vertical	338	1.52	-	40.00	9.97	32.74

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 70
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39863G	60.06	74.00	-13.94	42.83	3	Horizontal	2	1.33	-	40.00	9.97	32.74
AV	11.4016G	46.23	54.00	-7.77	29.00	3	Horizontal	2	1.33	-	40.00	9.97	32.74

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 110
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3945G	62.67	74.00	-11.33	54.79	3	Vertical	6	1.80	-	31.59	7.78	31.49
AV	5.4078G	50.12	54.00	-3.88	42.22	3	Vertical	6	1.80	-	31.63	7.77	31.50
PK	5.4638G	60.39	68.20	-7.81	52.55	3	Vertical	6	1.80	-	31.83	7.54	31.53
PK	5.7165G	126.03	Inf	-Inf	118.61	3	Vertical	6	1.80	-	32.00	7.00	31.58
AV	5.7158G	112.96	Inf	-Inf	105.55	3	Vertical	6	1.80	-	31.99	7.00	31.58
PK	5.8999G	59.63	68.20	-8.57	51.78	3	Vertical	6	1.80	-	32.50	6.95	31.60

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 110
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4036G	61.03	74.00	-12.97	53.13	3	Horizontal	271	1.80	-	31.61	7.79	31.50
AV	5.391G	48.68	54.00	-5.32	40.82	3	Horizontal	271	1.80	-	31.58	7.77	31.49
PK	5.47G	60.12	68.20	-8.08	52.29	3	Horizontal	271	1.80	-	31.84	7.52	31.53
PK	5.713G	121.28	Inf	-Inf	113.88	3	Horizontal	271	1.80	-	31.98	7.00	31.58
AV	5.7137G	110.31	Inf	-Inf	102.91	3	Horizontal	271	1.80	-	31.98	7.00	31.58
PK	5.9265G	60.22	68.20	-7.98	52.33	3	Horizontal	271	1.80	-	32.55	6.94	31.60

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43766G	60.15	74.00	-13.85	42.95	3	Vertical	303	2.44	-	40.00	9.97	32.77
AV	11.44166G	46.04	54.00	-7.96	28.84	3	Vertical	303	2.44	-	40.00	9.97	32.77

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43912G	59.69	74.00	-14.31	42.49	3	Horizontal	61	2.39	-	40.00	9.97	32.77
AV	11.44486G	46.03	54.00	-7.97	28.83	3	Horizontal	61	2.39	-	40.00	9.97	32.77

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 102
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	68.13	68.20	-0.07	60.99	3	Vertical	7	1.59	-	31.71	7.00	31.57
PK	5.7385G	125.20	Inf	-Inf	117.65	3	Vertical	7	1.59	-	32.13	7.00	31.58
AV	5.739G	112.57	Inf	-Inf	105.02	3	Vertical	7	1.59	-	32.13	7.00	31.58
PK	5.9255G	59.82	68.20	-8.38	51.93	3	Vertical	7	1.59	-	32.55	6.94	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 102
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	67.19	68.20	-1.01	60.03	3	Horizontal	360	1.80	-	31.73	7.00	31.57
PK	5.737G	120.47	Inf	-Inf	112.93	3	Horizontal	360	1.80	-	32.12	7.00	31.58
AV	5.736G	109.67	Inf	-Inf	102.13	3	Horizontal	360	1.80	-	32.12	7.00	31.58
PK	5.9255G	60.18	68.20	-8.02	52.29	3	Horizontal	360	1.80	-	32.55	6.94	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
Setting 102
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49175G	60.10	74.00	-13.90	42.85	3	Vertical	285	2.56	-	40.08	9.97	32.80
AV	11.48901G	45.94	54.00	-8.06	28.68	3	Vertical	285	2.56	-	40.08	9.97	32.79

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
Setting 102
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49483G	60.36	74.00	-13.64	43.10	3	Horizontal	360	2.68	-	40.09	9.97	32.80
AV	11.48857G	45.91	54.00	-8.09	28.65	3	Horizontal	360	2.68	-	40.08	9.97	32.79

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
 Setting 106
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.44	68.20	-0.76	60.29	3	Vertical	4	1.80	-	31.72	7.00	31.57
PK	5.7835G	124.11	Inf	-Inf	116.42	3	Vertical	4	1.80	-	32.27	7.00	31.58
AV	5.782G	112.18	Inf	-Inf	104.50	3	Vertical	4	1.80	-	32.26	7.00	31.58
PK	6.0235G	60.00	68.20	-8.20	52.05	3	Vertical	4	1.80	-	32.55	6.96	31.56

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
 Setting 106
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.54G	61.34	68.20	-6.86	53.75	3	Horizontal	360	1.48	-	31.90	7.24	31.55
PK	5.777G	120.23	Inf	-Inf	112.56	3	Horizontal	360	1.48	-	32.25	7.00	31.58
AV	5.7765G	108.88	Inf	-Inf	101.21	3	Horizontal	360	1.48	-	32.25	7.00	31.58
PK	6.0345G	60.11	68.20	-8.09	52.08	3	Horizontal	360	1.48	-	32.57	6.99	31.53

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
Setting 106
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56885G	59.57	74.00	-14.43	42.43	3	Vertical	266	1.37	-	39.99	9.98	32.83
AV	11.56529G	45.75	54.00	-8.25	28.58	3	Vertical	266	1.37	-	40.01	9.98	32.82

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 106
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57415G	59.07	74.00	-14.93	41.96	3	Horizontal	198	1.22	-	39.96	9.98	32.83
AV	11.56635G	45.58	54.00	-8.42	28.43	3	Horizontal	198	1.22	-	40.00	9.98	32.83

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
 Setting 110
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	64.39	68.20	-3.81	57.20	3	Vertical	18	1.57	-	31.75	7.00	31.56
PK	5.818G	119.98	Inf	-Inf	112.28	3	Vertical	18	1.57	-	32.30	6.99	31.59
AV	5.816G	106.53	Inf	-Inf	98.83	3	Vertical	18	1.57	-	32.30	6.99	31.59
PK	6.057G	60.59	68.20	-7.61	52.43	3	Vertical	18	1.57	-	32.60	7.04	31.48

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 110
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5875G	60.67	68.20	-7.53	53.36	3	Horizontal	272	1.80	-	31.82	7.05	31.56
PK	5.8195G	120.01	Inf	-Inf	112.31	3	Horizontal	272	1.80	-	32.30	6.99	31.59
AV	5.8195G	107.63	Inf	-Inf	99.93	3	Horizontal	272	1.80	-	32.30	6.99	31.59
PK	6.059G	60.59	68.20	-7.61	52.42	3	Horizontal	272	1.80	-	32.60	7.05	31.48

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
Setting 110
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64727G	58.38	74.00	-15.62	41.84	3	Vertical	171	1.56	-	39.42	9.98	32.86
AV	11.64793G	44.65	54.00	-9.35	28.11	3	Vertical	171	1.56	-	39.42	9.98	32.86

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
 Setting 110
 06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65029G	58.53	74.00	-15.47	42.01	3	Horizontal	254	1.68	-	39.40	9.98	32.86
AV	11.64646G	44.57	54.00	-9.43	28.02	3	Horizontal	254	1.68	-	39.43	9.98	32.86

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 85
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.26	74.00	-8.74	57.53	3	Vertical	350	1.80	-	32.10	6.99	31.36
AV	5.14975G	53.40	54.00	-0.60	45.66	3	Vertical	350	1.80	-	32.10	7.00	31.36
PK	5.1945G	119.51	Inf	-Inf	111.98	3	Vertical	350	1.80	-	31.83	7.09	31.39
AV	5.1935G	105.87	Inf	-Inf	98.32	3	Vertical	350	1.80	-	31.84	7.09	31.38

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 85
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.48	74.00	-8.52	57.74	3	Horizontal	280	2.09	-	32.10	7.00	31.36
AV	5.14925G	52.51	54.00	-1.49	44.77	3	Horizontal	280	2.09	-	32.10	7.00	31.36
PK	5.17625G	114.78	Inf	-Inf	107.17	3	Horizontal	280	2.09	-	31.94	7.05	31.38
AV	5.1885G	102.52	Inf	-Inf	94.95	3	Horizontal	280	2.09	-	31.87	7.08	31.38

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 85
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57061G	61.75	74.00	-12.25	45.01	3	Vertical	202	2.93	-	38.78	10.79	32.83
AV	15.57391G	47.69	54.00	-6.31	30.97	3	Vertical	202	2.93	-	38.76	10.79	32.83

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 85
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56729G	61.51	74.00	-12.49	44.75	3	Horizontal	267	1.36	-	38.80	10.79	32.83
AV	15.57393G	47.70	54.00	-6.30	30.98	3	Horizontal	267	1.36	-	38.76	10.79	32.83

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX



Lim.PK
PK
Lim.AV
AV


01/09/2023

EUT_Y_4TX
Setting 94
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	69.51	74.00	-4.49	61.79	3	Vertical	354	1.80	-	32.10	6.97	31.35
AV	5.14985G	53.89	54.00	-0.11	46.15	3	Vertical	354	1.80	-	32.10	7.00	31.36
PK	5.22545G	123.70	Inf	-Inf	116.21	3	Vertical	354	1.80	-	31.70	7.19	31.40
AV	5.2454G	108.55	Inf	-Inf	101.08	3	Vertical	354	1.80	-	31.62	7.26	31.41
PK	5.35355G	66.67	74.00	-7.33	58.99	3	Vertical	354	1.80	-	31.51	7.64	31.47
AV	5.35215G	50.19	54.00	-3.81	42.53	3	Vertical	354	1.80	-	31.50	7.63	31.47

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 94
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	65.76	74.00	-8.24	58.02	3	Horizontal	25	1.82	-	32.10	7.00	31.36
AV	5.14915G	52.06	54.00	-1.94	44.32	3	Horizontal	25	1.82	-	32.10	7.00	31.36
PK	5.2447G	116.96	Inf	-Inf	109.49	3	Horizontal	25	1.82	-	31.62	7.26	31.41
AV	5.2335G	104.57	Inf	-Inf	97.09	3	Horizontal	25	1.82	-	31.67	7.22	31.41
PK	5.3546G	60.75	74.00	-13.25	53.07	3	Horizontal	25	1.82	-	31.51	7.64	31.47
AV	5.35145G	48.63	54.00	-5.37	40.97	3	Horizontal	25	1.82	-	31.50	7.63	31.47

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
 Setting 94
 06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69421G	61.44	74.00	-12.56	45.29	3	Vertical	259	1.09	-	38.19	10.82	32.86
AV	15.68621G	47.39	54.00	-6.61	31.26	3	Vertical	259	1.09	-	38.17	10.82	32.86

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 Setting 94
 06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69165G	61.79	74.00	-12.21	45.65	3	Horizontal	234	1.29	-	38.18	10.82	32.86
AV	15.68952G	47.38	54.00	-6.62	31.24	3	Horizontal	234	1.29	-	38.18	10.82	32.86

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 92
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	62.32	74.00	-11.68	54.58	3	Vertical	351	1.98	-	32.10	7.00	31.36
AV	5.14995G	49.94	54.00	-4.06	42.20	3	Vertical	351	1.98	-	32.10	7.00	31.36
PK	5.2595G	121.31	Inf	-Inf	113.84	3	Vertical	351	1.98	-	31.58	7.31	31.42
AV	5.2553G	108.21	Inf	-Inf	100.75	3	Vertical	351	1.98	-	31.59	7.29	31.42
PK	5.35435G	70.47	74.00	-3.53	62.79	3	Vertical	351	1.98	-	31.51	7.64	31.47
AV	5.3505G	53.64	54.00	-0.36	45.98	3	Vertical	351	1.98	-	31.50	7.63	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 92
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13805G	62.22	74.00	-11.78	54.49	3	Horizontal	8	2.01	-	32.10	6.98	31.35
AV	5.14995G	48.53	54.00	-5.47	40.79	3	Horizontal	8	2.01	-	32.10	7.00	31.36
PK	5.26405G	117.86	Inf	-Inf	110.39	3	Horizontal	8	2.01	-	31.57	7.32	31.42
AV	5.26405G	105.44	Inf	-Inf	97.97	3	Horizontal	8	2.01	-	31.57	7.32	31.42
PK	5.3505G	68.86	74.00	-5.14	61.20	3	Horizontal	8	2.01	-	31.50	7.63	31.47
AV	5.35G	53.15	54.00	-0.85	45.49	3	Horizontal	8	2.01	-	31.50	7.63	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81184G	60.63	74.00	-13.37	44.41	3	Vertical	341	1.00	-	38.25	10.85	32.88
AV	15.80539G	46.44	54.00	-7.56	30.19	3	Vertical	341	1.00	-	38.28	10.85	32.88

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80808G	60.24	74.00	-13.76	44.00	3	Horizontal	162	2.09	-	38.27	10.85	32.88
AV	15.80506G	46.46	54.00	-7.54	30.21	3	Horizontal	162	2.09	-	38.28	10.85	32.88

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 76
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	117.64	Inf	-Inf	110.06	3	Vertical	342	1.97	-	31.50	7.54	31.46
AV	5.30575G	104.39	Inf	-Inf	96.87	3	Vertical	342	1.97	-	31.50	7.47	31.45
PK	5.35G	67.04	74.00	-6.96	59.38	3	Vertical	342	1.97	-	31.50	7.63	31.47
AV	5.3505G	53.64	54.00	-0.36	45.98	3	Vertical	342	1.97	-	31.50	7.63	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
 Setting 76
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3215G	113.23	Inf	-Inf	105.65	3	Horizontal	133	1.80	-	31.50	7.53	31.45
AV	5.304G	100.13	Inf	-Inf	92.61	3	Horizontal	133	1.80	-	31.50	7.46	31.44
PK	5.3525G	63.75	74.00	-10.25	56.08	3	Horizontal	133	1.80	-	31.51	7.63	31.47
AV	5.3505G	50.61	54.00	-3.39	42.95	3	Horizontal	133	1.80	-	31.50	7.63	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 76
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9262G	59.81	74.00	-14.19	43.89	3	Vertical	84	1.04	-	37.95	10.88	32.91
AV	15.93218G	45.87	54.00	-8.13	29.96	3	Vertical	84	1.04	-	37.94	10.88	32.91

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 76
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93142G	60.72	74.00	-13.28	44.81	3	Horizontal	145	2.09	-	37.94	10.88	32.91
AV	15.93236G	45.88	54.00	-8.12	29.97	3	Horizontal	145	2.09	-	37.94	10.88	32.91

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 82
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45875G	66.55	74.00	-7.45	58.69	3	Vertical	340	1.80	-	31.82	7.57	31.53
AV	5.4595G	53.19	54.00	-0.81	45.34	3	Vertical	340	1.80	-	31.82	7.56	31.53
PK	5.46975G	67.64	68.20	-0.56	59.81	3	Vertical	340	1.80	-	31.84	7.52	31.53
PK	5.5165G	118.59	Inf	-Inf	110.91	3	Vertical	340	1.80	-	31.90	7.33	31.55
AV	5.51625G	105.49	Inf	-Inf	97.81	3	Vertical	340	1.80	-	31.90	7.33	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 82
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	63.95	74.00	-10.05	56.09	3	Horizontal	360	1.80	-	31.82	7.57	31.53
AV	5.45975G	51.01	54.00	-2.99	43.16	3	Horizontal	360	1.80	-	31.82	7.56	31.53
PK	5.46675G	66.24	68.20	-1.96	58.41	3	Horizontal	360	1.80	-	31.83	7.53	31.53
PK	5.51875G	114.56	Inf	-Inf	106.88	3	Horizontal	360	1.80	-	31.90	7.33	31.55
AV	5.51525G	101.88	Inf	-Inf	94.19	3	Horizontal	360	1.80	-	31.90	7.34	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 82
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0171G	61.19	74.00	-12.81	43.34	3	Vertical	8	1.41	-	40.43	9.95	32.53
AV	11.0247G	46.13	54.00	-7.87	28.31	3	Vertical	8	1.41	-	40.40	9.95	32.53

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 82
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02403G	60.06	74.00	-13.94	42.24	3	Horizontal	43	1.70	-	40.40	9.95	32.53
AV	11.02499G	46.10	54.00	-7.90	28.28	3	Horizontal	43	1.70	-	40.40	9.95	32.53

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
 Setting 86
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4569G	64.25	74.00	-9.75	56.40	3	Vertical	32	1.80	-	31.81	7.57	31.53
AV	5.46G	50.57	54.00	-3.43	42.72	3	Vertical	32	1.80	-	31.82	7.56	31.53
PK	5.46985G	67.93	68.20	-0.27	60.10	3	Vertical	32	1.80	-	31.84	7.52	31.53
PK	5.5402G	117.49	Inf	-Inf	109.90	3	Vertical	32	1.80	-	31.90	7.24	31.55
AV	5.5395G	104.96	Inf	-Inf	97.37	3	Vertical	32	1.80	-	31.90	7.24	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 86
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45305G	62.86	74.00	-11.14	54.98	3	Horizontal	355	1.80	-	31.81	7.59	31.52
AV	5.45935G	49.97	54.00	-4.03	42.12	3	Horizontal	355	1.80	-	31.82	7.56	31.53
PK	5.46985G	66.00	68.20	-2.20	58.17	3	Horizontal	355	1.80	-	31.84	7.52	31.53
PK	5.53775G	116.39	Inf	-Inf	108.79	3	Horizontal	355	1.80	-	31.90	7.25	31.55
AV	5.536G	102.68	Inf	-Inf	95.07	3	Horizontal	355	1.80	-	31.90	7.26	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1017G	60.30	74.00	-13.70	42.83	3	Vertical	26	2.59	-	40.09	9.96	32.58
AV	11.09761G	45.78	54.00	-8.22	28.29	3	Vertical	26	2.59	-	40.11	9.95	32.57

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10238G	60.07	74.00	-13.93	42.60	3	Horizontal	86	2.69	-	40.09	9.96	32.58
AV	11.09638G	45.78	54.00	-8.22	28.29	3	Horizontal	86	2.69	-	40.11	9.95	32.57

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
 Setting 71
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65525G	116.28	Inf	-Inf	109.13	3	Vertical	27	1.80	-	31.72	7.00	31.57
AV	5.675G	99.82	Inf	-Inf	92.59	3	Vertical	27	1.80	-	31.80	7.00	31.57
PK	5.7285G	63.82	68.20	-4.38	56.33	3	Vertical	27	1.80	-	32.07	7.00	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
 Setting 71
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66925G	110.86	Inf	-Inf	103.65	3	Horizontal	359	1.80	-	31.78	7.00	31.57
AV	5.6745G	98.51	Inf	-Inf	91.28	3	Horizontal	359	1.80	-	31.80	7.00	31.57
PK	5.7255G	65.45	68.20	-2.75	57.98	3	Horizontal	359	1.80	-	32.05	7.00	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
Setting 71
06-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33586G	59.72	74.00	-14.28	42.59	3	Vertical	124	1.29	-	39.87	9.97	32.71			
AV	11.34365G	45.36	54.00	-8.64	28.21	3	Vertical	124	1.29	-	39.89	9.97	32.71			

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
Setting 71
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34385G	59.25	74.00	-14.75	42.10	3	Horizontal	192	1.53	-	39.89	9.97	32.71
AV	11.34379G	45.36	54.00	-8.64	28.21	3	Horizontal	192	1.53	-	39.89	9.97	32.71

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 110
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	67.68	74.00	-6.32	59.83	3	Vertical	36	1.80	-	31.82	7.56	31.53
AV	5.4559G	49.88	54.00	-4.12	42.02	3	Vertical	36	1.80	-	31.81	7.58	31.53
PK	5.4664G	67.94	68.20	-0.26	60.11	3	Vertical	36	1.80	-	31.83	7.53	31.53
PK	5.7135G	121.29	Inf	-Inf	113.89	3	Vertical	36	1.80	-	31.98	7.00	31.58
AV	5.6932G	108.46	Inf	-Inf	101.16	3	Vertical	36	1.80	-	31.87	7.00	31.57
PK	5.8528G	65.39	68.20	-2.81	57.70	3	Vertical	36	1.80	-	32.31	6.97	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 110
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4587G	61.47	74.00	-12.53	53.61	3	Horizontal	4	1.80	-	31.82	7.57	31.53
AV	5.4524G	48.60	54.00	-5.40	40.73	3	Horizontal	4	1.80	-	31.80	7.59	31.52
PK	5.4699G	60.23	68.20	-7.97	52.40	3	Horizontal	4	1.80	-	31.84	7.52	31.53
PK	5.7065G	118.22	Inf	-Inf	110.85	3	Horizontal	4	1.80	-	31.94	7.00	31.57
AV	5.7163G	106.27	Inf	-Inf	98.85	3	Horizontal	4	1.80	-	32.00	7.00	31.58
PK	5.8605G	60.92	68.20	-7.28	53.20	3	Horizontal	4	1.80	-	32.34	6.97	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42008G	59.91	74.00	-14.09	42.70	3	Vertical	297	2.50	-	40.00	9.97	32.76
AV	11.41709G	45.63	54.00	-8.37	28.41	3	Vertical	297	2.50	-	40.00	9.97	32.75

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 110
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41987G	59.86	74.00	-14.14	42.65	3	Horizontal	91	1.17	-	40.00	9.97	32.76
AV	11.42022G	45.64	54.00	-8.36	28.43	3	Horizontal	91	1.17	-	40.00	9.97	32.76

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
 Setting 94
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	64.12	68.20	-4.08	56.87	3	Vertical	43	2.28	-	31.80	7.01	31.56
PK	5.7385G	120.18	Inf	-Inf	112.63	3	Vertical	43	2.28	-	32.13	7.00	31.58
AV	5.737G	107.62	Inf	-Inf	100.08	3	Vertical	43	2.28	-	32.12	7.00	31.58
PK	5.9715G	60.56	68.20	-7.64	52.70	3	Vertical	43	2.28	-	32.56	6.91	31.61

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 94
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	68.24	68.57	-0.33	61.11	3	Horizontal	0	1.56	-	31.70	7.00	31.57
PK	5.749G	117.73	Inf	-Inf	110.12	3	Horizontal	0	1.56	-	32.19	7.00	31.58
AV	5.7525G	105.08	Inf	-Inf	97.45	3	Horizontal	0	1.56	-	32.21	7.00	31.58
PK	5.9445G	60.93	68.20	-7.27	53.01	3	Horizontal	0	1.56	-	32.59	6.93	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51274G	60.33	74.00	-13.67	43.05	3	Vertical	279	2.96	-	40.10	9.98	32.80
AV	11.505G	45.52	54.00	-8.48	28.24	3	Vertical	279	2.96	-	40.10	9.98	32.80

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5058G	59.89	74.00	-14.11	42.61	3	Horizontal	203	1.26	-	40.10	9.98	32.80
AV	11.5052G	45.51	54.00	-8.49	28.23	3	Horizontal	203	1.26	-	40.10	9.98	32.80

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
 Setting 96
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6225G	62.47	68.20	-5.73	55.27	3	Vertical	344	1.47	-	31.76	7.00	31.56
PK	5.7805G	121.69	Inf	-Inf	114.01	3	Vertical	344	1.47	-	32.26	7.00	31.58
AV	5.803G	108.08	Inf	-Inf	100.37	3	Vertical	344	1.47	-	32.30	7.00	31.59
PK	5.926G	60.95	68.20	-7.25	53.06	3	Vertical	344	1.47	-	32.55	6.94	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
 Setting 96
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6405G	61.16	68.20	-7.04	54.01	3	Horizontal	0	1.80	-	31.72	7.00	31.57
PK	5.7815G	119.32	Inf	-Inf	111.64	3	Horizontal	0	1.80	-	32.26	7.00	31.58
AV	5.784G	105.12	Inf	-Inf	97.43	3	Horizontal	0	1.80	-	32.27	7.00	31.58
PK	5.992G	60.74	68.20	-7.46	52.93	3	Horizontal	0	1.80	-	32.52	6.90	31.61

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
Setting 96
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58975G	59.43	74.00	-14.57	42.42	3	Vertical	58	2.81	-	39.86	9.98	32.83
AV	11.58511G	45.08	54.00	-8.92	28.04	3	Vertical	58	2.81	-	39.89	9.98	32.83

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
Setting 96
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59119G	59.11	74.00	-14.89	42.11	3	Horizontal	242	2.27	-	39.85	9.98	32.83
AV	11.58507G	45.06	54.00	-8.94	28.02	3	Horizontal	242	2.27	-	39.89	9.98	32.83

5.15-5.25GHz 802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 86
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	65.63	74.00	-8.37	57.89	3	Vertical	0	1.80	-	32.10	7.00	31.36
AV	5.1475G	53.73	54.00	-0.27	45.99	3	Vertical	0	1.80	-	32.10	7.00	31.36
PK	5.2G	117.05	Inf	-Inf	109.54	3	Vertical	0	1.80	-	31.80	7.10	31.39
AV	5.203G	104.50	Inf	-Inf	96.99	3	Vertical	0	1.80	-	31.79	7.11	31.39
PK	5.4375G	62.20	74.00	-11.80	54.32	3	Vertical	0	1.80	-	31.75	7.65	31.52
AV	5.35G	49.85	54.00	-4.15	42.19	3	Vertical	0	1.80	-	31.50	7.63	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 86
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	63.12	74.00	-10.88	55.38	3	Horizontal	151.6	1.64	-	32.10	7.00	31.36
AV	5.1495G	50.44	54.00	-3.56	42.70	3	Horizontal	151.6	1.64	-	32.10	7.00	31.36
PK	5.241G	111.56	Inf	-Inf	104.09	3	Horizontal	151.6	1.64	-	31.64	7.24	31.41
AV	5.1955G	99.38	Inf	-Inf	91.85	3	Horizontal	151.6	1.64	-	31.83	7.09	31.39
PK	5.4455G	60.83	74.00	-13.17	52.95	3	Horizontal	151.6	1.64	-	31.78	7.62	31.52
AV	5.3535G	47.78	54.00	-6.22	40.10	3	Horizontal	151.6	1.64	-	31.51	7.64	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62865G	61.67	74.00	-12.33	45.40	3	Vertical	257	1.46	-	38.31	10.81	32.85
AV	15.62562G	48.24	54.00	-5.76	31.94	3	Vertical	257	1.46	-	38.34	10.81	32.85

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62841G	61.84	74.00	-12.16	45.56	3	Horizontal	302	2.46	-	38.32	10.81	32.85
AV	15.62847G	48.20	54.00	-5.80	31.92	3	Horizontal	302	2.46	-	38.32	10.81	32.85

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 73
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	61.27	74.00	-12.73	53.54	3	Vertical	8	1.80	-	32.10	6.99	31.36
AV	5.1484G	48.81	54.00	-5.19	41.07	3	Vertical	8	1.80	-	32.10	7.00	31.36
PK	5.2572G	117.02	Inf	-Inf	109.55	3	Vertical	8	1.80	-	31.59	7.30	31.42
AV	5.2852G	99.81	Inf	-Inf	92.31	3	Vertical	8	1.80	-	31.53	7.40	31.43
PK	5.35G	64.89	74.00	-9.11	57.23	3	Vertical	8	1.80	-	31.50	7.63	31.47
AV	5.35G	53.89	54.00	-0.11	46.23	3	Vertical	8	1.80	-	31.50	7.63	31.47
PK	5.5476G	60.99	68.20	-7.21	53.44	3	Vertical	8	1.80	-	31.90	7.21	31.56

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 73
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	60.18	74.00	-13.82	52.45	3	Horizontal	282	2.00	-	32.10	6.99	31.36
AV	5.1476G	48.04	54.00	-5.96	40.30	3	Horizontal	282	2.00	-	32.10	7.00	31.36
PK	5.266G	113.61	Inf	-Inf	106.13	3	Horizontal	282	2.00	-	31.57	7.33	31.42
AV	5.2804G	98.33	Inf	-Inf	90.84	3	Horizontal	282	2.00	-	31.54	7.38	31.43
PK	5.362G	61.65	74.00	-12.35	53.94	3	Horizontal	282	2.00	-	31.52	7.67	31.48
AV	5.35G	50.19	54.00	-3.81	42.53	3	Horizontal	282	2.00	-	31.50	7.63	31.47
PK	5.4908G	60.31	68.20	-7.89	52.54	3	Horizontal	282	2.00	-	31.88	7.44	31.55

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 73
06-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.86543G	60.03	74.00	-13.97	43.98	3	Vertical	42	2.56	-	38.07	10.87	32.89			
AV	15.86829G	46.50	54.00	-7.50	30.46	3	Vertical	42	2.56	-	38.06	10.87	32.89			

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 73
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8682G	60.25	74.00	-13.75	44.21	3	Horizontal	53	2.79	-	38.06	10.87	32.89
AV	15.86834G	46.55	54.00	-7.45	30.51	3	Horizontal	53	2.79	-	38.06	10.87	32.89

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




03/08/2023

EUT Y_4TX
Setting 83
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3495G	61.77	68.20	-6.43	54.12	3	Vertical	29.4	1.80	-	31.50	7.62	31.47
PK	5.4535G	66.41	74.00	-7.59	58.53	3	Vertical	29.4	1.80	-	31.81	7.59	31.52
AV	5.46G	53.51	54.00	-0.49	45.66	3	Vertical	29.4	1.80	-	31.82	7.56	31.53
PK	5.468G	67.93	68.20	-0.27	60.09	3	Vertical	29.4	1.80	-	31.84	7.53	31.53
PK	5.538G	114.37	Inf	-Inf	106.77	3	Vertical	29.4	1.80	-	31.90	7.25	31.55
AV	5.537G	101.74	Inf	-Inf	94.14	3	Vertical	29.4	1.80	-	31.90	7.25	31.55
PK	5.735G	61.30	68.20	-6.90	53.77	3	Vertical	29.4	1.80	-	32.11	7.00	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 83
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	62.25	68.20	-5.95	54.62	3	Horizontal	5	1.80	-	31.50	7.59	31.46
PK	5.458G	64.70	74.00	-9.30	56.84	3	Horizontal	5	1.80	-	31.82	7.57	31.53
AV	5.4575G	52.78	54.00	-1.22	44.92	3	Horizontal	5	1.80	-	31.82	7.57	31.53
PK	5.469G	65.93	68.20	-2.27	58.10	3	Horizontal	5	1.80	-	31.84	7.52	31.53
PK	5.5205G	113.37	Inf	-Inf	105.70	3	Horizontal	5	1.80	-	31.90	7.32	31.55
AV	5.518G	101.17	Inf	-Inf	93.49	3	Horizontal	5	1.80	-	31.90	7.33	31.55
PK	5.7655G	60.64	68.20	-7.56	52.99	3	Horizontal	5	1.80	-	32.23	7.00	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 83
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05594G	60.32	74.00	-13.68	42.64	3	Vertical	156	2.79	-	40.28	9.95	32.55
AV	11.05798G	46.30	54.00	-7.70	28.63	3	Vertical	156	2.79	-	40.27	9.95	32.55

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 83
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06389G	60.41	74.00	-13.59	42.78	3	Horizontal	195	1.08	-	40.24	9.95	32.56
AV	11.05575G	46.31	54.00	-7.69	28.63	3	Horizontal	195	1.08	-	40.28	9.95	32.55

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 83
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.16	74.00	-9.84	56.31	3	Vertical	345	1.79	-	31.82	7.56	31.53
AV	5.4595G	52.10	54.00	-1.90	44.25	3	Vertical	345	1.79	-	31.82	7.56	31.53
PK	5.466G	67.23	68.20	-0.97	59.39	3	Vertical	345	1.79	-	31.83	7.54	31.53
PK	5.578G	119.25	Inf	-Inf	111.88	3	Vertical	345	1.79	-	31.84	7.09	31.56
AV	5.5955G	103.21	Inf	-Inf	95.94	3	Vertical	345	1.79	-	31.81	7.02	31.56
PK	5.7255G	67.99	68.20	-0.21	60.52	3	Vertical	345	1.79	-	32.05	7.00	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 83
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.99	74.00	-10.01	56.14	3	Horizontal	353	1.80	-	31.82	7.56	31.53
AV	5.4595G	50.22	54.00	-3.78	42.37	3	Horizontal	353	1.80	-	31.82	7.56	31.53
PK	5.462G	64.11	68.20	-4.09	56.27	3	Horizontal	353	1.80	-	31.82	7.55	31.53
PK	5.5725G	112.92	Inf	-Inf	105.51	3	Horizontal	353	1.80	-	31.86	7.11	31.56
AV	5.596G	100.88	Inf	-Inf	93.61	3	Horizontal	353	1.80	-	31.81	7.02	31.56
PK	5.7285G	65.92	68.20	-2.28	58.43	3	Horizontal	353	1.80	-	32.07	7.00	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 83
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22116G	59.62	74.00	-14.38	42.50	3	Vertical	127	1.96	-	39.80	9.96	32.64
AV	11.22057G	45.44	54.00	-8.56	28.32	3	Vertical	127	1.96	-	39.80	9.96	32.64

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 83
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22251G	59.22	74.00	-14.78	42.10	3	Horizontal	121	2.19	-	39.80	9.96	32.64
AV	11.2244G	45.38	54.00	-8.62	28.27	3	Horizontal	121	2.19	-	39.80	9.96	32.65

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 94
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4525G	62.59	74.00	-11.41	54.71	3	Vertical	360	1.82	-	31.81	7.59	31.52
AV	5.447G	49.56	54.00	-4.44	41.68	3	Vertical	360	1.82	-	31.79	7.61	31.52
PK	5.462G	61.98	68.20	-6.22	54.14	3	Vertical	360	1.82	-	31.82	7.55	31.53
PK	5.6745G	116.09	Inf	-Inf	108.86	3	Vertical	360	1.82	-	31.80	7.00	31.57
AV	5.6745G	103.02	Inf	-Inf	95.79	3	Vertical	360	1.82	-	31.80	7.00	31.57
PK	5.851G	61.14	68.20	-7.06	53.46	3	Vertical	360	1.82	-	32.30	6.97	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	63.12	74.00	-10.88	55.24	3	Horizontal	0	1.80	-	31.78	7.62	31.52
PK	5.461G	62.30	68.20	-5.90	54.45	3	Horizontal	0	1.80	-	31.82	7.56	31.53
AV	5.455G	49.17	54.00	-4.83	41.31	3	Horizontal	0	1.80	-	31.81	7.58	31.53
PK	5.7195G	116.83	Inf	-Inf	109.39	3	Horizontal	0	1.80	-	32.02	7.00	31.58
AV	5.7195G	103.69	Inf	-Inf	96.25	3	Horizontal	0	1.80	-	32.02	7.00	31.58
PK	5.8515G	63.16	68.20	-5.04	55.47	3	Horizontal	0	1.80	-	32.31	6.97	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37802G	60.17	74.00	-13.83	42.97	3	Vertical	135	2.17	-	39.96	9.97	32.73
AV	11.38238G	46.31	54.00	-7.69	29.11	3	Vertical	135	2.17	-	39.96	9.97	32.73

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38068G	59.86	74.00	-14.14	42.66	3	Horizontal	253	2.35	-	39.96	9.97	32.73
AV	11.38167G	46.24	54.00	-7.76	29.04	3	Horizontal	253	2.35	-	39.96	9.97	32.73

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
 Setting 92
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6365G	67.93	68.20	-0.27	60.77	3	Vertical	353.9	1.80	-	31.73	7.00	31.57
PK	5.7495G	116.98	Inf	-Inf	109.36	3	Vertical	353.9	1.80	-	32.20	7.00	31.58
AV	5.7465G	104.31	Inf	-Inf	96.71	3	Vertical	353.9	1.80	-	32.18	7.00	31.58
PK	5.9705G	59.87	68.20	-8.33	52.01	3	Vertical	353.9	1.80	-	32.56	6.91	31.61

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
 Setting 92
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	66.28	68.20	-1.92	59.10	3	Horizontal	337.8	2.09	-	31.75	7.00	31.57
PK	5.738G	117.89	Inf	-Inf	110.34	3	Horizontal	337.8	2.09	-	32.13	7.00	31.58
AV	5.7635G	102.34	Inf	-Inf	94.69	3	Horizontal	337.8	2.09	-	32.23	7.00	31.58
PK	5.959G	60.56	68.20	-7.64	52.67	3	Horizontal	337.8	2.09	-	32.58	6.92	31.61

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54746G	59.41	74.00	-14.59	42.15	3	Vertical	52	1.53	-	40.10	9.98	32.82
AV	11.54541G	45.77	54.00	-8.23	28.51	3	Vertical	52	1.53	-	40.10	9.98	32.82

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54608G	59.17	74.00	-14.83	41.91	3	Horizontal	202	1.39	-	40.10	9.98	32.82
AV	11.55067G	45.71	54.00	-8.29	28.45	3	Horizontal	202	1.39	-	40.10	9.98	32.82

5.15-5.25GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 76
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	66.80	74.00	-7.20	59.08	3	Vertical	355	1.80	-	32.10	6.98	31.36
AV	5.1468G	53.97	54.00	-0.03	46.24	3	Vertical	355	1.80	-	32.10	6.99	31.36
PK	5.1724G	117.48	Inf	-Inf	109.84	3	Vertical	355	1.80	-	31.97	7.04	31.37
AV	5.2652G	98.80	Inf	-Inf	91.32	3	Vertical	355	1.80	-	31.57	7.33	31.42
PK	5.3596G	66.38	74.00	-7.62	58.67	3	Vertical	355	1.80	-	31.52	7.66	31.47
AV	5.3516G	51.30	54.00	-2.70	43.64	3	Vertical	355	1.80	-	31.50	7.63	31.47
PK	5.5436G	61.10	68.20	-7.10	53.53	3	Vertical	355	1.80	-	31.90	7.23	31.56

5.15-5.25GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 76
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	67.05	74.00	-6.95	59.34	3	Horizontal	282	1.80	-	32.10	6.96	31.35
AV	5.1292G	50.73	54.00	-3.27	43.02	3	Horizontal	282	1.80	-	32.10	6.96	31.35
PK	5.1844G	113.34	Inf	-Inf	105.76	3	Horizontal	282	1.80	-	31.89	7.07	31.38
AV	5.2356G	95.55	Inf	-Inf	88.08	3	Horizontal	282	1.80	-	31.66	7.22	31.41
PK	5.3516G	65.96	74.00	-8.04	58.30	3	Horizontal	282	1.80	-	31.50	7.63	31.47
AV	5.35G	49.59	54.00	-4.41	41.93	3	Horizontal	282	1.80	-	31.50	7.63	31.47
PK	5.4932G	60.27	68.20	-7.93	52.50	3	Horizontal	282	1.80	-	31.89	7.43	31.55

5.15-5.25GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 76
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75428G	60.99	74.00	-13.01	44.72	3	Vertical	58	1.06	-	38.30	10.84	32.87
AV	15.75388G	47.10	54.00	-6.90	30.83	3	Vertical	58	1.06	-	38.30	10.84	32.87

5.15-5.25GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 76
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75177G	60.33	74.00	-13.67	44.06	3	Horizontal	120	1.97	-	38.30	10.84	32.87
AV	15.75048G	47.05	54.00	-6.95	30.78	3	Horizontal	120	1.97	-	38.30	10.84	32.87

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	61.19	68.20	-7.01	53.60	3	Vertical	350	1.80	-	31.50	7.55	31.46
PK	5.434G	66.88	74.00	-7.12	58.99	3	Vertical	350	1.80	-	31.74	7.66	31.51
PK	5.4636G	67.24	68.20	-0.96	59.39	3	Vertical	350	1.80	-	31.83	7.55	31.53
AV	5.4516G	53.98	54.00	-0.02	46.11	3	Vertical	350	1.80	-	31.80	7.59	31.52
PK	5.5148G	110.55	Inf	-Inf	102.86	3	Vertical	350	1.80	-	31.90	7.34	31.55
AV	5.5644G	99.48	Inf	-Inf	92.03	3	Vertical	350	1.80	-	31.87	7.14	31.56
PK	5.7476G	61.89	68.20	-6.31	54.28	3	Vertical	350	1.80	-	32.19	7.00	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
Setting 74
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	60.92	68.20	-7.28	53.29	3	Horizontal	3	1.80	-	31.50	7.60	31.47
PK	5.4356G	67.00	74.00	-7.00	59.12	3	Horizontal	3	1.80	-	31.74	7.66	31.52
AV	5.4348G	52.60	54.00	-1.40	44.71	3	Horizontal	3	1.80	-	31.74	7.66	31.51
PK	5.4676G	67.01	68.20	-1.19	59.17	3	Horizontal	3	1.80	-	31.84	7.53	31.53
PK	5.5084G	107.78	Inf	-Inf	100.06	3	Horizontal	3	1.80	-	31.90	7.37	31.55
AV	5.5084G	95.19	Inf	-Inf	87.47	3	Horizontal	3	1.80	-	31.90	7.37	31.55
PK	5.7268G	63.50	68.20	-4.70	56.02	3	Horizontal	3	1.80	-	32.06	7.00	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
Setting 74
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14293G	59.52	74.00	-14.48	42.23	3	Vertical	184	1.49	-	39.93	9.96	32.60
AV	11.14216G	45.34	54.00	-8.66	28.05	3	Vertical	184	1.49	-	39.93	9.96	32.60

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX



EUT Y_4TX
Setting 74
06-C-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14462G	59.29	74.00	-14.71	42.01	3	Horizontal	79	1.64	-	39.92	9.96	32.60
AV	11.1356G	45.37	54.00	-8.63	28.05	3	Horizontal	79	1.64	-	39.96	9.96	32.60



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.99985G	27.69	54.00	-26.31	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.00025G	38.21	74.00	-35.79	-3.49	3	Vertical	190	2.47	-	41.70	26.10	4.29	33.88
AV	1.99985G	27.69	54.00	-26.31	-3.49	3	Vertical	190	2.47	"Worst"	31.18	26.10	4.29	33.88

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9862G	38.06	74.00	-35.94	-3.62	3	Horizontal	208	1.07	-	41.68	26.00	4.28	33.90
AV	1.9999G	26.63	54.00	-27.37	-3.49	3	Horizontal	208	1.07	"Worst"	30.12	26.10	4.29	33.88