




**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	65.89M	35.99	40.00	-4.01	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	49.4M	34.93	40.00	-5.07	-16.11	3	Vertical	353	1.00	-	51.04	14.77	1.32	32.20
QP	58.13M	33.55	40.00	-6.45	-18.04	3	Vertical	41	1.25	-	51.59	12.77	1.40	32.21
PK	65.89M	35.99	40.00	-4.01	-18.39	3	Vertical	154	2.00	"Worst"	54.38	12.27	1.45	32.11
PK	80.44M	31.12	40.00	-8.88	-17.16	3	Vertical	360	1.25	-	48.28	13.25	1.57	31.98
PK	104.69M	29.11	43.50	-14.39	-13.07	3	Vertical	285	1.00	-	42.18	17.33	1.70	32.10
PK	136.7M	27.44	43.50	-16.06	-12.45	3	Vertical	198	1.00	-	39.89	17.66	1.88	31.99

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	58.13M	29.89	40.00	-10.11	-18.04	3	Horizontal	120	3.00	"Worst"	47.93	12.77	1.40	32.21
PK	80.44M	28.18	40.00	-11.82	-17.16	3	Horizontal	85	2.00	-	45.34	13.25	1.57	31.98
PK	104.69M	30.94	43.50	-12.56	-13.07	3	Horizontal	76	2.00	-	44.01	17.33	1.70	32.10
PK	142.52M	32.54	43.50	-10.96	-13.10	3	Horizontal	250	2.00	-	45.64	17.01	1.91	32.02
PK	144.46M	32.45	43.50	-11.05	-13.17	3	Horizontal	103	2.00	-	45.62	16.94	1.92	32.03
PK	315.18M	25.94	46.00	-20.06	-9.58	3	Horizontal	151	1.00	-	35.52	19.45	2.65	31.68




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160-BF_Nss2,(MCS0)_4TX	Pass	AV	5.4516G	53.98	54.00	-0.02	3	Vertical	350	1.80	-

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




EUT Y\_4TX  
 Setting 92  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1393G	69.47	74.00	-4.53	62.13	3	Vertical	16	1.80	-	32.72	7.08	32.46
AV	5.1484G	53.70	54.00	-0.30	46.36	3	Vertical	16	1.80	-	32.70	7.10	32.46
PK	5.181G	122.96	Inf	-Inf	115.50	3	Vertical	16	1.80	-	32.76	7.16	32.46
AV	5.1808G	112.69	Inf	-Inf	105.23	3	Vertical	16	1.80	-	32.76	7.16	32.46



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




EUT Y\_4TX  
 Setting 92  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1397G	65.93	74.00	-8.07	58.58	3	Horizontal	294	1.80	-	32.72	7.09	32.46
AV	5.15G	50.39	54.00	-3.61	43.04	3	Horizontal	294	1.80	-	32.70	7.11	32.46
PK	5.1813G	120.14	Inf	-Inf	112.68	3	Horizontal	294	1.80	-	32.76	7.16	32.46
AV	5.1821G	109.54	Inf	-Inf	102.07	3	Horizontal	294	1.80	-	32.76	7.17	32.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36688G	56.48	68.20	-11.72	42.56	3	Vertical	336	1.80	-	38.47	10.06	34.61
PK	15.53194G	59.27	74.00	-14.73	44.20	3	Vertical	177	1.80	-	37.94	11.95	34.82
AV	15.53226G	45.87	54.00	-8.13	30.79	3	Vertical	177	1.80	-	37.94	11.96	34.82

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35786G	56.36	68.20	-11.84	42.44	3	Horizontal	280	1.80	-	38.46	10.06	34.60
PK	15.55195G	59.92	74.00	-14.08	44.87	3	Horizontal	243	1.80	-	37.90	11.97	34.82
AV	15.53238G	46.00	54.00	-8.00	30.92	3	Horizontal	243	1.80	-	37.94	11.96	34.82

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	71.78	74.00	-2.22	64.43	3	Vertical	13	1.60	-	32.72	7.09	32.46
AV	5.1462G	53.50	54.00	-0.50	46.15	3	Vertical	13	1.60	-	32.71	7.10	32.46
PK	5.1988G	127.50	Inf	-Inf	119.96	3	Vertical	13	1.60	-	32.80	7.20	32.46
AV	5.199G	117.22	Inf	-Inf	109.68	3	Vertical	13	1.60	-	32.80	7.20	32.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	71.25	74.00	-2.75	63.91	3	Horizontal	293	1.80	-	32.71	7.09	32.46
AV	5.15G	51.45	54.00	-2.55	44.10	3	Horizontal	293	1.80	-	32.70	7.11	32.46
PK	5.2016G	122.44	Inf	-Inf	114.90	3	Horizontal	293	1.80	-	32.80	7.20	32.46
AV	5.202G	112.01	Inf	-Inf	104.47	3	Horizontal	293	1.80	-	32.80	7.20	32.46

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4059G	56.10	68.20	-12.10	42.16	3	Vertical	65	1.80	-	38.50	10.07	34.63
PK	15.5931G	59.64	74.00	-14.36	44.65	3	Vertical	228	1.80	-	37.81	11.99	34.81
AV	15.5933G	46.16	54.00	-7.84	31.17	3	Vertical	228	1.80	-	37.81	11.99	34.81

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40038G	56.62	68.20	-11.58	42.68	3	Horizontal	0	1.80	-	38.50	10.07	34.63
PK	15.60865G	59.56	74.00	-14.44	44.58	3	Horizontal	241	1.80	-	37.79	12.00	34.81
AV	15.59315G	46.22	54.00	-7.78	31.23	3	Horizontal	241	1.80	-	37.81	11.99	34.81

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0945G	60.84	74.00	-13.16	53.47	3	Vertical	11	1.80	-	32.82	7.00	32.45
AV	5.1479G	48.79	54.00	-5.21	41.45	3	Vertical	11	1.80	-	32.70	7.10	32.46
PK	5.24G	126.25	Inf	-Inf	118.64	3	Vertical	11	1.80	-	32.80	7.28	32.47
AV	5.2391G	116.66	Inf	-Inf	109.06	3	Vertical	11	1.80	-	32.80	7.27	32.47
PK	5.381G	62.03	74.00	-11.97	54.32	3	Vertical	11	1.80	-	32.66	7.54	32.49
AV	5.3612G	48.76	54.00	-5.24	41.11	3	Vertical	11	1.80	-	32.62	7.51	32.48



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	60.63	74.00	-13.37	53.29	3	Horizontal	291	1.80	-	32.70	7.10	32.46
AV	5.1485G	47.64	54.00	-6.36	40.30	3	Horizontal	291	1.80	-	32.70	7.10	32.46
PK	5.243G	123.02	Inf	-Inf	115.41	3	Horizontal	291	1.80	-	32.80	7.28	32.47
AV	5.2421G	112.88	Inf	-Inf	105.27	3	Horizontal	291	1.80	-	32.80	7.28	32.47
PK	5.3546G	60.32	74.00	-13.68	52.70	3	Horizontal	291	1.80	-	32.61	7.49	32.48
AV	5.3513G	47.57	54.00	-6.43	39.96	3	Horizontal	291	1.80	-	32.60	7.49	32.48

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47295G	56.28	68.20	-11.92	42.37	3	Vertical	360	1.80	-	38.50	10.09	34.68
PK	15.71493G	59.72	74.00	-14.28	44.75	3	Vertical	228	1.79	-	37.73	12.05	34.81
AV	15.7139G	46.28	54.00	-7.72	31.31	3	Vertical	228	1.79	-	37.73	12.05	34.81

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47665G	56.44	68.20	-11.76	42.53	3	Horizontal	77	1.04	-	38.50	10.09	34.68
PK	15.71373G	60.94	74.00	-13.06	45.97	3	Horizontal	248	1.80	-	37.73	12.05	34.81
AV	15.7133G	46.35	54.00	-7.65	31.38	3	Horizontal	248	1.80	-	37.73	12.05	34.81

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2562G	128.27	Inf	-Inf	120.80	3	Vertical	343	1.80	-	31.59	7.30	31.42
AV	5.257G	118.46	Inf	-Inf	110.99	3	Vertical	343	1.80	-	31.59	7.30	31.42
PK	5.359G	64.20	74.00	-9.80	56.49	3	Vertical	343	1.80	-	31.52	7.66	31.47
AV	5.3572G	50.20	54.00	-3.80	42.51	3	Vertical	343	1.80	-	31.51	7.65	31.47

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.262G	124.49	Inf	-Inf	117.01	3	Horizontal	287	1.80	-	31.58	7.32	31.42
AV	5.262G	114.27	Inf	-Inf	106.79	3	Horizontal	287	1.80	-	31.58	7.32	31.42
PK	5.3562G	62.01	74.00	-11.99	54.32	3	Horizontal	287	1.80	-	31.51	7.65	31.47
AV	5.35G	48.91	54.00	-5.09	41.25	3	Horizontal	287	1.80	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52272G	61.10	68.20	-7.10	43.64	3	Vertical	4	2.13	-	40.10	9.93	32.57
PK	15.77166G	61.67	74.00	-12.33	45.40	3	Vertical	128	1.80	-	38.30	10.84	32.87
AV	15.77248G	47.45	54.00	-6.55	31.18	3	Vertical	128	1.80	-	38.30	10.84	32.87

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52272G	60.37	68.20	-7.83	42.91	3	Horizontal	62	1.11	-	40.10	9.93	32.57
PK	15.78134G	62.19	74.00	-11.81	45.92	3	Horizontal	353	1.00	-	38.30	10.85	32.88
AV	15.77572G	47.22	54.00	-6.78	30.96	3	Horizontal	353	1.00	-	38.30	10.84	32.88

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
Setting 97  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30675G	126.14	Inf	-Inf	118.62	3	Vertical	14	1.80	-	31.50	7.47	31.45
AV	5.30675G	116.30	Inf	-Inf	108.78	3	Vertical	14	1.80	-	31.50	7.47	31.45
PK	5.35975G	68.50	74.00	-5.50	60.79	3	Vertical	14	1.80	-	31.52	7.66	31.47
AV	5.35G	53.65	54.00	-0.35	45.99	3	Vertical	14	1.80	-	31.50	7.63	31.47



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
Setting 97  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	123.20	Inf	-Inf	115.68	3	Horizontal	288	1.80	-	31.50	7.46	31.44
AV	5.30225G	113.28	Inf	-Inf	105.76	3	Horizontal	288	1.80	-	31.50	7.46	31.44
PK	5.35G	68.75	74.00	-5.25	61.09	3	Horizontal	288	1.80	-	31.50	7.63	31.47
AV	5.35G	51.97	54.00	-2.03	44.31	3	Horizontal	288	1.80	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
Setting 97  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60434G	60.40	74.00	-13.60	42.83	3	Vertical	217	2.14	-	40.20	9.93	32.56
AV	10.60028G	46.26	54.00	-7.74	28.69	3	Vertical	217	2.14	-	40.20	9.93	32.56
PK	15.89334G	61.23	74.00	-12.77	45.25	3	Vertical	196	2.50	-	38.01	10.87	32.90
AV	15.89206G	47.05	54.00	-6.95	31.06	3	Vertical	196	2.50	-	38.02	10.87	32.90

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 97  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60142G	60.41	74.00	-13.59	42.84	3	Horizontal	301	2.69	-	40.20	9.93	32.56
AV	10.60004G	46.25	54.00	-7.75	28.68	3	Horizontal	301	2.69	-	40.20	9.93	32.56
PK	15.905G	61.70	74.00	-12.30	45.73	3	Horizontal	345	2.26	-	37.99	10.88	32.90
AV	15.89188G	47.08	54.00	-6.92	31.09	3	Horizontal	345	2.26	-	38.02	10.87	32.90

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT Y\_4TX  
 Setting 84  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	123.44	Inf	-Inf	115.87	3	Vertical	8	1.74	-	31.50	7.52	31.45
AV	5.31875G	113.46	Inf	-Inf	105.89	3	Vertical	8	1.74	-	31.50	7.52	31.45
PK	5.3605G	70.94	74.00	-3.06	63.23	3	Vertical	8	1.74	-	31.52	7.66	31.47
AV	5.35975G	53.61	54.00	-0.39	45.90	3	Vertical	8	1.74	-	31.52	7.66	31.47

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT Y\_4TX  
 Setting 84  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32175G	119.64	Inf	-Inf	112.06	3	Horizontal	288	1.80	-	31.50	7.53	31.45
AV	5.322G	109.78	Inf	-Inf	102.20	3	Horizontal	288	1.80	-	31.50	7.53	31.45
PK	5.361G	67.25	74.00	-6.75	59.54	3	Horizontal	288	1.80	-	31.52	7.66	31.47
AV	5.3505G	51.14	54.00	-2.86	43.48	3	Horizontal	288	1.80	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64134G	60.11	74.00	-13.89	42.54	3	Vertical	60	1.73	-	40.20	9.93	32.56
AV	10.63865G	46.05	54.00	-7.95	28.48	3	Vertical	60	1.73	-	40.20	9.93	32.56
PK	15.96101G	60.71	74.00	-13.29	44.83	3	Vertical	180	1.32	-	37.90	10.89	32.91
AV	15.9575G	46.75	54.00	-7.25	30.87	3	Vertical	180	1.32	-	37.90	10.89	32.91

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63828G	60.72	74.00	-13.28	43.15	3	Horizontal	177	2.71	-	40.20	9.93	32.56
AV	10.63882G	46.04	54.00	-7.96	28.47	3	Horizontal	177	2.71	-	40.20	9.93	32.56
PK	15.95823G	61.60	74.00	-12.40	45.72	3	Horizontal	345	2.92	-	37.90	10.89	32.91
AV	15.95757G	46.79	54.00	-7.21	30.91	3	Horizontal	232	2.54	-	37.90	10.89	32.91

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 87  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4575G	68.63	74.00	-5.37	60.77	3	Vertical	344	1.80	-	31.82	7.57	31.53
AV	5.45825G	53.81	54.00	-0.19	45.95	3	Vertical	344	1.80	-	31.82	7.57	31.53
PK	5.46875G	66.13	68.20	-2.07	58.29	3	Vertical	344	1.80	-	31.84	7.53	31.53
PK	5.49675G	123.43	Inf	-Inf	115.68	3	Vertical	344	1.80	-	31.89	7.41	31.55
AV	5.4965G	112.89	Inf	-Inf	105.14	3	Vertical	344	1.80	-	31.89	7.41	31.55



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 87  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45875G	66.93	74.00	-7.07	59.07	3	Horizontal	3	1.80	-	31.82	7.57	31.53
AV	5.45925G	51.34	54.00	-2.66	43.49	3	Horizontal	3	1.80	-	31.82	7.56	31.53
PK	5.46075G	64.43	68.20	-3.77	56.58	3	Horizontal	3	1.80	-	31.82	7.56	31.53
PK	5.49775G	118.69	Inf	-Inf	110.93	3	Horizontal	3	1.80	-	31.90	7.41	31.55
AV	5.49725G	108.66	Inf	-Inf	100.91	3	Horizontal	3	1.80	-	31.89	7.41	31.55

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 87  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99815G	60.91	74.00	-13.09	42.98	3	Vertical	185	1.09	-	40.50	9.95	32.52
AV	11.00069G	47.00	54.00	-7.00	29.07	3	Vertical	185	1.09	-	40.50	9.95	32.52
PK	16.49947G	64.41	68.20	-3.79	46.30	3	Vertical	299	2.83	-	39.70	11.20	32.79

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 87  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.000247G	61.12	74.00	-12.88	43.20	3	Horizontal	268	2.39	-	40.49	9.95	32.52
AV	11.00069G	47.01	54.00	-6.99	29.08	3	Horizontal	268	2.39	-	40.50	9.95	32.52
PK	16.49886G	63.86	68.20	-4.34	45.75	3	Horizontal	229	1.53	-	39.70	11.20	32.79

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4486G	63.24	74.00	-10.76	55.36	3	Vertical	39	2.06	-	31.79	7.61	31.52
AV	5.4525G	49.99	54.00	-4.01	42.11	3	Vertical	39	2.06	-	31.81	7.59	31.52
PK	5.4684G	62.94	68.20	-5.26	55.10	3	Vertical	39	2.06	-	31.84	7.53	31.53
PK	5.586G	127.40	Inf	-Inf	120.07	3	Vertical	39	2.06	-	31.83	7.06	31.56
AV	5.5854G	117.45	Inf	-Inf	110.12	3	Vertical	39	2.06	-	31.83	7.06	31.56
PK	5.7252G	61.00	68.20	-7.20	53.53	3	Vertical	39	2.06	-	32.05	7.00	31.58

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4507G	61.35	74.00	-12.65	53.47	3	Horizontal	352	1.80	-	31.80	7.60	31.52
AV	5.4534G	48.96	54.00	-5.04	41.08	3	Horizontal	352	1.80	-	31.81	7.59	31.52
PK	5.4627G	61.44	68.20	-6.76	53.59	3	Horizontal	352	1.80	-	31.83	7.55	31.53
PK	5.5827G	123.02	Inf	-Inf	115.68	3	Horizontal	352	1.80	-	31.83	7.07	31.56
AV	5.5824G	112.46	Inf	-Inf	105.11	3	Horizontal	352	1.80	-	31.84	7.07	31.56
PK	5.7297G	60.50	68.20	-7.70	53.00	3	Horizontal	352	1.80	-	32.08	7.00	31.58

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16183G	59.92	74.00	-14.08	42.69	3	Vertical	261	1.54	-	39.88	9.96	32.61
AV	11.15998G	46.00	54.00	-8.00	28.77	3	Vertical	261	1.54	-	39.88	9.96	32.61
PK	16.74218G	64.13	68.20	-4.07	45.83	3	Vertical	216	2.89	-	40.15	11.35	33.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15755G	59.95	74.00	-14.05	42.72	3	Horizontal	186	1.83	-	39.88	9.96	32.61
AV	11.15994G	45.99	54.00	-8.01	28.76	3	Horizontal	186	1.83	-	39.88	9.96	32.61
PK	16.73891G	64.02	68.20	-4.18	45.74	3	Horizontal	260	1.07	-	40.13	11.34	33.19

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT Y\_4TX  
 Setting 76  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6925G	118.04	Inf	-Inf	110.74	3	Vertical	360	1.80	-	31.87	7.00	31.57
AV	5.6925G	107.85	Inf	-Inf	100.55	3	Vertical	360	1.80	-	31.87	7.00	31.57
PK	5.7312G	67.86	68.20	-0.34	60.35	3	Vertical	360	1.80	-	32.09	7.00	31.58



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6979G	116.25	Inf	-Inf	108.93	3	Horizontal	6	1.80	-	31.89	7.00	31.57
AV	5.6979G	105.48	Inf	-Inf	98.16	3	Horizontal	6	1.80	-	31.89	7.00	31.57
PK	5.7309G	64.56	68.20	-3.64	57.05	3	Horizontal	6	1.80	-	32.09	7.00	31.58

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
Setting 76  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40137G	61.03	74.00	-12.97	43.80	3	Vertical	301	2.66	-	40.00	9.97	32.74
AV	11.39982G	46.83	54.00	-7.17	29.60	3	Vertical	301	2.66	-	40.00	9.97	32.74
PK	17.09989G	64.95	68.20	-3.25	46.67	3	Vertical	343	2.65	-	40.20	11.56	33.48

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39959G	60.99	74.00	-13.01	43.76	3	Horizontal	309	1.71	-	40.00	9.97	32.74
AV	11.39974G	46.88	54.00	-7.12	29.65	3	Horizontal	309	1.71	-	40.00	9.97	32.74
PK	17.10073G	64.28	68.20	-3.92	45.99	3	Horizontal	51	2.19	-	40.20	11.56	33.47

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	125.31	Inf	-Inf	117.88	3	Vertical	7	1.80	-	32.01	7.00	31.58
AV	5.7188G	115.30	Inf	-Inf	107.87	3	Vertical	7	1.80	-	32.01	7.00	31.58
PK	5.8643G	59.98	68.20	-8.22	52.24	3	Vertical	7	1.80	-	32.36	6.97	31.59

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7149G	121.53	Inf	-Inf	114.12	3	Horizontal	0	1.80	-	31.99	7.00	31.58
AV	5.7152G	111.68	Inf	-Inf	104.27	3	Horizontal	0	1.80	-	31.99	7.00	31.58
PK	5.8667G	59.59	68.20	-8.61	51.84	3	Horizontal	0	1.80	-	32.37	6.97	31.59

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44228G	60.41	74.00	-13.59	43.21	3	Vertical	297	2.05	-	40.00	9.97	32.77
AV	11.44097G	46.61	54.00	-7.39	29.41	3	Vertical	297	2.05	-	40.00	9.97	32.77
PK	17.15768G	64.57	68.20	-3.63	46.02	3	Vertical	29	2.64	-	40.35	11.59	33.39

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43843G	60.30	74.00	-13.70	43.10	3	Horizontal	221	1.40	-	40.00	9.97	32.77
AV	11.44082G	46.64	54.00	-7.36	29.44	3	Horizontal	221	1.40	-	40.00	9.97	32.77
PK	17.15937G	64.84	68.20	-3.36	46.26	3	Horizontal	310	2.31	-	40.36	11.60	33.38

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 100  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.47	68.20	-0.73	60.10	3	Vertical	10	1.76	-	32.60	7.22	32.45
PK	5.7435G	124.97	Inf	-Inf	116.74	3	Vertical	10	1.76	-	33.35	7.30	32.42
AV	5.744G	114.85	Inf	-Inf	106.61	3	Vertical	10	1.76	-	33.35	7.31	32.42
PK	5.9925G	60.41	68.20	-7.79	51.44	3	Vertical	10	1.76	-	33.91	7.40	32.34



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 100  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	62.94	68.20	-5.26	55.57	3	Horizontal	101	2.96	-	32.60	7.22	32.45
PK	5.742G	121.78	Inf	-Inf	113.56	3	Horizontal	101	2.96	-	33.34	7.30	32.42
AV	5.7415G	111.19	Inf	-Inf	102.98	3	Horizontal	101	2.96	-	33.33	7.30	32.42
PK	5.9285G	60.70	68.20	-7.50	51.68	3	Horizontal	101	2.96	-	34.00	7.38	32.36

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48902G	57.92	74.00	-16.08	43.39	3	Vertical	348	1.80	-	38.81	10.35	34.63
AV	11.48482G	43.15	54.00	-10.85	28.61	3	Vertical	348	1.80	-	38.82	10.35	34.63
PK	17.24378G	62.05	68.20	-6.15	45.52	3	Vertical	28	1.80	-	38.84	12.73	35.04

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48652G	57.19	74.00	-16.81	42.66	3	Horizontal	246	3.00	-	38.81	10.35	34.63
AV	11.48776G	43.11	54.00	-10.89	28.58	3	Horizontal	246	3.00	-	38.81	10.35	34.63
PK	17.23108G	60.98	68.20	-7.22	44.45	3	Horizontal	358	1.93	-	38.83	12.72	35.02

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.54G	63.19	68.20	-5.01	56.54	3	Vertical	7	1.80	-	31.90	7.24	32.49
PK	5.784G	123.39	Inf	-Inf	116.53	3	Vertical	7	1.80	-	32.27	7.00	32.41
AV	5.784G	114.19	Inf	-Inf	107.33	3	Vertical	7	1.80	-	32.27	7.00	32.41
PK	6.026G	60.27	68.20	-7.93	53.14	3	Vertical	7	1.80	-	32.55	6.96	32.38

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	59.81	68.20	-8.39	53.19	3	Horizontal	0	1.71	-	31.90	7.20	32.48
PK	5.7805G	119.67	Inf	-Inf	112.82	3	Horizontal	0	1.71	-	32.26	7.00	32.41
AV	5.78G	110.23	Inf	-Inf	103.38	3	Horizontal	0	1.71	-	32.26	7.00	32.41
PK	6.0265G	58.70	68.20	-9.50	51.56	3	Horizontal	0	1.71	-	32.55	6.97	32.38

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57566G	57.16	74.00	-16.84	42.86	3	Vertical	26	1.80	-	38.57	10.37	34.64
AV	11.56582G	43.30	54.00	-10.70	28.97	3	Vertical	26	1.80	-	38.60	10.37	34.64
PK	17.34606G	62.54	68.20	-5.66	45.76	3	Vertical	183	1.80	-	39.18	12.77	35.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56788G	57.51	74.00	-16.49	43.18	3	Horizontal	167	2.98	-	38.60	10.37	34.64
AV	11.56696G	43.34	54.00	-10.66	29.01	3	Horizontal	167	2.98	-	38.60	10.37	34.64
PK	17.35224G	63.20	68.20	-5.00	46.39	3	Horizontal	327	1.80	-	39.21	12.77	35.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.582G	62.16	68.20	-6.04	55.72	3	Vertical	319	1.78	-	31.84	7.07	32.47
PK	5.818G	120.43	Inf	-Inf	113.54	3	Vertical	319	1.78	-	32.30	6.99	32.40
AV	5.818G	110.79	Inf	-Inf	103.90	3	Vertical	319	1.78	-	32.30	6.99	32.40
PK	6.0655G	59.71	68.20	-8.49	52.48	3	Vertical	319	1.78	-	32.60	7.06	32.43



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.582G	60.26	68.20	-7.94	53.82	3	Horizontal	360	1.60	-	31.84	7.07	32.47
PK	5.8195G	118.46	Inf	-Inf	111.57	3	Horizontal	360	1.60	-	32.30	6.99	32.40
AV	5.8195G	108.59	Inf	-Inf	101.70	3	Horizontal	360	1.60	-	32.30	6.99	32.40
PK	6.0435G	59.54	68.20	-8.66	52.34	3	Horizontal	360	1.60	-	32.59	7.01	32.40

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64912G	56.55	74.00	-17.45	42.30	3	Vertical	21	1.80	-	38.50	10.39	34.64
AV	11.64158G	43.14	54.00	-10.86	28.89	3	Vertical	21	1.80	-	38.50	10.39	34.64
PK	17.47672G	63.39	68.20	-4.81	46.32	3	Vertical	214	1.80	-	39.58	12.82	35.33

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




EUT Y\_4TX  
 Setting 104  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64538G	57.66	74.00	-16.34	43.41	3	Horizontal	138	2.57	-	38.50	10.39	34.64
AV	11.64706G	43.56	54.00	-10.44	29.31	3	Horizontal	138	2.57	-	38.50	10.39	34.64
PK	17.48374G	62.24	68.20	-5.96	45.17	3	Horizontal	208	1.85	-	39.58	12.83	35.34

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	67.65	74.00	-6.35	59.92	3	Vertical	360	1.80	-	32.10	6.98	31.35
AV	5.1462G	53.92	54.00	-0.08	46.19	3	Vertical	360	1.80	-	32.10	6.99	31.36
PK	5.1862G	124.00	Inf	-Inf	116.43	3	Vertical	360	1.80	-	31.88	7.07	31.38
AV	5.1863G	111.82	Inf	-Inf	104.25	3	Vertical	360	1.80	-	31.88	7.07	31.38

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




EUT Y\_4TX  
 Setting 82  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	64.43	74.00	-9.57	56.71	3	Horizontal	288	1.80	-	32.10	6.98	31.36
AV	5.1405G	51.69	54.00	-2.31	43.97	3	Horizontal	288	1.80	-	32.10	6.98	31.36
PK	5.1808G	120.80	Inf	-Inf	113.20	3	Horizontal	288	1.80	-	31.92	7.06	31.38
AV	5.1758G	109.62	Inf	-Inf	101.99	3	Horizontal	288	1.80	-	31.95	7.05	31.37

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




EUT\_Y\_4TX  
Setting 82  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36656G	59.21	68.20	-8.99	41.85	3	Vertical	223	3.00	-	40.03	9.92	32.59
PK	15.54298G	62.93	74.00	-11.07	46.06	3	Vertical	302	2.76	-	38.91	10.79	32.83
AV	15.54968G	48.71	54.00	-5.29	31.85	3	Vertical	302	2.76	-	38.90	10.79	32.83

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




EUT\_Y\_4TX  
Setting 82  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36564G	59.26	68.20	-8.94	41.90	3	Horizontal	225	1.80	-	40.03	9.92	32.59
PK	15.54158G	62.42	74.00	-11.58	45.54	3	Horizontal	110	1.80	-	38.92	10.79	32.83
AV	15.5496G	48.69	54.00	-5.31	31.83	3	Horizontal	110	1.80	-	38.90	10.79	32.83

5.15-5.25GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
 Setting 88  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.88	74.00	-5.12	61.14	3	Vertical	4	1.80	-	32.10	7.00	31.36
AV	5.1496G	53.89	54.00	-0.11	46.15	3	Vertical	4	1.80	-	32.10	7.00	31.36
PK	5.1949G	125.58	Inf	-Inf	118.05	3	Vertical	4	1.80	-	31.83	7.09	31.39
AV	5.1946G	114.55	Inf	-Inf	107.02	3	Vertical	4	1.80	-	31.83	7.09	31.39



5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
 Setting 88  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14585G	67.71	74.00	-6.29	59.98	3	Horizontal	288	1.80	-	32.10	6.99	31.36
AV	5.15G	51.59	54.00	-2.41	43.85	3	Horizontal	288	1.80	-	32.10	7.00	31.36
PK	5.19595G	124.18	Inf	-Inf	116.66	3	Horizontal	288	1.80	-	31.82	7.09	31.39
AV	5.19565G	112.03	Inf	-Inf	104.50	3	Horizontal	288	1.80	-	31.83	7.09	31.39

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
Setting 88  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39824G	60.23	68.20	-7.97	42.80	3	Vertical	284	1.76	-	40.10	9.92	32.59
PK	15.59248G	62.54	74.00	-11.46	45.93	3	Vertical	32	3.00	-	38.65	10.80	32.84
AV	15.60778G	49.18	54.00	-4.82	32.70	3	Vertical	32	3.00	-	38.52	10.80	32.84

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
Setting 88  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39084G	59.36	68.20	-8.84	41.95	3	Horizontal	22	1.80	-	40.08	9.92	32.59
PK	15.59338G	62.69	74.00	-11.31	46.09	3	Horizontal	267	1.41	-	38.64	10.80	32.84
AV	15.59214G	49.09	54.00	-4.91	32.48	3	Horizontal	267	1.41	-	38.65	10.80	32.84

5.15-5.25GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX




EUT Y\_4TX  
 Setting 110  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	70.89	74.00	-3.11	63.16	3	Vertical	6	1.80	-	32.10	6.99	31.36
AV	5.1492G	51.96	54.00	-2.04	44.22	3	Vertical	6	1.80	-	32.10	7.00	31.36
PK	5.235G	129.85	Inf	-Inf	122.38	3	Vertical	6	1.80	-	31.66	7.22	31.41
AV	5.245G	118.69	Inf	-Inf	111.22	3	Vertical	6	1.80	-	31.62	7.26	31.41

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX




EUT Y\_4TX  
 Setting 110  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	73.71	74.00	-0.29	65.98	3	Horizontal	288	1.80	-	32.10	6.99	31.36
AV	5.1498G	50.69	54.00	-3.31	42.95	3	Horizontal	288	1.80	-	32.10	7.00	31.36
PK	5.2456G	127.63	Inf	-Inf	120.16	3	Horizontal	288	1.80	-	31.62	7.26	31.41
AV	5.2458G	115.81	Inf	-Inf	108.34	3	Horizontal	288	1.80	-	31.62	7.26	31.41

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48654G	59.57	68.20	-8.63	42.09	3	Vertical	112	2.90	-	40.13	9.92	32.57
PK	15.7212G	62.71	74.00	-11.29	46.50	3	Vertical	168	2.94	-	38.24	10.83	32.86
AV	15.72026G	49.28	54.00	-4.72	33.07	3	Vertical	168	2.94	-	38.24	10.83	32.86

5.15-5.25GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48162G	59.70	68.20	-8.50	42.21	3	Horizontal	0	1.00	-	40.14	9.92	32.57
PK	15.72092G	61.56	74.00	-12.44	45.35	3	Horizontal	99	1.80	-	38.24	10.83	32.86
AV	15.71082G	48.30	54.00	-5.70	32.11	3	Horizontal	99	1.80	-	38.22	10.83	32.86

5.25-5.35GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT Y\_4TX  
 Setting 110  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2692G	130.01	Inf	-Inf	122.54	3	Vertical	336	1.80	-	31.56	7.34	31.43
AV	5.264G	118.74	Inf	-Inf	111.27	3	Vertical	336	1.80	-	31.57	7.32	31.42
PK	5.355G	73.61	74.00	-0.39	65.93	3	Vertical	336	1.80	-	31.51	7.64	31.47
AV	5.3544G	52.00	54.00	-2.00	44.32	3	Vertical	336	1.80	-	31.51	7.64	31.47



5.25-5.35GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT Y\_4TX  
 Setting 110  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2658G	127.55	Inf	-Inf	120.07	3	Horizontal	290	1.80	-	31.57	7.33	31.42
AV	5.2556G	115.98	Inf	-Inf	108.52	3	Horizontal	290	1.80	-	31.59	7.29	31.42
PK	5.3564G	71.08	74.00	-2.92	63.39	3	Horizontal	290	1.80	-	31.51	7.65	31.47
AV	5.3506G	50.98	54.00	-3.02	43.32	3	Horizontal	290	1.80	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.512G	59.42	68.20	-8.78	41.96	3	Vertical	132	1.80	-	40.10	9.93	32.57
PK	15.78582G	63.04	74.00	-10.96	46.77	3	Vertical	171	2.61	-	38.30	10.85	32.88
AV	15.78112G	48.82	54.00	-5.18	32.55	3	Vertical	171	2.61	-	38.30	10.85	32.88

5.25-5.35GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5245G	59.62	68.20	-8.58	42.16	3	Horizontal	360	1.78	-	40.10	9.93	32.57
PK	15.78112G	61.04	74.00	-12.96	44.77	3	Horizontal	134	1.80	-	38.30	10.85	32.88
AV	15.7858G	48.12	54.00	-5.88	31.85	3	Horizontal	134	1.80	-	38.30	10.85	32.88

5.25-5.35GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	125.65	Inf	-Inf	118.12	3	Vertical	8	1.80	-	31.50	7.47	31.44
AV	5.3048G	113.69	Inf	-Inf	106.16	3	Vertical	8	1.80	-	31.50	7.47	31.44
PK	5.3646G	68.78	74.00	-5.22	61.05	3	Vertical	8	1.80	-	31.53	7.68	31.48
AV	5.35G	53.87	54.00	-0.13	46.21	3	Vertical	8	1.80	-	31.50	7.63	31.47

5.25-5.35GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3058G	124.01	Inf	-Inf	116.49	3	Horizontal	285	1.80	-	31.50	7.47	31.45
AV	5.3054G	111.84	Inf	-Inf	104.31	3	Horizontal	285	1.80	-	31.50	7.47	31.44
PK	5.3504G	68.36	74.00	-5.64	60.70	3	Horizontal	285	1.80	-	31.50	7.63	31.47
AV	5.3506G	51.90	54.00	-2.10	44.24	3	Horizontal	285	1.80	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60456G	59.51	74.00	-14.49	41.94	3	Vertical	243	1.80	-	40.20	9.93	32.56
AV	10.60424G	46.35	54.00	-7.65	28.78	3	Vertical	243	1.80	-	40.20	9.93	32.56
PK	15.89545G	61.29	74.00	-12.71	45.31	3	Vertical	73	1.97	-	38.01	10.87	32.90
AV	15.90063G	47.12	54.00	-6.88	31.14	3	Vertical	73	1.97	-	38.00	10.88	32.90

5.25-5.35GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60142G	60.34	74.00	-13.66	42.77	3	Horizontal	333	1.73	-	40.20	9.93	32.56
AV	10.60001G	46.16	54.00	-7.84	28.59	3	Horizontal	333	1.73	-	40.20	9.93	32.56
PK	15.90372G	60.85	74.00	-13.15	44.88	3	Horizontal	246	1.32	-	37.99	10.88	32.90
AV	15.89909G	47.07	54.00	-6.93	31.10	3	Horizontal	246	1.32	-	38.00	10.87	32.90

5.25-5.35GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
 Setting 80  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3292G	123.08	Inf	-Inf	115.49	3	Vertical	336	1.80	-	31.50	7.55	31.46
AV	5.324G	111.74	Inf	-Inf	104.16	3	Vertical	336	1.80	-	31.50	7.53	31.45
PK	5.364G	66.62	74.00	-7.38	58.90	3	Vertical	336	1.80	-	31.53	7.67	31.48
AV	5.3592G	53.82	54.00	-0.18	46.11	3	Vertical	336	1.80	-	31.52	7.66	31.47



5.25-5.35GHz 802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 80  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	120.66	Inf	-Inf	113.08	3	Horizontal	285	1.80	-	31.50	7.54	31.46
AV	5.3258G	109.69	Inf	-Inf	102.11	3	Horizontal	285	1.80	-	31.50	7.54	31.46
PK	5.3602G	66.65	74.00	-7.35	58.94	3	Horizontal	285	1.80	-	31.52	7.66	31.47
AV	5.361G	52.92	54.00	-1.08	45.21	3	Horizontal	285	1.80	-	31.52	7.66	31.47

5.25-5.35GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 80  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64198G	59.57	74.00	-14.43	42.00	3	Vertical	304	1.36	-	40.20	9.93	32.56
AV	10.63908G	45.94	54.00	-8.06	28.37	3	Vertical	304	1.36	-	40.20	9.93	32.56
PK	15.96087G	60.81	74.00	-13.19	44.93	3	Vertical	99	1.46	-	37.90	10.89	32.91
AV	15.96082G	46.93	54.00	-7.07	31.05	3	Vertical	99	1.46	-	37.90	10.89	32.91

5.25-5.35GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 80  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63675G	59.80	74.00	-14.20	42.23	3	Horizontal	179	2.30	-	40.20	9.93	32.56
AV	10.63675G	45.83	54.00	-8.17	28.26	3	Horizontal	179	2.30	-	40.20	9.93	32.56
PK	15.95512G	60.47	74.00	-13.53	44.59	3	Horizontal	130	2.34	-	37.90	10.89	32.91
AV	15.95512G	46.91	54.00	-7.09	31.03	3	Horizontal	130	2.34	-	37.90	10.89	32.91

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT Y\_4TX  
 Setting 76  
 06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	68.38	74.00	-5.62	60.53	3	Vertical	339	1.76	-	31.82	7.56	31.53
AV	5.459G	53.84	54.00	-0.16	45.99	3	Vertical	339	1.76	-	31.82	7.56	31.53
PK	5.464G	64.32	68.20	-3.88	56.48	3	Vertical	339	1.76	-	31.83	7.54	31.53
PK	5.4988G	121.23	Inf	-Inf	113.48	3	Vertical	339	1.76	-	31.90	7.40	31.55
AV	5.494G	110.03	Inf	-Inf	102.27	3	Vertical	339	1.76	-	31.89	7.42	31.55

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	64.59	74.00	-9.41	56.74	3	Horizontal	2	1.80	-	31.82	7.56	31.53
AV	5.4592G	51.77	54.00	-2.23	43.92	3	Horizontal	2	1.80	-	31.82	7.56	31.53
PK	5.4602G	63.33	68.20	-4.87	55.48	3	Horizontal	2	1.80	-	31.82	7.56	31.53
PK	5.494G	118.12	Inf	-Inf	110.36	3	Horizontal	2	1.80	-	31.89	7.42	31.55
AV	5.4942G	106.31	Inf	-Inf	98.55	3	Horizontal	2	1.80	-	31.89	7.42	31.55

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00494G	60.61	74.00	-13.39	42.70	3	Vertical	26	1.80	-	40.48	9.95	32.52
AV	10.99978G	47.16	54.00	-6.84	29.23	3	Vertical	26	1.80	-	40.50	9.95	32.52
PK	16.49855G	64.17	68.20	-4.03	46.07	3	Vertical	177	1.80	-	39.69	11.20	32.79

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99575G	60.62	74.00	-13.38	42.68	3	Horizontal	36	1.80	-	40.51	9.95	32.52
AV	11.00485G	47.14	54.00	-6.86	29.23	3	Horizontal	36	1.80	-	40.48	9.95	32.52
PK	16.50415G	63.43	68.20	-4.77	45.35	3	Horizontal	219	1.80	-	39.68	11.20	32.80

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
Setting 105  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4531G	67.63	74.00	-6.37	59.75	3	Vertical	339	1.80	-	31.81	7.59	31.52
AV	5.4537G	51.01	54.00	-2.99	43.13	3	Vertical	339	1.80	-	31.81	7.59	31.52
PK	5.4687G	63.38	68.20	-4.82	55.54	3	Vertical	339	1.80	-	31.84	7.53	31.53
PK	5.574G	126.21	Inf	-Inf	118.82	3	Vertical	339	1.80	-	31.85	7.10	31.56
AV	5.589G	115.88	Inf	-Inf	108.58	3	Vertical	339	1.80	-	31.82	7.04	31.56
PK	5.7255G	63.09	68.20	-5.11	55.62	3	Vertical	339	1.80	-	32.05	7.00	31.58



5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
Setting 105  
06-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4501G	63.85	74.00	-10.15	55.97	3	Horizontal	264	1.80	-	31.80	7.60	31.52
AV	5.4516G	49.98	54.00	-4.02	42.11	3	Horizontal	264	1.80	-	31.80	7.59	31.52
PK	5.466G	64.83	68.20	-3.37	56.99	3	Horizontal	264	1.80	-	31.83	7.54	31.53
PK	5.589G	125.94	Inf	-Inf	118.64	3	Horizontal	264	1.80	-	31.82	7.04	31.56
AV	5.5842G	113.54	Inf	-Inf	106.21	3	Horizontal	264	1.80	-	31.83	7.06	31.56
PK	5.7258G	59.98	68.20	-8.22	52.51	3	Horizontal	264	1.80	-	32.05	7.00	31.58

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT Y\_4TX  
Setting 105  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16214G	59.13	74.00	-14.87	41.90	3	Vertical	134	1.80	-	39.88	9.96	32.61
AV	11.15999G	46.01	54.00	-7.99	28.78	3	Vertical	134	1.80	-	39.88	9.96	32.61
PK	16.73691G	64.72	68.20	-3.48	46.45	3	Vertical	354	1.80	-	40.12	11.34	33.19

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TX




EUT\_Y\_4TX  
Setting 105  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16034G	60.31	74.00	-13.69	43.08	3	Horizontal	162	1.80	-	39.88	9.96	32.61
AV	11.1627G	46.04	54.00	-7.96	28.82	3	Horizontal	162	1.80	-	39.87	9.96	32.61
PK	16.73848G	64.35	68.20	-3.85	46.07	3	Horizontal	206	1.01	-	40.13	11.34	33.19

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT Y\_4TX  
 Setting 69  
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	119.25	Inf	-Inf	111.94	3	Vertical	241	1.80	-	31.88	7.00	31.57
AV	5.695G	106.42	Inf	-Inf	99.11	3	Vertical	241	1.80	-	31.88	7.00	31.57
PK	5.7276G	68.03	68.20	-0.17	60.54	3	Vertical	241	1.80	-	32.07	7.00	31.58

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT Y\_4TX  
Setting 69  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7082G	117.57	Inf	-Inf	110.19	3	Horizontal	314	2.08	-	31.95	7.00	31.57
AV	5.7086G	106.22	Inf	-Inf	98.85	3	Horizontal	314	2.08	-	31.95	7.00	31.58
PK	5.7254G	65.09	68.20	-3.11	57.62	3	Horizontal	314	2.08	-	32.05	7.00	31.58

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX








EUT Y\_4TX  
Setting 69  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39921G	60.61	74.00	-13.39	43.38	3	Vertical	55	1.68	-	40.00	9.97	32.74
AV	11.4048G	46.90	54.00	-7.10	29.68	3	Vertical	55	1.68	-	40.00	9.97	32.75
PK	17.10374G	64.25	68.20	-3.95	45.95	3	Vertical	186	2.00	-	40.21	11.56	33.47

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


02/09/2023

EUT Y\_4TX  
 Setting 69  
 06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39627G	60.44	74.00	-13.56	43.22	3	Horizontal	350	1.23	-	39.99	9.97	32.74
AV	11.40316G	46.99	54.00	-7.01	29.77	3	Horizontal	350	1.23	-	40.00	9.97	32.75
PK	17.09956G	63.62	68.20	-4.58	45.34	3	Horizontal	152	2.82	-	40.20	11.56	33.48

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 110  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3966G	64.37	74.00	-9.63	56.48	3	Vertical	340	1.80	-	31.59	7.79	31.49
AV	5.391G	52.89	54.00	-1.11	45.03	3	Vertical	340	1.80	-	31.58	7.77	31.49
PK	5.461G	66.91	68.20	-1.29	59.06	3	Vertical	340	1.80	-	31.82	7.56	31.53
PK	5.7284G	125.39	Inf	-Inf	117.90	3	Vertical	340	1.80	-	32.07	7.00	31.58
AV	5.7137G	115.03	Inf	-Inf	107.63	3	Vertical	340	1.80	-	31.98	7.00	31.58
PK	5.8607G	63.75	68.20	-4.45	56.03	3	Vertical	340	1.80	-	32.34	6.97	31.59



5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 110  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	60.61	74.00	-13.39	52.71	3	Horizontal	264	1.80	-	31.66	7.74	31.50
AV	5.4015G	48.73	54.00	-5.27	40.83	3	Horizontal	264	1.80	-	31.61	7.79	31.50
PK	5.4638G	59.99	68.20	-8.21	52.15	3	Horizontal	264	1.80	-	31.83	7.54	31.53
PK	5.7137G	124.99	Inf	-Inf	117.59	3	Horizontal	264	1.80	-	31.98	7.00	31.58
AV	5.7144G	113.41	Inf	-Inf	106.00	3	Horizontal	264	1.80	-	31.99	7.00	31.58
PK	5.9377G	60.38	68.20	-7.82	52.47	3	Horizontal	264	1.80	-	32.58	6.93	31.60

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44222G	60.21	74.00	-13.79	43.01	3	Vertical	117	1.00	-	40.00	9.97	32.77
AV	11.44123G	46.69	54.00	-7.31	29.49	3	Vertical	117	1.00	-	40.00	9.97	32.77
PK	17.16476G	64.39	68.20	-3.81	45.78	3	Vertical	270	1.07	-	40.39	11.60	33.38

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43802G	59.48	74.00	-14.52	42.28	3	Horizontal	274	2.64	-	40.00	9.97	32.77
AV	11.44406G	46.41	54.00	-7.59	29.21	3	Horizontal	274	2.64	-	40.00	9.97	32.77
PK	17.15793G	65.15	68.20	-3.05	46.60	3	Horizontal	277	1.35	-	40.35	11.59	33.39

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	67.10	69.68	-2.58	59.96	3	Vertical	6	1.80	-	31.71	7.00	31.57
PK	5.74G	124.53	Inf	-Inf	116.97	3	Vertical	6	1.80	-	32.14	7.00	31.58
AV	5.75G	114.73	Inf	-Inf	107.11	3	Vertical	6	1.80	-	32.20	7.00	31.58
PK	5.9275G	60.10	68.20	-8.10	52.21	3	Vertical	6	1.80	-	32.55	6.94	31.60

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 102  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.02	68.20	-2.18	58.89	3	Horizontal	267	1.84	-	31.70	7.00	31.57
PK	5.744G	124.61	Inf	-Inf	117.03	3	Horizontal	267	1.84	-	32.16	7.00	31.58
AV	5.744G	113.13	Inf	-Inf	105.55	3	Horizontal	267	1.84	-	32.16	7.00	31.58
PK	5.975G	63.06	68.20	-5.14	55.21	3	Horizontal	267	1.84	-	32.55	6.91	31.61

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4945G	59.65	74.00	-14.35	42.39	3	Vertical	261	2.41	-	40.09	9.97	32.80
AV	11.49008G	46.41	54.00	-7.59	29.15	3	Vertical	261	2.41	-	40.08	9.97	32.79
PK	17.23476G	63.88	68.20	-4.32	44.98	3	Vertical	185	2.62	-	40.53	11.64	33.27

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT Y\_4TX  
Setting 102  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48633G	59.32	74.00	-14.68	42.07	3	Horizontal	83	1.42	-	40.07	9.97	32.79
AV	11.49434G	46.37	54.00	-7.63	29.11	3	Horizontal	83	1.42	-	40.09	9.97	32.80
PK	17.23125G	63.53	68.20	-4.67	44.62	3	Horizontal	219	1.72	-	40.54	11.64	33.27

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT Y\_4TX  
Setting 101  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	67.44	68.20	-0.76	60.26	3	Vertical	354	1.51	-	31.75	7.00	31.57
PK	5.781G	125.72	Inf	-Inf	118.04	3	Vertical	354	1.51	-	32.26	7.00	31.58
AV	5.781G	114.49	Inf	-Inf	106.81	3	Vertical	354	1.51	-	32.26	7.00	31.58
PK	5.9715G	61.11	68.20	-7.09	53.25	3	Vertical	354	1.51	-	32.56	6.91	31.61



5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 101  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	61.49	68.20	-6.71	53.89	3	Horizontal	264	1.80	-	31.90	7.25	31.55
PK	5.7835G	123.34	Inf	-Inf	115.65	3	Horizontal	264	1.80	-	32.27	7.00	31.58
AV	5.784G	111.73	Inf	-Inf	104.04	3	Horizontal	264	1.80	-	32.27	7.00	31.58
PK	6.0155G	60.94	68.20	-7.26	53.05	3	Horizontal	264	1.80	-	32.53	6.94	31.58

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT Y\_4TX  
Setting 101  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56791G	59.31	74.00	-14.69	42.17	3	Vertical	230	1.47	-	39.99	9.98	32.83
AV	11.57175G	46.11	54.00	-7.89	28.99	3	Vertical	230	1.47	-	39.97	9.98	32.83
PK	17.35428G	64.58	68.20	-3.62	44.60	3	Vertical	209	1.42	-	41.35	11.71	33.08

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT Y\_4TX  
Setting 101  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57002G	58.99	74.00	-15.01	41.86	3	Horizontal	155	1.96	-	39.98	9.98	32.83
AV	11.56655G	46.07	54.00	-7.93	28.92	3	Horizontal	155	1.96	-	40.00	9.98	32.83
PK	17.35407G	64.15	68.20	-4.05	44.17	3	Horizontal	161	1.05	-	41.35	11.71	33.08

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT Y\_4TX  
 Setting 105  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	63.12	68.20	-5.08	55.96	3	Vertical	316	1.80	-	31.73	7.00	31.57
PK	5.822G	123.05	Inf	-Inf	115.35	3	Vertical	316	1.80	-	32.30	6.99	31.59
AV	5.8215G	111.34	Inf	-Inf	103.64	3	Vertical	316	1.80	-	32.30	6.99	31.59
PK	5.9775G	67.63	68.20	-0.57	59.78	3	Vertical	316	1.80	-	32.55	6.91	31.61

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 105  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5885G	60.97	68.20	-7.23	53.66	3	Horizontal	266	1.80	-	31.82	7.05	31.56
PK	5.819G	120.74	Inf	-Inf	113.04	3	Horizontal	266	1.80	-	32.30	6.99	31.59
AV	5.819G	110.17	Inf	-Inf	102.47	3	Horizontal	266	1.80	-	32.30	6.99	31.59
PK	6.07G	60.49	68.20	-7.71	52.27	3	Horizontal	266	1.80	-	32.60	7.08	31.46

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT Y\_4TX  
Setting 105  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64881G	58.78	74.00	-15.22	42.25	3	Vertical	136	1.76	-	39.41	9.98	32.86
AV	11.64876G	45.97	54.00	-8.03	29.44	3	Vertical	136	1.76	-	39.41	9.98	32.86
PK	17.47306G	65.66	68.20	-2.54	44.35	3	Vertical	209	1.80	-	42.43	11.78	32.90

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
Setting 105  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65398G	59.06	74.00	-14.94	42.56	3	Horizontal	211	1.75	-	39.38	9.98	32.86
AV	11.64871G	45.54	54.00	-8.46	29.01	3	Horizontal	211	1.75	-	39.41	9.98	32.86
PK	17.47999G	65.99	68.20	-2.21	44.59	3	Horizontal	60	1.86	-	42.50	11.79	32.89

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	66.45	74.00	-7.55	58.72	3	Vertical	355	1.80	-	32.10	6.99	31.36
AV	5.1496G	53.94	54.00	-0.06	46.20	3	Vertical	355	1.80	-	32.10	7.00	31.36
PK	5.1726G	120.26	Inf	-Inf	112.62	3	Vertical	355	1.80	-	31.96	7.05	31.37
AV	5.1734G	107.94	Inf	-Inf	100.30	3	Vertical	355	1.80	-	31.96	7.05	31.37



5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	67.17	74.00	-6.83	59.43	3	Horizontal	286	1.73	-	32.10	7.00	31.36
AV	5.15G	53.48	54.00	-0.52	45.74	3	Horizontal	286	1.73	-	32.10	7.00	31.36
PK	5.2054G	118.61	Inf	-Inf	111.10	3	Horizontal	286	1.73	-	31.78	7.12	31.39
AV	5.205G	106.69	Inf	-Inf	99.18	3	Horizontal	286	1.73	-	31.78	7.12	31.39

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
Setting 83  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37064G	59.13	68.20	-9.07	41.76	3	Vertical	360	3.00	-	40.04	9.92	32.59
PK	15.58008G	62.67	74.00	-11.33	45.99	3	Vertical	170	1.80	-	38.72	10.80	32.84
AV	15.56271G	48.60	54.00	-5.40	31.82	3	Vertical	170	1.80	-	38.82	10.79	32.83

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
Setting 83  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38642G	59.24	68.20	-8.96	41.84	3	Horizontal	178	1.15	-	40.07	9.92	32.59
PK	15.55893G	62.97	74.00	-11.03	46.16	3	Horizontal	341	1.80	-	38.85	10.79	32.83
AV	15.56325G	48.50	54.00	-5.50	31.72	3	Horizontal	341	1.80	-	38.82	10.79	32.83

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
 Setting 90  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	70.21	74.00	-3.79	62.47	3	Vertical	0	1.97	-	32.10	7.00	31.36
AV	5.1499G	53.80	54.00	-0.20	46.06	3	Vertical	0	1.97	-	32.10	7.00	31.36
PK	5.2219G	119.78	Inf	-Inf	112.29	3	Vertical	0	1.97	-	31.71	7.18	31.40
AV	5.2129G	108.37	Inf	-Inf	100.86	3	Vertical	0	1.97	-	31.75	7.15	31.39
PK	5.3743G	62.93	74.00	-11.07	55.15	3	Vertical	0	1.97	-	31.55	7.71	31.48
AV	5.3746G	50.47	54.00	-3.53	42.69	3	Vertical	0	1.97	-	31.55	7.71	31.48

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.45	74.00	-6.55	59.72	3	Horizontal	0	2.14	-	32.10	6.99	31.36
AV	5.1499G	49.36	54.00	-4.64	41.62	3	Horizontal	0	2.14	-	32.10	7.00	31.36
PK	5.2225G	122.70	Inf	-Inf	115.21	3	Horizontal	0	2.14	-	31.71	7.18	31.40
AV	5.2225G	110.60	Inf	-Inf	103.11	3	Horizontal	0	2.14	-	31.71	7.18	31.40
PK	5.3563G	61.92	74.00	-12.08	54.23	3	Horizontal	0	2.14	-	31.51	7.65	31.47
AV	5.356G	49.05	54.00	-4.95	41.36	3	Horizontal	0	2.14	-	31.51	7.65	31.47

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46258G	59.11	68.20	-9.09	41.60	3	Vertical	78	1.06	-	40.17	9.92	32.58
PK	15.69003G	62.39	74.00	-11.61	46.25	3	Vertical	225	1.80	-	38.18	10.82	32.86
AV	15.67893G	48.23	54.00	-5.77	32.11	3	Vertical	225	1.80	-	38.16	10.82	32.86

5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46957G	59.38	68.20	-8.82	41.88	3	Horizontal	294	2.47	-	40.16	9.92	32.58
PK	15.69981G	61.85	74.00	-12.15	45.69	3	Horizontal	198	3.00	-	38.20	10.82	32.86
AV	15.6819G	47.94	54.00	-6.06	31.82	3	Horizontal	198	3.00	-	38.16	10.82	32.86

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	62.44	74.00	-11.56	54.70	3	Vertical	341	1.96	-	32.10	7.00	31.36
AV	5.1491G	49.65	54.00	-4.35	41.91	3	Vertical	341	1.96	-	32.10	7.00	31.36
PK	5.2577G	120.31	Inf	-Inf	112.85	3	Vertical	341	1.96	-	31.58	7.30	31.42
AV	5.2877G	107.49	Inf	-Inf	100.00	3	Vertical	341	1.96	-	31.52	7.41	31.44
PK	5.3519G	71.77	74.00	-2.23	64.11	3	Vertical	341	1.96	-	31.50	7.63	31.47
AV	5.35G	53.72	54.00	-0.28	46.06	3	Vertical	341	1.96	-	31.50	7.63	31.47



5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1227G	60.97	74.00	-13.03	53.27	3	Horizontal	3	1.61	-	32.10	6.95	31.35
AV	5.15G	47.98	54.00	-6.02	40.24	3	Horizontal	3	1.61	-	32.10	7.00	31.36
PK	5.2589G	120.24	Inf	-Inf	112.77	3	Horizontal	3	1.61	-	31.58	7.31	31.42
AV	5.2601G	107.50	Inf	-Inf	100.03	3	Horizontal	3	1.61	-	31.58	7.31	31.42
PK	5.3552G	69.40	74.00	-4.60	61.72	3	Horizontal	3	1.61	-	31.51	7.64	31.47
AV	5.35G	52.16	54.00	-1.84	44.50	3	Horizontal	3	1.61	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54591G	59.74	68.20	-8.46	42.28	3	Vertical	346	1.80	-	40.10	9.93	32.57
PK	15.80625G	61.35	74.00	-12.65	45.11	3	Vertical	146	1.80	-	38.27	10.85	32.88
AV	15.79794G	47.09	54.00	-6.91	30.82	3	Vertical	146	1.80	-	38.30	10.85	32.88

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53319G	59.18	68.20	-9.02	41.72	3	Horizontal	321	1.57	-	40.10	9.93	32.57
PK	15.8067G	60.57	74.00	-13.43	44.33	3	Horizontal	283	2.01	-	38.27	10.85	32.88
AV	15.79869G	46.96	54.00	-7.04	30.69	3	Horizontal	283	2.01	-	38.30	10.85	32.88

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3014G	118.20	Inf	-Inf	110.69	3	Vertical	332	1.56	-	31.50	7.45	31.44
AV	5.3048G	105.62	Inf	-Inf	98.09	3	Vertical	332	1.56	-	31.50	7.47	31.44
PK	5.3524G	67.44	74.00	-6.56	59.78	3	Vertical	332	1.56	-	31.50	7.63	31.47
AV	5.3502G	53.57	54.00	-0.43	45.91	3	Vertical	332	1.56	-	31.50	7.63	31.47

5.25-5.35GHz 802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	116.57	Inf	-Inf	109.05	3	Horizontal	121	1.86	-	31.50	7.46	31.44
AV	5.3038G	104.11	Inf	-Inf	96.59	3	Horizontal	121	1.86	-	31.50	7.46	31.44
PK	5.3516G	62.23	74.00	-11.77	54.57	3	Horizontal	121	1.86	-	31.50	7.63	31.47
AV	5.3502G	49.04	54.00	-4.96	41.38	3	Horizontal	121	1.86	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62408G	59.54	74.00	-14.46	41.97	3	Vertical	207	2.36	-	40.20	9.93	32.56
AV	10.62522G	45.55	54.00	-8.45	27.98	3	Vertical	207	2.36	-	40.20	9.93	32.56
PK	15.94461G	59.90	74.00	-14.10	44.01	3	Vertical	93	1.25	-	37.91	10.89	32.91
AV	15.94356G	46.45	54.00	-7.55	30.56	3	Vertical	93	1.25	-	37.91	10.89	32.91

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61223G	58.72	74.00	-15.28	41.15	3	Horizontal	264	1.66	-	40.20	9.93	32.56
AV	10.60596G	45.56	54.00	-8.44	27.99	3	Horizontal	264	1.66	-	40.20	9.93	32.56
PK	15.9153G	60.35	74.00	-13.65	44.40	3	Horizontal	343	1.00	-	37.97	10.88	32.90
AV	15.91227G	46.50	54.00	-7.50	30.54	3	Horizontal	343	1.00	-	37.98	10.88	32.90

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	64.87	74.00	-9.13	57.01	3	Vertical	36	1.99	-	31.81	7.58	31.53
AV	5.46G	52.01	54.00	-1.99	44.16	3	Vertical	36	1.99	-	31.82	7.56	31.53
PK	5.4662G	67.79	68.20	-0.41	59.95	3	Vertical	36	1.99	-	31.83	7.54	31.53
PK	5.5144G	117.25	Inf	-Inf	109.56	3	Vertical	36	1.99	-	31.90	7.34	31.55
AV	5.4918G	103.88	Inf	-Inf	96.12	3	Vertical	36	1.99	-	31.88	7.43	31.55



5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
 Setting 82  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	62.03	74.00	-11.97	54.15	3	Horizontal	10	1.80	-	31.80	7.60	31.52
PK	5.4612G	63.47	68.20	-4.73	55.62	3	Horizontal	10	1.80	-	31.82	7.56	31.53
AV	5.4598G	49.90	54.00	-4.10	42.05	3	Horizontal	10	1.80	-	31.82	7.56	31.53
PK	5.5166G	116.47	Inf	-Inf	108.79	3	Horizontal	10	1.80	-	31.90	7.33	31.55
AV	5.5168G	103.92	Inf	-Inf	96.24	3	Horizontal	10	1.80	-	31.90	7.33	31.55

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01193G	60.92	74.00	-13.08	43.05	3	Vertical	111	1.04	-	40.45	9.95	32.53
AV	11.01501G	46.79	54.00	-7.21	28.93	3	Vertical	111	1.04	-	40.44	9.95	32.53
PK	16.52139G	63.03	68.20	-5.17	45.04	3	Vertical	247	1.77	-	39.61	11.21	32.83

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02891G	60.23	74.00	-13.77	42.44	3	Horizontal	218	1.63	-	40.38	9.95	32.54
AV	11.02722G	46.64	54.00	-7.36	28.84	3	Horizontal	218	1.63	-	40.39	9.95	32.54
PK	16.54464G	62.99	68.20	-5.21	45.10	3	Horizontal	233	2.55	-	39.52	11.23	32.86

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 Setting 87  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4501G	65.63	74.00	-8.37	57.75	3	Vertical	7	1.80	-	31.80	7.60	31.52
AV	5.4567G	50.05	54.00	-3.95	42.20	3	Vertical	7	1.80	-	31.81	7.57	31.53
PK	5.4693G	67.53	68.20	-0.67	59.70	3	Vertical	7	1.80	-	31.84	7.52	31.53
PK	5.5434G	117.91	Inf	-Inf	110.34	3	Vertical	7	1.80	-	31.90	7.23	31.56
AV	5.5401G	106.84	Inf	-Inf	99.25	3	Vertical	7	1.80	-	31.90	7.24	31.55

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 Setting 87  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.42	74.00	-11.58	54.57	3	Horizontal	348	1.78	-	31.82	7.56	31.53
AV	5.4507G	49.18	54.00	-4.82	41.30	3	Horizontal	348	1.78	-	31.80	7.60	31.52
PK	5.4699G	64.41	68.20	-3.79	56.58	3	Horizontal	348	1.78	-	31.84	7.52	31.53
PK	5.5554G	121.70	Inf	-Inf	114.19	3	Horizontal	348	1.78	-	31.89	7.18	31.56
AV	5.5566G	108.88	Inf	-Inf	101.38	3	Horizontal	348	1.78	-	31.89	7.17	31.56

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
Setting 87  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10939G	61.38	74.00	-12.62	43.94	3	Vertical	165	2.63	-	40.06	9.96	32.58
AV	11.11008G	47.43	54.00	-6.57	29.99	3	Vertical	165	2.63	-	40.06	9.96	32.58

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
Setting 87  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10702G	60.62	74.00	-13.38	43.17	3	Horizontal	133	1.10	-	40.07	9.96	32.58
AV	11.08863G	47.46	54.00	-6.54	29.93	3	Horizontal	133	1.10	-	40.15	9.95	32.57

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 84  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6674G	118.17	Inf	-Inf	110.97	3	Vertical	14	1.83	-	31.77	7.00	31.57
AV	5.6648G	104.31	Inf	-Inf	97.12	3	Vertical	14	1.83	-	31.76	7.00	31.57
PK	5.7306G	67.83	68.20	-0.37	60.33	3	Vertical	14	1.83	-	32.08	7.00	31.58



5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 84  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6544G	119.47	Inf	-Inf	112.32	3	Horizontal	347	1.89	-	31.72	7.00	31.57
AV	5.6524G	106.49	Inf	-Inf	99.35	3	Horizontal	347	1.89	-	31.71	7.00	31.57
PK	5.725G	67.50	68.20	-0.70	60.03	3	Horizontal	347	1.89	-	32.05	7.00	31.58

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32779G	60.34	74.00	-13.66	43.21	3	Vertical	171	2.92	-	39.86	9.97	32.70
AV	11.34699G	46.51	54.00	-7.49	29.36	3	Vertical	171	2.92	-	39.89	9.97	32.71

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34045G	59.66	74.00	-14.34	42.52	3	Horizontal	329	1.21	-	39.88	9.97	32.71
AV	11.32812G	46.47	54.00	-7.53	29.34	3	Horizontal	329	1.21	-	39.86	9.97	32.70

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4405G	62.22	74.00	-11.78	54.34	3	Vertical	4	1.80	-	31.76	7.64	31.52
PK	5.4608G	61.08	68.20	-7.12	53.23	3	Vertical	4	1.80	-	31.82	7.56	31.53
AV	5.4559G	50.72	54.00	-3.28	42.86	3	Vertical	4	1.80	-	31.81	7.58	31.53
PK	5.7184G	122.57	Inf	-Inf	115.14	3	Vertical	4	1.80	-	32.01	7.00	31.58
AV	5.7184G	110.59	Inf	-Inf	103.16	3	Vertical	4	1.80	-	32.01	7.00	31.58
PK	5.8759G	59.82	68.20	-8.38	52.06	3	Vertical	4	1.80	-	32.40	6.96	31.60

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4363G	60.50	74.00	-13.50	52.62	3	Horizontal	260	1.29	-	31.75	7.65	31.52
PK	5.465G	59.80	68.20	-8.40	51.96	3	Horizontal	260	1.29	-	31.83	7.54	31.53
AV	5.4573G	48.33	54.00	-5.67	40.48	3	Horizontal	260	1.29	-	31.81	7.57	31.53
PK	5.7037G	120.96	Inf	-Inf	113.61	3	Horizontal	260	1.29	-	31.92	7.00	31.57
AV	5.7037G	111.85	Inf	-Inf	104.50	3	Horizontal	260	1.29	-	31.92	7.00	31.57
PK	5.8766G	60.42	68.20	-7.78	52.65	3	Horizontal	260	1.29	-	32.41	6.96	31.60

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 110  
 06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42624G	59.74	74.00	-14.26	42.53	3	Vertical	109	1.26	-	40.00	9.97	32.76
AV	11.40623G	46.81	54.00	-7.19	29.59	3	Vertical	109	1.26	-	40.00	9.97	32.75

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 110  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42405G	60.25	74.00	-13.75	43.04	3	Horizontal	260	2.18	-	40.00	9.97	32.76
AV	11.4074G	46.79	54.00	-7.21	29.57	3	Horizontal	260	2.18	-	40.00	9.97	32.75

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.569G	62.26	68.20	-5.94	54.84	3	Vertical	3	1.80	-	31.86	7.12	31.56
PK	5.751G	121.22	Inf	-Inf	113.60	3	Vertical	3	1.80	-	32.20	7.00	31.58
AV	5.749G	108.78	Inf	-Inf	101.17	3	Vertical	3	1.80	-	32.19	7.00	31.58
PK	5.967G	60.17	68.20	-8.03	52.29	3	Vertical	3	1.80	-	32.57	6.92	31.61



5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 94  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	65.63	68.20	-2.57	58.49	3	Horizontal	265	1.69	-	31.71	7.00	31.57
PK	5.765G	120.97	Inf	-Inf	113.32	3	Horizontal	265	1.69	-	32.23	7.00	31.58
AV	5.7625G	108.94	Inf	-Inf	101.29	3	Horizontal	265	1.69	-	32.23	7.00	31.58
PK	5.9425G	60.56	68.20	-7.64	52.64	3	Horizontal	265	1.69	-	32.59	6.93	31.60

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4953G	60.85	74.00	-13.15	43.59	3	Vertical	197	2.84	-	40.09	9.97	32.80
AV	11.49971G	46.76	54.00	-7.24	29.49	3	Vertical	197	2.84	-	40.10	9.97	32.80

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49959G	59.80	74.00	-14.20	42.53	3	Horizontal	141	1.00	-	40.10	9.97	32.80
AV	11.52497G	46.74	54.00	-7.26	29.47	3	Horizontal	141	1.00	-	40.10	9.98	32.81

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6075G	67.59	68.20	-0.61	60.36	3	Vertical	8	1.80	-	31.79	7.00	31.56
PK	5.786G	121.67	Inf	-Inf	113.98	3	Vertical	8	1.80	-	32.27	7.00	31.58
AV	5.7775G	110.28	Inf	-Inf	102.60	3	Vertical	8	1.80	-	32.26	7.00	31.58
PK	6.034G	61.17	68.20	-7.03	53.15	3	Vertical	8	1.80	-	32.57	6.99	31.54

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 110  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	61.46	68.20	-6.74	53.96	3	Horizontal	0	1.69	-	31.89	7.17	31.56
PK	5.781G	120.17	Inf	-Inf	112.49	3	Horizontal	0	1.69	-	32.26	7.00	31.58
AV	5.8125G	108.66	Inf	-Inf	100.96	3	Horizontal	0	1.69	-	32.30	6.99	31.59
PK	5.9815G	60.96	68.20	-7.24	53.12	3	Horizontal	0	1.69	-	32.54	6.91	31.61

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT Y\_4TX  
Setting 110  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57593G	60.06	74.00	-13.94	42.97	3	Vertical	12	1.25	-	39.94	9.98	32.83
AV	11.58514G	46.45	54.00	-7.55	29.41	3	Vertical	12	1.25	-	39.89	9.98	32.83

5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58376G	59.90	74.00	-14.10	42.85	3	Horizontal	140	2.73	-	39.90	9.98	32.83
AV	11.58259G	46.41	54.00	-7.59	29.36	3	Horizontal	140	2.73	-	39.90	9.98	32.83

5.15-5.25GHz 802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	65.00	74.00	-9.00	56.54	3	Vertical	15.5	1.80	-	32.73	7.08	31.35
AV	5.15G	53.79	54.00	-0.21	45.34	3	Vertical	15.5	1.80	-	32.70	7.11	31.36
PK	5.201G	118.02	Inf	-Inf	109.41	3	Vertical	15.5	1.80	-	32.80	7.20	31.39
AV	5.197G	105.76	Inf	-Inf	97.17	3	Vertical	15.5	1.80	-	32.79	7.19	31.39
PK	5.3825G	62.78	74.00	-11.22	54.05	3	Vertical	15.5	1.80	-	32.67	7.55	31.49
AV	5.3545G	50.72	54.00	-3.28	42.09	3	Vertical	15.5	1.80	-	32.61	7.49	31.47



5.15-5.25GHz 802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	66.97	74.00	-7.03	58.50	3	Horizontal	126.2	2.09	-	32.77	7.04	31.34
AV	5.15G	51.56	54.00	-2.44	43.11	3	Horizontal	126.2	2.09	-	32.70	7.11	31.36
PK	5.239G	113.90	Inf	-Inf	105.24	3	Horizontal	126.2	2.09	-	32.80	7.27	31.41
AV	5.178G	101.81	Inf	-Inf	93.27	3	Horizontal	126.2	2.09	-	32.76	7.16	31.38
PK	5.377G	61.24	74.00	-12.76	52.53	3	Horizontal	126.2	2.09	-	32.65	7.54	31.48
AV	5.3695G	49.02	54.00	-4.98	40.34	3	Horizontal	126.2	2.09	-	32.64	7.52	31.48

5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62454G	62.55	74.00	-11.45	46.23	3	Vertical	360.2	1.50	-	38.35	10.81	32.84
AV	15.63189G	48.70	54.00	-5.30	32.46	3	Vertical	360.2	1.50	-	38.28	10.81	32.85

5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.62574G	61.57	74.00	-12.43	45.27	3	Horizontal	27	2.97	-	38.34	10.81	32.85
AV	15.62826G	48.55	54.00	-5.45	32.27	3	Horizontal	27	2.97	-	38.32	10.81	32.85

5.25-5.35GHz 802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




03/08/2023

EUT Y\_4TX  
Setting 77  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	61.36	74.00	-12.64	53.62	3	Vertical	345	1.80	-	32.10	7.00	31.36
AV	5.149G	48.81	54.00	-5.19	41.07	3	Vertical	345	1.80	-	32.10	7.00	31.36
PK	5.281G	115.77	Inf	-Inf	108.28	3	Vertical	345	1.80	-	31.54	7.38	31.43
AV	5.2795G	101.97	Inf	-Inf	94.48	3	Vertical	345	1.80	-	31.54	7.38	31.43
PK	5.3505G	65.15	74.00	-8.85	57.49	3	Vertical	345	1.80	-	31.50	7.63	31.47
AV	5.35G	53.06	54.00	-0.94	45.40	3	Vertical	345	1.80	-	31.50	7.63	31.47
PK	5.465G	61.09	68.20	-7.11	53.25	3	Vertical	345	1.80	-	31.83	7.54	31.53

5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 77  
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1095G	60.41	74.00	-13.59	52.73	3	Horizontal	0	1.80	-	32.10	6.92	31.34
AV	5.1425G	47.91	54.00	-6.09	40.19	3	Horizontal	0	1.80	-	32.10	6.98	31.36
PK	5.255G	115.70	Inf	-Inf	108.24	3	Horizontal	0	1.80	-	31.59	7.29	31.42
AV	5.2525G	104.01	Inf	-Inf	96.56	3	Horizontal	0	1.80	-	31.59	7.28	31.42
PK	5.351G	64.96	74.00	-9.04	57.30	3	Horizontal	0	1.80	-	31.50	7.63	31.47
AV	5.35G	52.01	54.00	-1.99	44.35	3	Horizontal	0	1.80	-	31.50	7.63	31.47
PK	5.467G	60.61	68.20	-7.59	52.78	3	Horizontal	0	1.80	-	31.83	7.53	31.53

5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
Setting 77  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86118G	60.77	74.00	-13.23	44.71	3	Vertical	290	1.91	-	38.08	10.87	32.89
AV	15.87237G	47.07	54.00	-6.93	31.03	3	Vertical	290	1.91	-	38.06	10.87	32.89

5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT Y\_4TX  
Setting 77  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88227G	60.94	74.00	-13.06	44.93	3	Horizontal	119	1.59	-	38.04	10.87	32.90
AV	15.86505G	47.04	54.00	-6.96	30.99	3	Horizontal	119	1.59	-	38.07	10.87	32.89

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
Setting 82  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	61.59	68.20	-6.61	53.99	3	Vertical	348.4	1.80	-	31.50	7.56	31.46
PK	5.455G	66.44	74.00	-7.56	58.58	3	Vertical	348.4	1.80	-	31.81	7.58	31.53
AV	5.46G	53.28	54.00	-0.72	45.43	3	Vertical	348.4	1.80	-	31.82	7.56	31.53
PK	5.4685G	66.51	68.20	-1.69	58.67	3	Vertical	348.4	1.80	-	31.84	7.53	31.53
PK	5.4955G	114.65	Inf	-Inf	106.89	3	Vertical	348.4	1.80	-	31.89	7.42	31.55
AV	5.493G	102.50	Inf	-Inf	94.73	3	Vertical	348.4	1.80	-	31.89	7.43	31.55
PK	5.7375G	61.04	68.20	-7.16	53.50	3	Vertical	348.4	1.80	-	32.12	7.00	31.58



5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
Setting 82  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	61.38	68.20	-6.82	53.73	3	Horizontal	3	1.80	-	31.50	7.62	31.47
PK	5.4395G	65.33	74.00	-8.67	57.45	3	Horizontal	3	1.80	-	31.76	7.64	31.52
AV	5.4375G	52.26	54.00	-1.74	44.38	3	Horizontal	3	1.80	-	31.75	7.65	31.52
PK	5.462G	64.30	68.20	-3.90	56.46	3	Horizontal	3	1.80	-	31.82	7.55	31.53
PK	5.505G	113.83	Inf	-Inf	106.10	3	Horizontal	3	1.80	-	31.90	7.38	31.55
AV	5.503G	101.59	Inf	-Inf	93.85	3	Horizontal	3	1.80	-	31.90	7.39	31.55
PK	5.7285G	60.38	68.20	-7.82	52.89	3	Horizontal	3	1.80	-	32.07	7.00	31.58

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07392G	60.73	74.00	-13.27	43.14	3	Vertical	227	2.46	-	40.20	9.95	32.56
AV	11.04986G	46.97	54.00	-7.03	29.27	3	Vertical	227	2.46	-	40.30	9.95	32.55

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0636G	60.27	74.00	-13.73	42.63	3	Horizontal	305	2.14	-	40.25	9.95	32.56
AV	11.05193G	46.93	54.00	-7.07	29.24	3	Horizontal	305	2.14	-	40.29	9.95	32.55

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
Setting 83  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4465G	63.84	74.00	-10.16	55.96	3	Vertical	30	1.75	-	31.79	7.61	31.52
PK	5.466G	65.29	68.20	-2.91	57.45	3	Vertical	30	1.75	-	31.83	7.54	31.53
AV	5.46G	50.80	54.00	-3.20	42.95	3	Vertical	30	1.75	-	31.82	7.56	31.53
PK	5.576G	118.14	Inf	-Inf	110.75	3	Vertical	30	1.75	-	31.85	7.10	31.56
AV	5.578G	102.58	Inf	-Inf	95.21	3	Vertical	30	1.75	-	31.84	7.09	31.56
PK	5.7355G	68.07	68.20	-0.13	60.54	3	Vertical	30	1.75	-	32.11	7.00	31.58

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
Setting 83  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	66.76	74.00	-7.24	58.91	3	Horizontal	263.1	1.80	-	31.82	7.56	31.53
AV	5.4595G	50.84	54.00	-3.16	42.99	3	Horizontal	263.1	1.80	-	31.82	7.56	31.53
PK	5.467G	66.27	68.20	-1.93	58.44	3	Horizontal	263.1	1.80	-	31.83	7.53	31.53
PK	5.5855G	117.11	Inf	-Inf	109.78	3	Horizontal	263.1	1.80	-	31.83	7.06	31.56
AV	5.59G	103.87	Inf	-Inf	96.57	3	Horizontal	263.1	1.80	-	31.82	7.04	31.56
PK	5.735G	67.38	68.20	-0.82	59.85	3	Horizontal	263.1	1.80	-	32.11	7.00	31.58

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22174G	59.30	74.00	-14.70	42.18	3	Vertical	134	2.29	-	39.80	9.96	32.64
AV	11.23377G	45.65	54.00	-8.35	28.54	3	Vertical	134	2.29	-	39.80	9.96	32.65

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21328G	58.65	74.00	-15.35	41.53	3	Horizontal	143	1.87	-	39.80	9.96	32.64
AV	11.23311G	45.69	54.00	-8.31	28.58	3	Horizontal	143	1.87	-	39.80	9.96	32.65

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 94  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	62.38	74.00	-11.62	54.52	3	Vertical	22.4	1.09	-	31.81	7.58	31.53
AV	5.4572G	49.24	54.00	-4.76	41.39	3	Vertical	22.4	1.09	-	31.81	7.57	31.53
PK	5.4692G	63.75	68.20	-4.45	55.92	3	Vertical	22.4	1.09	-	31.84	7.52	31.53
PK	5.7152G	115.42	Inf	-Inf	108.01	3	Vertical	22.4	1.09	-	31.99	7.00	31.58
AV	5.714G	103.36	Inf	-Inf	95.96	3	Vertical	22.4	1.09	-	31.98	7.00	31.58
PK	5.8514G	60.88	68.20	-7.32	53.19	3	Vertical	22.4	1.09	-	32.31	6.97	31.59



5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 94  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	61.22	74.00	-12.78	53.34	3	Horizontal	5	1.80	-	31.80	7.60	31.52
PK	5.4644G	61.24	68.20	-6.96	53.40	3	Horizontal	5	1.80	-	31.83	7.54	31.53
AV	5.4584G	48.62	54.00	-5.38	40.76	3	Horizontal	5	1.80	-	31.82	7.57	31.53
PK	5.7074G	118.15	Inf	-Inf	110.78	3	Horizontal	5	1.80	-	31.94	7.00	31.57
AV	5.7086G	105.52	Inf	-Inf	98.15	3	Horizontal	5	1.80	-	31.95	7.00	31.58
PK	5.9738G	60.57	68.20	-7.63	52.72	3	Horizontal	5	1.80	-	32.55	6.91	31.61

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39188G	60.12	74.00	-13.88	42.91	3	Vertical	130	1.90	-	39.98	9.97	32.74
AV	11.38465G	46.43	54.00	-7.57	29.23	3	Vertical	130	1.90	-	39.97	9.97	32.74

5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 94  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3947G	59.51	74.00	-14.49	42.29	3	Horizontal	84	1.37	-	39.99	9.97	32.74
AV	11.38207G	46.36	54.00	-7.64	29.16	3	Horizontal	84	1.37	-	39.96	9.97	32.73

5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT Y\_4TX  
Setting 90  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6405G	67.86	68.20	-0.34	59.61	3	Vertical	157.4	1.80	-	32.60	7.22	31.57
PK	5.795G	118.64	Inf	-Inf	109.39	3	Vertical	157.4	1.80	-	33.49	7.35	31.59
AV	5.795G	105.98	Inf	-Inf	96.73	3	Vertical	157.4	1.80	-	33.49	7.35	31.59
PK	6.001G	61.43	68.20	-6.77	51.74	3	Vertical	157.4	1.80	-	33.90	7.40	31.61

5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




03/08/2023

EUT Y\_4TX  
Setting 90  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	64.41	68.20	-3.79	56.17	3	Horizontal	360	1.56	-	32.60	7.21	31.57
PK	5.7845G	115.85	Inf	-Inf	106.62	3	Horizontal	360	1.56	-	33.47	7.34	31.58
AV	5.7845G	103.54	Inf	-Inf	94.31	3	Horizontal	360	1.56	-	33.47	7.34	31.58
PK	5.967G	62.55	68.20	-5.65	52.80	3	Horizontal	360	1.56	-	33.97	7.39	31.61

5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5443G	57.86	74.00	-16.14	41.65	3	Vertical	55	1.71	-	38.67	10.36	32.82
AV	11.54079G	45.09	54.00	-8.91	28.87	3	Vertical	55	1.71	-	38.68	10.36	32.82

5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56464G	58.57	74.00	-15.43	42.41	3	Horizontal	156	2.31	-	38.61	10.37	32.82
AV	11.54379G	45.19	54.00	-8.81	28.98	3	Horizontal	156	2.31	-	38.67	10.36	32.82

5.15-5.25GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Y\_4TX  
Setting 76  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1084G	67.88	74.00	-6.12	59.41	3	Vertical	13	1.80	-	32.78	7.03	31.34
AV	5.1132G	53.87	54.00	-0.13	45.40	3	Vertical	13	1.80	-	32.77	7.04	31.34
PK	5.1964G	111.43	Inf	-Inf	102.84	3	Vertical	13	1.80	-	32.79	7.19	31.39
AV	5.198G	99.91	Inf	-Inf	91.30	3	Vertical	13	1.80	-	32.80	7.20	31.39
PK	5.3676G	63.39	74.00	-10.61	54.71	3	Vertical	13	1.80	-	32.64	7.52	31.48
AV	5.3508G	51.14	54.00	-2.86	42.52	3	Vertical	13	1.80	-	32.60	7.49	31.47
PK	5.4932G	61.84	68.20	-6.36	53.39	3	Vertical	13	1.80	-	32.60	7.40	31.55



5.15-5.25GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Y\_4TX  
Setting 76  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0812G	62.37	74.00	-11.63	53.84	3	Horizontal	118.8	2.15	-	32.88	6.97	31.32
AV	5.1468G	50.23	54.00	-3.77	41.78	3	Horizontal	118.8	2.15	-	32.71	7.10	31.36
PK	5.2396G	108.55	Inf	-Inf	99.88	3	Horizontal	118.8	2.15	-	32.80	7.28	31.41
AV	5.2412G	96.79	Inf	-Inf	88.12	3	Horizontal	118.8	2.15	-	32.80	7.28	31.41
PK	5.3508G	62.27	74.00	-11.73	53.65	3	Horizontal	118.8	2.15	-	32.60	7.49	31.47
AV	5.3556G	49.82	54.00	-4.18	41.18	3	Horizontal	118.8	2.15	-	32.61	7.50	31.47
PK	5.4684G	60.52	68.20	-7.68	52.00	3	Horizontal	118.8	2.15	-	32.60	7.45	31.53

5.15-5.25GHz 802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7548G	60.59	74.00	-13.41	44.32	3	Vertical	15	1.98	-	38.30	10.84	32.87
AV	15.73995G	47.35	54.00	-6.65	31.11	3	Vertical	15	1.98	-	38.28	10.83	32.87

5.15-5.25GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Y\_4TX  
Setting 76  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7401G	60.99	74.00	-13.01	44.74	3	Horizontal	75	2.41	-	38.28	10.84	32.87
AV	15.7572G	47.34	54.00	-6.66	31.07	3	Horizontal	75	2.41	-	38.30	10.84	32.87

5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
Setting 74  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	62.06	68.20	-6.14	54.47	3	Vertical	346	1.80	-	31.50	7.55	31.46
PK	5.454G	68.75	74.00	-5.25	60.89	3	Vertical	346	1.80	-	31.81	7.58	31.53
AV	5.4532G	53.85	54.00	-0.15	45.97	3	Vertical	346	1.80	-	31.81	7.59	31.52
PK	5.4676G	67.92	68.20	-0.28	60.08	3	Vertical	346	1.80	-	31.84	7.53	31.53
PK	5.5148G	110.41	Inf	-Inf	102.72	3	Vertical	346	1.80	-	31.90	7.34	31.55
AV	5.5564G	100.20	Inf	-Inf	92.70	3	Vertical	346	1.80	-	31.89	7.17	31.56
PK	5.7308G	66.15	68.20	-2.05	58.65	3	Vertical	346	1.80	-	32.08	7.00	31.58

5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
Setting 74  
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3348G	60.63	68.20	-7.57	53.02	3	Horizontal	329	2.23	-	31.50	7.57	31.46
PK	5.3852G	65.14	74.00	-8.86	57.31	3	Horizontal	329	2.23	-	31.57	7.75	31.49
PK	5.4668G	67.01	68.20	-1.19	59.18	3	Horizontal	329	2.23	-	31.83	7.53	31.53
AV	5.4316G	51.44	54.00	-2.56	43.55	3	Horizontal	329	2.23	-	31.73	7.67	31.51
PK	5.5396G	105.94	Inf	-Inf	98.35	3	Horizontal	329	2.23	-	31.90	7.24	31.55
AV	5.558G	96.77	Inf	-Inf	89.28	3	Horizontal	329	2.23	-	31.88	7.17	31.56
PK	5.7468G	61.60	68.20	-6.60	54.00	3	Horizontal	329	2.23	-	32.18	7.00	31.58

5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT Y\_4TX  
Setting 74  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13502G	59.42	74.00	-14.58	42.10	3	Vertical	179	2.43	-	39.96	9.96	32.60
AV	11.12521G	46.08	54.00	-7.92	28.71	3	Vertical	179	2.43	-	40.00	9.96	32.59

5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT Y\_4TX  
Setting 74  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1256G	59.79	74.00	-14.21	42.42	3	Horizontal	237	1.21	-	40.00	9.96	32.59
AV	11.12908G	46.09	54.00	-7.91	28.74	3	Horizontal	237	1.21	-	39.98	9.96	32.59

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5180MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	67.37	74.00	-6.63	59.64	3	Vertical	1	1.80	-	32.10	6.98	31.35
AV	5.1476G	53.70	54.00	-0.30	45.96	3	Vertical	1	1.80	-	32.10	7.00	31.36
PK	5.1834G	122.81	Inf	-Inf	115.22	3	Vertical	1	1.80	-	31.90	7.07	31.38
AV	5.1816G	109.81	Inf	-Inf	102.22	3	Vertical	1	1.80	-	31.91	7.06	31.38



5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5180MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1405G	62.96	74.00	-11.04	55.24	3	Horizontal	294	1.80	-	32.10	6.98	31.36
AV	5.1394G	49.92	54.00	-4.08	42.20	3	Horizontal	294	1.80	-	32.10	6.98	31.36
PK	5.1828G	118.29	Inf	-Inf	110.70	3	Horizontal	294	1.80	-	31.90	7.07	31.38
AV	5.1825G	105.53	Inf	-Inf	97.94	3	Horizontal	294	1.80	-	31.90	7.07	31.38

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5180MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54075G	60.91	74.00	-13.09	44.03	3	Vertical	138	1.23	-	38.92	10.79	32.83
AV	15.55059G	48.04	54.00	-5.96	31.18	3	Vertical	138	1.23	-	38.90	10.79	32.83

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5180MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54516G	61.72	74.00	-12.28	44.85	3	Horizontal	59	1.38	-	38.91	10.79	32.83
AV	15.54741G	48.15	54.00	-5.85	31.28	3	Horizontal	59	1.38	-	38.91	10.79	32.83

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
 Setting 95  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	70.81	74.00	-3.19	63.07	3	Vertical	352	1.80	-	32.10	7.00	31.36
AV	5.15G	53.88	54.00	-0.12	46.14	3	Vertical	352	1.80	-	32.10	7.00	31.36
PK	5.2088G	123.42	Inf	-Inf	115.92	3	Vertical	352	1.80	-	31.76	7.13	31.39
AV	5.2088G	111.80	Inf	-Inf	104.30	3	Vertical	352	1.80	-	31.76	7.13	31.39

5.15-5.25GHz 802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	68.54	74.00	-5.46	60.81	3	Horizontal	292	1.54	-	32.10	6.99	31.36
AV	5.15G	52.41	54.00	-1.59	44.67	3	Horizontal	292	1.54	-	32.10	7.00	31.36
PK	5.198G	122.58	Inf	-Inf	115.06	3	Horizontal	292	1.54	-	31.81	7.10	31.39
AV	5.1982G	109.72	Inf	-Inf	102.20	3	Horizontal	292	1.54	-	31.81	7.10	31.39

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60399G	61.16	74.00	-12.84	44.64	3	Vertical	110	1.03	-	38.56	10.80	32.84
AV	15.6021G	48.23	54.00	-5.77	31.69	3	Vertical	110	1.03	-	38.58	10.80	32.84

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5200MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5991G	62.75	74.00	-11.25	46.18	3	Horizontal	329	1.86	-	38.61	10.80	32.84
AV	15.61209G	48.27	54.00	-5.73	31.83	3	Horizontal	329	1.86	-	38.48	10.80	32.84

5.15-5.25GHz 802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	70.82	74.00	-3.18	63.08	3	Vertical	20	1.76	-	32.10	7.00	31.36
AV	5.1496G	49.60	54.00	-4.40	41.86	3	Vertical	20	1.76	-	32.10	7.00	31.36
PK	5.2332G	126.52	Inf	-Inf	119.04	3	Vertical	20	1.76	-	31.67	7.22	31.41
AV	5.2328G	114.86	Inf	-Inf	107.39	3	Vertical	20	1.76	-	31.67	7.21	31.41
PK	5.3744G	64.07	74.00	-9.93	56.29	3	Vertical	20	1.76	-	31.55	7.71	31.48
AV	5.4084G	51.15	54.00	-2.85	43.25	3	Vertical	20	1.76	-	31.63	7.77	31.50



5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	73.67	74.00	-0.33	65.96	3	Horizontal	292	1.52	-	32.10	6.96	31.35
AV	5.1488G	49.62	54.00	-4.38	41.88	3	Horizontal	292	1.52	-	32.10	7.00	31.36
PK	5.2428G	124.65	Inf	-Inf	117.18	3	Horizontal	292	1.52	-	31.63	7.25	31.41
AV	5.2384G	112.72	Inf	-Inf	105.25	3	Horizontal	292	1.52	-	31.65	7.23	31.41
PK	5.354G	73.27	74.00	-0.73	65.59	3	Horizontal	292	1.52	-	31.51	7.64	31.47
AV	5.3928G	49.02	54.00	-4.98	41.15	3	Horizontal	292	1.52	-	31.59	7.77	31.49

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5240MHz\_TX




EUT Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47988G	59.72	68.20	-8.48	42.23	3	Vertical	222	1.80	-	40.14	9.92	32.57
PK	15.72078G	61.65	74.00	-12.35	45.44	3	Vertical	142	2.82	-	38.24	10.83	32.86
AV	15.70521G	47.76	54.00	-6.24	31.58	3	Vertical	142	2.82	-	38.21	10.83	32.86

5.15-5.25GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5240MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48972G	59.28	68.20	-8.92	41.81	3	Horizontal	319	1.47	-	40.12	9.92	32.57
PK	15.73353G	61.29	74.00	-12.71	45.06	3	Horizontal	30	2.25	-	38.27	10.83	32.87
AV	15.70521G	47.61	54.00	-6.39	31.43	3	Horizontal	30	2.25	-	38.21	10.83	32.86

5.25-5.35GHz 802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	71.39	74.00	-2.61	63.67	3	Vertical	19	2.05	-	32.10	6.98	31.36
AV	5.1084G	49.79	54.00	-4.21	42.11	3	Vertical	19	2.05	-	32.10	6.92	31.34
PK	5.2512G	128.43	Inf	-Inf	120.97	3	Vertical	19	2.05	-	31.60	7.28	31.42
AV	5.2528G	116.25	Inf	-Inf	108.80	3	Vertical	19	2.05	-	31.59	7.28	31.42
PK	5.3508G	70.95	74.00	-3.05	63.29	3	Vertical	19	2.05	-	31.50	7.63	31.47
AV	5.35G	50.28	54.00	-3.72	42.62	3	Vertical	19	2.05	-	31.50	7.63	31.47

5.25-5.35GHz 802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	71.39	74.00	-2.61	63.69	3	Horizontal	286	1.43	-	32.10	6.95	31.35
AV	5.1484G	48.32	54.00	-5.68	40.58	3	Horizontal	286	1.43	-	32.10	7.00	31.36
PK	5.256G	124.84	Inf	-Inf	117.37	3	Horizontal	286	1.43	-	31.59	7.30	31.42
AV	5.258G	113.03	Inf	-Inf	105.57	3	Horizontal	286	1.43	-	31.58	7.30	31.42
PK	5.3584G	73.80	74.00	-0.20	66.10	3	Horizontal	286	1.43	-	31.52	7.65	31.47
AV	5.3536G	49.36	54.00	-4.64	41.68	3	Horizontal	286	1.43	-	31.51	7.64	31.47

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5260MHz\_TX




EUT Y\_4TX  
Setting 110  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76662G	60.46	74.00	-13.54	44.19	3	Vertical	193	2.25	-	38.30	10.84	32.87
AV	15.77223G	47.11	54.00	-6.89	30.84	3	Vertical	193	2.25	-	38.30	10.84	32.87

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 110  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7803G	60.99	74.00	-13.01	44.72	3	Horizontal	341	1.94	-	38.30	10.85	32.88
AV	15.77907G	47.11	54.00	-6.89	30.85	3	Horizontal	341	1.94	-	38.30	10.84	32.88

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 98  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3058G	125.26	Inf	-Inf	117.74	3	Vertical	14	1.59	-	31.50	7.47	31.45
AV	5.2914G	113.27	Inf	-Inf	105.77	3	Vertical	14	1.59	-	31.52	7.42	31.44
PK	5.364G	70.36	74.00	-3.64	62.64	3	Vertical	14	1.59	-	31.53	7.67	31.48
AV	5.35G	53.74	54.00	-0.26	46.08	3	Vertical	14	1.59	-	31.50	7.63	31.47



5.25-5.35GHz 802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
 Setting 98  
 06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3054G	123.42	Inf	-Inf	115.89	3	Horizontal	286	1.80	-	31.50	7.47	31.44
AV	5.3046G	110.81	Inf	-Inf	103.28	3	Horizontal	286	1.80	-	31.50	7.47	31.44
PK	5.3502G	67.93	74.00	-6.07	60.27	3	Horizontal	286	1.80	-	31.50	7.63	31.47
AV	5.35G	53.84	54.00	-0.16	46.18	3	Horizontal	286	1.80	-	31.50	7.63	31.47

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 98  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89148G	59.76	74.00	-14.24	43.77	3	Vertical	134	2.12	-	38.02	10.87	32.90
AV	15.88596G	46.65	54.00	-7.35	30.65	3	Vertical	134	2.12	-	38.03	10.87	32.90

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5300MHz\_TX




EUT Y\_4TX  
Setting 98  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88527G	59.48	74.00	-14.52	43.48	3	Horizontal	130	1.20	-	38.03	10.87	32.90
AV	15.88635G	46.60	54.00	-7.40	30.60	3	Horizontal	130	1.20	-	38.03	10.87	32.90

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 82  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31565G	122.22	Inf	-Inf	114.67	3	Vertical	5	1.80	-	31.50	7.50	31.45
AV	5.31865G	109.69	Inf	-Inf	102.12	3	Vertical	5	1.80	-	31.50	7.52	31.45
PK	5.36065G	68.01	74.00	-5.99	60.30	3	Vertical	5	1.80	-	31.52	7.66	31.47
AV	5.36065G	53.74	54.00	-0.26	46.03	3	Vertical	5	1.80	-	31.52	7.66	31.47

5.25-5.35GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5320MHz\_TX



EUT Y\_4TX  
Setting 82  
06-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3233G	119.32	Inf	-Inf	111.74	3	Horizontal	287	1.79	-	31.50	7.53	31.45
AV	5.323G	106.39	Inf	-Inf	98.81	3	Horizontal	287	1.79	-	31.50	7.53	31.45
PK	5.36065G	65.22	74.00	-8.78	57.51	3	Horizontal	287	1.79	-	31.52	7.66	31.47
AV	5.3611G	51.28	54.00	-2.72	43.57	3	Horizontal	287	1.79	-	31.52	7.66	31.47