


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21396G	59.29	74.00	-14.71	43.03	3	Horizontal	326	2.10	-	39.00	10.04	32.78
AV	12.21332G	45.39	54.00	-8.61	29.14	3	Horizontal	326	2.10	-	39.00	10.04	32.79

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.33168G	60.40	83.54	-23.14	58.44	1	Vertical	23	1.80	-	37.50	14.52	50.06
AV	18.342G	41.09	63.54	-22.45	39.15	1	Vertical	23	1.80	-	37.50	14.52	50.08

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34032G	58.59	83.54	-24.95	56.65	1	Horizontal	34	1.66	-	37.50	14.52	50.08
AV	18.34224G	40.40	63.54	-23.14	38.46	1	Horizontal	34	1.66	-	37.50	14.52	50.08

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 74
06-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.153G	4.99	5.00	-0.01	-15.55	3	Vertical	273.1	1.79	RBW 1MH	-13.29	7.28	31.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 74
06-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.96388G	-2.10	23.00	-25.10	-21.80	3	Horizontal	267	1.86	RBW 1MH	-13.16	6.92	31.61			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 74
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	6.105G	27.54	30.00	-2.46	7.30	3	Vertical	277	1.80	CP 320MI-	-13.30	7.16	31.38

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53348G	55.70	74.00	-18.30	39.24	3	Vertical	283	1.44	-	38.60	9.19	31.33
AV	12.53102G	42.32	54.00	-11.68	25.86	3	Vertical	283	1.44	-	38.60	9.19	31.33

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.54128G	55.07	74.00	-18.93	38.61	3	Horizontal	237	1.51	-	38.60	9.19	31.33
AV	12.53924G	42.50	54.00	-11.50	26.04	3	Horizontal	237	1.51	-	38.60	9.19	31.33

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79386G	56.29	83.54	-27.25	54.40	1	Vertical	358	1.96	-	37.80	14.68	50.59
AV	18.78162G	43.07	63.54	-20.47	41.18	1	Vertical	358	1.96	-	37.80	14.67	50.58

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80586G	54.28	83.54	-29.26	52.39	1	Horizontal	235	1.82	-	37.82	14.68	50.61
AV	18.78246G	41.14	63.54	-22.40	39.25	1	Horizontal	235	1.82	-	37.80	14.67	50.58

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 97
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.70	88.20	-8.50	71.81	3	Vertical	278	1.79	-	32.55	6.94	31.60
RMS	5.925G	67.96	68.20	-0.24	60.07	3	Vertical	278	1.79	-	32.55	6.94	31.60
PK	5.961G	123.15	Inf	-Inf	115.26	3	Vertical	278	1.79	-	32.58	6.92	31.61
RMS	5.9625G	114.26	Inf	-Inf	106.37	3	Vertical	278	1.79	-	32.58	6.92	31.61

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 97
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	73.60	88.20	-14.60	65.71	3	Horizontal	277	2.37	-	32.55	6.94	31.60
RMS	5.925G	63.44	68.20	-4.76	55.55	3	Horizontal	277	2.37	-	32.55	6.94	31.60
PK	5.959G	121.73	Inf	-Inf	113.84	3	Horizontal	277	2.37	-	32.58	6.92	31.61
RMS	5.959G	111.24	Inf	-Inf	103.35	3	Horizontal	277	2.37	-	32.58	6.92	31.61

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 97
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89392G	52.85	74.00	-21.15	69.29	3	Vertical	134	2.00	-	38.71	9.99	65.14
AV	11.88384G	40.24	54.00	-13.76	56.66	3	Vertical	134	2.00	-	38.73	9.99	65.14
PK	17.88588G	61.82	74.00	-12.18	64.53	3	Vertical	198	1.67	-	48.12	12.03	62.86
AV	17.89416G	48.11	54.00	-5.89	50.54	3	Vertical	198	1.67	-	48.40	12.04	62.87

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




21/09/2023

EUT_Y_4TX
Setting 97
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92524G	53.31	74.00	-20.69	69.72	3	Horizontal	285	1.68	-	38.75	10.00	65.16
AV	11.88468G	40.23	54.00	-13.77	56.65	3	Horizontal	285	1.68	-	38.73	9.99	65.14
PK	17.89392G	61.14	74.00	-12.86	63.58	3	Horizontal	43	1.65	-	48.39	12.04	62.87
AV	17.89416G	48.12	54.00	-5.88	50.55	3	Horizontal	43	1.65	-	48.40	12.04	62.87

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38724G	52.72	74.00	-21.28	68.42	3	Vertical	360	2.21	-	38.93	10.08	64.71
AV	12.42G	40.04	54.00	-13.96	55.85	3	Vertical	360	2.21	-	38.78	10.08	64.67

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38316G	53.09	74.00	-20.91	68.79	3	Horizontal	239	1.08	-	38.93	10.08	64.71
AV	12.41928G	40.29	54.00	-13.71	56.10	3	Horizontal	239	1.08	-	38.78	10.08	64.67

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56088G	55.05	83.54	-28.49	53.11	1	Vertical	103	1.77	-	37.70	14.60	50.36
AV	18.55512G	41.44	63.54	-22.10	39.51	1	Vertical	103	1.77	-	37.70	14.59	50.36

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4608G	53.93	83.54	-29.61	51.88	1	Horizontal	97	1.87	-	37.74	14.56	50.25
AV	18.4512G	40.77	63.54	-22.77	38.74	1	Horizontal	97	1.87	-	37.70	14.56	50.23

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85556G	53.32	88.20	-34.88	68.22	3	Vertical	280	2.97	-	39.41	10.17	64.48
RMS	12.85484G	40.67	68.20	-27.53	55.57	3	Vertical	280	2.97	-	39.41	10.17	64.48

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8462G	53.80	88.20	-34.40	68.73	3	Horizontal	33	1.90	-	39.39	10.17	64.49
RMS	12.85736G	40.71	68.20	-27.49	55.61	3	Horizontal	33	1.90	-	39.41	10.17	64.48

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
 Setting 108
 06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21572G	53.53	83.54	-30.01	51.79	1	Vertical	90	1.75	-	37.97	14.83	51.06
AV	19.22868G	40.78	63.54	-22.76	39.08	1	Vertical	90	1.75	-	37.94	14.83	51.07

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22736G	53.93	83.54	-29.61	52.22	1	Horizontal	332	1.82	-	37.95	14.83	51.07
AV	19.221G	40.75	63.54	-22.79	39.03	1	Horizontal	332	1.82	-	37.96	14.83	51.07

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.18672G	53.18	88.20	-35.02	67.46	3	Vertical	336	2.11	-	39.70	10.24	64.22
RMS	13.19338G	40.04	68.20	-28.16	54.31	3	Vertical	336	2.11	-	39.70	10.24	64.21

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.19496G	53.38	88.20	-34.82	67.65	3	Horizontal	184	1.31	-	39.70	10.24	64.21
RMS	13.19432G	40.02	68.20	-28.18	54.29	3	Horizontal	184	1.31	-	39.70	10.24	64.21

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7867G	56.90	83.54	-26.64	55.51	1	Vertical	213	1.88	-	38.05	15.03	51.69
AV	19.78302G	43.21	63.54	-20.33	41.84	1	Vertical	213	1.88	-	38.03	15.02	51.68

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.78494G	54.92	83.54	-28.62	53.54	1	Horizontal	57	2.19	-	38.04	15.02	51.68
AV	19.7817G	41.23	63.54	-22.31	39.86	1	Horizontal	57	2.19	-	38.03	15.02	51.68

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39156G	54.70	74.00	-19.30	68.12	3	Vertical	167	2.01	-	40.27	10.28	63.97
AV	13.39972G	41.30	54.00	-12.70	54.68	3	Vertical	167	2.01	-	40.30	10.28	63.96

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39096G	54.11	74.00	-19.89	67.54	3	Horizontal	258	2.04	-	40.26	10.28	63.97
AV	13.39936G	41.28	54.00	-12.72	54.66	3	Horizontal	258	2.04	-	40.30	10.28	63.96

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07308G	71.25	83.54	-12.29	70.25	1	Vertical	358	1.76	-	37.79	15.12	51.91
AV	20.08116G	57.41	63.54	-6.13	56.39	1	Vertical	358	1.76	-	37.82	15.12	51.92

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08692G	64.06	83.54	-19.48	63.01	1	Horizontal	245	1.29	-	37.85	15.12	51.92
AV	20.105G	51.53	63.54	-12.01	50.45	1	Horizontal	245	1.29	-	37.87	15.13	51.92

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70976G	57.52	88.20	-30.68	38.90	3	Vertical	273	1.43	-	40.42	11.66	33.46
RMS	13.69896G	45.40	68.20	-22.80	26.79	3	Vertical	273	1.43	-	40.40	11.66	33.45

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7004G	57.00	88.20	-31.20	38.39	3	Horizontal	353	1.69	-	40.40	11.66	33.45
RMS	13.70208G	45.45	68.20	-22.75	26.84	3	Horizontal	353	1.69	-	40.40	11.66	33.45

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55135G	52.41	83.54	-31.13	47.98	1	Vertical	132	1.54	-	37.90	15.64	49.11
AV	20.57496G	41.89	63.54	-21.65	37.38	1	Vertical	132	1.54	-	37.95	15.66	49.10

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57523G	51.77	83.54	-31.77	47.26	1	Horizontal	320	1.81	-	37.95	15.66	49.10
AV	20.57493G	39.89	63.54	-23.65	35.38	1	Horizontal	320	1.81	-	37.95	15.66	49.10

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 89
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	79.11	88.20	-9.09	71.22	3	Vertical	360	1.80	-	32.55	6.94	31.60
RMS	5.9244G	67.43	68.20	-0.77	59.54	3	Vertical	360	1.80	-	32.55	6.94	31.60
PK	5.9594G	117.69	Inf	-Inf	109.80	3	Vertical	360	1.80	-	32.58	6.92	31.61
RMS	5.9602G	107.49	Inf	-Inf	99.60	3	Vertical	360	1.80	-	32.58	6.92	31.61

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 89
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	74.73	88.20	-13.47	66.84	3	Horizontal	292	2.56	-	32.55	6.94	31.60
RMS	5.925G	64.71	68.20	-3.49	56.82	3	Horizontal	292	2.56	-	32.55	6.94	31.60
PK	5.9782G	114.55	Inf	-Inf	106.71	3	Horizontal	292	2.56	-	32.54	6.91	31.61
RMS	5.97G	105.47	Inf	-Inf	97.60	3	Horizontal	292	2.56	-	32.56	6.92	31.61

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 89
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92952G	53.64	74.00	-20.36	69.84	3	Vertical	20	1.37	-	38.96	10.00	65.16
AV	11.906G	40.11	54.00	-13.89	56.35	3	Vertical	20	1.37	-	38.91	10.00	65.15
PK	17.92416G	62.47	74.00	-11.53	64.06	3	Vertical	236	1.93	-	49.27	12.05	62.91
AV	17.92272G	49.78	54.00	-4.22	51.40	3	Vertical	236	1.93	-	49.23	12.05	62.90

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 89
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90144G	53.33	74.00	-20.67	69.57	3	Horizontal	238	2.54	-	38.90	10.00	65.14
AV	11.9054G	40.15	54.00	-13.85	56.39	3	Horizontal	238	2.54	-	38.91	10.00	65.15
PK	17.91624G	62.59	74.00	-11.41	64.42	3	Horizontal	259	2.48	-	49.02	12.05	62.90
AV	17.9244G	49.83	54.00	-4.17	51.41	3	Horizontal	259	2.48	-	49.28	12.05	62.91

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42656G	53.07	74.00	-20.93	68.99	3	Vertical	0	2.26	-	38.65	10.09	64.66
AV	12.42188G	40.16	54.00	-13.84	56.09	3	Vertical	0	2.26	-	38.66	10.08	64.67

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4232G	53.21	74.00	-20.79	69.15	3	Horizontal	5	2.93	-	38.65	10.08	64.67
AV	12.42092G	40.18	54.00	-13.82	56.11	3	Horizontal	5	2.93	-	38.66	10.08	64.67

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97516G	53.13	83.54	-30.41	51.89	1	Vertical	235	1.88	-	38.00	15.34	52.10
AV	20.9556G	40.84	63.54	-22.70	39.51	1	Vertical	235	1.88	-	38.08	15.34	52.09

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99244G	53.99	83.54	-29.55	52.81	1	Horizontal	107	1.80	-	37.93	15.35	52.10
AV	20.95644G	40.57	63.54	-22.97	39.25	1	Horizontal	107	1.80	-	38.07	15.34	52.09

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8364G	53.14	88.20	-35.06	68.09	3	Vertical	330	1.64	-	39.37	10.17	64.49
RMS	12.81612G	40.40	68.20	-27.80	55.40	3	Vertical	330	1.64	-	39.33	10.16	64.49

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8376G	54.21	88.20	-33.99	69.15	3	Horizontal	330	1.32	-	39.38	10.17	64.49
RMS	12.81432G	41.22	68.20	-26.98	56.22	3	Horizontal	330	1.32	-	39.33	10.16	64.49

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.194G	53.96	83.54	-29.58	52.21	1	Vertical	42	1.94	-	37.96	14.82	51.03
AV	19.19904G	41.22	63.54	-22.32	39.45	1	Vertical	42	1.94	-	37.99	14.82	51.04

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21704G	55.69	83.54	-27.85	53.95	1	Horizontal	138	1.94	-	37.97	14.83	51.06
AV	19.18932G	41.13	63.54	-22.41	39.40	1	Horizontal	138	1.94	-	37.94	14.82	51.03

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.21094G	55.77	88.20	-32.43	70.00	3	Vertical	343	1.93	-	39.72	10.24	64.19
RMS	13.2148G	41.04	68.20	-27.16	55.26	3	Vertical	343	1.93	-	39.73	10.24	64.19

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2147G	53.99	88.20	-34.21	68.21	3	Horizontal	118	1.24	-	39.73	10.24	64.19
RMS	13.21318G	40.07	68.20	-28.13	54.29	3	Horizontal	118	1.24	-	39.73	10.24	64.19

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.81124G	55.44	83.54	-28.10	54.13	1	Vertical	312	1.60	-	37.99	15.03	51.71
AV	19.81122G	44.79	63.54	-18.75	43.48	1	Vertical	312	1.60	-	37.99	15.03	51.71

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Y_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.81778G	55.57	83.54	-27.97	54.33	1	Horizontal	260	2.92	-	37.92	15.04	51.72
AV	19.81024G	42.78	63.54	-20.76	41.46	1	Horizontal	260	2.92	-	38.00	15.03	51.71

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38716G	54.31	74.00	-19.69	67.87	3	Vertical	359	1.34	-	40.14	10.28	63.98
AV	13.3994G	41.28	54.00	-12.72	54.76	3	Vertical	359	1.34	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39976G	54.50	74.00	-19.50	67.98	3	Horizontal	10	2.83	-	40.20	10.28	63.96
AV	13.39988G	41.25	54.00	-12.75	54.73	3	Horizontal	10	2.83	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.03052G	53.81	83.54	-29.73	52.87	1	Vertical	146	1.55	-	37.74	15.11	51.91
AV	20.08296G	40.98	63.54	-22.56	39.95	1	Vertical	146	1.55	-	37.83	15.12	51.92

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04732G	54.22	83.54	-29.32	53.31	1	Horizontal	264	1.85	-	37.71	15.11	51.91
AV	20.08428G	40.95	63.54	-22.59	39.91	1	Horizontal	264	1.85	-	37.84	15.12	51.92

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.67926G	57.78	88.20	-30.42	39.26	3	Vertical	211	1.78	-	40.32	11.65	33.45
RMS	13.68136G	45.52	68.20	-22.68	26.99	3	Vertical	211	1.78	-	40.33	11.65	33.45

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz Straddle 6.525-6.875GHz_TX








EUT_Y_4TX
 Setting 108
 05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68652G	57.83	88.20	-30.37	39.28	3	Horizontal	165	1.63	-	40.35	11.65	33.45
RMS	13.68202G	45.59	68.20	-22.61	27.06	3	Horizontal	165	1.63	-	40.33	11.65	33.45

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz Straddle 6.525-6.875GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


28/03/2024

EUT_Y_4TX
 Setting 108
 05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.52645G	51.05	83.54	-32.49	46.80	1	Vertical	292	1.53	-	37.76	15.62	49.13
AV	20.53962G	42.54	63.54	-21.00	38.19	1	Vertical	292	1.53	-	37.84	15.63	49.12

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 05-P-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5338G	53.83	83.54	-29.71	49.52	1	Horizontal	81	1.59	-	37.80	15.63	49.12
AV	20.53971G	41.54	63.54	-22.00	37.19	1	Horizontal	81	1.59	-	37.84	15.63	49.12

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.83	88.20	-11.37	68.94	3	Vertical	176.7	2.24	-	32.55	6.94	31.60
RMS	5.925G	66.65	68.20	-1.55	58.76	3	Vertical	176.7	2.24	-	32.55	6.94	31.60
PK	5.9722G	115.76	Inf	-Inf	107.90	3	Vertical	176.7	2.24	-	32.56	6.91	31.61
RMS	5.975G	107.13	Inf	-Inf	99.28	3	Vertical	176.7	2.24	-	32.55	6.91	31.61

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	75.12	88.20	-13.08	67.23	3	Horizontal	335.1	1.80	-	32.55	6.94	31.60
RMS	5.925G	63.05	68.20	-5.15	55.16	3	Horizontal	335.1	1.80	-	32.55	6.94	31.60
PK	5.9962G	111.96	Inf	-Inf	104.16	3	Horizontal	335.1	1.80	-	32.51	6.90	31.61
RMS	5.9966G	102.21	Inf	-Inf	94.41	3	Horizontal	335.1	1.80	-	32.51	6.90	31.61

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 84
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94036G	52.82	74.00	-21.18	69.00	3	Vertical	256	2.05	-	38.98	10.00	65.16
AV	11.99004G	39.89	54.00	-14.11	56.00	3	Vertical	256	2.05	-	39.08	10.00	65.19
PK	17.96508G	64.76	74.00	-9.24	65.05	3	Vertical	60	1.60	-	50.58	12.08	62.95
AV	17.98056G	51.44	54.00	-2.56	51.24	3	Vertical	60	1.60	-	51.08	12.09	62.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 84
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.99292G	52.85	74.00	-21.15	68.95	3	Horizontal	57	2.80	-	39.09	10.00	65.19
AV	11.98956G	39.89	54.00	-14.11	56.00	3	Horizontal	57	2.80	-	39.08	10.00	65.19
PK	17.98164G	63.77	74.00	-10.23	63.54	3	Horizontal	179	1.51	-	51.11	12.09	62.97
AV	17.98104G	51.53	54.00	-2.47	51.32	3	Horizontal	179	1.51	-	51.09	12.09	62.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44124G	52.95	74.00	-21.05	68.88	3	Vertical	154	1.23	-	38.62	10.09	64.64
AV	12.42204G	40.30	54.00	-13.70	56.23	3	Vertical	154	1.23	-	38.66	10.08	64.67

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44736G	53.45	74.00	-20.55	69.39	3	Horizontal	241	1.70	-	38.61	10.09	64.64
AV	12.462G	40.31	54.00	-13.69	56.26	3	Horizontal	241	1.70	-	38.58	10.09	64.62

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7026G	54.83	83.54	-28.71	53.07	1	Vertical	273	1.84	-	37.61	14.65	50.50
AV	18.65832G	41.65	63.54	-21.89	39.71	1	Vertical	273	1.84	-	37.77	14.63	50.46

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68556G	54.86	83.54	-28.68	53.05	1	Horizontal	193	1.76	-	37.66	14.64	50.49
AV	18.65988G	41.69	63.54	-21.85	39.76	1	Horizontal	193	1.76	-	37.76	14.63	50.46

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79676G	52.63	88.20	-35.57	67.68	3	Vertical	14	1.07	-	39.29	10.16	64.50
RMS	12.7958G	39.99	68.20	-28.21	55.04	3	Vertical	14	1.07	-	39.29	10.16	64.50

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.74372G	52.98	88.20	-35.22	68.21	3	Horizontal	155	1.25	-	39.13	10.15	64.51
RMS	12.7946G	40.04	68.20	-28.16	55.10	3	Horizontal	155	1.25	-	39.28	10.16	64.50

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14804G	53.83	83.54	-29.71	52.30	1	Vertical	128	1.81	-	37.71	14.80	50.98
AV	19.13976G	41.20	63.54	-22.34	39.63	1	Vertical	128	1.81	-	37.74	14.80	50.97

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1832G	53.68	83.54	-29.86	51.99	1	Horizontal	3	1.88	-	37.90	14.81	51.02
AV	19.13076G	41.15	63.54	-22.39	39.53	1	Horizontal	3	1.88	-	37.78	14.80	50.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25624G	54.00	74.00	-20.00	68.28	3	Vertical	223	1.32	-	39.61	10.25	64.14
AV	13.2566G	40.86	54.00	-13.14	55.14	3	Vertical	223	1.32	-	39.61	10.25	64.14

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25396G	53.38	74.00	-20.62	67.66	3	Horizontal	306	1.00	-	39.61	10.25	64.14
AV	13.26452G	40.72	54.00	-13.28	54.97	3	Horizontal	306	1.00	-	39.63	10.25	64.13

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.89168G	54.19	83.54	-29.35	53.07	1	Vertical	36	1.53	-	37.85	15.06	51.79
AV	19.90392G	40.35	63.54	-23.19	39.19	1	Vertical	36	1.53	-	37.89	15.07	51.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.85112G	53.41	83.54	-30.13	52.50	1	Horizontal	201	1.57	-	37.61	15.05	51.75
AV	19.90332G	40.47	63.54	-23.07	39.31	1	Horizontal	201	1.57	-	37.89	15.07	51.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41254G	54.38	88.20	-33.82	67.85	3	Vertical	118	1.52	-	40.20	10.28	63.95
RMS	13.40052G	41.52	68.20	-26.68	55.00	3	Vertical	118	1.52	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.43244G	54.23	88.20	-33.97	67.66	3	Horizontal	313	2.38	-	40.20	10.29	63.92
RMS	13.40028G	41.23	68.20	-26.97	54.71	3	Horizontal	313	2.38	-	40.20	10.28	63.96

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08656G	54.99	83.54	-28.55	53.94	1	Vertical	350	1.85	-	37.85	15.12	51.92
AV	20.1006G	41.48	63.54	-22.06	40.37	1	Vertical	350	1.85	-	37.90	15.13	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.13672G	54.05	83.54	-29.49	53.17	1	Horizontal	171	1.94	-	37.68	15.13	51.93
AV	20.09664G	41.53	63.54	-22.01	40.44	1	Horizontal	171	1.94	-	37.89	15.12	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57504G	54.62	88.20	-33.58	67.76	3	Vertical	319	1.99	-	40.35	10.32	63.81
RMS	13.58728G	42.50	68.20	-25.70	55.61	3	Vertical	319	1.99	-	40.37	10.32	63.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.59448G	55.61	88.20	-32.59	68.70	3	Horizontal	18	1.54	-	40.39	10.32	63.80
RMS	13.59712G	42.65	68.20	-25.55	55.74	3	Horizontal	18	1.54	-	40.39	10.32	63.80

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35584G	54.43	83.54	-29.11	53.12	1	Vertical	12	1.94	-	38.09	15.19	51.97
AV	20.33256G	41.74	63.54	-21.80	40.40	1	Vertical	12	1.94	-	38.13	15.18	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35596G	54.99	83.54	-28.55	53.68	1	Horizontal	194	1.77	-	38.09	15.19	51.97
AV	20.325G	41.82	63.54	-21.72	40.45	1	Horizontal	194	1.77	-	38.15	15.18	51.96

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 93
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	77.56	88.20	-10.64	70.38	3	Vertical	177.2	1.80	-	32.60	6.94	32.36
RMS	5.925G	67.28	68.20	-0.92	60.10	3	Vertical	177.2	1.80	-	32.60	6.94	32.36
PK	6.0986G	113.86	Inf	-Inf	106.59	3	Vertical	177.2	1.80	-	32.60	7.15	32.48
RMS	6.0834G	103.77	Inf	-Inf	96.52	3	Vertical	177.2	1.80	-	32.60	7.11	32.46

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 93
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	78.50	88.20	-9.70	70.61	3	Horizontal	325.6	1.80	-	32.55	6.94	31.60
RMS	5.925G	67.29	68.20	-0.91	59.40	3	Horizontal	325.6	1.80	-	32.55	6.94	31.60
PK	5.9482G	114.07	Inf	-Inf	106.14	3	Horizontal	325.6	1.80	-	32.60	6.93	31.60
RMS	6.081G	103.07	Inf	-Inf	94.80	3	Horizontal	325.6	1.80	-	32.60	7.10	31.43

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06788G	52.17	74.00	-21.83	68.10	3	Vertical	58	2.77	-	39.17	10.01	65.11
AV	12.06356G	39.68	54.00	-14.32	55.62	3	Vertical	58	2.77	-	39.16	10.01	65.11

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06092G	53.16	74.00	-20.84	69.10	3	Horizontal	54	2.54	-	39.16	10.01	65.11
AV	12.06308G	39.69	54.00	-14.31	55.63	3	Horizontal	54	2.54	-	39.16	10.01	65.11

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0546G	54.11	83.54	-29.43	51.95	1	Vertical	302	1.74	-	37.42	14.42	49.68
AV	18.05856G	41.46	63.54	-22.08	39.29	1	Vertical	302	1.74	-	37.43	14.42	49.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 92
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06492G	54.55	83.54	-28.99	52.36	1	Horizontal	326	1.85	-	37.46	14.42	49.69
AV	18.05484G	41.32	63.54	-22.22	39.16	1	Horizontal	326	1.85	-	37.42	14.42	49.68

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39928G	53.83	74.00	-20.17	69.74	3	Vertical	107	1.98	-	38.70	10.08	64.69
AV	12.39964G	39.96	54.00	-14.04	55.87	3	Vertical	107	1.98	-	38.70	10.08	64.69

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3898G	52.85	74.00	-21.15	68.77	3	Horizontal	122	2.17	-	38.71	10.08	64.71
AV	12.35644G	39.86	54.00	-14.14	55.80	3	Horizontal	122	2.17	-	38.74	10.07	64.75

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54648G	54.11	83.54	-29.43	52.16	1	Vertical	32	1.62	-	37.71	14.59	50.35
AV	18.537G	41.46	63.54	-22.08	39.46	1	Vertical	32	1.62	-	37.75	14.59	50.34

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53376G	54.55	83.54	-28.99	52.53	1	Horizontal	233	1.83	-	37.76	14.59	50.33
AV	18.54996G	41.32	63.54	-22.22	39.38	1	Horizontal	233	1.83	-	37.70	14.59	50.35

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6828G	53.19	74.00	-20.81	68.61	3	Vertical	112	2.00	-	38.97	10.14	64.53
AV	12.66948G	39.32	54.00	-14.68	54.78	3	Vertical	112	2.00	-	38.94	10.13	64.53

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.66636G	53.56	74.00	-20.44	69.03	3	Horizontal	288	2.02	-	38.93	10.13	64.53
AV	12.66912G	40.22	54.00	-13.78	55.68	3	Horizontal	288	2.02	-	38.94	10.13	64.53

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03416G	54.15	83.54	-29.39	52.33	1	Vertical	153	1.81	-	37.90	14.76	50.84
AV	19.0434G	40.90	63.54	-22.64	39.08	1	Vertical	153	1.81	-	37.90	14.77	50.85

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04808G	53.74	83.54	-29.80	51.93	1	Horizontal	127	1.68	-	37.90	14.77	50.86
AV	19.03692G	40.92	63.54	-22.62	39.10	1	Horizontal	127	1.68	-	37.90	14.76	50.84

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3066G	53.38	74.00	-20.62	67.47	3	Vertical	351	1.27	-	39.73	10.26	64.08
AV	13.31872G	40.50	54.00	-13.50	54.51	3	Vertical	351	1.27	-	39.79	10.26	64.06

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34452G	54.27	74.00	-19.73	68.11	3	Horizontal	197	2.69	-	39.92	10.27	64.03
AV	13.32736G	40.58	54.00	-13.42	54.52	3	Horizontal	197	2.69	-	39.84	10.27	64.05

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.01084G	53.88	83.54	-29.66	52.90	1	Vertical	155	1.93	-	37.78	15.10	51.90
AV	19.9998G	40.43	63.54	-23.11	39.43	1	Vertical	155	1.93	-	37.80	15.10	51.90

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.965G	53.65	83.54	-29.89	52.62	1	Horizontal	134	1.99	-	37.80	15.09	51.86
AV	19.99944G	40.40	63.54	-23.14	39.40	1	Horizontal	134	1.99	-	37.80	15.10	51.90

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	76.10	88.20	-12.10	68.21	3	Vertical	265	1.80	-	32.55	6.94	31.60
RMS	5.925G	67.15	68.20	-1.05	59.26	3	Vertical	265	1.80	-	32.55	6.94	31.60
PK	6.1578G	111.36	Inf	-Inf	102.58	3	Vertical	265	1.80	-	32.75	7.29	31.26
RMS	6.153G	101.30	Inf	-Inf	92.57	3	Vertical	265	1.80	-	32.72	7.28	31.27

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 80
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	6.105G	21.39	30.00	-8.61	1.15	3	Horizontal	179	1.80	CP 320MI-	-13.30	7.16	31.38

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
 Setting 94
 06-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	75.93	88.20	-12.27	68.04	3	Horizontal	153.6	2.34	-	32.55	6.94	31.60
RMS	5.925G	63.97	68.20	-4.23	56.08	3	Horizontal	153.6	2.34	-	32.55	6.94	31.60
PK	6.0714G	109.29	Inf	-Inf	101.06	3	Horizontal	153.6	2.34	-	32.60	7.08	31.45
RMS	6.0762G	98.44	Inf	-Inf	90.19	3	Horizontal	153.6	2.34	-	32.60	7.09	31.44

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22416G	52.54	74.00	-21.46	68.38	3	Vertical	360	1.77	-	39.03	10.04	64.91
AV	12.20952G	39.04	54.00	-14.96	54.86	3	Vertical	360	1.77	-	39.07	10.04	64.93

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 94
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22836G	51.43	74.00	-22.57	67.28	3	Horizontal	73	2.54	-	39.01	10.05	64.91
AV	12.20952G	39.12	54.00	-14.88	54.94	3	Horizontal	73	2.54	-	39.07	10.04	64.93

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31584G	53.37	83.54	-30.17	51.40	1	Vertical	259	1.97	-	37.50	14.51	50.04
AV	18.31308G	41.47	63.54	-22.07	39.50	1	Vertical	259	1.97	-	37.50	14.51	50.04

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 108
06-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31692G	53.14	83.54	-30.40	51.17	1	Horizontal	347	1.81	-	37.50	14.51	50.04
AV	18.31188G	41.61	63.54	-21.93	39.64	1	Horizontal	347	1.81	-	37.50	14.51	50.04

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 80
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	6.15492G	4.78	5.00	-0.22	-15.79	3	Vertical	273.7	1.78	RBW 1MH	-13.28	7.29	31.27

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 80
06-C-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.2058G	-1.85	23.00	-24.85	-22.90	3	Horizontal	184.4	1.80	RBW 1MH	-13.09	7.40	31.16			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 80
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	6.105G	27.75	30.00	-2.25	7.51	3	Vertical	278	1.80	CP 320MI-	-13.30	7.16	31.38

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53672G	55.02	74.00	-18.98	38.56	3	Vertical	304	1.42	-	38.60	9.19	31.33
AV	12.54224G	42.25	54.00	-11.75	25.80	3	Vertical	304	1.42	-	38.60	9.19	31.34

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5423G	55.24	74.00	-18.76	38.79	3	Horizontal	213	1.81	-	38.60	9.19	31.34
AV	12.54374G	42.35	54.00	-11.65	25.90	3	Horizontal	213	1.81	-	38.60	9.19	31.34

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80862G	56.17	83.54	-27.37	54.27	1	Vertical	22	2.00	-	37.83	14.68	50.61
AV	18.78402G	43.13	63.54	-20.41	41.24	1	Vertical	22	2.00	-	37.80	14.67	50.58

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX



EUT Y_4TX
Setting 108
02-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78564G	57.84	83.54	-25.70	55.96	1	Horizontal	160	1.99	-	37.80	14.67	50.59
AV	18.78276G	45.05	63.54	-18.49	43.16	1	Horizontal	160	1.99	-	37.80	14.67	50.58

