


Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	107.6M	28.64	43.50	-14.86	-12.42	3	Horizontal	118	1.50	-	41.06	17.72	1.82	31.96
PK	125.06M	28.98	43.50	-14.52	-11.90	3	Horizontal	346	1.50	-	40.88	18.11	1.97	31.98
PK	165.8M	30.53	43.50	-12.97	-14.02	3	Horizontal	131	1.00	-	44.55	15.76	2.26	32.04
PK	250.19M	31.86	46.00	-14.14	-10.93	3	Horizontal	353	1.50	-	42.79	18.28	2.83	32.04
PK	375.32M	34.94	46.00	-11.06	-7.89	3	Horizontal	214	1.00	"Worst"	42.83	20.72	3.56	32.17
PK	922.4M	32.63	46.00	-13.37	-0.19	3	Horizontal	325	1.50	-	32.82	26.40	5.90	32.49




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss2,(MCS0)_4TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Vertical	58	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 96
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	67.35	74.00	-6.65	59.70	3	Vertical	189	1.75	-	32.10	6.91	31.36
AV	5.1455G	53.92	54.00	-0.08	46.27	3	Vertical	189	1.75	-	32.10	6.91	31.36
PK	5.185G	124.82	Inf	-Inf	117.38	3	Vertical	189	1.75	-	31.89	6.93	31.38
AV	5.1845G	114.31	Inf	-Inf	106.87	3	Vertical	189	1.75	-	31.89	6.93	31.38

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 96
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	61.20	74.00	-12.80	53.55	3	Horizontal	126	2.48	-	32.10	6.91	31.36
AV	5.1499G	48.42	54.00	-5.58	40.77	3	Horizontal	126	2.48	-	32.10	6.91	31.36
PK	5.173G	113.43	Inf	-Inf	105.91	3	Horizontal	126	2.48	-	31.96	6.93	31.37
AV	5.1725G	103.13	Inf	-Inf	95.60	3	Horizontal	126	2.48	-	31.97	6.93	31.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 96
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3531G	59.78	68.20	-8.42	42.34	3	Vertical	330	1.80	-	40.01	10.03	32.60
PK	15.53799G	63.48	74.00	-10.52	44.94	3	Vertical	360	2.16	-	38.92	12.45	32.83
AV	15.53742G	49.02	54.00	-4.98	30.47	3	Vertical	360	2.16	-	38.93	12.45	32.83

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 96
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3738G	59.91	68.20	-8.29	42.41	3	Horizontal	237	2.32	-	40.05	10.04	32.59
PK	15.54546G	63.71	74.00	-10.29	45.18	3	Horizontal	200	1.80	-	38.91	12.45	32.83
AV	15.54576G	49.66	54.00	-4.34	31.13	3	Horizontal	200	1.80	-	38.91	12.45	32.83

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 101
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.93	74.00	-8.07	58.28	3	Vertical	16	1.71	-	32.10	6.91	31.36
AV	5.0364G	53.94	54.00	-0.06	46.46	3	Vertical	16	1.71	-	31.92	6.86	31.30
PK	5.1924G	126.00	Inf	-Inf	118.59	3	Vertical	16	1.71	-	31.85	6.94	31.38
AV	5.1928G	116.16	Inf	-Inf	108.76	3	Vertical	16	1.71	-	31.84	6.94	31.38
PK	5.3588G	62.82	74.00	-11.18	55.71	3	Vertical	16	1.71	-	31.52	7.06	31.47
AV	5.358G	51.65	54.00	-2.35	44.54	3	Vertical	16	1.71	-	31.52	7.06	31.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 101
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38635G	53.93	68.20	-14.27	71.71	3	Vertical	78	1.11	-	37.93	9.99	65.70
PK	15.59825G	64.21	74.00	-9.79	74.78	3	Vertical	326.9	1.76	-	38.01	13.52	62.10
AV	15.59865G	49.91	54.00	-4.09	60.47	3	Vertical	326.9	1.76	-	38.01	13.53	62.10

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 101
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41515G	53.65	68.20	-14.55	71.37	3	Horizontal	138	1.86	-	37.90	10.00	65.62
PK	15.60115G	58.48	74.00	-15.52	69.04	3	Horizontal	204	1.25	-	38.01	13.53	62.10
AV	15.60155G	46.71	54.00	-7.29	57.27	3	Horizontal	204	1.25	-	38.01	13.53	62.10

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 93
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.076G	65.14	74.00	-8.86	57.53	3	Vertical	15	1.80	-	32.05	6.88	31.32
AV	5.076G	53.87	54.00	-0.13	46.26	3	Vertical	15	1.80	-	32.05	6.88	31.32
PK	5.234G	125.78	Inf	-Inf	118.56	3	Vertical	15	1.80	-	31.66	6.97	31.41
AV	5.2332G	115.50	Inf	-Inf	108.28	3	Vertical	15	1.80	-	31.67	6.96	31.41
PK	5.3992G	62.80	74.00	-11.20	55.61	3	Vertical	15	1.80	-	31.60	7.09	31.50
AV	5.3984G	51.42	54.00	-2.58	44.23	3	Vertical	15	1.80	-	31.60	7.09	31.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5036G	54.05	68.20	-14.15	71.39	3	Vertical	222	1.34	-	38.01	10.04	65.39
PK	15.7197G	59.16	74.00	-14.84	69.79	3	Vertical	51	1.56	-	37.94	13.60	62.17
AV	15.7161G	46.48	54.00	-7.52	57.08	3	Vertical	51	1.56	-	37.97	13.60	62.17

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50455G	53.77	68.20	-14.43	71.11	3	Horizontal	154	1.11	-	38.01	10.04	65.39
PK	15.73385G	58.98	74.00	-15.02	69.72	3	Horizontal	103	2.58	-	37.83	13.61	62.18
AV	15.71595G	46.66	54.00	-7.34	57.26	3	Horizontal	103	2.58	-	37.97	13.60	62.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 98
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0956G	64.84	74.00	-9.16	57.19	3	Vertical	16	1.64	-	32.09	6.89	31.33
AV	5.096G	53.16	54.00	-0.84	45.51	3	Vertical	16	1.64	-	32.09	6.89	31.33
PK	5.2532G	125.60	Inf	-Inf	118.45	3	Vertical	16	1.64	-	31.59	6.98	31.42
AV	5.2528G	115.68	Inf	-Inf	108.53	3	Vertical	16	1.64	-	31.59	6.98	31.42
PK	5.4176G	61.58	74.00	-12.42	54.32	3	Vertical	16	1.64	-	31.67	7.10	31.51
AV	5.418G	50.72	54.00	-3.28	43.46	3	Vertical	16	1.64	-	31.67	7.10	31.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5091G	54.08	68.20	-14.12	71.42	3	Vertical	16	1.09	-	38.02	10.04	65.40
PK	15.7732G	58.83	74.00	-15.17	69.78	3	Vertical	156	2.51	-	37.61	13.64	62.20
AV	15.77265G	46.00	54.00	-8.00	56.95	3	Vertical	156	2.51	-	37.61	13.64	62.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53515G	54.20	68.20	-14.00	71.51	3	Horizontal	205	1.17	-	38.07	10.05	65.43
PK	15.7782G	58.95	74.00	-15.05	69.92	3	Horizontal	75	1.70	-	37.59	13.64	62.20
AV	15.7771G	46.11	54.00	-7.89	57.08	3	Horizontal	75	1.70	-	37.59	13.64	62.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 98
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	64.29	74.00	-9.71	56.64	3	Vertical	28	1.80	-	32.10	6.91	31.36
AV	5.1472G	53.22	54.00	-0.78	45.57	3	Vertical	28	1.80	-	32.10	6.91	31.36
PK	5.3048G	124.42	Inf	-Inf	117.34	3	Vertical	28	1.80	-	31.50	7.02	31.44
AV	5.3048G	114.53	Inf	-Inf	107.45	3	Vertical	28	1.80	-	31.50	7.02	31.44
PK	5.3516G	64.04	74.00	-9.96	56.96	3	Vertical	28	1.80	-	31.50	7.05	31.47
AV	5.3512G	50.50	54.00	-3.50	43.42	3	Vertical	28	1.80	-	31.50	7.05	31.47
PK	5.4628G	62.08	68.20	-6.12	54.65	3	Vertical	28	1.80	-	31.83	7.13	31.53

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5795G	54.61	68.20	-13.59	71.91	3	Vertical	353	2.56	-	38.10	10.07	65.47
AV	10.6242G	42.31	54.00	-11.69	59.59	3	Vertical	353	2.56	-	38.15	10.09	65.52
PK	15.89405G	58.30	74.00	-15.70	69.25	3	Vertical	321	2.90	-	37.60	13.71	62.26
AV	15.90085G	46.26	54.00	-7.74	57.21	3	Vertical	321	2.90	-	37.60	13.72	62.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62435G	53.88	74.00	-20.12	71.16	3	Horizontal	233	2.71	-	38.15	10.09	65.52
AV	10.6247G	42.51	54.00	-11.49	59.79	3	Horizontal	233	2.71	-	38.15	10.09	65.52
PK	15.8836G	59.32	74.00	-14.68	70.27	3	Horizontal	87	2.77	-	37.60	13.71	62.26
AV	15.9007G	46.25	54.00	-7.75	57.20	3	Horizontal	87	2.77	-	37.60	13.72	62.27

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 98
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	62.09	74.00	-11.91	54.44	3	Vertical	28	1.80	-	32.10	6.91	31.36
AV	5.1476G	48.27	54.00	-5.73	40.62	3	Vertical	28	1.80	-	32.10	6.91	31.36
PK	5.3248G	124.08	Inf	-Inf	117.01	3	Vertical	28	1.80	-	31.50	7.03	31.46
AV	5.3244G	114.07	Inf	-Inf	107.00	3	Vertical	28	1.80	-	31.50	7.03	31.46
PK	5.3636G	68.36	74.00	-5.64	61.25	3	Vertical	28	1.80	-	31.53	7.06	31.48
AV	5.3512G	53.05	54.00	-0.95	45.97	3	Vertical	28	1.80	-	31.50	7.05	31.47
PK	5.4756G	62.69	68.20	-5.51	55.24	3	Vertical	28	1.80	-	31.85	7.14	31.54

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62785G	55.15	74.00	-18.85	72.42	3	Vertical	224	1.08	-	38.16	10.09	65.52
AV	10.62715G	42.65	54.00	-11.35	59.93	3	Vertical	224	1.08	-	38.15	10.09	65.52
PK	15.97995G	58.09	74.00	-15.91	69.13	3	Vertical	353	1.06	-	37.50	13.77	62.31
AV	15.96335G	45.38	54.00	-8.62	56.42	3	Vertical	353	1.06	-	37.50	13.76	62.30

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6232G	54.27	74.00	-19.73	71.55	3	Horizontal	238	2.73	-	38.15	10.09	65.52
AV	10.6277G	42.66	54.00	-11.34	59.93	3	Horizontal	238	2.73	-	38.16	10.09	65.52
PK	15.97825G	57.63	74.00	-16.37	68.67	3	Horizontal	271	1.10	-	37.50	13.77	62.31
AV	15.96325G	45.35	54.00	-8.65	56.39	3	Horizontal	271	1.10	-	37.50	13.76	62.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 98
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	66.01	74.00	-7.99	58.60	3	Vertical	30	1.80	-	31.81	7.13	31.53
AV	5.4598G	51.96	54.00	-2.04	44.54	3	Vertical	30	1.80	-	31.82	7.13	31.53
PK	5.4638G	67.29	68.20	-0.91	59.86	3	Vertical	30	1.80	-	31.83	7.13	31.53
PK	5.5038G	123.84	Inf	-Inf	116.33	3	Vertical	30	1.80	-	31.90	7.16	31.55
AV	5.5034G	113.84	Inf	-Inf	106.33	3	Vertical	30	1.80	-	31.90	7.16	31.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9943G	54.80	74.00	-19.20	72.15	3	Vertical	295	1.48	-	38.30	10.25	65.90
AV	10.98795G	42.23	54.00	-11.77	59.58	3	Vertical	295	1.48	-	38.30	10.25	65.90
PK	16.493G	58.42	68.20	-9.78	68.49	3	Vertical	92	2.57	-	37.91	14.08	62.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 98
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98775G	53.92	74.00	-20.08	71.27	3	Horizontal	344	1.14	-	38.30	10.25	65.90
AV	10.98795G	42.11	54.00	-11.89	59.46	3	Horizontal	344	1.14	-	38.30	10.25	65.90
PK	16.4846G	57.99	68.20	-10.21	68.05	3	Horizontal	143	1.87	-	37.93	14.08	62.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 104
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4132G	63.96	74.00	-10.04	56.71	3	Vertical	274	1.99	-	31.65	7.10	31.50
AV	5.4128G	53.65	54.00	-0.35	46.40	3	Vertical	274	1.99	-	31.65	7.10	31.50
PK	5.4692G	59.82	68.20	-8.38	52.38	3	Vertical	274	1.99	-	31.84	7.13	31.53
PK	5.5724G	126.45	Inf	-Inf	118.95	3	Vertical	274	1.99	-	31.86	7.20	31.56
AV	5.5724G	116.90	Inf	-Inf	109.40	3	Vertical	274	1.99	-	31.86	7.20	31.56
PK	5.738G	66.37	68.20	-1.83	58.48	3	Vertical	274	1.99	-	32.13	7.34	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1523G	54.27	74.00	-19.73	71.07	3	Vertical	203	2.45	-	38.50	10.32	65.62
AV	11.1595G	42.07	54.00	-11.93	58.84	3	Vertical	203	2.45	-	38.52	10.32	65.61
PK	16.7603G	60.43	68.20	-7.77	69.22	3	Vertical	285	1.96	-	39.10	14.25	62.14

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16285G	54.21	74.00	-19.79	70.95	3	Horizontal	98	1.68	-	38.53	10.33	65.60
AV	11.1541G	42.10	54.00	-11.90	58.89	3	Horizontal	98	1.68	-	38.51	10.32	65.62
PK	16.73305G	60.40	68.20	-7.80	69.30	3	Horizontal	45	1.45	-	39.00	14.23	62.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 77
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7056G	121.35	Inf	-Inf	113.68	3	Vertical	2	1.92	-	31.93	7.31	31.57
AV	5.705G	111.40	Inf	-Inf	103.73	3	Vertical	2	1.92	-	31.93	7.31	31.57
PK	5.7256G	67.91	68.20	-0.29	60.11	3	Vertical	2	1.92	-	32.05	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 77
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3965G	56.16	74.00	-17.84	72.20	3	Vertical	208	2.07	-	38.69	10.43	65.16
AV	11.3974G	43.99	54.00	-10.01	60.02	3	Vertical	208	2.07	-	38.69	10.43	65.15
PK	17.1123G	60.41	68.20	-7.79	67.97	3	Vertical	214	1.66	-	40.25	14.46	62.27

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 77
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39955G	56.48	74.00	-17.52	72.50	3	Horizontal	57	1.28	-	38.70	10.43	65.15
AV	11.39385G	43.93	54.00	-10.07	59.97	3	Horizontal	57	1.28	-	38.69	10.43	65.16
PK	17.0994G	60.65	68.20	-7.55	68.25	3	Horizontal	103	2.69	-	40.20	14.46	62.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	127.82	Inf	-Inf	120.04	3	Vertical	3	2.10	-	32.04	7.32	31.58
AV	5.724G	118.27	Inf	-Inf	110.48	3	Vertical	3	2.10	-	32.04	7.33	31.58
PK	5.8812G	65.57	68.20	-2.63	57.33	3	Vertical	3	2.10	-	32.42	7.42	31.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4584G	55.20	74.00	-18.80	70.96	3	Vertical	155	1.21	-	38.83	10.45	65.04
AV	11.415G	43.13	54.00	-10.87	59.08	3	Vertical	155	1.21	-	38.73	10.44	65.12
PK	17.1667G	61.09	68.20	-7.11	68.45	3	Vertical	69	2.35	-	40.43	14.50	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4335G	55.14	74.00	-18.86	71.02	3	Horizontal	160	1.12	-	38.77	10.44	65.09
AV	11.4151G	43.19	54.00	-10.81	59.14	3	Horizontal	160	1.12	-	38.73	10.44	65.12
PK	17.18015G	60.40	68.20	-7.80	67.73	3	Horizontal	21	1.06	-	40.46	14.51	62.30

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 104
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	65.75	68.20	-2.45	58.28	3	Vertical	4	1.95	-	31.82	7.21	31.56
PK	5.748G	128.76	Inf	-Inf	120.80	3	Vertical	4	1.95	-	32.19	7.35	31.58
AV	5.749G	118.73	Inf	-Inf	110.77	3	Vertical	4	1.95	-	32.19	7.35	31.58
PK	5.957G	62.86	68.20	-5.34	54.42	3	Vertical	4	1.95	-	32.59	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51465G	55.21	74.00	-18.79	70.64	3	Vertical	174	1.71	-	39.06	10.48	64.97
AV	11.50925G	43.30	54.00	-10.70	58.74	3	Vertical	174	1.71	-	39.04	10.48	64.96
PK	17.24245G	61.25	68.20	-6.95	68.36	3	Vertical	200	2.58	-	40.67	14.54	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46835G	55.83	74.00	-18.17	71.52	3	Horizontal	193	2.64	-	38.87	10.46	65.02
AV	11.5094G	43.31	54.00	-10.69	58.75	3	Horizontal	193	2.64	-	39.04	10.48	64.96
PK	17.22815G	61.39	68.20	-6.81	68.56	3	Horizontal	332	2.85	-	40.61	14.54	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	65.84	68.20	-2.36	58.41	3	Vertical	13	2.16	-	31.75	7.24	31.56
PK	5.7815G	130.27	Inf	-Inf	122.22	3	Vertical	13	2.16	-	32.26	7.37	31.58
AV	5.781G	119.50	Inf	-Inf	111.45	3	Vertical	13	2.16	-	32.26	7.37	31.58
PK	5.938G	65.64	68.20	-2.56	57.21	3	Vertical	13	2.16	-	32.58	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58659G	56.29	74.00	-17.71	71.51	3	Vertical	76	2.43	-	39.27	10.51	65.00
AV	11.5716G	43.97	54.00	-10.03	59.22	3	Vertical	76	2.43	-	39.24	10.50	64.99
PK	17.34665G	63.49	68.20	-4.71	69.88	3	Vertical	63	2.37	-	41.37	14.61	62.37

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5779G	55.91	74.00	-18.09	71.14	3	Horizontal	262	2.76	-	39.26	10.51	65.00
AV	11.5807G	43.97	54.00	-10.03	59.20	3	Horizontal	262	2.76	-	39.26	10.51	65.00
PK	17.37275G	62.27	68.20	-5.93	68.49	3	Horizontal	67	2.22	-	41.54	14.62	62.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 104
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	61.86	68.20	-6.34	54.40	3	Vertical	12	2.22	-	31.80	7.22	31.56
PK	5.822G	129.40	Inf	-Inf	121.29	3	Vertical	12	2.22	-	32.30	7.40	31.59
AV	5.822G	119.15	Inf	-Inf	111.04	3	Vertical	12	2.22	-	32.30	7.40	31.59
PK	5.9855G	66.11	68.20	-2.09	57.73	3	Vertical	12	2.22	-	32.53	7.46	31.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65295G	55.66	74.00	-18.34	70.84	3	Vertical	347	2.60	-	39.31	10.54	65.03
AV	11.63155G	43.46	54.00	-10.54	58.65	3	Vertical	347	2.60	-	39.30	10.53	65.02
PK	17.48855G	63.14	68.20	-5.06	68.56	3	Vertical	313	1.86	-	42.31	14.70	62.43

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63765G	55.98	74.00	-18.02	71.17	3	Horizontal	27	1.49	-	39.30	10.53	65.02
AV	11.63245G	43.39	54.00	-10.61	58.58	3	Horizontal	27	1.49	-	39.30	10.53	65.02
PK	17.4734G	63.25	68.20	-4.95	68.79	3	Horizontal	157	1.84	-	42.19	14.69	62.42

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	67.03	74.00	-6.97	58.56	3	Vertical	131	1.80	-	32.10	6.91	30.54
AV	5.1398G	53.87	54.00	-0.13	45.39	3	Vertical	131	1.80	-	32.10	6.91	30.53
PK	5.187G	126.94	Inf	-Inf	118.73	3	Vertical	131	1.80	-	31.88	6.93	30.60
AV	5.1878G	114.39	Inf	-Inf	106.19	3	Vertical	131	1.80	-	31.87	6.93	30.60

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3616G	53.05	68.20	-15.15	70.86	3	Vertical	285	2.82	-	37.98	9.98	65.77
PK	15.54346G	58.51	74.00	-15.49	68.86	3	Vertical	156	1.29	-	38.23	13.49	62.07
AV	15.53956G	46.72	54.00	-7.28	57.06	3	Vertical	156	1.29	-	38.24	13.49	62.07

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36092G	52.94	68.20	-15.26	70.75	3	Horizontal	196	1.70	-	37.98	9.98	65.77
PK	15.54074G	59.42	74.00	-14.58	69.76	3	Horizontal	358	2.48	-	38.24	13.49	62.07
AV	15.53651G	46.66	54.00	-7.34	56.99	3	Horizontal	358	2.48	-	38.25	13.49	62.07

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 95
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.49	74.00	-0.51	65.03	3	Vertical	136	1.80	-	32.10	6.91	30.55
AV	5.15G	53.80	54.00	-0.20	45.33	3	Vertical	136	1.80	-	32.10	6.92	30.55
PK	5.1908G	128.25	Inf	-Inf	120.05	3	Vertical	136	1.80	-	31.86	6.94	30.60
AV	5.192G	116.11	Inf	-Inf	107.93	3	Vertical	136	1.80	-	31.85	6.94	30.61
PK	5.3676G	62.45	74.00	-11.55	54.70	3	Vertical	136	1.80	-	31.54	7.07	30.86
AV	5.368G	50.45	54.00	-3.55	42.70	3	Vertical	136	1.80	-	31.54	7.07	30.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 95
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40096G	53.92	68.20	-14.28	71.69	3	Vertical	26	1.08	-	37.90	9.99	65.66
PK	15.5977G	58.61	74.00	-15.39	69.18	3	Vertical	301	2.14	-	38.01	13.52	62.10
AV	15.60479G	46.95	54.00	-7.05	57.50	3	Vertical	301	2.14	-	38.03	13.53	62.11

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 95
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39939G	54.35	68.20	-13.85	72.13	3	Horizontal	230	2.27	-	37.90	9.99	65.67
PK	15.60241G	58.98	74.00	-15.02	69.55	3	Horizontal	102	1.62	-	38.01	13.53	62.11
AV	15.60482G	46.86	54.00	-7.14	57.41	3	Horizontal	102	1.62	-	38.03	13.53	62.11

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0732G	63.28	74.00	-10.72	54.79	3	Vertical	99	1.62	-	32.05	6.88	30.44
AV	5.0864G	51.80	54.00	-2.20	43.30	3	Vertical	99	1.62	-	32.07	6.88	30.45
PK	5.2322G	129.44	Inf	-Inf	121.47	3	Vertical	99	1.62	-	31.67	6.96	30.66
AV	5.231G	116.85	Inf	-Inf	108.87	3	Vertical	99	1.62	-	31.68	6.96	30.66
PK	5.4038G	63.30	74.00	-10.70	55.50	3	Vertical	99	1.62	-	31.62	7.09	30.91
AV	5.4026G	50.98	54.00	-3.02	43.19	3	Vertical	99	1.62	-	31.61	7.09	30.91
PK	5.5376G	61.56	68.20	-6.64	53.53	3	Vertical	99	1.62	-	31.90	7.18	31.05

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48042G	53.29	68.20	-14.91	70.74	3	Vertical	182	2.07	-	37.96	10.03	65.44
PK	15.71938G	59.54	74.00	-14.46	70.17	3	Vertical	332	2.52	-	37.94	13.60	62.17
AV	15.71616G	47.37	54.00	-6.63	57.97	3	Vertical	332	2.52	-	37.97	13.60	62.17

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48076G	53.73	68.20	-14.47	71.18	3	Horizontal	234	2.72	-	37.96	10.03	65.44
PK	15.71626G	59.73	74.00	-14.27	70.33	3	Horizontal	124	2.02	-	37.97	13.60	62.17
AV	15.71903G	47.35	54.00	-6.65	57.97	3	Horizontal	124	2.02	-	37.95	13.60	62.17

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 97
 06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1076G	65.59	74.00	-8.41	57.08	3	Vertical	292	1.92	-	32.10	6.89	30.48
AV	5.107G	53.84	54.00	-0.16	45.33	3	Vertical	292	1.92	-	32.10	6.89	30.48
PK	5.2684G	127.40	Inf	-Inf	119.57	3	Vertical	292	1.92	-	31.56	6.99	30.72
AV	5.2678G	115.88	Inf	-Inf	108.05	3	Vertical	292	1.92	-	31.56	6.99	30.72
PK	5.4268G	61.98	74.00	-12.02	54.10	3	Vertical	292	1.92	-	31.71	7.11	30.94
AV	5.4268G	49.80	54.00	-4.20	41.92	3	Vertical	292	1.92	-	31.71	7.11	30.94
PK	5.4712G	60.86	68.20	-7.34	52.89	3	Vertical	292	1.92	-	31.84	7.14	31.01

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 97
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52066G	54.21	68.20	-13.99	71.53	3	Vertical	130	2.79	-	38.04	10.05	65.41
PK	15.78239G	58.94	74.00	-15.06	69.93	3	Vertical	204	2.57	-	37.57	13.64	62.20
AV	15.77774G	46.77	54.00	-7.23	57.74	3	Vertical	204	2.57	-	37.59	13.64	62.20

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 97
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52307G	54.00	68.20	-14.20	71.31	3	Horizontal	234	2.24	-	38.05	10.05	65.41
PK	15.77659G	59.16	74.00	-14.84	70.13	3	Horizontal	250	1.69	-	37.59	13.64	62.20
AV	15.78066G	46.85	54.00	-7.15	57.83	3	Horizontal	250	1.69	-	37.58	13.64	62.20

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 100
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.36	74.00	-10.64	54.89	3	Vertical	97	1.56	-	32.10	6.91	30.54
AV	5.1344G	50.94	54.00	-3.06	42.45	3	Vertical	97	1.56	-	32.10	6.91	30.52
PK	5.2912G	127.47	Inf	-Inf	119.69	3	Vertical	97	1.56	-	31.52	7.01	30.75
AV	5.2932G	114.47	Inf	-Inf	106.70	3	Vertical	97	1.56	-	31.51	7.01	30.75
PK	5.3512G	70.51	74.00	-3.49	62.80	3	Vertical	97	1.56	-	31.50	7.05	30.84
AV	5.35G	52.42	54.00	-1.58	44.70	3	Vertical	97	1.56	-	31.50	7.05	30.83
PK	5.4608G	61.24	68.20	-6.96	53.28	3	Vertical	97	1.56	-	31.82	7.13	30.99

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
 Setting 100
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59574G	53.25	68.20	-14.95	70.56	3	Vertical	182	2.81	-	38.10	10.08	65.49
PK	15.89709G	58.35	74.00	-15.65	69.30	3	Vertical	176	1.74	-	37.60	13.71	62.26
AV	15.89509G	46.63	54.00	-7.37	57.58	3	Vertical	176	1.74	-	37.60	13.71	62.26

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 100
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59753G	53.78	68.20	-14.42	71.09	3	Horizontal	71	2.76	-	38.10	10.08	65.49
PK	15.89565G	58.37	74.00	-15.63	69.32	3	Horizontal	27	2.38	-	37.60	13.71	62.26
AV	15.8951G	46.73	54.00	-7.27	57.68	3	Horizontal	27	2.38	-	37.60	13.71	62.26

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 88
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	123.88	Inf	-Inf	116.15	3	Vertical	100	1.75	-	31.50	7.03	30.80
AV	5.3112G	111.33	Inf	-Inf	103.59	3	Vertical	100	1.75	-	31.50	7.02	30.78
PK	5.36G	66.45	74.00	-7.55	58.72	3	Vertical	100	1.75	-	31.52	7.06	30.85
AV	5.3502G	53.50	54.00	-0.50	45.78	3	Vertical	100	1.75	-	31.50	7.05	30.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 88
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63989G	54.66	74.00	-19.34	71.92	3	Vertical	48	2.19	-	38.18	10.10	65.54
AV	10.63596G	42.65	54.00	-11.35	59.91	3	Vertical	48	2.19	-	38.17	10.10	65.53
PK	15.96426G	57.62	74.00	-16.38	68.66	3	Vertical	212	2.51	-	37.50	13.76	62.30
AV	15.96414G	46.19	54.00	-7.81	57.23	3	Vertical	212	2.51	-	37.50	13.76	62.30

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 88
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63946G	54.87	74.00	-19.13	72.13	3	Horizontal	135	2.29	-	38.18	10.10	65.54
AV	10.63801G	42.63	54.00	-11.37	59.88	3	Horizontal	135	2.29	-	38.18	10.10	65.53
PK	15.96333G	57.64	74.00	-16.36	68.68	3	Horizontal	357	1.32	-	37.50	13.76	62.30
AV	15.96367G	46.09	54.00	-7.91	57.13	3	Horizontal	357	1.32	-	37.50	13.76	62.30

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 85
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	68.05	74.00	-5.95	61.48	3	Vertical	273	1.55	-	34.60	6.86	34.89
PK	5.4602G	67.05	68.20	-1.15	60.48	3	Vertical	273	1.55	-	34.60	6.86	34.89
AV	5.4598G	53.84	54.00	-0.16	47.27	3	Vertical	273	1.55	-	34.60	6.88	34.90
PK	5.5052G	123.08	Inf	-Inf	116.50	3	Vertical	273	1.55	-	34.60	6.88	34.90
AV	5.5076G	111.21	Inf	-Inf	104.63	3	Vertical	273	1.55	-	34.60	6.88	34.90

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 85
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99624G	54.17	74.00	-19.83	71.53	3	Vertical	217	2.83	-	38.30	10.25	65.91
AV	10.9957G	42.24	54.00	-11.76	59.60	3	Vertical	217	2.83	-	38.30	10.25	65.91
PK	16.4988G	57.79	68.20	-10.41	67.86	3	Vertical	208	2.55	-	37.90	14.09	62.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 85
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99833G	54.51	74.00	-19.49	71.87	3	Horizontal	350	1.15	-	38.30	10.25	65.91
AV	10.99622G	42.36	54.00	-11.64	59.72	3	Horizontal	350	1.15	-	38.30	10.25	65.91
PK	16.49946G	58.03	68.20	-10.17	68.10	3	Horizontal	68	2.27	-	37.90	14.09	62.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	63.19	74.00	-10.81	56.72	3	Vertical	88	2.39	-	34.51	6.85	34.89
AV	5.4208G	52.01	54.00	-1.99	45.57	3	Vertical	88	2.39	-	34.48	6.85	34.89
PK	5.4656G	62.17	68.20	-6.03	55.61	3	Vertical	88	2.39	-	34.60	6.86	34.90
PK	5.588G	128.90	Inf	-Inf	122.48	3	Vertical	88	2.39	-	34.45	6.91	34.94
AV	5.588G	118.52	Inf	-Inf	112.10	3	Vertical	88	2.39	-	34.45	6.91	34.94
PK	5.7456G	65.72	68.20	-2.48	59.61	3	Vertical	88	2.39	-	34.20	6.93	35.02

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16096G	54.24	74.00	-19.76	70.99	3	Vertical	104	1.16	-	38.52	10.33	65.60
AV	11.1618G	42.22	54.00	-11.78	58.97	3	Vertical	104	1.16	-	38.52	10.33	65.60
PK	16.73928G	60.03	68.20	-8.17	68.90	3	Vertical	121	2.08	-	39.04	14.23	62.14

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15534G	54.25	74.00	-19.75	71.03	3	Horizontal	20	2.94	-	38.51	10.32	65.61
AV	11.15722G	42.18	54.00	-11.82	58.96	3	Horizontal	20	2.94	-	38.51	10.32	65.61
PK	16.74446G	60.22	68.20	-7.98	69.05	3	Horizontal	105	1.33	-	39.07	14.24	62.14

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 70
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	122.46	Inf	-Inf	116.33	3	Vertical	84	2.39	-	34.20	6.93	35.00
AV	5.701G	110.19	Inf	-Inf	104.06	3	Vertical	84	2.39	-	34.20	6.93	35.00
PK	5.7264G	67.99	68.20	-0.21	61.87	3	Vertical	84	2.39	-	34.20	6.93	35.01

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 70
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39816G	55.61	74.00	-18.39	71.63	3	Vertical	12	1.36	-	38.70	10.43	65.15
AV	11.39796G	44.02	54.00	-9.98	60.04	3	Vertical	12	1.36	-	38.70	10.43	65.15
PK	17.1G	59.93	68.20	-8.27	67.53	3	Vertical	328	2.84	-	40.20	14.46	62.26

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 70
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39964G	56.26	74.00	-17.74	72.28	3	Horizontal	38	1.15	-	38.70	10.43	65.15
AV	11.39742G	44.06	54.00	-9.94	60.09	3	Horizontal	38	1.15	-	38.69	10.43	65.15
PK	17.10416G	60.13	68.20	-8.07	67.71	3	Horizontal	199	1.48	-	40.22	14.46	62.26

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	129.61	Inf	-Inf	123.48	3	Vertical	91	2.18	-	34.20	6.93	35.00
AV	5.7144G	118.60	Inf	-Inf	112.47	3	Vertical	91	2.18	-	34.20	6.93	35.00
PK	5.884G	65.32	68.20	-2.88	59.00	3	Vertical	91	2.18	-	34.44	6.96	35.08

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44294G	54.66	74.00	-19.34	70.49	3	Vertical	309	1.27	-	38.79	10.45	65.07
AV	11.43554G	42.73	54.00	-11.27	58.60	3	Vertical	309	1.27	-	38.77	10.44	65.08
PK	17.16384G	61.46	68.20	-6.74	68.82	3	Vertical	346	2.29	-	40.43	14.50	62.29

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44178G	54.91	74.00	-19.09	70.75	3	Horizontal	136	2.90	-	38.78	10.45	65.07
AV	11.4445G	42.83	54.00	-11.17	58.66	3	Horizontal	136	2.90	-	38.79	10.45	65.07
PK	17.15502G	60.66	68.20	-7.54	68.05	3	Horizontal	233	2.72	-	40.41	14.49	62.29

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 104
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5935G	64.58	68.20	-3.62	56.60	3	Vertical	279	2.26	-	31.81	7.22	31.05
PK	5.7525G	129.20	Inf	-Inf	120.69	3	Vertical	279	2.26	-	32.21	7.35	31.05
AV	5.751G	117.03	Inf	-Inf	108.53	3	Vertical	279	2.26	-	32.20	7.35	31.05
PK	5.9755G	62.50	68.20	-5.70	53.54	3	Vertical	279	2.26	-	32.55	7.46	31.05

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48522G	54.22	74.00	-19.78	69.80	3	Vertical	313	2.12	-	38.94	10.47	64.99
AV	11.48952G	42.03	54.00	-11.97	57.58	3	Vertical	313	2.12	-	38.96	10.47	64.98
PK	17.23058G	61.37	68.20	-6.83	68.53	3	Vertical	233	2.97	-	40.62	14.54	62.32

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48833G	54.03	74.00	-19.97	69.59	3	Horizontal	88	2.68	-	38.95	10.47	64.98
AV	11.49024G	41.96	54.00	-12.04	57.51	3	Horizontal	88	2.68	-	38.96	10.47	64.98
PK	17.23885G	61.10	68.20	-7.10	68.22	3	Horizontal	69	1.82	-	40.66	14.54	62.32

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	66.67	68.20	-1.53	58.72	3	Vertical	32	1.80	-	31.77	7.23	31.05
PK	5.7875G	130.77	Inf	-Inf	122.17	3	Vertical	32	1.80	-	32.27	7.38	31.05
AV	5.7885G	118.35	Inf	-Inf	109.74	3	Vertical	32	1.80	-	32.28	7.38	31.05
PK	5.9425G	64.57	68.20	-3.63	55.58	3	Vertical	32	1.80	-	32.59	7.45	31.05

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57352G	56.46	74.00	-17.54	71.70	3	Vertical	147	2.96	-	39.25	10.50	64.99
AV	11.57384G	44.25	54.00	-9.75	59.49	3	Vertical	147	2.96	-	39.25	10.50	64.99
PK	17.35059G	63.10	68.20	-5.10	69.46	3	Vertical	350	2.55	-	41.40	14.61	62.37

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56663G	56.01	74.00	-17.99	71.27	3	Horizontal	354	1.64	-	39.23	10.50	64.99
AV	11.57411G	44.26	54.00	-9.74	59.50	3	Horizontal	354	1.64	-	39.25	10.50	64.99
PK	17.35088G	62.07	68.20	-6.13	68.42	3	Horizontal	102	2.26	-	41.41	14.61	62.37

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 104
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	61.83	68.20	-6.37	53.91	3	Vertical	79	2.27	-	31.71	7.26	31.05
PK	5.8265G	131.40	Inf	-Inf	122.75	3	Vertical	79	2.27	-	32.30	7.40	31.05
AV	5.82G	118.43	Inf	-Inf	109.78	3	Vertical	79	2.27	-	32.30	7.40	31.05
PK	5.985G	65.38	68.20	-2.82	56.44	3	Vertical	79	2.27	-	32.53	7.46	31.05

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64972G	55.53	74.00	-18.47	70.72	3	Vertical	346	2.65	-	39.30	10.54	65.03
AV	11.65239G	43.58	54.00	-10.42	58.77	3	Vertical	346	2.65	-	39.30	10.54	65.03
PK	17.47805G	62.92	68.20	-5.28	68.43	3	Vertical	170	2.90	-	42.22	14.69	62.42

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64512G	55.50	74.00	-18.50	70.69	3	Horizontal	89	2.68	-	39.30	10.54	65.03
AV	11.64664G	43.61	54.00	-10.39	58.80	3	Horizontal	89	2.68	-	39.30	10.54	65.03
PK	17.47515G	63.39	68.20	-4.81	68.92	3	Horizontal	80	2.61	-	42.20	14.69	62.42

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
 Setting 82
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.12	74.00	-6.88	58.66	3	Vertical	259	1.91	-	32.10	6.91	30.55
AV	5.15G	53.74	54.00	-0.26	45.27	3	Vertical	259	1.91	-	32.10	6.92	30.55
PK	5.184G	120.62	Inf	-Inf	112.38	3	Vertical	259	1.91	-	31.90	6.93	30.59
AV	5.184G	108.00	Inf	-Inf	99.76	3	Vertical	259	1.91	-	31.90	6.93	30.59
PK	5.3636G	60.49	74.00	-13.51	52.75	3	Vertical	259	1.91	-	31.53	7.06	30.85
AV	5.358G	48.12	54.00	-5.88	40.39	3	Vertical	259	1.91	-	31.52	7.06	30.85

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 82
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3835G	52.80	68.20	-15.40	70.59	3	Vertical	297	2.88	-	37.93	9.99	65.71
PK	15.56567G	57.53	74.00	-16.47	67.98	3	Vertical	219	1.60	-	38.14	13.50	62.09
AV	15.56558G	44.64	54.00	-9.36	55.09	3	Vertical	219	1.60	-	38.14	13.50	62.09

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 82
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37814G	52.84	68.20	-15.36	70.64	3	Horizontal	75	2.52	-	37.94	9.98	65.72
PK	15.56636G	57.87	74.00	-16.13	68.33	3	Horizontal	194	1.98	-	38.13	13.50	62.09
AV	15.56597G	44.68	54.00	-9.32	55.13	3	Horizontal	194	1.98	-	38.14	13.50	62.09

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	71.20	74.00	-2.80	62.72	3	Vertical	100	1.61	-	32.10	6.91	30.53
AV	5.15G	53.78	54.00	-0.22	45.31	3	Vertical	100	1.61	-	32.10	6.92	30.55
PK	5.2276G	126.07	Inf	-Inf	118.08	3	Vertical	100	1.61	-	31.69	6.96	30.66
AV	5.2232G	112.63	Inf	-Inf	104.61	3	Vertical	100	1.61	-	31.71	6.96	30.65
PK	5.3648G	62.78	74.00	-11.22	55.05	3	Vertical	100	1.61	-	31.53	7.06	30.86
AV	5.3724G	50.16	54.00	-3.84	42.42	3	Vertical	100	1.61	-	31.54	7.07	30.87

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46436G	53.14	68.20	-15.06	70.68	3	Vertical	131	2.57	-	37.93	10.02	65.49
PK	15.6895G	58.61	74.00	-15.39	69.04	3	Vertical	176	1.33	-	38.14	13.58	62.15
AV	15.69278G	45.95	54.00	-8.05	56.39	3	Vertical	176	1.33	-	38.13	13.58	62.15

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4603G	52.98	68.20	-15.22	70.54	3	Horizontal	141	2.42	-	37.92	10.02	65.50
PK	15.6859G	58.57	74.00	-15.43	68.98	3	Horizontal	352	2.00	-	38.16	13.58	62.15
AV	15.68889G	45.63	54.00	-8.37	56.06	3	Horizontal	352	2.00	-	38.14	13.58	62.15

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 91
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1278G	61.81	74.00	-12.19	55.99	3	Vertical	244	2.78	-	34.06	6.61	34.85
AV	5.1242G	50.01	54.00	-3.99	44.21	3	Vertical	244	2.78	-	34.05	6.60	34.85
PK	5.2646G	123.70	Inf	-Inf	117.67	3	Vertical	244	2.78	-	34.09	6.81	34.87
AV	5.2628G	111.08	Inf	-Inf	105.06	3	Vertical	244	2.78	-	34.08	6.81	34.87
PK	5.3576G	69.31	74.00	-4.69	62.88	3	Vertical	244	2.78	-	34.48	6.83	34.88
AV	5.35G	53.97	54.00	-0.03	47.52	3	Vertical	244	2.78	-	34.50	6.83	34.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 91
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53772G	53.59	68.20	-14.61	70.89	3	Vertical	290	2.38	-	38.08	10.05	65.43
PK	15.813G	58.05	74.00	-15.95	69.08	3	Vertical	177	2.44	-	37.53	13.66	62.22
AV	15.80848G	44.08	54.00	-9.92	55.12	3	Vertical	177	2.44	-	37.52	13.66	62.22

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 91
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.544666G	53.35	68.20	-14.85	70.64	3	Horizontal	119	2.82	-	38.09	10.06	65.44
PK	15.80724G	57.70	74.00	-16.30	68.75	3	Horizontal	189	2.57	-	37.51	13.66	62.22
AV	15.8082G	44.61	54.00	-9.39	55.65	3	Horizontal	189	2.57	-	37.52	13.66	62.22

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 79
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	117.81	Inf	-Inf	111.51	3	Vertical	86	1.97	-	34.35	6.82	34.87
AV	5.3144G	105.95	Inf	-Inf	99.64	3	Vertical	86	1.97	-	34.36	6.82	34.87
PK	5.3524G	66.05	74.00	-7.95	59.60	3	Vertical	86	1.97	-	34.50	6.83	34.88
AV	5.35G	53.97	54.00	-0.03	47.52	3	Vertical	86	1.97	-	34.50	6.83	34.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 79
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62294G	53.50	74.00	-20.50	70.78	3	Vertical	245	1.01	-	38.15	10.09	65.52
AV	10.62492G	40.04	54.00	-13.96	57.32	3	Vertical	245	1.01	-	38.15	10.09	65.52
PK	15.93368G	57.76	74.00	-16.24	68.77	3	Vertical	10	2.16	-	37.53	13.74	62.28
AV	15.92614G	43.92	54.00	-10.08	54.92	3	Vertical	10	2.16	-	37.55	13.73	62.28

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 79
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62152G	53.77	74.00	-20.23	71.06	3	Horizontal	224	1.54	-	38.14	10.09	65.52
AV	10.6197G	40.06	54.00	-13.94	57.34	3	Horizontal	224	1.54	-	38.14	10.09	65.51
PK	15.93248G	57.63	74.00	-16.37	68.63	3	Horizontal	134	1.45	-	37.54	13.74	62.28
AV	15.925G	43.95	54.00	-10.05	54.95	3	Horizontal	134	1.45	-	37.55	13.73	62.28

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	68.52	74.00	-5.48	61.95	3	Vertical	286.6	2.54	-	34.60	6.86	34.89
AV	5.4596G	52.57	54.00	-1.43	46.00	3	Vertical	286.6	2.54	-	34.60	6.86	34.89
PK	5.4696G	68.02	68.20	-0.18	61.46	3	Vertical	286.6	2.54	-	34.60	6.86	34.90
PK	5.5028G	118.53	Inf	-Inf	111.95	3	Vertical	286.6	2.54	-	34.60	6.88	34.90
AV	5.5168G	106.34	Inf	-Inf	99.77	3	Vertical	286.6	2.54	-	34.60	6.88	34.91

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01668G	53.81	74.00	-20.19	71.13	3	Vertical	222	1.96	-	38.30	10.26	65.88
AV	11.0179G	39.84	54.00	-14.16	57.16	3	Vertical	222	1.96	-	38.30	10.26	65.88
PK	16.52702G	57.70	68.20	-10.50	67.77	3	Vertical	54	1.57	-	37.90	14.10	62.07

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.025G	53.72	74.00	-20.28	71.01	3	Horizontal	122	2.56	-	38.30	10.27	65.86
AV	11.01524G	39.75	54.00	-14.25	57.07	3	Horizontal	122	2.56	-	38.30	10.26	65.88
PK	16.52546G	58.07	68.20	-10.13	68.14	3	Horizontal	76	2.58	-	37.90	14.10	62.07

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
 Setting 89
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.69	74.00	-8.31	59.12	3	Vertical	60	2.87	-	34.60	6.86	34.89
AV	5.4594G	52.34	54.00	-1.66	45.77	3	Vertical	60	2.87	-	34.60	6.86	34.89
PK	5.4666G	67.73	68.20	-0.47	61.17	3	Vertical	60	2.87	-	34.60	6.86	34.90
PK	5.562G	122.27	Inf	-Inf	115.75	3	Vertical	60	2.87	-	34.55	6.90	34.93
AV	5.5458G	112.72	Inf	-Inf	106.15	3	Vertical	60	2.87	-	34.60	6.89	34.92

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 89
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10022G	54.28	74.00	-19.72	71.30	3	Vertical	310	1.22	-	38.40	10.30	65.72
AV	11.10136G	40.29	54.00	-13.71	57.31	3	Vertical	310	1.22	-	38.40	10.30	65.72
PK	16.653G	59.22	68.20	-8.98	68.54	3	Vertical	135	2.30	-	38.61	14.18	62.11

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 89
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09684G	53.52	74.00	-20.48	70.56	3	Horizontal	49	1.13	-	38.39	10.30	65.73
AV	11.0996G	40.46	54.00	-13.54	57.48	3	Horizontal	49	1.13	-	38.40	10.30	65.72
PK	16.64668G	60.01	68.20	-8.19	69.35	3	Horizontal	322	1.39	-	38.59	14.18	62.11

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX








EUT_Z_4TX
Setting 78
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	118.95	Inf	-Inf	112.66	3	Vertical	105	1.66	-	34.35	6.92	34.98
AV	5.6552G	109.32	Inf	-Inf	102.99	3	Vertical	105	1.66	-	34.38	6.92	34.97
PK	5.7276G	68.02	68.20	-0.18	61.90	3	Vertical	105	1.66	-	34.20	6.93	35.01

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


27/12/2023

EUT_Z_4TX
Setting 78
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3395G	55.43	74.00	-18.57	71.71	3	Vertical	181	2.44	-	38.58	10.40	65.26
AV	11.3448G	41.74	54.00	-12.26	58.00	3	Vertical	181	2.44	-	38.59	10.40	65.25
PK	17.00964G	61.68	68.20	-6.52	69.48	3	Vertical	56	2.98	-	40.02	14.40	62.22

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 78
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33508G	55.23	74.00	-18.77	71.53	3	Horizontal	63	1.54	-	38.57	10.40	65.27
AV	11.34386G	41.77	54.00	-12.23	58.04	3	Horizontal	63	1.54	-	38.59	10.40	65.26
PK	17.01178G	61.22	68.20	-6.98	69.02	3	Horizontal	305	1.16	-	40.02	14.40	62.22

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	127.08	Inf	-Inf	120.95	3	Vertical	85	2.19	-	34.20	6.93	35.00
AV	5.702G	116.47	Inf	-Inf	110.34	3	Vertical	85	2.19	-	34.20	6.93	35.00
PK	5.8652G	67.38	68.20	-0.82	61.15	3	Vertical	85	2.19	-	34.36	6.95	35.08

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42028G	54.50	74.00	-19.50	70.43	3	Vertical	213	2.07	-	38.74	10.44	65.11
AV	11.42486G	41.44	54.00	-12.56	57.35	3	Vertical	213	2.07	-	38.75	10.44	65.10
PK	17.12668G	59.93	68.20	-8.27	67.42	3	Vertical	262	1.63	-	40.31	14.47	62.27

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41592G	55.07	74.00	-18.93	71.02	3	Horizontal	69	1.43	-	38.73	10.44	65.12
AV	11.425G	41.42	54.00	-12.58	57.33	3	Horizontal	69	1.43	-	38.75	10.44	65.10
PK	17.1286G	60.72	68.20	-7.48	68.21	3	Horizontal	123	1.58	-	40.31	14.47	62.27

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 Setting 104
 06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	66.44	68.20	-1.76	58.51	3	Vertical	133	1.79	-	31.72	7.26	31.05
PK	5.7725G	126.40	Inf	-Inf	117.84	3	Vertical	133	1.79	-	32.24	7.37	31.05
AV	5.771G	114.76	Inf	-Inf	106.20	3	Vertical	133	1.79	-	32.24	7.37	31.05
PK	5.9315G	62.27	68.20	-5.93	53.32	3	Vertical	133	1.79	-	32.56	7.44	31.05

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50957G	55.24	74.00	-18.76	70.68	3	Vertical	290	2.50	-	39.04	10.48	64.96
AV	11.50975G	42.29	54.00	-11.71	57.73	3	Vertical	290	2.50	-	39.04	10.48	64.96
PK	17.26202G	60.97	68.20	-7.23	67.97	3	Vertical	112	1.83	-	40.77	14.56	62.33

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50938G	55.99	74.00	-18.01	71.43	3	Horizontal	347	2.19	-	39.04	10.48	64.96
AV	11.50902G	42.20	54.00	-11.80	57.64	3	Horizontal	347	2.19	-	39.04	10.48	64.96
PK	17.26264G	61.03	68.20	-7.17	68.02	3	Horizontal	69	1.64	-	40.78	14.56	62.33

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 104
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6415G	67.16	68.20	-1.04	59.23	3	Vertical	49	1.89	-	31.72	7.26	31.05
PK	5.812G	126.11	Inf	-Inf	117.47	3	Vertical	49	1.89	-	32.30	7.39	31.05
AV	5.812G	113.84	Inf	-Inf	105.20	3	Vertical	49	1.89	-	32.30	7.39	31.05
PK	5.926G	66.91	68.20	-1.29	57.97	3	Vertical	49	1.89	-	32.55	7.44	31.05

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59432G	56.06	74.00	-17.94	71.26	3	Vertical	259	2.67	-	39.29	10.51	65.00
AV	11.58967G	42.24	54.00	-11.76	57.45	3	Vertical	259	2.67	-	39.28	10.51	65.00
PK	17.38319G	61.63	68.20	-6.57	67.78	3	Vertical	187	1.29	-	41.60	14.63	62.38

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59317G	56.22	74.00	-17.78	71.42	3	Horizontal	1	2.92	-	39.29	10.51	65.00
AV	11.58978G	42.28	54.00	-11.72	57.49	3	Horizontal	1	2.92	-	39.28	10.51	65.00
PK	17.38396G	61.62	68.20	-6.58	67.77	3	Horizontal	65	2.81	-	41.60	14.63	62.38

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 88
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	71.24	74.00	-2.76	63.58	3	Vertical	119	1.80	-	32.10	6.91	31.35
AV	5.15G	53.73	54.00	-0.27	46.07	3	Vertical	119	1.80	-	32.10	6.92	31.36
PK	5.1956G	116.25	Inf	-Inf	108.87	3	Vertical	119	1.80	-	31.83	6.94	31.39
AV	5.196G	103.57	Inf	-Inf	96.20	3	Vertical	119	1.80	-	31.82	6.94	31.39
PK	5.3816G	59.83	74.00	-14.17	52.68	3	Vertical	119	1.80	-	31.56	7.08	31.49
AV	5.37G	47.49	54.00	-6.51	40.36	3	Vertical	119	1.80	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 88
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42249G	52.41	68.20	-15.79	70.11	3	Vertical	46	1.93	-	37.90	10.00	65.60
PK	15.62951G	57.81	74.00	-16.19	68.21	3	Vertical	354	1.37	-	38.18	13.54	62.12
AV	15.63447G	45.03	54.00	-8.97	55.39	3	Vertical	354	1.37	-	38.21	13.55	62.12

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 88
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4177G	52.71	68.20	-15.49	70.43	3	Horizontal	312	1.89	-	37.90	10.00	65.62
PK	15.62529G	57.65	74.00	-16.35	68.08	3	Horizontal	340	1.96	-	38.15	13.54	62.12
AV	15.62965G	44.93	54.00	-9.07	55.33	3	Horizontal	340	1.96	-	38.18	13.54	62.12

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 90
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	61.33	74.00	-12.67	53.68	3	Vertical	99	1.80	-	32.10	6.91	31.36
AV	5.0945G	48.51	54.00	-5.49	40.86	3	Vertical	99	1.80	-	32.09	6.89	31.33
PK	5.302G	115.89	Inf	-Inf	108.81	3	Vertical	99	1.80	-	31.50	7.02	31.44
AV	5.3065G	103.24	Inf	-Inf	96.17	3	Vertical	99	1.80	-	31.50	7.02	31.45
PK	5.35G	65.90	74.00	-8.10	58.82	3	Vertical	99	1.80	-	31.50	7.05	31.47
AV	5.35G	53.74	54.00	-0.26	46.66	3	Vertical	99	1.80	-	31.50	7.05	31.47
PK	5.4805G	60.05	68.20	-8.15	52.59	3	Vertical	99	1.80	-	31.86	7.14	31.54

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 90
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58246G	54.10	68.20	-14.10	71.41	3	Vertical	305	1.36	-	38.10	10.07	65.48
PK	15.86722G	57.99	74.00	-16.01	68.94	3	Vertical	52	1.21	-	37.60	13.70	62.25
AV	15.87488G	44.98	54.00	-9.02	55.93	3	Vertical	52	1.21	-	37.60	13.70	62.25

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 90
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57555G	54.05	68.20	-14.15	71.35	3	Horizontal	85	2.33	-	38.10	10.07	65.47
PK	15.86849G	58.14	74.00	-15.86	69.09	3	Horizontal	153	2.14	-	37.60	13.70	62.25
AV	15.86983G	44.94	54.00	-9.06	55.89	3	Horizontal	153	2.14	-	37.60	13.70	62.25

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 83
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32G	60.11	68.20	-8.09	53.03	3	Vertical	249	2.94	-	31.50	7.03	31.45
AV	5.35G	47.28	54.00	-6.72	40.20	3	Vertical	249	2.94	-	31.50	7.05	31.47
PK	5.46G	66.93	74.00	-7.07	59.51	3	Vertical	249	2.94	-	31.82	7.13	31.53
AV	5.458G	53.85	54.00	-0.15	46.43	3	Vertical	249	2.94	-	31.82	7.13	31.53
PK	5.4695G	67.66	68.20	-0.54	60.21	3	Vertical	249	2.94	-	31.84	7.14	31.53
PK	5.5405G	114.99	Inf	-Inf	107.46	3	Vertical	249	2.94	-	31.90	7.18	31.55
AV	5.54G	101.83	Inf	-Inf	94.30	3	Vertical	249	2.94	-	31.90	7.18	31.55
PK	5.7265G	60.53	68.20	-7.67	52.72	3	Vertical	249	2.94	-	32.06	7.33	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 83
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05896G	53.33	74.00	-20.67	70.53	3	Vertical	283	2.35	-	38.32	10.28	65.80
AV	11.05776G	40.40	54.00	-13.60	57.60	3	Vertical	283	2.35	-	38.32	10.28	65.80
PK	16.58636G	57.83	68.20	-10.37	67.52	3	Vertical	18	1.04	-	38.26	14.14	62.09

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 83
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05697G	53.96	74.00	-20.04	71.17	3	Horizontal	285	1.56	-	38.31	10.28	65.80
AV	11.05934G	40.36	54.00	-13.64	57.56	3	Horizontal	285	1.56	-	38.32	10.28	65.80
PK	16.58616G	57.77	68.20	-10.43	67.46	3	Horizontal	310	2.89	-	38.26	14.14	62.09

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 86
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	63.92	74.00	-10.08	55.98	3	Vertical	247	2.72	-	31.80	7.12	30.98
AV	5.45G	52.81	54.00	-1.19	44.87	3	Vertical	247	2.72	-	31.80	7.12	30.98
PK	5.467G	63.52	68.20	-4.68	55.56	3	Vertical	247	2.72	-	31.83	7.13	31.00
PK	5.6045G	119.98	Inf	-Inf	112.02	3	Vertical	247	2.72	-	31.79	7.22	31.05
AV	5.5825G	107.78	Inf	-Inf	99.78	3	Vertical	247	2.72	-	31.84	7.21	31.05
PK	5.7345G	67.72	68.20	-0.48	59.33	3	Vertical	247	2.72	-	32.11	7.33	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 86
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21735G	54.24	74.00	-19.76	70.79	3	Vertical	118	1.87	-	38.60	10.35	65.50
AV	11.22019G	40.58	54.00	-13.42	57.12	3	Vertical	118	1.87	-	38.60	10.35	65.49
PK	16.82884G	60.06	68.20	-8.14	68.84	3	Vertical	257	2.59	-	39.10	14.29	62.17

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 86
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22341G	54.24	74.00	-19.76	70.78	3	Horizontal	103	1.49	-	38.60	10.35	65.49
AV	11.21521G	40.73	54.00	-13.27	57.28	3	Horizontal	103	1.49	-	38.60	10.35	65.50
PK	16.8286G	60.19	68.20	-8.01	68.97	3	Horizontal	87	2.12	-	39.10	14.29	62.17

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 94
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.441G	62.15	74.00	-11.85	54.24	3	Vertical	64	2.54	-	31.76	7.12	30.97
AV	5.453G	49.21	54.00	-4.79	41.26	3	Vertical	64	2.54	-	31.81	7.12	30.98
PK	5.4655G	61.67	68.20	-6.53	53.71	3	Vertical	64	2.54	-	31.83	7.13	31.00
PK	5.698G	122.40	Inf	-Inf	114.26	3	Vertical	64	2.54	-	31.89	7.30	31.05
AV	5.7035G	109.78	Inf	-Inf	101.60	3	Vertical	64	2.54	-	31.92	7.31	31.05
PK	5.852G	67.12	68.20	-1.08	58.45	3	Vertical	64	2.54	-	32.31	7.41	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3794G	55.77	74.00	-18.23	71.88	3	Vertical	341	1.93	-	38.66	10.42	65.19
AV	11.38444G	41.72	54.00	-12.28	57.81	3	Vertical	341	1.93	-	38.67	10.42	65.18
PK	17.06776G	60.18	68.20	-8.02	67.85	3	Vertical	286	2.58	-	40.14	14.44	62.25

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37977G	55.85	74.00	-18.15	71.96	3	Horizontal	254	2.29	-	38.66	10.42	65.19
AV	11.38106G	41.78	54.00	-12.22	57.89	3	Horizontal	254	2.29	-	38.66	10.42	65.19
PK	17.06948G	60.71	68.20	-7.49	68.38	3	Horizontal	39	1.74	-	40.14	14.44	62.25

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
 Setting 100
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.48	68.20	-0.72	60.08	3	Vertical	231	2.60	-	31.71	7.26	31.57
PK	5.793G	120.88	Inf	-Inf	112.80	3	Vertical	231	2.60	-	32.29	7.38	31.59
AV	5.7895G	108.29	Inf	-Inf	100.21	3	Vertical	231	2.60	-	32.28	7.38	31.58
PK	5.939G	63.81	68.20	-4.39	55.38	3	Vertical	231	2.60	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 100
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5544G	55.14	74.00	-18.86	70.42	3	Vertical	68	2.79	-	39.21	10.50	64.99
AV	11.55465G	41.70	54.00	-12.30	56.98	3	Vertical	68	2.79	-	39.21	10.50	64.99
PK	17.32358G	61.50	68.20	-6.70	68.08	3	Vertical	196	2.65	-	41.19	14.59	62.36

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 100
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54955G	55.15	74.00	-18.85	70.44	3	Horizontal	308	2.30	-	39.20	10.49	64.98
AV	11.55353G	41.78	54.00	-12.22	57.05	3	Horizontal	308	2.30	-	39.21	10.50	64.98
PK	17.3233G	61.37	68.20	-6.83	67.95	3	Horizontal	246	2.25	-	41.19	14.59	62.36

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 80
 06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.106G	66.82	74.00	-7.18	59.17	3	Vertical	95	1.83	-	32.10	6.89	31.34
AV	5.1188G	53.96	54.00	-0.04	46.30	3	Vertical	95	1.83	-	32.10	6.90	31.34
PK	5.258G	113.15	Inf	-Inf	106.01	3	Vertical	95	1.83	-	31.58	6.98	31.42
AV	5.198G	100.77	Inf	-Inf	93.41	3	Vertical	95	1.83	-	31.81	6.94	31.39
PK	5.3508G	68.49	74.00	-5.51	61.41	3	Vertical	95	1.83	-	31.50	7.05	31.47
AV	5.3508G	50.61	54.00	-3.39	43.53	3	Vertical	95	1.83	-	31.50	7.05	31.47
PK	5.4916G	60.80	68.20	-7.40	53.32	3	Vertical	95	1.83	-	31.88	7.15	31.55

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49904G	53.51	68.20	-14.69	70.86	3	Vertical	59	1.62	-	38.00	10.04	65.39
PK	15.75425G	58.60	74.00	-15.40	69.49	3	Vertical	82	1.09	-	37.68	13.62	62.19
AV	15.74528G	46.73	54.00	-7.27	57.55	3	Vertical	82	1.09	-	37.74	13.62	62.18

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50339G	53.47	68.20	-14.73	70.81	3	Horizontal	55	1.46	-	38.01	10.04	65.39
PK	15.75136G	58.99	74.00	-15.01	69.87	3	Horizontal	58	1.75	-	37.69	13.62	62.19
AV	15.74543G	46.69	54.00	-7.31	57.51	3	Horizontal	58	1.75	-	37.74	13.62	62.18

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 79
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	60.74	68.20	-7.46	53.67	3	Vertical	258	2.13	-	31.50	7.03	31.46
PK	5.438G	64.23	74.00	-9.77	56.89	3	Vertical	258	2.13	-	31.75	7.11	31.52
PK	5.4626G	64.82	68.20	-3.38	57.39	3	Vertical	258	2.13	-	31.83	7.13	31.53
AV	5.4548G	51.53	54.00	-2.47	44.12	3	Vertical	258	2.13	-	31.81	7.13	31.53
PK	5.6456G	115.34	Inf	-Inf	107.94	3	Vertical	258	2.13	-	31.71	7.26	31.57
AV	5.6456G	102.38	Inf	-Inf	94.98	3	Vertical	258	2.13	-	31.71	7.26	31.57
PK	5.7566G	67.50	68.20	-0.70	59.52	3	Vertical	258	2.13	-	32.21	7.35	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 79
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13526G	54.02	74.00	-19.98	70.89	3	Vertical	101	1.97	-	38.47	10.31	65.65
AV	11.14052G	41.55	54.00	-12.45	58.39	3	Vertical	101	1.97	-	38.48	10.32	65.64
PK	16.71141G	60.38	68.20	-7.82	69.42	3	Vertical	103	1.43	-	38.87	14.22	62.13

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 79
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13786G	53.93	74.00	-20.07	70.79	3	Horizontal	27	2.75	-	38.48	10.31	65.65
AV	11.14131G	41.59	54.00	-12.41	58.43	3	Horizontal	27	2.75	-	38.48	10.32	65.64
PK	16.71166G	60.19	68.20	-8.01	69.23	3	Horizontal	342	1.46	-	38.87	14.22	62.13

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 93
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	67.85	74.00	-6.15	59.37	3	Vertical	111	1.80	-	32.10	6.91	30.53
AV	5.1394G	53.90	54.00	-0.10	45.42	3	Vertical	111	1.80	-	32.10	6.91	30.53
PK	5.1844G	124.29	Inf	-Inf	116.07	3	Vertical	111	1.80	-	31.89	6.93	30.60
AV	5.1728G	111.53	Inf	-Inf	103.22	3	Vertical	111	1.80	-	31.96	6.93	30.58

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35912G	52.61	68.20	-15.59	70.43	3	Vertical	62	1.31	-	37.98	9.98	65.78
PK	15.53683G	58.34	74.00	-15.66	68.67	3	Vertical	216	2.53	-	38.25	13.49	62.07
AV	15.54334G	46.29	54.00	-7.71	56.64	3	Vertical	216	2.53	-	38.23	13.49	62.07

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35862G	52.39	68.20	-15.81	70.21	3	Horizontal	212	1.53	-	37.98	9.98	65.78
PK	15.54368G	59.07	74.00	-14.93	69.42	3	Horizontal	313	2.38	-	38.23	13.49	62.07
AV	15.54353G	46.27	54.00	-7.73	56.62	3	Horizontal	313	2.38	-	38.23	13.49	62.07

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 96
 06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	69.33	74.00	-4.67	60.86	3	Vertical	140.4	1.80	-	32.10	6.91	30.54
AV	5.15G	53.88	54.00	-0.12	45.41	3	Vertical	140.4	1.80	-	32.10	6.92	30.55
PK	5.1952G	126.12	Inf	-Inf	117.96	3	Vertical	140.4	1.80	-	31.83	6.94	30.61
AV	5.1948G	113.35	Inf	-Inf	105.19	3	Vertical	140.4	1.80	-	31.83	6.94	30.61
PK	5.3528G	63.87	74.00	-10.13	56.15	3	Vertical	140.4	1.80	-	31.51	7.05	30.84
AV	5.362G	50.14	54.00	-3.86	42.41	3	Vertical	140.4	1.80	-	31.52	7.06	30.85

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 96
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40479G	53.30	68.20	-14.90	71.05	3	Vertical	355	2.64	-	37.90	10.00	65.65
PK	15.60107G	59.32	74.00	-14.68	69.88	3	Vertical	270	1.83	-	38.01	13.53	62.10
AV	15.60488G	46.47	54.00	-7.53	57.02	3	Vertical	270	1.83	-	38.03	13.53	62.11

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 96
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3967G	53.53	68.20	-14.67	71.30	3	Horizontal	155	1.95	-	37.91	9.99	65.67
PK	15.59895G	59.03	74.00	-14.97	69.60	3	Horizontal	61	2.27	-	38.00	13.53	62.10
AV	15.60438G	46.43	54.00	-7.57	56.98	3	Horizontal	61	2.27	-	38.03	13.53	62.11

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0768G	65.28	74.00	-8.72	56.79	3	Vertical	327	1.56	-	32.05	6.88	30.44
AV	5.0768G	52.26	54.00	-1.74	43.77	3	Vertical	327	1.56	-	32.05	6.88	30.44
PK	5.2388G	126.99	Inf	-Inf	119.05	3	Vertical	327	1.56	-	31.64	6.97	30.67
AV	5.2388G	114.71	Inf	-Inf	106.77	3	Vertical	327	1.56	-	31.64	6.97	30.67
PK	5.3966G	64.17	74.00	-9.83	56.39	3	Vertical	327	1.56	-	31.59	7.09	30.90
AV	5.3978G	51.61	54.00	-2.39	43.82	3	Vertical	327	1.56	-	31.60	7.09	30.90
PK	5.5256G	60.99	68.20	-7.21	52.97	3	Vertical	327	1.56	-	31.90	7.17	31.05

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4846G	53.37	68.20	-14.83	70.80	3	Vertical	248	2.66	-	37.97	10.03	65.43
PK	15.71563G	59.15	74.00	-14.85	69.75	3	Vertical	20	1.27	-	37.97	13.60	62.17
AV	15.71585G	47.01	54.00	-6.99	57.61	3	Vertical	20	1.27	-	37.97	13.60	62.17

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48483G	53.06	68.20	-15.14	70.49	3	Horizontal	179	1.84	-	37.97	10.03	65.43
PK	15.71646G	58.93	74.00	-15.07	69.53	3	Horizontal	162	1.66	-	37.97	13.60	62.17
AV	15.71858G	47.04	54.00	-6.96	57.66	3	Horizontal	162	1.66	-	37.95	13.60	62.17

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.095G	63.70	74.00	-10.30	55.19	3	Vertical	217	1.80	-	32.09	6.89	30.47
AV	5.0938G	51.96	54.00	-2.04	43.45	3	Vertical	217	1.80	-	32.09	6.89	30.47
PK	5.2534G	126.16	Inf	-Inf	118.28	3	Vertical	217	1.80	-	31.59	6.98	30.69
AV	5.2522G	114.43	Inf	-Inf	106.54	3	Vertical	217	1.80	-	31.60	6.98	30.69
PK	5.4136G	63.10	74.00	-10.90	55.28	3	Vertical	217	1.80	-	31.65	7.10	30.93
AV	5.4136G	50.66	54.00	-3.34	42.84	3	Vertical	217	1.80	-	31.65	7.10	30.93
PK	5.4808G	61.24	68.20	-6.96	53.26	3	Vertical	217	1.80	-	31.86	7.14	31.02

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51544G	54.47	68.20	-13.73	71.81	3	Vertical	278	1.30	-	38.03	10.04	65.41
PK	15.77751G	58.88	74.00	-15.12	69.85	3	Vertical	31	1.90	-	37.59	13.64	62.20
AV	15.78066G	46.45	54.00	-7.55	57.43	3	Vertical	31	1.90	-	37.58	13.64	62.20

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52103G	54.26	68.20	-13.94	71.58	3	Horizontal	36	2.08	-	38.04	10.05	65.41
PK	15.777G	58.27	74.00	-15.73	69.24	3	Horizontal	105	1.96	-	37.59	13.64	62.20
AV	15.77768G	46.47	54.00	-7.53	57.44	3	Horizontal	105	1.96	-	37.59	13.64	62.20

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 102
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	65.36	74.00	-8.64	56.88	3	Vertical	85	1.79	-	32.10	6.91	30.53
AV	5.1412G	52.07	54.00	-1.93	43.59	3	Vertical	85	1.79	-	32.10	6.91	30.53
PK	5.3048G	125.57	Inf	-Inf	117.82	3	Vertical	85	1.79	-	31.50	7.02	30.77
AV	5.3056G	113.23	Inf	-Inf	105.48	3	Vertical	85	1.79	-	31.50	7.02	30.77
PK	5.352G	71.03	74.00	-2.97	63.32	3	Vertical	85	1.79	-	31.50	7.05	30.84
AV	5.35G	53.81	54.00	-0.19	46.09	3	Vertical	85	1.79	-	31.50	7.05	30.83
PK	5.4612G	63.24	68.20	-4.96	55.28	3	Vertical	85	1.79	-	31.82	7.13	30.99

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 102
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60113G	53.58	74.00	-20.42	70.90	3	Vertical	21	2.98	-	38.10	10.08	65.50
PK	15.89627G	58.00	74.00	-16.00	68.95	3	Vertical	2	2.83	-	37.60	13.71	62.26
AV	15.90314G	44.80	54.00	-9.20	55.76	3	Vertical	2	2.83	-	37.59	13.72	62.27

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 102
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59788G	52.95	68.20	-15.25	70.26	3	Horizontal	37	2.13	-	38.10	10.08	65.49
PK	15.89827G	58.12	74.00	-15.88	69.07	3	Horizontal	290	2.23	-	37.60	13.72	62.27
AV	15.9013G	44.91	54.00	-9.09	55.86	3	Horizontal	290	2.23	-	37.60	13.72	62.27

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 92
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3234G	123.31	Inf	-Inf	115.58	3	Vertical	195	2.86	-	31.50	7.03	30.80
AV	5.3132G	110.56	Inf	-Inf	102.82	3	Vertical	195	2.86	-	31.50	7.02	30.78
PK	5.361G	66.93	74.00	-7.07	59.20	3	Vertical	195	2.86	-	31.52	7.06	30.85
AV	5.3598G	53.24	54.00	-0.76	45.51	3	Vertical	195	2.86	-	31.52	7.06	30.85

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 92
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6412G	54.19	74.00	-19.81	71.45	3	Vertical	288	2.33	-	38.18	10.10	65.54
AV	10.63522G	40.82	54.00	-13.18	58.08	3	Vertical	288	2.33	-	38.17	10.10	65.53
PK	15.95911G	57.25	74.00	-16.75	68.30	3	Vertical	55	1.90	-	37.50	13.75	62.30
AV	15.96337G	44.06	54.00	-9.94	55.10	3	Vertical	55	1.90	-	37.50	13.76	62.30

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 92
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64257G	54.33	74.00	-19.67	71.58	3	Horizontal	237	2.71	-	38.19	10.10	65.54
AV	10.63695G	40.74	54.00	-13.26	58.00	3	Horizontal	237	2.71	-	38.17	10.10	65.53
PK	15.95921G	57.09	74.00	-16.91	68.14	3	Horizontal	273	1.01	-	37.50	13.75	62.30
AV	15.96462G	44.14	54.00	-9.86	55.18	3	Horizontal	273	1.01	-	37.50	13.76	62.30

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 93
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	67.28	74.00	-6.72	60.71	3	Vertical	85	1.64	-	34.60	6.86	34.89
AV	5.4598G	53.94	54.00	-0.06	47.37	3	Vertical	85	1.64	-	34.60	6.86	34.89
PK	5.47G	66.04	68.20	-2.16	59.48	3	Vertical	85	1.64	-	34.60	6.86	34.90
PK	5.5078G	122.13	Inf	-Inf	115.55	3	Vertical	85	1.64	-	34.60	6.88	34.90
AV	5.498G	110.81	Inf	-Inf	104.24	3	Vertical	85	1.64	-	34.60	6.87	34.90

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99606G	54.20	74.00	-19.80	71.56	3	Vertical	17	1.74	-	38.30	10.25	65.91
AV	10.99806G	40.51	54.00	-13.49	57.87	3	Vertical	17	1.74	-	38.30	10.25	65.91
PK	16.49518G	57.85	68.20	-10.35	67.92	3	Vertical	340	2.51	-	37.91	14.08	62.06

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99678G	54.23	74.00	-19.77	71.59	3	Horizontal	255	1.06	-	38.30	10.25	65.91
AV	10.99518G	40.50	54.00	-13.50	57.85	3	Horizontal	255	1.06	-	38.30	10.25	65.90
PK	16.49744G	57.74	68.20	-10.46	67.80	3	Horizontal	351	1.67	-	37.91	14.09	62.06

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	62.70	74.00	-11.30	56.30	3	Vertical	291	2.30	-	34.45	6.84	34.89
AV	5.4192G	51.52	54.00	-2.48	45.08	3	Vertical	291	2.30	-	34.48	6.85	34.89
PK	5.4696G	60.85	68.20	-7.35	54.29	3	Vertical	291	2.30	-	34.60	6.86	34.90
PK	5.584G	124.90	Inf	-Inf	118.48	3	Vertical	291	2.30	-	34.46	6.90	34.94
AV	5.5824G	114.98	Inf	-Inf	108.55	3	Vertical	291	2.30	-	34.47	6.90	34.94
PK	5.748G	66.89	68.20	-1.31	60.78	3	Vertical	291	2.30	-	34.20	6.93	35.02

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1581G	54.09	74.00	-19.91	70.86	3	Vertical	333	2.78	-	38.52	10.32	65.61
AV	11.16092G	40.44	54.00	-13.56	57.19	3	Vertical	333	2.78	-	38.52	10.33	65.60
PK	16.74052G	60.83	68.20	-7.37	69.69	3	Vertical	236	2.67	-	39.04	14.24	62.14

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16018G	54.44	74.00	-19.56	71.21	3	Horizontal	42	1.76	-	38.52	10.32	65.61
AV	11.16036G	40.32	54.00	-13.68	57.09	3	Horizontal	42	1.76	-	38.52	10.32	65.61
PK	16.73554G	60.17	68.20	-8.03	69.07	3	Horizontal	119	2.22	-	39.01	14.23	62.14

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 74
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7046G	121.35	Inf	-Inf	115.22	3	Vertical	95	2.46	-	34.20	6.93	35.00
AV	5.7048G	110.38	Inf	-Inf	104.25	3	Vertical	95	2.46	-	34.20	6.93	35.00
PK	5.725G	67.83	68.20	-0.37	61.71	3	Vertical	95	2.46	-	34.20	6.93	35.01

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 74
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39794G	55.59	74.00	-18.41	71.61	3	Vertical	253	1.99	-	38.70	10.43	65.15
AV	11.39608G	42.16	54.00	-11.84	58.20	3	Vertical	253	1.99	-	38.69	10.43	65.16
PK	17.10466G	60.16	68.20	-8.04	67.74	3	Vertical	267	2.15	-	40.22	14.46	62.26

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 74
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3956G	56.18	74.00	-17.82	72.22	3	Horizontal	224	2.02	-	38.69	10.43	65.16
AV	11.39536G	42.33	54.00	-11.67	58.37	3	Horizontal	224	2.02	-	38.69	10.43	65.16
PK	17.09664G	60.17	68.20	-8.03	67.79	3	Horizontal	220	2.82	-	40.19	14.45	62.26

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	126.98	Inf	-Inf	120.85	3	Vertical	110	1.80	-	34.20	6.93	35.00
AV	5.7176G	116.40	Inf	-Inf	110.27	3	Vertical	110	1.80	-	34.20	6.93	35.00
PK	5.8824G	64.57	68.20	-3.63	58.26	3	Vertical	110	1.80	-	34.43	6.96	35.08

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44478G	55.17	74.00	-18.83	70.99	3	Vertical	59	1.48	-	38.79	10.45	65.06
AV	11.44464G	41.20	54.00	-12.80	57.03	3	Vertical	59	1.48	-	38.79	10.45	65.07
PK	17.16264G	60.86	68.20	-7.34	68.22	3	Vertical	273	1.37	-	40.43	14.50	62.29

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44106G	55.62	74.00	-18.38	71.46	3	Horizontal	4	2.22	-	38.78	10.45	65.07
AV	11.43982G	41.16	54.00	-12.84	57.00	3	Horizontal	4	2.22	-	38.78	10.45	65.07
PK	17.1628G	60.38	68.20	-7.82	67.74	3	Horizontal	106	2.66	-	40.43	14.50	62.29

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 104
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5885G	64.81	68.20	-3.39	56.83	3	Vertical	32	1.77	-	31.82	7.21	31.05
PK	5.747G	126.73	Inf	-Inf	118.26	3	Vertical	32	1.77	-	32.18	7.34	31.05
AV	5.751G	115.35	Inf	-Inf	106.85	3	Vertical	32	1.77	-	32.20	7.35	31.05
PK	5.943G	61.75	68.20	-6.45	52.76	3	Vertical	32	1.77	-	32.59	7.45	31.05

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49062G	53.99	74.00	-20.01	69.54	3	Vertical	107	2.87	-	38.96	10.47	64.98
AV	11.48882G	39.95	54.00	-14.05	55.50	3	Vertical	107	2.87	-	38.96	10.47	64.98
PK	17.23259G	61.29	68.20	-6.91	68.44	3	Vertical	185	1.13	-	40.63	14.54	62.32

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48863G	54.00	74.00	-20.00	69.56	3	Horizontal	38	1.08	-	38.95	10.47	64.98
AV	11.4893G	39.96	54.00	-14.04	55.51	3	Horizontal	38	1.08	-	38.96	10.47	64.98
PK	17.23473G	60.99	68.20	-7.21	68.13	3	Horizontal	134	1.10	-	40.64	14.54	62.32

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	64.25	68.20	-3.95	56.31	3	Vertical	30	2.24	-	31.74	7.25	31.05
PK	5.783G	128.62	Inf	-Inf	120.02	3	Vertical	30	2.24	-	32.27	7.38	31.05
AV	5.792G	115.52	Inf	-Inf	106.91	3	Vertical	30	2.24	-	32.28	7.38	31.05
PK	5.953G	65.54	68.20	-2.66	56.55	3	Vertical	30	2.24	-	32.59	7.45	31.05

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57366G	55.90	74.00	-18.10	71.14	3	Vertical	37	1.10	-	39.25	10.50	64.99
AV	11.57341G	42.45	54.00	-11.55	57.69	3	Vertical	37	1.10	-	39.25	10.50	64.99
PK	17.35005G	60.84	68.20	-7.36	67.20	3	Vertical	90	2.03	-	41.40	14.61	62.37

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX








EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57222G	56.37	74.00	-17.63	71.62	3	Horizontal	92	1.15	-	39.24	10.50	64.99
AV	11.57494G	42.66	54.00	-11.34	57.89	3	Horizontal	92	1.15	-	39.25	10.51	64.99
PK	17.35295G	61.59	68.20	-6.61	67.93	3	Horizontal	299	1.15	-	41.42	14.61	62.37

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/12/2023

EUT_Z_4TX
Setting 104
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	61.68	68.20	-6.52	53.71	3	Vertical	49	2.17	-	31.79	7.23	31.05
PK	5.8225G	128.60	Inf	-Inf	119.95	3	Vertical	49	2.17	-	32.30	7.40	31.05
AV	5.8165G	115.66	Inf	-Inf	107.01	3	Vertical	49	2.17	-	32.30	7.40	31.05
PK	5.991G	66.09	68.20	-2.11	57.15	3	Vertical	49	2.17	-	32.52	7.47	31.05

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6482G	54.85	74.00	-19.15	70.04	3	Vertical	330	2.13	-	39.30	10.54	65.03
AV	11.64843G	41.58	54.00	-12.42	56.77	3	Vertical	330	2.13	-	39.30	10.54	65.03
PK	17.47079G	63.34	68.20	-4.86	68.91	3	Vertical	302	2.52	-	42.17	14.68	62.42

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64603G	55.00	74.00	-19.00	70.19	3	Horizontal	272	1.43	-	39.30	10.54	65.03
AV	11.64916G	41.62	54.00	-12.38	56.81	3	Horizontal	272	1.43	-	39.30	10.54	65.03
PK	17.47143G	63.23	68.20	-4.97	68.80	3	Horizontal	21	1.55	-	42.17	14.68	62.42

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 88
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.33	74.00	-7.67	57.86	3	Vertical	58	1.80	-	32.10	6.91	30.54
AV	5.15G	53.98	54.00	-0.02	45.51	3	Vertical	58	1.80	-	32.10	6.92	30.55
PK	5.1964G	120.85	Inf	-Inf	112.72	3	Vertical	58	1.80	-	31.81	6.94	30.62
AV	5.1964G	107.97	Inf	-Inf	99.82	3	Vertical	58	1.80	-	31.82	6.94	30.61
PK	5.3668G	60.52	74.00	-13.48	52.78	3	Vertical	58	1.80	-	31.53	7.07	30.86
AV	5.3552G	48.38	54.00	-5.62	40.65	3	Vertical	58	1.80	-	31.51	7.06	30.84

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 88
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38433G	53.05	68.20	-15.15	70.84	3	Vertical	56	2.13	-	37.93	9.99	65.71
PK	15.56597G	58.00	74.00	-16.00	68.45	3	Vertical	357	2.74	-	38.14	13.50	62.09
AV	15.56525G	44.73	54.00	-9.27	55.18	3	Vertical	357	2.74	-	38.14	13.50	62.09

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 88
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37971G	52.57	68.20	-15.63	70.36	3	Horizontal	324	2.56	-	37.94	9.99	65.72
PK	15.56934G	58.15	74.00	-15.85	68.61	3	Horizontal	21	1.85	-	38.12	13.51	62.09
AV	15.56732G	44.67	54.00	-9.33	55.12	3	Horizontal	21	1.85	-	38.13	13.51	62.09

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 94
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	69.73	74.00	-4.27	61.26	3	Vertical	295	1.80	-	32.10	6.91	30.54
AV	5.1484G	53.42	54.00	-0.58	44.95	3	Vertical	295	1.80	-	32.10	6.91	30.54
PK	5.2264G	121.56	Inf	-Inf	113.57	3	Vertical	295	1.80	-	31.69	6.96	30.66
AV	5.2316G	108.95	Inf	-Inf	100.98	3	Vertical	295	1.80	-	31.67	6.96	30.66
PK	5.39G	61.97	74.00	-12.03	54.20	3	Vertical	295	1.80	-	31.58	7.08	30.89
AV	5.39G	50.12	54.00	-3.88	42.35	3	Vertical	295	1.80	-	31.58	7.08	30.89

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45787G	52.93	68.20	-15.27	70.50	3	Vertical	43	1.38	-	37.92	10.02	65.51
PK	15.68506G	58.96	74.00	-15.04	69.37	3	Vertical	358	2.80	-	38.16	13.58	62.15
AV	15.69464G	45.69	54.00	-8.31	56.14	3	Vertical	358	2.80	-	38.12	13.59	62.16

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45556G	53.15	68.20	-15.05	70.73	3	Horizontal	141	1.13	-	37.91	10.02	65.51
PK	15.68658G	58.40	74.00	-15.60	68.82	3	Horizontal	245	1.77	-	38.15	13.58	62.15
AV	15.68906G	45.68	54.00	-8.32	56.11	3	Horizontal	245	1.77	-	38.14	13.58	62.15

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 97
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	62.50	74.00	-11.50	56.59	3	Vertical	115	2.05	-	34.10	6.66	34.85
AV	5.1494G	50.74	54.00	-3.26	44.82	3	Vertical	115	2.05	-	34.10	6.67	34.85
PK	5.2682G	121.29	Inf	-Inf	115.24	3	Vertical	115	2.05	-	34.11	6.81	34.87
AV	5.2712G	110.18	Inf	-Inf	104.11	3	Vertical	115	2.05	-	34.13	6.81	34.87
PK	5.35G	73.39	74.00	-0.61	66.94	3	Vertical	115	2.05	-	34.50	6.83	34.88
AV	5.35G	53.97	54.00	-0.03	47.52	3	Vertical	115	2.05	-	34.50	6.83	34.88

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 97
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53538G	53.84	68.20	-14.36	71.15	3	Vertical	302	2.50	-	38.07	10.05	65.43
PK	15.8094G	57.56	74.00	-16.44	68.60	3	Vertical	133	2.80	-	37.52	13.66	62.22
AV	15.80902G	44.75	54.00	-9.25	55.79	3	Vertical	133	2.80	-	37.52	13.66	62.22

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 97
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53808G	53.71	68.20	-14.49	71.01	3	Horizontal	149	2.67	-	38.08	10.05	65.43
PK	15.81026G	57.65	74.00	-16.35	68.69	3	Horizontal	61	1.45	-	37.52	13.66	62.22
AV	15.80868G	44.58	54.00	-9.42	55.62	3	Horizontal	61	1.45	-	37.52	13.66	62.22

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 80
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	116.95	Inf	-Inf	110.68	3	Vertical	50	2.43	-	34.32	6.82	34.87
AV	5.2944G	106.84	Inf	-Inf	100.62	3	Vertical	50	2.43	-	34.27	6.82	34.87
PK	5.3604G	65.20	74.00	-8.80	58.77	3	Vertical	50	2.43	-	34.48	6.83	34.88
AV	5.35G	53.79	54.00	-0.21	47.34	3	Vertical	50	2.43	-	34.50	6.83	34.88

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6224G	53.77	74.00	-20.23	71.06	3	Vertical	331	1.37	-	38.14	10.09	65.52
AV	10.62492G	40.11	54.00	-13.89	57.39	3	Vertical	331	1.37	-	38.15	10.09	65.52
PK	15.93246G	57.90	74.00	-16.10	68.90	3	Vertical	108	2.08	-	37.54	13.74	62.28
AV	15.93496G	43.99	54.00	-10.01	55.00	3	Vertical	108	2.08	-	37.53	13.74	62.28

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 80
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61778G	53.57	74.00	-20.43	70.85	3	Horizontal	47	1.30	-	38.14	10.09	65.51
AV	10.62448G	40.05	54.00	-13.95	57.33	3	Horizontal	47	1.30	-	38.15	10.09	65.52
PK	15.92924G	57.99	74.00	-16.01	68.99	3	Horizontal	320	1.43	-	37.54	13.74	62.28
AV	15.92516G	43.98	54.00	-10.02	54.98	3	Horizontal	320	1.43	-	37.55	13.73	62.28

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
 Setting 82
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.51	74.00	-9.49	57.94	3	Vertical	280	1.80	-	34.60	6.86	34.89
AV	5.4592G	52.68	54.00	-1.32	46.11	3	Vertical	280	1.80	-	34.60	6.86	34.89
PK	5.468G	67.98	68.20	-0.22	61.42	3	Vertical	280	1.80	-	34.60	6.86	34.90
PK	5.5108G	117.90	Inf	-Inf	111.33	3	Vertical	280	1.80	-	34.60	6.88	34.91
AV	5.5048G	108.33	Inf	-Inf	101.75	3	Vertical	280	1.80	-	34.60	6.88	34.90

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 82
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02228G	53.41	74.00	-20.59	70.72	3	Vertical	208	1.12	-	38.30	10.26	65.87
AV	11.01914G	39.76	54.00	-14.24	57.07	3	Vertical	208	1.12	-	38.30	10.26	65.87
PK	16.53334G	57.93	68.20	-10.27	67.99	3	Vertical	197	1.90	-	37.90	14.11	62.07

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 82
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0179G	53.97	74.00	-20.03	71.29	3	Horizontal	56	2.75	-	38.30	10.26	65.88
AV	11.02424G	39.78	54.00	-14.22	57.07	3	Horizontal	56	2.75	-	38.30	10.27	65.86
PK	16.52826G	57.27	68.20	-10.93	67.34	3	Horizontal	242	2.14	-	37.90	14.10	62.07

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	66.40	74.00	-7.60	59.83	3	Vertical	130	1.80	-	34.60	6.86	34.89
AV	5.46G	52.57	54.00	-1.43	46.00	3	Vertical	130	1.80	-	34.60	6.86	34.89
PK	5.47G	67.79	68.20	-0.41	61.23	3	Vertical	130	1.80	-	34.60	6.86	34.90
PK	5.5602G	121.03	Inf	-Inf	114.50	3	Vertical	130	1.80	-	34.56	6.90	34.93
AV	5.5578G	109.17	Inf	-Inf	102.63	3	Vertical	130	1.80	-	34.57	6.90	34.93

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09722G	54.28	74.00	-19.72	71.32	3	Vertical	243	1.97	-	38.39	10.30	65.73
AV	11.10022G	40.45	54.00	-13.55	57.47	3	Vertical	243	1.97	-	38.40	10.30	65.72
PK	16.65484G	60.82	68.20	-7.38	70.13	3	Vertical	267	1.64	-	38.62	14.18	62.11

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 94
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10468G	53.95	74.00	-20.05	70.95	3	Horizontal	201	2.85	-	38.41	10.30	65.71
AV	11.09842G	40.38	54.00	-13.62	57.40	3	Horizontal	201	2.85	-	38.40	10.30	65.72
PK	16.64664G	59.61	68.20	-8.59	68.95	3	Horizontal	123	2.82	-	38.59	14.18	62.11

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
 Setting 79
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6544G	118.00	Inf	-Inf	111.67	3	Vertical	235	1.80	-	34.38	6.92	34.97
AV	5.6672G	107.13	Inf	-Inf	100.86	3	Vertical	235	1.80	-	34.33	6.92	34.98
PK	5.7272G	67.99	68.20	-0.21	61.87	3	Vertical	235	1.80	-	34.20	6.93	35.01

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 79
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34456G	55.82	74.00	-18.18	72.09	3	Vertical	40	2.95	-	38.59	10.40	65.26
AV	11.34416G	41.75	54.00	-12.25	58.02	3	Vertical	40	2.95	-	38.59	10.40	65.26
PK	17.00662G	61.06	68.20	-7.14	68.87	3	Vertical	215	1.43	-	40.01	14.40	62.22

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 79
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.344366G	55.85	74.00	-18.15	72.12	3	Horizontal	311	2.94	-	38.59	10.40	65.26
AV	11.34486G	41.79	54.00	-12.21	58.04	3	Horizontal	311	2.94	-	38.59	10.41	65.25
PK	17.01396G	61.10	68.20	-7.10	68.90	3	Horizontal	17	1.88	-	40.03	14.40	62.23

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 03-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	124.34	Inf	-Inf	118.18	3	Vertical	100	2.40	-	34.23	6.92	34.99
AV	5.6972G	115.65	Inf	-Inf	109.51	3	Vertical	100	2.40	-	34.21	6.92	34.99
PK	5.8564G	65.44	68.20	-2.76	59.23	3	Vertical	100	2.40	-	34.33	6.95	35.07

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41744G	55.23	74.00	-18.77	71.18	3	Vertical	237	2.97	-	38.73	10.44	65.12
AV	11.41502G	41.45	54.00	-12.55	57.40	3	Vertical	237	2.97	-	38.73	10.44	65.12
PK	17.13208G	60.18	68.20	-8.02	67.65	3	Vertical	295	2.25	-	40.33	14.48	62.28

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42286G	55.24	74.00	-18.76	71.16	3	Horizontal	202	2.35	-	38.75	10.44	65.11
AV	11.41772G	41.46	54.00	-12.54	57.40	3	Horizontal	202	2.35	-	38.74	10.44	65.12
PK	17.13274G	59.88	68.20	-8.32	67.35	3	Horizontal	70	2.13	-	40.33	14.48	62.28

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20/12/2023

EUT_Z_4TX
Setting 103
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	68.01	68.20	-0.19	60.08	3	Vertical	87	2.16	-	31.73	7.25	31.05
PK	5.7665G	126.10	Inf	-Inf	117.56	3	Vertical	87	2.16	-	32.23	7.36	31.05
AV	5.7645G	113.46	Inf	-Inf	104.92	3	Vertical	87	2.16	-	32.23	7.36	31.05
PK	5.988G	63.25	68.20	-4.95	54.31	3	Vertical	87	2.16	-	32.52	7.47	31.05

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 103
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50976G	55.54	74.00	-18.46	70.98	3	Vertical	2	1.05	-	39.04	10.48	64.96
AV	11.50976G	42.16	54.00	-11.84	57.60	3	Vertical	2	1.05	-	39.04	10.48	64.96
PK	17.26465G	61.36	68.20	-6.84	68.34	3	Vertical	193	2.48	-	40.79	14.56	62.33

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 103
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50724G	55.18	74.00	-18.82	70.63	3	Horizontal	246	2.46	-	39.03	10.48	64.96
AV	11.50974G	42.22	54.00	-11.78	57.66	3	Horizontal	246	2.46	-	39.04	10.48	64.96
PK	17.26087G	61.00	68.20	-7.20	68.00	3	Horizontal	205	2.15	-	40.77	14.56	62.33

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 104
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	64.92	68.20	-3.28	57.00	3	Vertical	70	2.22	-	31.71	7.26	31.05
PK	5.787G	126.64	Inf	-Inf	118.04	3	Vertical	70	2.22	-	32.27	7.38	31.05
AV	5.789G	113.56	Inf	-Inf	104.95	3	Vertical	70	2.22	-	32.28	7.38	31.05
PK	5.931G	66.15	68.20	-2.05	57.20	3	Vertical	70	2.22	-	32.56	7.44	31.05

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58929G	56.01	74.00	-17.99	71.22	3	Vertical	162	1.61	-	39.28	10.51	65.00
AV	11.58808G	42.29	54.00	-11.71	57.50	3	Vertical	162	1.61	-	39.28	10.51	65.00
PK	17.38259G	62.29	68.20	-5.91	68.44	3	Vertical	126	2.00	-	41.60	14.63	62.38

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 104
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58981G	55.49	74.00	-18.51	70.70	3	Horizontal	294	1.27	-	39.28	10.51	65.00
AV	11.58818G	42.21	54.00	-11.79	57.42	3	Horizontal	294	1.27	-	39.28	10.51	65.00
PK	17.38292G	62.20	68.20	-6.00	68.35	3	Horizontal	82	2.50	-	41.60	14.63	62.38

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 92
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	73.43	74.00	-0.57	65.77	3	Vertical	342.6	1.67	-	32.10	6.91	31.35
AV	5.15G	53.71	54.00	-0.29	46.05	3	Vertical	342.6	1.67	-	32.10	6.92	31.36
PK	5.1844G	118.07	Inf	-Inf	110.63	3	Vertical	342.6	1.67	-	31.89	6.93	31.38
AV	5.2084G	102.35	Inf	-Inf	95.02	3	Vertical	342.6	1.67	-	31.77	6.95	31.39
PK	5.3688G	60.30	74.00	-13.70	53.17	3	Vertical	342.6	1.67	-	31.54	7.07	31.48
AV	5.3704G	47.34	54.00	-6.66	40.21	3	Vertical	342.6	1.67	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 92
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42368G	52.50	68.20	-15.70	70.20	3	Vertical	81	2.75	-	37.90	10.00	65.60
PK	15.63864G	58.52	74.00	-15.48	68.86	3	Vertical	182	2.56	-	38.23	13.55	62.12
AV	15.63258G	44.61	54.00	-9.39	54.98	3	Vertical	182	2.56	-	38.20	13.55	62.12

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 92
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41887G	52.77	68.20	-15.43	70.48	3	Horizontal	199	1.70	-	37.90	10.00	65.61
PK	15.6384G	58.48	74.00	-15.52	68.82	3	Horizontal	170	1.32	-	38.23	13.55	62.12
AV	15.63252G	44.64	54.00	-9.36	55.01	3	Horizontal	170	1.32	-	38.20	13.55	62.12

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 93
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1035G	61.48	74.00	-12.52	53.83	3	Vertical	255	1.80	-	32.10	6.89	31.34
AV	5.13G	48.88	54.00	-5.12	41.22	3	Vertical	255	1.80	-	32.10	6.91	31.35
PK	5.2585G	114.07	Inf	-Inf	106.93	3	Vertical	255	1.80	-	31.58	6.98	31.42
AV	5.2585G	100.66	Inf	-Inf	93.52	3	Vertical	255	1.80	-	31.58	6.98	31.42
PK	5.352G	64.38	74.00	-9.62	57.30	3	Vertical	255	1.80	-	31.50	7.05	31.47
AV	5.35G	51.72	54.00	-2.28	44.64	3	Vertical	255	1.80	-	31.50	7.05	31.47
PK	5.4925G	60.42	68.20	-7.78	52.94	3	Vertical	255	1.80	-	31.88	7.15	31.55

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57551G	53.77	68.20	-14.43	71.07	3	Vertical	76	2.64	-	38.10	10.07	65.47
PK	15.86937G	59.35	74.00	-14.65	70.30	3	Vertical	357	2.11	-	37.60	13.70	62.25
AV	15.87261G	44.59	54.00	-9.41	55.54	3	Vertical	357	2.11	-	37.60	13.70	62.25

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 93
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57665G	53.82	68.20	-14.38	71.12	3	Horizontal	291	1.12	-	38.10	10.07	65.47
PK	15.87987G	58.33	74.00	-15.67	69.29	3	Horizontal	258	1.66	-	37.60	13.70	62.26
AV	15.87216G	44.54	54.00	-9.46	55.49	3	Horizontal	258	1.66	-	37.60	13.70	62.25

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 85
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3385G	61.79	68.20	-6.41	54.07	3	Vertical	186	2.69	-	31.50	7.04	30.82
AV	5.35G	48.63	54.00	-5.37	40.91	3	Vertical	186	2.69	-	31.50	7.05	30.83
PK	5.4545G	66.44	74.00	-7.56	58.48	3	Vertical	186	2.69	-	31.81	7.13	30.98
AV	5.459G	53.27	54.00	-0.73	45.31	3	Vertical	186	2.69	-	31.82	7.13	30.99
PK	5.469G	66.58	68.20	-1.62	58.62	3	Vertical	186	2.69	-	31.84	7.13	31.01
PK	5.5575G	117.01	Inf	-Inf	108.99	3	Vertical	186	2.69	-	31.88	7.19	31.05
AV	5.545G	104.17	Inf	-Inf	96.14	3	Vertical	186	2.69	-	31.90	7.18	31.05
PK	5.7275G	62.26	68.20	-5.94	53.91	3	Vertical	186	2.69	-	32.07	7.33	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 85
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06307G	53.96	74.00	-20.04	71.14	3	Vertical	239	2.48	-	38.33	10.28	65.79
AV	11.05752G	39.32	54.00	-14.68	56.52	3	Vertical	239	2.48	-	38.32	10.28	65.80
PK	16.58784G	58.40	68.20	-9.80	68.07	3	Vertical	118	1.30	-	38.28	14.14	62.09

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 85
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06074G	53.64	74.00	-20.36	70.83	3	Horizontal	233	1.61	-	38.32	10.28	65.79
AV	11.05666G	39.38	54.00	-14.62	56.59	3	Horizontal	233	1.61	-	38.31	10.28	65.80
PK	16.58136G	58.65	68.20	-9.55	68.39	3	Horizontal	45	1.56	-	38.21	14.14	62.09

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
 Setting 85
 06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4345G	62.10	74.00	-11.90	54.21	3	Vertical	112	1.80	-	31.74	7.11	30.96
PK	5.465G	63.04	68.20	-5.16	55.08	3	Vertical	112	1.80	-	31.83	7.13	31.00
AV	5.45G	49.89	54.00	-4.11	41.95	3	Vertical	112	1.80	-	31.80	7.12	30.98
PK	5.5845G	115.91	Inf	-Inf	107.92	3	Vertical	112	1.80	-	31.83	7.21	31.05
AV	5.577G	104.90	Inf	-Inf	96.89	3	Vertical	112	1.80	-	31.85	7.21	31.05
PK	5.728G	68.01	68.20	-0.19	59.66	3	Vertical	112	1.80	-	32.07	7.33	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 85
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.223G	54.80	74.00	-19.20	71.34	3	Vertical	85	2.12	-	38.60	10.35	65.49
AV	11.21551G	39.83	54.00	-14.17	56.38	3	Vertical	85	2.12	-	38.60	10.35	65.50
PK	16.82762G	61.07	68.20	-7.13	69.84	3	Vertical	144	1.36	-	39.10	14.29	62.16

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 85
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21912G	54.75	74.00	-19.25	71.29	3	Horizontal	226	2.89	-	38.60	10.35	65.49
AV	11.22012G	39.82	54.00	-14.18	56.36	3	Horizontal	226	2.89	-	38.60	10.35	65.49
PK	16.8342G	61.22	68.20	-6.98	70.00	3	Horizontal	212	2.30	-	39.10	14.29	62.17

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



Lim.PK
PK
Lim.AV
AV


20/12/2023

EUT_Z_4TX
Setting 97
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	61.39	74.00	-12.61	53.45	3	Vertical	342	1.80	-	31.80	7.12	30.98
AV	5.4585G	48.63	54.00	-5.37	40.67	3	Vertical	342	1.80	-	31.82	7.13	30.99
PK	5.4655G	60.87	68.20	-7.33	52.91	3	Vertical	342	1.80	-	31.83	7.13	31.00
PK	5.6755G	118.64	Inf	-Inf	110.61	3	Vertical	342	1.80	-	31.80	7.28	31.05
AV	5.673G	105.81	Inf	-Inf	97.79	3	Vertical	342	1.80	-	31.79	7.28	31.05
PK	5.854G	67.00	68.20	-1.20	58.32	3	Vertical	342	1.80	-	32.32	7.41	31.05

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 97
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37744G	55.21	74.00	-18.79	71.33	3	Vertical	160	1.97	-	38.65	10.42	65.19
AV	11.38498G	41.13	54.00	-12.87	57.22	3	Vertical	160	1.97	-	38.67	10.42	65.18
PK	17.06616G	61.46	68.20	-6.74	69.14	3	Vertical	344	1.19	-	40.13	14.44	62.25

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 97
 03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38058G	55.52	74.00	-18.48	71.63	3	Horizontal	339	2.04	-	38.66	10.42	65.19
AV	11.38495G	41.17	54.00	-12.83	57.26	3	Horizontal	339	2.04	-	38.67	10.42	65.18
PK	17.06628G	60.15	68.20	-8.05	67.83	3	Horizontal	42	2.21	-	40.13	14.44	62.25

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 101
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6405G	67.58	68.20	-0.62	60.18	3	Vertical	255	2.57	-	31.72	7.25	31.57
PK	5.7675G	118.92	Inf	-Inf	110.90	3	Vertical	255	2.57	-	32.24	7.36	31.58
AV	5.7605G	104.86	Inf	-Inf	96.86	3	Vertical	255	2.57	-	32.22	7.36	31.58
PK	5.9285G	63.14	68.20	-5.06	54.74	3	Vertical	255	2.57	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 101
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55219G	55.49	74.00	-18.51	70.77	3	Vertical	214	2.16	-	39.20	10.50	64.98
AV	11.555G	40.90	54.00	-13.10	56.18	3	Vertical	214	2.16	-	39.21	10.50	64.99
PK	17.3268G	62.45	68.20	-5.75	69.00	3	Vertical	256	1.14	-	41.21	14.60	62.36

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 101
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55259G	54.67	74.00	-19.33	69.94	3	Horizontal	312	2.36	-	39.21	10.50	64.98
AV	11.55489G	40.94	54.00	-13.06	56.22	3	Horizontal	312	2.36	-	39.21	10.50	64.99
PK	17.32815G	61.94	68.20	-6.26	68.47	3	Horizontal	96	1.73	-	41.23	14.60	62.36

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
 Setting 83
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	72.07	74.00	-1.93	64.41	3	Vertical	137	1.80	-	32.10	6.91	31.35
AV	5.146G	53.69	54.00	-0.31	46.04	3	Vertical	137	1.80	-	32.10	6.91	31.36
PK	5.178G	112.41	Inf	-Inf	104.93	3	Vertical	137	1.80	-	31.93	6.93	31.38
AV	5.1844G	102.32	Inf	-Inf	94.88	3	Vertical	137	1.80	-	31.89	6.93	31.38
PK	5.3676G	65.02	74.00	-8.98	57.89	3	Vertical	137	1.80	-	31.54	7.07	31.48
AV	5.354G	48.36	54.00	-5.64	41.26	3	Vertical	137	1.80	-	31.51	7.06	31.47
PK	5.4756G	59.86	68.20	-8.34	52.41	3	Vertical	137	1.80	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 83
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5048G	54.08	68.20	-14.12	71.42	3	Vertical	314	2.75	-	38.01	10.04	65.39
PK	15.74883G	58.64	74.00	-15.36	69.49	3	Vertical	136	1.92	-	37.71	13.62	62.18
AV	15.74509G	46.56	54.00	-7.44	57.38	3	Vertical	136	1.92	-	37.74	13.62	62.18

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 83
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49689G	53.17	68.20	-15.03	70.54	3	Horizontal	76	1.09	-	37.99	10.04	65.40
PK	15.7472G	58.88	74.00	-15.12	69.72	3	Horizontal	182	1.52	-	37.72	13.62	62.18
AV	15.74555G	46.59	54.00	-7.41	57.41	3	Horizontal	182	1.52	-	37.74	13.62	62.18

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 82
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	60.33	68.20	-7.87	53.25	3	Vertical	50	3.00	-	31.50	7.04	31.46
AV	5.35G	47.01	54.00	-6.99	39.93	3	Vertical	50	3.00	-	31.50	7.05	31.47
PK	5.4588G	68.72	74.00	-5.28	61.30	3	Vertical	50	3.00	-	31.82	7.13	31.53
AV	5.4412G	51.41	54.00	-2.59	44.05	3	Vertical	50	3.00	-	31.76	7.12	31.52
PK	5.4604G	64.66	68.20	-3.54	57.24	3	Vertical	50	3.00	-	31.82	7.13	31.53
AV	5.4956G	96.39	Inf	-Inf	88.90	3	Vertical	50	3.00	-	31.89	7.15	31.55
PK	5.6188G	110.08	Inf	-Inf	102.64	3	Vertical	50	3.00	-	31.76	7.24	31.56
PK	5.7372G	67.22	68.20	-0.98	59.34	3	Vertical	50	3.00	-	32.12	7.34	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 82
03-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13525G	54.30	74.00	-19.70	71.17	3	Vertical	155	2.75	-	38.47	10.31	65.65
AV	11.14027G	41.63	54.00	-12.37	58.47	3	Vertical	155	2.75	-	38.48	10.32	65.64
PK	16.70542G	60.06	68.20	-8.14	69.15	3	Vertical	65	1.14	-	38.83	14.21	62.13

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX



EUT_Z_4TX
Setting 82
03-R-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13547G	54.04	74.00	-19.96	70.91	3	Horizontal	89	2.36	-	38.47	10.31	65.65
AV	11.13875G	41.55	54.00	-12.45	58.40	3	Horizontal	89	2.36	-	38.48	10.32	65.65
PK	16.70692G	60.16	68.20	-8.04	69.24	3	Horizontal	335	1.41	-	38.84	14.21	62.13



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.60003G	43.78	54.00	-10.22	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.60001G	46.54	74.00	-27.46	-5.12	3	Vertical	16	2.28	-	51.66	25.20	3.84	34.16
AV	1.60003G	43.78	54.00	-10.22	-5.12	3	Vertical	14	2.28	"Worst"	48.90	25.20	3.84	34.16

