


6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.44936G	63.56	83.54	-19.98	60.18	1	Vertical	65	2.32	-	37.80	15.23	49.65			
AV	19.44078G	45.49	63.54	-18.05	42.06	1	Vertical	65	2.32	-	37.84	15.23	49.64			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46826G	64.62	83.54	-18.92	61.18	1	Horizontal	11	1.01	-	37.87	15.23	49.66
AV	19.44552G	48.47	63.54	-15.07	45.06	1	Horizontal	11	1.01	-	37.82	15.23	49.64

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05294G	56.55	88.20	-31.65	48.52	3	Vertical	293	2.33	-	39.40	11.29	42.66
RMS	13.0493G	43.12	68.20	-25.08	35.09	3	Vertical	293	2.33	-	39.40	11.29	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05262G	56.97	88.20	-31.23	48.94	3	Horizontal	199	2.56	-	39.40	11.29	42.66
RMS	13.05432G	43.02	68.20	-25.18	34.99	3	Horizontal	199	2.56	-	39.40	11.29	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5603G	67.27	83.54	-16.27	63.64	1	Vertical	360	2.68	-	38.04	15.22	49.63
AV	19.56246G	46.85	63.54	-16.69	43.23	1	Vertical	360	2.68	-	38.03	15.22	49.63

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56414G	68.15	83.54	-15.39	64.54	1	Horizontal	78	2.73	-	38.02	15.22	49.63
AV	19.56012G	47.86	63.54	-15.68	44.23	1	Horizontal	78	2.73	-	38.04	15.22	49.63

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13352G	56.88	88.20	-31.32	48.63	3	Vertical	287	2.09	-	39.60	11.33	42.68
RMS	13.13316G	43.31	68.20	-24.89	35.06	3	Vertical	287	2.09	-	39.60	11.33	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13246G	57.66	88.20	-30.54	49.42	3	Horizontal	257	2.88	-	39.59	11.33	42.68
RMS	13.13392G	43.30	68.20	-24.90	35.05	3	Horizontal	257	2.88	-	39.60	11.33	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70766G	68.68	83.54	-14.86	65.16	1	Vertical	309	1.18	-	37.82	15.21	49.51
AV	19.707G	44.87	63.54	-18.67	41.36	1	Vertical	309	1.18	-	37.81	15.21	49.51

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7013G	67.02	83.54	-16.52	63.52	1	Horizontal	42	2.93	-	37.80	15.21	49.51
AV	19.68378G	45.24	63.54	-18.30	41.65	1	Horizontal	42	2.93	-	37.90	15.22	49.53

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3673G	58.39	74.00	-15.61	49.52	3	Vertical	40	2.41	-	40.17	11.43	42.73
AV	13.37178G	44.41	54.00	-9.59	35.52	3	Vertical	40	2.41	-	40.19	11.43	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36526G	57.79	74.00	-16.21	48.93	3	Horizontal	297	1.00	-	40.16	11.43	42.73
AV	13.37198G	44.33	54.00	-9.67	35.44	3	Horizontal	297	1.00	-	40.19	11.43	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06592G	67.53	83.54	-16.01	63.77	1	Vertical	208	2.57	-	37.76	15.25	49.25
AV	20.0442G	44.51	63.54	-19.03	40.82	1	Vertical	208	2.57	-	37.71	15.24	49.26

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06508G	66.57	83.54	-16.97	62.81	1	Horizontal	27	2.88	-	37.76	15.25	49.25
AV	20.06862G	45.47	63.54	-18.07	41.70	1	Horizontal	27	2.88	-	37.77	15.25	49.25

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7654G	57.85	88.20	-30.35	48.20	3	Vertical	116	2.67	-	40.64	11.61	42.60
RMS	13.765G	44.38	68.20	-23.82	34.73	3	Vertical	116	2.67	-	40.64	11.61	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76512G	57.89	88.20	-30.31	48.24	3	Horizontal	127	2.49	-	40.64	11.61	42.60
RMS	13.7651G	44.51	68.20	-23.69	34.86	3	Horizontal	127	2.49	-	40.64	11.61	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64462G	63.69	83.54	-19.85	59.12	1	Vertical	185	1.60	-	37.91	15.72	49.06
AV	20.65908G	46.51	63.54	-17.03	41.94	1	Vertical	185	1.60	-	37.90	15.73	49.06

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65248G	68.60	83.54	-14.94	64.04	1	Horizontal	335	2.65	-	37.90	15.72	49.06
AV	20.64G	46.52	63.54	-17.02	41.96	1	Horizontal	335	2.65	-	37.92	15.71	49.07

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85068G	57.22	88.20	-30.98	47.72	3	Vertical	32	2.65	-	40.40	11.65	42.55
RMS	13.8507G	44.03	68.20	-24.17	34.53	3	Vertical	32	2.65	-	40.40	11.65	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8549G	57.84	88.20	-30.36	48.31	3	Horizontal	111	2.23	-	40.43	11.65	42.55
RMS	13.8505G	44.13	68.20	-24.07	34.63	3	Horizontal	111	2.23	-	40.40	11.65	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76636G	63.39	83.54	-20.15	58.65	1	Vertical	41	1.22	-	37.93	15.81	49.00
AV	20.76522G	45.24	63.54	-18.30	40.51	1	Vertical	41	1.22	-	37.92	15.81	49.00

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76012G	64.42	83.54	-19.12	59.73	1	Horizontal	358	2.61	-	37.88	15.81	49.00
AV	20.76522G	45.30	63.54	-18.24	40.57	1	Horizontal	358	2.61	-	37.92	15.81	49.00

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00816G	59.76	88.20	-28.44	49.60	3	Vertical	336	2.98	-	40.90	11.72	42.46
RMS	14.00636G	45.64	68.20	-22.56	35.48	3	Vertical	336	2.98	-	40.90	11.72	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01126G	59.29	88.20	-28.91	49.12	3	Horizontal	200	2.13	-	40.90	11.73	42.46
RMS	14.00506G	45.68	68.20	-22.52	35.52	3	Horizontal	200	2.13	-	40.90	11.72	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01134G	67.85	83.54	-15.69	62.71	1	Vertical	209	2.71	-	38.01	16.01	48.88
AV	21.0213G	45.39	63.54	-18.15	40.14	1	Vertical	209	2.71	-	38.11	16.02	48.88

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0186G	67.47	83.54	-16.07	62.25	1	Horizontal	325	1.75	-	38.09	16.01	48.88
AV	21.01968G	45.38	63.54	-18.16	40.14	1	Horizontal	325	1.75	-	38.10	16.02	48.88

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 86
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0904G	119.87	Inf	-Inf	107.96	3	Vertical	240	1.39	-	35.96	8.24	32.29
RMS	7.0877G	109.49	Inf	-Inf	97.59	3	Vertical	240	1.39	-	35.95	8.23	32.28
PK	7.1258G	84.65	88.20	-3.55	72.57	3	Vertical	240	1.39	-	36.15	8.27	32.34
RMS	7.1252G	67.21	68.20	-0.99	55.13	3	Vertical	240	1.39	-	36.15	8.27	32.34

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 86
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0994G	119.31	Inf	-Inf	107.37	3	Horizontal	12	1.79	-	36.00	8.24	32.30
RMS	7.0877G	106.10	Inf	-Inf	94.20	3	Horizontal	12	1.79	-	35.95	8.23	32.28
PK	7.1294G	80.65	88.20	-7.55	68.54	3	Horizontal	12	1.79	-	36.18	8.27	32.34
RMS	7.1255G	66.36	68.20	-1.84	54.28	3	Horizontal	12	1.79	-	36.15	8.27	32.34

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 86
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1719G	59.52	88.20	-28.68	49.20	3	Vertical	278	1.72	-	40.94	11.80	42.42
RMS	14.16538G	45.93	68.20	-22.27	35.62	3	Vertical	278	1.72	-	40.93	11.80	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 86
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16912G	59.80	88.20	-28.40	49.48	3	Horizontal	34	2.52	-	40.94	11.80	42.42
RMS	14.165G	45.94	68.20	-22.26	35.63	3	Horizontal	34	2.52	-	40.93	11.80	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 86
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2427G	64.62	83.54	-18.92	59.28	1	Vertical	290	2.52	-	38.00	16.19	48.85
AV	21.24006G	45.33	63.54	-18.21	39.99	1	Vertical	290	2.52	-	38.00	16.19	48.85

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 86
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24714G	64.92	83.54	-18.62	59.57	1	Horizontal	256	2.11	-	38.00	16.20	48.85
AV	21.24294G	45.32	63.54	-18.22	39.98	1	Horizontal	256	2.11	-	38.00	16.19	48.85

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9713G	55.02	74.00	-18.98	48.51	3	Vertical	268	2.98	-	38.93	10.80	43.22
AV	11.966G	41.98	54.00	-12.02	35.52	3	Vertical	268	2.98	-	38.90	10.79	43.23
PK	17.96396G	64.75	74.00	-9.25	41.60	3	Vertical	357	2.20	-	50.85	13.55	41.25
AV	17.96472G	51.52	54.00	-2.48	28.33	3	Vertical	357	2.20	-	50.89	13.55	41.25

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96514G	55.26	74.00	-18.74	48.81	3	Horizontal	91	1.25	-	38.89	10.79	43.23
AV	11.97048G	42.02	54.00	-11.98	35.52	3	Horizontal	91	1.25	-	38.92	10.80	43.22
PK	17.962G	64.71	74.00	-9.29	41.66	3	Horizontal	251	1.81	-	50.75	13.55	41.25
AV	17.96408G	51.89	54.00	-2.11	28.73	3	Horizontal	251	1.81	-	50.86	13.55	41.25

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44936G	54.19	74.00	-19.81	47.74	3	Vertical	171	2.01	-	38.60	11.01	43.16
AV	12.44586G	41.52	54.00	-12.48	35.05	3	Vertical	171	2.01	-	38.62	11.01	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44926G	54.12	74.00	-19.88	47.67	3	Horizontal	290	2.60	-	38.60	11.01	43.16
AV	12.44518G	41.55	54.00	-12.45	35.07	3	Horizontal	290	2.60	-	38.63	11.01	43.16

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66582G	67.66	83.54	-15.88	64.22	1	Vertical	176	3.00	-	37.74	15.27	49.57
AV	18.67698G	45.15	63.54	-18.39	41.75	1	Vertical	176	3.00	-	37.69	15.27	49.56

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66498G	67.99	83.54	-15.55	64.55	1	Horizontal	219	1.15	-	37.74	15.27	49.57
AV	18.6804G	45.20	63.54	-18.34	41.81	1	Horizontal	219	1.15	-	37.68	15.27	49.56

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.769G	55.27	88.20	-32.93	47.88	3	Vertical	164	2.77	-	39.11	11.16	42.88
RMS	12.76884G	42.25	68.20	-25.95	34.86	3	Vertical	164	2.77	-	39.11	11.16	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76834G	54.84	88.20	-33.36	47.45	3	Horizontal	88	1.42	-	39.11	11.16	42.88
RMS	12.771G	42.14	68.20	-26.06	34.73	3	Horizontal	88	1.42	-	39.13	11.16	42.88

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1592G	68.21	83.54	-15.33	64.66	1	Vertical	115	1.64	-	37.76	15.24	49.45
AV	19.1673G	45.30	63.54	-18.24	41.71	1	Vertical	115	1.64	-	37.80	15.24	49.45

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16244G	67.85	83.54	-15.69	64.29	1	Horizontal	272	2.84	-	37.77	15.24	49.45
AV	19.16256G	45.40	63.54	-18.14	41.83	1	Horizontal	272	2.84	-	37.78	15.24	49.45

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93348G	55.38	88.20	-32.82	47.37	3	Vertical	325	1.70	-	39.50	11.23	42.72
RMS	12.93424G	42.41	68.20	-25.79	34.39	3	Vertical	325	1.70	-	39.50	11.24	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92554G	55.20	88.20	-33.00	47.19	3	Horizontal	221	1.22	-	39.50	11.23	42.72
RMS	12.92716G	42.49	68.20	-25.71	34.48	3	Horizontal	221	1.22	-	39.50	11.23	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38162G	68.08	83.54	-15.46	64.52	1	Vertical	349	1.30	-	37.93	15.23	49.60
AV	19.39122G	45.27	63.54	-18.27	41.69	1	Vertical	349	1.30	-	37.96	15.23	49.61

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39794G	68.34	83.54	-15.20	64.73	1	Horizontal	140	2.88	-	37.99	15.23	49.61
AV	19.4073G	45.25	63.54	-18.29	41.67	1	Horizontal	140	2.88	-	37.97	15.23	49.62

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.089332G	56.76	88.20	-31.44	48.72	3	Vertical	106	2.44	-	39.40	11.31	42.67
RMS	13.0893G	43.76	68.20	-24.44	35.72	3	Vertical	106	2.44	-	39.40	11.31	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08536G	57.35	88.20	-30.85	49.32	3	Horizontal	147	2.94	-	39.40	11.30	42.67
RMS	13.08628G	43.88	68.20	-24.32	35.85	3	Horizontal	147	2.94	-	39.40	11.30	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63518G	68.13	83.54	-15.41	64.47	1	Vertical	303	1.36	-	38.01	15.22	49.57
AV	19.6413G	46.39	63.54	-17.15	42.68	1	Vertical	303	1.36	-	38.05	15.22	49.56

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64796G	67.89	83.54	-15.65	64.14	1	Horizontal	122	1.86	-	38.09	15.22	49.56
AV	19.64964G	44.41	63.54	-19.13	40.65	1	Horizontal	122	1.86	-	38.10	15.22	49.56

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2451G	56.91	88.20	-31.29	48.44	3	Vertical	244	2.17	-	39.79	11.38	42.70
RMS	13.2477G	43.75	68.20	-24.45	35.27	3	Vertical	244	2.17	-	39.80	11.38	42.70

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24924G	56.98	88.20	-31.22	48.50	3	Horizontal	28	2.54	-	39.80	11.38	42.70
RMS	13.24744G	43.81	68.20	-24.39	35.34	3	Horizontal	28	2.54	-	39.79	11.38	42.70

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87698G	68.81	83.54	-14.73	65.21	1	Vertical	115	1.33	-	37.76	15.21	49.37
AV	19.87308G	46.16	63.54	-17.38	42.58	1	Vertical	115	1.33	-	37.74	15.21	49.37

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87098G	69.08	83.54	-14.46	65.52	1	Horizontal	337	2.21	-	37.73	15.21	49.38
AV	19.88868G	46.26	63.54	-17.28	42.58	1	Horizontal	337	2.21	-	37.83	15.21	49.36

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40876G	57.92	88.20	-30.28	48.91	3	Vertical	349	1.85	-	40.30	11.45	42.74
RMS	13.41076G	44.94	68.20	-23.26	35.93	3	Vertical	349	1.85	-	40.30	11.45	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41436G	58.12	88.20	-30.08	49.11	3	Horizontal	94	2.66	-	40.30	11.45	42.74
RMS	13.41168G	44.93	68.20	-23.27	35.92	3	Horizontal	94	2.66	-	40.30	11.45	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11578G	67.79	83.54	-15.75	63.93	1	Vertical	224	2.94	-	37.81	15.29	49.24			
AV	20.11392G	46.12	63.54	-17.42	42.25	1	Vertical	224	2.94	-	37.82	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10462G	68.93	83.54	-14.61	65.02	1	Horizontal	316	1.44	-	37.87	15.28	49.24
AV	20.11344G	45.83	63.54	-17.71	41.96	1	Horizontal	316	1.44	-	37.82	15.29	49.24

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57338G	57.37	88.20	-30.83	48.01	3	Vertical	231	2.36	-	40.55	11.53	42.72
RMS	13.56538G	44.71	68.20	-23.49	35.34	3	Vertical	231	2.36	-	40.57	11.52	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56832G	57.85	88.20	-30.35	48.49	3	Horizontal	149	2.26	-	40.56	11.52	42.72
RMS	13.56816G	44.60	68.20	-23.60	35.24	3	Horizontal	149	2.26	-	40.56	11.52	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36214G	68.33	83.54	-15.21	63.94	1	Vertical	320	2.27	-	38.08	15.49	49.18
AV	20.35692G	47.89	63.54	-15.65	43.49	1	Vertical	320	2.27	-	38.09	15.49	49.18

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34318G	67.28	83.54	-16.26	62.88	1	Horizontal	245	1.44	-	38.11	15.47	49.18
AV	20.35764G	46.83	63.54	-16.71	42.44	1	Horizontal	245	1.44	-	38.08	15.49	49.18

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7292G	58.98	88.20	-29.22	49.42	3	Vertical	77	2.04	-	40.58	11.60	42.62
RMS	13.72678G	45.38	68.20	-22.82	35.84	3	Vertical	77	2.04	-	40.56	11.60	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7305G	58.99	88.20	-29.21	49.43	3	Horizontal	52	1.75	-	40.58	11.60	42.62
RMS	13.72982G	45.45	68.20	-22.75	35.89	3	Horizontal	52	1.75	-	40.58	11.60	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60352G	63.39	83.54	-20.15	58.81	1	Vertical	37	1.07	-	37.99	15.68	49.09
AV	20.59518G	47.13	63.54	-16.41	42.55	1	Vertical	37	1.07	-	37.99	15.68	49.09

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58702G	64.92	83.54	-18.62	60.37	1	Horizontal	303	1.51	-	37.97	15.67	49.09
AV	20.58162G	47.18	63.54	-16.36	42.65	1	Horizontal	303	1.51	-	37.96	15.67	49.10

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89046G	58.25	88.20	-29.95	48.47	3	Vertical	101	1.94	-	40.64	11.67	42.53
RMS	13.89484G	45.19	68.20	-23.01	35.37	3	Vertical	101	1.94	-	40.67	11.67	42.52

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8851G	58.20	88.20	-30.00	48.45	3	Horizontal	86	3.00	-	40.61	11.67	42.53
RMS	13.88918G	45.16	68.20	-23.04	35.38	3	Horizontal	86	3.00	-	40.64	11.67	42.53

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84676G	64.66	83.54	-18.88	59.54	1	Vertical	98	1.85	-	38.20	15.88	48.96
AV	20.8338G	47.21	63.54	-16.33	42.11	1	Vertical	98	1.85	-	38.20	15.87	48.97

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84712G	63.30	83.54	-20.24	58.18	1	Horizontal	243	1.91	-	38.20	15.88	48.96
AV	20.8335G	48.31	63.54	-15.23	43.21	1	Horizontal	243	1.91	-	38.20	15.87	48.97

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 93
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	119.98	Inf	-Inf	108.45	3	Vertical	234	1.37	-	35.54	8.16	32.17
RMS	7.0534G	110.03	Inf	-Inf	98.26	3	Vertical	234	1.37	-	35.81	8.20	32.24
PK	7.125G	80.90	88.20	-7.30	68.82	3	Vertical	234	1.37	-	36.15	8.27	32.34
RMS	7.1254G	67.52	68.20	-0.68	55.44	3	Vertical	234	1.37	-	36.15	8.27	32.34

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 93
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.017G	117.89	Inf	-Inf	106.30	3	Horizontal	255	1.61	-	35.60	8.17	32.18
RMS	7.0178G	107.22	Inf	-Inf	95.63	3	Horizontal	255	1.61	-	35.61	8.17	32.19
PK	7.1266G	75.95	88.20	-12.25	63.86	3	Horizontal	255	1.61	-	36.16	8.27	32.34
RMS	7.1258G	64.91	68.20	-3.29	52.83	3	Horizontal	255	1.61	-	36.15	8.27	32.34

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 93
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05106G	58.97	88.20	-29.23	48.78	3	Vertical	166	1.41	-	40.90	11.74	42.45
RMS	14.05458G	46.08	68.20	-22.12	35.88	3	Vertical	166	1.41	-	40.90	11.75	42.45

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
 Setting 93
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05462G	59.42	88.20	-28.78	49.22	3	Horizontal	94	2.68	-	40.90	11.75	42.45
RMS	14.04556G	46.24	68.20	-21.96	36.05	3	Horizontal	94	2.68	-	40.90	11.74	42.45

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 93
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06426G	64.52	83.54	-19.02	59.03	1	Vertical	259	1.50	-	38.31	16.05	48.87
AV	21.0681G	46.38	63.54	-17.16	40.91	1	Vertical	259	1.50	-	38.29	16.05	48.87

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 93
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07392G	63.79	83.54	-19.75	58.34	1	Horizontal	0	2.94	-	38.26	16.06	48.87
AV	21.0657G	47.50	63.54	-16.04	42.01	1	Horizontal	0	2.94	-	38.31	16.05	48.87

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	79.28	88.20	-8.92	70.90	3	Vertical	94.9	1.45	-	32.54	7.44	31.60
RMS	5.9242G	67.80	68.20	-0.40	59.41	3	Vertical	94.9	1.45	-	32.55	7.44	31.60
PK	6.0874G	113.59	Inf	-Inf	104.87	3	Vertical	94.9	1.45	-	32.60	7.54	31.42
RMS	6.0442G	103.56	Inf	-Inf	94.97	3	Vertical	94.9	1.45	-	32.59	7.51	31.51

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
 Setting 90
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	77.93	88.20	-10.27	69.56	3	Horizontal	211	1.89	-	32.53	7.44	31.60
RMS	5.925G	66.89	68.20	-1.31	58.50	3	Horizontal	211	1.89	-	32.55	7.44	31.60
PK	6.081G	112.44	Inf	-Inf	103.74	3	Horizontal	211	1.89	-	32.60	7.53	31.43
RMS	6.0586G	102.04	Inf	-Inf	93.40	3	Horizontal	211	1.89	-	32.60	7.52	31.48

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04578G	55.30	74.00	-18.70	48.49	3	Vertical	326	2.19	-	39.19	10.83	43.21
AV	12.05384G	41.81	54.00	-12.19	34.98	3	Vertical	326	2.19	-	39.21	10.83	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05042G	55.17	74.00	-18.83	48.35	3	Horizontal	30	2.66	-	39.20	10.83	43.21
AV	12.0477G	41.80	54.00	-12.20	34.98	3	Horizontal	30	2.66	-	39.20	10.83	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 90
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0657G	67.65	83.54	-15.89	64.36	1	Vertical	203	2.08	-	37.46	15.30	49.47
AV	18.08952G	45.74	63.54	-17.80	42.36	1	Vertical	203	2.08	-	37.56	15.30	49.48

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08988G	68.13	83.54	-15.41	64.75	1	Horizontal	343	1.99	-	37.56	15.30	49.48
AV	18.06156G	44.54	63.54	-19.00	41.26	1	Horizontal	343	1.99	-	37.45	15.30	49.47

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36872G	55.63	74.00	-18.37	48.86	3	Vertical	198	2.28	-	38.96	10.98	43.17
AV	12.37344G	41.95	54.00	-12.05	35.19	3	Vertical	198	2.28	-	38.95	10.98	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37102G	55.15	74.00	-18.85	48.38	3	Horizontal	130	1.80	-	38.96	10.98	43.17
AV	12.37494G	42.01	54.00	-11.99	35.25	3	Horizontal	130	1.80	-	38.95	10.98	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5646G	66.81	83.54	-16.73	63.48	1	Vertical	71	2.20	-	37.70	15.27	49.64
AV	18.54738G	45.46	63.54	-18.08	42.13	1	Vertical	71	2.20	-	37.71	15.27	49.65

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54366G	67.81	83.54	-15.73	64.46	1	Horizontal	98	1.54	-	37.73	15.27	49.65
AV	18.54366G	45.04	63.54	-18.50	41.69	1	Horizontal	98	1.54	-	37.73	15.27	49.65

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69492G	55.65	74.00	-18.35	48.57	3	Vertical	331	2.10	-	38.91	11.13	42.96
AV	12.68644G	41.70	54.00	-12.30	34.61	3	Vertical	331	2.10	-	38.93	11.12	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6905G	55.44	74.00	-18.56	48.36	3	Horizontal	57	1.48	-	38.92	11.12	42.96
AV	12.68658G	41.66	54.00	-12.34	34.57	3	Horizontal	57	1.48	-	38.93	11.12	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03536G	68.43	83.54	-15.11	64.64	1	Vertical	263	1.80	-	37.90	15.25	49.36
AV	19.04802G	45.05	63.54	-18.49	41.27	1	Vertical	263	1.80	-	37.90	15.25	49.37

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03764G	67.59	83.54	-15.95	63.81	1	Horizontal	60	2.56	-	37.90	15.25	49.37
AV	19.04916G	44.99	63.54	-18.55	41.21	1	Horizontal	60	2.56	-	37.90	15.25	49.37

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01034G	56.23	88.20	-31.97	48.13	3	Vertical	37	2.95	-	39.48	11.27	42.65
RMS	13.01402G	43.01	68.20	-25.19	34.92	3	Vertical	37	2.95	-	39.47	11.27	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01066G	56.64	88.20	-31.56	48.54	3	Horizontal	18	2.48	-	39.48	11.27	42.65
RMS	13.01156G	43.07	68.20	-25.13	34.97	3	Horizontal	18	2.48	-	39.48	11.27	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.51086G	66.56	83.54	-16.98	62.99	1	Vertical	82	2.49	-	38.02	15.22	49.67
AV	19.53G	44.74	63.54	-18.80	41.12	1	Vertical	82	2.49	-	38.06	15.22	49.66

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51038G	67.78	83.54	-15.76	64.21	1	Horizontal	86	1.25	-	38.02	15.22	49.67
AV	19.52286G	45.64	63.54	-17.90	42.03	1	Horizontal	86	1.25	-	38.05	15.22	49.66

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32772G	58.22	74.00	-15.78	49.52	3	Vertical	200	2.53	-	40.01	11.41	42.72
AV	13.32904G	44.09	54.00	-9.91	35.38	3	Vertical	200	2.53	-	40.02	11.41	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33426G	58.15	74.00	-15.85	49.41	3	Horizontal	37	1.99	-	40.04	11.42	42.72
AV	13.32756G	44.11	54.00	-9.89	35.41	3	Horizontal	37	1.99	-	40.01	11.41	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9821G	68.99	83.54	-14.55	65.27	1	Vertical	98	1.90	-	37.80	15.20	49.28
AV	19.98624G	44.18	63.54	-19.36	40.46	1	Vertical	98	1.90	-	37.80	15.20	49.28

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00148G	67.24	83.54	-16.30	63.51	1	Horizontal	324	1.65	-	37.80	15.20	49.27
AV	20.00364G	45.24	63.54	-18.30	41.52	1	Horizontal	324	1.65	-	37.79	15.20	49.27

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64954G	58.53	88.20	-29.67	49.24	3	Vertical	154	1.37	-	40.40	11.56	42.67
RMS	13.64626G	45.08	68.20	-23.12	35.78	3	Vertical	154	1.37	-	40.41	11.56	42.67

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64874G	58.49	88.20	-29.71	49.20	3	Horizontal	229	1.74	-	40.40	11.56	42.67
RMS	13.65164G	45.07	68.20	-23.13	35.78	3	Horizontal	229	1.74	-	40.40	11.56	42.67

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46894G	66.97	83.54	-16.57	62.69	1	Vertical	265	1.06	-	37.85	15.58	49.15
AV	20.47464G	47.97	63.54	-15.57	43.74	1	Vertical	265	1.06	-	37.80	15.58	49.15

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47002G	65.44	83.54	-18.10	61.17	1	Horizontal	4	1.58	-	37.84	15.58	49.15
AV	20.46036G	46.49	63.54	-17.05	42.15	1	Horizontal	4	1.58	-	37.92	15.57	49.15

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.925G	116.16	Inf	-Inf	104.83	3	Vertical	234	1.56	-	35.15	8.09	31.91
RMS	6.9275G	105.24	Inf	-Inf	93.91	3	Vertical	234	1.56	-	35.16	8.09	31.92
PK	7.134G	81.94	88.20	-6.26	69.81	3	Vertical	234	1.56	-	36.20	8.28	32.35
RMS	7.132G	67.20	68.20	-1.00	55.08	3	Vertical	234	1.56	-	36.19	8.28	32.35

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.958G	114.36	Inf	-Inf	102.94	3	Horizontal	353	1.45	-	35.33	8.11	32.02
RMS	6.9075G	103.74	Inf	-Inf	92.48	3	Horizontal	353	1.45	-	35.04	8.07	31.85
PK	7.159G	80.60	88.20	-7.60	68.37	3	Horizontal	353	1.45	-	36.32	8.30	32.39
RMS	7.125G	66.91	68.20	-1.29	54.83	3	Horizontal	353	1.45	-	36.15	8.27	32.34

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 92
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97022G	58.60	88.20	-29.60	48.59	3	Vertical	249	2.20	-	40.78	11.71	42.48
RMS	13.97376G	45.25	68.20	-22.95	35.22	3	Vertical	249	2.20	-	40.80	11.71	42.48

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 92
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9729G	58.99	88.20	-29.21	48.97	3	Horizontal	211	2.84	-	40.79	11.71	42.48
RMS	13.97388G	45.20	68.20	-23.00	35.17	3	Horizontal	211	2.84	-	40.80	11.71	42.48

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 92
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96082G	65.28	83.54	-18.26	60.15	1	Vertical	284	2.60	-	38.06	15.97	48.90
AV	20.96994G	45.88	63.54	-17.66	40.78	1	Vertical	284	2.60	-	38.02	15.98	48.90

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
 Setting 92
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9412G	66.92	83.54	-16.62	61.78	1	Horizontal	345	1.24	-	38.10	15.95	48.91
AV	20.94G	46.95	63.54	-16.59	41.81	1	Horizontal	345	1.24	-	38.10	15.95	48.91

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 93
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	79.87	88.20	-8.33	71.49	3	Vertical	80.8	1.40	-	32.54	7.44	31.60
RMS	5.925G	67.85	68.20	-0.35	59.46	3	Vertical	80.8	1.40	-	32.55	7.44	31.60
PK	6.2042G	110.86	Inf	-Inf	101.38	3	Vertical	80.8	1.40	-	33.01	7.63	31.16
RMS	6.2098G	102.28	Inf	-Inf	92.78	3	Vertical	80.8	1.40	-	33.02	7.63	31.15

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
 Setting 93
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	81.09	88.20	-7.11	72.70	3	Horizontal	220.2	1.72	-	32.55	7.44	31.60
RMS	5.9242G	68.06	68.20	-0.14	59.67	3	Horizontal	220.2	1.72	-	32.55	7.44	31.60
PK	6.1914G	111.32	Inf	-Inf	101.94	3	Horizontal	220.2	1.72	-	32.95	7.62	31.19
RMS	6.149G	101.34	Inf	-Inf	92.33	3	Horizontal	220.2	1.72	-	32.70	7.59	31.28

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20806G	55.00	74.00	-19.00	48.29	3	Vertical	250	2.09	-	39.00	10.90	43.19
AV	12.21144G	42.34	54.00	-11.66	35.62	3	Vertical	250	2.09	-	39.00	10.91	43.19

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20814G	54.81	74.00	-19.19	48.10	3	Horizontal	258	1.11	-	39.00	10.90	43.19
AV	12.2109G	42.31	54.00	-11.69	35.59	3	Horizontal	258	1.11	-	39.00	10.91	43.19

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30744G	67.63	83.54	-15.91	64.44	1	Vertical	279	2.44	-	37.50	15.28	49.59
AV	18.31128G	45.18	63.54	-18.36	41.99	1	Vertical	279	2.44	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30276G	66.88	83.54	-16.66	63.69	1	Horizontal	99	1.76	-	37.50	15.28	49.59
AV	18.32784G	45.69	63.54	-17.85	42.51	1	Horizontal	99	1.76	-	37.50	15.28	49.60

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.528G	54.90	74.00	-19.10	48.41	3	Vertical	6	1.17	-	38.56	11.05	43.12
AV	12.52926G	41.55	54.00	-12.45	35.06	3	Vertical	6	1.17	-	38.56	11.05	43.12

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53354G	54.05	74.00	-19.95	47.55	3	Horizontal	52	1.71	-	38.57	11.05	43.12
AV	12.5263G	41.82	54.00	-12.18	35.34	3	Horizontal	52	1.71	-	38.55	11.05	43.12

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79758G	68.01	83.54	-15.53	64.43	1	Vertical	222	3.00	-	37.80	15.26	49.48
AV	18.78726G	44.52	63.54	-19.02	40.94	1	Vertical	222	3.00	-	37.80	15.26	49.48

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7815G	68.37	83.54	-15.17	64.80	1	Horizontal	196	2.80	-	37.80	15.26	49.49
AV	18.79584G	45.52	63.54	-18.02	41.94	1	Horizontal	196	2.80	-	37.80	15.26	49.48

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_4TX
Setting 108
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84256G	61.42	88.20	-26.78	43.95	3	Vertical	30	1.03	-	39.17	11.81	33.51
RMS	12.85132G	48.60	68.20	-19.60	31.09	3	Vertical	30	1.03	-	39.20	11.81	33.50

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86146G	61.20	88.20	-27.00	43.68	3	Horizontal	258	2.93	-	39.20	11.81	33.49
RMS	12.85186G	47.68	68.20	-20.52	30.17	3	Horizontal	258	2.93	-	39.20	11.81	33.50

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.26582G	62.81	83.54	-20.73	59.16	1	Vertical	102	1.59	-	37.93	15.24	49.52
AV	19.27074G	46.30	63.54	-17.24	42.64	1	Vertical	102	1.59	-	37.94	15.24	49.52

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27902G	62.06	83.54	-21.48	58.39	1	Horizontal	240	1.85	-	37.96	15.24	49.53
AV	19.2618G	46.06	63.54	-17.48	42.42	1	Horizontal	240	1.85	-	37.92	15.24	49.52

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1676G	61.36	88.20	-26.84	42.90	3	Vertical	48	1.94	-	39.64	11.92	33.10
RMS	13.16082G	47.26	68.20	-20.94	28.84	3	Vertical	48	1.94	-	39.62	11.91	33.11

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17534G	62.06	88.20	-26.14	43.58	3	Horizontal	187	1.35	-	39.65	11.92	33.09
RMS	13.15782G	48.27	68.20	-19.93	29.85	3	Horizontal	187	1.35	-	39.62	11.91	33.11

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.74594G	62.91	83.54	-20.63	59.29	1	Vertical	207	2.03	-	37.89	15.21	49.48
AV	19.76526G	46.58	63.54	-16.96	42.87	1	Vertical	207	2.03	-	37.96	15.21	49.46

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.76544G	62.83	83.54	-20.71	59.12	1	Horizontal	210	1.94	-	37.96	15.21	49.46
AV	19.75374G	46.53	63.54	-17.01	42.88	1	Horizontal	210	1.94	-	37.91	15.21	49.47

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48972G	58.26	88.20	-29.94	49.15	3	Vertical	53	2.46	-	40.38	11.49	42.76
RMS	13.49254G	44.70	68.20	-23.50	35.58	3	Vertical	53	2.46	-	40.39	11.49	42.76

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48792G	57.77	88.20	-30.43	48.66	3	Horizontal	136	1.60	-	40.38	11.49	42.76
RMS	13.48678G	44.74	68.20	-23.46	35.64	3	Horizontal	136	1.60	-	40.37	11.49	42.76

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.22234G	67.65	83.54	-15.89	63.54	1	Vertical	109	1.95	-	37.94	15.38	49.21
AV	20.25G	47.19	63.54	-16.35	42.99	1	Vertical	109	1.95	-	38.00	15.40	49.20

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
 Setting 108
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.2497G	66.64	83.54	-16.90	62.45	1	Horizontal	48	1.49	-	38.00	15.40	49.21
AV	20.24484G	47.13	63.54	-16.41	42.95	1	Horizontal	48	1.49	-	37.99	15.40	49.21

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 84
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.881G	112.44	Inf	-Inf	101.24	3	Vertical	229.9	1.53	-	34.92	8.05	31.77
AV	6.7994G	100.42	Inf	-Inf	89.34	3	Vertical	229.9	1.53	-	34.60	7.98	31.50
PK	7.25G	64.40	74.00	-9.60	51.88	3	Vertical	229.9	1.53	-	36.70	8.34	32.52
AV	7.25G	52.79	54.00	-1.21	40.27	3	Vertical	229.9	1.53	-	36.70	8.34	32.52

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 84
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9362G	109.39	Inf	-Inf	98.02	3	Horizontal	356.7	1.56	-	35.22	8.10	31.95
AV	6.941G	97.13	Inf	-Inf	85.75	3	Horizontal	356.7	1.56	-	35.25	8.10	31.97
PK	7.2578G	70.72	74.00	-3.28	58.23	3	Horizontal	356.7	1.56	-	36.68	8.34	32.53
AV	7.2554G	53.62	54.00	-0.38	41.11	3	Horizontal	356.7	1.56	-	36.69	8.34	32.52

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 84
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80598G	58.10	88.20	-30.10	48.56	3	Vertical	110	1.23	-	40.49	11.63	42.58
RMS	13.80574G	44.63	68.20	-23.57	35.09	3	Vertical	110	1.23	-	40.49	11.63	42.58

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 84
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80564G	57.87	88.20	-30.33	48.33	3	Horizontal	358	1.25	-	40.49	11.63	42.58
RMS	13.80542G	44.69	68.20	-23.51	35.15	3	Horizontal	358	1.25	-	40.49	11.63	42.58

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 84
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70906G	67.73	83.54	-15.81	63.11	1	Vertical	238	2.58	-	37.88	15.77	49.03
AV	20.70006G	47.59	63.54	-15.95	42.97	1	Vertical	238	2.58	-	37.90	15.76	49.04



6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX



6905MHz Straddle 6.525-6.875GHz_TX







EUT_Y_4TX
 Setting 84
 06-D-E-2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.72424G	66.52	83.54	-17.02	61.91	1	Horizontal	82	1.54	-	37.85	15.78	49.02
AV	20.70942G	46.63	63.54	-16.91	42.01	1	Horizontal	82	1.54	-	37.88	15.77	49.03






















































6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

22/04/2024

CF (Hz)
6.885G


Span (Hz)
200M


RBW (Hz)
300k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.873403G	-10.13	6.98495G	-56.48	-50.13	-6.35	1
6.891148G	-9.79	6.97085G	-57.41	-49.79	-7.62	2
6.877852G	-9.41	6.96225G	-56.79	-49.41	-7.38	3
6.891498G	-9.68	6.98305G	-57.12	-49.68	-7.44	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

22/04/2024

CF (Hz)
6.925G


Span (Hz)
200M


RBW (Hz)
300k


VBW (Hz)
1M


Sweep Time (s)
4.01m


Detector Type
RMS





Port 1 



Port 2 



Port 3 



Port 4 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.927649G	-10.53	6.8271G	-61.57	-50.53	-11.04	1
6.929099G	-9.91	6.9871G	-62.81	-49.91	-12.90	2
6.933598G	-9.41	6.8636G	-62.92	-49.41	-13.51	3
6.938297G	-9.38	6.98655G	-62.72	-49.38	-13.34	4











































































































































Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-74.56	2.44	-77.05	≤ -62
						Minimal	-75.56	2.44	-78.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-71.56	2.44	-74.03	≤ -62
						Minimal	-72.56	2.44	-75.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-70.56	2.44	-73.02	≤ -62
						Minimal	-71.56	2.44	-74.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-70.56	2.44	-73.02	≤ -62
						Minimal	-71.56	2.44	-74.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-71.56	2.44	-74.06	≤ -62
						Minimal	-72.56	2.44	-75.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				Center	6105	OFF	-74.56	2.44	-77.02	≤ -62
						Minimal	-75.56	2.44	-78.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				High edge	6260	OFF	-73.56	2.44	-76.01	≤ -62
						Minimal	-74.56	2.44	-77.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-69.56	2.44	-72.02	≤ -62
						Minimal	-70.56	2.44	-73.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				Center	6425	OFF	-73.56	2.44	-76.04	≤ -62
						Minimal	-74.56	2.44	-77.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				High edge	6580	OFF	-69.56	2.44	-72.01	≤ -62
						Minimal	-70.56	2.44	-73.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-69.56	2.44	-72.02	≤ -62
						Minimal	-70.56	2.44	-73.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				Center	6745	OFF	-76.56	2.44	-79.05	≤ -62
						Minimal	-77.56	2.44	-80.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				High edge	6900	OFF	-67.56	2.44	-70.05	≤ -62
						Minimal	-68.56	2.44	-71.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

7/8	191	320	6905	Low edge	6750	OFF	-72.56	2.44	-75.01	≤ -62
						Minimal	-73.56	2.44	-76.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				Center	6905	OFF	-74.56	2.44	-77.05	≤ -62
						Minimal	-75.56	2.44	-78.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62
				High edge	7060	OFF	-70.56	2.44	-73.08	≤ -62
						Minimal	-71.56	2.44	-74.00	≤ -62
						ON	-79.56	2.44	-82.00	≤ -62




Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-77.05	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-74.03	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.02	OFF	9	90	90	Pass
8	213	20	7015	Center	7015	-73.02	OFF	9	90	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-74.06	OFF	9	90	90	PASS
				Center	6105	-77.02	OFF	10	100	90	PASS
				High edge	6260	-76.01	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-72.02	OFF	9	90	90	PASS
				Center	6425	-76.04	OFF	10	100	90	PASS
				High edge	6580	-72.01	OFF	10	100	90	PASS
6/7	159	320	6745	Low edge	6590	-72.02	OFF	10	100	90	PASS
				Center	6745	-79.05	OFF	10	100	90	PASS
				High edge	6900	-70.05	OFF	10	100	90	PASS
7/8	191	320	6905	Low edge	6750	-75.01	OFF	9	90	90	PASS
				Center	6905	-77.05	OFF	10	100	90	PASS
				High edge	7060	-73.08	OFF	10	100	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz





Date: 17, APR 2024 21:38:34


Frequency (MHz): 7015 MHz



Date: 17, APR 2024 21:40:40




Frequency (MHz): 6260 MHz




Date: 17, APR 2024 21:52:34

Frequency (MHz): 6270 MHz




Date: 17, APR 2024 21:56:02

Frequency (MHz): 6425 MHz




Date: 17, APR 2024 21:56:37

Frequency (MHz): 6580 MHz




Date: 17, APR 2024 21:57:33

Frequency (MHz): 6590 MHz




Date: 17, APR 2024 21:58:02

Frequency (MHz): 6745 MHz




Date: 17, APR 2024 21:58:37

Frequency (MHz): 6750 MHz




Date: 17 APR 2024 22:17:20

Frequency (MHz): 6900 MHz




Date: 17 APR 2024 21:59:16

Frequency (MHz): 6905 MHz




Date: 17, APR 2024 22:17:55


Frequency (MHz): 7060 MHz




Date: 17, APR 2024 22:19:22




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal