






**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	PK	69.77M	35.75	40.00	-4.25	Horizontal

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	143.49M	32.86	43.50	-10.64	-12.70	3	Vertical	120	1.00	-	45.56	16.95	2.10	31.75
QP	36.79M	25.19	40.00	-14.81	-9.56	3	Vertical	0	1.00	-	34.75	20.83	1.12	31.51
PK	424.79M	38.64	46.00	-7.36	-5.89	3	Vertical	322	1.50	"Worst"	44.53	22.31	3.81	32.01
QP	57.16M	26.55	40.00	-13.45	-17.50	3	Vertical	8	1.00	-	44.05	12.80	1.36	31.66
PK	475.23M	38.24	46.00	-7.76	-4.91	3	Vertical	0	1.50	-	43.15	23.10	4.06	32.07
QP	72.68M	23.36	40.00	-16.64	-17.65	3	Vertical	240	1.50	-	41.01	12.55	1.51	31.71

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	36.79M	34.03	40.00	-5.97	-9.56	3	Horizontal	266	2.00	-	43.59	20.83	1.12	31.51
PK	69.77M	35.75	40.00	-4.25	-17.64	3	Horizontal	275	2.00	"Worst"	53.39	12.57	1.49	31.70
PK	94.99M	34.61	43.50	-8.89	-14.17	3	Horizontal	275	2.00	-	48.78	15.86	1.72	31.75
PK	375.32M	36.20	46.00	-9.80	-7.65	3	Horizontal	360	1.00	-	43.85	20.75	3.56	31.96
PK	424.79M	38.10	46.00	-7.90	-5.89	3	Horizontal	89	1.25	-	43.99	22.31	3.81	32.01
PK	475.23M	40.10	46.00	-5.90	-4.91	3	Horizontal	298	1.50	-	45.01	23.10	4.06	32.07




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.125G	68.18	68.20	-0.02	3	Vertical	169	1.53	-

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 105  
 06-K-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	83.53	88.20	-4.67	75.14	3	Vertical	69	1.80	-	32.55	7.44	31.60
RMS	5.9242G	68.12	68.20	-0.08	59.73	3	Vertical	69	1.80	-	32.55	7.44	31.60
PK	5.9624G	123.48	Inf	-Inf	115.06	3	Vertical	69	1.80	-	32.58	7.45	31.61
RMS	5.9626G	115.40	Inf	-Inf	106.98	3	Vertical	69	1.80	-	32.57	7.46	31.61

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 105  
 06-K-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	79.51	88.20	-8.69	71.12	3	Horizontal	217	1.59	-	32.55	7.44	31.60
RMS	5.925G	65.77	68.20	-2.43	57.38	3	Horizontal	217	1.59	-	32.55	7.44	31.60
PK	5.9532G	124.48	Inf	-Inf	116.04	3	Horizontal	217	1.59	-	32.59	7.45	31.60
RMS	5.9526G	115.22	Inf	-Inf	106.78	3	Horizontal	217	1.59	-	32.59	7.45	31.60

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 105  
 06-K-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9139G	55.79	74.00	-18.21	49.52	3	Vertical	360	1.80	-	38.73	10.77	43.23
AV	11.92338G	42.66	54.00	-11.34	36.37	3	Vertical	360	1.80	-	38.75	10.77	43.23
PK	17.87808G	64.13	74.00	-9.87	44.14	3	Vertical	173	1.80	-	47.85	13.52	41.38
AV	17.86965G	51.73	54.00	-2.27	32.04	3	Vertical	173	1.80	-	47.57	13.51	41.39

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 105  
06-K-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91822G	55.68	74.00	-18.32	49.40	3	Horizontal	250	1.73	-	38.74	10.77	43.23
AV	11.92449G	42.78	54.00	-11.22	36.49	3	Horizontal	250	1.73	-	38.75	10.77	43.23
PK	17.87193G	64.02	74.00	-9.98	44.25	3	Horizontal	326	2.60	-	47.65	13.51	41.39
AV	17.87151G	51.80	54.00	-2.20	32.05	3	Horizontal	326	2.60	-	47.63	13.51	41.39



5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37854G	56.40	74.00	-17.60	49.65	3	Vertical	234	1.80	-	38.94	10.98	43.17
AV	12.38649G	41.92	54.00	-12.08	35.17	3	Vertical	234	1.80	-	38.93	10.99	43.17

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37785G	55.85	74.00	-18.15	49.10	3	Horizontal	190	1.80	-	38.94	10.98	43.17
AV	12.38541G	41.62	54.00	-12.38	34.87	3	Horizontal	190	1.80	-	38.93	10.99	43.17

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83402G	56.16	88.20	-32.04	48.42	3	Vertical	162	2.37	-	39.37	11.19	42.82
RMS	12.83499G	41.82	68.20	-26.38	34.08	3	Vertical	162	2.37	-	39.37	11.19	42.82

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82857G	55.77	88.20	-32.43	48.04	3	Horizontal	198	2.09	-	39.36	11.19	42.82
RMS	12.83371G	41.78	68.20	-26.42	34.04	3	Horizontal	198	2.09	-	39.37	11.19	42.82

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86771G	56.73	88.20	-31.47	48.87	3	Vertical	16	1.20	-	39.44	11.20	42.78
RMS	12.86823G	42.13	68.20	-26.07	34.26	3	Vertical	16	1.20	-	39.44	11.21	42.78

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87366G	56.20	88.20	-32.00	48.32	3	Horizontal	200	1.47	-	39.45	11.21	42.78
RMS	12.86825G	42.15	68.20	-26.05	34.28	3	Horizontal	200	1.47	-	39.44	11.21	42.78

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95161G	57.00	88.20	-31.20	48.96	3	Vertical	99	2.26	-	39.50	11.24	42.70
RMS	12.95428G	42.09	68.20	-26.11	34.05	3	Vertical	99	2.26	-	39.50	11.24	42.70

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95316G	56.13	88.20	-32.07	48.09	3	Horizontal	271	1.87	-	39.50	11.24	42.70
RMS	12.95375G	42.08	68.20	-26.12	34.04	3	Horizontal	271	1.87	-	39.50	11.24	42.70



6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02557G	57.06	88.20	-31.14	48.99	3	Vertical	31	1.32	-	39.45	11.28	42.66			
RMS	13.02991G	42.85	68.20	-25.35	34.79	3	Vertical	31	1.32	-	39.44	11.28	42.66			

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6515MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03171G	56.74	88.20	-31.46	48.68	3	Horizontal	335	2.33	-	39.44	11.28	42.66
RMS	13.02967G	42.84	68.20	-25.36	34.78	3	Horizontal	335	2.33	-	39.44	11.28	42.66

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07286G	56.93	88.20	-31.27	48.90	3	Vertical	184	2.94	-	39.40	11.30	42.67
RMS	13.06767G	42.97	68.20	-25.23	34.93	3	Vertical	184	2.94	-	39.40	11.30	42.66

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07103G	57.28	88.20	-30.92	49.25	3	Horizontal	297	1.26	-	39.40	11.30	42.67
RMS	13.0661G	42.98	68.20	-25.22	34.94	3	Horizontal	297	1.26	-	39.40	11.30	42.66

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39278G	57.90	74.00	-16.10	48.93	3	Vertical	170	2.44	-	40.27	11.44	42.74
AV	13.39254G	43.90	54.00	-10.10	34.93	3	Vertical	170	2.44	-	40.27	11.44	42.74

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38531G	57.97	74.00	-16.03	49.02	3	Horizontal	65	2.54	-	40.24	11.44	42.73
AV	13.39405G	43.92	54.00	-10.08	34.94	3	Horizontal	65	2.54	-	40.28	11.44	42.74

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74992G	58.61	88.20	-29.59	48.91	3	Vertical	207	2.59	-	40.70	11.61	42.61
RMS	13.74781G	44.49	68.20	-23.71	34.80	3	Vertical	207	2.59	-	40.69	11.61	42.61

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74539G	58.24	88.20	-29.96	48.58	3	Horizontal	159	2.47	-	40.67	11.60	42.61
RMS	13.74605G	44.47	68.20	-23.73	34.80	3	Horizontal	159	2.47	-	40.68	11.60	42.61



6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78739G	59.27	88.20	-28.93	49.69	3	Vertical	148	1.74	-	40.55	11.62	42.59
RMS	13.78922G	45.81	68.20	-22.39	36.24	3	Vertical	148	1.74	-	40.54	11.62	42.59

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78874G	59.46	88.20	-28.74	49.88	3	Horizontal	160	1.80	-	40.55	11.62	42.59
RMS	13.78901G	45.13	68.20	-23.07	35.56	3	Horizontal	160	1.80	-	40.54	11.62	42.59

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98731G	59.57	88.20	-28.63	49.48	3	Vertical	153	1.52	-	40.85	11.71	42.47
RMS	13.99468G	45.25	68.20	-22.95	35.11	3	Vertical	153	1.52	-	40.88	11.72	42.46

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

6995MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99287G	59.20	88.20	-29.00	49.07	3	Horizontal	292	2.45	-	40.87	11.72	42.46
RMS	13.99449G	45.23	68.20	-22.97	35.09	3	Horizontal	292	2.45	-	40.88	11.72	42.46

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 06-K-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1012G	124.84	Inf	-Inf	112.88	3	Vertical	350.9	1.41	-	36.01	8.25	32.30
RMS	7.1018G	117.18	Inf	-Inf	105.22	3	Vertical	350.9	1.41	-	36.01	8.25	32.30
PK	7.1424G	79.29	88.20	-8.91	67.11	3	Vertical	350.9	1.41	-	36.25	8.29	32.36
RMS	7.125G	65.42	68.20	-2.78	53.34	3	Vertical	350.9	1.41	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 06-K-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0876G	121.61	Inf	-Inf	109.71	3	Horizontal	356	1.88	-	35.95	8.23	32.28
RMS	7.0874G	114.38	Inf	-Inf	102.48	3	Horizontal	356	1.88	-	35.95	8.23	32.28
PK	7.1256G	83.59	88.20	-4.61	71.51	3	Horizontal	356	1.88	-	36.15	8.27	32.34
RMS	7.1266G	68.14	68.20	-0.06	56.05	3	Horizontal	356	1.88	-	36.16	8.27	32.34

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 98  
06-K-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.18637G	62.98	88.20	-25.22	52.62	3	Vertical	154	1.66	-	40.97	11.81	42.42
RMS	14.18862G	50.83	68.20	-17.37	40.45	3	Vertical	154	1.66	-	40.98	11.81	42.41

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 06-K-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18967G	61.28	88.20	-26.92	50.90	3	Horizontal	126	2.79	-	40.98	11.81	42.41
RMS	14.18877G	49.72	68.20	-18.48	39.34	3	Horizontal	126	2.79	-	40.98	11.81	42.41



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	81.08	88.20	-7.12	72.70	3	Vertical	73	1.80	-	32.54	7.44	31.60
RMS	5.9244G	67.86	68.20	-0.34	59.47	3	Vertical	73	1.80	-	32.55	7.44	31.60
PK	5.962G	126.83	Inf	-Inf	118.41	3	Vertical	73	1.80	-	32.58	7.45	31.61
RMS	5.9638G	117.00	Inf	-Inf	108.58	3	Vertical	73	1.80	-	32.57	7.46	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 104  
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	82.00	88.20	-6.20	73.61	3	Horizontal	359.9	1.75	-	32.55	7.44	31.60
RMS	5.9246G	66.32	68.20	-1.88	57.93	3	Horizontal	359.9	1.75	-	32.55	7.44	31.60
PK	5.9622G	123.67	Inf	-Inf	115.25	3	Horizontal	359.9	1.75	-	32.58	7.45	31.61
RMS	5.9638G	115.02	Inf	-Inf	106.60	3	Horizontal	359.9	1.75	-	32.57	7.46	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9235G	55.29	74.00	-18.71	49.00	3	Vertical	115	1.58	-	38.75	10.77	43.23
AV	11.9229G	42.24	54.00	-11.76	35.95	3	Vertical	115	1.58	-	38.75	10.77	43.23
PK	17.87835G	64.30	74.00	-9.70	44.30	3	Vertical	218	2.18	-	47.86	13.52	41.38
AV	17.87931G	50.96	54.00	-3.04	30.92	3	Vertical	218	2.18	-	47.90	13.52	41.38

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 104  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92482G	55.20	74.00	-18.80	48.91	3	Horizontal	318	1.26	-	38.75	10.77	43.23
AV	11.92374G	42.26	54.00	-11.74	35.97	3	Horizontal	318	1.26	-	38.75	10.77	43.23
PK	17.87847G	64.32	74.00	-9.68	44.31	3	Horizontal	279	2.30	-	47.87	13.52	41.38
AV	17.87925G	51.13	54.00	-2.87	31.10	3	Horizontal	279	2.30	-	47.89	13.52	41.38

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39056G	55.02	74.00	-18.98	48.28	3	Vertical	4	1.08	-	38.92	10.99	43.17
AV	12.38612G	42.08	54.00	-11.92	35.33	3	Vertical	4	1.08	-	38.93	10.99	43.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38846G	55.22	74.00	-18.78	48.48	3	Horizontal	197	2.12	-	38.92	10.99	43.17
AV	12.38822G	42.16	54.00	-11.84	35.42	3	Horizontal	197	2.12	-	38.92	10.99	43.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5823G	70.19	83.54	-13.35	66.84	1	Vertical	340	1.50	-	37.70	15.27	49.62
AV	18.5812G	56.15	63.54	-7.39	52.80	1	Vertical	340	1.50	-	37.70	15.27	49.62

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5969G	72.30	83.54	-11.24	68.94	1	Horizontal	149	1.50	-	37.70	15.27	49.61
AV	18.5911G	58.12	63.54	-5.42	54.77	1	Horizontal	149	1.50	-	37.70	15.27	49.62



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82884G	56.08	88.20	-32.12	48.35	3	Vertical	314	2.50	-	39.36	11.19	42.82
RMS	12.83191G	42.50	68.20	-25.70	34.77	3	Vertical	314	2.50	-	39.36	11.19	42.82

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8317G	56.27	88.20	-31.93	48.54	3	Horizontal	37	1.27	-	39.36	11.19	42.82
RMS	12.83252G	42.52	68.20	-25.68	34.78	3	Horizontal	37	1.27	-	39.37	11.19	42.82

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2331G	65.57	83.54	-17.97	61.90	1	Vertical	217	1.52	-	37.93	15.24	49.50
AV	19.2369G	50.10	63.54	-13.44	46.43	1	Vertical	217	1.52	-	37.93	15.24	49.50

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2357G	64.44	83.54	-19.10	60.77	1	Horizontal	260	2.88	-	37.93	15.24	49.50
AV	19.2379G	50.07	63.54	-13.47	46.41	1	Horizontal	260	2.88	-	37.92	15.24	49.50

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87888G	56.43	88.20	-31.77	48.53	3	Vertical	154	1.75	-	39.46	11.21	42.77
RMS	12.87526G	43.49	68.20	-24.71	35.60	3	Vertical	154	1.75	-	39.45	11.21	42.77

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86692G	56.45	88.20	-31.75	48.60	3	Horizontal	202	1.77	-	39.43	11.20	42.78
RMS	12.8654G	43.45	68.20	-24.75	35.60	3	Horizontal	202	1.77	-	39.43	11.20	42.78

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.295G	70.05	83.54	-13.49	66.36	1	Vertical	30	2.00	-	37.99	15.24	49.54
AV	19.3138G	56.39	63.54	-7.15	52.77	1	Vertical	30	2.00	-	37.94	15.23	49.55

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3214G	72.38	83.54	-11.16	68.80	1	Horizontal	94	1.35	-	37.91	15.23	49.56
AV	19.3254G	58.34	63.54	-5.20	54.77	1	Horizontal	94	1.35	-	37.90	15.23	49.56



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95008G	57.25	88.20	-30.95	49.21	3	Vertical	73	1.49	-	39.50	11.24	42.70
RMS	12.95508G	43.17	68.20	-25.03	35.12	3	Vertical	73	1.49	-	39.50	11.24	42.69

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95262G	55.96	88.20	-32.24	47.92	3	Horizontal	299	1.44	-	39.50	11.24	42.70
RMS	12.95464G	43.18	68.20	-25.02	35.14	3	Horizontal	299	1.44	-	39.50	11.24	42.70

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3912G	70.19	83.54	-13.35	66.61	1	Vertical	150	2.89	-	37.96	15.23	49.61
AV	19.3766G	54.03	63.54	-9.51	50.49	1	Vertical	150	2.89	-	37.91	15.23	49.60

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3868G	72.41	83.54	-11.13	68.83	1	Horizontal	206	1.79	-	37.95	15.23	49.60
AV	19.3922G	56.88	63.54	-6.66	53.29	1	Horizontal	206	1.79	-	37.97	15.23	49.61

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03138G	57.33	88.20	-30.87	49.27	3	Vertical	148	2.05	-	39.44	11.28	42.66			
RMS	13.02162G	44.00	68.20	-24.20	35.92	3	Vertical	148	2.05	-	39.46	11.27	42.65			

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03004G	58.30	88.20	-29.90	50.24	3	Horizontal	254	2.52	-	39.44	11.28	42.66
RMS	13.0266G	43.93	68.20	-24.27	35.86	3	Horizontal	254	2.52	-	39.45	11.28	42.66

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5776G	70.88	83.54	-12.66	67.35	1	Vertical	157	1.38	-	37.93	15.22	49.62
AV	19.5277G	54.86	63.54	-8.68	51.24	1	Vertical	157	1.38	-	38.06	15.22	49.66

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5493G	72.29	83.54	-11.25	68.61	1	Horizontal	84	1.72	-	38.10	15.22	49.64
AV	19.5322G	56.87	63.54	-6.67	53.24	1	Horizontal	84	1.72	-	38.06	15.22	49.65



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07437G	57.42	88.20	-30.78	49.39	3	Vertical	329	1.15	-	39.40	11.30	42.67
RMS	13.06828G	44.08	68.20	-24.12	36.05	3	Vertical	329	1.15	-	39.40	11.30	42.67

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0732G	57.27	88.20	-30.93	49.24	3	Horizontal	172	2.33	-	39.40	11.30	42.67
RMS	13.07082G	44.29	68.20	-23.91	36.26	3	Horizontal	172	2.33	-	39.40	11.30	42.67

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6382G	70.07	83.54	-13.47	66.39	1	Vertical	69	1.11	-	38.03	15.22	49.57
AV	19.6462G	54.08	63.54	-9.46	50.34	1	Vertical	69	1.11	-	38.08	15.22	49.56

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5784G	72.38	83.54	-11.16	68.85	1	Horizontal	290	1.44	-	37.93	15.22	49.62
AV	19.6539G	56.23	63.54	-7.31	52.48	1	Horizontal	290	1.44	-	38.08	15.22	49.55

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38847G	58.12	74.00	-15.88	49.17	3	Vertical	359	1.76	-	40.25	11.44	42.74
AV	13.39364G	44.89	54.00	-9.11	35.92	3	Vertical	359	1.76	-	40.27	11.44	42.74

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39283G	58.61	74.00	-15.39	49.64	3	Horizontal	273	1.81	-	40.27	11.44	42.74
AV	13.38869G	44.87	54.00	-9.13	35.92	3	Horizontal	273	1.81	-	40.25	11.44	42.74

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0492G	70.81	83.54	-12.73	67.13	1	Vertical	347	1.04	-	37.70	15.24	49.26
AV	20.106G	54.89	63.54	-8.65	50.99	1	Vertical	347	1.04	-	37.86	15.28	49.24

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0416G	72.16	83.54	-11.38	68.47	1	Horizontal	235	1.20	-	37.72	15.23	49.26
AV	20.1341G	56.97	63.54	-6.57	53.20	1	Horizontal	235	1.20	-	37.70	15.31	49.24



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75377G	58.77	88.20	-29.43	49.09	3	Vertical	205	2.92	-	40.68	11.61	42.61
RMS	13.75175G	45.43	68.20	-22.77	35.74	3	Vertical	205	2.92	-	40.69	11.61	42.61

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74766G	58.93	88.20	-29.27	49.24	3	Horizontal	148	2.63	-	40.69	11.61	42.61
RMS	13.74709G	45.39	68.20	-22.81	35.72	3	Horizontal	148	2.63	-	40.68	11.60	42.61

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6307G	70.10	83.54	-13.44	65.53	1	Vertical	15	2.63	-	37.94	15.70	49.07
AV	20.6323G	54.03	63.54	-9.51	49.45	1	Vertical	15	2.63	-	37.94	15.71	49.07

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6632G	72.66	83.54	-10.88	68.09	1	Horizontal	119	1.33	-	37.90	15.73	49.06
AV	20.6362G	56.84	63.54	-6.70	52.27	1	Horizontal	119	1.33	-	37.93	15.71	49.07

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79189G	58.28	88.20	-29.92	48.70	3	Vertical	227	2.57	-	40.53	11.63	42.58
RMS	13.78808G	44.90	68.20	-23.30	35.32	3	Vertical	227	2.57	-	40.55	11.62	42.59

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79226G	58.43	88.20	-29.77	48.85	3	Horizontal	296	1.02	-	40.53	11.63	42.58
RMS	13.79381G	44.90	68.20	-23.30	35.33	3	Horizontal	296	1.02	-	40.52	11.63	42.58

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6846G	68.42	83.54	-15.12	63.81	1	Vertical	222	1.54	-	37.90	15.75	49.04
AV	20.6867G	53.15	63.54	-10.39	48.54	1	Vertical	222	1.54	-	37.90	15.75	49.04

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6889G	69.73	83.54	-13.81	65.12	1	Horizontal	135	1.50	-	37.90	15.75	49.04
AV	20.6898G	56.20	63.54	-7.34	51.59	1	Horizontal	135	1.50	-	37.90	15.75	49.04



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99216G	59.16	88.20	-29.04	49.03	3	Vertical	80	1.86	-	40.87	11.72	42.46
RMS	13.99317G	46.18	68.20	-22.02	36.05	3	Vertical	80	1.86	-	40.87	11.72	42.46

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98531G	59.47	88.20	-28.73	49.39	3	Horizontal	357	1.69	-	40.84	11.71	42.47
RMS	13.99168G	46.32	68.20	-21.88	36.19	3	Horizontal	357	1.69	-	40.87	11.72	42.46

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
 Setting 95  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0014G	71.18	83.54	-12.36	66.15	1	Vertical	122.9	1.50	-	37.91	16.00	48.88
AV	21.0002G	57.29	63.54	-6.25	52.27	1	Vertical	122.9	1.50	-	37.90	16.00	48.88

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9944G	76.45	83.54	-7.09	71.41	1	Horizontal	306	1.50	-	37.92	16.00	48.88
AV	20.9874G	61.25	63.54	-2.29	56.20	1	Horizontal	306	1.50	-	37.95	15.99	48.89

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 100  
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	126.58	Inf	-Inf	114.66	3	Vertical	169	1.53	-	35.97	8.24	32.29
RMS	7.0928G	116.17	Inf	-Inf	104.25	3	Vertical	169	1.53	-	35.97	8.24	32.29
PK	7.1282G	81.29	88.20	-6.91	69.19	3	Vertical	169	1.53	-	36.17	8.27	32.34
RMS	7.125G	68.18	68.20	-0.02	56.10	3	Vertical	169	1.53	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting  
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0882G	124.66	Inf	-Inf	112.77	3	Horizontal	359.9	1.80	-	35.95	8.23	32.29
RMS	7.0902G	110.86	Inf	-Inf	98.95	3	Horizontal	359.9	1.80	-	35.96	8.24	32.29
PK	7.129G	86.50	88.20	-1.70	74.40	3	Horizontal	359.9	1.80	-	36.17	8.27	32.34
RMS	7.1262G	66.92	68.20	-1.28	54.83	3	Horizontal	359.9	1.80	-	36.16	8.27	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19496G	60.06	88.20	-28.14	49.67	3	Vertical	85	2.51	-	40.99	11.81	42.41
RMS	14.19412G	46.28	68.20	-21.92	35.89	3	Vertical	85	2.51	-	40.99	11.81	42.41

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 100  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18662G	59.91	88.20	-28.29	49.55	3	Horizontal	343	1.42	-	40.97	11.81	42.42
RMS	14.195G	46.34	68.20	-21.86	35.95	3	Horizontal	343	1.42	-	40.99	11.81	42.41



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
 Setting 100  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2928G	71.29	83.54	-12.25	65.56	1	Vertical	144.2	1.50	-	38.34	16.23	48.84
AV	21.2858G	58.06	63.54	-5.48	52.39	1	Vertical	144.2	1.50	-	38.29	16.23	48.85

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
 Setting 100  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2802G	75.18	83.54	-8.36	69.57	1	Horizontal	116.1	1.50	-	38.24	16.22	48.85
AV	21.2852G	61.25	63.54	-2.29	55.59	1	Horizontal	116.1	1.50	-	38.28	16.23	48.85

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 88  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	78.55	88.20	-9.65	69.94	3	Vertical	256	1.33	-	34.00	5.77	31.16
RMS	5.925G	63.11	68.20	-5.09	54.50	3	Vertical	256	1.33	-	34.00	5.77	31.16
PK	5.975G	119.63	Inf	-Inf	111.04	3	Vertical	256	1.33	-	33.95	5.82	31.18
RMS	5.9744G	109.68	Inf	-Inf	101.09	3	Vertical	256	1.33	-	33.95	5.82	31.18

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 88  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	82.32	88.20	-5.88	73.71	3	Horizontal	223	1.66	-	34.00	5.77	31.16
RMS	5.925G	67.74	68.20	-0.46	59.13	3	Horizontal	223	1.66	-	34.00	5.77	31.16
PK	5.9672G	120.49	Inf	-Inf	111.88	3	Horizontal	223	1.66	-	33.97	5.81	31.17
RMS	5.9676G	109.44	Inf	-Inf	100.85	3	Horizontal	223	1.66	-	33.96	5.81	31.18

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 88  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8946G	54.72	74.00	-19.28	39.10	3	Vertical	328	1.80	-	38.39	8.70	31.47
AV	11.9296G	41.67	54.00	-12.33	25.89	3	Vertical	328	1.80	-	38.46	8.72	31.40
PK	17.90859G	64.82	74.00	-9.18	42.21	3	Vertical	95	1.00	-	43.39	11.61	32.39
AV	17.90718G	50.36	54.00	-3.64	27.77	3	Vertical	95	1.00	-	43.37	11.61	32.39

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 88  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92508G	54.41	74.00	-19.59	38.66	3	Horizontal	216	1.80	-	38.45	8.71	31.41
AV	11.91923G	41.56	54.00	-12.44	25.83	3	Horizontal	216	1.80	-	38.44	8.71	31.42
PK	17.90889G	63.71	74.00	-10.29	41.10	3	Horizontal	297	1.80	-	43.39	11.61	32.39
AV	17.90877G	50.21	54.00	-3.79	27.60	3	Horizontal	297	1.80	-	43.39	11.61	32.39

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42125G	55.50	74.00	-18.50	39.26	3	Vertical	233	2.71	-	38.60	8.94	31.30
AV	12.4124G	42.10	54.00	-11.90	25.87	3	Vertical	233	2.71	-	38.60	8.93	31.30

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41288G	56.14	74.00	-17.86	39.91	3	Horizontal	213	1.80	-	38.60	8.93	31.30
AV	12.42245G	42.13	54.00	-11.87	25.89	3	Horizontal	213	1.80	-	38.60	8.94	31.30



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6488G	73.06	83.54	-10.48	69.57	1	Vertical	323	1.48	-	37.80	15.27	49.58
AV	18.6448G	57.69	63.54	-5.85	54.21	1	Vertical	323	1.48	-	37.79	15.27	49.58

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6476G	74.57	83.54	-8.97	71.08	1	Horizontal	155	2.20	-	37.80	15.27	49.58
AV	18.6455G	59.76	63.54	-3.78	56.28	1	Horizontal	155	2.20	-	37.79	15.27	49.58

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80682G	56.06	88.20	-32.14	38.89	3	Vertical	1	1.80	-	39.61	9.12	31.56
RMS	12.82227G	42.48	68.20	-25.72	25.29	3	Vertical	1	1.80	-	39.64	9.12	31.57

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81111G	56.41	88.20	-31.79	39.23	3	Horizontal	360	3.00	-	39.62	9.12	31.56
RMS	12.82245G	42.51	68.20	-25.69	25.32	3	Horizontal	360	3.00	-	39.64	9.12	31.57

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1933G	63.65	83.54	-19.89	59.92	1	Vertical	215.6	1.50	-	37.96	15.24	49.47
AV	19.2137G	47.58	63.54	-15.96	43.86	1	Vertical	215.6	1.50	-	37.97	15.24	49.49

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1765G	62.57	83.54	-20.97	58.93	1	Horizontal	247	1.50	-	37.86	15.24	49.46
AV	19.2206G	46.56	63.54	-16.98	42.85	1	Horizontal	247	1.50	-	37.96	15.24	49.49

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88961G	57.51	88.20	-30.69	40.21	3	Vertical	35	2.18	-	39.78	9.15	31.63
RMS	12.905G	43.52	68.20	-24.68	26.18	3	Vertical	35	2.18	-	39.82	9.16	31.64

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89702G	57.37	88.20	-30.83	40.05	3	Horizontal	138	1.80	-	39.79	9.16	31.63
RMS	12.89987G	43.49	68.20	-24.71	26.17	3	Horizontal	138	1.80	-	39.80	9.16	31.64



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3011G	62.89	83.54	-20.65	59.20	1	Vertical	209	2.13	-	38.00	15.23	49.54
AV	19.2987G	43.96	63.54	-19.58	40.26	1	Vertical	209	2.13	-	38.00	15.24	49.54

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3617G	62.08	83.54	-21.46	58.59	1	Horizontal	106	1.50	-	37.85	15.23	49.59
AV	19.3545G	46.62	63.54	-16.92	43.15	1	Horizontal	106	1.50	-	37.82	15.23	49.58

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97477G	57.55	88.20	-30.65	40.11	3	Vertical	350	2.39	-	39.95	9.19	31.70
RMS	12.9556G	43.66	68.20	-24.54	26.17	3	Vertical	350	2.39	-	39.99	9.18	31.68

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96634G	57.22	88.20	-30.98	39.75	3	Horizontal	166	1.28	-	39.97	9.19	31.69
RMS	12.95728G	43.61	68.20	-24.59	26.11	3	Horizontal	166	1.28	-	39.99	9.19	31.68

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4556G	65.86	83.54	-17.68	62.46	1	Vertical	226	1.63	-	37.82	15.23	49.65
AV	19.4482G	49.15	63.54	-14.39	45.75	1	Vertical	226	1.63	-	37.81	15.23	49.64

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4669G	64.88	83.54	-18.66	61.44	1	Horizontal	309	1.50	-	37.87	15.23	49.66
AV	19.4659G	51.06	63.54	-12.48	47.63	1	Horizontal	309	1.50	-	37.86	15.23	49.66

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05072G	56.73	88.20	-31.47	39.67	3	Vertical	148	1.84	-	39.60	9.23	31.77
RMS	13.03623G	43.23	68.20	-24.97	26.09	3	Vertical	148	1.84	-	39.68	9.22	31.76

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03662G	57.07	88.20	-31.13	39.93	3	Horizontal	113	1.80	-	39.68	9.22	31.76
RMS	13.03635G	43.20	68.20	-25.00	26.06	3	Horizontal	113	1.80	-	39.68	9.22	31.76



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5601G	62.08	83.54	-21.46	58.45	1	Vertical	36	1.50	-	38.04	15.22	49.63
AV	19.5567G	47.04	63.54	-16.50	43.39	1	Vertical	36	1.50	-	38.06	15.22	49.63

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5404G	62.07	83.54	-21.47	58.42	1	Horizontal	171.9	1.50	-	38.08	15.22	49.65
AV	19.5673G	44.84	63.54	-18.70	41.24	1	Horizontal	171.9	1.50	-	38.00	15.22	49.62

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13031G	61.56	88.20	-26.64	43.36	3	Vertical	220	2.19	-	39.58	11.32	32.70
RMS	13.13009G	47.69	68.20	-20.51	29.49	3	Vertical	220	2.19	-	39.58	11.32	32.70

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1296G	61.59	88.20	-26.61	43.39	3	Horizontal	42	2.43	-	39.58	11.32	32.70
RMS	13.13014G	47.65	68.20	-20.55	29.45	3	Horizontal	42	2.43	-	39.58	11.32	32.70

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6943G	61.50	83.54	-22.04	57.97	1	Vertical	60	1.48	-	37.83	15.22	49.52
AV	19.6942G	46.96	63.54	-16.58	43.43	1	Vertical	60	1.48	-	37.83	15.22	49.52

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6664G	58.68	83.54	-24.86	55.00	1	Horizontal	112	1.66	-	38.00	15.22	49.54
AV	19.7029G	42.59	63.54	-20.95	39.08	1	Horizontal	112	1.66	-	37.81	15.21	49.51

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37042G	58.31	74.00	-15.69	39.64	3	Vertical	265	1.44	-	40.18	11.43	32.94
AV	13.36968G	44.23	54.00	-9.77	25.56	3	Vertical	265	1.44	-	40.18	11.43	32.94

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36961G	57.73	74.00	-16.27	39.06	3	Horizontal	216	1.58	-	40.18	11.43	32.94
AV	13.3698G	44.14	54.00	-9.86	25.47	3	Horizontal	216	1.58	-	40.18	11.43	32.94



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.019G	56.77	83.54	-26.77	53.06	1	Vertical	174	1.52	-	37.76	15.22	49.27
AV	20.0395G	40.22	63.54	-23.32	36.53	1	Vertical	174	1.52	-	37.72	15.23	49.26

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0678G	55.50	83.54	-28.04	51.73	1	Horizontal	157.5	1.50	-	37.77	15.25	49.25
AV	20.0486G	40.71	63.54	-22.83	37.03	1	Horizontal	157.5	1.50	-	37.70	15.24	49.26

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76984G	64.77	88.20	-23.43	45.20	3	Vertical	124	2.10	-	40.62	11.62	32.67
RMS	13.77008G	50.55	68.20	-17.65	30.98	3	Vertical	124	2.10	-	40.62	11.62	32.67

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77028G	63.30	88.20	-24.90	43.73	3	Horizontal	135	2.62	-	40.62	11.62	32.67
RMS	13.77003G	50.47	68.20	-17.73	30.90	3	Horizontal	135	2.62	-	40.62	11.62	32.67

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6228G	66.55	83.54	-16.99	61.98	1	Vertical	63	1.50	-	37.95	15.70	49.08
AV	20.6351G	51.16	63.54	-12.38	46.59	1	Vertical	63	1.50	-	37.93	15.71	49.07

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6134G	67.77	83.54	-15.77	63.19	1	Horizontal	305	1.48	-	37.97	15.69	49.08
AV	20.6507G	52.14	63.54	-11.40	47.58	1	Horizontal	305	1.48	-	37.90	15.72	49.06

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84978G	63.93	88.20	-24.27	44.43	3	Vertical	53	2.67	-	40.40	11.65	32.55
RMS	13.8497G	50.87	68.20	-17.33	31.37	3	Vertical	53	2.67	-	40.40	11.65	32.55

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85016G	63.79	88.20	-24.41	44.29	3	Horizontal	149	1.10	-	40.40	11.65	32.55
RMS	13.85003G	50.50	68.20	-17.70	31.00	3	Horizontal	149	1.10	-	40.40	11.65	32.55



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7769G	68.97	83.54	-14.57	64.13	1	Vertical	134	1.49	-	38.02	15.82	49.00
AV	20.771G	55.00	63.54	-8.54	50.21	1	Vertical	134	1.49	-	37.97	15.82	49.00

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7666G	67.41	83.54	-16.13	62.67	1	Horizontal	141	1.55	-	37.93	15.81	49.00
AV	20.7753G	51.21	63.54	-12.33	46.39	1	Horizontal	141	1.55	-	38.00	15.82	49.00

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0138G	72.70	83.54	-10.84	67.53	1	Vertical	235	1.49	-	38.04	16.01	48.88
AV	21.0164G	58.49	63.54	-5.05	53.30	1	Vertical	235	1.49	-	38.06	16.01	48.88

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.031G	70.57	83.54	-12.97	65.22	1	Horizontal	48	1.50	-	38.21	16.02	48.88
AV	21.0214G	55.95	63.54	-7.59	50.70	1	Horizontal	48	1.50	-	38.11	16.02	48.88

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
 Setting 85  
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0976G	121.86	Inf	-Inf	109.93	3	Vertical	168	1.63	-	35.99	8.24	32.30
RMS	7.0988G	111.61	Inf	-Inf	99.67	3	Vertical	168	1.63	-	36.00	8.24	32.30
PK	7.1264G	86.89	88.20	-1.31	74.80	3	Vertical	168	1.63	-	36.16	8.27	32.34
RMS	7.1252G	67.56	68.20	-0.64	55.48	3	Vertical	168	1.63	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 85  
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0676G	121.50	Inf	-Inf	109.68	3	Horizontal	338	1.97	-	35.87	8.21	32.26
RMS	7.0715G	110.64	Inf	-Inf	98.79	3	Horizontal	338	1.97	-	35.89	8.22	32.26
PK	7.1288G	80.87	88.20	-7.33	68.77	3	Horizontal	338	1.97	-	36.17	8.27	32.34
RMS	7.1255G	63.72	68.20	-4.48	51.64	3	Horizontal	338	1.97	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 85  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17232G	59.31	88.20	-28.89	48.99	3	Vertical	196	2.12	-	40.94	11.80	42.42
RMS	14.166G	45.99	68.20	-22.21	35.68	3	Vertical	196	2.12	-	40.93	11.80	42.42

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 85  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16726G	59.70	88.20	-28.50	49.39	3	Horizontal	305	1.05	-	40.93	11.80	42.42
RMS	14.17248G	45.96	68.20	-22.24	35.64	3	Horizontal	305	1.05	-	40.94	11.80	42.42



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 85  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2326G	64.87	83.54	-18.67	59.53	1	Vertical	232	1.50	-	38.00	16.19	48.85
AV	21.2442G	48.97	63.54	-14.57	43.62	1	Vertical	232	1.50	-	38.00	16.20	48.85

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 85  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.271G	68.50	83.54	-15.04	62.96	1	Horizontal	68	1.54	-	38.17	16.22	48.85
AV	21.2634G	51.52	63.54	-12.02	46.05	1	Horizontal	68	1.54	-	38.11	16.21	48.85

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	84.38	88.20	-3.82	75.99	3	Vertical	66	1.65	-	32.55	7.44	31.60
RMS	5.9242G	68.17	68.20	-0.03	59.78	3	Vertical	66	1.65	-	32.55	7.44	31.60
PK	5.9922G	118.99	Inf	-Inf	110.61	3	Vertical	66	1.65	-	32.52	7.47	31.61
RMS	5.9942G	108.76	Inf	-Inf	100.39	3	Vertical	66	1.65	-	32.51	7.47	31.61

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	81.37	88.20	-6.83	72.98	3	Horizontal	227	1.51	-	32.55	7.44	31.60
RMS	5.9242G	63.79	68.20	-4.41	55.40	3	Horizontal	227	1.51	-	32.55	7.44	31.60
PK	5.9674G	117.24	Inf	-Inf	108.82	3	Horizontal	227	1.51	-	32.57	7.46	31.61
RMS	5.9694G	106.61	Inf	-Inf	98.20	3	Horizontal	227	1.51	-	32.56	7.46	31.61

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97001G	49.02	74.00	-24.98	42.52	3	Vertical	137	1.44	-	38.92	10.80	43.22
AV	11.96969G	35.49	54.00	-18.51	28.99	3	Vertical	137	1.44	-	38.92	10.80	43.22
PK	17.95516G	63.04	74.00	-10.96	40.37	3	Vertical	336	1.08	-	50.38	13.55	41.26
AV	17.95529G	49.45	54.00	-4.55	26.77	3	Vertical	336	1.08	-	50.39	13.55	41.26

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 84  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97022G	48.79	74.00	-25.21	42.29	3	Horizontal	5	1.74	-	38.92	10.80	43.22
AV	11.9705G	35.52	54.00	-18.48	29.02	3	Horizontal	5	1.74	-	38.92	10.80	43.22
PK	17.95462G	63.23	74.00	-10.77	40.59	3	Horizontal	329	1.00	-	50.35	13.55	41.26
AV	17.955G	49.19	54.00	-4.81	26.53	3	Horizontal	329	1.00	-	50.37	13.55	41.26

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8598G	58.14	83.54	-25.40	49.14	1	Vertical	125	1.50	-	38.80	17.36	47.16
AV	23.8274G	44.00	63.54	-19.54	34.89	1	Vertical	125	1.50	-	38.94	17.35	47.18

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8598G	68.53	83.54	-15.01	59.53	1	Horizontal	68	1.50	-	38.80	17.36	47.16
AV	23.8488G	47.77	63.54	-15.77	38.78	1	Horizontal	68	1.50	-	38.81	17.35	47.17



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.644G	72.41	83.54	-11.13	68.93	1	Vertical	320	1.49	-	37.79	15.27	49.58
AV	18.6492G	58.44	63.54	-5.10	54.95	1	Vertical	320	1.49	-	37.80	15.27	49.58

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6516G	73.59	83.54	-9.95	70.11	1	Horizontal	156	1.50	-	37.79	15.27	49.58
AV	18.6494G	59.11	63.54	-4.43	55.62	1	Horizontal	156	1.50	-	37.80	15.27	49.58

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76967G	60.66	88.20	-27.54	42.92	3	Vertical	107	2.65	-	39.12	11.16	32.54
RMS	12.76997G	46.68	68.20	-21.52	28.94	3	Vertical	107	2.65	-	39.12	11.16	32.54

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77007G	59.72	88.20	-28.48	41.98	3	Horizontal	291	2.44	-	39.12	11.16	32.54
RMS	12.76956G	46.54	68.20	-21.66	28.80	3	Horizontal	291	2.44	-	39.12	11.16	32.54

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0768G	62.89	83.54	-20.65	59.13	1	Vertical	217	1.50	-	37.90	15.25	49.39
AV	19.1106G	47.15	63.54	-16.39	43.47	1	Vertical	217	1.50	-	37.86	15.24	49.42

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0614G	63.28	83.54	-20.26	59.51	1	Horizontal	310	1.50	-	37.90	15.25	49.38
AV	19.0608G	46.19	63.54	-17.35	42.42	1	Horizontal	310	1.50	-	37.90	15.25	49.38

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93006G	60.77	88.20	-27.43	42.60	3	Vertical	348	2.95	-	39.50	11.23	32.56
RMS	12.92983G	47.15	68.20	-21.05	28.98	3	Vertical	348	2.95	-	39.50	11.23	32.56

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93037G	60.53	88.20	-27.67	42.36	3	Horizontal	12	1.77	-	39.50	11.23	32.56
RMS	12.93027G	47.08	68.20	-21.12	28.91	3	Horizontal	12	1.77	-	39.50	11.23	32.56



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3984G	61.90	83.54	-21.64	58.29	1	Vertical	225.5	1.63	-	37.99	15.23	49.61
AV	19.3924G	47.42	63.54	-16.12	43.83	1	Vertical	225.5	1.63	-	37.97	15.23	49.61

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4442G	58.97	83.54	-24.57	55.56	1	Horizontal	312	1.50	-	37.82	15.23	49.64
AV	19.444G	45.22	63.54	-18.32	41.81	1	Horizontal	312	1.50	-	37.82	15.23	49.64

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08975G	60.75	88.20	-27.45	42.70	3	Vertical	89	2.99	-	39.40	11.31	32.66
RMS	13.09048G	47.69	68.20	-20.51	29.64	3	Vertical	89	2.99	-	39.40	11.31	32.66

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09048G	60.54	88.20	-27.66	42.49	3	Horizontal	326	3.00	-	39.40	11.31	32.66
RMS	13.09029G	46.94	68.20	-21.26	28.89	3	Horizontal	326	3.00	-	39.40	11.31	32.66

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.564G	59.44	83.54	-24.10	55.83	1	Vertical	218	1.50	-	38.02	15.22	49.63
AV	19.568G	42.27	63.54	-21.27	38.68	1	Vertical	218	1.50	-	37.99	15.22	49.62

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5512G	56.20	83.54	-27.34	52.53	1	Horizontal	152	1.50	-	38.09	15.22	49.64
AV	19.6034G	40.43	63.54	-23.11	36.99	1	Horizontal	152	1.50	-	37.82	15.22	49.60

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25022G	60.28	74.00	-13.72	41.92	3	Vertical	166	1.35	-	39.80	11.38	32.82
AV	13.25053G	46.74	54.00	-7.26	28.38	3	Vertical	166	1.35	-	39.80	11.38	32.82

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25015G	60.05	74.00	-13.95	41.69	3	Horizontal	200	1.59	-	39.80	11.38	32.82
AV	13.25024G	46.65	54.00	-7.35	28.29	3	Horizontal	200	1.59	-	39.80	11.38	32.82



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8766G	50.62	83.54	-32.92	47.02	1	Vertical	188	1.52	-	37.76	15.21	49.37
AV	19.8628G	37.44	63.54	-26.10	33.93	1	Vertical	188	1.52	-	37.68	15.21	49.38

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8706G	50.84	83.54	-32.70	47.29	1	Horizontal	236	1.50	-	37.72	15.21	49.38
AV	19.8408G	37.03	63.54	-26.51	33.53	1	Horizontal	236	1.50	-	37.69	15.21	49.40

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41023G	61.31	88.20	-26.89	42.54	3	Vertical	320	2.51	-	40.30	11.45	32.98
RMS	13.41G	48.57	68.20	-19.63	29.80	3	Vertical	320	2.51	-	40.30	11.45	32.98

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40965G	61.55	88.20	-26.65	42.78	3	Horizontal	35	1.93	-	40.30	11.45	32.98
RMS	13.4105G	48.03	68.20	-20.17	29.26	3	Horizontal	35	1.93	-	40.30	11.45	32.98

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1624G	53.02	83.54	-30.52	49.25	1	Vertical	192	1.81	-	37.67	15.33	49.23
AV	20.1644G	39.90	63.54	-23.64	36.11	1	Vertical	192	1.81	-	37.69	15.33	49.23

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1074G	51.70	83.54	-31.84	47.79	1	Horizontal	231	1.50	-	37.86	15.29	49.24
AV	20.1302G	37.82	63.54	-25.72	34.04	1	Horizontal	231	1.50	-	37.72	15.30	49.24

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5696G	61.84	88.20	-26.36	42.73	3	Vertical	184	2.71	-	40.56	11.52	32.97
RMS	13.57023G	48.87	68.20	-19.33	29.76	3	Vertical	184	2.71	-	40.56	11.52	32.97

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56963G	61.64	88.20	-26.56	42.53	3	Horizontal	187	1.38	-	40.56	11.52	32.97
RMS	13.57046G	48.41	68.20	-19.79	29.30	3	Horizontal	187	1.38	-	40.56	11.52	32.97



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4026G	51.98	83.54	-31.56	47.63	1	Vertical	226	1.56	-	38.00	15.52	49.17
AV	20.3256G	38.05	63.54	-25.49	33.63	1	Vertical	226	1.56	-	38.15	15.46	49.19

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.404G	53.80	83.54	-29.74	49.44	1	Horizontal	132	1.51	-	38.00	15.52	49.16
AV	20.3246G	39.39	63.54	-24.15	34.97	1	Horizontal	132	1.51	-	38.15	15.46	49.19

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73019G	64.51	88.20	-23.69	45.06	3	Vertical	141	2.94	-	40.58	11.60	32.73
RMS	13.72964G	50.67	68.20	-17.53	31.22	3	Vertical	141	2.94	-	40.58	11.60	32.73

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72986G	63.73	88.20	-24.47	44.28	3	Horizontal	347	2.11	-	40.58	11.60	32.73
RMS	13.72966G	50.41	68.20	-17.79	30.96	3	Horizontal	347	2.11	-	40.58	11.60	32.73

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6334G	63.72	83.54	-19.82	59.15	1	Vertical	229	1.50	-	37.93	15.71	49.07
AV	20.6018G	48.97	63.54	-14.57	44.38	1	Vertical	229	1.50	-	38.00	15.68	49.09

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5984G	66.66	83.54	-16.88	62.07	1	Horizontal	305	1.50	-	38.00	15.68	49.09
AV	20.6016G	51.71	63.54	-11.83	47.12	1	Horizontal	305	1.50	-	38.00	15.68	49.09

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88959G	63.90	88.20	-24.30	44.08	3	Vertical	120	1.32	-	40.64	11.67	32.49
RMS	13.89009G	50.62	68.20	-17.58	30.80	3	Vertical	120	1.32	-	40.64	11.67	32.49

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88997G	64.19	88.20	-24.01	44.37	3	Horizontal	291	1.71	-	40.64	11.67	32.49
RMS	13.89G	50.30	68.20	-17.90	30.48	3	Horizontal	291	1.71	-	40.64	11.67	32.49



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.869G	65.68	83.54	-17.86	60.57	1	Vertical	233	1.50	-	38.16	15.90	48.95
AV	20.8782G	52.04	63.54	-11.50	46.94	1	Vertical	233	1.50	-	38.14	15.90	48.94

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8796G	66.30	83.54	-17.24	61.20	1	Horizontal	128	1.50	-	38.14	15.90	48.94
AV	20.8344G	52.87	63.54	-10.67	47.77	1	Horizontal	128	1.50	-	38.20	15.87	48.97

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	119.05	Inf	-Inf	107.58	3	Vertical	343	1.80	-	35.46	8.14	32.13
RMS	7.0334G	108.95	Inf	-Inf	97.28	3	Vertical	343	1.80	-	35.70	8.18	32.21
PK	7.1298G	78.58	88.20	-9.62	66.47	3	Vertical	343	1.80	-	36.18	8.27	32.34
RMS	7.125G	67.69	68.20	-0.51	55.61	3	Vertical	343	1.80	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0146G	118.44	Inf	-Inf	106.87	3	Horizontal	257	1.64	-	35.59	8.16	32.18
RMS	7.0138G	108.29	Inf	-Inf	96.73	3	Horizontal	257	1.64	-	35.58	8.16	32.18
PK	7.125G	79.65	88.20	-8.55	67.57	3	Horizontal	257	1.64	-	36.15	8.27	32.34
RMS	7.125G	67.28	68.20	-0.92	55.20	3	Horizontal	257	1.64	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05048G	65.60	88.20	-22.60	45.32	3	Vertical	6	2.60	-	40.90	11.74	32.36
RMS	14.0497G	52.09	68.20	-16.11	31.81	3	Vertical	6	2.60	-	40.90	11.74	32.36

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting  
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04958G	66.30	88.20	-21.90	46.02	3	Horizontal	112	2.96	-	40.90	11.74	32.36
RMS	14.05026G	52.06	68.20	-16.14	31.78	3	Horizontal	112	2.96	-	40.90	11.74	32.36

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.1216G	71.96	83.54	-11.58	66.59	1	Vertical	174	1.71	-	38.14	16.10	48.87
AV	21.1186G	57.31	63.54	-6.23	51.95	1	Vertical	174	1.71	-	38.14	16.09	48.87

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 94  
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.122G	72.66	83.54	-10.88	67.29	1	Horizontal	121	1.50	-	38.14	16.10	48.87
AV	21.099G	55.87	63.54	-7.67	50.55	1	Horizontal	121	1.50	-	38.11	16.08	48.87



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	81.27	88.20	-6.93	72.92	3	Vertical	328	1.75	-	32.52	7.43	31.60
RMS	5.9164G	68.18	68.20	-0.02	59.81	3	Vertical	328	1.75	-	32.53	7.44	31.60
PK	5.959G	118.13	Inf	-Inf	109.71	3	Vertical	328	1.75	-	32.58	7.45	31.61
RMS	6.0436G	104.37	Inf	-Inf	95.79	3	Vertical	328	1.75	-	32.59	7.50	31.51

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.72	88.20	-10.48	69.33	3	Horizontal	225	1.62	-	32.55	7.44	31.60
RMS	5.9236G	64.48	68.20	-3.72	56.09	3	Horizontal	225	1.62	-	32.55	7.44	31.60
PK	6.0586G	115.93	Inf	-Inf	107.29	3	Horizontal	225	1.62	-	32.60	7.52	31.48
RMS	6.0562G	106.80	Inf	-Inf	98.18	3	Horizontal	225	1.62	-	32.60	7.51	31.49

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 88  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04992G	59.04	74.00	-14.96	41.95	3	Vertical	347	2.28	-	39.20	10.83	32.94
AV	12.05G	45.83	54.00	-8.17	28.74	3	Vertical	347	2.28	-	39.20	10.83	32.94

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05016G	59.16	74.00	-14.84	42.07	3	Horizontal	301	2.07	-	39.20	10.83	32.94
AV	12.05G	45.94	54.00	-8.06	28.85	3	Horizontal	301	2.07	-	39.20	10.83	32.94

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08796G	66.51	83.54	-17.03	63.14	1	Vertical	100	2.35	-	37.55	15.30	49.48
AV	18.06276G	47.42	63.54	-16.12	44.14	1	Vertical	100	2.35	-	37.45	15.30	49.47

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06792G	65.83	83.54	-17.71	62.53	1	Horizontal	51	2.72	-	37.47	15.30	49.47
AV	18.06552G	47.46	63.54	-16.08	44.17	1	Horizontal	51	2.72	-	37.46	15.30	49.47

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36972G	59.63	74.00	-14.37	42.33	3	Vertical	66	2.16	-	38.96	10.98	32.64
AV	12.37017G	47.04	54.00	-6.96	29.73	3	Vertical	66	2.16	-	38.96	10.98	32.63

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36991G	59.96	74.00	-14.04	42.65	3	Horizontal	218	2.69	-	38.96	10.98	32.63
AV	12.37043G	46.63	54.00	-7.37	29.32	3	Horizontal	218	2.69	-	38.96	10.98	32.63



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56346G	65.64	83.54	-17.90	62.31	1	Vertical	112	2.09	-	37.70	15.27	49.64
AV	18.54G	45.77	63.54	-17.77	42.41	1	Vertical	112	2.09	-	37.74	15.27	49.65

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5607G	64.48	83.54	-19.06	61.15	1	Horizontal	111	1.51	-	37.70	15.27	49.64
AV	18.54252G	45.62	63.54	-17.92	42.27	1	Horizontal	111	1.51	-	37.73	15.27	49.65

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68977G	60.49	74.00	-13.51	42.98	3	Vertical	314	1.27	-	38.92	11.12	32.53
AV	12.6896G	46.71	54.00	-7.29	29.20	3	Vertical	314	1.27	-	38.92	11.12	32.53

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68996G	60.50	74.00	-13.50	42.99	3	Horizontal	106	2.04	-	38.92	11.12	32.53
AV	12.69004G	46.66	54.00	-7.34	29.15	3	Horizontal	106	2.04	-	38.92	11.12	32.53

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02654G	66.60	83.54	-16.94	62.81	1	Vertical	217	1.04	-	37.90	15.25	49.36
AV	19.04862G	44.99	63.54	-18.55	41.21	1	Vertical	217	1.04	-	37.90	15.25	49.37

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02798G	65.07	83.54	-18.47	61.28	1	Horizontal	5	2.94	-	37.90	15.25	49.36
AV	19.04766G	45.97	63.54	-17.57	42.19	1	Horizontal	5	2.94	-	37.90	15.25	49.37

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01027G	61.31	88.20	-26.89	43.14	3	Vertical	298	2.71	-	39.48	11.27	32.58
RMS	13.01045G	47.19	68.20	-21.01	29.02	3	Vertical	298	2.71	-	39.48	11.27	32.58

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01031G	61.08	88.20	-27.12	42.91	3	Horizontal	230	1.04	-	39.48	11.27	32.58
RMS	13.01029G	47.27	68.20	-20.93	29.10	3	Horizontal	230	1.04	-	39.48	11.27	32.58



6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51224G	68.35	83.54	-15.19	64.78	1	Vertical	37	2.66	-	38.02	15.22	49.67
AV	19.52748G	44.58	63.54	-18.96	40.97	1	Vertical	37	2.66	-	38.05	15.22	49.66

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51944G	67.04	83.54	-16.50	63.44	1	Horizontal	99	1.09	-	38.04	15.22	49.66
AV	19.52622G	46.60	63.54	-16.94	42.99	1	Horizontal	99	1.09	-	38.05	15.22	49.66

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33044G	61.26	74.00	-12.74	42.72	3	Vertical	39	1.19	-	40.02	11.42	32.90
AV	13.32968G	47.53	54.00	-6.47	28.99	3	Vertical	39	1.19	-	40.02	11.42	32.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33003G	61.04	74.00	-12.96	42.50	3	Horizontal	357	2.47	-	40.02	11.42	32.90
AV	13.32995G	47.48	54.00	-6.52	28.94	3	Horizontal	357	2.47	-	40.02	11.42	32.90

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00928G	64.66	83.54	-18.88	60.94	1	Vertical	109	1.30	-	37.78	15.21	49.27
AV	19.98882G	46.11	63.54	-17.43	42.39	1	Vertical	109	1.30	-	37.80	15.20	49.28

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99746G	61.64	83.54	-21.90	57.91	1	Horizontal	152	1.28	-	37.80	15.20	49.27
AV	19.9842G	46.11	63.54	-17.43	42.39	1	Horizontal	152	1.28	-	37.80	15.20	49.28

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65031G	64.07	88.20	-24.13	44.96	3	Vertical	218	1.32	-	40.40	11.56	32.85
RMS	13.65045G	50.30	68.20	-17.90	31.19	3	Vertical	218	1.32	-	40.40	11.56	32.85

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64989G	64.23	88.20	-23.97	45.12	3	Horizontal	213	2.37	-	40.40	11.56	32.85
RMS	13.65045G	50.41	68.20	-17.79	31.30	3	Horizontal	213	2.37	-	40.40	11.56	32.85



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46234G	63.84	83.54	-19.70	59.52	1	Vertical	25	2.74	-	37.90	15.57	49.15
AV	20.46486G	47.66	63.54	-15.88	43.36	1	Vertical	25	2.74	-	37.88	15.57	49.15

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46534G	65.11	83.54	-18.43	60.81	1	Horizontal	249	1.38	-	37.88	15.57	49.15
AV	20.4633G	45.62	63.54	-17.92	41.31	1	Horizontal	249	1.38	-	37.89	15.57	49.15

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-J-8-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.96G	116.99	Inf	-Inf	105.56	3	Vertical	237	1.56	-	35.34	8.12	32.03
RMS	6.954G	106.05	Inf	-Inf	94.63	3	Vertical	237	1.56	-	35.32	8.11	32.01
PK	7.154G	82.07	88.20	-6.13	69.84	3	Vertical	237	1.56	-	36.31	8.30	32.38
RMS	7.14G	67.62	68.20	-0.58	55.46	3	Vertical	237	1.56	-	36.24	8.28	32.36

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-J-8-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.947G	113.66	Inf	-Inf	102.27	3	Horizontal	257.1	1.58	-	35.28	8.10	31.99
RMS	6.9225G	103.40	Inf	-Inf	92.09	3	Horizontal	257.1	1.58	-	35.13	8.08	31.90
PK	7.13G	78.76	88.20	-9.44	66.65	3	Horizontal	257.1	1.58	-	36.18	8.27	32.34
RMS	7.125G	66.23	68.20	-1.97	54.15	3	Horizontal	257.1	1.58	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 88  
06-D-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97027G	64.57	88.20	-23.63	44.45	3	Vertical	111	2.46	-	40.78	11.71	32.37
RMS	13.96951G	51.36	68.20	-16.84	31.25	3	Vertical	111	2.46	-	40.78	11.71	32.38

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97002G	64.70	88.20	-23.50	44.58	3	Horizontal	208	2.87	-	40.78	11.71	32.37
RMS	13.97013G	51.43	68.20	-16.77	31.31	3	Horizontal	208	2.87	-	40.78	11.71	32.37

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
 Setting 88  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94822G	64.11	83.54	-19.43	58.96	1	Vertical	272	1.96	-	38.10	15.96	48.91
AV	20.95662G	44.74	63.54	-18.80	39.60	1	Vertical	272	1.96	-	38.07	15.97	48.90

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 88  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94294G	65.07	83.54	-18.47	59.93	1	Horizontal	245	2.53	-	38.10	15.95	48.91
AV	20.94546G	44.76	63.54	-18.78	39.61	1	Horizontal	245	2.53	-	38.10	15.96	48.91



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
 Setting 90  
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	79.76	88.20	-8.44	71.37	3	Vertical	250	2.17	-	32.55	7.44	31.60
RMS	5.9242G	67.85	68.20	-0.35	59.46	3	Vertical	250	2.17	-	32.55	7.44	31.60
PK	6.1354G	112.75	Inf	-Inf	103.81	3	Vertical	250	2.17	-	32.67	7.58	31.31
RMS	6.1378G	101.63	Inf	-Inf	92.68	3	Vertical	250	2.17	-	32.68	7.58	31.31

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	75.37	88.20	-12.83	67.02	3	Horizontal	225.6	1.62	-	32.52	7.43	31.60
RMS	5.9242G	62.66	68.20	-5.54	54.27	3	Horizontal	225.6	1.62	-	32.55	7.44	31.60
PK	6.057G	113.23	Inf	-Inf	104.59	3	Horizontal	225.6	1.62	-	32.60	7.52	31.48
RMS	6.0578G	103.94	Inf	-Inf	95.30	3	Horizontal	225.6	1.62	-	32.60	7.52	31.48

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21049G	59.72	74.00	-14.28	42.60	3	Vertical	284	1.44	-	39.00	10.91	32.79
AV	12.20958G	46.36	54.00	-7.64	29.24	3	Vertical	284	1.44	-	39.00	10.91	32.79

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX



EUT\_Y\_4TX  
Setting 90  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20991G	59.66	74.00	-14.34	42.54	3	Horizontal	253	1.84	-	39.00	10.91	32.79
AV	12.20974G	46.10	54.00	-7.90	28.98	3	Horizontal	253	1.84	-	39.00	10.91	32.79

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
 Setting 90  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3279G	64.82	83.54	-18.72	61.64	1	Vertical	19	1.70	-	37.50	15.28	49.60
AV	18.31602G	45.66	63.54	-17.88	42.47	1	Vertical	19	1.70	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31524G	65.75	83.54	-17.79	62.56	1	Horizontal	326	2.76	-	37.50	15.28	49.59
AV	18.31236G	45.09	63.54	-18.45	41.90	1	Horizontal	326	2.76	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53045G	59.74	74.00	-14.26	42.64	3	Vertical	51	1.03	-	38.56	11.05	32.51
AV	12.53033G	45.97	54.00	-8.03	28.87	3	Vertical	51	1.03	-	38.56	11.05	32.51

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53024G	59.42	74.00	-14.58	42.32	3	Horizontal	169	1.51	-	38.56	11.05	32.51
AV	12.53036G	46.07	54.00	-7.93	28.97	3	Horizontal	169	1.51	-	38.56	11.05	32.51



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.80886G	65.01	83.54	-18.53	61.38	1	Vertical	219	1.53	-	37.84	15.26	49.47
AV	18.79494G	45.67	63.54	-17.87	42.09	1	Vertical	219	1.53	-	37.80	15.26	49.48

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78444G	68.96	83.54	-14.58	65.39	1	Horizontal	154	2.30	-	37.80	15.26	49.49
AV	18.8058G	46.65	63.54	-16.89	43.04	1	Horizontal	154	2.30	-	37.82	15.26	49.47

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83872G	62.19	88.20	-26.01	44.75	3	Vertical	245	2.62	-	39.15	11.81	33.52
RMS	12.85576G	48.14	68.20	-20.06	30.63	3	Vertical	245	2.62	-	39.20	11.81	33.50

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85402G	62.98	88.20	-25.22	45.47	3	Horizontal	111	1.18	-	39.20	11.81	33.50
RMS	12.83782G	48.17	68.20	-20.03	30.74	3	Horizontal	111	1.18	-	39.15	11.80	33.52

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.28046G	62.73	83.54	-20.81	59.06	1	Vertical	102	1.93	-	37.96	15.24	49.53
AV	19.27176G	46.74	63.54	-16.80	43.08	1	Vertical	102	1.93	-	37.94	15.24	49.52

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2813G	61.85	83.54	-21.69	58.18	1	Horizontal	175	1.72	-	37.96	15.24	49.53
AV	19.27692G	45.76	63.54	-17.78	42.10	1	Horizontal	175	1.72	-	37.95	15.24	49.53

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1658G	59.42	88.20	-28.78	40.97	3	Vertical	61	1.10	-	39.63	11.92	33.10
RMS	13.1607G	45.80	68.20	-22.40	27.38	3	Vertical	61	1.10	-	39.62	11.91	33.11

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17456G	59.30	88.20	-28.90	40.82	3	Horizontal	217	1.68	-	39.65	11.92	33.09
RMS	13.16394G	45.69	68.20	-22.51	27.24	3	Horizontal	217	1.68	-	39.63	11.92	33.10



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.76454G	61.77	83.54	-21.77	58.06	1	Vertical	165	1.43	-	37.96	15.21	49.46
AV	19.75242G	45.16	63.54	-18.38	41.51	1	Vertical	165	1.43	-	37.91	15.21	49.47

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.74384G	62.64	83.54	-20.90	59.02	1	Horizontal	70	1.89	-	37.89	15.21	49.48
AV	19.7667G	46.22	63.54	-17.32	42.50	1	Horizontal	70	1.89	-	37.97	15.21	49.46

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49038G	61.62	88.20	-26.58	42.81	3	Vertical	318	1.67	-	40.38	11.49	33.06
RMS	13.48974G	47.90	68.20	-20.30	29.09	3	Vertical	318	1.67	-	40.38	11.49	33.06

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49034G	63.20	88.20	-25.00	44.39	3	Horizontal	42	2.61	-	40.38	11.49	33.06
RMS	13.49048G	47.87	68.20	-20.33	29.06	3	Horizontal	42	2.61	-	40.38	11.49	33.06

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.24592G	65.70	83.54	-17.84	61.52	1	Vertical	38	1.84	-	37.99	15.40	49.21
AV	20.24886G	47.28	63.54	-16.26	43.09	1	Vertical	38	1.84	-	38.00	15.40	49.21

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.235G	63.21	83.54	-20.33	59.06	1	Horizontal	210	1.52	-	37.97	15.39	49.21
AV	20.24772G	44.20	63.54	-19.34	40.01	1	Horizontal	210	1.52	-	38.00	15.40	49.21

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 74  
06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.805G	116.45	Inf	-Inf	105.37	3	Vertical	231	1.61	-	34.62	7.98	31.52
AV	6.803G	104.80	Inf	-Inf	93.72	3	Vertical	231	1.61	-	34.61	7.98	31.51
PK	7.251G	64.39	74.00	-9.61	51.87	3	Vertical	231	1.61	-	36.70	8.34	32.52
AV	7.251G	53.87	54.00	-0.13	41.35	3	Vertical	231	1.61	-	36.70	8.34	32.52

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
 Setting 74  
 06-D-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.753G	113.96	Inf	-Inf	102.84	3	Horizontal	187	1.71	-	34.51	7.95	31.34
AV	6.803G	100.40	Inf	-Inf	89.32	3	Horizontal	187	1.71	-	34.61	7.98	31.51
PK	7.253G	63.90	74.00	-10.10	51.39	3	Horizontal	187	1.71	-	36.69	8.34	32.52
AV	7.25G	53.39	54.00	-0.61	40.87	3	Horizontal	187	1.71	-	36.70	8.34	32.52



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 74  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81012G	63.78	88.20	-24.42	44.28	3	Vertical	213	2.08	-	40.48	11.63	32.61
RMS	13.80954G	49.79	68.20	-18.41	30.29	3	Vertical	213	2.08	-	40.48	11.63	32.61

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 74  
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81015G	63.24	88.20	-24.96	43.74	3	Horizontal	215	1.98	-	40.48	11.63	32.61
RMS	13.80977G	49.68	68.20	-18.52	30.18	3	Horizontal	215	1.98	-	40.48	11.63	32.61

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 74  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.70606G	63.03	83.54	-20.51	58.41	1	Vertical	133	2.73	-	37.89	15.76	49.03
AV	20.7009G	46.85	63.54	-16.69	42.23	1	Vertical	133	2.73	-	37.90	15.76	49.04

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 74  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71572G	65.85	83.54	-17.69	61.24	1	Horizontal	207	1.21	-	37.87	15.77	49.03
AV	20.70006G	46.78	63.54	-16.76	42.16	1	Horizontal	207	1.21	-	37.90	15.76	49.04

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.45	88.20	-8.75	71.06	3	Vertical	66	1.56	-	32.55	7.44	31.60
RMS	5.9247G	67.72	68.20	-0.48	59.33	3	Vertical	66	1.56	-	32.55	7.44	31.60
PK	5.9536G	122.72	Inf	-Inf	114.28	3	Vertical	66	1.56	-	32.59	7.45	31.60
RMS	5.9533G	112.50	Inf	-Inf	104.06	3	Vertical	66	1.56	-	32.59	7.45	31.60

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	78.16	88.20	-10.04	69.77	3	Horizontal	221	1.98	-	32.55	7.44	31.60
RMS	5.9247G	65.91	68.20	-2.29	57.52	3	Horizontal	221	1.98	-	32.55	7.44	31.60
PK	5.9566G	123.31	Inf	-Inf	114.87	3	Horizontal	221	1.98	-	32.59	7.45	31.60
RMS	5.9622G	113.10	Inf	-Inf	104.68	3	Horizontal	221	1.98	-	32.58	7.45	31.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 98  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90636G	54.65	74.00	-19.35	48.40	3	Vertical	337	2.26	-	38.71	10.77	43.23
AV	11.914G	40.73	54.00	-13.27	34.46	3	Vertical	337	2.26	-	38.73	10.77	43.23
PK	17.869G	60.87	74.00	-13.13	41.20	3	Vertical	192	1.80	-	47.55	13.51	41.39
AV	17.87464G	47.73	54.00	-6.27	27.87	3	Vertical	192	1.80	-	47.74	13.51	41.39

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 98  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91112G	55.13	74.00	-18.87	48.87	3	Horizontal	94	2.26	-	38.72	10.77	43.23
AV	11.91472G	41.18	54.00	-12.82	34.91	3	Horizontal	94	2.26	-	38.73	10.77	43.23
PK	17.86988G	61.47	74.00	-12.53	41.77	3	Horizontal	112	1.80	-	47.58	13.51	41.39
AV	17.87252G	48.05	54.00	-5.95	28.26	3	Horizontal	112	1.80	-	47.67	13.51	41.39



5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3894G	56.05	74.00	-17.95	49.31	3	Vertical	207	2.04	-	38.92	10.99	43.17
AV	12.38616G	42.19	54.00	-11.81	35.44	3	Vertical	207	2.04	-	38.93	10.99	43.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38932G	57.03	74.00	-16.97	50.29	3	Horizontal	202	2.13	-	38.92	10.99	43.17
AV	12.39074G	42.30	54.00	-11.70	35.56	3	Horizontal	202	2.13	-	38.92	10.99	43.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59418G	63.45	83.54	-20.09	60.10	1	Vertical	174	2.03	-	37.70	15.27	49.62
AV	18.59748G	45.00	63.54	-18.54	41.64	1	Vertical	174	2.03	-	37.70	15.27	49.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59964G	66.66	83.54	-16.88	63.30	1	Horizontal	27	2.08	-	37.70	15.27	49.61
AV	18.59784G	47.87	63.54	-15.67	44.51	1	Horizontal	27	2.08	-	37.70	15.27	49.61

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8322G	56.21	88.20	-31.99	48.48	3	Vertical	122	1.04	-	39.36	11.19	42.82
RMS	12.83014G	42.24	68.20	-25.96	34.51	3	Vertical	122	1.04	-	39.36	11.19	42.82

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82906G	55.59	88.20	-32.61	47.86	3	Horizontal	127	2.70	-	39.36	11.19	42.82
RMS	12.83426G	42.15	68.20	-26.05	34.41	3	Horizontal	127	2.70	-	39.37	11.19	42.82

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24176G	66.64	83.54	-16.90	62.98	1	Vertical	39	1.99	-	37.92	15.24	49.50
AV	19.23468G	44.29	63.54	-19.25	40.62	1	Vertical	39	1.99	-	37.93	15.24	49.50

5.925-6.425GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2303G	68.72	83.54	-14.82	65.04	1	Horizontal	275	1.14	-	37.94	15.24	49.50
AV	19.23414G	45.32	63.54	-18.22	41.65	1	Horizontal	275	1.14	-	37.93	15.24	49.50



6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87172G	56.51	88.20	-31.69	48.64	3	Vertical	284	1.87	-	39.44	11.21	42.78
RMS	12.87292G	42.42	68.20	-25.78	34.54	3	Vertical	284	1.87	-	39.45	11.21	42.78

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.868G	56.40	88.20	-31.80	48.54	3	Horizontal	210	1.49	-	39.44	11.20	42.78
RMS	12.8703G	42.52	68.20	-25.68	34.65	3	Horizontal	210	1.49	-	39.44	11.21	42.78

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29564G	63.80	83.54	-19.74	60.11	1	Vertical	120	2.08	-	37.99	15.24	49.54
AV	19.29762G	52.66	63.54	-10.88	48.96	1	Vertical	120	2.08	-	38.00	15.24	49.54

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29564G	62.39	83.54	-21.15	58.70	1	Horizontal	230	1.75	-	37.99	15.24	49.54
AV	19.296G	52.49	63.54	-11.05	48.80	1	Horizontal	230	1.75	-	37.99	15.24	49.54

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94548G	56.01	88.20	-32.19	47.97	3	Vertical	262	1.17	-	39.50	11.24	42.70
RMS	12.9472G	42.16	68.20	-26.04	34.12	3	Vertical	262	1.17	-	39.50	11.24	42.70

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95398G	56.09	88.20	-32.11	48.05	3	Horizontal	97	1.18	-	39.50	11.24	42.70
RMS	12.95162G	42.19	68.20	-26.01	34.15	3	Horizontal	97	1.18	-	39.50	11.24	42.70

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42674G	67.92	83.54	-15.62	64.43	1	Vertical	239	1.73	-	37.89	15.23	49.63
AV	19.42164G	43.11	63.54	-20.43	39.60	1	Vertical	239	1.73	-	37.91	15.23	49.63

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42776G	65.38	83.54	-18.16	61.89	1	Horizontal	15	2.90	-	37.89	15.23	49.63
AV	19.41054G	45.01	63.54	-18.53	41.44	1	Horizontal	15	2.90	-	37.96	15.23	49.62



6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03232G	56.58	88.20	-31.62	48.52	3	Vertical	333	1.53	-	39.44	11.28	42.66
RMS	13.0328G	42.97	68.20	-25.23	34.92	3	Vertical	333	1.53	-	39.43	11.28	42.66

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6515MHz\_TX



EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02876G	56.58	88.20	-31.62	48.52	3	Horizontal	264	1.36	-	39.44	11.28	42.66
RMS	13.02756G	42.97	68.20	-25.23	34.91	3	Horizontal	264	1.36	-	39.44	11.28	42.66

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55058G	65.21	83.54	-18.33	61.53	1	Vertical	235	2.88	-	38.10	15.22	49.64
AV	19.54752G	46.24	63.54	-17.30	42.56	1	Vertical	235	2.88	-	38.10	15.22	49.64

6.425-6.525GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54128G	67.30	83.54	-16.24	63.65	1	Horizontal	315	1.06	-	38.08	15.22	49.65
AV	19.54938G	44.29	63.54	-19.25	40.61	1	Horizontal	315	1.06	-	38.10	15.22	49.64

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0692G	56.32	88.20	-31.88	48.29	3	Vertical	124	1.46	-	39.40	11.30	42.67
RMS	13.07498G	43.19	68.20	-25.01	35.16	3	Vertical	124	1.46	-	39.40	11.30	42.67

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07246G	56.37	88.20	-31.83	48.34	3	Horizontal	324	1.46	-	39.40	11.30	42.67
RMS	13.066G	43.14	68.20	-25.06	35.10	3	Horizontal	324	1.46	-	39.40	11.30	42.66

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59516G	67.89	83.54	-15.65	64.44	1	Vertical	138	1.88	-	37.83	15.22	49.60
AV	19.61856G	44.87	63.54	-18.67	41.32	1	Vertical	138	1.88	-	37.91	15.22	49.58

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59138G	68.49	83.54	-15.05	65.03	1	Horizontal	69	1.20	-	37.85	15.22	49.61
AV	19.6041G	44.84	63.54	-18.70	41.39	1	Horizontal	69	1.20	-	37.82	15.22	49.59



6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39362G	58.36	74.00	-15.64	49.39	3	Vertical	342	1.73	-	40.27	11.44	42.74
AV	13.3875G	44.49	54.00	-9.51	35.54	3	Vertical	342	1.73	-	40.25	11.44	42.74

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39333G	58.56	74.00	-15.44	49.59	3	Horizontal	222	1.51	-	40.27	11.44	42.74
AV	13.39362G	44.45	54.00	-9.55	35.48	3	Horizontal	222	1.51	-	40.27	11.44	42.74

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09796G	69.89	83.54	-13.65	65.96	1	Vertical	224	2.37	-	37.89	15.28	49.24
AV	20.08254G	45.59	63.54	-17.95	41.74	1	Vertical	224	2.37	-	37.83	15.27	49.25

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0739G	68.70	83.54	-14.84	64.89	1	Horizontal	337	1.83	-	37.80	15.26	49.25
AV	20.07228G	44.63	63.54	-18.91	40.83	1	Horizontal	337	1.83	-	37.79	15.26	49.25

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.747G	58.59	88.20	-29.61	48.92	3	Vertical	156	2.73	-	40.68	11.60	42.61
RMS	13.74868G	44.76	68.20	-23.44	35.07	3	Vertical	156	2.73	-	40.69	11.61	42.61

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74694G	57.88	88.20	-30.32	48.21	3	Horizontal	9	2.59	-	40.68	11.60	42.61
RMS	13.74876G	44.85	68.20	-23.35	35.16	3	Horizontal	9	2.59	-	40.69	11.61	42.61

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63196G	63.33	83.54	-20.21	58.75	1	Vertical	288	2.64	-	37.94	15.71	49.07
AV	20.61426G	46.71	63.54	-16.83	42.13	1	Vertical	288	2.64	-	37.97	15.69	49.08

6.525-6.875GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61372G	66.92	83.54	-16.62	62.34	1	Horizontal	244	1.91	-	37.97	15.69	49.08
AV	20.61996G	47.70	63.54	-15.84	43.12	1	Horizontal	244	1.91	-	37.96	15.70	49.08



6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79086G	57.35	88.20	-30.85	47.78	3	Vertical	307	2.57	-	40.54	11.62	42.59
RMS	13.78772G	44.23	68.20	-23.97	34.65	3	Vertical	307	2.57	-	40.55	11.62	42.59

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7883G	57.77	88.20	-30.43	48.19	3	Horizontal	315	1.56	-	40.55	11.62	42.59
RMS	13.79264G	44.23	68.20	-23.97	34.65	3	Horizontal	315	1.56	-	40.53	11.63	42.58

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69604G	66.95	83.54	-16.59	62.33	1	Vertical	342	2.64	-	37.90	15.76	49.04
AV	20.6709G	46.66	63.54	-16.88	42.07	1	Vertical	342	2.64	-	37.90	15.74	49.05

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6817G	63.54	83.54	-20.00	58.94	1	Horizontal	350	1.92	-	37.90	15.75	49.05
AV	20.67588G	46.80	63.54	-16.74	42.21	1	Horizontal	350	1.92	-	37.90	15.74	49.05

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98594G	58.34	88.20	-29.86	48.26	3	Vertical	31	1.90	-	40.84	11.71	42.47
RMS	13.98624G	45.33	68.20	-22.87	35.25	3	Vertical	31	1.90	-	40.84	11.71	42.47

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99408G	58.65	88.20	-29.55	48.51	3	Horizontal	175	2.83	-	40.88	11.72	42.46
RMS	13.99424G	45.34	68.20	-22.86	35.20	3	Horizontal	175	2.83	-	40.88	11.72	42.46

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99472G	63.93	83.54	-19.61	58.89	1	Vertical	292	1.06	-	37.92	16.00	48.88
AV	20.9979G	47.29	63.54	-16.25	42.26	1	Vertical	292	1.06	-	37.91	16.00	48.88

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97756G	64.25	83.54	-19.29	59.17	1	Horizontal	328	1.58	-	37.99	15.98	48.89
AV	20.97282G	47.13	63.54	-16.41	42.03	1	Horizontal	328	1.58	-	38.01	15.98	48.89



6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
 Setting 95  
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1016G	124.46	Inf	-Inf	112.50	3	Vertical	349.9	1.63	-	36.01	8.25	32.30
RMS	7.1012G	113.10	Inf	-Inf	101.14	3	Vertical	349.9	1.63	-	36.01	8.25	32.30
PK	7.1262G	79.59	88.20	-8.61	67.50	3	Vertical	349.9	1.63	-	36.16	8.27	32.34
RMS	7.1254G	67.76	68.20	-0.44	55.68	3	Vertical	349.9	1.63	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
 Setting 95  
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.096G	123.23	Inf	-Inf	111.31	3	Horizontal	174	2.07	-	35.98	8.24	32.30
RMS	7.0938G	112.60	Inf	-Inf	100.67	3	Horizontal	174	2.07	-	35.98	8.24	32.29
PK	7.125G	78.29	88.20	-9.91	66.21	3	Horizontal	174	2.07	-	36.15	8.27	32.34
RMS	7.1252G	65.83	68.20	-2.37	53.75	3	Horizontal	174	2.07	-	36.15	8.27	32.34

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
 Setting 95  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19388G	58.83	88.20	-29.37	48.44	3	Vertical	235	2.50	-	40.99	11.81	42.41
RMS	14.18526G	45.69	68.20	-22.51	35.33	3	Vertical	235	2.50	-	40.97	11.81	42.42

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX



EUT Y\_4TX  
Setting 95  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18922G	59.17	88.20	-29.03	48.79	3	Horizontal	257	2.04	-	40.98	11.81	42.41
RMS	14.1898G	45.76	68.20	-22.44	35.38	3	Horizontal	257	2.04	-	40.98	11.81	42.41

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 95  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2961G	68.15	83.54	-15.39	62.38	1	Vertical	344	2.13	-	38.37	16.24	48.84
AV	21.29784G	44.98	63.54	-18.56	39.20	1	Vertical	344	2.13	-	38.38	16.24	48.84

6.875-7.125GHz\_802.11be EHT20-BF\_Nss2,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 95  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29862G	68.26	83.54	-15.28	62.47	1	Horizontal	49	1.30	-	38.39	16.24	48.84
AV	21.29862G	45.04	63.54	-18.50	39.25	1	Horizontal	49	1.30	-	38.39	16.24	48.84

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 85  
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	81.20	88.20	-7.00	72.81	3	Vertical	69	1.43	-	32.55	7.44	31.60
RMS	5.9244G	67.83	68.20	-0.37	59.44	3	Vertical	69	1.43	-	32.55	7.44	31.60
PK	5.951G	118.64	Inf	-Inf	110.19	3	Vertical	69	1.43	-	32.60	7.45	31.60
RMS	5.9704G	107.75	Inf	-Inf	99.34	3	Vertical	69	1.43	-	32.56	7.46	31.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
 Setting 85  
 06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	84.10	88.20	-4.10	75.71	3	Horizontal	208	1.62	-	32.55	7.44	31.60
RMS	5.9246G	67.22	68.20	-0.98	58.83	3	Horizontal	208	1.62	-	32.55	7.44	31.60
PK	5.9806G	117.91	Inf	-Inf	109.52	3	Horizontal	208	1.62	-	32.54	7.46	31.61
RMS	5.9678G	106.48	Inf	-Inf	98.07	3	Horizontal	208	1.62	-	32.56	7.46	31.61



5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 85  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92872G	54.87	74.00	-19.13	48.56	3	Vertical	201	1.05	-	38.76	10.78	43.23
AV	11.93442G	41.46	54.00	-12.54	35.14	3	Vertical	201	1.05	-	38.77	10.78	43.23
PK	17.89732G	62.23	74.00	-11.77	41.55	3	Vertical	319	2.50	-	48.51	13.52	41.35
AV	17.905G	48.80	54.00	-5.20	27.86	3	Vertical	319	2.50	-	48.75	13.53	41.34

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 85  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92708G	55.01	74.00	-18.99	48.71	3	Horizontal	72	2.00	-	38.75	10.78	43.23
AV	11.9339G	41.55	54.00	-12.45	35.23	3	Horizontal	72	2.00	-	38.77	10.78	43.23
PK	17.89672G	61.87	74.00	-12.13	41.21	3	Horizontal	260	1.52	-	48.49	13.52	41.35
AV	17.90336G	48.93	54.00	-5.07	28.04	3	Horizontal	260	1.52	-	48.70	13.53	41.34

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40924G	55.25	74.00	-18.75	48.57	3	Vertical	224	1.43	-	38.84	11.00	43.16
AV	12.41414G	41.64	54.00	-12.36	34.98	3	Vertical	224	1.43	-	38.82	11.00	43.16

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40848G	55.61	74.00	-18.39	48.92	3	Horizontal	110	2.31	-	38.85	11.00	43.16
AV	12.40598G	41.64	54.00	-12.36	34.95	3	Horizontal	110	2.31	-	38.86	10.99	43.16

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62136G	67.93	83.54	-15.61	64.52	1	Vertical	177	2.43	-	37.74	15.27	49.60
AV	18.60972G	45.76	63.54	-17.78	42.38	1	Vertical	177	2.43	-	37.72	15.27	49.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61146G	67.67	83.54	-15.87	64.28	1	Horizontal	113	2.74	-	37.72	15.27	49.60
AV	18.60198G	44.70	63.54	-18.84	41.34	1	Horizontal	113	2.74	-	37.70	15.27	49.61

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81242G	55.63	88.20	-32.57	47.97	3	Vertical	132	1.02	-	39.32	11.18	42.84
RMS	12.81288G	41.77	68.20	-26.43	34.10	3	Vertical	132	1.02	-	39.33	11.18	42.84

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80886G	56.11	88.20	-32.09	48.45	3	Horizontal	286	1.58	-	39.32	11.18	42.84
RMS	12.81202G	41.64	68.20	-26.56	33.98	3	Horizontal	286	1.58	-	39.32	11.18	42.84



5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22268G	64.61	83.54	-18.93	60.91	1	Vertical	183	1.23	-	37.95	15.24	49.49
AV	19.21164G	47.67	63.54	-15.87	43.93	1	Vertical	183	1.23	-	37.98	15.24	49.48

5.925-6.425GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20888G	66.45	83.54	-17.09	62.71	1	Horizontal	63	2.64	-	37.98	15.24	49.48
AV	19.22016G	45.15	63.54	-18.39	41.44	1	Horizontal	63	2.64	-	37.96	15.24	49.49

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
 Setting 108  
 06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89474G	56.01	88.20	-32.19	48.06	3	Vertical	231	1.97	-	39.49	11.22	42.76
RMS	12.88542G	42.55	68.20	-25.65	34.63	3	Vertical	231	1.97	-	39.47	11.21	42.76

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88816G	56.43	88.20	-31.77	48.51	3	Horizontal	291	1.17	-	39.47	11.21	42.76
RMS	12.88816G	42.52	68.20	-25.68	34.59	3	Horizontal	291	1.17	-	39.48	11.21	42.76

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34046G	66.17	83.54	-17.37	62.67	1	Vertical	213	2.02	-	37.84	15.23	49.57
AV	19.3203G	45.12	63.54	-18.42	41.53	1	Vertical	213	2.02	-	37.92	15.23	49.56

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32294G	68.66	83.54	-14.88	65.08	1	Horizontal	344	2.46	-	37.91	15.23	49.56
AV	19.32156G	45.16	63.54	-18.38	41.58	1	Horizontal	344	2.46	-	37.91	15.23	49.56

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97082G	55.79	88.20	-32.41	47.72	3	Vertical	319	1.14	-	39.50	11.25	42.68
RMS	12.97282G	42.42	68.20	-25.78	34.35	3	Vertical	319	1.14	-	39.50	11.25	42.68

6.425-6.525GHz\_802.11be EHT40-BF\_Nss2,(MCS0)\_4TX

6485MHz\_TX



EUT\_Y\_4TX  
Setting 108  
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96714G	55.78	88.20	-32.42	47.71	3	Horizontal	95	2.66	-	39.50	11.25	42.68
RMS	12.97176G	42.40	68.20	-25.80	34.33	3	Horizontal	95	2.66	-	39.50	11.25	42.68