


5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 92
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	59.86	68.20	-8.34	52.78	3	Vertical	0	2.13	-	31.50	7.04	31.46
PK	5.459G	65.55	74.00	-8.45	58.13	3	Vertical	0	2.13	-	31.82	7.13	31.53
AV	5.459G	53.10	54.00	-0.90	45.68	3	Vertical	0	2.13	-	31.82	7.13	31.53
PK	5.462G	65.30	68.20	-2.90	57.88	3	Vertical	0	2.13	-	31.82	7.13	31.53
AV	5.508G	101.20	Inf	-Inf	93.69	3	Vertical	0	2.13	-	31.90	7.16	31.55
PK	5.555G	112.82	Inf	-Inf	105.30	3	Vertical	0	2.13	-	31.89	7.19	31.56
PK	5.725G	60.05	68.20	-8.15	52.25	3	Vertical	0	2.13	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	58.06	68.20	-10.14	50.98	3	Horizontal	230	1.86	-	31.50	7.03	31.45
PK	5.454G	66.96	74.00	-7.04	59.55	3	Horizontal	230	1.86	-	31.81	7.13	31.53
AV	5.454G	47.36	54.00	-6.64	39.95	3	Horizontal	230	1.86	-	31.81	7.13	31.53
PK	5.469G	59.04	68.20	-9.16	51.60	3	Horizontal	230	1.86	-	31.84	7.13	31.53
PK	5.518G	102.27	Inf	-Inf	94.75	3	Horizontal	230	1.86	-	31.90	7.17	31.55
AV	5.519G	90.20	Inf	-Inf	82.68	3	Horizontal	230	1.86	-	31.90	7.17	31.55
PK	5.765G	59.09	68.20	-9.11	51.08	3	Horizontal	230	1.86	-	32.23	7.36	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 92
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05166G	57.45	74.00	-16.55	49.12	3	Vertical	332	1.06	-	40.29	10.36	42.32
AV	11.04674G	43.94	54.00	-10.06	35.58	3	Vertical	332	1.06	-	40.31	10.36	42.31
PK	16.57596G	58.22	68.20	-9.98	47.26	3	Vertical	224	2.09	-	39.45	12.93	41.42

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05358G	56.77	74.00	-17.23	48.45	3	Horizontal	203	1.83	-	40.29	10.36	42.33
AV	11.04662G	44.06	54.00	-9.94	35.70	3	Horizontal	203	1.83	-	40.31	10.36	42.31
PK	16.57698G	58.67	68.20	-9.53	47.71	3	Horizontal	159	2.25	-	39.45	12.93	41.42

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 94
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	62.50	74.00	-11.50	55.18	3	Vertical	342	1.91	-	31.72	7.11	31.51
PK	5.467G	63.33	68.20	-4.87	55.90	3	Vertical	342	1.91	-	31.83	7.13	31.53
AV	5.46G	50.81	54.00	-3.19	43.39	3	Vertical	342	1.91	-	31.82	7.13	31.53
PK	5.6G	115.40	Inf	-Inf	107.94	3	Vertical	342	1.91	-	31.80	7.22	31.56
AV	5.583G	103.42	Inf	-Inf	95.94	3	Vertical	342	1.91	-	31.83	7.21	31.56
PK	5.733G	67.54	68.20	-0.66	59.69	3	Vertical	342	1.91	-	32.10	7.33	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 94
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.425G	59.03	74.00	-14.97	51.73	3	Horizontal	345	1.08	-	31.70	7.11	31.51
PK	5.469G	58.70	68.20	-9.50	51.26	3	Horizontal	345	1.08	-	31.84	7.13	31.53
AV	5.458G	46.37	54.00	-7.63	38.95	3	Horizontal	345	1.08	-	31.82	7.13	31.53
PK	5.573G	104.25	Inf	-Inf	96.76	3	Horizontal	345	1.08	-	31.85	7.20	31.56
AV	5.573G	93.51	Inf	-Inf	86.02	3	Horizontal	345	1.08	-	31.85	7.20	31.56
PK	5.729G	60.29	68.20	-7.91	52.47	3	Horizontal	345	1.08	-	32.07	7.33	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 94
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2347G	56.14	74.00	-17.86	48.57	3	Vertical	115	2.96	-	39.80	10.45	42.68
AV	11.22534G	42.54	54.00	-11.46	34.96	3	Vertical	115	2.96	-	39.80	10.44	42.66
PK	16.82718G	59.09	68.20	-9.11	47.53	3	Vertical	27	2.05	-	40.45	13.04	41.93

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 94
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23266G	55.87	74.00	-18.13	48.30	3	Horizontal	227	1.24	-	39.80	10.45	42.68
AV	11.2209G	42.38	54.00	-11.62	34.79	3	Horizontal	227	1.24	-	39.80	10.44	42.65
PK	16.82796G	58.91	68.20	-9.29	47.35	3	Horizontal	17	1.57	-	40.46	13.04	41.94

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 102
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.96	74.00	-12.04	54.54	3	Vertical	6	2.10	-	31.82	7.13	31.53
AV	5.456G	50.14	54.00	-3.86	42.73	3	Vertical	6	2.10	-	31.81	7.13	31.53
PK	5.469G	63.89	68.20	-4.31	56.45	3	Vertical	6	2.10	-	31.84	7.13	31.53
PK	5.664G	120.43	Inf	-Inf	112.97	3	Vertical	6	2.10	-	31.76	7.27	31.57
AV	5.682G	103.54	Inf	-Inf	95.99	3	Vertical	6	2.10	-	31.83	7.29	31.57
PK	5.854G	67.96	68.20	-0.24	59.82	3	Vertical	6	2.10	-	32.32	7.41	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	58.91	74.00	-15.09	51.51	3	Horizontal	159.6	1.80	-	31.80	7.12	31.52
AV	5.456G	46.54	54.00	-7.46	39.13	3	Horizontal	159.6	1.80	-	31.81	7.13	31.53
PK	5.469G	59.74	68.20	-8.46	52.30	3	Horizontal	159.6	1.80	-	31.84	7.13	31.53
PK	5.653G	112.13	Inf	-Inf	104.72	3	Horizontal	159.6	1.80	-	31.71	7.27	31.57
AV	5.654G	95.97	Inf	-Inf	88.55	3	Horizontal	159.6	1.80	-	31.72	7.27	31.57
PK	5.86G	61.25	68.20	-6.95	53.09	3	Horizontal	159.6	1.80	-	32.34	7.41	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 102
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38036G	55.28	74.00	-18.72	47.77	3	Vertical	244	2.48	-	39.96	10.52	42.97
AV	11.38588G	42.63	54.00	-11.37	35.12	3	Vertical	244	2.48	-	39.97	10.52	42.98
PK	17.08242G	59.04	68.20	-9.16	47.89	3	Vertical	253	1.49	-	40.27	13.16	42.28

5.47-5.725GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 102
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37772G	55.78	74.00	-18.22	48.27	3	Horizontal	212	2.53	-	39.96	10.51	42.96
AV	11.38504G	42.47	54.00	-11.53	34.95	3	Horizontal	212	2.53	-	39.97	10.52	42.97
PK	17.0811G	59.34	68.20	-8.86	48.18	3	Horizontal	118	1.09	-	40.28	13.16	42.28

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 90
 06-E-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6465G	67.20	68.20	-1.00	59.80	3	Vertical	26	1.82	-	31.71	7.26	31.57
PK	5.753G	121.35	Inf	-Inf	113.37	3	Vertical	26	1.82	-	32.21	7.35	31.58
AV	5.784G	104.78	Inf	-Inf	96.71	3	Vertical	26	1.82	-	32.27	7.38	31.58
PK	5.941G	61.54	68.20	-6.66	53.11	3	Vertical	26	1.82	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 90
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6415G	68.15	68.20	-0.05	60.74	3	Horizontal	165	1.01	-	31.72	7.26	31.57
PK	5.7645G	109.92	Inf	-Inf	101.91	3	Horizontal	165	1.01	-	32.23	7.36	31.58
AV	5.738G	98.43	Inf	-Inf	90.54	3	Horizontal	165	1.01	-	32.13	7.34	31.58
PK	5.9305G	60.52	68.20	-7.68	52.12	3	Horizontal	165	1.01	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 90
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54196G	55.93	74.00	-18.07	48.41	3	Vertical	213	1.49	-	40.10	10.59	43.17
AV	11.55552G	42.84	54.00	-11.16	35.34	3	Vertical	213	1.49	-	40.07	10.60	43.17
PK	17.32302G	60.38	68.20	-7.82	48.34	3	Vertical	43	1.40	-	41.03	13.27	42.26

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 90
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55195G	55.82	74.00	-18.18	48.30	3	Horizontal	109	1.07	-	40.09	10.60	43.17
AV	11.55213G	42.82	54.00	-11.18	35.30	3	Horizontal	109	1.07	-	40.09	10.60	43.17
PK	17.31042G	60.15	68.20	-8.05	48.26	3	Horizontal	343	2.93	-	40.90	13.26	42.27

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 76
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	71.53	74.00	-2.47	63.87	3	Vertical	201.7	2.06	-	32.10	6.90	31.34
AV	5.1308G	53.71	54.00	-0.29	46.05	3	Vertical	201.7	2.06	-	32.10	6.91	31.35
PK	5.2172G	109.68	Inf	-Inf	102.40	3	Vertical	201.7	2.06	-	31.73	6.95	31.40
AV	5.186G	98.65	Inf	-Inf	91.22	3	Vertical	201.7	2.06	-	31.88	6.93	31.38
PK	5.3524G	73.04	74.00	-0.96	65.96	3	Vertical	201.7	2.06	-	31.50	7.05	31.47
AV	5.3556G	53.70	54.00	-0.30	46.60	3	Vertical	201.7	2.06	-	31.51	7.06	31.47
PK	5.4764G	68.14	68.20	-0.06	60.69	3	Vertical	201.7	2.06	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 76
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	67.30	74.00	-6.70	59.65	3	Horizontal	88	1.80	-	32.10	6.91	31.36
AV	5.1372G	52.71	54.00	-1.29	45.05	3	Horizontal	88	1.80	-	32.10	6.91	31.35
PK	5.2268G	106.28	Inf	-Inf	99.03	3	Horizontal	88	1.80	-	31.69	6.96	31.40
AV	5.2236G	94.60	Inf	-Inf	87.33	3	Horizontal	88	1.80	-	31.71	6.96	31.40
PK	5.3508G	65.09	74.00	-8.91	58.01	3	Horizontal	88	1.80	-	31.50	7.05	31.47
AV	5.354G	51.21	54.00	-2.79	44.11	3	Horizontal	88	1.80	-	31.51	7.06	31.47
PK	5.4956G	60.33	68.20	-7.87	52.84	3	Horizontal	88	1.80	-	31.89	7.15	31.55

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 76
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4946G	55.50	68.20	-12.70	48.18	3	Vertical	168	2.32	-	40.11	10.09	42.88
PK	15.75387G	56.83	74.00	-17.17	47.81	3	Vertical	351	1.81	-	38.30	12.55	41.83
AV	15.76455G	43.58	54.00	-10.42	34.57	3	Vertical	351	1.81	-	38.30	12.56	41.85

5.25-5.35GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 76
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49136G	55.35	68.20	-12.85	48.02	3	Horizontal	103	2.00	-	40.12	10.09	42.88
PK	15.75525G	56.89	74.00	-17.11	47.88	3	Horizontal	60	2.41	-	38.30	12.55	41.84
AV	15.76089G	43.57	54.00	-10.43	34.56	3	Horizontal	60	2.41	-	38.30	12.56	41.85

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 78
06-E-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	61.99	68.20	-6.21	54.91	3	Vertical	19.4	1.80	-	31.50	7.04	31.46
PK	5.418G	67.29	74.00	-6.71	60.03	3	Vertical	19.4	1.80	-	31.67	7.10	31.51
AV	5.4164G	53.80	54.00	-0.20	46.53	3	Vertical	19.4	1.80	-	31.67	7.10	31.50
PK	5.462G	65.43	68.20	-2.77	58.01	3	Vertical	19.4	1.80	-	31.82	7.13	31.53
PK	5.542G	112.40	Inf	-Inf	104.88	3	Vertical	19.4	1.80	-	31.90	7.18	31.56
AV	5.5428G	100.08	Inf	-Inf	92.56	3	Vertical	19.4	1.80	-	31.90	7.18	31.56
PK	5.7444G	64.67	68.20	-3.53	56.74	3	Vertical	19.4	1.80	-	32.17	7.34	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
 Setting 78
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2524G	59.14	68.20	-9.06	51.98	3	Horizontal	359.9	2.98	-	31.60	6.98	31.42
PK	5.434G	67.42	74.00	-6.58	60.08	3	Horizontal	359.9	2.98	-	31.74	7.11	31.51
AV	5.4372G	51.85	54.00	-2.15	44.51	3	Horizontal	359.9	2.98	-	31.75	7.11	31.52
PK	5.466G	63.60	68.20	-4.60	56.17	3	Horizontal	359.9	2.98	-	31.83	7.13	31.53
PK	5.5516G	109.57	Inf	-Inf	102.04	3	Horizontal	359.9	2.98	-	31.90	7.19	31.56
AV	5.55G	96.82	Inf	-Inf	89.29	3	Horizontal	359.9	2.98	-	31.90	7.19	31.56
PK	5.7348G	63.60	68.20	-4.60	55.74	3	Horizontal	359.9	2.98	-	32.11	7.33	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 78
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15356G	56.21	74.00	-17.79	48.43	3	Vertical	360	1.86	-	39.89	10.41	42.52
AV	11.13373G	42.60	54.00	-11.40	34.71	3	Vertical	360	1.86	-	39.97	10.40	42.48
PK	16.72281G	58.82	68.20	-9.38	47.50	3	Vertical	292	2.29	-	40.04	13.00	41.72

5.47-5.725GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 78
06-D-P-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1316G	56.07	74.00	-17.93	48.18	3	Horizontal	144	1.14	-	39.97	10.40	42.48
AV	11.14414G	42.68	54.00	-11.32	34.86	3	Horizontal	144	1.14	-	39.92	10.40	42.50
PK	16.72434G	58.44	68.20	-9.76	47.11	3	Horizontal	198	1.64	-	40.05	13.00	41.72



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.44523G	24.20	54.00	-29.80	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.45129G	37.50	74.00	-36.50	-5.60	3	Vertical	88	1.00	-	43.10	25.19	3.77	34.56
AV	1.44722G	24.03	54.00	-29.97	-5.57	3	Vertical	88	1.00	"Worst"	29.60	25.23	3.76	34.56

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.45373G	38.00	74.00	-36.00	-5.63	3	Horizontal	75	1.00	-	43.63	25.16	3.77	34.56
AV	1.44523G	24.20	54.00	-29.80	-5.55	3	Horizontal	75	1.00	"Worst"	29.75	25.25	3.76	34.56