




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	PK	69.77M	35.75	40.00	-4.25	Horizontal

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	143.49M	32.86	43.50	-10.64	-12.70	3	Vertical	120	1.00	-	45.56	16.95	2.10	31.75
QP	36.79M	25.19	40.00	-14.81	-9.56	3	Vertical	0	1.00	-	34.75	20.83	1.12	31.51
PK	424.79M	38.64	46.00	-7.36	-5.89	3	Vertical	322	1.50	"Worst"	44.53	22.31	3.81	32.01
QP	57.16M	26.55	40.00	-13.45	-17.50	3	Vertical	8	1.00	-	44.05	12.80	1.36	31.66
PK	475.23M	38.24	46.00	-7.76	-4.91	3	Vertical	0	1.50	-	43.15	23.10	4.06	32.07
QP	72.68M	23.36	40.00	-16.64	-17.65	3	Vertical	240	1.50	-	41.01	12.55	1.51	31.71

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	36.79M	34.03	40.00	-5.97	-9.56	3	Horizontal	266	2.00	-	43.59	20.83	1.12	31.51
PK	69.77M	35.75	40.00	-4.25	-17.64	3	Horizontal	275	2.00	"Worst"	53.39	12.57	1.49	31.70
PK	94.99M	34.61	43.50	-8.89	-14.17	3	Horizontal	275	2.00	-	48.78	15.86	1.72	31.75
PK	375.32M	36.20	46.00	-9.80	-7.65	3	Horizontal	360	1.00	-	43.85	20.75	3.56	31.96
PK	424.79M	38.10	46.00	-7.90	-5.89	3	Horizontal	89	1.25	-	43.99	22.31	3.81	32.01
PK	475.23M	40.10	46.00	-5.90	-4.91	3	Horizontal	298	1.50	-	45.01	23.10	4.06	32.07




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.649G	68.18	68.20	-0.02	3	Vertical	22	1.92	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
 Setting 93
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1355G	66.35	74.00	-7.65	58.69	3	Vertical	11	1.92	-	32.10	6.91	31.35
AV	5.15G	53.77	54.00	-0.23	46.11	3	Vertical	11	1.92	-	32.10	6.92	31.36
PK	5.1725G	123.26	Inf	-Inf	115.73	3	Vertical	11	1.92	-	31.97	6.93	31.37
AV	5.1727G	113.07	Inf	-Inf	105.55	3	Vertical	11	1.92	-	31.96	6.93	31.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
 Setting 93
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	65.94	74.00	-8.06	58.29	3	Horizontal	96	1.80	-	32.10	6.91	31.36
AV	5.15G	53.29	54.00	-0.71	45.63	3	Horizontal	96	1.80	-	32.10	6.92	31.36
PK	5.1726G	120.82	Inf	-Inf	113.30	3	Horizontal	96	1.80	-	31.96	6.93	31.37
AV	5.1726G	110.50	Inf	-Inf	102.98	3	Horizontal	96	1.80	-	31.96	6.93	31.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 93
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3609G	56.58	68.20	-11.62	49.35	3	Vertical	152	2.39	-	40.02	10.03	42.82
PK	15.52569G	59.20	74.00	-14.80	49.19	3	Vertical	44	1.75	-	38.95	12.44	41.38
AV	15.55182G	45.46	54.00	-8.54	35.54	3	Vertical	44	1.75	-	38.89	12.46	41.43

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 93
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35895G	55.79	68.20	-12.41	48.56	3	Horizontal	122	1.49	-	40.02	10.03	42.82
PK	15.54066G	58.94	74.00	-15.06	48.98	3	Horizontal	95	1.93	-	38.92	12.45	41.41
AV	15.55206G	45.37	54.00	-8.63	35.45	3	Horizontal	95	1.93	-	38.89	12.46	41.43

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 98
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.51	74.00	-3.49	62.85	3	Vertical	12	1.95	-	32.10	6.92	31.36
AV	5.15G	53.76	54.00	-0.24	46.10	3	Vertical	12	1.95	-	32.10	6.92	31.36
PK	5.1926G	124.28	Inf	-Inf	116.88	3	Vertical	12	1.95	-	31.84	6.94	31.38
AV	5.193G	114.24	Inf	-Inf	106.84	3	Vertical	12	1.95	-	31.84	6.94	31.38

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 98
06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	64.91	74.00	-9.09	57.26	3	Horizontal	100	1.80	-	32.10	6.91	31.36
AV	5.15G	50.85	54.00	-3.15	43.19	3	Horizontal	100	1.80	-	32.10	6.92	31.36
PK	5.1924G	122.87	Inf	-Inf	115.46	3	Horizontal	100	1.80	-	31.85	6.94	31.38
AV	5.1926G	112.50	Inf	-Inf	105.10	3	Horizontal	100	1.80	-	31.84	6.94	31.38

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 98
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38614G	56.65	68.20	-11.55	49.37	3	Vertical	207	1.68	-	40.07	10.04	42.83
PK	15.60867G	58.12	74.00	-15.88	48.68	3	Vertical	123	1.53	-	38.51	12.48	41.55
AV	15.58707G	44.65	54.00	-9.35	35.00	3	Vertical	123	1.53	-	38.68	12.47	41.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 98
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40642G	56.79	68.20	-11.41	49.47	3	Horizontal	296	1.13	-	40.11	10.05	42.84
PK	15.58749G	58.75	74.00	-15.25	49.10	3	Horizontal	108	2.41	-	38.68	12.47	41.50
AV	15.58692G	44.67	54.00	-9.33	35.02	3	Horizontal	108	2.41	-	38.68	12.47	41.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	64.74	74.00	-9.26	57.09	3	Vertical	10	2.04	-	32.10	6.91	31.36
AV	5.15G	49.86	54.00	-4.14	42.20	3	Vertical	10	2.04	-	32.10	6.92	31.36
PK	5.2331G	126.19	Inf	-Inf	118.97	3	Vertical	10	2.04	-	31.67	6.96	31.41
AV	5.2328G	115.99	Inf	-Inf	108.77	3	Vertical	10	2.04	-	31.67	6.96	31.41
PK	5.3789G	60.84	74.00	-13.16	53.69	3	Vertical	10	2.04	-	31.56	7.07	31.48
AV	5.3504G	48.36	54.00	-5.64	41.28	3	Vertical	10	2.04	-	31.50	7.05	31.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1473G	61.96	74.00	-12.04	54.31	3	Horizontal	101	1.92	-	32.10	6.91	31.36
AV	5.15G	49.40	54.00	-4.60	41.74	3	Horizontal	101	1.92	-	32.10	6.92	31.36
PK	5.2328G	124.94	Inf	-Inf	117.72	3	Horizontal	101	1.92	-	31.67	6.96	31.41
AV	5.2328G	114.49	Inf	-Inf	107.27	3	Horizontal	101	1.92	-	31.67	6.96	31.41
PK	5.3678G	60.21	74.00	-13.79	53.08	3	Horizontal	101	1.92	-	31.54	7.07	31.48
AV	5.3519G	48.27	54.00	-5.73	41.19	3	Horizontal	101	1.92	-	31.50	7.05	31.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49284G	55.88	68.20	-12.32	48.56	3	Vertical	38	2.11	-	40.11	10.09	42.88
PK	15.71076G	57.10	74.00	-16.90	48.10	3	Vertical	128	2.26	-	38.22	12.53	41.75
AV	15.72078G	44.30	54.00	-9.70	35.29	3	Vertical	128	2.26	-	38.24	12.54	41.77

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48261G	56.29	68.20	-11.91	48.94	3	Horizontal	20	1.73	-	40.13	10.09	42.87
PK	15.70848G	58.03	74.00	-15.97	49.02	3	Horizontal	196	1.08	-	38.22	12.53	41.74
AV	15.7158G	44.29	54.00	-9.71	35.28	3	Horizontal	196	1.08	-	38.23	12.54	41.76

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1238G	60.47	74.00	-13.53	52.82	3	Vertical	13	1.90	-	32.10	6.90	31.35
AV	5.1499G	48.41	54.00	-5.59	40.76	3	Vertical	13	1.90	-	32.10	6.91	31.36
PK	5.254G	125.81	Inf	-Inf	118.66	3	Vertical	13	1.90	-	31.59	6.98	31.42
AV	5.2531G	115.74	Inf	-Inf	108.59	3	Vertical	13	1.90	-	31.59	6.98	31.42
PK	5.3521G	65.37	74.00	-8.63	58.29	3	Vertical	13	1.90	-	31.50	7.05	31.47
AV	5.35G	50.61	54.00	-3.39	43.53	3	Vertical	13	1.90	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	62.42	74.00	-11.58	54.77	3	Horizontal	105	1.80	-	32.10	6.91	31.36
AV	5.1487G	49.23	54.00	-4.77	41.58	3	Horizontal	105	1.80	-	32.10	6.91	31.36
PK	5.2531G	124.63	Inf	-Inf	117.48	3	Horizontal	105	1.80	-	31.59	6.98	31.42
AV	5.2525G	114.55	Inf	-Inf	107.40	3	Horizontal	105	1.80	-	31.59	6.98	31.42
PK	5.3548G	72.48	74.00	-1.52	65.38	3	Horizontal	105	1.80	-	31.51	7.06	31.47
AV	5.35G	52.02	54.00	-1.98	44.94	3	Horizontal	105	1.80	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51163G	56.29	68.20	-11.91	48.95	3	Vertical	258	1.50	-	40.10	10.10	42.86
PK	15.79188G	58.19	74.00	-15.81	49.23	3	Vertical	247	1.33	-	38.30	12.57	41.91
AV	15.78942G	44.71	54.00	-9.29	35.74	3	Vertical	247	1.33	-	38.30	12.57	41.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.523G	56.78	68.20	-11.42	49.42	3	Horizontal	47	1.13	-	40.10	10.11	42.85
PK	15.77868G	57.99	74.00	-16.01	49.01	3	Horizontal	163	2.73	-	38.30	12.56	41.88
AV	15.78915G	44.59	54.00	-9.41	35.62	3	Horizontal	163	2.73	-	38.30	12.57	41.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 97
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	124.79	Inf	-Inf	117.70	3	Vertical	8	1.80	-	31.52	7.01	31.44
AV	5.2926G	114.74	Inf	-Inf	107.66	3	Vertical	8	1.80	-	31.51	7.01	31.44
PK	5.3526G	71.09	74.00	-2.91	64.00	3	Vertical	8	1.80	-	31.51	7.05	31.47
AV	5.3522G	53.37	54.00	-0.63	46.29	3	Vertical	8	1.80	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 97
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	123.22	Inf	-Inf	116.13	3	Horizontal	101	1.94	-	31.52	7.01	31.44
AV	5.2926G	112.97	Inf	-Inf	105.89	3	Horizontal	101	1.94	-	31.51	7.01	31.44
PK	5.3536G	69.83	74.00	-4.17	62.73	3	Horizontal	101	1.94	-	31.51	7.06	31.47
AV	5.3512G	53.76	54.00	-0.24	46.68	3	Horizontal	101	1.94	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 97
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60543G	56.54	74.00	-17.46	48.93	3	Vertical	59	2.15	-	40.20	10.15	42.74
AV	10.61047G	43.27	54.00	-10.73	35.65	3	Vertical	59	2.15	-	40.20	10.15	42.73
PK	15.89388G	57.39	74.00	-16.61	48.87	3	Vertical	127	1.53	-	38.01	12.62	42.11
AV	15.88554G	43.89	54.00	-10.11	35.33	3	Vertical	127	1.53	-	38.03	12.62	42.09

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 97
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60162G	56.56	74.00	-17.44	48.96	3	Horizontal	118	2.71	-	40.20	10.15	42.75
AV	10.61302G	43.35	54.00	-10.65	35.73	3	Horizontal	118	2.71	-	40.20	10.15	42.73
PK	15.90291G	57.63	74.00	-16.37	49.15	3	Horizontal	242	2.24	-	37.99	12.62	42.13
AV	15.885G	43.81	54.00	-10.19	35.25	3	Horizontal	242	2.24	-	38.03	12.62	42.09

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	121.39	Inf	-Inf	114.32	3	Vertical	10	2.17	-	31.50	7.02	31.45
AV	5.3126G	111.55	Inf	-Inf	104.48	3	Vertical	10	2.17	-	31.50	7.02	31.45
PK	5.3512G	68.05	74.00	-5.95	60.97	3	Vertical	10	2.17	-	31.50	7.05	31.47
AV	5.3514G	53.73	54.00	-0.27	46.65	3	Vertical	10	2.17	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	121.24	Inf	-Inf	114.16	3	Horizontal	103	2.66	-	31.50	7.03	31.45
AV	5.3156G	111.27	Inf	-Inf	104.19	3	Horizontal	103	2.66	-	31.50	7.03	31.45
PK	5.3534G	69.38	74.00	-4.62	62.28	3	Horizontal	103	2.66	-	31.51	7.06	31.47
AV	5.35G	53.69	54.00	-0.31	46.61	3	Horizontal	103	2.66	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 92
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63625G	56.65	74.00	-17.35	48.99	3	Vertical	132	1.76	-	40.20	10.16	42.70
AV	10.63664G	43.36	54.00	-10.64	35.70	3	Vertical	132	1.76	-	40.20	10.16	42.70
PK	15.97038G	56.82	74.00	-17.18	48.52	3	Vertical	330	1.28	-	37.90	12.66	42.26
AV	15.95019G	43.43	54.00	-10.57	35.10	3	Vertical	330	1.28	-	37.90	12.65	42.22

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 92
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62698G	56.58	74.00	-17.42	48.93	3	Horizontal	194	1.55	-	40.20	10.16	42.71
AV	10.6358G	43.27	54.00	-10.73	35.61	3	Horizontal	194	1.55	-	40.20	10.16	42.70
PK	15.94905G	57.87	74.00	-16.13	49.54	3	Horizontal	269	1.18	-	37.90	12.65	42.22
AV	15.94758G	43.44	54.00	-10.56	35.11	3	Horizontal	269	1.18	-	37.90	12.65	42.22

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	65.85	74.00	-8.15	58.43	3	Vertical	6	1.80	-	31.82	7.13	31.53
AV	5.4588G	51.59	54.00	-2.41	44.17	3	Vertical	6	1.80	-	31.82	7.13	31.53
PK	5.469G	67.81	68.20	-0.39	60.37	3	Vertical	6	1.80	-	31.84	7.13	31.53
PK	5.4924G	122.44	Inf	-Inf	114.96	3	Vertical	6	1.80	-	31.88	7.15	31.55
AV	5.4926G	112.22	Inf	-Inf	104.73	3	Vertical	6	1.80	-	31.89	7.15	31.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	68.44	74.00	-5.56	61.02	3	Horizontal	351	1.97	-	31.82	7.13	31.53
AV	5.4598G	52.53	54.00	-1.47	45.11	3	Horizontal	351	1.97	-	31.82	7.13	31.53
PK	5.4604G	66.53	68.20	-1.67	59.11	3	Horizontal	351	1.97	-	31.82	7.13	31.53
PK	5.4974G	121.26	Inf	-Inf	113.77	3	Horizontal	351	1.97	-	31.89	7.15	31.55
AV	5.498G	111.23	Inf	-Inf	103.73	3	Horizontal	351	1.97	-	31.90	7.15	31.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 92
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00735G	57.75	74.00	-16.25	49.17	3	Vertical	88	1.47	-	40.47	10.34	42.23
AV	11.01104G	44.42	54.00	-9.58	35.86	3	Vertical	88	1.47	-	40.46	10.34	42.24
PK	16.50012G	59.49	68.20	-8.71	48.15	3	Vertical	159	1.10	-	39.70	12.90	41.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 92
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00252G	57.87	74.00	-16.13	49.26	3	Horizontal	109	1.29	-	40.49	10.34	42.22
AV	11.00981G	44.41	54.00	-9.59	35.85	3	Horizontal	109	1.29	-	40.46	10.34	42.24
PK	16.50465G	59.45	68.20	-8.75	48.14	3	Horizontal	296	1.28	-	39.68	12.90	41.27

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	60.00	74.00	-14.00	52.61	3	Vertical	25	1.97	-	31.79	7.12	31.52
PK	5.466G	60.73	68.20	-7.47	53.30	3	Vertical	25	1.97	-	31.83	7.13	31.53
AV	5.4588G	48.10	54.00	-5.90	40.68	3	Vertical	25	1.97	-	31.82	7.13	31.53
PK	5.5872G	125.59	Inf	-Inf	118.11	3	Vertical	25	1.97	-	31.83	7.21	31.56
AV	5.5868G	115.44	Inf	-Inf	107.96	3	Vertical	25	1.97	-	31.83	7.21	31.56
PK	5.7584G	60.72	68.20	-7.48	52.73	3	Vertical	25	1.97	-	32.22	7.35	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4252G	59.82	74.00	-14.18	52.52	3	Horizontal	351	1.91	-	31.70	7.11	31.51
PK	5.464G	59.36	68.20	-8.84	51.93	3	Horizontal	351	1.91	-	31.83	7.13	31.53
AV	5.452G	47.09	54.00	-6.91	39.69	3	Horizontal	351	1.91	-	31.80	7.12	31.52
PK	5.5784G	122.92	Inf	-Inf	115.43	3	Horizontal	351	1.91	-	31.84	7.21	31.56
AV	5.5772G	112.86	Inf	-Inf	105.36	3	Horizontal	351	1.91	-	31.85	7.21	31.56
PK	5.7276G	60.49	68.20	-7.71	52.67	3	Horizontal	351	1.91	-	32.07	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15472G	57.03	74.00	-16.97	49.25	3	Vertical	67	1.16	-	39.89	10.41	42.52
AV	11.14617G	43.78	54.00	-10.22	35.97	3	Vertical	67	1.16	-	39.92	10.40	42.51
PK	16.73109G	60.36	68.20	-7.84	49.01	3	Vertical	152	1.94	-	40.09	13.00	41.74

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15667G	57.85	74.00	-16.15	50.08	3	Horizontal	307	2.21	-	39.89	10.41	42.53
AV	11.15427G	43.71	54.00	-10.29	35.93	3	Horizontal	307	2.21	-	39.89	10.41	42.52
PK	16.75233G	60.55	68.20	-7.65	49.11	3	Horizontal	231	1.35	-	40.21	13.01	41.78

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 73
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6926G	117.44	Inf	-Inf	109.84	3	Vertical	8	1.74	-	31.87	7.30	31.57
AV	5.6923G	107.67	Inf	-Inf	100.07	3	Vertical	8	1.74	-	31.87	7.30	31.57
PK	5.7313G	68.11	68.20	-0.09	60.27	3	Vertical	8	1.74	-	32.09	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 73
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6975G	118.19	Inf	-Inf	110.57	3	Horizontal	355	1.80	-	31.89	7.30	31.57
AV	5.6975G	106.81	Inf	-Inf	99.19	3	Horizontal	355	1.80	-	31.89	7.30	31.57
PK	5.7254G	63.66	68.20	-4.54	55.86	3	Horizontal	355	1.80	-	32.05	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 73
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39025G	56.41	74.00	-17.59	48.89	3	Vertical	353	2.30	-	39.98	10.52	42.98
AV	11.40543G	43.06	54.00	-10.94	35.54	3	Vertical	353	2.30	-	40.00	10.53	43.01
PK	17.10825G	59.24	68.20	-8.96	48.13	3	Vertical	351	2.03	-	40.22	13.17	42.28

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 73
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40165G	56.90	74.00	-17.10	49.38	3	Horizontal	30	1.97	-	40.00	10.53	43.01
AV	11.39976G	42.85	54.00	-11.15	35.33	3	Horizontal	30	1.97	-	40.00	10.52	43.00
PK	17.10645G	59.53	68.20	-8.67	48.43	3	Horizontal	236	2.13	-	40.21	13.17	42.28

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	125.56	Inf	-Inf	117.75	3	Vertical	24	1.74	-	32.06	7.33	31.58
AV	5.7276G	115.78	Inf	-Inf	107.96	3	Vertical	24	1.74	-	32.07	7.33	31.58
PK	5.8612G	60.24	68.20	-7.96	52.08	3	Vertical	24	1.74	-	32.34	7.41	31.59

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	125.28	Inf	-Inf	117.54	3	Horizontal	351	1.76	-	32.00	7.32	31.58
AV	5.7168G	115.03	Inf	-Inf	107.29	3	Horizontal	351	1.76	-	32.00	7.32	31.58
PK	5.8584G	64.03	68.20	-4.17	55.88	3	Horizontal	351	1.76	-	32.33	7.41	31.59

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44228G	56.05	74.00	-17.95	48.59	3	Vertical	152	1.32	-	40.00	10.55	43.09
AV	11.42653G	42.37	54.00	-11.63	34.89	3	Vertical	152	1.32	-	40.00	10.54	43.06
PK	17.1714G	59.35	68.20	-8.85	48.00	3	Vertical	21	2.99	-	40.43	13.20	42.28

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44507G	56.24	74.00	-17.76	48.78	3	Horizontal	262	2.84	-	40.00	10.55	43.09
AV	11.42656G	42.54	54.00	-11.46	35.06	3	Horizontal	262	2.84	-	40.00	10.54	43.06
PK	17.16909G	59.28	68.20	-8.92	47.95	3	Horizontal	100	2.92	-	40.41	13.20	42.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 103
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.18	68.20	-0.02	60.79	3	Vertical	22	1.92	-	31.70	7.26	31.57
PK	5.752G	126.15	Inf	-Inf	118.18	3	Vertical	22	1.92	-	32.20	7.35	31.58
AV	5.752G	116.58	Inf	-Inf	108.61	3	Vertical	22	1.92	-	32.20	7.35	31.58
PK	5.93G	59.70	68.20	-8.50	51.30	3	Vertical	22	1.92	-	32.56	7.44	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 103
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	68.09	68.20	-0.11	60.70	3	Horizontal	350	1.80	-	31.70	7.26	31.57
PK	5.7425G	125.22	Inf	-Inf	117.30	3	Horizontal	350	1.80	-	32.16	7.34	31.58
AV	5.7415G	114.62	Inf	-Inf	106.71	3	Horizontal	350	1.80	-	32.15	7.34	31.58
PK	5.941G	61.18	68.20	-7.02	52.75	3	Horizontal	350	1.80	-	32.58	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 103
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50458G	56.98	74.00	-17.02	49.51	3	Vertical	321	2.03	-	40.10	10.57	43.20
AV	11.4999G	42.97	54.00	-11.03	35.50	3	Vertical	321	2.03	-	40.10	10.57	43.20
PK	17.24298G	60.44	68.20	-7.76	48.97	3	Vertical	287	1.86	-	40.51	13.23	42.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 103
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50035G	56.11	74.00	-17.89	48.64	3	Horizontal	139	1.70	-	40.10	10.57	43.20
AV	11.49699G	43.09	54.00	-10.91	35.62	3	Horizontal	139	1.70	-	40.09	10.57	43.19
PK	17.22879G	60.01	68.20	-8.19	48.52	3	Horizontal	279	2.52	-	40.54	13.22	42.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	61.63	68.20	-6.57	54.18	3	Vertical	24	1.80	-	31.78	7.23	31.56
PK	5.7925G	125.94	Inf	-Inf	117.86	3	Vertical	24	1.80	-	32.29	7.38	31.59
AV	5.792G	115.94	Inf	-Inf	107.87	3	Vertical	24	1.80	-	32.28	7.38	31.59
PK	5.962G	59.81	68.20	-8.39	51.39	3	Vertical	24	1.80	-	32.58	7.45	31.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	65.87	68.20	-2.33	58.47	3	Horizontal	351	1.81	-	31.71	7.26	31.57
PK	5.7825G	125.58	Inf	-Inf	117.52	3	Horizontal	351	1.81	-	32.26	7.38	31.58
AV	5.7815G	114.76	Inf	-Inf	106.71	3	Horizontal	351	1.81	-	32.26	7.37	31.58
PK	5.9725G	61.98	68.20	-6.22	53.58	3	Horizontal	351	1.81	-	32.55	7.46	31.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55854G	57.53	74.00	-16.47	50.04	3	Vertical	138	1.73	-	40.05	10.60	43.16
AV	11.5568G	43.44	54.00	-10.56	35.94	3	Vertical	138	1.73	-	40.06	10.60	43.16
PK	17.35431G	61.14	68.20	-7.06	48.77	3	Vertical	20	1.03	-	41.35	13.28	42.26

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56991G	57.11	74.00	-16.89	49.68	3	Horizontal	107	1.83	-	39.98	10.61	43.16
AV	11.55527G	43.29	54.00	-10.71	35.79	3	Horizontal	107	1.83	-	40.07	10.60	43.17
PK	17.36199G	60.98	68.20	-7.22	48.52	3	Horizontal	241	1.46	-	41.44	13.28	42.26

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6215G	62.33	68.20	-5.87	54.89	3	Vertical	23	1.74	-	31.76	7.24	31.56
PK	5.832G	125.00	Inf	-Inf	116.89	3	Vertical	23	1.74	-	32.30	7.40	31.59
AV	5.8325G	114.97	Inf	-Inf	106.86	3	Vertical	23	1.74	-	32.30	7.40	31.59
PK	5.944G	60.40	68.20	-7.80	51.96	3	Vertical	23	1.74	-	32.59	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.61	68.20	-3.59	57.21	3	Horizontal	352	1.80	-	31.71	7.26	31.57
PK	5.822G	123.70	Inf	-Inf	115.59	3	Horizontal	352	1.80	-	32.30	7.40	31.59
AV	5.8215G	113.32	Inf	-Inf	105.21	3	Horizontal	352	1.80	-	32.30	7.40	31.59
PK	6.071G	61.35	68.20	-6.85	52.67	3	Horizontal	352	1.80	-	32.60	7.53	31.45

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64169G	57.26	74.00	-16.74	50.26	3	Vertical	216	1.05	-	39.47	10.64	43.11
AV	11.64382G	42.95	54.00	-11.05	35.97	3	Vertical	216	1.05	-	39.45	10.64	43.11
PK	17.48106G	62.88	68.20	-5.32	49.28	3	Vertical	155	1.75	-	42.51	13.34	42.25

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65606G	56.89	74.00	-17.11	49.96	3	Horizontal	288	1.77	-	39.38	10.65	43.10
AV	11.63569G	42.92	54.00	-11.08	35.89	3	Horizontal	288	1.77	-	39.51	10.64	43.12
PK	17.47086G	63.38	68.20	-4.82	49.89	3	Horizontal	230	1.03	-	42.41	13.33	42.25

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 92
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	66.68	74.00	-7.32	59.03	3	Vertical	157	1.80	-	32.10	6.91	31.36
AV	5.1498G	53.34	54.00	-0.66	45.69	3	Vertical	157	1.80	-	32.10	6.91	31.36
PK	5.1868G	123.71	Inf	-Inf	116.28	3	Vertical	157	1.80	-	31.88	6.93	31.38
AV	5.1866G	111.45	Inf	-Inf	104.02	3	Vertical	157	1.80	-	31.88	6.93	31.38

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.21	74.00	-13.79	52.56	3	Horizontal	180	1.06	-	32.10	6.91	31.36
AV	5.1494G	48.59	54.00	-5.41	40.94	3	Horizontal	180	1.06	-	32.10	6.91	31.36
PK	5.177G	113.62	Inf	-Inf	106.13	3	Horizontal	180	1.06	-	31.94	6.93	31.38
AV	5.174G	101.66	Inf	-Inf	94.14	3	Horizontal	180	1.06	-	31.96	6.93	31.37

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34175G	54.58	68.20	-13.62	47.42	3	Vertical	50	1.52	-	39.95	10.02	42.81
PK	15.53485G	56.46	74.00	-17.54	46.48	3	Vertical	180	2.75	-	38.93	12.45	41.40
AV	15.55245G	43.97	54.00	-10.03	34.05	3	Vertical	180	2.75	-	38.89	12.46	41.43

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3775G	55.66	68.20	-12.54	48.40	3	Horizontal	274	1.58	-	40.05	10.04	42.83
PK	15.52165G	56.20	74.00	-17.80	46.17	3	Horizontal	330	1.65	-	38.96	12.44	41.37
AV	15.5491G	43.96	54.00	-10.04	34.03	3	Horizontal	330	1.65	-	38.90	12.46	41.43

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 98
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	67.21	74.00	-6.79	59.56	3	Vertical	202	1.97	-	32.10	6.91	31.36
AV	5.1492G	52.06	54.00	-1.94	44.41	3	Vertical	202	1.97	-	32.10	6.91	31.36
PK	5.2066G	125.98	Inf	-Inf	118.66	3	Vertical	202	1.97	-	31.77	6.94	31.39
AV	5.2064G	114.23	Inf	-Inf	106.91	3	Vertical	202	1.97	-	31.77	6.94	31.39

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 98
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1214G	59.29	74.00	-14.71	51.64	3	Horizontal	164	1.79	-	32.10	6.90	31.35
AV	5.15G	47.26	54.00	-6.74	39.60	3	Horizontal	164	1.79	-	32.10	6.92	31.36
PK	5.1912G	113.00	Inf	-Inf	105.59	3	Horizontal	164	1.79	-	31.85	6.94	31.38
AV	5.1988G	100.96	Inf	-Inf	93.60	3	Horizontal	164	1.79	-	31.81	6.94	31.39

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 98
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39986G	55.58	68.20	-12.62	48.27	3	Vertical	217	1.53	-	40.10	10.05	42.84
PK	15.59645G	55.93	74.00	-18.07	46.35	3	Vertical	308	1.35	-	38.62	12.48	41.52
AV	15.60302G	43.17	54.00	-10.83	33.65	3	Vertical	308	1.35	-	38.57	12.48	41.53

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 98
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40168G	55.11	68.20	-13.09	47.80	3	Horizontal	64	2.22	-	40.10	10.05	42.84
PK	15.59932G	56.16	74.00	-17.84	46.61	3	Horizontal	233	1.09	-	38.60	12.48	41.53
AV	15.59773G	42.86	54.00	-11.14	33.29	3	Horizontal	233	1.09	-	38.61	12.48	41.52

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1491G	65.41	74.00	-8.59	57.76	3	Vertical	15	1.78	-	32.10	6.91	31.36
AV	5.15G	52.00	54.00	-2.00	44.34	3	Vertical	15	1.78	-	32.10	6.92	31.36
PK	5.2334G	128.64	Inf	-Inf	121.41	3	Vertical	15	1.78	-	31.67	6.97	31.41
AV	5.2484G	116.23	Inf	-Inf	109.05	3	Vertical	15	1.78	-	31.61	6.98	31.41
PK	5.3846G	61.12	74.00	-12.88	53.96	3	Vertical	15	1.78	-	31.57	7.08	31.49
AV	5.3555G	49.00	54.00	-5.00	41.90	3	Vertical	15	1.78	-	31.51	7.06	31.47

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1443G	58.92	74.00	-15.08	51.27	3	Horizontal	168	1.62	-	32.10	6.91	31.36
AV	5.1386G	46.52	54.00	-7.48	38.86	3	Horizontal	168	1.62	-	32.10	6.91	31.35
PK	5.2451G	113.80	Inf	-Inf	106.62	3	Horizontal	168	1.62	-	31.62	6.97	31.41
AV	5.2376G	102.38	Inf	-Inf	95.17	3	Horizontal	168	1.62	-	31.65	6.97	31.41
PK	5.375G	57.60	74.00	-16.40	50.46	3	Horizontal	168	1.62	-	31.55	7.07	31.48
AV	5.3591G	46.02	54.00	-7.98	38.91	3	Horizontal	168	1.62	-	31.52	7.06	31.47

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4832G	56.09	68.20	-12.11	48.74	3	Vertical	274	1.80	-	40.13	10.09	42.87
PK	15.69965G	55.98	74.00	-18.02	46.98	3	Vertical	78	2.25	-	38.20	12.53	41.73
AV	15.69515G	43.18	54.00	-10.82	34.18	3	Vertical	78	2.25	-	38.19	12.53	41.72

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4661G	54.72	68.20	-13.48	47.34	3	Horizontal	281	2.36	-	40.17	10.08	42.87
PK	15.72545G	56.29	74.00	-17.71	47.28	3	Horizontal	128	1.64	-	38.25	12.54	41.78
AV	15.7128G	43.19	54.00	-10.81	34.18	3	Horizontal	128	1.64	-	38.23	12.53	41.75

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 101
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.95	74.00	-12.05	57.07	3	Vertical	351	1.80	-	33.00	7.40	35.52
AV	5.149G	50.49	54.00	-3.51	45.61	3	Vertical	351	1.80	-	33.00	7.40	35.52
PK	5.2594G	127.95	Inf	-Inf	122.98	3	Vertical	351	1.80	-	32.98	7.48	35.49
AV	5.2624G	116.76	Inf	-Inf	111.79	3	Vertical	351	1.80	-	32.98	7.48	35.49
PK	5.359G	68.59	74.00	-5.41	63.70	3	Vertical	351	1.80	-	32.82	7.53	35.46
AV	5.3506G	53.95	54.00	-0.05	49.08	3	Vertical	351	1.80	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 101
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	59.87	74.00	-14.13	55.02	3	Horizontal	102	2.70	-	33.00	7.38	35.53
AV	5.146G	49.03	54.00	-4.97	44.15	3	Horizontal	102	2.70	-	33.00	7.40	35.52
PK	5.269G	124.74	Inf	-Inf	119.78	3	Horizontal	102	2.70	-	32.96	7.48	35.48
AV	5.269G	114.23	Inf	-Inf	109.27	3	Horizontal	102	2.70	-	32.96	7.48	35.48
PK	5.3524G	64.64	74.00	-9.36	59.77	3	Horizontal	102	2.70	-	32.80	7.53	35.46
AV	5.3524G	51.09	54.00	-2.91	46.22	3	Horizontal	102	2.70	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 101
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51642G	55.19	68.20	-13.01	47.84	3	Vertical	62	2.72	-	40.10	10.11	42.86
PK	15.78264G	55.62	74.00	-18.38	46.64	3	Vertical	142	1.41	-	38.30	12.57	41.89
AV	15.78488G	42.82	54.00	-11.18	33.84	3	Vertical	142	1.41	-	38.30	12.57	41.89

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 101
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51908G	55.48	68.20	-12.72	48.12	3	Horizontal	120	1.07	-	40.10	10.11	42.85
PK	15.78308G	56.18	74.00	-17.82	47.20	3	Horizontal	30	1.68	-	38.30	12.57	41.89
AV	15.77912G	42.66	54.00	-11.34	33.67	3	Horizontal	30	1.68	-	38.30	12.57	41.88

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 96
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	127.21	Inf	-Inf	122.27	3	Vertical	13	1.80	-	32.92	7.50	35.48
AV	5.2908G	116.61	Inf	-Inf	111.67	3	Vertical	13	1.80	-	32.92	7.50	35.48
PK	5.3524G	68.00	74.00	-6.00	63.13	3	Vertical	13	1.80	-	32.80	7.53	35.46
AV	5.35G	53.85	54.00	-0.15	48.98	3	Vertical	13	1.80	-	32.80	7.53	35.46

5.25-5.35GHz 802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 96
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	126.49	Inf	-Inf	121.57	3	Horizontal	112	1.80	-	32.90	7.50	35.48
AV	5.298G	114.52	Inf	-Inf	109.60	3	Horizontal	112	1.80	-	32.90	7.50	35.48
PK	5.3512G	67.95	74.00	-6.05	63.08	3	Horizontal	112	1.80	-	32.80	7.53	35.46
AV	5.35G	53.85	54.00	-0.15	48.98	3	Horizontal	112	1.80	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 96
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60358G	55.03	74.00	-18.97	47.42	3	Vertical	214	1.22	-	40.20	10.15	42.74
AV	10.60378G	41.89	54.00	-12.11	34.28	3	Vertical	214	1.22	-	40.20	10.15	42.74
PK	15.89756G	55.25	74.00	-18.75	46.75	3	Vertical	237	3.00	-	38.00	12.62	42.12
AV	15.8985G	41.95	54.00	-12.05	33.45	3	Vertical	237	3.00	-	38.00	12.62	42.12

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 96
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60142G	54.96	74.00	-19.04	47.36	3	Horizontal	174	2.02	-	40.20	10.15	42.75
AV	10.60086G	41.78	54.00	-12.22	34.18	3	Horizontal	174	2.02	-	40.20	10.15	42.75
PK	15.90482G	54.55	74.00	-19.45	46.07	3	Horizontal	96	1.30	-	37.99	12.62	42.13
AV	15.90262G	41.93	54.00	-12.07	33.45	3	Horizontal	96	1.30	-	37.99	12.62	42.13

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 91
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	121.63	Inf	-Inf	116.73	3	Vertical	73.9	1.80	-	32.86	7.51	35.47
AV	5.3216G	109.94	Inf	-Inf	105.04	3	Vertical	73.9	1.80	-	32.86	7.51	35.47
PK	5.3518G	66.61	74.00	-7.39	61.74	3	Vertical	73.9	1.80	-	32.80	7.53	35.46
AV	5.3512G	53.77	54.00	-0.23	48.90	3	Vertical	73.9	1.80	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 91
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3274G	122.51	Inf	-Inf	117.62	3	Horizontal	78	2.79	-	32.85	7.51	35.47
AV	5.3282G	112.19	Inf	-Inf	107.31	3	Horizontal	78	2.79	-	32.84	7.51	35.47
PK	5.35G	65.12	74.00	-8.88	60.25	3	Horizontal	78	2.79	-	32.80	7.53	35.46
AV	5.35G	53.67	54.00	-0.33	48.80	3	Horizontal	78	2.79	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 91
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63866G	54.67	74.00	-19.33	47.01	3	Vertical	178	1.03	-	40.20	10.16	42.70
AV	10.64056G	41.69	54.00	-12.31	34.02	3	Vertical	178	1.03	-	40.20	10.16	42.69
PK	15.96354G	54.56	74.00	-19.44	46.26	3	Vertical	84	2.59	-	37.90	12.65	42.25
AV	15.95984G	41.73	54.00	-12.27	33.42	3	Vertical	84	2.59	-	37.90	12.65	42.24

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 91
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63784G	55.27	74.00	-18.73	47.61	3	Horizontal	168	1.38	-	40.20	10.16	42.70
AV	10.6379G	41.77	54.00	-12.23	34.11	3	Horizontal	168	1.38	-	40.20	10.16	42.70
PK	15.95984G	55.71	74.00	-18.29	47.40	3	Horizontal	49	1.34	-	37.90	12.65	42.24
AV	15.9615G	41.63	54.00	-12.37	33.32	3	Horizontal	49	1.34	-	37.90	12.65	42.24

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 86
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	67.69	74.00	-6.31	62.70	3	Vertical	320	1.80	-	32.82	7.60	35.43
AV	5.4592G	53.61	54.00	-0.39	48.62	3	Vertical	320	1.80	-	32.82	7.60	35.43
PK	5.4602G	67.57	68.20	-0.63	62.58	3	Vertical	320	1.80	-	32.82	7.60	35.43
PK	5.509G	124.98	Inf	-Inf	119.88	3	Vertical	320	1.80	-	32.88	7.64	35.42
AV	5.5088G	114.84	Inf	-Inf	109.74	3	Vertical	320	1.80	-	32.88	7.64	35.42

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 86
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.80	74.00	-11.20	57.81	3	Horizontal	295	1.80	-	32.82	7.60	35.43
AV	5.459G	50.43	54.00	-3.57	45.44	3	Horizontal	295	1.80	-	32.82	7.60	35.43
PK	5.4682G	62.24	68.20	-5.96	57.23	3	Horizontal	295	1.80	-	32.84	7.60	35.43
PK	5.509G	122.20	Inf	-Inf	117.10	3	Horizontal	295	1.80	-	32.88	7.64	35.42
AV	5.5086G	112.13	Inf	-Inf	107.03	3	Horizontal	295	1.80	-	32.88	7.64	35.42

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 86
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00182G	56.98	74.00	-17.02	48.37	3	Vertical	204	1.90	-	40.49	10.34	42.22
AV	11.00042G	43.22	54.00	-10.78	34.60	3	Vertical	204	1.90	-	40.50	10.34	42.22
PK	16.50204G	57.65	68.20	-10.55	46.32	3	Vertical	287	1.10	-	39.69	12.90	41.26

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 86
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0005G	56.56	74.00	-17.44	47.94	3	Horizontal	221	2.30	-	40.50	10.34	42.22
AV	11.00424G	43.16	54.00	-10.84	34.57	3	Horizontal	221	2.30	-	40.48	10.34	42.23
PK	16.50462G	57.38	68.20	-10.82	46.07	3	Horizontal	112	2.51	-	39.68	12.90	41.27

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.45	74.00	-11.55	57.48	3	Vertical	344	1.80	-	32.81	7.59	35.43
AV	5.444G	50.36	54.00	-3.64	45.40	3	Vertical	344	1.80	-	32.81	7.59	35.44
PK	5.4656G	60.97	68.20	-7.23	55.97	3	Vertical	344	1.80	-	32.83	7.60	35.43
PK	5.5712G	126.85	Inf	-Inf	121.81	3	Vertical	344	1.80	-	32.80	7.69	35.45
AV	5.5744G	115.61	Inf	-Inf	110.57	3	Vertical	344	1.80	-	32.80	7.69	35.45
PK	5.7504G	62.15	68.20	-6.05	56.02	3	Vertical	344	1.80	-	33.70	7.95	35.52

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4088G	60.64	74.00	-13.36	55.65	3	Horizontal	156	1.80	-	32.88	7.56	35.45
PK	5.468G	59.67	68.20	-8.53	54.66	3	Horizontal	156	1.80	-	32.84	7.60	35.43
AV	5.46G	48.27	54.00	-5.73	43.28	3	Horizontal	156	1.80	-	32.82	7.60	35.43
PK	5.5816G	118.02	Inf	-Inf	112.97	3	Horizontal	156	1.80	-	32.80	7.70	35.45
AV	5.5824G	106.73	Inf	-Inf	101.68	3	Horizontal	156	1.80	-	32.80	7.70	35.45
PK	5.776G	61.06	68.20	-7.14	54.79	3	Horizontal	156	1.80	-	33.80	7.99	35.52

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1532G	56.10	74.00	-17.90	48.32	3	Vertical	336	1.80	-	39.89	10.41	42.52
AV	11.1536G	42.79	54.00	-11.21	35.01	3	Vertical	336	1.80	-	39.89	10.41	42.52
PK	16.7234G	56.20	68.20	-12.00	44.88	3	Vertical	311	1.51	-	40.04	13.00	41.72

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1795G	54.92	74.00	-19.08	47.23	3	Horizontal	114	3.00	-	39.84	10.42	42.57
AV	11.1521G	42.21	54.00	-11.79	34.42	3	Horizontal	114	3.00	-	39.90	10.41	42.52
PK	16.733G	57.33	68.20	-10.87	45.97	3	Horizontal	229	1.80	-	40.10	13.00	41.74

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 68
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	115.53	Inf	-Inf	109.73	3	Vertical	343	1.80	-	33.42	7.88	35.50
AV	5.6986G	106.87	Inf	-Inf	101.11	3	Vertical	343	1.80	-	33.39	7.87	35.50
PK	5.7262G	67.79	68.20	-0.41	61.83	3	Vertical	343	1.80	-	33.56	7.91	35.51

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 68
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6908G	112.66	Inf	-Inf	106.98	3	Horizontal	162	1.02	-	33.31	7.86	35.49
AV	5.6912G	100.91	Inf	-Inf	95.23	3	Horizontal	162	1.02	-	33.31	7.86	35.49
PK	5.7268G	67.37	68.20	-0.83	61.41	3	Horizontal	162	1.02	-	33.56	7.91	35.51

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 68
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40368G	55.39	74.00	-18.61	47.87	3	Vertical	315	1.93	-	40.00	10.53	43.01
AV	11.40314G	42.28	54.00	-11.72	34.76	3	Vertical	315	1.93	-	40.00	10.53	43.01
PK	17.09736G	56.71	68.20	-11.49	45.62	3	Vertical	108	2.02	-	40.21	13.16	42.28

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 68
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39808G	55.27	74.00	-18.73	47.75	3	Horizontal	319	1.01	-	40.00	10.52	43.00
AV	11.40126G	42.12	54.00	-11.88	34.60	3	Horizontal	319	1.01	-	40.00	10.53	43.01
PK	17.09994G	56.98	68.20	-11.22	45.90	3	Horizontal	208	2.27	-	40.20	13.16	42.28

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	123.48	Inf	-Inf	117.54	3	Vertical	342	1.80	-	33.53	7.91	35.50
AV	5.7128G	115.50	Inf	-Inf	109.63	3	Vertical	342	1.80	-	33.48	7.89	35.50
PK	5.85G	62.11	68.20	-6.09	55.60	3	Vertical	342	1.80	-	34.00	8.06	35.55

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	120.26	Inf	-Inf	114.30	3	Horizontal	164	1.00	-	33.56	7.91	35.51
AV	5.7224G	108.97	Inf	-Inf	103.03	3	Horizontal	164	1.00	-	33.53	7.91	35.50
PK	5.9104G	61.48	68.20	-6.72	54.76	3	Horizontal	164	1.00	-	34.20	8.10	35.58

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4366G	54.52	74.00	-19.48	47.06	3	Vertical	228	1.37	-	40.00	10.54	43.08
AV	11.43754G	41.66	54.00	-12.34	34.20	3	Vertical	228	1.37	-	40.00	10.54	43.08
PK	17.15862G	56.60	68.20	-11.60	45.34	3	Vertical	6	1.78	-	40.35	13.19	42.28

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44318G	55.16	74.00	-18.84	47.70	3	Horizontal	97	2.30	-	40.00	10.55	43.09
AV	11.44276G	41.71	54.00	-12.29	34.25	3	Horizontal	97	2.30	-	40.00	10.55	43.09
PK	17.1563G	56.40	68.20	-11.80	45.15	3	Horizontal	298	1.81	-	40.34	13.19	42.28

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6494G	63.86	68.20	-4.34	56.47	3	Vertical	139	1.77	-	31.70	7.26	31.57
PK	5.7406G	127.76	Inf	-Inf	119.86	3	Vertical	139	1.77	-	32.14	7.34	31.58
AV	5.7366G	115.75	Inf	-Inf	107.87	3	Vertical	139	1.77	-	32.12	7.34	31.58
PK	5.9382G	59.17	68.20	-9.03	50.74	3	Vertical	139	1.77	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	63.36	71.16	-7.80	55.94	3	Horizontal	165	1.88	-	31.72	7.27	31.57
PK	5.738G	119.09	Inf	-Inf	111.20	3	Horizontal	165	1.88	-	32.13	7.34	31.58
AV	5.7375G	108.00	Inf	-Inf	100.12	3	Horizontal	165	1.88	-	32.12	7.34	31.58
PK	5.934G	59.85	68.20	-8.35	51.44	3	Horizontal	165	1.88	-	32.57	7.44	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49014G	55.52	74.00	-18.48	48.05	3	Vertical	246	2.77	-	40.08	10.57	43.18
AV	11.49399G	41.76	54.00	-12.24	34.29	3	Vertical	246	2.77	-	40.09	10.57	43.19
PK	17.23795G	56.80	68.20	-11.40	45.32	3	Vertical	216	1.09	-	40.52	13.23	42.27

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49478G	55.15	74.00	-18.85	47.68	3	Horizontal	282	1.44	-	40.09	10.57	43.19
AV	11.48685G	41.86	54.00	-12.14	34.39	3	Horizontal	282	1.44	-	40.07	10.57	43.17
PK	17.23689G	56.89	68.20	-11.31	45.40	3	Horizontal	52	1.96	-	40.53	13.23	42.27

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	61.51	68.20	-6.69	54.07	3	Vertical	4	1.80	-	31.76	7.24	31.56
PK	5.7765G	126.41	Inf	-Inf	118.37	3	Vertical	4	1.80	-	32.25	7.37	31.58
AV	5.7765G	115.71	Inf	-Inf	107.67	3	Vertical	4	1.80	-	32.25	7.37	31.58
PK	5.988G	59.62	68.20	-8.58	51.24	3	Vertical	4	1.80	-	32.52	7.47	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5945G	59.77	68.20	-8.43	52.30	3	Horizontal	165	1.00	-	31.81	7.22	31.56
PK	5.7775G	118.73	Inf	-Inf	110.68	3	Horizontal	165	1.00	-	32.26	7.37	31.58
AV	5.777G	107.31	Inf	-Inf	99.27	3	Horizontal	165	1.00	-	32.25	7.37	31.58
PK	6.0325G	60.23	68.20	-7.97	51.71	3	Horizontal	165	1.00	-	32.56	7.50	31.54

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56832G	54.80	74.00	-19.20	47.37	3	Vertical	209	2.30	-	39.99	10.60	43.16
AV	11.57406G	41.69	54.00	-12.31	34.27	3	Vertical	209	2.30	-	39.96	10.61	43.15
PK	17.35812G	57.59	68.20	-10.61	45.17	3	Vertical	177	2.16	-	41.40	13.28	42.26

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57414G	55.57	74.00	-18.43	48.15	3	Horizontal	240	2.96	-	39.96	10.61	43.15
AV	11.5683G	41.74	54.00	-12.26	34.31	3	Horizontal	240	2.96	-	39.99	10.60	43.16
PK	17.35097G	57.13	68.20	-11.07	44.80	3	Horizontal	133	1.50	-	41.31	13.28	42.26

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	59.58	68.20	-8.62	52.16	3	Vertical	207	2.12	-	31.74	7.25	31.57
PK	5.8195G	126.54	Inf	-Inf	118.43	3	Vertical	207	2.12	-	32.30	7.40	31.59
AV	5.8165G	115.00	Inf	-Inf	106.89	3	Vertical	207	2.12	-	32.30	7.40	31.59
PK	5.9505G	60.29	68.20	-7.91	51.84	3	Vertical	207	2.12	-	32.60	7.45	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	60.15	68.20	-8.05	52.71	3	Horizontal	164	1.80	-	31.76	7.24	31.56
PK	5.8165G	113.35	Inf	-Inf	105.24	3	Horizontal	164	1.80	-	32.30	7.40	31.59
AV	5.8165G	102.78	Inf	-Inf	94.67	3	Horizontal	164	1.80	-	32.30	7.40	31.59
PK	6.0715G	60.97	68.20	-7.23	52.29	3	Horizontal	164	1.80	-	32.60	7.53	31.45

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64556G	54.72	74.00	-19.28	47.75	3	Vertical	239	1.65	-	39.44	10.64	43.11
AV	11.65064G	41.27	54.00	-12.73	34.34	3	Vertical	239	1.65	-	39.40	10.64	43.11
PK	17.47714G	59.50	68.20	-8.70	45.95	3	Vertical	198	1.17	-	42.47	13.33	42.25

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65284G	55.10	74.00	-18.90	48.17	3	Horizontal	14	2.90	-	39.39	10.65	43.11
AV	11.6533G	41.28	54.00	-12.72	34.34	3	Horizontal	14	2.90	-	39.39	10.65	43.10
PK	17.47125G	59.80	68.20	-8.40	46.31	3	Horizontal	340	1.58	-	42.41	13.33	42.25

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 90
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.16	74.00	-7.84	58.51	3	Vertical	10	1.78	-	32.10	6.91	31.36
AV	5.15G	53.41	54.00	-0.59	45.75	3	Vertical	10	1.78	-	32.10	6.92	31.36
PK	5.174G	121.21	Inf	-Inf	113.69	3	Vertical	10	1.78	-	31.96	6.93	31.37
AV	5.1742G	108.06	Inf	-Inf	100.55	3	Vertical	10	1.78	-	31.95	6.93	31.37

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
 Setting 90
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	61.28	74.00	-12.72	53.63	3	Horizontal	161.2	1.55	-	32.10	6.91	31.36
AV	5.1484G	48.32	54.00	-5.68	40.67	3	Horizontal	161.2	1.55	-	32.10	6.91	31.36
PK	5.1836G	110.29	Inf	-Inf	102.84	3	Horizontal	161.2	1.55	-	31.90	6.93	31.38
AV	5.2046G	97.33	Inf	-Inf	90.00	3	Horizontal	161.2	1.55	-	31.78	6.94	31.39

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 90
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37172G	55.65	68.20	-12.55	48.39	3	Vertical	34	1.80	-	40.04	10.04	42.82
PK	15.56181G	58.24	74.00	-15.76	48.40	3	Vertical	111	1.35	-	38.83	12.46	41.45
AV	15.55566G	44.68	54.00	-9.32	34.79	3	Vertical	111	1.35	-	38.87	12.46	41.44

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 90
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39002G	56.42	68.20	-11.78	49.12	3	Horizontal	309	1.80	-	40.08	10.05	42.83
PK	15.55899G	58.83	74.00	-15.17	48.97	3	Horizontal	330	1.80	-	38.85	12.46	41.45
AV	15.55647G	44.81	54.00	-9.19	34.93	3	Horizontal	330	1.80	-	38.86	12.46	41.44

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1457G	66.88	74.00	-7.12	59.23	3	Vertical	353.1	1.80	-	32.10	6.91	31.36
AV	5.1433G	53.63	54.00	-0.37	45.98	3	Vertical	353.1	1.80	-	32.10	6.91	31.36
PK	5.2351G	124.16	Inf	-Inf	116.94	3	Vertical	353.1	1.80	-	31.66	6.97	31.41
AV	5.2351G	111.12	Inf	-Inf	103.90	3	Vertical	353.1	1.80	-	31.66	6.97	31.41
PK	5.3515G	61.35	74.00	-12.65	54.27	3	Vertical	353.1	1.80	-	31.50	7.05	31.47
AV	5.3503G	48.48	54.00	-5.52	41.40	3	Vertical	353.1	1.80	-	31.50	7.05	31.47

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0908G	60.62	74.00	-13.38	52.98	3	Horizontal	166	1.60	-	32.08	6.89	31.33
AV	5.149G	48.26	54.00	-5.74	40.61	3	Horizontal	166	1.60	-	32.10	6.91	31.36
PK	5.2321G	111.00	Inf	-Inf	103.78	3	Horizontal	166	1.60	-	31.67	6.96	31.41
AV	5.227G	98.63	Inf	-Inf	91.38	3	Horizontal	166	1.60	-	31.69	6.96	31.40
PK	5.3797G	59.80	74.00	-14.20	52.66	3	Horizontal	166	1.60	-	31.56	7.07	31.49
AV	5.3536G	46.86	54.00	-7.14	39.76	3	Horizontal	166	1.60	-	31.51	7.06	31.47

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45604G	55.26	68.20	-12.94	47.85	3	Vertical	162	1.56	-	40.19	10.08	42.86
PK	15.70071G	56.64	74.00	-17.36	47.64	3	Vertical	343	2.35	-	38.20	12.53	41.73
AV	15.70239G	43.59	54.00	-10.41	34.59	3	Vertical	343	2.35	-	38.20	12.53	41.73

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4567G	55.48	68.20	-12.72	48.07	3	Horizontal	202	2.68	-	40.19	10.08	42.86
PK	15.69987G	57.20	74.00	-16.80	48.20	3	Horizontal	3	2.80	-	38.20	12.53	41.73
AV	15.70365G	43.74	54.00	-10.26	34.73	3	Horizontal	3	2.80	-	38.21	12.53	41.73

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.51	74.00	-12.49	56.63	3	Vertical	15	1.80	-	33.00	7.40	35.52
AV	5.1476G	49.65	54.00	-4.35	44.77	3	Vertical	15	1.80	-	33.00	7.40	35.52
PK	5.2712G	123.99	Inf	-Inf	119.02	3	Vertical	15	1.80	-	32.96	7.49	35.48
AV	5.2664G	112.65	Inf	-Inf	107.69	3	Vertical	15	1.80	-	32.97	7.48	35.49
PK	5.3564G	68.43	74.00	-5.57	63.55	3	Vertical	15	1.80	-	32.81	7.53	35.46
AV	5.351G	53.95	54.00	-0.05	49.08	3	Vertical	15	1.80	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1302G	60.58	74.00	-13.42	55.72	3	Horizontal	120	2.06	-	33.00	7.38	35.52
AV	5.15G	48.72	54.00	-5.28	43.84	3	Horizontal	120	2.06	-	33.00	7.40	35.52
PK	5.2868G	122.43	Inf	-Inf	117.49	3	Horizontal	120	2.06	-	32.93	7.49	35.48
AV	5.288G	111.39	Inf	-Inf	106.46	3	Horizontal	120	2.06	-	32.92	7.49	35.48
PK	5.3528G	64.44	74.00	-9.56	59.56	3	Horizontal	120	2.06	-	32.81	7.53	35.46
AV	5.35G	52.14	54.00	-1.86	47.27	3	Horizontal	120	2.06	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5328G	55.93	68.20	-12.27	48.56	3	Vertical	179	1.24	-	40.10	10.11	42.84
PK	15.8061G	57.45	74.00	-16.55	48.53	3	Vertical	344	1.43	-	38.28	12.58	41.94
AV	15.795G	43.95	54.00	-10.05	34.99	3	Vertical	344	1.43	-	38.30	12.57	41.91

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53658G	55.48	68.20	-12.72	48.10	3	Horizontal	358	2.25	-	40.10	10.11	42.83
PK	15.79752G	57.16	74.00	-16.84	48.21	3	Horizontal	293	1.43	-	38.30	12.57	41.92
AV	15.79518G	43.94	54.00	-10.06	34.98	3	Horizontal	293	1.43	-	38.30	12.57	41.91

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 70
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	116.77	Inf	-Inf	111.86	3	Vertical	11	1.80	-	32.88	7.50	35.47
AV	5.2928G	108.06	Inf	-Inf	103.13	3	Vertical	11	1.80	-	32.91	7.50	35.48
PK	5.356G	68.45	74.00	-5.55	63.57	3	Vertical	11	1.80	-	32.81	7.53	35.46
AV	5.35G	53.76	54.00	-0.24	48.89	3	Vertical	11	1.80	-	32.80	7.53	35.46

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 70
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	116.76	Inf	-Inf	111.83	3	Horizontal	104	2.77	-	32.91	7.50	35.48
AV	5.294G	106.86	Inf	-Inf	101.93	3	Horizontal	104	2.77	-	32.91	7.50	35.48
PK	5.3512G	67.29	74.00	-6.71	62.42	3	Horizontal	104	2.77	-	32.80	7.53	35.46
AV	5.3536G	51.23	54.00	-2.77	46.35	3	Horizontal	104	2.77	-	32.81	7.53	35.46

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 70
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62864G	56.62	74.00	-17.38	48.97	3	Vertical	42	2.71	-	40.20	10.16	42.71
AV	10.60512G	42.36	54.00	-11.64	34.75	3	Vertical	42	2.71	-	40.20	10.15	42.74
PK	15.9213G	56.69	74.00	-17.31	48.26	3	Vertical	3	2.28	-	37.96	12.63	42.16
AV	15.9282G	42.95	54.00	-11.05	34.55	3	Vertical	3	2.28	-	37.94	12.64	42.18

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 70
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6167G	55.51	74.00	-18.49	47.89	3	Horizontal	344	2.39	-	40.20	10.15	42.73
AV	10.62966G	42.35	54.00	-11.65	34.70	3	Horizontal	344	2.39	-	40.20	10.16	42.71
PK	15.93588G	56.00	74.00	-18.00	47.62	3	Horizontal	245	3.00	-	37.93	12.64	42.19
AV	15.9237G	42.94	54.00	-11.06	34.53	3	Horizontal	245	3.00	-	37.95	12.63	42.17

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 69
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.73	74.00	-11.27	57.74	3	Vertical	23	1.80	-	32.82	7.60	35.43
AV	5.46G	50.43	54.00	-3.57	45.44	3	Vertical	23	1.80	-	32.82	7.60	35.43
PK	5.4644G	67.58	68.20	-0.62	62.58	3	Vertical	23	1.80	-	32.83	7.60	35.43
PK	5.4972G	117.90	Inf	-Inf	112.80	3	Vertical	23	1.80	-	32.89	7.63	35.42
AV	5.506G	106.70	Inf	-Inf	101.60	3	Vertical	23	1.80	-	32.89	7.63	35.42

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 69
05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	61.08	74.00	-12.92	56.12	3	Horizontal	283.2	2.94	-	32.80	7.59	35.43
PK	5.4692G	61.79	68.20	-6.41	56.77	3	Horizontal	283.2	2.94	-	32.84	7.61	35.43
AV	5.46G	49.34	54.00	-4.66	44.35	3	Horizontal	283.2	2.94	-	32.82	7.60	35.43
PK	5.498G	116.58	Inf	-Inf	111.47	3	Horizontal	283.2	2.94	-	32.90	7.63	35.42
AV	5.5012G	105.08	Inf	-Inf	99.97	3	Horizontal	283.2	2.94	-	32.90	7.63	35.42

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 69
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01478G	56.95	74.00	-17.05	48.42	3	Vertical	50	2.78	-	40.44	10.34	42.25
AV	11.02516G	43.92	54.00	-10.08	35.44	3	Vertical	50	2.78	-	40.40	10.35	42.27
PK	16.53018G	58.25	68.20	-9.95	47.08	3	Vertical	167	2.67	-	39.58	12.91	41.32

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 69
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0167G	57.24	74.00	-16.76	48.72	3	Horizontal	250	2.06	-	40.43	10.34	42.25
AV	11.02378G	43.95	54.00	-10.05	35.47	3	Horizontal	250	2.06	-	40.40	10.35	42.27
PK	16.53498G	58.74	68.20	-9.46	47.60	3	Horizontal	135	1.12	-	39.56	12.91	41.33

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 95
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.24	74.00	-8.76	60.25	3	Vertical	336	2.00	-	32.82	7.60	35.43
AV	5.46G	53.08	54.00	-0.92	48.09	3	Vertical	336	2.00	-	32.82	7.60	35.43
PK	5.4696G	66.41	68.20	-1.79	61.39	3	Vertical	336	2.00	-	32.84	7.61	35.43
PK	5.5662G	121.94	Inf	-Inf	116.91	3	Vertical	336	2.00	-	32.80	7.68	35.45
AV	5.564G	113.14	Inf	-Inf	108.10	3	Vertical	336	2.00	-	32.81	7.67	35.44

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 95
 05-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.76	74.00	-11.24	57.80	3	Horizontal	266.3	1.75	-	32.80	7.59	35.43
PK	5.4648G	64.15	68.20	-4.05	59.15	3	Horizontal	266.3	1.75	-	32.83	7.60	35.43
AV	5.46G	50.44	54.00	-3.56	45.45	3	Horizontal	266.3	1.75	-	32.82	7.60	35.43
PK	5.5584G	122.27	Inf	-Inf	117.23	3	Horizontal	266.3	1.75	-	32.80	7.68	35.44
AV	5.5602G	110.62	Inf	-Inf	105.58	3	Horizontal	266.3	1.75	-	32.80	7.68	35.44

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 95
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09628G	56.51	74.00	-17.49	48.43	3	Vertical	360	1.99	-	40.11	10.38	42.41
AV	11.0856G	43.28	54.00	-10.72	35.13	3	Vertical	360	1.99	-	40.16	10.38	42.39
PK	16.64772G	58.23	68.20	-9.97	47.14	3	Vertical	253	1.80	-	39.69	12.96	41.56

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 95
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09094G	56.80	74.00	-17.20	48.68	3	Horizontal	320	1.80	-	40.14	10.38	42.40
AV	11.08914G	43.22	54.00	-10.78	35.09	3	Horizontal	320	1.80	-	40.14	10.38	42.39
PK	16.66392G	58.70	68.20	-9.50	47.57	3	Horizontal	73	1.06	-	39.76	12.97	41.60

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 85
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6553G	116.99	Inf	-Inf	109.57	3	Vertical	350	1.99	-	31.72	7.27	31.57
AV	5.6535G	105.01	Inf	-Inf	97.60	3	Vertical	350	1.99	-	31.71	7.27	31.57
PK	5.7252G	68.17	68.20	-0.03	60.37	3	Vertical	350	1.99	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 85
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6664G	110.90	Inf	-Inf	103.42	3	Horizontal	162	1.82	-	31.77	7.28	31.57
AV	5.6664G	98.84	Inf	-Inf	91.36	3	Horizontal	162	1.82	-	31.77	7.28	31.57
PK	5.7252G	61.13	68.20	-7.07	53.33	3	Horizontal	162	1.82	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 85
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35251G	55.85	74.00	-18.15	48.35	3	Vertical	189	2.37	-	39.91	10.50	42.91
AV	11.34672G	42.28	54.00	-11.72	34.79	3	Vertical	189	2.37	-	39.89	10.50	42.90
PK	17.0127G	58.92	68.20	-9.28	47.83	3	Vertical	226	2.98	-	40.25	13.13	42.29

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 85
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34438G	57.09	74.00	-16.91	49.59	3	Horizontal	84	1.11	-	39.89	10.50	42.89
AV	11.33028G	42.14	54.00	-11.86	34.66	3	Horizontal	84	1.11	-	39.86	10.49	42.87
PK	17.01267G	58.45	68.20	-9.75	47.36	3	Horizontal	320	1.21	-	40.25	13.13	42.29

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7072G	122.19	Inf	-Inf	114.51	3	Vertical	341.1	1.80	-	31.94	7.31	31.57
AV	5.7052G	107.62	Inf	-Inf	99.95	3	Vertical	341.1	1.80	-	31.93	7.31	31.57
PK	5.8568G	65.52	68.20	-2.68	57.37	3	Vertical	341.1	1.80	-	32.33	7.41	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	115.07	Inf	-Inf	107.41	3	Horizontal	162	1.74	-	31.92	7.31	31.57
AV	5.7164G	103.35	Inf	-Inf	95.61	3	Horizontal	162	1.74	-	32.00	7.32	31.58
PK	5.8568G	60.56	68.20	-7.64	52.41	3	Horizontal	162	1.74	-	32.33	7.41	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41046G	56.25	74.00	-17.75	48.74	3	Vertical	356	1.73	-	40.00	10.53	43.02
AV	11.40773G	42.51	54.00	-11.49	35.00	3	Vertical	356	1.73	-	40.00	10.53	43.02
PK	17.1162G	58.49	68.20	-9.71	47.37	3	Vertical	111	1.00	-	40.23	13.17	42.28

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40545G	55.57	74.00	-18.43	48.05	3	Horizontal	178	1.26	-	40.00	10.53	43.01
AV	11.40548G	42.31	54.00	-11.69	34.79	3	Horizontal	178	1.26	-	40.00	10.53	43.01
PK	17.14089G	58.61	68.20	-9.59	47.43	3	Horizontal	360	1.10	-	40.28	13.18	42.28

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 Setting 97
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6545G	71.49	71.53	-0.04	64.07	3	Vertical	14	1.80	-	31.72	7.27	31.57
PK	5.769G	123.20	Inf	-Inf	115.18	3	Vertical	14	1.80	-	32.24	7.36	31.58
AV	5.773G	110.75	Inf	-Inf	102.71	3	Vertical	14	1.80	-	32.25	7.37	31.58
PK	5.9895G	60.19	68.20	-8.01	51.81	3	Vertical	14	1.80	-	32.52	7.47	31.61

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 97
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	60.39	68.20	-7.81	52.96	3	Horizontal	168	1.02	-	31.75	7.24	31.56
PK	5.7425G	114.42	Inf	-Inf	106.50	3	Horizontal	168	1.02	-	32.16	7.34	31.58
AV	5.7425G	102.71	Inf	-Inf	94.79	3	Horizontal	168	1.02	-	32.16	7.34	31.58
PK	5.9285G	59.91	68.20	-8.29	51.51	3	Horizontal	168	1.02	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 97
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49929G	56.21	74.00	-17.79	48.74	3	Vertical	124	2.29	-	40.10	10.57	43.20
AV	11.52398G	42.45	54.00	-11.55	34.96	3	Vertical	124	2.29	-	40.10	10.58	43.19
PK	17.25039G	58.23	68.20	-9.97	46.77	3	Vertical	163	1.84	-	40.50	13.23	42.27

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 97
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49743G	55.51	74.00	-18.49	48.04	3	Horizontal	22	2.54	-	40.09	10.57	43.19
AV	11.52155G	42.50	54.00	-11.50	35.01	3	Horizontal	22	2.54	-	40.10	10.58	43.19
PK	17.27352G	58.49	68.20	-9.71	46.88	3	Horizontal	23	1.99	-	40.64	13.24	42.27

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6465G	67.37	68.20	-0.83	59.97	3	Vertical	19	1.80	-	31.71	7.26	31.57
PK	5.7785G	123.74	Inf	-Inf	115.69	3	Vertical	19	1.80	-	32.26	7.37	31.58
AV	5.7775G	111.69	Inf	-Inf	103.64	3	Vertical	19	1.80	-	32.26	7.37	31.58
PK	5.9645G	59.93	68.20	-8.27	51.51	3	Vertical	19	1.80	-	32.57	7.46	31.61

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5615G	59.75	68.20	-8.45	52.24	3	Horizontal	156	1.63	-	31.88	7.19	31.56
PK	5.8085G	112.21	Inf	-Inf	104.11	3	Horizontal	156	1.63	-	32.30	7.39	31.59
AV	5.81G	100.17	Inf	-Inf	92.07	3	Horizontal	156	1.63	-	32.30	7.39	31.59
PK	5.9615G	59.76	68.20	-8.44	51.34	3	Horizontal	156	1.63	-	32.58	7.45	31.61

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57704G	57.71	74.00	-16.29	50.31	3	Vertical	107	1.47	-	39.94	10.61	43.15
AV	11.57935G	42.34	54.00	-11.66	34.96	3	Vertical	107	1.47	-	39.92	10.61	43.15
PK	17.3877G	59.55	68.20	-8.65	46.77	3	Vertical	158	2.74	-	41.75	13.29	42.26

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58493G	55.50	74.00	-18.50	48.15	3	Horizontal	265	2.26	-	39.89	10.61	43.15
AV	11.58475G	42.29	54.00	-11.71	34.94	3	Horizontal	265	2.26	-	39.89	10.61	43.15
PK	17.39934G	58.39	68.20	-9.81	45.46	3	Horizontal	38	1.51	-	41.89	13.30	42.26

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 85
06-E-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.80	74.00	-9.20	57.15	3	Vertical	11	1.78	-	32.10	6.91	31.36
AV	5.15G	53.38	54.00	-0.62	45.72	3	Vertical	11	1.78	-	32.10	6.92	31.36
PK	5.2024G	116.68	Inf	-Inf	109.34	3	Vertical	11	1.78	-	31.79	6.94	31.39
AV	5.2016G	104.33	Inf	-Inf	96.99	3	Vertical	11	1.78	-	31.79	6.94	31.39
PK	5.356G	60.87	74.00	-13.13	53.77	3	Vertical	11	1.78	-	31.51	7.06	31.47
AV	5.3504G	48.87	54.00	-5.13	41.79	3	Vertical	11	1.78	-	31.50	7.05	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 85
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	61.57	74.00	-12.43	53.92	3	Horizontal	312.8	2.04	-	32.10	6.91	31.36
AV	5.1492G	49.45	54.00	-4.55	41.80	3	Horizontal	312.8	2.04	-	32.10	6.91	31.36
PK	5.234G	114.26	Inf	-Inf	107.04	3	Horizontal	312.8	2.04	-	31.66	6.97	31.41
AV	5.2364G	102.81	Inf	-Inf	95.60	3	Horizontal	312.8	2.04	-	31.65	6.97	31.41
PK	5.4056G	59.46	74.00	-14.54	52.25	3	Horizontal	312.8	2.04	-	31.62	7.09	31.50
AV	5.3552G	47.17	54.00	-6.83	40.07	3	Horizontal	312.8	2.04	-	31.51	7.06	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 85
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43053G	55.02	68.20	-13.18	47.65	3	Vertical	285	1.38	-	40.16	10.06	42.85
PK	15.61701G	56.93	74.00	-17.07	47.57	3	Vertical	123	1.27	-	38.43	12.49	41.56
AV	15.62271G	43.88	54.00	-10.12	34.59	3	Vertical	123	1.27	-	38.37	12.49	41.57

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 85
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43038G	55.55	68.20	-12.65	48.18	3	Horizontal	315	2.12	-	40.16	10.06	42.85
PK	15.6225G	56.89	74.00	-17.11	47.59	3	Horizontal	347	2.24	-	38.38	12.49	41.57
AV	15.6195G	43.81	54.00	-10.19	34.48	3	Horizontal	347	2.24	-	38.41	12.49	41.57

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.31	74.00	-12.69	53.65	3	Vertical	10	1.77	-	32.10	6.92	31.36
AV	5.149G	48.58	54.00	-5.42	40.93	3	Vertical	10	1.77	-	32.10	6.91	31.36
PK	5.2955G	115.85	Inf	-Inf	108.77	3	Vertical	10	1.77	-	31.51	7.01	31.44
AV	5.3055G	103.48	Inf	-Inf	96.40	3	Vertical	10	1.77	-	31.50	7.02	31.44
PK	5.351G	65.15	74.00	-8.85	58.07	3	Vertical	10	1.77	-	31.50	7.05	31.47
AV	5.35G	53.86	54.00	-0.14	46.78	3	Vertical	10	1.77	-	31.50	7.05	31.47
PK	5.4885G	61.30	68.20	-6.90	53.81	3	Vertical	10	1.77	-	31.88	7.15	31.54

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1385G	60.40	74.00	-13.60	52.74	3	Horizontal	75.3	2.86	-	32.10	6.91	31.35
AV	5.1435G	47.45	54.00	-6.55	39.80	3	Horizontal	75.3	2.86	-	32.10	6.91	31.36
PK	5.2955G	111.62	Inf	-Inf	104.48	3	Horizontal	75.3	2.86	-	31.58	6.98	31.42
PK	5.37G	63.01	74.00	-10.99	55.88	3	Horizontal	75.3	2.86	-	31.54	7.07	31.48
AV	5.318G	98.98	Inf	-Inf	91.90	3	Horizontal	75.3	2.86	-	31.50	7.03	31.45
AV	5.3655G	50.48	54.00	-3.52	43.37	3	Horizontal	75.3	2.86	-	31.53	7.06	31.48
PK	5.4745G	59.46	68.20	-8.74	52.01	3	Horizontal	75.3	2.86	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58483G	55.58	68.20	-12.62	48.04	3	Vertical	99	1.13	-	40.17	10.14	42.77
PK	15.86316G	56.73	74.00	-17.27	48.10	3	Vertical	239	2.25	-	38.07	12.61	42.05
AV	15.86394G	43.51	54.00	-10.49	34.88	3	Vertical	239	2.25	-	38.07	12.61	42.05

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57004G	56.60	68.20	-11.60	49.12	3	Horizontal	12	1.92	-	40.14	10.13	42.79
PK	15.86355G	56.18	74.00	-17.82	47.55	3	Horizontal	229	2.28	-	38.07	12.61	42.05
AV	15.86328G	43.56	54.00	-10.44	34.93	3	Horizontal	229	2.28	-	38.07	12.61	42.05

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 81
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	58.69	68.20	-9.51	51.61	3	Vertical	4	2.08	-	31.50	7.05	31.47
AV	5.35G	46.70	54.00	-7.30	39.62	3	Vertical	4	2.08	-	31.50	7.05	31.47
PK	5.453G	69.21	74.00	-4.79	61.80	3	Vertical	4	2.08	-	31.81	7.12	31.52
AV	5.458G	49.12	54.00	-4.88	41.70	3	Vertical	4	2.08	-	31.82	7.13	31.53
PK	5.468G	66.39	68.20	-1.81	58.95	3	Vertical	4	2.08	-	31.84	7.13	31.53
PK	5.497G	115.52	Inf	-Inf	108.03	3	Vertical	4	2.08	-	31.89	7.15	31.55
AV	5.5095G	99.33	Inf	-Inf	91.82	3	Vertical	4	2.08	-	31.90	7.16	31.55
PK	5.759G	59.87	68.20	-8.33	51.87	3	Vertical	4	2.08	-	32.22	7.36	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 81
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3185G	58.08	68.20	-10.12	51.00	3	Horizontal	130	1.80	-	31.50	7.03	31.45
AV	5.35G	45.30	54.00	-8.70	38.22	3	Horizontal	130	1.80	-	31.50	7.05	31.47
PK	5.458G	63.88	74.00	-10.12	56.46	3	Horizontal	130	1.80	-	31.82	7.13	31.53
AV	5.4545G	45.95	54.00	-8.05	38.54	3	Horizontal	130	1.80	-	31.81	7.13	31.53
PK	5.463G	58.84	68.20	-9.36	51.41	3	Horizontal	130	1.80	-	31.83	7.13	31.53
PK	5.5255G	105.55	Inf	-Inf	98.03	3	Horizontal	130	1.80	-	31.90	7.17	31.55
AV	5.5215G	91.76	Inf	-Inf	84.24	3	Horizontal	130	1.80	-	31.90	7.17	31.55
PK	5.7435G	59.31	68.20	-8.89	51.39	3	Horizontal	130	1.80	-	32.16	7.34	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 81
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05313G	56.86	74.00	-17.14	48.53	3	Vertical	130	2.58	-	40.29	10.36	42.32
AV	11.04677G	43.73	54.00	-10.27	35.37	3	Vertical	130	2.58	-	40.31	10.36	42.31
PK	16.59114G	58.54	68.20	-9.66	47.63	3	Vertical	209	1.17	-	39.42	12.94	41.45

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 81
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06276G	57.63	74.00	-16.37	49.36	3	Horizontal	354	1.09	-	40.25	10.36	42.34
AV	11.04818G	43.78	54.00	-10.22	35.42	3	Horizontal	354	1.09	-	40.31	10.36	42.31
PK	16.58529G	58.10	68.20	-10.10	47.18	3	Horizontal	245	1.39	-	39.43	12.93	41.44

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 87
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.07	74.00	-8.93	57.66	3	Vertical	6	1.79	-	31.81	7.13	31.53
AV	5.457G	48.43	54.00	-5.57	41.02	3	Vertical	6	1.79	-	31.81	7.13	31.53
PK	5.463G	63.75	68.20	-4.45	56.32	3	Vertical	6	1.79	-	31.83	7.13	31.53
PK	5.573G	116.46	Inf	-Inf	108.97	3	Vertical	6	1.79	-	31.85	7.20	31.56
AV	5.5725G	98.73	Inf	-Inf	91.23	3	Vertical	6	1.79	-	31.86	7.20	31.56
PK	5.7295G	67.91	68.20	-0.29	60.08	3	Vertical	6	1.79	-	32.08	7.33	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 87
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4435G	58.45	74.00	-15.55	51.08	3	Horizontal	0	1.80	-	31.77	7.12	31.52
AV	5.4455G	45.97	54.00	-8.03	38.59	3	Horizontal	0	1.80	-	31.78	7.12	31.52
PK	5.47G	57.74	68.20	-10.46	50.29	3	Horizontal	0	1.80	-	31.84	7.14	31.53
PK	5.577G	103.91	Inf	-Inf	96.41	3	Horizontal	0	1.80	-	31.85	7.21	31.56
AV	5.581G	91.58	Inf	-Inf	84.09	3	Horizontal	0	1.80	-	31.84	7.21	31.56
PK	5.745G	60.35	68.20	-7.85	52.42	3	Horizontal	0	1.80	-	32.17	7.34	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 87
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20905G	55.24	74.00	-18.76	47.64	3	Vertical	320	1.38	-	39.80	10.43	42.63
AV	11.21352G	42.36	54.00	-11.64	34.76	3	Vertical	320	1.38	-	39.80	10.44	42.64
PK	16.8225G	57.86	68.20	-10.34	46.29	3	Vertical	358	1.03	-	40.45	13.04	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 87
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21268G	55.64	74.00	-18.36	48.04	3	Horizontal	29	2.78	-	39.80	10.44	42.64
AV	11.22054G	42.30	54.00	-11.70	34.71	3	Horizontal	29	2.78	-	39.80	10.44	42.65
PK	16.84467G	58.14	68.20	-10.06	46.57	3	Horizontal	70	1.16	-	40.49	13.05	41.97

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 102
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	61.43	74.00	-12.57	54.04	3	Vertical	274	2.24	-	31.79	7.12	31.52
PK	5.4695G	61.79	68.20	-6.41	54.34	3	Vertical	274	2.24	-	31.84	7.14	31.53
AV	5.46G	48.68	54.00	-5.32	41.26	3	Vertical	274	2.24	-	31.82	7.13	31.53
PK	5.6625G	119.85	Inf	-Inf	112.40	3	Vertical	274	2.24	-	31.75	7.27	31.57
AV	5.713G	107.12	Inf	-Inf	99.40	3	Vertical	274	2.24	-	31.98	7.32	31.58
PK	5.8575G	67.49	68.20	-0.71	59.34	3	Vertical	274	2.24	-	32.33	7.41	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	58.52	74.00	-15.48	51.12	3	Horizontal	0	1.94	-	31.80	7.12	31.52
AV	5.4495G	46.04	54.00	-7.96	38.64	3	Horizontal	0	1.94	-	31.80	7.12	31.52
PK	5.4675G	57.95	68.20	-10.25	50.51	3	Horizontal	0	1.94	-	31.84	7.13	31.53
PK	5.7G	109.35	Inf	-Inf	101.72	3	Horizontal	0	1.94	-	31.90	7.30	31.57
AV	5.7005G	97.02	Inf	-Inf	89.38	3	Horizontal	0	1.94	-	31.90	7.31	31.57
PK	5.861G	59.78	68.20	-8.42	51.62	3	Horizontal	0	1.94	-	32.34	7.41	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3895G	56.12	74.00	-17.88	48.61	3	Vertical	128	2.83	-	39.94	10.51	42.94
AV	11.38324G	42.43	54.00	-11.57	34.91	3	Vertical	128	2.83	-	39.97	10.52	42.97
PK	17.08065G	58.39	68.20	-9.81	47.23	3	Vertical	34	1.54	-	40.28	13.16	42.28

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36959G	55.81	74.00	-18.19	48.30	3	Horizontal	260	2.18	-	39.94	10.51	42.94
AV	11.39368G	42.31	54.00	-11.69	34.79	3	Horizontal	260	2.18	-	39.99	10.52	42.99
PK	17.08278G	58.74	68.20	-9.46	47.59	3	Horizontal	34	2.61	-	40.27	13.16	42.28

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 92
 06-E-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	67.79	68.20	-0.41	60.39	3	Vertical	213	1.96	-	31.71	7.26	31.57
PK	5.7675G	120.13	Inf	-Inf	112.11	3	Vertical	213	1.96	-	32.24	7.36	31.58
AV	5.7665G	107.97	Inf	-Inf	99.96	3	Vertical	213	1.96	-	32.23	7.36	31.58
PK	6.016G	61.29	68.20	-6.91	52.85	3	Vertical	213	1.96	-	32.53	7.48	31.57

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	68.07	68.20	-0.13	60.68	3	Horizontal	163	1.00	-	31.70	7.26	31.57
PK	5.748G	112.66	Inf	-Inf	104.70	3	Horizontal	163	1.00	-	32.19	7.35	31.58
AV	5.7425G	98.00	Inf	-Inf	90.08	3	Horizontal	163	1.00	-	32.16	7.34	31.58
PK	5.998G	59.45	68.20	-8.75	51.09	3	Horizontal	163	1.00	-	32.50	7.47	31.61

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56326G	55.94	74.00	-18.06	48.48	3	Vertical	251	2.12	-	40.02	10.60	43.16
AV	11.55747G	42.50	54.00	-11.50	35.00	3	Vertical	251	2.12	-	40.06	10.60	43.16
PK	17.31534G	59.90	68.20	-8.30	47.95	3	Vertical	125	2.66	-	40.95	13.26	42.26

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 92
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54583G	55.57	74.00	-18.43	48.05	3	Horizontal	107	2.17	-	40.10	10.59	43.17
AV	11.55168G	42.59	54.00	-11.41	35.07	3	Horizontal	107	2.17	-	40.09	10.60	43.17
PK	17.32353G	59.18	68.20	-9.02	47.13	3	Horizontal	54	2.36	-	41.04	13.27	42.26

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 75
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	71.15	74.00	-2.85	63.49	3	Vertical	359.9	1.80	-	32.10	6.91	31.35
AV	5.098G	53.46	54.00	-0.54	45.80	3	Vertical	359.9	1.80	-	32.10	6.89	31.33
PK	5.2124G	110.26	Inf	-Inf	102.95	3	Vertical	359.9	1.80	-	31.75	6.95	31.39
AV	5.1852G	100.11	Inf	-Inf	92.67	3	Vertical	359.9	1.80	-	31.89	6.93	31.38
PK	5.434G	70.04	74.00	-3.96	62.70	3	Vertical	359.9	1.80	-	31.74	7.11	31.51
AV	5.3956G	52.72	54.00	-1.28	45.53	3	Vertical	359.9	1.80	-	31.59	7.09	31.49
PK	5.4948G	60.75	68.20	-7.45	53.26	3	Vertical	359.9	1.80	-	31.89	7.15	31.55

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 75
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	65.70	74.00	-8.30	58.04	3	Horizontal	84	1.84	-	32.10	6.90	31.34
AV	5.15G	52.28	54.00	-1.72	44.62	3	Horizontal	84	1.84	-	32.10	6.92	31.36
PK	5.1868G	108.81	Inf	-Inf	101.38	3	Horizontal	84	1.84	-	31.88	6.93	31.38
AV	5.1868G	97.27	Inf	-Inf	89.84	3	Horizontal	84	1.84	-	31.88	6.93	31.38
PK	5.4028G	64.34	74.00	-9.66	57.14	3	Horizontal	84	1.84	-	31.61	7.09	31.50
AV	5.3556G	50.82	54.00	-3.18	43.72	3	Horizontal	84	1.84	-	31.51	7.06	31.47
PK	5.4604G	59.99	68.20	-8.21	52.57	3	Horizontal	84	1.84	-	31.82	7.13	31.53

5.25-5.35GHz 802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 75
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.503G	55.48	68.20	-12.72	48.16	3	Vertical	279	1.81	-	40.10	10.10	42.88
PK	15.76386G	56.23	74.00	-17.77	47.22	3	Vertical	274	2.06	-	38.30	12.56	41.85
AV	15.7638G	43.38	54.00	-10.62	34.37	3	Vertical	274	2.06	-	38.30	12.56	41.85

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 75
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51041G	56.13	68.20	-12.07	48.80	3	Horizontal	210	1.67	-	40.10	10.10	42.87
PK	15.7398G	56.65	74.00	-17.35	47.62	3	Horizontal	223	1.33	-	38.28	12.55	41.80
AV	15.76368G	43.37	54.00	-10.63	34.36	3	Horizontal	223	1.33	-	38.30	12.56	41.85

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 78
06-E-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	61.81	68.20	-6.39	54.73	3	Vertical	264.5	2.07	-	31.50	7.05	31.47
PK	5.442G	67.98	74.00	-6.02	60.61	3	Vertical	264.5	2.07	-	31.77	7.12	31.52
PK	5.462G	68.12	68.20	-0.08	60.70	3	Vertical	264.5	2.07	-	31.82	7.13	31.53
AV	5.4548G	53.11	54.00	-0.89	45.70	3	Vertical	264.5	2.07	-	31.81	7.13	31.53
PK	5.5372G	111.86	Inf	-Inf	104.33	3	Vertical	264.5	2.07	-	31.90	7.18	31.55
AV	5.5996G	100.28	Inf	-Inf	92.82	3	Vertical	264.5	2.07	-	31.80	7.22	31.56
PK	5.73G	66.12	68.20	-2.08	58.29	3	Vertical	264.5	2.07	-	32.08	7.33	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
 Setting 78
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2268G	59.40	68.20	-8.80	52.15	3	Horizontal	276.6	2.87	-	31.69	6.96	31.40
PK	5.458G	70.01	74.00	-3.99	62.59	3	Horizontal	276.6	2.87	-	31.82	7.13	31.53
AV	5.4492G	50.61	54.00	-3.39	43.21	3	Horizontal	276.6	2.87	-	31.80	7.12	31.52
PK	5.47G	65.80	68.20	-2.40	58.35	3	Horizontal	276.6	2.87	-	31.84	7.14	31.53
PK	5.5868G	110.61	Inf	-Inf	103.13	3	Horizontal	276.6	2.87	-	31.83	7.21	31.56
AV	5.5884G	98.61	Inf	-Inf	91.14	3	Horizontal	276.6	2.87	-	31.82	7.21	31.56
PK	5.7364G	62.62	68.20	-5.58	54.74	3	Horizontal	276.6	2.87	-	32.12	7.34	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 78
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15476G	55.44	74.00	-18.56	47.66	3	Vertical	2	1.57	-	39.89	10.41	42.52
AV	11.14714G	42.31	54.00	-11.69	34.51	3	Vertical	2	1.57	-	39.91	10.40	42.51
PK	16.71936G	58.67	68.20	-9.53	47.37	3	Vertical	246	1.65	-	40.02	12.99	41.71

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 78
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13103G	55.87	74.00	-18.13	47.97	3	Horizontal	328	1.26	-	39.98	10.40	42.48
AV	11.15275G	42.34	54.00	-11.66	34.56	3	Horizontal	328	1.26	-	39.89	10.41	42.52
PK	16.71717G	58.07	68.20	-10.13	46.79	3	Horizontal	184	1.71	-	40.00	12.99	41.71

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 94
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.85	74.00	-7.15	59.20	3	Vertical	181	1.80	-	32.10	6.91	31.36
AV	5.1493G	53.23	54.00	-0.77	45.58	3	Vertical	181	1.80	-	32.10	6.91	31.36
PK	5.1709G	123.43	Inf	-Inf	115.90	3	Vertical	181	1.80	-	31.97	6.93	31.37
AV	5.1713G	111.54	Inf	-Inf	104.01	3	Vertical	181	1.80	-	31.97	6.93	31.37

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
 Setting 94
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1385G	59.76	74.00	-14.24	52.10	3	Horizontal	167	1.80	-	32.10	6.91	31.35
AV	5.1485G	47.77	54.00	-6.23	40.12	3	Horizontal	167	1.80	-	32.10	6.91	31.36
PK	5.1756G	109.49	Inf	-Inf	101.98	3	Horizontal	167	1.80	-	31.95	6.93	31.37
AV	5.1784G	97.32	Inf	-Inf	89.84	3	Horizontal	167	1.80	-	31.93	6.93	31.38

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 94
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37311G	55.75	68.20	-12.45	48.48	3	Vertical	0	2.36	-	40.05	10.04	42.82
PK	15.54147G	58.43	74.00	-15.57	48.47	3	Vertical	48	1.80	-	38.92	12.45	41.41
AV	15.54876G	45.10	54.00	-8.90	35.17	3	Vertical	48	1.80	-	38.90	12.46	41.43

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 94
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36492G	55.74	68.20	-12.46	48.50	3	Horizontal	294	1.58	-	40.03	10.03	42.82
PK	15.53688G	57.42	74.00	-16.58	47.44	3	Horizontal	292	1.34	-	38.93	12.45	41.40
AV	15.55497G	45.13	54.00	-8.87	35.24	3	Horizontal	292	1.34	-	38.87	12.46	41.44

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.19	74.00	-5.81	60.54	3	Vertical	352	1.97	-	32.10	6.91	31.36
AV	5.1498G	53.98	54.00	-0.02	46.33	3	Vertical	352	1.97	-	32.10	6.91	31.36
PK	5.2074G	123.80	Inf	-Inf	116.47	3	Vertical	352	1.97	-	31.77	6.95	31.39
AV	5.2084G	112.29	Inf	-Inf	104.96	3	Vertical	352	1.97	-	31.77	6.95	31.39

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 97
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	59.24	74.00	-14.76	51.58	3	Horizontal	182	1.06	-	32.10	6.91	31.35
AV	5.1482G	46.92	54.00	-7.08	39.27	3	Horizontal	182	1.06	-	32.10	6.91	31.36
PK	5.2072G	111.95	Inf	-Inf	104.62	3	Horizontal	182	1.06	-	31.77	6.95	31.39
AV	5.2038G	100.62	Inf	-Inf	93.29	3	Horizontal	182	1.06	-	31.78	6.94	31.39

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39745G	55.53	68.20	-12.67	48.22	3	Vertical	216	2.93	-	40.09	10.05	42.83
PK	15.585G	56.88	74.00	-17.12	47.22	3	Vertical	235	1.01	-	38.69	12.47	41.50
AV	15.58539G	44.41	54.00	-9.59	34.75	3	Vertical	235	1.01	-	38.69	12.47	41.50

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39037G	56.08	68.20	-12.12	48.78	3	Horizontal	152	1.93	-	40.08	10.05	42.83
PK	15.612G	57.20	74.00	-16.80	47.78	3	Horizontal	348	2.24	-	38.48	12.49	41.55
AV	15.615G	44.16	54.00	-9.84	34.78	3	Horizontal	348	2.24	-	38.45	12.49	41.56

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.43	74.00	-8.57	57.77	3	Vertical	18.7	1.80	-	32.10	6.92	31.36
AV	5.15G	51.32	54.00	-2.68	43.66	3	Vertical	18.7	1.80	-	32.10	6.92	31.36
PK	5.2382G	124.56	Inf	-Inf	117.35	3	Vertical	18.7	1.80	-	31.65	6.97	31.41
AV	5.2325G	113.38	Inf	-Inf	106.16	3	Vertical	18.7	1.80	-	31.67	6.96	31.41
PK	5.3519G	61.25	74.00	-12.75	54.17	3	Vertical	18.7	1.80	-	31.50	7.05	31.47
AV	5.3543G	48.96	54.00	-5.04	41.86	3	Vertical	18.7	1.80	-	31.51	7.06	31.47

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1137G	58.99	74.00	-15.01	51.33	3	Horizontal	167	1.56	-	32.10	6.90	31.34
AV	5.1491G	47.03	54.00	-6.97	39.38	3	Horizontal	167	1.56	-	32.10	6.91	31.36
PK	5.2376G	111.19	Inf	-Inf	103.98	3	Horizontal	167	1.56	-	31.65	6.97	31.41
AV	5.2421G	99.96	Inf	-Inf	92.77	3	Horizontal	167	1.56	-	31.63	6.97	31.41
PK	5.3765G	58.49	74.00	-15.51	51.35	3	Horizontal	167	1.56	-	31.55	7.07	31.48
AV	5.3528G	46.19	54.00	-7.81	39.10	3	Horizontal	167	1.56	-	31.51	7.05	31.47

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46686G	56.24	68.20	-11.96	48.86	3	Vertical	264	1.00	-	40.17	10.08	42.87
PK	15.70737G	57.57	74.00	-16.43	48.57	3	Vertical	328	2.83	-	38.21	12.53	41.74
AV	15.71889G	44.84	54.00	-9.16	35.82	3	Vertical	328	2.83	-	38.24	12.54	41.76

5.15-5.25GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48762G	55.29	68.20	-12.91	47.95	3	Horizontal	125	1.80	-	40.12	10.09	42.87
PK	15.70788G	57.59	74.00	-16.41	48.58	3	Horizontal	328	2.98	-	38.22	12.53	41.74
AV	15.71502G	44.60	54.00	-9.40	35.60	3	Horizontal	328	2.98	-	38.23	12.53	41.76

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	60.98	74.00	-13.02	53.33	3	Vertical	350	2.04	-	32.10	6.91	31.36
AV	5.1484G	48.83	54.00	-5.17	41.18	3	Vertical	350	2.04	-	32.10	6.91	31.36
PK	5.2624G	122.86	Inf	-Inf	115.71	3	Vertical	350	2.04	-	31.58	6.99	31.42
AV	5.2528G	110.90	Inf	-Inf	103.75	3	Vertical	350	2.04	-	31.59	6.98	31.42
PK	5.3506G	63.77	74.00	-10.23	56.69	3	Vertical	350	2.04	-	31.50	7.05	31.47
AV	5.3506G	50.30	54.00	-3.70	43.22	3	Vertical	350	2.04	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1322G	58.38	74.00	-15.62	50.72	3	Horizontal	168	1.60	-	32.10	6.91	31.35
AV	5.1376G	46.61	54.00	-7.39	38.95	3	Horizontal	168	1.60	-	32.10	6.91	31.35
PK	5.2648G	111.86	Inf	-Inf	104.72	3	Horizontal	168	1.60	-	31.57	6.99	31.42
AV	5.2642G	99.51	Inf	-Inf	92.37	3	Horizontal	168	1.60	-	31.57	6.99	31.42
PK	5.3614G	59.18	74.00	-14.82	52.08	3	Horizontal	168	1.60	-	31.52	7.06	31.48
AV	5.3566G	46.66	54.00	-7.34	39.56	3	Horizontal	168	1.60	-	31.51	7.06	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53182G	56.10	68.20	-12.10	48.73	3	Vertical	89	1.12	-	40.10	10.11	42.84
PK	15.78534G	57.55	74.00	-16.45	48.57	3	Vertical	37	2.73	-	38.30	12.57	41.89
AV	15.77958G	44.61	54.00	-9.39	35.62	3	Vertical	37	2.73	-	38.30	12.57	41.88

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5347G	55.12	68.20	-13.08	47.74	3	Horizontal	190	3.00	-	40.10	10.11	42.83
PK	15.78906G	57.33	74.00	-16.67	48.36	3	Horizontal	118	2.20	-	38.30	12.57	41.90
AV	15.7848G	44.56	54.00	-9.44	35.58	3	Horizontal	118	2.20	-	38.30	12.57	41.89

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	120.32	Inf	-Inf	113.25	3	Vertical	0	3.00	-	31.50	7.01	31.44
AV	5.298G	107.34	Inf	-Inf	100.27	3	Vertical	0	3.00	-	31.50	7.01	31.44
PK	5.35G	67.05	74.00	-6.95	59.97	3	Vertical	0	3.00	-	31.50	7.05	31.47
AV	5.35G	53.30	54.00	-0.70	46.22	3	Vertical	0	3.00	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	110.90	Inf	-Inf	103.82	3	Horizontal	163	1.74	-	31.51	7.01	31.44
AV	5.3036G	98.78	Inf	-Inf	91.70	3	Horizontal	163	1.74	-	31.50	7.02	31.44
PK	5.3532G	62.03	74.00	-11.97	54.94	3	Horizontal	163	1.74	-	31.51	7.05	31.47
AV	5.3508G	49.46	54.00	-4.54	42.38	3	Horizontal	163	1.74	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59616G	55.57	68.20	-12.63	47.99	3	Vertical	288	2.38	-	40.19	10.14	42.75
PK	15.909G	56.38	74.00	-17.62	47.91	3	Vertical	111	1.40	-	37.98	12.63	42.14
AV	15.9021G	43.41	54.00	-10.59	34.92	3	Vertical	111	1.40	-	38.00	12.62	42.13

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5871G	55.60	68.20	-12.60	48.06	3	Horizontal	223	1.89	-	40.17	10.14	42.77
PK	15.88794G	56.56	74.00	-17.44	48.02	3	Horizontal	111	1.88	-	38.02	12.62	42.10
AV	15.88548G	43.32	54.00	-10.68	34.76	3	Horizontal	111	1.88	-	38.03	12.62	42.09

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 95
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	118.48	Inf	-Inf	111.41	3	Vertical	353.1	1.80	-	31.50	7.03	31.46
AV	5.3214G	105.58	Inf	-Inf	98.50	3	Vertical	353.1	1.80	-	31.50	7.03	31.45
PK	5.355G	66.78	74.00	-7.22	59.68	3	Vertical	353.1	1.80	-	31.51	7.06	31.47
AV	5.35G	53.71	54.00	-0.29	46.63	3	Vertical	353.1	1.80	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	110.54	Inf	-Inf	103.46	3	Horizontal	165	1.50	-	31.50	7.03	31.45
AV	5.318G	98.82	Inf	-Inf	91.74	3	Horizontal	165	1.50	-	31.50	7.03	31.45
PK	5.3566G	62.27	74.00	-11.73	55.17	3	Horizontal	165	1.50	-	31.51	7.06	31.47
AV	5.35G	48.57	54.00	-5.43	41.49	3	Horizontal	165	1.50	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 95
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63184G	55.22	74.00	-18.78	47.57	3	Vertical	263	1.10	-	40.20	10.16	42.71
AV	10.62992G	42.77	54.00	-11.23	35.12	3	Vertical	263	1.10	-	40.20	10.16	42.71
PK	15.96924G	56.01	74.00	-17.99	47.71	3	Vertical	163	2.60	-	37.90	12.66	42.26
AV	15.97218G	43.17	54.00	-10.83	34.87	3	Vertical	163	2.60	-	37.90	12.66	42.26

5.25-5.35GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 95
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6277G	55.63	74.00	-18.37	47.98	3	Horizontal	271	2.87	-	40.20	10.16	42.71
AV	10.6388G	42.73	54.00	-11.27	35.07	3	Horizontal	271	2.87	-	40.20	10.16	42.70
PK	15.94842G	55.58	74.00	-18.42	47.25	3	Horizontal	325	1.71	-	37.90	12.65	42.22
AV	15.94644G	43.25	54.00	-10.75	34.91	3	Horizontal	325	1.71	-	37.91	12.64	42.21

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 94
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	66.89	74.00	-7.11	59.47	3	Vertical	1	2.21	-	31.82	7.13	31.53
AV	5.4594G	53.70	54.00	-0.30	46.28	3	Vertical	1	2.21	-	31.82	7.13	31.53
PK	5.4646G	66.09	68.20	-2.11	58.66	3	Vertical	1	2.21	-	31.83	7.13	31.53
PK	5.5086G	119.50	Inf	-Inf	111.99	3	Vertical	1	2.21	-	31.90	7.16	31.55
AV	5.4976G	107.97	Inf	-Inf	100.47	3	Vertical	1	2.21	-	31.90	7.15	31.55

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 94
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	59.77	74.00	-14.23	52.35	3	Horizontal	163	1.00	-	31.82	7.13	31.53
PK	5.4606G	60.53	68.20	-7.67	53.11	3	Horizontal	163	1.00	-	31.82	7.13	31.53
AV	5.4598G	48.09	54.00	-5.91	40.67	3	Horizontal	163	1.00	-	31.82	7.13	31.53
PK	5.5036G	111.80	Inf	-Inf	104.29	3	Horizontal	163	1.00	-	31.90	7.16	31.55
AV	5.5076G	100.09	Inf	-Inf	92.58	3	Horizontal	163	1.00	-	31.90	7.16	31.55

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 94
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00306G	57.01	74.00	-16.99	48.41	3	Vertical	82	2.18	-	40.49	10.34	42.23
AV	11.00468G	43.96	54.00	-10.04	35.37	3	Vertical	82	2.18	-	40.48	10.34	42.23
PK	16.5024G	58.85	68.20	-9.35	47.52	3	Vertical	71	2.64	-	39.69	12.90	41.26

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 94
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00966G	57.37	74.00	-16.63	48.81	3	Horizontal	32	1.67	-	40.46	10.34	42.24
AV	10.988G	44.13	54.00	-9.87	35.52	3	Horizontal	32	1.67	-	40.52	10.33	42.24
PK	16.49796G	58.51	68.20	-9.69	47.19	3	Horizontal	344	1.79	-	39.69	12.89	41.26

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4336G	60.20	74.00	-13.80	52.87	3	Vertical	2	2.28	-	31.73	7.11	31.51
AV	5.4464G	48.13	54.00	-5.87	40.74	3	Vertical	2	2.28	-	31.79	7.12	31.52
PK	5.4696G	61.53	68.20	-6.67	54.08	3	Vertical	2	2.28	-	31.84	7.14	31.53
PK	5.5784G	121.14	Inf	-Inf	113.65	3	Vertical	2	2.28	-	31.84	7.21	31.56
AV	5.576G	109.54	Inf	-Inf	102.05	3	Vertical	2	2.28	-	31.85	7.20	31.56
PK	5.7296G	60.55	68.20	-7.65	52.72	3	Vertical	2	2.28	-	32.08	7.33	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	58.48	74.00	-15.52	51.24	3	Horizontal	357	1.80	-	31.64	7.10	31.50
PK	5.4616G	57.65	68.20	-10.55	50.23	3	Horizontal	357	1.80	-	31.82	7.13	31.53
AV	5.4496G	46.29	54.00	-7.71	38.89	3	Horizontal	357	1.80	-	31.80	7.12	31.52
PK	5.588G	112.99	Inf	-Inf	105.52	3	Horizontal	357	1.80	-	31.82	7.21	31.56
AV	5.5736G	100.25	Inf	-Inf	92.76	3	Horizontal	357	1.80	-	31.85	7.20	31.56
PK	5.7672G	58.73	68.20	-9.47	50.72	3	Horizontal	357	1.80	-	32.23	7.36	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1468G	56.79	74.00	-17.21	48.99	3	Vertical	349	2.26	-	39.91	10.40	42.51
AV	11.15844G	43.75	54.00	-10.25	35.99	3	Vertical	349	2.26	-	39.88	10.41	42.53
PK	16.7391G	58.47	68.20	-9.73	47.09	3	Vertical	109	2.48	-	40.13	13.00	41.75

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16024G	55.63	74.00	-18.37	47.87	3	Horizontal	230	2.08	-	39.88	10.41	42.53
AV	11.145G	43.10	54.00	-10.90	35.28	3	Horizontal	230	2.08	-	39.92	10.40	42.50
PK	16.74498G	57.74	68.20	-10.46	46.32	3	Horizontal	115	2.72	-	40.17	13.01	41.76

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 70
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	114.92	Inf	-Inf	107.26	3	Vertical	3	1.80	-	31.92	7.31	31.57
AV	5.6962G	102.11	Inf	-Inf	94.50	3	Vertical	3	1.80	-	31.88	7.30	31.57
PK	5.7252G	67.90	68.20	-0.30	60.10	3	Vertical	3	1.80	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 70
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	110.94	Inf	-Inf	103.32	3	Horizontal	161	1.00	-	31.89	7.30	31.57
AV	5.6922G	97.51	Inf	-Inf	89.91	3	Horizontal	161	1.00	-	31.87	7.30	31.57
PK	5.7252G	62.97	68.20	-5.23	55.17	3	Horizontal	161	1.00	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 70
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38866G	55.42	74.00	-18.58	47.90	3	Vertical	300	1.99	-	39.98	10.52	42.98
AV	11.3859G	43.03	54.00	-10.97	35.52	3	Vertical	300	1.99	-	39.97	10.52	42.98
PK	17.09712G	57.92	68.20	-10.28	46.83	3	Vertical	32	2.81	-	40.21	13.16	42.28

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 70
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3943G	55.76	74.00	-18.24	48.24	3	Horizontal	199	1.01	-	39.99	10.52	42.99
AV	11.39388G	42.85	54.00	-11.15	35.33	3	Horizontal	199	1.01	-	39.99	10.52	42.99
PK	17.1012G	57.75	68.20	-10.45	46.66	3	Horizontal	100	2.15	-	40.20	13.17	42.28

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7288G	121.96	Inf	-Inf	114.14	3	Vertical	2	2.04	-	32.07	7.33	31.58
AV	5.716G	110.31	Inf	-Inf	102.57	3	Vertical	2	2.04	-	32.00	7.32	31.58
PK	5.868G	60.05	68.20	-8.15	51.85	3	Vertical	2	2.04	-	32.37	7.42	31.59

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	116.15	Inf	-Inf	108.39	3	Horizontal	163	1.59	-	32.02	7.32	31.58
AV	5.7216G	104.25	Inf	-Inf	96.48	3	Horizontal	163	1.59	-	32.03	7.32	31.58
PK	5.8632G	59.49	68.20	-8.71	51.31	3	Horizontal	163	1.59	-	32.35	7.42	31.59

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44504G	55.82	74.00	-18.18	48.36	3	Vertical	197	1.38	-	40.00	10.55	43.09
AV	11.4265G	42.68	54.00	-11.32	35.20	3	Vertical	197	1.38	-	40.00	10.54	43.06
PK	17.17338G	58.96	68.20	-9.24	47.60	3	Vertical	359	1.94	-	40.44	13.20	42.28

5.47-5.725GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42878G	55.05	74.00	-18.95	47.57	3	Horizontal	316	1.12	-	40.00	10.54	43.06
AV	11.45068G	42.55	54.00	-11.45	35.10	3	Horizontal	316	1.12	-	40.00	10.55	43.10
PK	17.1537G	59.33	68.20	-8.87	48.10	3	Horizontal	193	1.51	-	40.32	13.19	42.28

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 103
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.95	68.20	-1.25	59.56	3	Vertical	0	1.80	-	31.70	7.26	31.57
PK	5.7535G	126.43	Inf	-Inf	118.45	3	Vertical	0	1.80	-	32.21	7.35	31.58
AV	5.7515G	114.14	Inf	-Inf	106.17	3	Vertical	0	1.80	-	32.20	7.35	31.58
PK	5.9595G	59.46	68.20	-8.74	51.04	3	Vertical	0	1.80	-	32.58	7.45	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 103
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.61	68.20	-6.59	54.22	3	Horizontal	165	1.02	-	31.70	7.26	31.57
PK	5.749G	118.53	Inf	-Inf	110.57	3	Horizontal	165	1.02	-	32.19	7.35	31.58
AV	5.7435G	107.14	Inf	-Inf	99.22	3	Horizontal	165	1.02	-	32.16	7.34	31.58
PK	5.9415G	60.56	68.20	-7.64	52.13	3	Horizontal	165	1.02	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 103
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48295G	56.05	74.00	-17.95	48.59	3	Vertical	142	1.20	-	40.07	10.56	43.17
AV	11.50452G	42.73	54.00	-11.27	35.26	3	Vertical	142	1.20	-	40.10	10.57	43.20
PK	17.22438G	59.31	68.20	-8.89	47.81	3	Vertical	359	1.49	-	40.55	13.22	42.27

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX








EUT_Y_4TX
Setting 103
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47722G	55.33	74.00	-18.67	47.88	3	Horizontal	197	1.86	-	40.05	10.56	43.16
AV	11.50131G	42.81	54.00	-11.19	35.34	3	Horizontal	197	1.86	-	40.10	10.57	43.20
PK	17.23215G	59.05	68.20	-9.15	47.56	3	Horizontal	234	2.77	-	40.54	13.22	42.27

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


29/03/2024

EUT_Y_4TX
Setting 104
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	61.07	68.20	-7.13	53.68	3	Vertical	215	1.80	-	31.70	7.26	31.57
PK	5.793G	123.81	Inf	-Inf	115.73	3	Vertical	215	1.80	-	32.29	7.38	31.59
AV	5.7765G	112.53	Inf	-Inf	104.49	3	Vertical	215	1.80	-	32.25	7.37	31.58
PK	6.0145G	59.58	68.20	-8.62	51.15	3	Vertical	215	1.80	-	32.53	7.48	31.58

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.48	68.20	-7.72	53.08	3	Horizontal	165	1.00	-	31.71	7.26	31.57
PK	5.781G	118.41	Inf	-Inf	110.36	3	Horizontal	165	1.00	-	32.26	7.37	31.58
AV	5.781G	107.15	Inf	-Inf	99.10	3	Horizontal	165	1.00	-	32.26	7.37	31.58
PK	5.932G	60.44	68.20	-7.76	52.04	3	Horizontal	165	1.00	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57849G	56.38	74.00	-17.62	48.99	3	Vertical	284	1.95	-	39.93	10.61	43.15
AV	11.58386G	43.57	54.00	-10.43	36.21	3	Vertical	284	1.95	-	39.90	10.61	43.15
PK	17.36637G	60.03	68.20	-8.17	47.51	3	Vertical	190	1.72	-	41.50	13.28	42.26

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55548G	56.27	74.00	-17.73	48.77	3	Horizontal	130	1.46	-	40.07	10.60	43.17
AV	11.58335G	43.46	54.00	-10.54	36.10	3	Horizontal	130	1.46	-	39.90	10.61	43.15
PK	17.36757G	60.08	68.20	-8.12	47.54	3	Horizontal	27	1.50	-	41.51	13.29	42.26

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.05	68.20	-5.15	55.65	3	Vertical	26.5	1.84	-	31.71	7.26	31.57
PK	5.828G	125.20	Inf	-Inf	117.09	3	Vertical	26.5	1.84	-	32.30	7.40	31.59
AV	5.82G	113.57	Inf	-Inf	105.46	3	Vertical	26.5	1.84	-	32.30	7.40	31.59
PK	5.9845G	59.75	68.20	-8.45	51.37	3	Vertical	26.5	1.84	-	32.53	7.46	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	59.89	68.20	-8.31	52.40	3	Horizontal	164	1.00	-	31.84	7.21	31.56
PK	5.8175G	117.20	Inf	-Inf	109.09	3	Horizontal	164	1.00	-	32.30	7.40	31.59
AV	5.8215G	105.85	Inf	-Inf	97.74	3	Horizontal	164	1.00	-	32.30	7.40	31.59
PK	5.9755G	60.95	68.20	-7.25	52.55	3	Horizontal	164	1.00	-	32.55	7.46	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63695G	55.88	74.00	-18.12	48.86	3	Vertical	151	1.56	-	39.50	10.64	43.12
AV	11.63791G	42.84	54.00	-11.16	35.81	3	Vertical	151	1.56	-	39.50	10.64	43.11
PK	17.48313G	60.32	68.20	-7.88	46.70	3	Vertical	9	1.38	-	42.53	13.34	42.25

5.725-5.85GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66371G	55.93	74.00	-18.07	49.03	3	Horizontal	135	2.62	-	39.35	10.65	43.10
AV	11.64376G	42.96	54.00	-11.04	35.98	3	Horizontal	135	2.62	-	39.45	10.64	43.11
PK	17.47128G	60.05	68.20	-8.15	46.56	3	Horizontal	22	1.38	-	42.41	13.33	42.25

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
 Setting 86
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	66.04	74.00	-7.96	58.39	3	Vertical	44.8	1.96	-	32.10	6.91	31.36
AV	5.15G	53.61	54.00	-0.39	45.95	3	Vertical	44.8	1.96	-	32.10	6.92	31.36
PK	5.194G	117.91	Inf	-Inf	110.51	3	Vertical	44.8	1.96	-	31.84	6.94	31.38
AV	5.1882G	106.05	Inf	-Inf	98.63	3	Vertical	44.8	1.96	-	31.87	6.93	31.38

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.87	74.00	-13.13	53.22	3	Horizontal	174	1.01	-	32.10	6.91	31.36
AV	5.1496G	49.07	54.00	-4.93	41.42	3	Horizontal	174	1.01	-	32.10	6.91	31.36
PK	5.2046G	110.36	Inf	-Inf	103.03	3	Horizontal	174	1.01	-	31.78	6.94	31.39
AV	5.1936G	96.06	Inf	-Inf	88.66	3	Horizontal	174	1.01	-	31.84	6.94	31.38

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37601G	56.06	68.20	-12.14	48.80	3	Vertical	105	2.21	-	40.05	10.04	42.83
PK	15.56091G	58.89	74.00	-15.11	49.05	3	Vertical	269	2.75	-	38.83	12.46	41.45
AV	15.55572G	43.14	54.00	-10.86	33.25	3	Vertical	269	2.75	-	38.87	12.46	41.44

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36872G	55.43	68.20	-12.77	48.17	3	Horizontal	316	1.65	-	40.04	10.04	42.82
PK	15.56907G	58.20	74.00	-15.80	48.41	3	Horizontal	20	1.88	-	38.79	12.47	41.47
AV	15.55623G	43.27	54.00	-10.73	33.39	3	Horizontal	20	1.88	-	38.86	12.46	41.44

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


29/03/2024

EUT_Y_4TX
Setting 91
06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14996G	69.10	74.00	-4.90	61.45	3	Vertical	12	2.11	-	32.10	6.91	31.36
AV	5.1499G	53.63	54.00	-0.37	45.98	3	Vertical	12	2.11	-	32.10	6.91	31.36
PK	5.2129G	121.76	Inf	-Inf	114.45	3	Vertical	12	2.11	-	31.75	6.95	31.39
AV	5.2327G	107.74	Inf	-Inf	100.52	3	Vertical	12	2.11	-	31.67	6.96	31.41
PK	5.3545G	61.95	74.00	-12.05	54.85	3	Vertical	12	2.11	-	31.51	7.06	31.47
AV	5.3632G	49.32	54.00	-4.68	42.21	3	Vertical	12	2.11	-	31.53	7.06	31.48

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




23/04/2024

EUT_Y_4TX
Setting 86
06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1397G	60.83	74.00	-13.17	53.18	3	Horizontal	138	1.00	-	32.10	6.91	31.36
AV	5.1412G	47.36	54.00	-6.64	39.71	3	Horizontal	138	1.00	-	32.10	6.91	31.36
PK	5.2339G	109.45	Inf	-Inf	102.23	3	Horizontal	138	1.00	-	31.66	6.97	31.41
AV	5.2354G	96.43	Inf	-Inf	89.21	3	Horizontal	138	1.00	-	31.66	6.97	31.41
PK	5.3782G	59.27	74.00	-14.73	52.12	3	Horizontal	138	1.00	-	31.56	7.07	31.48
AV	5.3551G	46.80	54.00	-7.20	39.70	3	Horizontal	138	1.00	-	31.51	7.06	31.47

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46981G	55.00	68.20	-13.20	47.63	3	Vertical	288	2.91	-	40.16	10.08	42.87
PK	15.70404G	56.71	74.00	-17.29	47.70	3	Vertical	121	2.99	-	38.21	12.53	41.73
AV	15.70488G	43.99	54.00	-10.01	34.99	3	Vertical	121	2.99	-	38.21	12.53	41.74

5.15-5.25GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46582G	55.87	68.20	-12.33	48.48	3	Horizontal	220	1.72	-	40.17	10.08	42.86
PK	15.70422G	57.64	74.00	-16.36	48.63	3	Horizontal	66	1.02	-	38.21	12.53	41.73
AV	15.70389G	43.90	54.00	-10.10	34.89	3	Horizontal	66	1.02	-	38.21	12.53	41.73

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 96
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.43	74.00	-12.57	53.78	3	Vertical	355	2.30	-	32.10	6.91	31.36
AV	5.15G	48.88	54.00	-5.12	41.22	3	Vertical	355	2.30	-	32.10	6.92	31.36
PK	5.267G	117.13	Inf	-Inf	109.99	3	Vertical	355	2.30	-	31.57	6.99	31.42
AV	5.2532G	105.37	Inf	-Inf	98.22	3	Vertical	355	2.30	-	31.59	6.98	31.42
PK	5.35G	69.17	74.00	-4.83	62.09	3	Vertical	355	2.30	-	31.50	7.05	31.47
AV	5.35G	53.87	54.00	-0.13	46.79	3	Vertical	355	2.30	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 96
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	59.01	74.00	-14.99	51.36	3	Horizontal	104	1.06	-	32.10	6.91	31.36
AV	5.1428G	46.26	54.00	-7.74	38.61	3	Horizontal	104	1.06	-	32.10	6.91	31.36
PK	5.2646G	109.52	Inf	-Inf	102.38	3	Horizontal	104	1.06	-	31.57	6.99	31.42
AV	5.2538G	95.86	Inf	-Inf	88.71	3	Horizontal	104	1.06	-	31.59	6.98	31.42
PK	5.35G	61.24	74.00	-12.76	54.16	3	Horizontal	104	1.06	-	31.50	7.05	31.47
AV	5.3516G	47.78	54.00	-6.22	40.70	3	Horizontal	104	1.06	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 96
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5478G	56.17	68.20	-12.03	48.77	3	Vertical	321	2.93	-	40.10	10.12	42.82
PK	15.80634G	57.49	74.00	-16.51	48.58	3	Vertical	206	1.51	-	38.27	12.58	41.94
AV	15.79734G	44.06	54.00	-9.94	35.11	3	Vertical	206	1.51	-	38.30	12.57	41.92

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 96
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53874G	55.69	68.20	-12.51	48.30	3	Horizontal	348	2.65	-	40.10	10.12	42.83
PK	15.8004G	57.84	74.00	-16.16	48.88	3	Horizontal	195	2.11	-	38.30	12.58	41.92
AV	15.79542G	43.96	54.00	-10.04	35.00	3	Horizontal	195	2.11	-	38.30	12.57	41.91

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 85
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	115.57	Inf	-Inf	108.50	3	Vertical	354	2.32	-	31.50	7.02	31.45
AV	5.294G	101.99	Inf	-Inf	94.91	3	Vertical	354	2.32	-	31.51	7.01	31.44
PK	5.3504G	67.07	74.00	-6.93	59.99	3	Vertical	354	2.32	-	31.50	7.05	31.47
AV	5.35G	53.49	54.00	-0.51	46.41	3	Vertical	354	2.32	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 85
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	105.72	Inf	-Inf	98.64	3	Horizontal	165	1.63	-	31.50	7.03	31.45
AV	5.3196G	92.62	Inf	-Inf	85.54	3	Horizontal	165	1.63	-	31.50	7.03	31.45
PK	5.3516G	59.63	74.00	-14.37	52.55	3	Horizontal	165	1.63	-	31.50	7.05	31.47
AV	5.352G	47.74	54.00	-6.26	40.66	3	Horizontal	165	1.63	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 85
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63134G	56.48	74.00	-17.52	48.83	3	Vertical	197	2.31	-	40.20	10.16	42.71
AV	10.61898G	42.38	54.00	-11.62	34.75	3	Vertical	197	2.31	-	40.20	10.15	42.72
PK	15.93198G	56.66	74.00	-17.34	48.27	3	Vertical	339	1.22	-	37.94	12.64	42.19
AV	15.9312G	43.18	54.00	-10.82	34.78	3	Vertical	339	1.22	-	37.94	12.64	42.18

5.25-5.35GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 85
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60908G	55.31	74.00	-18.69	47.70	3	Horizontal	276	1.20	-	40.20	10.15	42.74
AV	10.60926G	42.33	54.00	-11.67	34.72	3	Horizontal	276	1.20	-	40.20	10.15	42.74
PK	15.9249G	56.60	74.00	-17.40	48.19	3	Horizontal	14	2.74	-	37.95	12.63	42.17
AV	15.93114G	43.13	54.00	-10.87	34.73	3	Horizontal	14	2.74	-	37.94	12.64	42.18

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 95
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	67.29	74.00	-6.71	59.97	3	Vertical	3	2.29	-	31.72	7.11	31.51
PK	5.4672G	67.52	68.20	-0.68	60.09	3	Vertical	3	2.29	-	31.83	7.13	31.53
AV	5.46G	52.71	54.00	-1.29	45.29	3	Vertical	3	2.29	-	31.82	7.13	31.53
PK	5.52G	116.58	Inf	-Inf	109.06	3	Vertical	3	2.29	-	31.90	7.17	31.55
AV	5.5088G	104.10	Inf	-Inf	96.59	3	Vertical	3	2.29	-	31.90	7.16	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	59.65	74.00	-14.35	52.24	3	Horizontal	165.1	1.80	-	31.81	7.12	31.52
AV	5.46G	47.37	54.00	-6.63	39.95	3	Horizontal	165.1	1.80	-	31.82	7.13	31.53
PK	5.4692G	61.62	68.20	-6.58	54.18	3	Horizontal	165.1	1.80	-	31.84	7.13	31.53
PK	5.5248G	108.62	Inf	-Inf	101.10	3	Horizontal	165.1	1.80	-	31.90	7.17	31.55
AV	5.524G	96.06	Inf	-Inf	88.54	3	Horizontal	165.1	1.80	-	31.90	7.17	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01412G	57.35	74.00	-16.65	48.82	3	Vertical	296	1.63	-	40.44	10.34	42.25
AV	11.03332G	43.77	54.00	-10.23	35.34	3	Vertical	296	1.63	-	40.37	10.35	42.29
PK	16.52094G	58.44	68.20	-9.76	47.22	3	Vertical	31	2.66	-	39.62	12.90	41.30

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 95
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.005G	57.35	74.00	-16.65	48.76	3	Horizontal	0	1.35	-	40.48	10.34	42.23
AV	11.02918G	43.77	54.00	-10.23	35.32	3	Horizontal	0	1.35	-	40.38	10.35	42.28
PK	16.527G	58.55	68.20	-9.65	47.37	3	Horizontal	340	1.22	-	39.59	12.91	41.32

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 101
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	64.01	74.00	-9.99	56.60	3	Vertical	2	2.01	-	31.81	7.13	31.53
AV	5.46G	51.10	54.00	-2.90	43.68	3	Vertical	2	2.01	-	31.82	7.13	31.53
PK	5.47G	67.33	68.20	-0.87	59.88	3	Vertical	2	2.01	-	31.84	7.14	31.53
PK	5.5488G	118.21	Inf	-Inf	110.68	3	Vertical	2	2.01	-	31.90	7.19	31.56
AV	5.5428G	105.94	Inf	-Inf	98.42	3	Vertical	2	2.01	-	31.90	7.18	31.56

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 101
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4342G	58.38	74.00	-15.62	51.04	3	Horizontal	360	2.14	-	31.74	7.11	31.51
PK	5.4648G	58.86	68.20	-9.34	51.43	3	Horizontal	360	2.14	-	31.83	7.13	31.53
AV	5.4594G	46.18	54.00	-7.82	38.76	3	Horizontal	360	2.14	-	31.82	7.13	31.53
PK	5.5596G	107.77	Inf	-Inf	100.26	3	Horizontal	360	2.14	-	31.88	7.19	31.56
AV	5.5584G	95.46	Inf	-Inf	87.95	3	Horizontal	360	2.14	-	31.88	7.19	31.56

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 101
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09778G	56.53	74.00	-17.47	48.45	3	Vertical	314	1.36	-	40.11	10.38	42.41
AV	11.085G	43.06	54.00	-10.94	34.91	3	Vertical	314	1.36	-	40.16	10.38	42.39
PK	16.66044G	58.44	68.20	-9.76	47.32	3	Vertical	11	1.91	-	39.74	12.97	41.59

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 101
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09052G	56.42	74.00	-17.58	48.30	3	Horizontal	97	2.13	-	40.14	10.38	42.40
AV	11.088G	43.09	54.00	-10.91	34.95	3	Horizontal	97	2.13	-	40.15	10.38	42.39
PK	16.66182G	58.49	68.20	-9.71	47.36	3	Horizontal	298	1.13	-	39.75	12.97	41.59

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 91
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6592G	115.93	Inf	-Inf	108.49	3	Vertical	4	1.80	-	31.74	7.27	31.57
AV	5.6568G	103.36	Inf	-Inf	95.93	3	Vertical	4	1.80	-	31.73	7.27	31.57
PK	5.7252G	67.75	68.20	-0.45	59.95	3	Vertical	4	1.80	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 91
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6844G	111.18	Inf	-Inf	103.62	3	Horizontal	155	1.00	-	31.84	7.29	31.57
AV	5.6874G	98.49	Inf	-Inf	90.92	3	Horizontal	155	1.00	-	31.85	7.29	31.57
PK	5.7264G	64.77	68.20	-3.43	56.96	3	Horizontal	155	1.00	-	32.06	7.33	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 91
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33022G	54.81	74.00	-19.19	47.33	3	Vertical	61	2.49	-	39.86	10.49	42.87
AV	11.35398G	42.18	54.00	-11.82	34.68	3	Vertical	61	2.49	-	39.91	10.50	42.91
PK	17.013G	58.73	68.20	-9.47	47.64	3	Vertical	236	2.51	-	40.25	13.13	42.29

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 91
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3337G	55.85	74.00	-18.15	48.36	3	Horizontal	166	2.45	-	39.87	10.49	42.87
AV	11.34708G	42.05	54.00	-11.95	34.56	3	Horizontal	166	2.45	-	39.89	10.50	42.90
PK	17.00964G	59.09	68.20	-9.11	48.02	3	Horizontal	349	2.51	-	40.24	13.12	42.29

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	121.45	Inf	-Inf	113.79	3	Vertical	343	1.79	-	31.92	7.31	31.57
AV	5.7036G	107.16	Inf	-Inf	99.50	3	Vertical	343	1.79	-	31.92	7.31	31.57
PK	5.85G	63.77	68.20	-4.43	55.65	3	Vertical	343	1.79	-	32.30	7.41	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	109.88	Inf	-Inf	102.21	3	Horizontal	349	1.80	-	31.93	7.31	31.57
AV	5.702G	97.18	Inf	-Inf	89.53	3	Horizontal	349	1.80	-	31.91	7.31	31.57
PK	5.85G	61.31	68.20	-6.89	53.19	3	Horizontal	349	1.80	-	32.30	7.41	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41226G	55.38	74.00	-18.62	47.88	3	Vertical	254	2.16	-	40.00	10.53	43.03
AV	11.40554G	42.28	54.00	-11.72	34.76	3	Vertical	254	2.16	-	40.00	10.53	43.01
PK	17.13708G	58.44	68.20	-9.76	47.27	3	Vertical	163	2.32	-	40.27	13.18	42.28

5.47-5.725GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42132G	54.97	74.00	-19.03	47.48	3	Horizontal	49	2.05	-	40.00	10.54	43.05
AV	11.40806G	42.17	54.00	-11.83	34.66	3	Horizontal	49	2.05	-	40.00	10.53	43.02
PK	17.1372G	59.00	68.20	-9.20	47.83	3	Horizontal	224	1.05	-	40.27	13.18	42.28

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 Setting 96
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6395G	68.01	68.20	-0.19	60.61	3	Vertical	12	2.11	-	31.72	7.25	31.57
PK	5.7515G	119.72	Inf	-Inf	111.75	3	Vertical	12	2.11	-	32.20	7.35	31.58
AV	5.754G	108.79	Inf	-Inf	100.81	3	Vertical	12	2.11	-	32.21	7.35	31.58
PK	5.9515G	59.98	68.20	-8.22	51.53	3	Vertical	12	2.11	-	32.60	7.45	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 Setting 96
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5565G	60.25	68.20	-7.95	52.73	3	Horizontal	348.5	1.77	-	31.89	7.19	31.56
PK	5.7585G	108.88	Inf	-Inf	100.89	3	Horizontal	348.5	1.77	-	32.22	7.35	31.58
AV	5.7515G	96.80	Inf	-Inf	88.83	3	Horizontal	348.5	1.77	-	32.20	7.35	31.58
PK	5.942G	60.33	68.20	-7.87	51.90	3	Horizontal	348.5	1.77	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 96
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49707G	56.44	74.00	-17.56	48.97	3	Vertical	280	1.70	-	40.09	10.57	43.19
AV	11.52428G	42.57	54.00	-11.43	35.07	3	Vertical	280	1.70	-	40.10	10.58	43.18
PK	17.26444G	59.28	68.20	-8.92	47.72	3	Vertical	269	1.94	-	40.59	13.24	42.27

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 Setting 96
 06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51519G	56.29	74.00	-17.71	48.80	3	Horizontal	7	2.69	-	40.10	10.58	43.19
AV	11.49971G	42.47	54.00	-11.53	35.00	3	Horizontal	7	2.69	-	40.10	10.57	43.20
PK	17.2683G	59.08	68.20	-9.12	47.50	3	Horizontal	343	2.07	-	40.61	13.24	42.27

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 103
 06-D-O-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	66.16	68.20	-2.04	58.72	3	Vertical	141	1.94	-	31.77	7.23	31.56
PK	5.7905G	122.26	Inf	-Inf	114.18	3	Vertical	141	1.94	-	32.28	7.38	31.58
AV	5.794G	109.70	Inf	-Inf	101.62	3	Vertical	141	1.94	-	32.29	7.38	31.59
PK	5.96G	60.38	68.20	-7.82	51.96	3	Vertical	141	1.94	-	32.58	7.45	31.61

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 96
 06-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	59.81	68.20	-8.39	52.37	3	Horizontal	153	1.80	-	31.77	7.23	31.56
PK	5.78G	109.62	Inf	-Inf	101.57	3	Horizontal	153	1.80	-	32.26	7.37	31.58
AV	5.782G	96.82	Inf	-Inf	88.77	3	Horizontal	153	1.80	-	32.26	7.37	31.58
PK	5.9485G	61.13	68.20	-7.07	52.68	3	Horizontal	153	1.80	-	32.60	7.45	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 96
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60065G	55.63	74.00	-18.37	48.36	3	Vertical	274	2.01	-	39.79	10.62	43.14
AV	11.59261G	42.41	54.00	-11.59	35.09	3	Vertical	274	2.01	-	39.84	10.62	43.14
PK	17.38443G	60.51	68.20	-7.69	47.77	3	Vertical	316	1.51	-	41.71	13.29	42.26

5.725-5.85GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 96
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59492G	56.51	74.00	-17.49	49.20	3	Horizontal	75	1.27	-	39.83	10.62	43.14
AV	11.58268G	42.53	54.00	-11.47	35.17	3	Horizontal	75	1.27	-	39.90	10.61	43.15
PK	17.38929G	59.83	68.20	-8.37	47.02	3	Horizontal	87	2.56	-	41.77	13.30	42.26

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 86
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	71.20	74.00	-2.80	63.54	3	Vertical	182.9	2.16	-	32.10	6.91	31.35
AV	5.1472G	53.78	54.00	-0.22	46.13	3	Vertical	182.9	2.16	-	32.10	6.91	31.36
PK	5.2384G	114.76	Inf	-Inf	107.55	3	Vertical	182.9	2.16	-	31.65	6.97	31.41
AV	5.2384G	102.94	Inf	-Inf	95.73	3	Vertical	182.9	2.16	-	31.65	6.97	31.41
PK	5.3868G	59.86	74.00	-14.14	52.70	3	Vertical	182.9	2.16	-	31.57	7.08	31.49
AV	5.3532G	47.47	54.00	-6.53	40.38	3	Vertical	182.9	2.16	-	31.51	7.05	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 86
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	61.87	74.00	-12.13	54.22	3	Horizontal	101	2.92	-	32.10	6.91	31.36
AV	5.15G	51.11	54.00	-2.89	43.45	3	Horizontal	101	2.92	-	32.10	6.92	31.36
PK	5.1776G	113.79	Inf	-Inf	106.31	3	Horizontal	101	2.92	-	31.93	6.93	31.38
AV	5.1776G	101.06	Inf	-Inf	93.58	3	Horizontal	101	2.92	-	31.93	6.93	31.38
PK	5.3772G	60.29	74.00	-13.71	53.15	3	Horizontal	101	2.92	-	31.55	7.07	31.48
AV	5.3508G	47.99	54.00	-6.01	40.91	3	Horizontal	101	2.92	-	31.50	7.05	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42048G	55.78	68.20	-12.42	48.43	3	Vertical	78	1.48	-	40.14	10.06	42.85
PK	15.63573G	57.52	74.00	-16.48	48.38	3	Vertical	334	2.94	-	38.24	12.50	41.60
AV	15.61839G	44.37	54.00	-9.63	35.02	3	Vertical	334	2.94	-	38.42	12.49	41.56

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 86
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40722G	55.69	68.20	-12.51	48.37	3	Horizontal	81	2.76	-	40.11	10.05	42.84
PK	15.63159G	58.38	74.00	-15.62	49.19	3	Horizontal	1	1.74	-	38.28	12.50	41.59
AV	15.62358G	44.42	54.00	-9.58	35.14	3	Horizontal	1	1.74	-	38.36	12.49	41.57

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 89
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	59.90	74.00	-14.10	52.24	3	Vertical	357	2.90	-	32.10	6.91	31.35
AV	5.145G	47.42	54.00	-6.58	39.77	3	Vertical	357	2.90	-	32.10	6.91	31.36
PK	5.278G	111.51	Inf	-Inf	104.40	3	Vertical	357	2.90	-	31.54	7.00	31.43
AV	5.267G	100.84	Inf	-Inf	93.70	3	Vertical	357	2.90	-	31.57	6.99	31.42
PK	5.358G	65.36	74.00	-8.64	58.25	3	Vertical	357	2.90	-	31.52	7.06	31.47
AV	5.35G	53.94	54.00	-0.06	46.86	3	Vertical	357	2.90	-	31.50	7.05	31.47
PK	5.537G	59.33	68.20	-8.87	51.80	3	Vertical	357	2.90	-	31.90	7.18	31.55

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 89
06-D-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	58.82	74.00	-15.18	51.16	3	Horizontal	90	1.03	-	32.10	6.90	31.34
AV	5.137G	46.01	54.00	-7.99	38.35	3	Horizontal	90	1.03	-	32.10	6.91	31.35
PK	5.252G	104.57	Inf	-Inf	97.41	3	Horizontal	90	1.03	-	31.60	6.98	31.42
AV	5.261G	91.57	Inf	-Inf	84.42	3	Horizontal	90	1.03	-	31.58	6.99	31.42
PK	5.352G	59.02	74.00	-14.98	51.94	3	Horizontal	90	1.03	-	31.50	7.05	31.47
AV	5.36G	47.39	54.00	-6.61	40.28	3	Horizontal	90	1.03	-	31.52	7.06	31.47
PK	5.528G	58.35	68.20	-9.85	50.83	3	Horizontal	90	1.03	-	31.90	7.17	31.55

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 89
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56506G	56.18	68.20	-12.02	48.71	3	Vertical	266	2.28	-	40.13	10.13	42.79
PK	15.86292G	57.62	74.00	-16.38	49.00	3	Vertical	96	2.17	-	38.07	12.60	42.05
AV	15.86478G	44.12	54.00	-9.88	35.49	3	Vertical	96	2.17	-	38.07	12.61	42.05

5.25-5.35GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX



EUT_Y_4TX
Setting 89
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58786G	55.77	68.20	-12.43	48.21	3	Horizontal	240	1.10	-	40.18	10.14	42.76
PK	15.87546G	58.02	74.00	-15.98	49.43	3	Horizontal	74	2.67	-	38.05	12.61	42.07
AV	15.86502G	43.96	54.00	-10.04	35.33	3	Horizontal	74	2.67	-	38.07	12.61	42.05