


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 103
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.781G	68.89	74.00	-5.11	80.86	3	Horizontal	2	2.34	-	38.30	12.57	62.84			
AV	15.7804G	51.55	54.00	-2.45	63.52	3	Horizontal	2	2.34	-	38.30	12.57	62.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 105
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2982G	126.30	Inf	-Inf	119.23	3	Vertical	217	2.11	-	31.50	7.01	31.44
AV	5.2988G	114.00	Inf	-Inf	106.93	3	Vertical	217	2.11	-	31.50	7.01	31.44
PK	5.3552G	72.99	74.00	-1.01	65.89	3	Vertical	217	2.11	-	31.51	7.06	31.47
AV	5.3594G	53.55	54.00	-0.45	46.44	3	Vertical	217	2.11	-	31.52	7.06	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 105
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	119.06	Inf	-Inf	111.98	3	Horizontal	148	1.62	-	31.50	7.02	31.44
AV	5.303G	107.49	Inf	-Inf	100.41	3	Horizontal	148	1.62	-	31.50	7.02	31.44
PK	5.35G	62.86	74.00	-11.14	55.78	3	Horizontal	148	1.62	-	31.50	7.05	31.47
AV	5.35G	48.95	54.00	-5.05	41.87	3	Horizontal	148	1.62	-	31.50	7.05	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 105
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60135G	60.80	74.00	-13.20	76.66	3	Vertical	162	1.96	-	40.20	10.15	66.21
AV	10.6017G	46.95	54.00	-7.05	62.81	3	Vertical	162	1.96	-	40.20	10.15	66.21
PK	15.9006G	67.56	74.00	-6.44	79.85	3	Vertical	298	1.80	-	38.00	12.62	62.91
AV	15.9011G	50.55	54.00	-3.45	62.84	3	Vertical	298	1.80	-	38.00	12.62	62.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 105
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6018G	57.12	74.00	-16.88	72.98	3	Horizontal	4	1.96	-	40.20	10.15	66.21
AV	10.6G	43.83	54.00	-10.17	59.69	3	Horizontal	4	1.96	-	40.20	10.15	66.21
PK	15.8938G	66.65	74.00	-7.35	78.93	3	Horizontal	63	1.42	-	38.01	12.62	62.91
AV	15.9G	51.20	54.00	-2.80	63.49	3	Horizontal	63	1.42	-	38.00	12.62	62.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 95
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	123.59	Inf	-Inf	116.51	3	Vertical	172	1.80	-	31.50	7.03	31.45
AV	5.3152G	111.64	Inf	-Inf	104.56	3	Vertical	172	1.80	-	31.50	7.03	31.45
PK	5.3548G	67.94	74.00	-6.06	60.84	3	Vertical	172	1.80	-	31.51	7.06	31.47
AV	5.3544G	53.85	54.00	-0.15	46.75	3	Vertical	172	1.80	-	31.51	7.06	31.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	117.26	Inf	-Inf	110.18	3	Horizontal	149	1.80	-	31.50	7.03	31.45
AV	5.3232G	105.43	Inf	-Inf	98.35	3	Horizontal	149	1.80	-	31.50	7.03	31.45
PK	5.3612G	64.71	74.00	-9.29	57.61	3	Horizontal	149	1.80	-	31.52	7.06	31.48
AV	5.362G	48.60	54.00	-5.40	41.50	3	Horizontal	149	1.80	-	31.52	7.06	31.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 95
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6374G	56.26	74.00	-17.74	72.15	3	Vertical	149	2.82	-	40.20	10.16	66.25
AV	10.6374G	42.60	54.00	-11.40	58.49	3	Vertical	149	2.82	-	40.20	10.16	66.25
PK	15.9644G	56.96	74.00	-17.04	69.36	3	Vertical	298	1.80	-	37.90	12.65	62.95
AV	15.9617G	43.34	54.00	-10.66	55.74	3	Vertical	298	1.80	-	37.90	12.65	62.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 95
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.649G	54.53	74.00	-19.47	70.42	3	Horizontal	4	1.80	-	40.20	10.17	66.26
AV	10.6363G	41.30	54.00	-12.70	57.19	3	Horizontal	4	1.80	-	40.20	10.16	66.25
PK	15.9605G	58.03	74.00	-15.97	70.43	3	Horizontal	296	1.78	-	37.90	12.65	62.95
AV	15.9605G	43.15	54.00	-10.85	55.55	3	Horizontal	296	1.78	-	37.90	12.65	62.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 100
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	70.92	74.00	-3.08	63.51	3	Vertical	206	1.65	-	31.81	7.13	31.53
AV	5.4552G	53.93	54.00	-0.07	46.52	3	Vertical	206	1.65	-	31.81	7.13	31.53
PK	5.47G	67.05	68.20	-1.15	59.60	3	Vertical	206	1.65	-	31.84	7.14	31.53
PK	5.4952G	125.49	Inf	-Inf	118.00	3	Vertical	206	1.65	-	31.89	7.15	31.55
AV	5.494G	113.81	Inf	-Inf	106.32	3	Vertical	206	1.65	-	31.89	7.15	31.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	68.61	74.00	-5.39	61.19	3	Horizontal	185	2.44	-	31.82	7.13	31.53
AV	5.4596G	51.49	54.00	-2.51	44.07	3	Horizontal	185	2.44	-	31.82	7.13	31.53
PK	5.466G	65.46	68.20	-2.74	58.03	3	Horizontal	185	2.44	-	31.83	7.13	31.53
PK	5.506G	119.59	Inf	-Inf	112.08	3	Horizontal	185	2.44	-	31.90	7.16	31.55
AV	5.5064G	107.98	Inf	-Inf	100.47	3	Horizontal	185	2.44	-	31.90	7.16	31.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 100
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.003G	54.49	74.00	-19.51	70.28	3	Vertical	221	1.90	-	40.49	10.34	66.62
AV	10.9996G	40.87	54.00	-13.13	56.66	3	Vertical	221	1.90	-	40.50	10.33	66.62
PK	16.5034G	62.33	68.20	-5.87	72.94	3	Vertical	333	1.80	-	39.69	12.90	63.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 100
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0027G	53.89	74.00	-20.11	69.68	3	Horizontal	111	2.25	-	40.49	10.34	66.62
AV	11G	40.94	54.00	-13.06	56.72	3	Horizontal	111	2.25	-	40.50	10.34	66.62
PK	16.5032G	64.20	68.20	-4.00	74.81	3	Horizontal	39	1.80	-	39.69	12.90	63.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 98
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4168G	65.28	74.00	-8.72	58.02	3	Vertical	35.9	2.00	-	31.67	7.10	31.51
AV	5.424G	53.38	54.00	-0.62	46.08	3	Vertical	35.9	2.00	-	31.70	7.11	31.51
PK	5.4688G	61.12	68.20	-7.08	53.68	3	Vertical	35.9	2.00	-	31.84	7.13	31.53
PK	5.5808G	126.80	Inf	-Inf	119.31	3	Vertical	35.9	2.00	-	31.84	7.21	31.56
AV	5.5816G	114.92	Inf	-Inf	107.43	3	Vertical	35.9	2.00	-	31.84	7.21	31.56
PK	5.74G	64.81	68.20	-3.39	56.91	3	Vertical	35.9	2.00	-	32.14	7.34	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 98
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4208G	63.23	74.00	-10.77	55.96	3	Horizontal	186	2.47	-	31.68	7.10	31.51
AV	5.4208G	52.27	54.00	-1.73	45.00	3	Horizontal	186	2.47	-	31.68	7.10	31.51
PK	5.4656G	61.83	68.20	-6.37	54.40	3	Horizontal	186	2.47	-	31.83	7.13	31.53
PK	5.5872G	119.87	Inf	-Inf	112.39	3	Horizontal	186	2.47	-	31.83	7.21	31.56
AV	5.5872G	108.61	Inf	-Inf	101.13	3	Horizontal	186	2.47	-	31.83	7.21	31.56
PK	5.7328G	63.03	68.20	-5.17	55.18	3	Horizontal	186	2.47	-	32.10	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 98
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1617G	57.01	74.00	-16.99	73.16	3	Vertical	155	2.13	-	39.88	10.41	66.44
AV	11.1614G	43.37	54.00	-10.63	59.52	3	Vertical	155	2.13	-	39.88	10.41	66.44
PK	16.7417G	66.09	68.20	-2.11	76.02	3	Vertical	331	1.97	-	40.15	13.00	63.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 98
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1591G	53.77	74.00	-20.23	69.92	3	Horizontal	68	1.80	-	39.88	10.41	66.44
AV	11.1589G	40.21	54.00	-13.79	56.37	3	Horizontal	68	1.80	-	39.88	10.41	66.45
PK	16.7401G	64.85	68.20	-3.35	74.79	3	Horizontal	42	1.80	-	40.14	13.00	63.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 75
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.704G	120.62	Inf	-Inf	112.96	3	Vertical	32	1.95	-	31.92	7.31	31.57
AV	5.7024G	108.99	Inf	-Inf	101.34	3	Vertical	32	1.95	-	31.91	7.31	31.57
PK	5.7252G	68.11	68.20	-0.09	60.31	3	Vertical	32	1.95	-	32.05	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 75
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	113.27	Inf	-Inf	105.65	3	Horizontal	142	1.70	-	31.89	7.30	31.57
AV	5.6976G	102.15	Inf	-Inf	94.53	3	Horizontal	142	1.70	-	31.89	7.30	31.57
PK	5.7264G	61.43	68.20	-6.77	53.62	3	Horizontal	142	1.70	-	32.06	7.33	31.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 75
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4003G	54.96	74.00	-19.04	70.61	3	Vertical	159	1.80	-	40.00	10.53	66.18
AV	11.3978G	41.45	54.00	-12.55	57.11	3	Vertical	159	1.80	-	40.00	10.52	66.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 75
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4001G	54.70	74.00	-19.30	70.35	3	Horizontal	51	1.85	-	40.00	10.53	66.18
AV	11.3945G	40.96	54.00	-13.04	56.64	3	Horizontal	51	1.85	-	39.99	10.52	66.19

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3966G	61.04	74.00	-12.96	53.85	3	Vertical	33.9	1.90	-	31.59	7.09	31.49
AV	5.3966G	49.55	54.00	-4.45	42.36	3	Vertical	33.9	1.90	-	31.59	7.09	31.49
PK	5.461G	59.45	68.20	-8.75	52.03	3	Vertical	33.9	1.90	-	31.82	7.13	31.53
PK	5.7228G	128.02	Inf	-Inf	120.24	3	Vertical	33.9	1.90	-	32.04	7.32	31.58
AV	5.7214G	118.37	Inf	-Inf	110.60	3	Vertical	33.9	1.90	-	32.03	7.32	31.58
PK	5.8866G	64.10	68.20	-4.10	55.83	3	Vertical	33.9	1.90	-	32.45	7.42	31.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 101
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	59.49	74.00	-14.51	52.08	3	Horizontal	144	1.80	-	31.81	7.13	31.53
AV	5.3994G	47.55	54.00	-6.45	40.36	3	Horizontal	144	1.80	-	31.60	7.09	31.50
PK	5.4666G	58.91	68.20	-9.29	51.48	3	Horizontal	144	1.80	-	31.83	7.13	31.53
PK	5.7186G	120.78	Inf	-Inf	113.03	3	Horizontal	144	1.80	-	32.01	7.32	31.58
AV	5.7186G	111.17	Inf	-Inf	103.42	3	Horizontal	144	1.80	-	32.01	7.32	31.58
PK	5.8852G	60.90	68.20	-7.30	52.64	3	Horizontal	144	1.80	-	32.44	7.42	31.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 101
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4385G	59.91	74.00	-14.09	75.51	3	Vertical	160	1.95	-	40.00	10.54	66.14
AV	11.4386G	45.96	54.00	-8.04	61.56	3	Vertical	160	1.95	-	40.00	10.54	66.14
PK	17.1649G	61.99	68.20	-6.21	71.47	3	Vertical	334	1.80	-	40.39	13.19	63.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4355G	58.40	74.00	-15.60	74.00	3	Horizontal	54	1.95	-	40.00	10.54	66.14
AV	11.4424G	44.38	54.00	-9.62	59.96	3	Horizontal	54	1.95	-	40.00	10.55	66.13
PK	17.1667G	65.92	68.20	-2.28	75.38	3	Horizontal	68	1.34	-	40.40	13.20	63.06

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 101
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	66.34	68.20	-1.86	58.94	3	Vertical	34	1.90	-	31.71	7.26	31.57
PK	5.747G	128.58	Inf	-Inf	120.64	3	Vertical	34	1.90	-	32.18	7.34	31.58
AV	5.747G	118.43	Inf	-Inf	110.49	3	Vertical	34	1.90	-	32.18	7.34	31.58
PK	5.95G	62.45	68.20	-5.75	54.00	3	Vertical	34	1.90	-	32.60	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 101
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	63.87	68.20	-4.33	56.39	3	Horizontal	142.1	1.80	-	31.83	7.21	31.56
PK	5.742G	120.43	Inf	-Inf	112.52	3	Horizontal	142.1	1.80	-	32.15	7.34	31.58
AV	5.743G	111.02	Inf	-Inf	103.10	3	Horizontal	142.1	1.80	-	32.16	7.34	31.58
PK	5.942G	61.26	68.20	-6.94	52.83	3	Horizontal	142.1	1.80	-	32.58	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 101
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4876G	60.63	74.00	-13.37	76.06	3	Vertical	158	1.86	-	40.08	10.57	66.08
AV	11.4881G	47.14	54.00	-6.86	62.57	3	Vertical	158	1.86	-	40.08	10.57	66.08
PK	17.2347G	64.12	68.20	-4.08	73.46	3	Vertical	330	2.78	-	40.53	13.23	63.10

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 101
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4917G	58.67	74.00	-15.33	74.10	3	Horizontal	46	2.04	-	40.08	10.57	66.08
AV	11.4899G	45.32	54.00	-8.68	60.75	3	Horizontal	46	2.04	-	40.08	10.57	66.08
PK	17.2392G	66.06	68.20	-2.14	75.41	3	Horizontal	320	1.68	-	40.52	13.23	63.10

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 99
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	64.91	68.20	-3.29	57.48	3	Vertical	46	1.79	-	31.75	7.24	31.56
PK	5.781G	127.27	Inf	-Inf	119.22	3	Vertical	46	1.79	-	32.26	7.37	31.58
AV	5.781G	117.88	Inf	-Inf	109.83	3	Vertical	46	1.79	-	32.26	7.37	31.58
PK	5.946G	65.74	68.20	-2.46	57.30	3	Vertical	46	1.79	-	32.59	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 99
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	62.30	68.20	-5.90	54.89	3	Horizontal	146.1	1.56	-	31.73	7.25	31.57
PK	5.784G	120.77	Inf	-Inf	112.70	3	Horizontal	146.1	1.56	-	32.27	7.38	31.58
AV	5.783G	111.30	Inf	-Inf	103.23	3	Horizontal	146.1	1.56	-	32.27	7.38	31.58
PK	5.948G	60.86	68.20	-7.34	52.41	3	Horizontal	146.1	1.56	-	32.60	7.45	31.60

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 99
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.571G	60.42	74.00	-13.58	75.86	3	Vertical	157	2.14	-	39.97	10.61	66.02
AV	11.571G	47.10	54.00	-6.90	62.54	3	Vertical	157	2.14	-	39.97	10.61	66.02
PK	17.3621G	65.36	68.20	-2.84	73.81	3	Vertical	343	1.85	-	41.45	13.28	63.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 99
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.565G	60.18	74.00	-13.82	75.60	3	Horizontal	52.9	1.99	-	40.01	10.60	66.03
AV	11.5662G	45.75	54.00	-8.25	61.18	3	Horizontal	52.9	1.99	-	40.00	10.60	66.03
PK	17.3489G	65.84	68.20	-2.36	74.44	3	Horizontal	65	1.24	-	41.29	13.28	63.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	60.80	68.20	-7.40	53.30	3	Vertical	45.9	1.84	-	31.85	7.21	31.56
PK	5.82G	125.73	Inf	-Inf	117.62	3	Vertical	45.9	1.84	-	32.30	7.40	31.59
AV	5.821G	116.84	Inf	-Inf	108.73	3	Vertical	45.9	1.84	-	32.30	7.40	31.59
PK	5.979G	65.27	68.20	-2.93	56.88	3	Vertical	45.9	1.84	-	32.54	7.46	31.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.17	68.20	-9.03	51.77	3	Horizontal	145	1.74	-	31.71	7.26	31.57
PK	5.824G	118.66	Inf	-Inf	110.55	3	Horizontal	145	1.74	-	32.30	7.40	31.59
AV	5.823G	109.25	Inf	-Inf	101.14	3	Horizontal	145	1.74	-	32.30	7.40	31.59
PK	5.983G	62.05	68.20	-6.15	53.67	3	Horizontal	145	1.74	-	32.53	7.46	31.61

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6486G	60.36	74.00	-13.64	76.28	3	Vertical	159.1	1.89	-	39.41	10.64	65.97
AV	11.6486G	46.57	54.00	-7.43	62.49	3	Vertical	159.1	1.89	-	39.41	10.64	65.97
PK	17.4772G	62.95	68.20	-5.25	70.40	3	Vertical	330.4	1.86	-	42.47	13.33	63.25

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 95
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6507G	58.00	74.00	-16.00	73.93	3	Horizontal	52	1.51	-	39.40	10.64	65.97
AV	11.651G	44.21	54.00	-9.79	60.14	3	Horizontal	52	1.51	-	39.40	10.64	65.97
PK	17.4722G	65.94	68.20	-2.26	73.43	3	Horizontal	19	2.13	-	42.42	13.33	63.24

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 85
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	66.91	74.00	-7.09	59.26	3	Vertical	174	1.79	-	32.10	6.91	31.36
AV	5.15G	53.61	54.00	-0.39	45.95	3	Vertical	174	1.79	-	32.10	6.92	31.36
PK	5.1726G	122.95	Inf	-Inf	115.43	3	Vertical	174	1.79	-	31.96	6.93	31.37
AV	5.1718G	111.30	Inf	-Inf	103.77	3	Vertical	174	1.79	-	31.97	6.93	31.37

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 85
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	62.10	74.00	-11.90	54.45	3	Horizontal	355	1.80	-	32.10	6.91	31.36
AV	5.1396G	49.68	54.00	-4.32	42.03	3	Horizontal	355	1.80	-	32.10	6.91	31.36
PK	5.172G	114.79	Inf	-Inf	107.26	3	Horizontal	355	1.80	-	31.97	6.93	31.37
AV	5.1716G	104.22	Inf	-Inf	96.69	3	Horizontal	355	1.80	-	31.97	6.93	31.37

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 85
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36172G	58.83	68.20	-9.37	41.37	3	Vertical	81	1.00	-	40.02	10.03	32.59
PK	15.54148G	60.42	74.00	-13.58	41.88	3	Vertical	335	2.02	-	38.92	12.45	32.83
AV	15.53696G	47.30	54.00	-6.70	28.75	3	Vertical	335	2.02	-	38.93	12.45	32.83

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 85
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36908G	57.64	68.20	-10.56	40.15	3	Horizontal	355	1.61	-	40.04	10.04	32.59
PK	15.54812G	59.05	74.00	-14.95	40.52	3	Horizontal	0	1.76	-	38.90	12.46	32.83
AV	15.54184G	46.23	54.00	-7.77	27.69	3	Horizontal	0	1.76	-	38.92	12.45	32.83

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.81	74.00	-3.19	63.15	3	Vertical	73	2.63	-	32.10	6.92	31.36
AV	5.1496G	53.65	54.00	-0.35	46.00	3	Vertical	73	2.63	-	32.10	6.91	31.36
PK	5.1916G	122.81	Inf	-Inf	115.40	3	Vertical	73	2.63	-	31.85	6.94	31.38
AV	5.1916G	111.41	Inf	-Inf	104.00	3	Vertical	73	2.63	-	31.85	6.94	31.38

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.44	74.00	-5.56	60.79	3	Horizontal	198	1.81	-	32.10	6.91	31.36
AV	5.1496G	49.95	54.00	-4.05	42.30	3	Horizontal	198	1.81	-	32.10	6.91	31.36
PK	5.2092G	119.82	Inf	-Inf	112.50	3	Horizontal	198	1.81	-	31.76	6.95	31.39
AV	5.2092G	108.92	Inf	-Inf	101.60	3	Horizontal	198	1.81	-	31.76	6.95	31.39

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39652G	60.90	68.20	-7.30	43.35	3	Vertical	65	1.83	-	40.09	10.05	32.59
PK	15.60396G	61.85	74.00	-12.15	43.65	3	Vertical	302	2.79	-	38.56	12.48	32.84
AV	15.59304G	46.92	54.00	-7.08	28.64	3	Vertical	302	2.79	-	38.64	12.48	32.84

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40112G	58.53	68.20	-9.67	40.97	3	Horizontal	0	1.34	-	40.10	10.05	32.59
PK	15.59496G	61.62	74.00	-12.38	43.35	3	Horizontal	301	2.08	-	38.63	12.48	32.84
AV	15.59512G	45.28	54.00	-8.72	27.01	3	Horizontal	301	2.08	-	38.63	12.48	32.84

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	60.90	74.00	-13.10	53.24	3	Vertical	172	1.77	-	32.10	6.91	31.35
AV	5.147G	48.75	54.00	-5.25	41.10	3	Vertical	172	1.77	-	32.10	6.91	31.36
PK	5.2406G	122.73	Inf	-Inf	115.53	3	Vertical	172	1.77	-	31.64	6.97	31.41
AV	5.246G	110.57	Inf	-Inf	103.39	3	Vertical	172	1.77	-	31.62	6.97	31.41
PK	5.3894G	59.93	74.00	-14.07	52.76	3	Vertical	172	1.77	-	31.58	7.08	31.49
AV	5.3576G	48.06	54.00	-5.94	40.95	3	Vertical	172	1.77	-	31.52	7.06	31.47

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1338G	59.55	74.00	-14.45	51.89	3	Horizontal	199	1.80	-	32.10	6.91	31.35
AV	5.1338G	47.05	54.00	-6.95	39.39	3	Horizontal	199	1.80	-	32.10	6.91	31.35
PK	5.2478G	112.49	Inf	-Inf	105.31	3	Horizontal	199	1.80	-	31.61	6.98	31.41
AV	5.249G	101.53	Inf	-Inf	94.36	3	Horizontal	199	1.80	-	31.60	6.98	31.41
PK	5.354G	58.98	74.00	-15.02	51.88	3	Horizontal	199	1.80	-	31.51	7.06	31.47
AV	5.3684G	46.56	54.00	-7.44	39.43	3	Horizontal	199	1.80	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 101
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4779G	61.67	68.20	-6.53	44.01	3	Vertical	60	1.80	-	40.14	10.09	32.57
PK	15.7232G	66.90	74.00	-7.10	48.97	3	Vertical	298	1.74	-	38.25	12.54	32.86
AV	15.7236G	51.99	54.00	-2.01	34.06	3	Vertical	298	1.74	-	38.25	12.54	32.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 101
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4802G	61.93	68.20	-6.27	44.27	3	Horizontal	3	1.70	-	40.14	10.09	32.57
PK	15.7053G	67.35	74.00	-6.65	49.47	3	Horizontal	0	2.32	-	38.21	12.53	32.86
AV	15.7186G	51.99	54.00	-2.01	34.07	3	Horizontal	0	2.32	-	38.24	12.54	32.86

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	63.97	74.00	-10.03	56.31	3	Vertical	206	1.77	-	32.10	6.91	31.35
AV	5.1496G	49.76	54.00	-4.24	42.11	3	Vertical	206	1.77	-	32.10	6.91	31.36
PK	5.2516G	128.07	Inf	-Inf	120.91	3	Vertical	206	1.77	-	31.60	6.98	31.42
AV	5.2528G	115.95	Inf	-Inf	108.80	3	Vertical	206	1.77	-	31.59	6.98	31.42
PK	5.353G	61.85	74.00	-12.15	54.76	3	Vertical	206	1.77	-	31.51	7.05	31.47
AV	5.3536G	49.57	54.00	-4.43	42.47	3	Vertical	206	1.77	-	31.51	7.06	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	59.37	74.00	-14.63	51.72	3	Horizontal	141	1.74	-	32.10	6.91	31.36
AV	5.11G	47.13	54.00	-6.87	39.47	3	Horizontal	141	1.74	-	32.10	6.90	31.34
PK	5.2516G	120.20	Inf	-Inf	113.04	3	Horizontal	141	1.74	-	31.60	6.98	31.42
AV	5.2516G	109.29	Inf	-Inf	102.13	3	Horizontal	141	1.74	-	31.60	6.98	31.42
PK	5.4046G	60.34	74.00	-13.66	53.13	3	Horizontal	141	1.74	-	31.62	7.09	31.50
AV	5.3506G	47.24	54.00	-6.76	40.16	3	Horizontal	141	1.74	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 99
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5032G	62.95	68.20	-5.25	45.32	3	Vertical	160	1.94	-	40.10	10.10	32.57
PK	15.785G	65.87	74.00	-8.13	47.88	3	Vertical	298	1.80	-	38.30	12.57	32.88
AV	15.7813G	51.58	54.00	-2.42	33.59	3	Vertical	298	1.80	-	38.30	12.57	32.88

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 99
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5186G	61.14	68.20	-7.06	43.50	3	Horizontal	2	1.80	-	40.10	10.11	32.57
PK	15.7797G	66.14	74.00	-7.86	48.15	3	Horizontal	0	2.83	-	38.30	12.57	32.88
AV	15.7782G	51.88	54.00	-2.12	33.90	3	Horizontal	0	2.83	-	38.30	12.56	32.88

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 95
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	126.09	Inf	-Inf	119.01	3	Vertical	170	1.80	-	31.50	7.02	31.44
AV	5.3064G	113.99	Inf	-Inf	106.92	3	Vertical	170	1.80	-	31.50	7.02	31.45
PK	5.35G	69.56	74.00	-4.44	62.48	3	Vertical	170	1.80	-	31.50	7.05	31.47
AV	5.35G	53.95	54.00	-0.05	46.87	3	Vertical	170	1.80	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	119.85	Inf	-Inf	112.78	3	Horizontal	6	2.51	-	31.50	7.02	31.45
AV	5.3088G	108.23	Inf	-Inf	101.16	3	Horizontal	6	2.51	-	31.50	7.02	31.45
PK	5.35G	66.19	74.00	-7.81	59.11	3	Horizontal	6	2.51	-	31.50	7.05	31.47
AV	5.3508G	49.98	54.00	-4.02	42.90	3	Horizontal	6	2.51	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61G	60.39	74.00	-13.61	42.60	3	Vertical	158	1.82	-	40.20	10.15	32.56
AV	10.60975G	46.95	54.00	-7.05	29.16	3	Vertical	158	1.82	-	40.20	10.15	32.56
PK	15.90882G	64.22	74.00	-9.78	46.51	3	Vertical	299	2.99	-	37.98	12.63	32.90
AV	15.9051G	49.84	54.00	-4.16	32.13	3	Vertical	299	2.99	-	37.99	12.62	32.90

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5923G	60.96	68.20	-7.24	43.20	3	Horizontal	4	1.82	-	40.18	10.14	32.56
AV	10.6003G	47.36	54.00	-6.64	29.57	3	Horizontal	4	1.82	-	40.20	10.15	32.56
PK	15.8962G	65.79	74.00	-8.21	48.06	3	Horizontal	359.9	2.32	-	38.01	12.62	32.90
AV	15.897G	50.68	54.00	-3.32	32.95	3	Horizontal	359.9	2.32	-	38.01	12.62	32.90

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	124.07	Inf	-Inf	116.99	3	Vertical	171	1.80	-	31.50	7.03	31.45
AV	5.3174G	112.18	Inf	-Inf	105.10	3	Vertical	171	1.80	-	31.50	7.03	31.45
PK	5.3594G	66.97	74.00	-7.03	59.86	3	Vertical	171	1.80	-	31.52	7.06	31.47
AV	5.35G	53.87	54.00	-0.13	46.79	3	Vertical	171	1.80	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 89
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3122G	118.80	Inf	-Inf	111.73	3	Horizontal	12	2.43	-	31.50	7.02	31.45
AV	5.3114G	107.62	Inf	-Inf	100.55	3	Horizontal	12	2.43	-	31.50	7.02	31.45
PK	5.3606G	62.25	74.00	-11.75	55.14	3	Horizontal	12	2.43	-	31.52	7.06	31.47
AV	5.3502G	49.42	54.00	-4.58	42.34	3	Horizontal	12	2.43	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6331G	59.98	74.00	-14.02	42.18	3	Vertical	176	1.72	-	40.20	10.16	32.56
AV	10.63194G	46.43	54.00	-7.57	28.63	3	Vertical	176	1.72	-	40.20	10.16	32.56
PK	15.96664G	61.58	74.00	-12.42	43.94	3	Vertical	65	2.69	-	37.90	12.65	32.91
AV	15.95164G	48.22	54.00	-5.78	30.58	3	Vertical	65	2.69	-	37.90	12.65	32.91

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
06-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63116G	60.19	74.00	-13.81	42.39	3	Horizontal	279	1.89	-	40.20	10.16	32.56
AV	10.63308G	46.56	54.00	-7.44	28.76	3	Horizontal	279	1.89	-	40.20	10.16	32.56
PK	15.9564G	61.84	74.00	-12.16	44.20	3	Horizontal	359	1.80	-	37.90	12.65	32.91
AV	15.95364G	48.73	54.00	-5.27	31.09	3	Horizontal	359	1.80	-	37.90	12.65	32.91

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 88
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.31	74.00	-9.69	56.90	3	Vertical	316	2.02	-	31.81	7.13	31.53
AV	5.4594G	51.95	54.00	-2.05	44.53	3	Vertical	316	2.02	-	31.82	7.13	31.53
PK	5.4694G	67.29	68.20	-0.91	59.84	3	Vertical	316	2.02	-	31.84	7.14	31.53
PK	5.4954G	123.68	Inf	-Inf	116.19	3	Vertical	316	2.02	-	31.89	7.15	31.55
AV	5.4964G	111.93	Inf	-Inf	104.44	3	Vertical	316	2.02	-	31.89	7.15	31.55

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.58	74.00	-12.42	54.16	3	Horizontal	345	1.71	-	31.82	7.13	31.53
AV	5.4596G	49.65	54.00	-4.35	42.23	3	Horizontal	345	1.71	-	31.82	7.13	31.53
PK	5.47G	65.23	68.20	-2.97	57.78	3	Horizontal	345	1.71	-	31.84	7.14	31.53
PK	5.4918G	119.01	Inf	-Inf	111.53	3	Horizontal	345	1.71	-	31.88	7.15	31.55
AV	5.4914G	108.18	Inf	-Inf	100.70	3	Horizontal	345	1.71	-	31.88	7.15	31.55

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98596G	61.37	74.00	-12.63	43.03	3	Vertical	162	1.80	-	40.53	10.33	32.52
AV	11.00576G	48.07	54.00	-5.93	29.77	3	Vertical	162	1.80	-	40.48	10.34	32.52

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98836G	60.93	74.00	-13.07	42.60	3	Horizontal	1	1.80	-	40.52	10.33	32.52
AV	10.99328G	48.07	54.00	-5.93	29.75	3	Horizontal	1	1.80	-	40.51	10.33	32.52

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	61.43	74.00	-12.57	54.12	3	Vertical	29	1.80	-	31.71	7.11	31.51
AV	5.4288G	49.23	54.00	-4.77	41.91	3	Vertical	29	1.80	-	31.72	7.11	31.51
PK	5.4688G	60.43	68.20	-7.77	52.99	3	Vertical	29	1.80	-	31.84	7.13	31.53
PK	5.5888G	125.04	Inf	-Inf	117.57	3	Vertical	29	1.80	-	31.82	7.21	31.56
AV	5.5848G	112.85	Inf	-Inf	105.37	3	Vertical	29	1.80	-	31.83	7.21	31.56
PK	5.7376G	63.22	68.20	-4.98	55.33	3	Vertical	29	1.80	-	32.13	7.34	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	63.82	74.00	-10.18	56.58	3	Horizontal	345	1.68	-	31.64	7.10	31.50
AV	5.4104G	53.85	54.00	-0.15	46.61	3	Horizontal	345	1.68	-	31.64	7.10	31.50
PK	5.4608G	59.58	68.20	-8.62	52.16	3	Horizontal	345	1.68	-	31.82	7.13	31.53
PK	5.5712G	122.15	Inf	-Inf	114.65	3	Horizontal	345	1.68	-	31.86	7.20	31.56
AV	5.5712G	110.76	Inf	-Inf	103.26	3	Horizontal	345	1.68	-	31.86	7.20	31.56
PK	5.7312G	65.00	68.20	-3.20	57.16	3	Horizontal	345	1.68	-	32.09	7.33	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15232G	60.81	74.00	-13.19	43.11	3	Vertical	156	1.97	-	39.90	10.41	32.61
AV	11.15916G	47.53	54.00	-6.47	29.85	3	Vertical	156	1.97	-	39.88	10.41	32.61
PK	16.74504G	65.03	68.20	-3.17	45.05	3	Vertical	337	1.80	-	40.17	13.01	33.20

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16708G	59.23	74.00	-14.77	41.56	3	Horizontal	1	1.80	-	39.87	10.41	32.61
AV	11.16798G	46.16	54.00	-7.84	28.50	3	Horizontal	1	1.80	-	39.86	10.41	32.61
PK	16.74174G	65.79	68.20	-2.41	45.84	3	Horizontal	39	1.80	-	40.15	13.00	33.20

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 67
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7088G	121.57	Inf	-Inf	113.89	3	Vertical	34	1.94	-	31.95	7.31	31.58
AV	5.7082G	109.00	Inf	-Inf	101.31	3	Vertical	34	1.94	-	31.95	7.31	31.57
PK	5.7258G	67.49	68.20	-0.71	59.69	3	Vertical	34	1.94	-	32.05	7.33	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 67
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	114.97	Inf	-Inf	107.29	3	Horizontal	150	1.80	-	31.94	7.31	31.57
AV	5.7074G	102.02	Inf	-Inf	94.34	3	Horizontal	150	1.80	-	31.94	7.31	31.57
PK	5.7264G	63.09	68.20	-5.11	55.28	3	Horizontal	150	1.80	-	32.06	7.33	31.58

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 67
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39346G	59.84	74.00	-14.16	42.07	3	Vertical	137	1.11	-	39.99	10.52	32.74
AV	11.39148G	47.01	54.00	-6.99	29.25	3	Vertical	137	1.11	-	39.98	10.52	32.74

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 67
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4129G	60.25	74.00	-13.75	42.47	3	Horizontal	222	1.57	-	40.00	10.53	32.75
AV	11.39676G	47.01	54.00	-6.99	29.24	3	Horizontal	222	1.57	-	39.99	10.52	32.74

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3994G	60.82	74.00	-13.18	53.63	3	Vertical	33	1.80	-	31.60	7.09	31.50
AV	5.405G	48.58	54.00	-5.42	41.37	3	Vertical	33	1.80	-	31.62	7.09	31.50
PK	5.461G	59.03	68.20	-9.17	51.61	3	Vertical	33	1.80	-	31.82	7.13	31.53
PK	5.7228G	127.59	Inf	-Inf	119.81	3	Vertical	33	1.80	-	32.04	7.32	31.58
AV	5.7228G	117.96	Inf	-Inf	110.18	3	Vertical	33	1.80	-	32.04	7.32	31.58
PK	5.8824G	62.50	68.20	-5.70	54.25	3	Vertical	33	1.80	-	32.43	7.42	31.60

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3952G	59.21	74.00	-14.79	52.02	3	Horizontal	141	1.74	-	31.59	7.09	31.49
AV	5.3924G	47.14	54.00	-6.86	39.97	3	Horizontal	141	1.74	-	31.58	7.08	31.49
PK	5.468G	57.82	68.20	-10.38	50.38	3	Horizontal	141	1.74	-	31.84	7.13	31.53
PK	5.713G	121.47	Inf	-Inf	113.75	3	Horizontal	141	1.74	-	31.98	7.32	31.58
AV	5.7186G	110.60	Inf	-Inf	102.85	3	Horizontal	141	1.74	-	32.01	7.32	31.58
PK	5.8824G	61.22	68.20	-6.98	52.97	3	Horizontal	141	1.74	-	32.43	7.42	31.60

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44036G	61.78	74.00	-12.22	44.01	3	Vertical	168	2.18	-	40.00	10.54	32.77
AV	11.44006G	48.91	54.00	-5.09	31.14	3	Vertical	168	2.18	-	40.00	10.54	32.77
PK	17.166G	64.85	68.20	-3.35	44.63	3	Vertical	339	1.96	-	40.40	13.19	33.37

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43508G	60.26	74.00	-13.74	42.48	3	Horizontal	48	2.00	-	40.00	10.54	32.76
AV	11.44342G	47.89	54.00	-6.11	30.11	3	Horizontal	48	2.00	-	40.00	10.55	32.77
PK	17.16336G	64.36	68.20	-3.84	44.17	3	Horizontal	319	1.80	-	40.38	13.19	33.38

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	64.32	71.16	-6.84	56.90	3	Vertical	219	2.10	-	31.72	7.27	31.57
PK	5.739G	128.21	Inf	-Inf	120.32	3	Vertical	219	2.10	-	32.13	7.34	31.58
AV	5.738G	116.88	Inf	-Inf	108.99	3	Vertical	219	2.10	-	32.13	7.34	31.58
PK	5.981G	61.26	68.20	-6.94	52.87	3	Vertical	219	2.10	-	32.54	7.46	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	66.13	68.20	-2.07	58.66	3	Horizontal	175	2.46	-	31.81	7.22	31.56
PK	5.752G	123.33	Inf	-Inf	115.36	3	Horizontal	175	2.46	-	32.20	7.35	31.58
AV	5.754G	112.12	Inf	-Inf	104.14	3	Horizontal	175	2.46	-	32.21	7.35	31.58
PK	5.928G	61.72	68.20	-6.48	53.32	3	Horizontal	175	2.46	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4906G	62.01	74.00	-11.99	44.15	3	Vertical	159	2.15	-	40.08	10.57	32.79
AV	11.49084G	48.72	54.00	-5.28	30.86	3	Vertical	159	2.15	-	40.08	10.57	32.79
PK	17.23332G	65.78	68.20	-2.42	45.30	3	Vertical	330	2.79	-	40.53	13.22	33.27

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49018G	61.49	74.00	-12.51	43.63	3	Horizontal	51	1.97	-	40.08	10.57	32.79
AV	11.49072G	48.16	54.00	-5.84	30.30	3	Horizontal	51	1.97	-	40.08	10.57	32.79
PK	17.2437G	65.83	68.20	-2.37	45.34	3	Horizontal	67	1.26	-	40.51	13.23	33.25

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	67.12	68.20	-1.08	59.68	3	Vertical	48	1.69	-	31.76	7.24	31.56
PK	5.777G	128.64	Inf	-Inf	120.60	3	Vertical	48	1.69	-	32.25	7.37	31.58
AV	5.777G	116.60	Inf	-Inf	108.56	3	Vertical	48	1.69	-	32.25	7.37	31.58
PK	5.94G	64.99	68.20	-3.21	56.56	3	Vertical	48	1.69	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	67.09	68.20	-1.11	59.65	3	Horizontal	348	1.80	-	31.77	7.23	31.56
PK	5.776G	121.04	Inf	-Inf	113.00	3	Horizontal	348	1.80	-	32.25	7.37	31.58
AV	5.776G	109.99	Inf	-Inf	101.95	3	Horizontal	348	1.80	-	32.25	7.37	31.58
PK	5.936G	66.38	68.20	-1.82	57.97	3	Horizontal	348	1.80	-	32.57	7.44	31.60

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.568G	59.79	74.00	-14.21	42.03	3	Vertical	28	1.46	-	39.99	10.60	32.83
AV	11.569G	47.70	54.00	-6.30	29.93	3	Vertical	28	1.46	-	39.99	10.61	32.83
PK	17.3553G	65.96	68.20	-2.24	44.40	3	Vertical	313	1.80	-	41.36	13.28	33.08

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57168G	61.61	74.00	-12.39	43.86	3	Horizontal	47	2.03	-	39.97	10.61	32.83
AV	11.5703G	48.02	54.00	-5.98	30.26	3	Horizontal	47	2.03	-	39.98	10.61	32.83
PK	17.35974G	65.75	68.20	-2.45	44.13	3	Horizontal	293	2.82	-	41.42	13.28	33.08

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	60.49	68.20	-7.71	53.02	3	Vertical	213	1.80	-	31.82	7.21	31.56
PK	5.822G	129.92	Inf	-Inf	121.81	3	Vertical	213	1.80	-	32.30	7.40	31.59
AV	5.817G	116.75	Inf	-Inf	108.64	3	Vertical	213	1.80	-	32.30	7.40	31.59
PK	5.977G	64.98	68.20	-3.22	56.58	3	Vertical	213	1.80	-	32.55	7.46	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 104
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	59.49	68.20	-8.71	52.03	3	Horizontal	151	1.80	-	31.80	7.22	31.56
PK	5.82G	123.34	Inf	-Inf	115.23	3	Horizontal	151	1.80	-	32.30	7.40	31.59
AV	5.816G	110.87	Inf	-Inf	102.76	3	Horizontal	151	1.80	-	32.30	7.40	31.59
PK	5.977G	63.43	68.20	-4.77	55.03	3	Horizontal	151	1.80	-	32.55	7.46	31.61

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63842G	62.04	74.00	-11.96	44.76	3	Vertical	160	1.32	-	39.49	10.64	32.85
AV	11.65018G	48.23	54.00	-5.77	31.05	3	Vertical	160	1.32	-	39.40	10.64	32.86
PK	17.4699G	65.96	68.20	-2.24	43.14	3	Vertical	0	1.80	-	42.40	13.33	32.91

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64562G	60.52	74.00	-13.48	43.30	3	Horizontal	52	1.75	-	39.44	10.64	32.86
AV	11.65204G	47.48	54.00	-6.52	30.31	3	Horizontal	52	1.75	-	39.39	10.64	32.86
PK	17.48058G	65.93	68.20	-2.27	42.97	3	Horizontal	69	1.04	-	42.51	13.34	32.89

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 83
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	73.30	74.00	-0.70	65.65	3	Vertical	88	1.90	-	32.10	6.91	31.36
AV	5.15G	53.41	54.00	-0.59	45.75	3	Vertical	88	1.90	-	32.10	6.92	31.36
PK	5.1948G	119.95	Inf	-Inf	112.57	3	Vertical	88	1.90	-	31.83	6.94	31.39
AV	5.1912G	107.40	Inf	-Inf	99.99	3	Vertical	88	1.90	-	31.85	6.94	31.38

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 83
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	66.22	74.00	-7.78	58.57	3	Horizontal	354.1	1.80	-	32.10	6.91	31.36
AV	5.1496G	50.70	54.00	-3.30	43.05	3	Horizontal	354.1	1.80	-	32.10	6.91	31.36
PK	5.2056G	112.42	Inf	-Inf	105.09	3	Horizontal	354.1	1.80	-	31.78	6.94	31.39
AV	5.2068G	99.92	Inf	-Inf	92.59	3	Horizontal	354.1	1.80	-	31.77	6.95	31.39

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 83
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58116G	62.28	74.00	-11.72	43.94	3	Vertical	272.1	1.80	-	38.71	12.47	32.84
AV	15.5571G	48.71	54.00	-5.29	30.22	3	Vertical	272.1	1.80	-	38.86	12.46	32.83

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 83
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56088G	62.05	74.00	-11.95	43.59	3	Horizontal	133	1.80	-	38.83	12.46	32.83
AV	15.55944G	48.72	54.00	-5.28	30.25	3	Horizontal	133	1.80	-	38.84	12.46	32.83

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 99
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	73.83	74.00	-0.17	66.18	3	Vertical	219	1.80	-	32.10	6.91	31.36
AV	5.15G	53.67	54.00	-0.33	46.02	3	Vertical	219	1.80	-	32.10	6.91	31.36
PK	5.2396G	123.72	Inf	-Inf	116.52	3	Vertical	219	1.80	-	31.64	6.97	31.41
AV	5.2432G	110.76	Inf	-Inf	103.57	3	Vertical	219	1.80	-	31.63	6.97	31.41
PK	5.3518G	68.26	74.00	-5.74	61.18	3	Vertical	219	1.80	-	31.50	7.05	31.47
AV	5.35G	51.60	54.00	-2.40	44.52	3	Vertical	219	1.80	-	31.50	7.05	31.47

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 99
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.39	74.00	-7.61	58.74	3	Horizontal	354	2.59	-	32.10	6.91	31.36
AV	5.15G	51.25	54.00	-2.75	43.60	3	Horizontal	354	2.59	-	32.10	6.91	31.36
PK	5.2354G	116.75	Inf	-Inf	109.53	3	Horizontal	354	2.59	-	31.66	6.97	31.41
AV	5.233G	103.86	Inf	-Inf	96.64	3	Horizontal	354	2.59	-	31.67	6.96	31.41
PK	5.3758G	62.75	74.00	-11.25	55.61	3	Horizontal	354	2.59	-	31.55	7.07	31.48
AV	5.3746G	50.83	54.00	-3.17	43.69	3	Horizontal	354	2.59	-	31.55	7.07	31.48

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 99
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69384G	61.99	74.00	-12.01	44.14	3	Vertical	104	1.80	-	38.19	12.52	32.86
AV	15.69786G	48.38	54.00	-5.62	30.51	3	Vertical	104	1.80	-	38.20	12.53	32.86

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 99
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6786G	61.85	74.00	-12.15	44.04	3	Horizontal	0	1.76	-	38.15	12.52	32.86
AV	15.6978G	48.30	54.00	-5.70	30.43	3	Horizontal	0	1.76	-	38.20	12.53	32.86

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 97
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	65.04	74.00	-8.96	57.39	3	Vertical	217	1.80	-	32.10	6.91	31.36
AV	5.11G	51.79	54.00	-2.21	44.13	3	Vertical	217	1.80	-	32.10	6.90	31.34
PK	5.2556G	122.54	Inf	-Inf	115.39	3	Vertical	217	1.80	-	31.59	6.98	31.42
AV	5.2564G	109.67	Inf	-Inf	102.52	3	Vertical	217	1.80	-	31.59	6.98	31.42
PK	5.3508G	73.62	74.00	-0.38	66.54	3	Vertical	217	1.80	-	31.50	7.05	31.47
AV	5.35G	53.66	54.00	-0.34	46.58	3	Vertical	217	1.80	-	31.50	7.05	31.47
PK	5.4676G	59.96	68.20	-8.24	52.52	3	Vertical	217	1.80	-	31.84	7.13	31.53

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 97
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	61.99	74.00	-12.01	54.33	3	Horizontal	359.9	2.95	-	32.10	6.90	31.34
AV	5.1092G	48.88	54.00	-5.12	41.23	3	Horizontal	359.9	2.95	-	32.10	6.89	31.34
PK	5.2564G	115.86	Inf	-Inf	108.71	3	Horizontal	359.9	2.95	-	31.59	6.98	31.42
AV	5.2556G	103.52	Inf	-Inf	96.37	3	Horizontal	359.9	2.95	-	31.59	6.98	31.42
PK	5.358G	64.58	74.00	-9.42	57.47	3	Horizontal	359.9	2.95	-	31.52	7.06	31.47
PK	5.4652G	60.11	68.20	-8.09	52.68	3	Horizontal	359.9	2.95	-	31.83	7.13	31.53
AV	5.4252G	49.98	54.00	-4.02	42.68	3	Horizontal	359.9	2.95	-	31.70	7.11	31.51

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 97
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81576G	62.03	74.00	-11.97	44.09	3	Vertical	161	1.33	-	38.24	12.58	32.88
AV	15.7956G	48.27	54.00	-5.73	30.28	3	Vertical	161	1.33	-	38.30	12.57	32.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 97
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80532G	62.63	74.00	-11.37	44.65	3	Horizontal	142	1.80	-	38.28	12.58	32.88
AV	15.79554G	48.28	54.00	-5.72	30.29	3	Horizontal	142	1.80	-	38.30	12.57	32.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 84
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	118.56	Inf	-Inf	111.49	3	Vertical	216	1.87	-	31.50	7.02	31.45
AV	5.328G	106.06	Inf	-Inf	98.98	3	Vertical	216	1.87	-	31.50	7.04	31.46
PK	5.37G	69.89	74.00	-4.11	62.76	3	Vertical	216	1.87	-	31.54	7.07	31.48
AV	5.3504G	53.75	54.00	-0.25	46.67	3	Vertical	216	1.87	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 84
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	113.32	Inf	-Inf	106.25	3	Horizontal	354	2.67	-	31.50	7.02	31.45
AV	5.3056G	100.67	Inf	-Inf	93.60	3	Horizontal	354	2.67	-	31.50	7.02	31.45
PK	5.3508G	72.14	74.00	-1.86	65.06	3	Horizontal	354	2.67	-	31.50	7.05	31.47
AV	5.35G	52.57	54.00	-1.43	45.49	3	Horizontal	354	2.67	-	31.50	7.05	31.47

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 84
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61418G	59.77	74.00	-14.23	41.98	3	Vertical	334	2.35	-	40.20	10.15	32.56
AV	10.61304G	45.71	54.00	-8.29	27.92	3	Vertical	334	2.35	-	40.20	10.15	32.56
PK	15.93042G	62.09	74.00	-11.91	44.42	3	Vertical	128	1.80	-	37.94	12.64	32.91
AV	15.94332G	47.89	54.00	-6.11	30.25	3	Vertical	128	1.80	-	37.91	12.64	32.91

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 84
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61826G	59.35	74.00	-14.65	41.56	3	Horizontal	144.1	1.80	-	40.20	10.15	32.56
AV	10.60752G	45.56	54.00	-8.44	27.77	3	Horizontal	144.1	1.80	-	40.20	10.15	32.56
PK	15.93084G	61.43	74.00	-12.57	43.76	3	Horizontal	120	1.80	-	37.94	12.64	32.91
AV	15.92136G	47.92	54.00	-6.08	30.23	3	Horizontal	120	1.80	-	37.96	12.63	32.90

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 78
06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	66.38	74.00	-7.62	58.98	3	Vertical	137	1.67	-	31.80	7.12	31.52
PK	5.468G	68.08	68.20	-0.12	60.64	3	Vertical	137	1.67	-	31.84	7.13	31.53
AV	5.46G	51.05	54.00	-2.95	43.63	3	Vertical	137	1.67	-	31.82	7.13	31.53
PK	5.498G	118.60	Inf	-Inf	111.10	3	Vertical	137	1.67	-	31.90	7.15	31.55
AV	5.5048G	104.48	Inf	-Inf	96.97	3	Vertical	137	1.67	-	31.90	7.16	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 78
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.13	74.00	-13.87	52.71	3	Horizontal	201	1.80	-	31.82	7.13	31.53
AV	5.4592G	47.72	54.00	-6.28	40.30	3	Horizontal	201	1.80	-	31.82	7.13	31.53
PK	5.4696G	63.85	68.20	-4.35	56.40	3	Horizontal	201	1.80	-	31.84	7.14	31.53
PK	5.5248G	112.67	Inf	-Inf	105.15	3	Horizontal	201	1.80	-	31.90	7.17	31.55
AV	5.5272G	101.05	Inf	-Inf	93.53	3	Horizontal	201	1.80	-	31.90	7.17	31.55

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.02576G	59.90	74.00	-14.10	41.68	3	Vertical	95	1.80	-	40.40	10.35	32.53			
AV	11.0119G	46.06	54.00	-7.94	27.80	3	Vertical	95	1.80	-	40.45	10.34	32.53			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0182G	59.58	74.00	-14.42	41.34	3	Horizontal	338	1.80	-	40.43	10.34	32.53
AV	11.02708G	46.06	54.00	-7.94	27.86	3	Horizontal	338	1.80	-	40.39	10.35	32.54

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 98
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	67.71	74.00	-6.29	60.29	3	Vertical	191	1.80	-	31.82	7.13	31.53
AV	5.46G	51.39	54.00	-2.61	43.97	3	Vertical	191	1.80	-	31.82	7.13	31.53
PK	5.4684G	67.43	68.20	-0.77	59.99	3	Vertical	191	1.80	-	31.84	7.13	31.53
PK	5.5482G	123.37	Inf	-Inf	115.84	3	Vertical	191	1.80	-	31.90	7.19	31.56
AV	5.5482G	110.63	Inf	-Inf	103.10	3	Vertical	191	1.80	-	31.90	7.19	31.56

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX








EUT_Y_4TX
 Setting 98
 06-D-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	65.02	74.00	-8.98	57.62	3	Horizontal	358	1.82	-	31.80	7.12	31.52
AV	5.4006G	49.78	54.00	-4.22	42.59	3	Horizontal	358	1.82	-	31.60	7.09	31.50
PK	5.4678G	65.51	68.20	-2.69	58.07	3	Horizontal	358	1.82	-	31.84	7.13	31.53
PK	5.5536G	119.00	Inf	-Inf	111.48	3	Horizontal	358	1.82	-	31.89	7.19	31.56
AV	5.5512G	106.52	Inf	-Inf	98.99	3	Horizontal	358	1.82	-	31.90	7.19	31.56

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


13/05/2024

EUT_Y_4TX
 Setting 98
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11014G	60.64	74.00	-13.36	42.77	3	Vertical	162	1.80	-	40.06	10.39	32.58
AV	11.12944G	47.18	54.00	-6.82	29.39	3	Vertical	162	1.80	-	39.98	10.40	32.59
PK	16.63524G	65.58	68.20	-2.62	46.03	3	Vertical	301	2.04	-	39.61	12.96	33.02

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 98
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.155G	59.81	74.00	-14.19	42.12	3	Horizontal	122	2.16	-	39.89	10.41	32.61
AV	11.1259G	46.59	54.00	-7.41	28.79	3	Horizontal	122	2.16	-	40.00	10.39	32.59
PK	16.65804G	64.40	68.20	-3.80	44.76	3	Horizontal	45	1.80	-	39.73	12.97	33.06

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 79
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.685G	119.60	Inf	-Inf	112.04	3	Vertical	315.6	1.78	-	31.84	7.29	31.57
AV	5.652G	107.10	Inf	-Inf	99.70	3	Vertical	315.6	1.78	-	31.71	7.26	31.57
PK	5.7294G	67.68	68.20	-0.52	59.85	3	Vertical	315.6	1.78	-	32.08	7.33	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 79
 06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	115.36	Inf	-Inf	107.88	3	Horizontal	360	1.67	-	31.77	7.28	31.57
AV	5.6652G	102.65	Inf	-Inf	95.18	3	Horizontal	360	1.67	-	31.76	7.28	31.57
PK	5.7366G	62.26	68.20	-5.94	54.38	3	Horizontal	360	1.67	-	32.12	7.34	31.58

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 79
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34174G	59.92	74.00	-14.08	42.25	3	Vertical	356.1	1.80	-	39.88	10.50	32.71
AV	11.35254G	46.59	54.00	-7.41	28.90	3	Vertical	356.1	1.80	-	39.91	10.50	32.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 79
 06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.34768G	59.58	74.00	-14.42	41.89	3	Horizontal	43	2.64	-	39.90	10.50	32.71
AV	11.35452G	46.65	54.00	-7.35	28.96	3	Horizontal	43	2.64	-	39.91	10.50	32.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	128.23	Inf	-Inf	120.47	3	Vertical	40.6	2.03	-	32.02	7.32	31.58
AV	5.722G	115.18	Inf	-Inf	107.41	3	Vertical	40.6	2.03	-	32.03	7.32	31.58
PK	5.8508G	66.94	68.20	-1.26	58.82	3	Vertical	40.6	2.03	-	32.30	7.41	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	122.76	Inf	-Inf	115.16	3	Horizontal	189	1.77	-	31.87	7.30	31.57
AV	5.6924G	110.55	Inf	-Inf	102.95	3	Horizontal	189	1.77	-	31.87	7.30	31.57
PK	5.8524G	66.91	68.20	-1.29	58.78	3	Horizontal	189	1.77	-	32.31	7.41	31.59

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 104
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40902G	60.23	74.00	-13.77	42.45	3	Vertical	22	1.80	-	40.00	10.53	32.75
AV	11.40812G	47.08	54.00	-6.92	29.30	3	Vertical	22	1.80	-	40.00	10.53	32.75
PK	17.11788G	63.96	68.20	-4.24	44.00	3	Vertical	306	1.80	-	40.24	13.17	33.45

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 104
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41994G	61.18	74.00	-12.82	43.41	3	Horizontal	46	2.05	-	40.00	10.53	32.76
AV	11.4158G	47.03	54.00	-6.97	29.25	3	Horizontal	46	2.05	-	40.00	10.53	32.75
PK	17.13318G	65.18	68.20	-3.02	45.15	3	Horizontal	322	1.85	-	40.27	13.18	33.42

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 94
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.66	68.20	-0.54	60.27	3	Vertical	34	1.80	-	31.70	7.26	31.57
PK	5.748G	125.93	Inf	-Inf	117.97	3	Vertical	34	1.80	-	32.19	7.35	31.58
AV	5.771G	112.02	Inf	-Inf	103.99	3	Vertical	34	1.80	-	32.24	7.37	31.58
PK	5.929G	63.15	68.20	-5.05	54.75	3	Vertical	34	1.80	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 94
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	64.26	68.20	-3.94	56.81	3	Horizontal	189	1.80	-	31.78	7.23	31.56
PK	5.771G	120.16	Inf	-Inf	112.13	3	Horizontal	189	1.80	-	32.24	7.37	31.58
AV	5.771G	107.75	Inf	-Inf	99.72	3	Horizontal	189	1.80	-	32.24	7.37	31.58
PK	5.931G	64.26	68.20	-3.94	55.86	3	Horizontal	189	1.80	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 94
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51612G	62.52	74.00	-11.48	44.65	3	Vertical	33	1.92	-	40.10	10.58	32.81
AV	11.51942G	47.97	54.00	-6.03	30.10	3	Vertical	33	1.92	-	40.10	10.58	32.81

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 94
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51186G	60.89	74.00	-13.11	43.01	3	Horizontal	55	1.79	-	40.10	10.58	32.80
AV	11.5115G	47.22	54.00	-6.78	29.34	3	Horizontal	55	1.79	-	40.10	10.58	32.80

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	62.67	68.20	-5.53	55.26	3	Vertical	217	1.80	-	31.73	7.25	31.57
PK	5.806G	127.87	Inf	-Inf	119.77	3	Vertical	217	1.80	-	32.30	7.39	31.59
AV	5.806G	114.48	Inf	-Inf	106.38	3	Vertical	217	1.80	-	32.30	7.39	31.59
PK	5.94G	65.41	68.20	-2.79	56.98	3	Vertical	217	1.80	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




10/05/2024

EUT_Y_4TX
Setting 100
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	67.72	68.20	-0.48	60.28	3	Horizontal	24	2.82	-	31.76	7.24	31.56
PK	5.778G	124.22	Inf	-Inf	116.17	3	Horizontal	24	2.82	-	32.26	7.37	31.58
AV	5.777G	113.22	Inf	-Inf	105.18	3	Horizontal	24	2.82	-	32.25	7.37	31.58
PK	5.938G	67.78	68.20	-0.42	59.35	3	Horizontal	24	2.82	-	32.58	7.45	31.60

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59012G	63.24	74.00	-10.76	45.59	3	Vertical	158	1.35	-	39.86	10.62	32.83
AV	11.58994G	47.40	54.00	-6.60	29.75	3	Vertical	158	1.35	-	39.86	10.62	32.83
PK	17.39202G	65.76	68.20	-2.44	43.69	3	Vertical	333	1.80	-	41.80	13.30	33.03

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 100
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58574G	60.55	74.00	-13.45	42.88	3	Horizontal	52	1.50	-	39.89	10.61	32.83
AV	11.58442G	46.90	54.00	-7.10	29.23	3	Horizontal	52	1.50	-	39.89	10.61	32.83
PK	17.37432G	65.75	68.20	-2.45	43.92	3	Horizontal	71	1.80	-	41.59	13.29	33.05

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	68.43	74.00	-5.57	60.78	3	Vertical	171.7	1.81	-	32.10	6.91	31.36
AV	5.15G	53.93	54.00	-0.07	46.27	3	Vertical	171.7	1.81	-	32.10	6.92	31.36
PK	5.243G	118.10	Inf	-Inf	110.91	3	Vertical	171.7	1.81	-	31.63	6.97	31.41
AV	5.248G	105.16	Inf	-Inf	97.98	3	Vertical	171.7	1.81	-	31.61	6.98	31.41
PK	5.354G	61.23	74.00	-12.77	54.13	3	Vertical	171.7	1.81	-	31.51	7.06	31.47
AV	5.353G	48.85	54.00	-5.15	41.76	3	Vertical	171.7	1.81	-	31.51	7.05	31.47

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	64.75	74.00	-9.25	57.09	3	Horizontal	358.5	1.82	-	32.10	6.91	31.35
AV	5.15G	52.30	54.00	-1.70	44.64	3	Horizontal	358.5	1.82	-	32.10	6.92	31.36
PK	5.214G	113.75	Inf	-Inf	106.46	3	Horizontal	358.5	1.82	-	31.74	6.95	31.40
AV	5.211G	101.61	Inf	-Inf	94.29	3	Horizontal	358.5	1.82	-	31.76	6.95	31.39
PK	5.364G	61.68	74.00	-12.32	54.57	3	Horizontal	358.5	1.82	-	31.53	7.06	31.48
AV	5.37G	49.61	54.00	-4.39	42.48	3	Horizontal	358.5	1.82	-	31.54	7.07	31.48

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62082G	62.01	74.00	-11.99	43.97	3	Vertical	360.1	1.80	-	38.39	12.49	32.84
AV	15.61722G	48.60	54.00	-5.40	30.52	3	Vertical	360.1	1.80	-	38.43	12.49	32.84

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 88
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61692G	61.83	74.00	-12.17	43.75	3	Horizontal	358	1.80	-	38.43	12.49	32.84
AV	15.61548G	48.62	54.00	-5.38	30.52	3	Horizontal	358	1.80	-	38.45	12.49	32.84

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.97	74.00	-13.03	53.32	3	Vertical	172.7	1.88	-	32.10	6.91	31.36
AV	5.148G	48.37	54.00	-5.63	40.72	3	Vertical	172.7	1.88	-	32.10	6.91	31.36
PK	5.256G	117.49	Inf	-Inf	110.34	3	Vertical	172.7	1.88	-	31.59	6.98	31.42
AV	5.306G	101.70	Inf	-Inf	94.63	3	Vertical	172.7	1.88	-	31.50	7.02	31.45
PK	5.368G	66.48	74.00	-7.52	59.35	3	Vertical	172.7	1.88	-	31.54	7.07	31.48
AV	5.35G	53.67	54.00	-0.33	46.59	3	Vertical	172.7	1.88	-	31.50	7.05	31.47
PK	5.471G	60.39	68.20	-7.81	52.94	3	Vertical	172.7	1.88	-	31.84	7.14	31.53

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	59.97	74.00	-14.03	52.31	3	Horizontal	2	2.55	-	32.10	6.91	31.35
AV	5.13G	47.43	54.00	-6.57	39.77	3	Horizontal	2	2.55	-	32.10	6.91	31.35
PK	5.265G	110.06	Inf	-Inf	102.92	3	Horizontal	2	2.55	-	31.57	6.99	31.42
AV	5.261G	94.44	Inf	-Inf	87.29	3	Horizontal	2	2.55	-	31.58	6.99	31.42
PK	5.358G	65.89	74.00	-8.11	58.78	3	Horizontal	2	2.55	-	31.52	7.06	31.47
AV	5.357G	53.66	54.00	-0.34	46.56	3	Horizontal	2	2.55	-	31.51	7.06	31.47
PK	5.476G	60.02	68.20	-8.18	52.57	3	Horizontal	2	2.55	-	31.85	7.14	31.54

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87858G	61.74	74.00	-12.26	43.99	3	Vertical	240	1.80	-	38.04	12.61	32.90
AV	15.85776G	48.27	54.00	-5.73	30.48	3	Vertical	240	1.80	-	38.08	12.60	32.89

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.87678G	61.38	74.00	-12.62	43.62	3	Horizontal	160	1.25	-	38.05	12.61	32.90
AV	15.85704G	48.23	54.00	-5.77	30.43	3	Horizontal	160	1.25	-	38.09	12.60	32.89

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 82
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	61.91	68.20	-6.29	54.82	3	Vertical	174.9	1.79	-	31.50	7.05	31.46
AV	5.35G	48.71	54.00	-5.29	41.63	3	Vertical	174.9	1.79	-	31.50	7.05	31.47
PK	5.457G	65.32	74.00	-8.68	57.91	3	Vertical	174.9	1.79	-	31.81	7.13	31.53
AV	5.46G	53.16	54.00	-0.84	45.74	3	Vertical	174.9	1.79	-	31.82	7.13	31.53
PK	5.466G	67.97	68.20	-0.23	60.54	3	Vertical	174.9	1.79	-	31.83	7.13	31.53
PK	5.542G	116.58	Inf	-Inf	109.06	3	Vertical	174.9	1.79	-	31.90	7.18	31.56
AV	5.539G	104.86	Inf	-Inf	97.33	3	Vertical	174.9	1.79	-	31.90	7.18	31.55
PK	5.738G	61.84	68.20	-6.36	53.95	3	Vertical	174.9	1.79	-	32.13	7.34	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 82
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	59.24	68.20	-8.96	52.16	3	Horizontal	358.9	1.77	-	31.50	7.04	31.46
AV	5.35G	46.84	54.00	-7.16	39.76	3	Horizontal	358.9	1.77	-	31.50	7.05	31.47
PK	5.444G	63.73	74.00	-10.27	56.35	3	Horizontal	358.9	1.77	-	31.78	7.12	31.52
AV	5.454G	50.85	54.00	-3.15	43.44	3	Horizontal	358.9	1.77	-	31.81	7.13	31.53
PK	5.466G	63.48	68.20	-4.72	56.05	3	Horizontal	358.9	1.77	-	31.83	7.13	31.53
PK	5.543G	114.60	Inf	-Inf	107.08	3	Horizontal	358.9	1.77	-	31.90	7.18	31.56
AV	5.545G	101.96	Inf	-Inf	94.44	3	Horizontal	358.9	1.77	-	31.90	7.18	31.56
PK	5.736G	60.99	68.20	-7.21	53.11	3	Horizontal	358.9	1.77	-	32.12	7.34	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 82
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0729G	59.52	74.00	-14.48	41.50	3	Vertical	348	1.59	-	40.21	10.37	32.56
AV	11.04782G	46.20	54.00	-7.80	28.08	3	Vertical	348	1.59	-	40.31	10.36	32.55

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 82
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06282G	59.48	74.00	-14.52	41.43	3	Horizontal	282	2.35	-	40.25	10.36	32.56
AV	11.05946G	46.15	54.00	-7.85	28.08	3	Horizontal	282	2.35	-	40.26	10.36	32.55

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 82
 06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	63.76	74.00	-10.24	56.43	3	Vertical	-0.1	1.90	-	31.73	7.11	31.51
AV	5.45G	49.45	54.00	-4.55	42.05	3	Vertical	-0.1	1.90	-	31.80	7.12	31.52
PK	5.468G	65.45	68.20	-2.75	58.01	3	Vertical	-0.1	1.90	-	31.84	7.13	31.53
PK	5.582G	119.00	Inf	-Inf	111.51	3	Vertical	-0.1	1.90	-	31.84	7.21	31.56
AV	5.579G	105.45	Inf	-Inf	97.96	3	Vertical	-0.1	1.90	-	31.84	7.21	31.56
PK	5.752G	67.98	68.20	-0.22	60.01	3	Vertical	-0.1	1.90	-	32.20	7.35	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 82
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	60.25	74.00	-13.75	52.86	3	Horizontal	196	2.48	-	31.79	7.12	31.52
AV	5.45G	48.74	54.00	-5.26	41.34	3	Horizontal	196	2.48	-	31.80	7.12	31.52
PK	5.465G	60.67	68.20	-7.53	53.24	3	Horizontal	196	2.48	-	31.83	7.13	31.53
PK	5.616G	109.01	Inf	-Inf	101.57	3	Horizontal	196	2.48	-	31.77	7.23	31.56
AV	5.647G	96.73	Inf	-Inf	89.33	3	Horizontal	196	2.48	-	31.71	7.26	31.57
PK	5.738G	61.33	68.20	-6.87	53.44	3	Horizontal	196	2.48	-	32.13	7.34	31.58

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 82
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22438G	59.24	74.00	-14.76	41.65	3	Vertical	103	2.85	-	39.80	10.44	32.65			
AV	11.2233G	45.77	54.00	-8.23	28.18	3	Vertical	103	2.85	-	39.80	10.44	32.65			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 82
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20836G	59.33	74.00	-14.67	41.74	3	Horizontal	89	1.80	-	39.80	10.43	32.64
AV	11.21802G	45.82	54.00	-8.18	28.22	3	Horizontal	89	1.80	-	39.80	10.44	32.64

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.52	74.00	-11.48	55.11	3	Vertical	32	2.08	-	31.81	7.13	31.53
PK	5.461G	62.64	68.20	-5.56	55.22	3	Vertical	32	2.08	-	31.82	7.13	31.53
AV	5.459G	49.33	54.00	-4.67	41.91	3	Vertical	32	2.08	-	31.82	7.13	31.53
PK	5.72G	122.18	Inf	-Inf	114.42	3	Vertical	32	2.08	-	32.02	7.32	31.58
AV	5.719G	108.34	Inf	-Inf	100.59	3	Vertical	32	2.08	-	32.01	7.32	31.58
PK	5.872G	67.92	68.20	-0.28	59.70	3	Vertical	32	2.08	-	32.39	7.42	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
06-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.24	74.00	-14.76	51.83	3	Horizontal	139	1.80	-	31.81	7.12	31.52
AV	5.46G	46.72	54.00	-7.28	39.30	3	Horizontal	139	1.80	-	31.82	7.13	31.53
PK	5.468G	58.88	68.20	-9.32	51.44	3	Horizontal	139	1.80	-	31.84	7.13	31.53
PK	5.656G	116.96	Inf	-Inf	109.54	3	Horizontal	139	1.80	-	31.72	7.27	31.57
AV	5.706G	102.54	Inf	-Inf	94.86	3	Horizontal	139	1.80	-	31.94	7.31	31.57
PK	5.851G	64.78	68.20	-3.42	56.66	3	Horizontal	139	1.80	-	32.30	7.41	31.59

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 96
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3887G	59.20	74.00	-14.80	41.44	3	Vertical	351	2.57	-	39.98	10.52	32.74
AV	11.37022G	46.24	54.00	-7.76	28.52	3	Vertical	351	2.57	-	39.94	10.51	32.73
PK	17.08056G	64.06	68.20	-4.14	44.13	3	Vertical	137	1.80	-	40.28	13.16	33.51

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36668G	59.57	74.00	-14.43	41.86	3	Horizontal	249	2.19	-	39.93	10.51	32.73
AV	11.39482G	46.20	54.00	-7.80	28.43	3	Horizontal	249	2.19	-	39.99	10.52	32.74
PK	17.05794G	64.04	68.20	-4.16	44.06	3	Horizontal	67	1.31	-	40.37	13.15	33.54

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 97
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.86	68.20	-0.34	60.46	3	Vertical	32	1.89	-	31.71	7.26	31.57
PK	5.742G	119.47	Inf	-Inf	111.56	3	Vertical	32	1.89	-	32.15	7.34	31.58
AV	5.746G	107.91	Inf	-Inf	99.97	3	Vertical	32	1.89	-	32.18	7.34	31.58
PK	5.93G	64.21	68.20	-3.99	55.81	3	Vertical	32	1.89	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 97
 06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.99	68.20	-4.21	56.60	3	Horizontal	149.9	2.13	-	31.70	7.26	31.57
PK	5.764G	115.90	Inf	-Inf	107.89	3	Horizontal	149.9	2.13	-	32.23	7.36	31.58
AV	5.764G	103.95	Inf	-Inf	95.94	3	Horizontal	149.9	2.13	-	32.23	7.36	31.58
PK	5.931G	61.27	68.20	-6.93	52.87	3	Horizontal	149.9	2.13	-	32.56	7.44	31.60

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 97
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5425G	59.80	74.00	-14.20	41.93	3	Vertical	175	1.39	-	40.10	10.59	32.82
AV	11.53914G	46.05	54.00	-7.95	28.17	3	Vertical	175	1.39	-	40.10	10.59	32.81
PK	17.33574G	65.16	68.20	-3.04	43.84	3	Vertical	329.1	1.80	-	41.16	13.27	33.11

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 97
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54136G	59.83	74.00	-14.17	41.96	3	Horizontal	346	2.95	-	40.10	10.59	32.82
AV	11.55252G	46.09	54.00	-7.91	28.23	3	Horizontal	346	2.95	-	40.08	10.60	32.82
PK	17.31642G	65.30	68.20	-2.90	44.22	3	Horizontal	69	1.80	-	40.96	13.26	33.14

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




06/05/2024

EUT_Y_4TX
Setting 82
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	69.51	74.00	-4.49	61.86	3	Vertical	313	2.22	-	32.10	6.91	31.36
AV	5.1012G	53.97	54.00	-0.03	46.31	3	Vertical	313	2.22	-	32.10	6.89	31.33
PK	5.238G	113.38	Inf	-Inf	106.17	3	Vertical	313	2.22	-	31.65	6.97	31.41
AV	5.2032G	102.93	Inf	-Inf	95.59	3	Vertical	313	2.22	-	31.79	6.94	31.39
PK	5.3508G	72.17	74.00	-1.83	65.09	3	Vertical	313	2.22	-	31.50	7.05	31.47
AV	5.3568G	52.16	54.00	-1.84	45.06	3	Vertical	313	2.22	-	31.51	7.06	31.47
PK	5.4732G	64.04	68.20	-4.16	56.59	3	Vertical	313	2.22	-	31.85	7.14	31.54

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 82
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.32	74.00	-5.68	60.67	3	Horizontal	350	2.72	-	32.10	6.91	31.36
AV	5.15G	53.64	54.00	-0.36	45.98	3	Horizontal	350	2.72	-	32.10	6.92	31.36
PK	5.28G	111.94	Inf	-Inf	104.83	3	Horizontal	350	2.72	-	31.54	7.00	31.43
AV	5.28G	99.84	Inf	-Inf	92.73	3	Horizontal	350	2.72	-	31.54	7.00	31.43
PK	5.4144G	69.23	74.00	-4.77	61.97	3	Horizontal	350	2.72	-	31.66	7.10	31.50
AV	5.3508G	53.94	54.00	-0.06	46.86	3	Horizontal	350	2.72	-	31.50	7.05	31.47
PK	5.4924G	61.10	68.20	-7.10	53.62	3	Horizontal	350	2.72	-	31.88	7.15	31.55

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 82
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75168G	62.56	74.00	-11.44	44.58	3	Vertical	85	1.80	-	38.30	12.55	32.87
AV	15.75414G	48.54	54.00	-5.46	30.56	3	Vertical	85	1.80	-	38.30	12.55	32.87

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 82
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.735G	61.55	74.00	-12.45	43.61	3	Horizontal	311	2.59	-	38.27	12.54	32.87
AV	15.75156G	48.50	54.00	-5.50	30.52	3	Horizontal	311	2.59	-	38.30	12.55	32.87

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3278G	62.21	68.20	-5.99	55.13	3	Vertical	314.9	1.93	-	31.50	7.04	31.46
PK	5.4524G	67.40	74.00	-6.60	60.00	3	Vertical	314.9	1.93	-	31.80	7.12	31.52
AV	5.4216G	53.91	54.00	-0.09	46.63	3	Vertical	314.9	1.93	-	31.69	7.10	31.51
PK	5.4608G	65.52	68.20	-2.68	58.10	3	Vertical	314.9	1.93	-	31.82	7.13	31.53
PK	5.591G	114.72	Inf	-Inf	107.25	3	Vertical	314.9	1.93	-	31.82	7.21	31.56
AV	5.5616G	103.06	Inf	-Inf	95.54	3	Vertical	314.9	1.93	-	31.88	7.20	31.56
PK	5.7534G	67.79	68.20	-0.41	59.81	3	Vertical	314.9	1.93	-	32.21	7.35	31.58

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.241G	60.06	68.20	-8.14	52.86	3	Horizontal	184.5	2.31	-	31.64	6.97	31.41
PK	5.4538G	61.88	74.00	-12.12	54.48	3	Horizontal	184.5	2.31	-	31.81	7.12	31.53
AV	5.458G	49.28	54.00	-4.72	41.86	3	Horizontal	184.5	2.31	-	31.82	7.13	31.53
PK	5.465G	61.09	68.20	-7.11	53.66	3	Horizontal	184.5	2.31	-	31.83	7.13	31.53
PK	5.5798G	111.37	Inf	-Inf	103.88	3	Horizontal	184.5	2.31	-	31.84	7.21	31.56
AV	5.5784G	99.07	Inf	-Inf	91.58	3	Horizontal	184.5	2.31	-	31.84	7.21	31.56
PK	5.8192G	61.30	68.20	-6.90	53.19	3	Horizontal	184.5	2.31	-	32.30	7.40	31.59

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15026G	58.53	74.00	-15.47	40.82	3	Vertical	196	1.04	-	39.90	10.41	32.60
AV	11.12542G	45.43	54.00	-8.57	27.63	3	Vertical	196	1.04	-	40.00	10.39	32.59

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 74
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13064G	59.27	74.00	-14.73	41.48	3	Horizontal	180	1.25	-	39.98	10.40	32.59
AV	11.12542G	45.43	54.00	-8.57	27.63	3	Horizontal	180	1.25	-	40.00	10.39	32.59

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 92
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.55	74.00	-4.45	61.32	3	Vertical	147	2.00	-	33.60	5.31	30.68
AV	5.1485G	53.76	54.00	-0.24	45.53	3	Vertical	147	2.00	-	33.60	5.31	30.68
PK	5.214G	115.46	Inf	-Inf	107.09	3	Vertical	147	2.00	-	33.73	5.37	30.73
AV	5.2225G	103.38	Inf	-Inf	95.01	3	Vertical	147	2.00	-	33.74	5.37	30.74
PK	5.3865G	62.07	74.00	-11.93	53.56	3	Vertical	147	2.00	-	33.97	5.41	30.87
AV	5.3865G	49.49	54.00	-4.51	40.98	3	Vertical	147	2.00	-	33.97	5.41	30.87

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
 Setting 92
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.38	74.00	-11.62	54.14	3	Horizontal	347	1.74	-	33.60	5.32	30.68
AV	5.15G	50.56	54.00	-3.44	42.32	3	Horizontal	347	1.74	-	33.60	5.32	30.68
PK	5.2225G	112.05	Inf	-Inf	103.68	3	Horizontal	347	1.74	-	33.74	5.37	30.74
AV	5.2235G	97.29	Inf	-Inf	88.91	3	Horizontal	347	1.74	-	33.75	5.37	30.74
PK	5.3965G	61.01	74.00	-12.99	52.49	3	Horizontal	347	1.74	-	33.99	5.41	30.88
AV	5.3785G	49.33	54.00	-4.67	40.82	3	Horizontal	347	1.74	-	33.96	5.41	30.86

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41619G	57.98	68.20	-10.22	74.03	3	Vertical	158	2.79	-	40.13	10.06	66.24
PK	15.6426G	60.83	74.00	-13.17	72.92	3	Vertical	92	2.23	-	38.17	12.50	62.76
AV	15.61641G	47.07	54.00	-6.93	58.88	3	Vertical	92	2.23	-	38.44	12.49	62.74

5.15-5.25GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 92
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40689G	56.57	68.20	-11.63	72.67	3	Horizontal	68	2.27	-	40.11	10.05	66.26
PK	15.62469G	59.70	74.00	-14.30	71.60	3	Horizontal	229	2.58	-	38.35	12.49	62.74
AV	15.61521G	47.66	54.00	-6.34	59.46	3	Horizontal	229	2.58	-	38.45	12.49	62.74

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 98
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	67.87	68.20	-0.33	59.31	3	Vertical	2	1.80	-	34.00	5.58	31.02
PK	5.762G	118.47	Inf	-Inf	109.91	3	Vertical	2	1.80	-	34.02	5.62	31.08
AV	5.8045G	107.01	Inf	-Inf	98.39	3	Vertical	2	1.80	-	34.09	5.63	31.10
PK	5.925G	67.08	68.20	-1.12	58.27	3	Vertical	2	1.80	-	34.20	5.77	31.16

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 98
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	61.95	68.20	-6.25	53.40	3	Horizontal	356	2.20	-	34.00	5.58	31.03
PK	5.799G	112.92	Inf	-Inf	104.29	3	Horizontal	356	2.20	-	34.10	5.63	31.10
AV	5.7515G	99.86	Inf	-Inf	91.32	3	Horizontal	356	2.20	-	34.00	5.62	31.08
PK	5.935G	62.33	68.20	-5.87	53.51	3	Horizontal	356	2.20	-	34.20	5.78	31.16

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 98
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55861G	58.13	74.00	-15.87	73.51	3	Vertical	247	1.21	-	40.05	10.60	66.03
AV	11.54007G	45.81	54.00	-8.19	61.16	3	Vertical	247	1.21	-	40.10	10.59	66.04
PK	17.32371G	64.98	68.20	-3.22	73.82	3	Vertical	224	2.14	-	41.04	13.27	63.15

5.725-5.85GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 98
06-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54622G	57.77	74.00	-16.23	73.12	3	Horizontal	24	1.17	-	40.10	10.59	66.04
AV	11.53986G	45.81	54.00	-8.19	61.16	3	Horizontal	24	1.17	-	40.10	10.59	66.04
PK	17.32152G	65.20	68.20	-3.00	74.07	3	Horizontal	39	2.91	-	41.02	13.26	63.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.83061G	37.57	54.00	-16.43	Horizontal



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.8284G	48.40	74.00	-25.60	-6.82	3	Horizontal	180	1.56	-	55.22	25.30	4.59	36.71
AV	1.83061G	37.57	54.00	-16.43	-6.81	3	Horizontal	180	1.56	-	44.38	25.30	4.60	36.71

1. Photographs of Conducted Emissions Test Configuration

Test mode: Mode 2

FRONT VIEW




REAR VIEW




2. Photographs of Radiated Emissions Test Configuration

Test Configuration: 30MHz~1GHz / Test mode: Mode 2

FRONT VIEW




REAR VIEW



Test Configuration: Above 1GHz

FRONT VIEW



REAR VIEW



————THE END————