


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 83
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	85.22	88.20	-2.98	76.41	3	Vertical	188	2.90	-	34.20	5.77	31.16
RMS	5.9248G	67.43	68.20	-0.77	58.62	3	Vertical	188	2.90	-	34.20	5.77	31.16
PK	5.953G	117.30	Inf	-Inf	108.46	3	Vertical	188	2.90	-	34.21	5.80	31.17
RMS	5.9516G	106.35	Inf	-Inf	97.52	3	Vertical	188	2.90	-	34.20	5.80	31.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 83
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9196G	72.35	88.20	-15.85	63.54	3	Horizontal	288	1.68	-	34.20	5.76	31.15
RMS	5.9246G	57.44	68.20	-10.76	48.63	3	Horizontal	288	1.68	-	34.20	5.77	31.16
PK	5.9578G	108.95	Inf	-Inf	100.10	3	Horizontal	288	1.68	-	34.22	5.80	31.17
RMS	5.9594G	98.59	Inf	-Inf	89.73	3	Horizontal	288	1.68	-	34.22	5.81	31.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92634G	56.71	74.00	-17.29	40.06	3	Vertical	272	1.49	-	39.35	8.71	31.41
AV	11.92673G	42.12	54.00	-11.88	25.46	3	Vertical	272	1.49	-	39.35	8.72	31.41
PK	17.89975G	61.12	74.00	-12.88	35.01	3	Vertical	222	1.18	-	46.90	11.60	32.39
AV	17.89588G	46.34	54.00	-7.66	20.24	3	Vertical	222	1.18	-	46.89	11.60	32.39

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92626G	55.86	74.00	-18.14	39.21	3	Horizontal	294	2.85	-	39.35	8.71	31.41
AV	11.92698G	42.18	54.00	-11.82	25.52	3	Horizontal	294	2.85	-	39.35	8.72	31.41
PK	17.8997G	61.88	74.00	-12.12	35.77	3	Horizontal	49	1.12	-	46.90	11.60	32.39
AV	17.89567G	46.26	54.00	-7.74	20.16	3	Horizontal	49	1.12	-	46.89	11.60	32.39

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86018G	47.17	83.54	-36.37	38.17	1	Vertical	113	1.56	-	38.80	17.36	47.16
AV	23.85106G	34.88	63.54	-28.66	25.88	1	Vertical	113	1.56	-	38.80	17.36	47.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86645G	48.05	83.54	-35.49	39.05	1	Horizontal	49	1.75	-	38.80	17.36	47.16
AV	23.84578G	34.92	63.54	-28.62	25.91	1	Horizontal	49	1.75	-	38.83	17.35	47.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41112G	56.31	74.00	-17.69	39.88	3	Vertical	219	2.83	-	38.80	8.93	31.30
AV	12.40947G	42.24	54.00	-11.76	25.81	3	Vertical	219	2.83	-	38.80	8.93	31.30

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40831G	55.84	74.00	-18.16	39.41	3	Horizontal	162	2.49	-	38.80	8.93	31.30
AV	12.41272G	42.47	54.00	-11.53	26.04	3	Horizontal	162	2.49	-	38.80	8.93	31.30

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6325G	62.56	83.54	-20.98	59.11	1	Vertical	215	1.50	-	37.77	15.27	49.59
AV	18.6284G	48.77	63.54	-14.77	45.33	1	Vertical	215	1.50	-	37.76	15.27	49.59

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
 Setting 108
 04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.609G	61.19	83.54	-22.35	57.81	1	Horizontal	156	1.72	-	37.72	15.27	49.61
AV	18.6115G	47.54	63.54	-16.00	44.15	1	Horizontal	156	1.72	-	37.72	15.27	49.60

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81336G	55.86	88.20	-32.34	39.37	3	Vertical	190	2.59	-	38.93	9.12	31.56
RMS	12.8138G	41.67	68.20	-26.53	25.18	3	Vertical	190	2.59	-	38.93	9.12	31.56

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80566G	55.44	88.20	-32.76	38.98	3	Horizontal	60	2.27	-	38.91	9.11	31.56
RMS	12.81446G	41.69	68.20	-26.51	25.20	3	Horizontal	60	2.27	-	38.93	9.12	31.56

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.19755G	53.56	83.54	-29.98	49.80	1	Vertical	222	1.50	-	37.99	15.24	49.47
AV	19.19195G	39.77	63.54	-23.77	36.05	1	Vertical	222	1.50	-	37.95	15.24	49.47

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.19805G	55.02	83.54	-28.52	51.26	1	Horizontal	76	1.50	-	37.99	15.24	49.47
AV	19.21855G	40.60	63.54	-22.94	36.89	1	Horizontal	76	1.50	-	37.96	15.24	49.49

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89182G	56.04	88.20	-32.16	39.44	3	Vertical	346	1.69	-	39.08	9.15	31.63
RMS	12.89164G	42.57	68.20	-25.63	25.97	3	Vertical	346	1.69	-	39.08	9.15	31.63

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89242G	56.05	88.20	-32.15	39.45	3	Horizontal	219	1.12	-	39.08	9.15	31.63
RMS	12.89473G	42.12	68.20	-26.08	25.50	3	Horizontal	219	1.12	-	39.09	9.16	31.63

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
 Setting 108
 04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34585G	55.87	83.54	-27.67	52.40	1	Vertical	196	1.69	-	37.82	15.23	49.58
AV	19.34845G	40.69	63.54	-22.85	37.23	1	Vertical	196	1.69	-	37.81	15.23	49.58

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3296G	55.09	83.54	-28.45	51.54	1	Horizontal	75	1.54	-	37.88	15.23	49.56
AV	19.33125G	41.23	63.54	-22.31	37.70	1	Horizontal	75	1.54	-	37.87	15.23	49.57

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97254G	55.57	88.20	-32.63	38.73	3	Vertical	91	1.20	-	39.35	9.19	31.70
RMS	12.97235G	42.50	68.20	-25.70	25.67	3	Vertical	91	1.20	-	39.34	9.19	31.70

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96891G	55.80	88.20	-32.40	38.96	3	Horizontal	326	1.08	-	39.34	9.19	31.69
RMS	12.97251G	42.43	68.20	-25.77	25.59	3	Horizontal	326	1.08	-	39.35	9.19	31.70

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX



EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4687G	57.90	83.54	-25.64	54.46	1	Vertical	42	1.54	-	37.87	15.23	49.66
AV	19.45245G	43.85	63.54	-19.69	40.46	1	Vertical	42	1.54	-	37.81	15.23	49.65

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.47235G	54.76	83.54	-28.78	51.30	1	Horizontal	192	1.50	-	37.89	15.23	49.66
AV	19.46195G	41.05	63.54	-22.49	37.62	1	Horizontal	192	1.50	-	37.85	15.23	49.65

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05202G	57.62	88.20	-30.58	40.76	3	Vertical	161	1.93	-	39.41	9.23	31.78
RMS	13.04569G	42.40	68.20	-25.80	25.54	3	Vertical	161	1.93	-	39.40	9.23	31.77

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04917G	55.93	88.20	-32.27	39.07	3	Horizontal	92	2.15	-	39.40	9.23	31.77
RMS	13.04897G	42.44	68.20	-25.76	25.58	3	Horizontal	92	2.15	-	39.40	9.23	31.77

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58345G	59.68	83.54	-23.86	56.17	1	Vertical	205	1.57	-	37.90	15.22	49.61
AV	19.57495G	44.76	63.54	-18.78	41.21	1	Vertical	205	1.57	-	37.95	15.22	49.62

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5721G	52.24	83.54	-31.30	48.67	1	Horizontal	180	1.66	-	37.97	15.22	49.62
AV	19.56885G	39.65	63.54	-23.89	36.06	1	Horizontal	180	1.66	-	37.99	15.22	49.62

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1286G	55.93	88.20	-32.27	38.87	3	Vertical	58	1.15	-	39.66	9.26	31.86
RMS	13.13181G	42.47	68.20	-25.73	25.40	3	Vertical	58	1.15	-	39.66	9.27	31.86

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13254G	56.77	88.20	-31.43	39.69	3	Horizontal	54	2.46	-	39.67	9.27	31.86
RMS	13.12836G	42.46	68.20	-25.74	25.40	3	Horizontal	54	2.46	-	39.66	9.26	31.86

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6902G	44.06	83.54	-39.48	40.50	1	Vertical	316	1.52	-	37.86	15.22	49.52
AV	19.69798G	32.06	63.54	-31.48	28.55	1	Vertical	316	1.52	-	37.81	15.22	49.52

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69239G	44.81	83.54	-38.73	41.26	1	Horizontal	320	1.57	-	37.85	15.22	49.52
AV	19.69087G	32.11	63.54	-31.43	28.56	1	Horizontal	320	1.57	-	37.85	15.22	49.52

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36881G	57.13	74.00	-16.87	39.62	3	Vertical	321	1.34	-	40.24	9.38	32.11
AV	13.36807G	43.17	54.00	-10.83	25.66	3	Vertical	321	1.34	-	40.24	9.38	32.11

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3693G	56.82	74.00	-17.18	39.31	3	Horizontal	188	1.64	-	40.24	9.38	32.11
AV	13.37489G	43.19	54.00	-10.81	25.68	3	Horizontal	188	1.64	-	40.25	9.38	32.12

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0554G	44.92	83.54	-38.62	41.22	1	Vertical	227	1.50	-	37.72	15.24	49.26
AV	20.0568G	32.40	63.54	-31.14	28.68	1	Vertical	227	1.50	-	37.73	15.25	49.26

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0559G	45.58	83.54	-37.96	41.88	1	Horizontal	247	1.51	-	37.72	15.24	49.26
AV	20.05494G	32.27	63.54	-31.27	28.57	1	Horizontal	247	1.51	-	37.72	15.24	49.26

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77135G	59.73	88.20	-28.47	41.40	3	Vertical	62	2.06	-	41.06	9.56	32.29
RMS	13.77004G	46.13	68.20	-22.07	27.80	3	Vertical	62	2.06	-	41.06	9.56	32.29

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.76923G	60.08	88.20	-28.12	41.75	3	Horizontal	166	1.35	-	41.06	9.56	32.29
RMS	13.77316G	46.03	68.20	-22.17	27.71	3	Horizontal	166	1.35	-	41.05	9.56	32.29

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65746G	44.99	83.54	-38.55	40.42	1	Vertical	282	1.58	-	37.90	15.73	49.06
AV	20.65065G	32.76	63.54	-30.78	28.20	1	Vertical	282	1.58	-	37.90	15.72	49.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65119G	45.08	83.54	-38.46	40.52	1	Horizontal	337	1.51	-	37.90	15.72	49.06
AV	20.65G	32.76	63.54	-30.78	28.20	1	Horizontal	337	1.51	-	37.90	15.72	49.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8475G	60.10	88.20	-28.10	41.62	3	Vertical	331	2.08	-	41.19	9.60	32.31
RMS	13.8499G	46.54	68.20	-21.66	28.05	3	Vertical	331	2.08	-	41.20	9.60	32.31

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85343G	60.82	88.20	-27.38	42.32	3	Horizontal	234	2.89	-	41.21	9.60	32.31
RMS	13.8499G	46.44	68.20	-21.76	27.95	3	Horizontal	234	2.89	-	41.20	9.60	32.31

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77256G	45.04	83.54	-38.50	40.24	1	Vertical	284	1.53	-	37.98	15.82	49.00
AV	20.77152G	32.56	63.54	-30.98	27.77	1	Vertical	284	1.53	-	37.97	15.82	49.00

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77095G	45.20	83.54	-38.34	40.41	1	Horizontal	158	1.50	-	37.97	15.82	49.00
AV	20.77471G	32.70	63.54	-30.84	27.88	1	Horizontal	158	1.50	-	38.00	15.82	49.00

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00507G	61.29	88.20	-26.91	42.43	3	Vertical	58	2.75	-	41.52	9.67	32.33
RMS	14.01329G	47.41	68.20	-20.79	28.51	3	Vertical	58	2.75	-	41.55	9.67	32.32

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00765G	62.17	88.20	-26.03	43.29	3	Horizontal	13	2.03	-	41.53	9.67	32.32
RMS	14.01337G	47.47	68.20	-20.73	28.57	3	Horizontal	13	2.03	-	41.55	9.67	32.32

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01931G	44.96	83.54	-38.58	39.73	1	Vertical	153	1.51	-	38.09	16.02	48.88
AV	21.01978G	32.73	63.54	-30.81	27.49	1	Vertical	153	1.51	-	38.10	16.02	48.88

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01375G	45.55	83.54	-37.99	40.38	1	Horizontal	119	1.52	-	38.04	16.01	48.88
AV	21.01907G	32.72	63.54	-30.82	27.49	1	Horizontal	119	1.52	-	38.09	16.02	48.88

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 82
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.098G	118.20	Inf	-Inf	108.39	3	Vertical	224	2.21	-	35.40	6.40	31.99
RMS	7.0978G	107.04	Inf	-Inf	97.23	3	Vertical	224	2.21	-	35.40	6.40	31.99
PK	7.1256G	83.89	88.20	-4.31	73.94	3	Vertical	224	2.21	-	35.55	6.41	32.01
RMS	7.125G	66.78	68.20	-1.42	56.83	3	Vertical	224	2.21	-	35.55	6.41	32.01

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 82
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0942G	107.07	Inf	-Inf	97.27	3	Horizontal	212	1.88	-	35.39	6.40	31.99
RMS	7.067G	96.56	Inf	-Inf	86.83	3	Horizontal	212	1.88	-	35.33	6.38	31.98
PK	7.127G	72.01	88.20	-16.19	62.05	3	Horizontal	212	1.88	-	35.56	6.41	32.01
RMS	7.1252G	56.23	68.20	-11.97	46.28	3	Horizontal	212	1.88	-	35.55	6.41	32.01

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16929G	62.00	88.20	-26.20	42.28	3	Vertical	270	2.51	-	42.18	9.72	32.18
RMS	14.16652G	47.90	68.20	-20.30	28.19	3	Vertical	270	2.51	-	42.17	9.72	32.18

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17095G	61.96	88.20	-26.24	42.24	3	Horizontal	349	2.45	-	42.18	9.72	32.18
RMS	14.16948G	47.85	68.20	-20.35	28.13	3	Horizontal	349	2.45	-	42.18	9.72	32.18

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25766G	44.77	83.54	-38.77	39.35	1	Vertical	220	1.50	-	38.06	16.21	48.85
AV	21.25496G	32.04	63.54	-31.50	26.65	1	Vertical	220	1.50	-	38.04	16.20	48.85

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25976G	44.24	83.54	-39.30	38.80	1	Horizontal	50	1.57	-	38.08	16.21	48.85
AV	21.25558G	32.04	63.54	-31.50	26.65	1	Horizontal	50	1.57	-	38.04	16.20	48.85

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Lim.PK
PK
Lim.AV
AV


09/05/2024

EUT_Y_2TX
Setting 86
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	80.94	88.20	-7.26	72.13	3	Vertical	197	2.69	-	34.20	5.76	31.15
RMS	5.925G	68.18	68.20	-0.02	59.37	3	Vertical	197	2.69	-	34.20	5.77	31.16
PK	5.9702G	116.43	Inf	-Inf	107.55	3	Vertical	197	2.69	-	34.24	5.82	31.18
RMS	5.973G	105.40	Inf	-Inf	96.51	3	Vertical	197	2.69	-	34.25	5.82	31.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 86
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	71.09	88.20	-17.11	62.27	3	Horizontal	284	1.80	-	34.20	5.77	31.15
RMS	5.925G	57.96	68.20	-10.24	49.15	3	Horizontal	284	1.80	-	34.20	5.77	31.16
PK	5.9762G	106.08	Inf	-Inf	97.19	3	Horizontal	284	1.80	-	34.25	5.82	31.18
RMS	5.9758G	95.74	Inf	-Inf	86.85	3	Horizontal	284	1.80	-	34.25	5.82	31.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9616G	54.69	74.00	-19.31	38.01	3	Vertical	12	1.42	-	39.30	8.73	31.35
AV	11.96798G	41.81	54.00	-12.19	25.12	3	Vertical	12	1.42	-	39.30	8.73	31.34
PK	17.95618G	67.15	74.00	-6.85	41.10	3	Vertical	34	2.89	-	46.79	11.64	32.38
AV	17.9605G	51.58	54.00	-2.42	25.54	3	Vertical	34	2.89	-	46.78	11.64	32.38

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96796G	55.16	74.00	-18.84	38.47	3	Horizontal	80	2.56	-	39.30	8.73	31.34
AV	11.96222G	41.82	54.00	-12.18	25.14	3	Horizontal	80	2.56	-	39.30	8.73	31.35
PK	17.96432G	67.14	74.00	-6.86	41.10	3	Horizontal	308	1.81	-	46.77	11.65	32.38
AV	17.9604G	51.56	54.00	-2.44	25.52	3	Horizontal	308	1.81	-	46.78	11.64	32.38

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.95164G	55.21	83.54	-28.33	46.02	1	Vertical	136	2.04	-	38.91	17.39	47.11
AV	23.94378G	42.74	63.54	-20.80	33.59	1	Vertical	136	2.04	-	38.89	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93949G	54.54	83.54	-29.00	45.40	1	Horizontal	123	1.44	-	38.88	17.38	47.12
AV	23.9544G	42.72	63.54	-20.82	33.52	1	Horizontal	123	1.44	-	38.92	17.39	47.11

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44792G	55.47	74.00	-18.53	39.02	3	Vertical	216	1.10	-	38.80	8.95	31.30
AV	12.44168G	42.09	54.00	-11.91	25.64	3	Vertical	216	1.10	-	38.80	8.95	31.30

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45512G	56.08	74.00	-17.92	39.64	3	Horizontal	105	2.16	-	38.79	8.95	31.30
AV	12.44208G	42.10	54.00	-11.90	25.65	3	Horizontal	105	2.16	-	38.80	8.95	31.30

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67763G	45.10	83.54	-38.44	41.70	1	Vertical	212	1.56	-	37.69	15.27	49.56
AV	18.67005G	33.00	63.54	-30.54	29.57	1	Vertical	212	1.56	-	37.72	15.27	49.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67012G	45.73	83.54	-37.81	42.30	1	Horizontal	232	1.54	-	37.72	15.27	49.56
AV	18.67183G	33.08	63.54	-30.46	29.66	1	Horizontal	232	1.54	-	37.71	15.27	49.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77186G	55.78	88.20	-32.42	39.37	3	Vertical	52	1.35	-	38.84	9.10	31.53
RMS	12.77496G	41.72	68.20	-26.48	25.30	3	Vertical	52	1.35	-	38.85	9.10	31.53

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77254G	55.16	88.20	-33.04	38.74	3	Horizontal	19	2.85	-	38.85	9.10	31.53
RMS	12.77612G	41.82	68.20	-26.38	25.40	3	Horizontal	19	2.85	-	38.85	9.10	31.53

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15275G	44.75	83.54	-38.79	41.23	1	Vertical	158	1.57	-	37.72	15.24	49.44
AV	19.15248G	32.58	63.54	-30.96	29.07	1	Vertical	158	1.57	-	37.71	15.24	49.44

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15784G	44.95	83.54	-38.59	41.41	1	Horizontal	198	1.50	-	37.75	15.24	49.45
AV	19.15763G	32.57	63.54	-30.97	29.03	1	Horizontal	198	1.50	-	37.75	15.24	49.45

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93976G	56.42	88.20	-31.78	39.65	3	Vertical	200	1.93	-	39.26	9.18	31.67
RMS	12.92148G	42.71	68.20	-25.49	26.00	3	Vertical	200	1.93	-	39.19	9.17	31.65

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92246G	56.47	88.20	-31.73	39.76	3	Horizontal	184	2.74	-	39.19	9.17	31.65
RMS	12.92454G	42.68	68.20	-25.52	25.97	3	Horizontal	184	2.74	-	39.20	9.17	31.66

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39497G	44.42	83.54	-39.12	40.82	1	Vertical	262	1.53	-	37.98	15.23	49.61
AV	19.39871G	32.05	63.54	-31.49	28.44	1	Vertical	262	1.53	-	37.99	15.23	49.61

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39847G	44.15	83.54	-39.39	40.54	1	Horizontal	223	1.57	-	37.99	15.23	49.61
AV	19.3989G	32.06	63.54	-31.48	28.44	1	Horizontal	223	1.57	-	38.00	15.23	49.61

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08866G	55.70	88.20	-32.50	38.71	3	Vertical	197	2.78	-	39.55	9.25	31.81
RMS	13.09708G	42.98	68.20	-25.22	25.96	3	Vertical	197	2.78	-	39.59	9.25	31.82

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08826G	56.63	88.20	-31.57	39.64	3	Horizontal	353	2.65	-	39.55	9.25	31.81
RMS	13.09674G	42.82	68.20	-25.38	25.80	3	Horizontal	353	2.65	-	39.59	9.25	31.82

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63956G	45.08	83.54	-38.46	41.41	1	Vertical	0	1.53	-	38.02	15.22	49.57
AV	19.63956G	32.30	63.54	-31.24	28.61	1	Vertical	0	1.53	-	38.04	15.22	49.57

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63903G	44.50	83.54	-39.04	40.82	1	Horizontal	8	1.51	-	38.03	15.22	49.57
AV	19.63291G	32.04	63.54	-31.50	28.39	1	Horizontal	8	1.51	-	38.00	15.22	49.57

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25672G	56.56	74.00	-17.44	39.22	3	Vertical	144	2.29	-	40.01	9.32	31.99
AV	13.25938G	42.92	54.00	-11.08	25.56	3	Vertical	144	2.29	-	40.02	9.33	31.99

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25652G	56.35	74.00	-17.65	39.01	3	Horizontal	35	1.99	-	40.01	9.32	31.99
RMS	13.24638G	42.92	68.20	-25.28	25.59	3	Horizontal	35	1.99	-	39.99	9.32	31.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87931G	44.79	83.54	-38.75	41.17	1	Vertical	250	1.50	-	37.78	15.21	49.37
AV	19.8791G	32.58	63.54	-30.96	28.97	1	Vertical	250	1.50	-	37.77	15.21	49.37

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87571G	44.87	83.54	-38.67	41.28	1	Horizontal	336	1.57	-	37.75	15.21	49.37
AV	19.87795G	32.76	63.54	-30.78	29.15	1	Horizontal	336	1.57	-	37.77	15.21	49.37

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4009G	56.87	88.20	-31.33	39.32	3	Vertical	241	1.75	-	40.30	9.39	32.14
RMS	13.41718G	43.61	68.20	-24.59	26.00	3	Vertical	241	1.75	-	40.37	9.40	32.16

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40654G	57.11	88.20	-31.09	39.54	3	Horizontal	68	2.12	-	40.33	9.39	32.15
RMS	13.4171G	43.57	68.20	-24.63	25.96	3	Horizontal	68	2.12	-	40.37	9.40	32.16

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1134G	45.62	83.54	-37.92	41.75	1	Vertical	43	1.50	-	37.82	15.29	49.24
AV	20.11009G	32.71	63.54	-30.83	28.82	1	Vertical	43	1.50	-	37.84	15.29	49.24

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11017G	44.88	83.54	-38.66	40.99	1	Horizontal	37	1.57	-	37.84	15.29	49.24
AV	20.1101G	32.61	63.54	-30.93	28.72	1	Horizontal	37	1.57	-	37.84	15.29	49.24

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56856G	56.82	88.20	-31.38	39.01	3	Vertical	360	1.87	-	40.60	9.47	32.26
RMS	13.56796G	43.72	68.20	-24.48	25.91	3	Vertical	360	1.87	-	40.60	9.47	32.26

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56154G	56.71	88.20	-31.49	38.90	3	Horizontal	231	1.86	-	40.60	9.47	32.26
RMS	13.57128G	43.67	68.20	-24.53	25.86	3	Horizontal	231	1.86	-	40.60	9.47	32.26

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35094G	45.05	83.54	-38.49	40.65	1	Vertical	71	1.50	-	38.10	15.48	49.18
AV	20.35844G	32.89	63.54	-30.65	28.50	1	Vertical	71	1.50	-	38.08	15.49	49.18

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35486G	44.81	83.54	-38.73	40.42	1	Horizontal	86	1.56	-	38.09	15.48	49.18
AV	20.35017G	32.97	63.54	-30.57	28.57	1	Horizontal	86	1.56	-	38.10	15.48	49.18

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73458G	59.91	88.20	-28.29	41.61	3	Vertical	111	2.63	-	41.04	9.55	32.29
RMS	13.73084G	46.29	68.20	-21.91	28.02	3	Vertical	111	2.63	-	41.02	9.54	32.29

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73G	59.75	88.20	-28.45	41.48	3	Horizontal	218	1.64	-	41.02	9.54	32.29
RMS	13.72398G	46.22	68.20	-21.98	27.97	3	Horizontal	218	1.64	-	41.00	9.54	32.29

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59777G	45.54	83.54	-38.00	40.95	1	Vertical	9	1.57	-	38.00	15.68	49.09
AV	20.59757G	33.09	63.54	-30.45	28.50	1	Vertical	9	1.57	-	38.00	15.68	49.09

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59499G	45.02	83.54	-38.52	40.44	1	Horizontal	97	1.53	-	37.99	15.68	49.09
AV	20.59765G	32.99	63.54	-30.55	28.40	1	Horizontal	97	1.53	-	38.00	15.68	49.09

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89534G	60.78	88.20	-27.42	42.18	3	Vertical	50	2.89	-	41.29	9.62	32.31
RMS	13.89508G	47.13	68.20	-21.07	28.53	3	Vertical	50	2.89	-	41.29	9.62	32.31

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89866G	60.66	88.20	-27.54	42.05	3	Horizontal	57	2.26	-	41.30	9.62	32.31
RMS	13.89866G	47.15	68.20	-21.05	28.54	3	Horizontal	57	2.26	-	41.30	9.62	32.31

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83484G	44.73	83.54	-38.81	39.63	1	Vertical	247	1.57	-	38.20	15.87	48.97
AV	20.8348G	32.61	63.54	-30.93	27.51	1	Vertical	247	1.57	-	38.20	15.87	48.97

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83578G	44.38	83.54	-39.16	39.28	1	Horizontal	124	1.53	-	38.20	15.87	48.97
AV	20.83099G	32.62	63.54	-30.92	27.53	1	Horizontal	124	1.53	-	38.20	15.86	48.97

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 93
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0106G	116.95	Inf	-Inf	107.24	3	Vertical	228	2.72	-	35.30	6.36	31.95
RMS	7.0142G	105.98	Inf	-Inf	96.27	3	Vertical	228	2.72	-	35.30	6.36	31.95
PK	7.125G	82.76	88.20	-5.44	72.81	3	Vertical	228	2.72	-	35.55	6.41	32.01
RMS	7.125G	67.97	68.20	-0.23	58.02	3	Vertical	228	2.72	-	35.55	6.41	32.01

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
 Setting 93
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0266G	107.34	Inf	-Inf	97.63	3	Horizontal	118	2.05	-	35.30	6.36	31.95
RMS	7.0238G	96.71	Inf	-Inf	87.00	3	Horizontal	118	2.05	-	35.30	6.36	31.95
PK	7.1254G	67.98	88.20	-20.22	58.03	3	Horizontal	118	2.05	-	35.55	6.41	32.01
RMS	7.125G	55.83	68.20	-12.37	45.88	3	Horizontal	118	2.05	-	35.55	6.41	32.01

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04604G	61.37	88.20	-26.83	42.30	3	Vertical	85	1.50	-	41.68	9.68	32.29
RMS	14.0585G	48.06	68.20	-20.14	28.92	3	Vertical	85	1.50	-	41.73	9.69	32.28

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04238G	62.10	88.20	-26.10	43.04	3	Horizontal	163	1.44	-	41.67	9.68	32.29
RMS	14.04884G	48.08	68.20	-20.12	28.99	3	Horizontal	163	1.44	-	41.70	9.68	32.29

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07487G	44.40	83.54	-39.14	38.96	1	Vertical	339	1.55	-	38.25	16.06	48.87
AV	21.07287G	32.56	63.54	-30.98	27.11	1	Vertical	339	1.55	-	38.26	16.06	48.87

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0779G	44.81	83.54	-38.73	39.39	1	Horizontal	265	1.52	-	38.23	16.06	48.87
AV	21.07001G	32.56	63.54	-30.98	27.09	1	Horizontal	265	1.52	-	38.28	16.06	48.87

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Lim.PK
PK
Lim.AV
AV


09/05/2024

EUT_Y_2TX
Setting 85
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	80.85	88.20	-7.35	72.04	3	Vertical	203	2.39	-	34.20	5.77	31.16
RMS	5.925G	67.52	68.20	-0.68	58.71	3	Vertical	203	2.39	-	34.20	5.77	31.16
PK	5.9705G	112.66	Inf	-Inf	103.78	3	Vertical	203	2.39	-	34.24	5.82	31.18
RMS	5.969G	102.04	Inf	-Inf	93.16	3	Vertical	203	2.39	-	34.24	5.82	31.18

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 85
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	68.10	88.20	-20.10	59.28	3	Horizontal	284	1.94	-	34.20	5.77	31.15
RMS	5.917G	55.03	68.20	-13.17	46.22	3	Horizontal	284	1.94	-	34.20	5.76	31.15
PK	6.0165G	103.83	Inf	-Inf	94.88	3	Horizontal	284	1.94	-	34.30	5.85	31.20
RMS	6.088G	90.01	Inf	-Inf	80.91	3	Horizontal	284	1.94	-	34.45	5.87	31.22

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04382G	55.46	74.00	-18.54	38.86	3	Vertical	20	1.69	-	39.12	8.76	31.28
AV	12.04G	41.08	54.00	-12.92	24.46	3	Vertical	20	1.69	-	39.14	8.76	31.28

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04894G	54.44	74.00	-19.56	37.86	3	Horizontal	181	1.90	-	39.10	8.76	31.28
AV	12.04166G	40.96	54.00	-13.04	24.35	3	Horizontal	181	1.90	-	39.13	8.76	31.28

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07214G	46.05	83.54	-37.49	42.73	1	Vertical	2	1.57	-	37.49	15.30	49.47
AV	18.07651G	33.23	63.54	-30.31	29.90	1	Vertical	2	1.57	-	37.51	15.30	49.48

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07168G	45.68	83.54	-37.86	42.36	1	Horizontal	268	1.56	-	37.49	15.30	49.47
AV	18.07982G	33.26	63.54	-30.28	29.92	1	Horizontal	268	1.56	-	37.52	15.30	49.48

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37748G	55.62	74.00	-18.38	39.20	3	Vertical	133	2.64	-	38.80	8.92	31.30
AV	12.36G	42.35	54.00	-11.65	25.93	3	Vertical	133	2.64	-	38.80	8.91	31.29

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36184G	55.91	74.00	-18.09	39.49	3	Horizontal	134	1.88	-	38.80	8.91	31.29
AV	12.37038G	42.34	54.00	-11.66	25.92	3	Horizontal	134	1.88	-	38.80	8.91	31.29

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55539G	45.90	83.54	-37.64	42.57	1	Vertical	152	1.52	-	37.70	15.27	49.64
AV	18.55515G	33.62	63.54	-29.92	30.29	1	Vertical	152	1.52	-	37.70	15.27	49.64

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55146G	45.72	83.54	-37.82	42.40	1	Horizontal	102	1.58	-	37.70	15.27	49.65
AV	18.5533G	33.63	63.54	-29.91	30.30	1	Horizontal	102	1.58	-	37.70	15.27	49.64

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69052G	55.13	74.00	-18.87	38.83	3	Vertical	330	2.24	-	38.70	9.06	31.46
AV	12.69282G	41.61	54.00	-12.39	25.31	3	Vertical	330	2.24	-	38.70	9.06	31.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69122G	55.89	74.00	-18.11	39.59	3	Horizontal	214	1.34	-	38.70	9.06	31.46
AV	12.69654G	41.51	54.00	-12.49	25.22	3	Horizontal	214	1.34	-	38.70	9.06	31.47

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03169G	44.85	83.54	-38.69	41.06	1	Vertical	342	1.55	-	37.90	15.25	49.36
AV	19.03035G	32.55	63.54	-30.99	28.76	1	Vertical	342	1.55	-	37.90	15.25	49.36

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03478G	44.77	83.54	-38.77	40.98	1	Horizontal	132	1.54	-	37.90	15.25	49.36
AV	19.03584G	32.57	63.54	-30.97	28.78	1	Horizontal	132	1.54	-	37.90	15.25	49.36

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0119G	55.99	88.20	-32.21	39.11	3	Vertical	131	1.72	-	39.40	9.21	31.73
RMS	13.00154G	42.91	68.20	-25.29	26.02	3	Vertical	131	1.72	-	39.40	9.21	31.72

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00172G	56.11	88.20	-32.09	39.22	3	Horizontal	266	1.71	-	39.40	9.21	31.72
RMS	13.0144G	42.94	68.20	-25.26	26.07	3	Horizontal	266	1.71	-	39.40	9.21	31.74

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51181G	46.62	83.54	-36.92	43.05	1	Vertical	295	1.54	-	38.02	15.22	49.67
AV	19.51174G	33.53	63.54	-30.01	29.96	1	Vertical	295	1.54	-	38.02	15.22	49.67

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51841G	46.10	83.54	-37.44	42.50	1	Horizontal	57	1.51	-	38.04	15.22	49.66
AV	19.51134G	33.54	63.54	-30.00	29.97	1	Horizontal	57	1.51	-	38.02	15.22	49.67

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33404G	56.65	74.00	-17.35	39.19	3	Vertical	96	2.70	-	40.17	9.36	32.07
AV	13.32952G	42.85	54.00	-11.15	25.40	3	Vertical	96	2.70	-	40.16	9.36	32.07

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33846G	56.21	74.00	-17.79	38.75	3	Horizontal	66	1.55	-	40.18	9.36	32.08
AV	13.32724G	42.84	54.00	-11.16	25.40	3	Horizontal	66	1.55	-	40.15	9.36	32.07

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99889G	44.92	83.54	-38.62	41.19	1	Vertical	109	1.52	-	37.80	15.20	49.27
AV	19.99415G	32.62	63.54	-30.92	28.89	1	Vertical	109	1.52	-	37.80	15.20	49.27

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99756G	44.81	83.54	-38.73	41.08	1	Horizontal	9	1.55	-	37.80	15.20	49.27
AV	19.99997G	32.64	63.54	-30.90	28.91	1	Horizontal	9	1.55	-	37.80	15.20	49.27

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65984G	58.85	88.20	-29.35	40.88	3	Vertical	15	2.67	-	40.74	9.51	32.28
RMS	13.65384G	45.97	68.20	-22.23	28.01	3	Vertical	15	2.67	-	40.72	9.51	32.27

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65144G	59.32	88.20	-28.88	41.37	3	Horizontal	353	2.19	-	40.71	9.51	32.27
RMS	13.64126G	45.86	68.20	-22.34	27.95	3	Horizontal	353	2.19	-	40.68	9.50	32.27

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47892G	44.88	83.54	-38.66	40.68	1	Vertical	183	1.54	-	37.77	15.58	49.15
AV	20.47533G	32.63	63.54	-30.91	28.40	1	Vertical	183	1.54	-	37.80	15.58	49.15

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47016G	44.78	83.54	-38.76	40.51	1	Horizontal	78	1.51	-	37.84	15.58	49.15
AV	20.47554G	32.73	63.54	-30.81	28.50	1	Horizontal	78	1.51	-	37.80	15.58	49.15

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 89
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0525G	111.54	Inf	-Inf	101.83	3	Vertical	217	2.23	-	35.30	6.38	31.97
RMS	7.05G	100.48	Inf	-Inf	90.78	3	Vertical	217	2.23	-	35.30	6.37	31.97
PK	7.126G	80.33	88.20	-7.87	70.37	3	Vertical	217	2.23	-	35.56	6.41	32.01
RMS	7.142G	67.76	68.20	-0.44	57.71	3	Vertical	217	2.23	-	35.65	6.42	32.02

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
 Setting 89
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	103.54	Inf	-Inf	93.81	3	Horizontal	122	1.61	-	35.30	6.32	31.89
RMS	6.961G	93.70	Inf	-Inf	83.97	3	Horizontal	122	1.61	-	35.30	6.32	31.89
PK	7.1505G	67.51	88.20	-20.69	57.40	3	Horizontal	122	1.61	-	35.70	6.43	32.02
RMS	7.1455G	54.76	68.20	-13.44	44.69	3	Horizontal	122	1.61	-	35.67	6.42	32.02

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96016G	61.17	88.20	-27.03	42.42	3	Vertical	62	1.44	-	41.42	9.65	32.32
RMS	13.96892G	47.69	68.20	-20.51	28.92	3	Vertical	62	1.44	-	41.44	9.66	32.33

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97776G	61.03	88.20	-27.17	42.24	3	Horizontal	339	1.90	-	41.46	9.66	32.33
RMS	13.96274G	47.61	68.20	-20.59	28.85	3	Horizontal	339	1.90	-	41.43	9.65	32.32

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95706G	44.64	83.54	-38.90	39.50	1	Vertical	239	1.56	-	38.07	15.97	48.90
AV	20.9523G	32.38	63.54	-31.16	27.23	1	Vertical	239	1.56	-	38.09	15.96	48.90

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95318G	46.21	83.54	-37.33	41.06	1	Horizontal	280	1.54	-	38.09	15.96	48.90
AV	20.95711G	32.41	63.54	-31.13	27.27	1	Horizontal	280	1.54	-	38.07	15.97	48.90

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 90
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.00	88.20	-8.20	71.19	3	Vertical	201	2.38	-	34.20	5.77	31.16
RMS	5.9234G	68.09	68.20	-0.11	59.27	3	Vertical	201	2.38	-	34.20	5.77	31.15
PK	6.1362G	108.63	Inf	-Inf	99.42	3	Vertical	201	2.38	-	34.57	5.88	31.24
RMS	6.1378G	98.45	Inf	-Inf	89.23	3	Vertical	201	2.38	-	34.58	5.88	31.24

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 90
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	65.18	88.20	-23.02	56.36	3	Horizontal	244	1.71	-	34.20	5.77	31.15
RMS	5.9202G	53.65	68.20	-14.55	44.84	3	Horizontal	244	1.71	-	34.20	5.76	31.15
PK	6.189G	99.40	Inf	-Inf	90.15	3	Horizontal	244	1.71	-	34.60	5.90	31.25
RMS	6.0786G	89.66	Inf	-Inf	80.60	3	Horizontal	244	1.71	-	34.41	5.87	31.22

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2049G	53.89	74.00	-20.11	37.45	3	Vertical	178	1.01	-	38.89	8.84	31.29
AV	12.2156G	40.81	54.00	-13.19	24.39	3	Vertical	178	1.01	-	38.87	8.84	31.29

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20456G	53.83	74.00	-20.17	37.39	3	Horizontal	31	2.85	-	38.89	8.84	31.29
AV	12.21814G	40.75	54.00	-13.25	24.34	3	Horizontal	31	2.85	-	38.86	8.84	31.29

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31649G	45.32	83.54	-38.22	42.13	1	Vertical	121	1.58	-	37.50	15.28	49.59
AV	18.31002G	33.45	63.54	-30.09	30.26	1	Vertical	121	1.58	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31765G	45.47	83.54	-38.07	42.28	1	Horizontal	109	1.53	-	37.50	15.28	49.59
AV	18.31313G	33.30	63.54	-30.24	30.11	1	Horizontal	109	1.53	-	37.50	15.28	49.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52562G	54.67	74.00	-19.33	38.31	3	Vertical	116	1.25	-	38.70	8.98	31.32
AV	12.52494G	42.09	54.00	-11.91	25.73	3	Vertical	116	1.25	-	38.70	8.98	31.32

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 108
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5286G	55.40	74.00	-18.60	39.03	3	Horizontal	268	1.54	-	38.70	8.99	31.32
AV	12.53798G	42.34	54.00	-11.66	25.98	3	Horizontal	268	1.54	-	38.70	8.99	31.33

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79716G	45.14	83.54	-38.40	41.56	1	Vertical	68	1.57	-	37.80	15.26	49.48
AV	18.79955G	33.19	63.54	-30.35	29.61	1	Vertical	68	1.57	-	37.80	15.26	49.48

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79078G	45.06	83.54	-38.48	41.48	1	Horizontal	2	1.58	-	37.80	15.26	49.48
AV	18.79736G	33.01	63.54	-30.53	29.43	1	Horizontal	2	1.58	-	37.80	15.26	49.48

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84318G	55.90	88.20	-32.30	39.37	3	Vertical	165	2.81	-	38.99	9.13	31.59
RMS	12.85656G	42.42	68.20	-25.78	25.87	3	Vertical	165	2.81	-	39.01	9.14	31.60

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85998G	56.44	88.20	-31.76	39.88	3	Horizontal	119	1.18	-	39.02	9.14	31.60
RMS	12.85954G	42.36	68.20	-25.84	25.80	3	Horizontal	119	1.18	-	39.02	9.14	31.60

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27847G	44.35	83.54	-39.19	40.68	1	Vertical	311	1.57	-	37.96	15.24	49.53
AV	19.27723G	31.52	63.54	-32.02	27.86	1	Vertical	311	1.57	-	37.95	15.24	49.53

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
 Setting 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27845G	43.56	83.54	-39.98	39.89	1	Horizontal	230	1.57	-	37.96	15.24	49.53
AV	19.27997G	31.53	63.54	-32.01	27.86	1	Horizontal	230	1.57	-	37.96	15.24	49.53

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16658G	57.06	88.20	-31.14	39.91	3	Vertical	162	2.98	-	39.77	9.28	31.90
RMS	13.17296G	42.84	68.20	-25.36	25.66	3	Vertical	162	2.98	-	39.79	9.29	31.90

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16244G	56.53	88.20	-31.67	39.39	3	Horizontal	29	1.53	-	39.75	9.28	31.89
RMS	13.16322G	42.96	68.20	-25.24	25.82	3	Horizontal	29	1.53	-	39.75	9.28	31.89

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75367G	44.67	83.54	-38.87	41.02	1	Vertical	151	1.55	-	37.91	15.21	49.47
AV	19.75203G	32.39	63.54	-31.15	28.74	1	Vertical	151	1.55	-	37.91	15.21	49.47

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.756G	44.23	83.54	-39.31	40.57	1	Horizontal	170	1.52	-	37.92	15.21	49.47
AV	19.759G	32.37	63.54	-31.17	28.69	1	Horizontal	170	1.52	-	37.94	15.21	49.47

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49546G	56.82	88.20	-31.38	39.13	3	Vertical	132	1.11	-	40.50	9.44	32.25
RMS	13.48156G	43.66	68.20	-24.54	25.96	3	Vertical	132	1.11	-	40.50	9.43	32.23

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
 Setting 108
 02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48874G	56.77	88.20	-31.43	39.08	3	Horizontal	301	2.94	-	40.50	9.43	32.24
RMS	13.49472G	43.73	68.20	-24.47	26.03	3	Horizontal	301	2.94	-	40.50	9.44	32.24

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23351G	45.17	83.54	-38.37	41.02	1	Vertical	171	1.57	-	37.97	15.39	49.21
AV	20.23027G	33.24	63.54	-30.30	29.11	1	Vertical	171	1.57	-	37.96	15.38	49.21

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23334G	45.77	83.54	-37.77	41.62	1	Horizontal	313	1.57	-	37.97	15.39	49.21
AV	20.23013G	33.24	63.54	-30.30	29.11	1	Horizontal	313	1.57	-	37.96	15.38	49.21

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 84
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7714G	108.22	Inf	-Inf	99.71	3	Vertical	278	1.58	-	35.49	8.30	35.28
AV	6.7666G	96.79	Inf	-Inf	88.30	3	Vertical	278	1.58	-	35.47	8.30	35.28
PK	7.2546G	64.61	74.00	-9.39	55.04	3	Vertical	278	1.58	-	36.52	8.46	35.41
AV	7.25G	53.66	54.00	-0.34	44.11	3	Vertical	278	1.58	-	36.50	8.46	35.41

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 84
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8122G	101.99	Inf	-Inf	93.40	3	Horizontal	125	1.73	-	35.60	8.32	35.33
AV	6.8178G	91.37	Inf	-Inf	82.78	3	Horizontal	125	1.73	-	35.60	8.33	35.34
PK	7.2514G	62.95	74.00	-11.05	53.39	3	Horizontal	125	1.73	-	36.51	8.46	35.41
AV	7.2802G	51.64	54.00	-2.36	41.95	3	Horizontal	125	1.73	-	36.62	8.47	35.40

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 84
03-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80166G	61.66	88.20	-26.54	41.47	3	Vertical	199	1.74	-	40.70	12.13	32.64
RMS	13.8144G	49.44	68.20	-18.76	29.21	3	Vertical	199	1.74	-	40.73	12.14	32.64

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
 Setting 84
 03-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81924G	61.66	88.20	-26.54	41.42	3	Horizontal	164	2.34	-	40.74	12.14	32.64
RMS	13.81162G	49.38	68.20	-18.82	29.16	3	Horizontal	164	2.34	-	40.72	12.14	32.64

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 84
03-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71135G	42.19	83.54	-41.35	37.57	1	Vertical	178	2.12	-	37.88	15.77	49.03
AV	20.71176G	31.02	63.54	-32.52	26.40	1	Vertical	178	2.12	-	37.88	15.77	49.03


6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT_Y_2TX
 Setting 84
 03-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71817G	42.77	83.54	-40.77	38.17	1	Horizontal	92	1.82	-	37.86	15.77	49.03
AV	20.71116G	33.41	63.54	-30.13	28.79	1	Horizontal	92	1.82	-	37.88	15.77	49.03



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

31/05/2024

CF (Hz)
6.195G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS






Port 1 


Port 2 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199999G	-7.91	6.2266G	-59.01	-47.91	-11.10	1
6.198149G	-9.71	6.23545G	-59.29	-49.71	-9.58	2














5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

CF (Hz)
6.195G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





31/05/2024


Port 1 


Port 2 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188902G	-8.05	6.239675G	-58.95	-48.05	-10.90	1
6.187502G	-9.80	6.22935G	-59.51	-49.80	-9.71	2














5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

CF (Hz)
6.205G

Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




31/05/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198552G	-6.23	6.2666G	-56.95	-46.23	-10.72	1
6.210999G	-7.83	6.2771G	-57.21	-47.83	-9.38	2



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

CF (Hz)
6.445G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS





31/05/2024


Port 1 


Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438202G	-4.24	6.5065G	-54.01	-44.24	-9.77	1
6.456347G	-5.53	6.5079G	-54.46	-45.53	-8.93	2









6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

CF (Hz)
7.085G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




31/05/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.073753G	-3.88	7.00795G	-53.33	-43.88	-9.45	1
7.067654G	-6.00	7.00975G	-53.38	-46.00	-7.38	2



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

CF (Hz)
6.225G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




31/05/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2139G	-1.33	6.3575G	-51.62	-41.33	-10.29	1
6.2141G	-3.06	6.359G	-51.98	-43.06	-8.92	2



6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

01/06/2024

CF (Hz)
6.545G


Span (Hz)
400M


RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5363G	-1.42	6.4239G	-50.69	-41.13	-9.56	1
6.5534G	-3.04	6.3607G	-51.46	-43.04	-8.42	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

01/06/2024

CF (Hz)
6.625G


Span (Hz)
400M


RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
4.01m



Detector Type
RMS




Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6118G	-1.53	6.5029G	-51.17	-41.53	-9.64	1
6.6386G	-2.87	6.4994G	-51.32	-42.87	-8.45	2





6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

CF (Hz)
6.945G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS





01/06/2024


Port 1 

Port 2 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9576G	-1.61	6.8225G	-50.89	-41.61	-9.28	1
6.9599G	-2.54	6.8225G	-51.46	-42.54	-8.92	2



















Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-60.00	3.00	-63.03	≤-62
						Minimal	-61.00	3.00	-64.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
6	101	20	6455	Center	6455	OFF	-59.00	3.00	-62.03	≤-62
						Minimal	-60.00	3.00	-63.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
7	149	20	6695	Center	6695	OFF	-62.00	3.00	-65.08	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
8	213	20	7015	Center	7015	OFF	-60.00	3.00	-63.05	≤-62
						Minimal	-61.00	3.00	-64.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62



Contention-Based Protocol Result

Appendix F

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-62.00	3.00	-65.04	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				Center	6105	OFF	-62.00	3.00	-65.06	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				High edge	6260	OFF	-62.00	3.00	-65.03	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
5/6/7	95	320	6425	Low edge	6270	OFF	-60.00	3.00	-63.01	≤-62
						Minimal	-61.00	3.00	-64.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				Center	6425	OFF	-60.00	3.00	-63.03	≤-62
						Minimal	-61.00	3.00	-64.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				High edge	6580	OFF	-59.00	3.00	-62.09	≤-62
						Minimal	-60.00	3.00	-63.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
7/8	159	320	6745	Low edge	6590	OFF	-62.00	3.00	-65.09	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				Center	6745	OFF	-62.00	3.00	-65.02	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				High edge	6900	OFF	-60.00	3.00	-63.08	≤-62
						Minimal	-61.00	3.00	-64.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62



Contention-Based Protocol Result

Appendix F

7/8	191	320	6905	Low edge	6750	OFF	-62.00	3.00	-65.07	≤-62
						Minimal	-63.00	3.00	-66.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				Center	6905	OFF	-61.00	3.00	-64.04	≤-62
						Minimal	-62.00	3.00	-65.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62
				High edge	7060	OFF	-59.00	3.00	-62.09	≤-62
						Minimal	-60.00	3.00	-63.00	≤-62
						ON	-79.00	3.00	-82.00	≤-62




Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-63.03	OFF	9	90	90	Pass
6	101	20	6455	Center	6455	-62.03	OFF	9	90	90	Pass
7	149	20	6695	Center	6695	-65.08	OFF	9	90	90	Pass
8	213	20	7015	Center	7015	-63.05	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-65.04	OFF	9	90	90	PASS
				Center	6105	-65.06	OFF	9	90	90	PASS
				High edge	6260	-65.03	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-63.01	OFF	10	100	90	PASS
				Center	6425	-63.03	OFF	9	90	90	PASS
				High edge	6580	-62.09	OFF	10	100	90	PASS
6/7	159	320	6745	Low edge	6590	-65.09	OFF	10	100	90	PASS
				Center	6745	-65.02	OFF	10	100	90	PASS
				High edge	6900	-63.08	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-65.07	OFF	10	100	90	PASS
				Center	6905	-64.04	OFF	10	100	90	PASS
				High edge	7060	-62.09	OFF	10	100	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 31.MAY.2024 08:58:27

Frequency (MHz): 6455 MHz




Date: 31.MAY.2024 08:59:17

Frequency (MHz): 6695 MHz





Date: 31.MAY.2024 09:00:32


Frequency (MHz): 7015 MHz



Date: 31.MAY.2024 09:01:22




Frequency (MHz): 6260 MHz




Date: 31.MAY.2024 09:03:39

Frequency (MHz): 6270 MHz




Date: 31.MAY.2024 09:04:20

Frequency (MHz): 6425 MHz




Date: 31.MAY.2024 09:04:49

Frequency (MHz): 6580 MHz




Date: 31.MAY.2024 09:06:59

Frequency (MHz): 6590 MHz




Date: 31.MAY.2024 09:07:40

Frequency (MHz): 6745 MHz




Date: 31.MAY.2024 09:08:35

Frequency (MHz): 6750 MHz




Date: 31.MAY.2024 09:12:12

Frequency (MHz): 6900 MHz




Date: 31.MAY.2024 09:10:33

Frequency (MHz): 6905 MHz




Date: 31.MAY.2024 09:12:57


Frequency (MHz): 7060 MHz




Date: 31.MAY.2024 09:13:47




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal