)
<i>≣₹</i>	PRO-NETS

	PRO-N 訊科技月	设份有限	公司			
		承	認	1	t	
					~	
			G153240			
供應商	及糾號	:慶陞	, 660210	00033-1	50 白色	色外罩
料品名	爭:		ANT	ENNA		
料品規	各:	Freque	ency Rang	ge: 2.4~	2.5GHZ	
		Gair	n: 2. 0±0. 5	25dBi, 15	0mm	
		COI	OR: WHITE	E, 剝皮鍍	錫	
適用機力	면:		共用材	多型		
	and the same		始日期:20		保在期限	1・1 年
			0. 005		DIV-17 701 I D	.1-
取小巴尔	美里:		10PCS	/ BAG		
	受文	單位		j	承認單位	<u>r</u>
業務部	製造部	□品保部	□採購部 2009/12 德街 95 *****	核准	審核	承辦人
				E	棄	可取
				X	存	七百
				3/4	到	\$12/
確認日其	明:		2009/12	/21	- IN	1

TO: 捷超通訊股份有限公司

SPECIFICATION FOR APPROVAL

DESCRIPTION: 2.4GHz Antenna+1.13mm(150mm) Coaxial Cable(剝皮鍍錫)

CUSTOMER DWG. NO. /PART NO:

KINSUN PROD. NO: 6602100033-150 白色外罩

DATE: 2009.12.17

PLEASE RETURN TO US ONE COPY OF "SPECIFICATION FOR APPROVAL" WITH YOUR APPROVED SIGNATURES

APPROVED SIGNA TURES



- 1. 單體重量:5.4g
- 2. 保存期限:一年
- 3. 最小包裝:10PCS/BAG

	APPROVED	CHECKED	PREPARED
NAME	Yang Alan	Roy Wu	Stella Wang

慶陞工業股份有限公司



KINSUN INDUSTRIES INC.

桃園縣中壢市普忠路 211 巷 20 號

TEL: 886-3-4353551 FAX: 886-3-4353951 http://www.kinsun.com e-mail: roy@kinsun.com



http://www.kinsun.com

1.	規格表 3
2.	成品圖4
3.	包裝規範 5
4.	測試報告 6~8

TEL: (03) 4353551

FAX: (03) 4353951

- 5. 天線外罩(TPE)材質證明----- 9
- 6. 固定座(PC)材質證明----- 10
- 7. 1.13mm Cable UL----- 11~13
- 8. 1.13mm Cable 規格書----- 14~16
- 9. 銅管材質證明----- 17

TECHNICAL DATA

Electrical Properties

Frequency Range: 2.4~2.5 GHz

Impedance: 50 Ohm nominal

V.S.W.R: 2.0

Gain: 2dBi±0.25

Radiation: Omni

Polarization: Vertical

Electrical Wave: Dipole array

Connector:


Mechanical Properties

Antenna Cover: TPE

Color: WHITE

Operation Temperature:-20 ~+65

Storage Temperature:-30 ~+75



KINSUN


慶陞公司標準

主題 Subject	CCO2性的十分生	文件編號 NO.	EN-6602-	P0101	版本 REV.	A
Subject	6602帶線式包裝	核准 APPD.	Jerry	製作者 DR.	Hay	ato


(1)天線朝同一個方向,10pcs一袋



(2)每個防水袋使用封口機於袋口處封口(封口前空氣需漏掉)



(3)每箱150 Bag






http://www.kinsun.com TEL: (03) 4353551 FAX: (03) 4353951

Brand / Model: 6602100033-150

Remark: 2450MHz Tested by: Nick Dai



--: Max. deg *Unit: dBi

Frequency(MHz): 2450.00 Pattern Field: E plane Average Gain(dB): -3.01dB

Maximum Gain(dB): 2.28dB Maximum Gain(degree): -85.71


Minimum Gain(dB): -20.40dB Minimum Gain(degree): 177.14



http://www.kinsun.com TEL: (03) 4353551 FAX: (03) 4353951

Brand / Model: 6602100033-150

Remark: 2450MHz Tested by: Nick Dai



--: Max. deg *Unit: dBi

Frequency(MHz): 2450.00 Pattern Field: H plane Average Gain(dB): 1.84dB

Maximum Gain(dB): 2.28dB Maximum Gain(degree): 19.53

Minimum Gain(dB): 1.07dB Minimum Gain(degree): 167.42

6602100033-150 **S11**







KEYFLEX BT-1063D



Applications

Fuel tanks, gears, tubes, hose

Description

KEYFLEX BT-1063D has flexibility and elastic resiliency similar to those of rubber as well as mechanical strength, heat-resistnace and weather-resistance better than those of rubber. All grade of KEYFLEX BT are block copolymers consisting of a hard(crystaline)segment of polybutylene-terephthalate and a soft(amorphous) segment based on long-chain polyether glycol. Properties are determined by the ratio of hard to soft segment.

Properties	Test Method	Test Condition	Unit	Value
Physical				
Hardness	ASTM D2240	Shore D	_	63
Specific Gravity	ASTM D792		-	1.22
Water Absorption	ASTM D570	24hr, 23℃	%	0.3
Mold Shrinkage	ASTM D955		%	1.5
lechanical				
			kg/cm²	410
Tensile Strength at break	ASTM D638	-	MPa	40.2
		-	psi	5830
Elongation at break	ASTM D638		%	550
			kg/cm²	200
Tensile Strength at yield	ASTM D638	-	MPa	19.6
		_	psi	2850
			kg/cm²	110
Tensile Strength (5% Elongation)	ASTM D638		MPa	10.8
(070 Elongation)			psi	1570
			kg/cm²	3100
Flexural modulus	ASTM D790	_	MPa	304
		_	10 ³ ×psi	4410
			kg·cm/cm	NB
		Noched, 23℃	J/m	NB
IZOD Incompant Otropposth	ACTM DOEC	_	ft·lb/in	NB
IZOD Impact Strength	ASTM D256		kg·cm/cm	10
		Noched, -40℃	J/m	98
			ft·lb/in	1.8
Tana Otana ath	ACTM DC04	R-Scale -	kg/cm	165
Tear Strength	ASTM D624	n-Scale -	lb/in	925
hermal				
Melt Flow Index(MI)	ASTM D1238	2.16kgf	g/10min	28 ^{*3}
Molt Tomporature	Dec	0.45 MPa —	°C	210
Melt Temperature	DSC	U.43 MFd —	°F	410
Heat Deflection Temperature	ASTM D648	0.45 MPa —	°C	124
rieat Defiection remperature	ASTIVI U040	U.43 WIA —	°F	256

2005年10月13日

台灣帝人化成(股)有限公司

パンライト試験成績表

拝啓 貴社ますますご清祥の事と、お慶び申し上げます。 平素は、パンライトをお引き立て賜り厚く御礼申し上げます。 さて、標記の件につきまして、下記の通りご報告いたします。

記

G R A D E : LN-1250G COLOR NO. : NAT

項目:分子量測定

LOT NO.	Q'TY(KGS)	規格値	測定値	合否判定
H4605928	9,750	21,600±1000	21,630	OK

MFR測定

LOT NO.	Q'TY(KGS)	規格値	測定値	合否判定
H4605928	9,750	10.0±3.0%	11.5	OK



UL International Services Ltd.—Taiwan Branch
4th Floor
No. 260 Da-Yeh Road
Pei Tou, Taipei, Taiwan 112
Telephone: 886-2-2896-7790
Fax: 886-2-2891-7644
Email: ul.tw@tw.ul.com



1 - 4 2 4 7 2

MR S N WONG
WONDERFUL HI-TECH CO LID
CHUNG LI INDUSTRIAL PARK
17 PEI YUAN RD
CHUNG-LI, FU SHING LEE
TAOYUAN HSIEN TAIWAN

Date: 2003/09/22 Subscriber: 699947002 File No: E77981 Project No: 03CA21293 PD No: 03015304

Type: L

PO Number: S WONG

Subject: Procedure And/Or Report Material

The following material resulting from the investigation under the above numbers is enclosed.

Issue

Date Vol Sec Pages Revised Date

1981/04/09 1 1 Revised Thle of Authorized Styles H, J 2003/09/18
1981/04/09 1 1 New Facing Pages 1745, 1979 2003/09/18

Inspections at your plant will be conducted under the supervision of Mr. Hank Su, Field Supervisor, 4th Fl. 260 Da-Yeh Road, Pei Tou District, Taipei 112 Taiwan, PHONE: 886 2 28938008 ext. 108, FAX: 886 2 28978628.

Marks as needed may be obtained from: UL International Service Ltd., 4th Fl., 260 Da-Yeh Road, Peitou, Taipei City, Taiwan 112, PHONE: 886 2 28967790, FAX: 886 2 28917644, ATTN: Iris Tseng.

Please file revised pages and illustrations in place of material of like identity. New material should be filed in its proper numerical order.

NOTE: Follow-Up Service Procedure revisions DO NOT include Cover Pages, Test Records and Conclusion Pages. Report revisions DO NOT include Authorization Pages, Indices, Section General Pages and Appendixes.

Please review this material and report any inaccuracies to LAURA CHANG (886-2-2896-7790), referring to the above Project and/or PD Numbers.

c: TPI File

UL INSPECTION CENTER 408

-

UNDERWRITERS LABORATORIES INC.

File E77981 Vol. 1

÷

Section 1 Page H

FACTORY INSPECTION PROCEDURE

Pavicad

Issued: 1981-04-09 Revised: 2003-09-18

TABLE OF AUTHORIZED STYLES SINGLE-CONDUCTOR THERMOPLASTIC-INSULATED WIRE

(File at Front of Section 1)

Page	Issued		Page	Issued	Page	Issued		Page	Issued
1701			1726		1751			1776	
1702	20		1727		1752		F	1777	1984-05
1703			1728		1753			1778	03
1704			1729		1754			1779	
1705			1730		1755			1780	
1706			1731		1756			1781	
1707			1732		1757			1782	
1708			1733		1758			1783	
1709			1734		1759			1784	
1710			1735		1760			1785	
1711			1736		1761			1786	
1712			1737		1762			1787	
1713			1738		1763			1788	
1714			1739		1764			1789	
1715			1740		1765			1790	
1716			1741	1987-08- 27	1766			1791	
1717			1742	47	1767			1792	1987-08 27
1718			1743	1986-02- 19	1768			1793	
1719			1744		1769			1794	
1720		F	1745	2003-09-	1770			1795	
1721			1746	STATE.	1771			1796	
1722			1747		1772			1797	
1723			1748		1773			1798	
1724			1749		1774			1799	
1725			1750		1775			1800	

UNDERWRITERS LABORATORIES INC. File E77981

Section 1

Page J

FACTORY INSPECTION PROCEDURE Issued: 1981-04-09

Revised: 2003-09-18

Vol. 1

è

TABLE OF AUTHORIZED STYLES SINGLE-CONDUCTOR THERMOPLASTIC-INSULATED WIRE

(File at Front of Section 1)

Page	Issued	Page Issued	Page	Issued		Page	Issued
1901	1	1926	1951		1 1	1976	
1902		1927	1952			1977	
1903		1928	1953	1990-05-23		1978	
1904		1929	1954		F	1979	2003- 09-18
1905		1930	1955			1980	03-20
1906		1931	1956			1981	
1907		1932	1957			1982	
1908		1933	1958			1983	
1909		1934	1959			1984	
1910		1935	1960			1985	
1911		1936	1961			1986	
1912		1937	1962			1987	
1913		1938	1963			1988	
1914	*	1939	1964			1989	
1915		1940	1965			1990	
1916		1941	1966			1991	
1917		1942	1967			1992	
1918		1943	1968			1993	
1919		1944	1969			1994 -	
1920		1945	1970			1995	
1921		1946	1971			1996	
1922		1947	1972			1997	
1923		1948	1973			1998	
1924		1949	1974			1999	
1925		1950	1975		1	10000	

SPECIFICATION FOR APPROVAL

DOCUMENT: A3132SP003

COAXIAL CABLE

STYLE: 105° C 30V

SIZE: 32AWG×1C

BRAID : SP

RECOGNIZED: UL 1979



OFFICE: 72WU KONG 6TH ROAD,
WU KU IND. DISTRICT

WU KU IND. DISTRICT CHUNG-LI IND. PARK TAIPEI HSIEN,TAIWAN TAIWAN, R.O.C.

TEL: (02)22988033 TEL: (03)4527777 FAX: (02)22988031-2 FAX: (03)4517214

FACTORY: 17 PEI YUAN ROAD,

WONDERFUL HI-TECH CO., LTD. SPECIFICATION

STYLE	105°C 30V	DOCUM	MENT NO:				
STILL	UL 1979	A3132S	P003				
SIZE	32AWG	ESTABLISHED DATE:					
SIZE	J2AWU	2008/06/23					
STANDARI	D:						
	Size	AWG	32				
Conductor	Material		Silver Cover Copper				
Conductor	Conductors No.		7				
	Conductors Size	mm	0.080				
	O.D.	mm	0.24				
	Average Thickness	mm	0.22				
Insulation	Diameter	mm	0.68 ± 0.02				
	Material		FEP				
	Color		Clear				
Braid	Material		Silver Cover Copper				
Diaid	Construction	mm	16 / 4 / 0.050				
	Coverage	%	91.3				
	Average Thickness	mm	0.13				
Jacket	Diameter	mm	1.13 ± 0.05				
	Material		FEP				
	Color		According to custom				
Marking	Non						
Drawing							
AK001/210X29′	7/1 ()		PAGE · 1				

AK001/210X297/1.0 PAGE: 1

EDITION: 1.1

MAKER: 7. C. XUO CONFIRM: C. Y. Chen APPROVAL: W.J. Wang

WONDERFUL HI-TECH CO., LTD. SPECIFICATION

Electrical &	& Physic	al Properties						
Item			32AWG					
Rating Ter	np Volta	ge	105°C 30	VC				
Conductor	Resistan	ce	850 OHN	I/KM/20°	C MAX.			
Insulation	Resistanc	ce	1000 ME	GA OHM	I-KM MII	N.		
Dielectric	Strength		AC 500 V	V/Minute				
Spark Test			2.5 KV					
	Unaged	Tensile Strength	2500 PSI	MIN.(1.	76 Kg/1	m m²)		
Insulation	Unaged	Elongation	200% MIN.					
	Aged	Tensile Strength	UNAGED MIN. 75%(168HRS×232°C)					
		Elongation	UNAGED MIN. 75%(168HRS×232°C)					
	Unaged	Tensile Strength	2500 PSI	m m²)				
Jacket		Elongation	200% MIN.					
	Aged	Tensile Strength	UNAGED MIN.75%(168HRS×232°C)					
	Ageu	Elongation	UNAGED MIN.75%(168HRS×232℃)					
Nom. Impe	edance		50 ± 3 Ohms					
Nom. Capa	acitance		96 ± 3 pF/m					
Nom. Vel.	of Prop.		69%					
VSWR Tes	st (0 – 6	GHZ)	Max 1.3					
Flame Test	t	-	VW-1 OK					
Attenuation	n	2.0GHZ	2.4GHZ	2.5GHZ	5.0GHZ	6.0 GHZ		
(dB/1m)		2.80	3.10	3.15	4.85	5.20		

AK001/210X297/1.0 PAGE: 2

EDITION: 1.1

MAKER: 7. C. XUO CONFIRM: C.Y. Chen APPROVAL: W.J. Wang



http://www.kinsun.com TEL: (03) 4353551

銅管材質證明

東莞信泰隆五金制品有限公司 SHIN TAY LONG FIVEMETAL PRODUCT CO.,LTD.

	THEFT	產品質量	證明書	oci co.,	LTD.
各户:	\$ to \$1	7	日期:	2007.8	12
品名	規格	狀態	制造方法	數	
H65	,	H		-	
化學成	銅(Cu)	鐵(Fe)	鉛(pb)	鋅(Zn)	雜質
59	64.878%	0.012%			
機械	抗拉强度 (不少士)	延伸率 (不少士)	直徑公差	IN LONG	0.003 /6
性能			(3)	超	THE CO
	主管: 渊体	7	化驗員: 為	12	4.8

<u>http://www.kinsun.com</u> TEL: (03) 4353551 FAX: (03) 4353951

6303100031-140

SGS REPORT

1	Cabla		$\mathbf{D}\mathbf{F}\mathbf{D}\mathbf{\Omega}\mathbf{D}$		1 1
1.	Cable	202	REPOR	Z~ 4	H

2. TPE SGS REPORT ----- 42~44

3. PC SGS REPORT ----- 45~50

4. 銅管 SGS REPORT----- 51~54



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 1 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: RF COAXIAL CABLE RG-178B/U, RG-179/U, RG-316U MINI 0.8mm, 1.13mm, 1.32mm, 1.37mm, 1.48mm, RF405A UL 1330, 1331, 1332, 1333, 1726, 1867, 10231, 10064

樣品型號(Style/Item No.)

: BLACK(BK4025), BROWN(BN4027), RED(RD4026), ORANGE(OR4020), YELLOW(YE4029), GREEN(GN4023), BLUE(BL4021), PURPLE(PU4024), GRAY(GY4028), WHITE(WT4022)

收件日期(Sample Receiving Date)

: 2009/1/9

測試期間(Testing Period)

2009/1/9 TO 2009/1/15

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 2 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

測試結果(Test Results)

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

測試部位(PART NAME) NO.1 黑色塑膠粒 (BLACK PLASTIC PELLETS) 測試部位(PART NAME) NO.2 棕色塑膠粒 (BROWN PLASTIC PELLETS) 測試部位(PART NAME) NO.3 紅色塑膠粒 (RED PLASTIC PELLETS) 測試部位(PART NAME) NO.4 橘色塑膠粒 (ORANGE PLASTIC PELLETS) 測試部位(PART NAME) NO.5 黄色塑膠粒 (YELLOW PLASTIC PELLETS) 測試部位(PART NAME) NO.6 綠色塑膠粒 (GREEN PLASTIC PELLETS) 測試部位(PART NAME) NO.7 藍色塑膠粒 (BLUE PLASTIC PELLETS) 測試部位(PART NAME) NO.8 紫色塑膠粒 (PURPLE PLASTIC PELLETS) 測試部位(PART NAME) NO.9 灰色塑膠粒 (GRAY PLASTIC PELLETS) 測試部位(PART NAME) 白色塑膠粒 (WHITE PLASTIC PELLETS)

測試項目	競位 測試方注		方法偵測	May (Meanit)		
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.1	NO.2	NO.3
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.
汞 / Mercury (Hg)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測. / With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	参考IEC 62321: 2008方法,用 UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	n.d.	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3279 www.sgs.com




號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 3 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 4 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

測試項目	單位	測試方法	方法偵測	結果 (Result)		
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.1	NO.2	NO.3
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.	n.d.	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析碘含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Iodine content.	50	n.d.	n.d.	n.d.
多溴聯苯總和 / Sum of PBBs			-	n.d.	n.d.	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.	n.d.	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.	n.d.	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.	n.d.	n.d.
四溴聯苯 / Tetrabromobiphenyl		參考IEC 62321: 2008方法,以	5	n.d.	n.d.	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	氣相層析儀/質譜儀檢測./	5	n.d.	n.d.	n.d.
六溴聯苯 / Hexabromobiphenyl		With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.	n.d.	n.d.
七溴聯苯 / Heptabromobiphenyl		2000 and performed by GC/MS.	5	n.d.	n.d.	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.	n.d.	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.	n.d.	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.	n.d.	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 5 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

測試項目			方法偵測	結果 (Result)			
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.1	NO.2	NO.3	
多溴聯苯醚總和 / Sum of PBDEs			-	n.d.	n.d.	n.d.	
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.	n.d.	n.d.	
二溴聯苯醚 / Dibromodiphenyl ether		参考IEC 62321: 2008方法,以 氣相層析儀/質譜儀檢測./	5	n.d.	n.d.	n.d.	
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.	n.d.	
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.	
五溴聯苯醚 / Pentabromodiphenyl ether	mø/kø		5	n.d.	n.d.	n.d.	
六溴聯苯醚 / Hexabromodiphenyl ether		With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.	n.d.	n.d.	
七溴聯苯醚 / Heptabromodiphenyl ether		2000 and periormed by Germs.	5	n.d.	n.d.	n.d.	
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.	n.d.	
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.	
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.	n.d.	

測試項目	單位	單位 測試方法		結果 (Result)			
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.4	NO.5	NO.6	
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.	
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法, 用 感應藕合電漿原子發射光譜儀檢 測. / With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.	
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測. / With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 6 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

測試項目	單位	測試方法	方法偵測	結	果(Resul	lt)
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.4	NO.5	NO.6
六價络 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	kg 参考IEC 62321: 2008方法,用 UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.		n.d.	n.d.	n.d.
磷 / Phosphorus (P)		参考US EPA 3052 方法,用感應 耦合電漿原子發射光譜儀檢測磷 含量. / With reference to US EPA Method 3052 for Phosphorus Content. Analysis was performed by ICP-AES.	2	n.d.	n.d.	n.d.
三氧化二錦 / Antimony trioxide (Sb ₂ O ₃)*** (CAS No.: 001309-64-4)		参考US EPA 3050B方法,用感應 耦合電漿原子發射光譜儀檢測錦 含量. / With reference to US EPA Method 3050B for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.	n.d.	n.d.
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子 層析儀分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	n.d.		n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子 層析儀分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.	n.d.	n.d.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 7 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號





測試項目	單位	測試方法 方法偵測 結果 (Result)		t)		
(Test Items)	(Unit)	(Method)	(MDL)	NO.4	NO.5	NO.6
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子 層析儀分析碘含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Iodine content.	50	n.d.	n.d.	n.d.
多溴聯苯總和 / Sum of PBBs]		-	n.d.	n.d.	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.	n.d.	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.	n.d.	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.	n.d.	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	n.d.	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.	n.d.	n.d.
六溴聯苯 / Hexabromobiphenyl			5	n.d.	n.d.	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.	n.d.	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.	n.d.	n.d.
九溴聯苯 / Nonabromobiphenyl		参考IEC 62321: 2008方法,以	5	n.d.	n.d.	n.d.
十溴聯苯 / Decabromobiphenyl	/1	氣相層析儀/質譜儀檢測./	5	n.d.	n.d.	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	With reference to IEC 62321:	-	n.d.	n.d.	n.d.
一溴聯苯醚 / Monobromodiphenyl ether		2008 and performed by GC/MS.	5	n.d.	n.d.	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	n.d.	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	n.d.	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	n.d.	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	n.d.	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 8 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

測試項目	單位	測試方法	方法偵測	結果(Result)			
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.7	NO.8	NO.9	
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 則. / With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	n.d.	n.d.	
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法,用感應藕合電漿原子發射光譜儀檢測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	參考IEC 62321: 2008方法,用 UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	n.d.	n.d.	
磷 / Phosphorus (P)	mg/kg	參考US EPA 3052 方法,用感應 耦合電漿原子發射光譜儀檢測磷 含量. / With reference to US EPA Method 3052 for Phosphorus Content. Analysis was performed by ICP-AES.	2	n.d.		14	
三氧化二锑 / Antimony trioxide (Sb ₂ O ₃)*** (CAS No.: 001309-64-4)	mg/kg	參考US EPA 3050B方法,用感應 耦合電漿原子發射光譜儀檢測錦 含量. / With reference to US EPA Method 3050B for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.	n.d.	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 9 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3279 www.sgs.com



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 10 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

測試項目		單位 測試方法	方法偵測	結果(Result)		
(Test Items)	(Unit) (Method)	極限値 (MDL)	NO.7	NO.8	NO.9	
多溴聯苯醚總和 / Sum of PBDEs			-	n.d.	n.d.	n.d.
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.	n.d.	n.d.
二溴聯苯醚 / Dibromodiphenyl ether		参考IEC 62321: 2008方法,以 氣相層析儀/質譜儀檢測./	5	n.d.	n.d.	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.	n.d.	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether		With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.	n.d.	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether		2000 and performed by Ge, me.	5	n.d.	n.d.	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.	n.d.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.10
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
汞 / Mercury (Hg)	mg/kg	参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢 測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 11 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 12 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 13 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. ***: 該物質是由"三丁基錫", "三苯基錫"或各别元素(例如: 錦、鈹、矽、鋅、銛或磷)之測試結果計算得知. 其MDL是針對"三丁基錫", "三苯基錫"或元素(例如: 錦、鈹、矽、鋅、銛或磷)之評估. (The substance is calculated by the test results of Tributyl Tin, Triphenyl Tin or element (Ex. Antimony、Beryllium、Silicon、Zinc、Cobalt or Phosphorus respectively). The MDL is evaluated for Tributyl Tin, Triphenyl Tin or element (Ex. Antimony、Beryllium、Silicon、Zinc、Cobalt or Phosphorus respectively.))

PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.

 (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件;假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%,而紡織品或其他覆蓋物質,如果PFOS在覆蓋物質中含量等於或大於1μg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1μg/m² of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 14 of 21


萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 15 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.


桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

元素的消化流程圖 (Flow Chart of Digestion for elements analysis)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /	
	Aqua regia, HNO3, HC1, HF, H2O2	
玻璃 / Glass	硝酸,氫氟酸 / HNO3/HF	
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia	
銀 / Silver	硝酸 / HNO3	
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HC1	
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 16 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號


NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.

多溴聯苯/多溴聯苯醚分析流程圖/PBB/PBDE analytical FLOW CHART

- 1) 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen 初次測試程序 / First testing process ———▶

選擇性篩檢程序 / Optional screen process

確認程序 / Confirmation process _ . _ ▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 17 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號 NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員:陳立倫 / Name of the person who made measurement: Alan Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 18 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號 NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.



全氟辛酸(銨)/全氟辛烷磺酸分析流程圖/ Analytical flow chart of PFOA/PFOS content

- 1) 測試人員:劉家瑗 / Name of the person who made measurement: Carrie Liu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 19 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 20 of 21

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/11501C 日期(Date): 2009/01/15 頁數(Page): 21 of 21

萬泰科技股份有限公司 WONDERFUL HI-TECH CO., LTD. 桃園縣中壢市工業區北園路17號

NO. 17, PEI-YUAN ROAD, CHUNG-LI IND., PARK, TAOYUAN TAIWAN, R. O. C.





** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



Test Report

有春雷線股份有限公司

YEOU CHUEN WIRE CO., LTD.

桃園縣平鎮市中豐路南勢二段460巷112號

112, LANE 460, NAN HSEN 2ND SECTION, CHUNG FENG RD., PING CHEN CITY,

TAOYUAN HSIEN TAIWAN REPUBLIC OF CHINA

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) 收件日期(Sample Receiving Date)

測試期間(Testing Period)

鍍銀銅包鋼線 (SILVER-PLATED COPPER CLAD STEEL WIRE)

日期(Date): 2008/12/24

頁數(Page): 1 of 4

2008/12/17

號碼(No.): CE/2008/C4566

2008/12/17 TO 2008/12/24

測試需求(Test Requested)

參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).

測試方法(Test Method)

- 參考IEC 62321/2nd CDV (111/95/CDV)方法檢測. (With reference to IEC 62321/2nd CDV (111/95/CDV). Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
 - (1) 用感應藕合電漿原子發射光譜儀檢測鎬含量. / Determination of Cadmium by ICP-AES.
 - (2) 用感應藕合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by
 - (3) 用感應藕合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
 - (4) 針對金屬材質之樣品,用Spot test / boiling water extraction方法檢測 六價鉻含量. / Determination of Hexavalent Chromium for metallic samples by Spot test / boiling water extraction Method.

測試結果(Test Results)

請見下一頁 (Please refer to next pages).

Nicole Chien / Supervisor Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製



Test Report

有春雷線股份有限公司

YEOU CHUEN WIRE CO., LTD.

桃園縣平鎮市中豐路南勢二段460巷112號

112, LANE 460, NAN HSEN 2ND SECTION, CHUNG FENG RD., PING CHEN CITY,

TAOYUAN HSIEN TAIWAN REPUBLIC OF CHINA

測試結果(Test Results) 單位(Unit): mg/kg

測試項目	測試方法	結果 (Result)	方法偵測
(Test Items)	Method (Refer to)	No.1	極限値 (MDL)
鎬 / Cadmium (Cd)	(1)	n.d.	2
鉛 / Lead (Pb)	(2)	n.d.	2
汞 / Mercury (Hg)	(3)	n.d.	2
六價鉻 / Hexavalent Chromium Cr(VI) by	(4)	Negative	See Note 4
Spot test / boiling water extraction			

號碼(No.): CE/2008/C4566

日期(Date): 2008/12/24

頁數(Page): 2 of 4

測試部位描述 (TEST PART DESCRIPTION):

銀色金屬線 (SILVER COLORED METAL WIRE) NO.1

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. Spot-test:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.

(當該測項無法確認時,測試樣品可藉由boiling-water-extraction測試方法進一步確認)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

該溶液濃度≧0.02 mg/kg with 50 cm² (sample surface area)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製



Test Report

有春雷線股份有限公司

YEOU CHUEN WIRE CO., LTD.

桃園縣平鎮市中豐路南勢二段460巷112號

112, LANE 460, NAN HSEN 2ND SECTION, CHUNG FENG RD., PING CHEN CITY,

TAOYUAN HSIEN TAIWAN REPUBLIC OF CHINA


1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)

日期(Date): 2008/12/24

頁數(Page): 3 of 4

- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

號碼(No.): CE/2008/C4566



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



號碼(No.): CE/2008/C4566 日期(Date): 2008/12/24 頁數(Page): 4 of 4

有春電線股份有限公司

YEOU CHUEN WIRE CO., LTD.

桃園縣平鎮市中豐路南勢二段460巷112號

112, LANE 460, NAN HSEN 2ND SECTION, CHUNG FENG RD., PING CHEN CITY,

TAOYUAN HSIEN TAIWAN REPUBLIC OF CHINA



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 1 of 15

慕明企業有限公司

MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) 樣品型號(Style/Item No.)

收件日期(Sample Receiving Date)

測試期間(Testing Period)

: FEP氟碳聚合物顆粒 : NP-102

: 2008/12/29

: 2008/12/29 TO 2009/1/7

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

結論(Conclusion)

: 根據客户所提供的樣品,其鎬、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的測 試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs are compliant with the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

Chenyu Kung / Operation Manager Signed for and on behalf of

SGS TAIWAN LTD.

Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 2 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD. 台北市中山北路二段112號11樓之4 11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN



測試結果(Test Results)

測試部位(PART NAME) NO.1 : 透明色塑膠粒 (TRANSPARENT PLASTIC PELLETS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限値 (Limit)
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法, 用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法, 用感應藕 合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	1000
汞 / Mercury (Hg)	mg/kg	参考IEC 62321: 2008方法, 用感應藕 合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	1000
六價络 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	参考IEC 62321: 2008方法,用UV-VIS 檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n.d.	1000
磷 / Phosphorus (P)	mg/kg	参考US EPA 3052 方法,用感應耦合 電漿原子發射光譜儀檢測磷含量./ With reference to US EPA Method 3052 for Phosphorus Content. Analysis was performed by ICP-	2	n.d.	-
三氧化二銻 / Antimony trioxide (Sb ₂ O ₃)*** (CAS No.: 001309-64-4)	mg/kg	参考US EPA 3050B方法,用感應耦合 電漿原子發射光譜儀檢測銻含量./ With reference to US EPA Method 3050B for Antimony Content. Analysis was performed by ICP- AES.	2	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 3 of 15

慕明企業有限公司

MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限値 (Limit)
氯化石蠟 / Chlorinated Paraffin (C10~C13) (CAS No.: 010871-26-2)	%	參考US EPA 3540C方法,以氣相層析 質譜儀(GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.01	n.d.	-
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	-	Negative	-
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	參考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氟辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.	-
全氟辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.	-
鹵素 / Halogen		参考BS EN 14582:2007, 以離子層析 儀分析氣,氣,溴,碘含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for F, Cl, Br, I content.			
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析 儀分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Fluorine content.	50	222000	-
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析 儀分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 4 of 15

慕明企業有限公司

MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限値 (Limit)
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析 儀分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.	-
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子層析 儀分析碘含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Iodine content.	50	n.d.	1
可塑劑定量分析 / Phthalates					
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 000084-74-2)	%	本測試參考EN 14372: 2004, 以氣相 層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.	-
鄰苯二甲酸丁酯苯甲酯 / BBP (Benzyl butyl phthalate) (CAS No.: 000085-68- 7)	%	本測試參考EN 14372: 2004, 以氣相 層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.	-
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 000117-81-7)	%	本測試參考EN 14372: 2004, 以氣相 層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.	-
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 000117-84-0)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.	-
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 028553-12-0)	%	本測試參考EN 14372: 2004, 以氣相 層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.01	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 5 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限値 (Limit)
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 026761-40-0)	%	本測試參考EN 14372: 2004, 以氣相 層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.01	n.d.	-
多溴聯苯總和 / Sum of PBBs			1	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	I
二溴聯苯 / Dibromobiphenyl			5	n.d.	I
三溴聯苯 / Tribromobiphenyl			5	n.d.	ı
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	ı
五溴聯苯 / Pentabromobiphenyl			5	n.d.	ı
六溴聯苯 / Hexabromobiphenyl			5	n.d.	-
七溴聯苯 / Heptabromobiphenyl			5	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	-
九溴聯苯 / Nonabromobiphenyl		参考 IEC 62321: 2008方法,以氣相層	5	n.d.	-
十溴聯苯 / Decabromobiphenyl	/1	析儀/質譜儀檢測./With reference	5	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	to IEC 62321: 2008 and performed	-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether		by GC/MS.	5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	=
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether	1		5	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 6 of 15

慕明企業有限公司

MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 若為氯化石蠟中單一化合物,則偵測極限為5ppm (The MDL is 5ppm for the single compound of CP)
- 8. ***: 該物質是由"三丁基錫", "三苯基錫"或各别元素(例如: 錦、鈹、矽、鋅、銛或磷)之測試結果計算得知. 其MDL是針對"三丁基錫", "三苯基錫"或元素(例如: 錦、鈹、矽、鋅、銛或磷)之評估. (The substance is calculated by the test results of Tributyl Tin, Triphenyl Tin or element (Ex. Antimony、Beryllium、Silicon、Zinc、Cobalt or Phosphorus respectively). The MDL is evaluated for Tributyl Tin, Triphenyl Tin or element (Ex. Antimony、Beryllium、Silicon、Zinc、Cobalt or Phosphorus respectively.))

PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.
 (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1μg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1μg/m² of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 7 of 15


慕明企業有限公司

MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 8 of 15

慕明企業有限公司


MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

元素的消化流程圖 (Flow Chart of Digestion for elements analysis)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO3, HC1, HF, H2O2
玻璃 / Glass	硝酸,氫氟酸 / HNO₃/HF
金,鉑,鲃,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO3
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / HaSO4, HaO2, HNO3, HC1
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 9 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4


11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 1) 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen 初次測試程序 / First testing process ———▶

選擇性篩檢程序 / Optional screen process

確認程序 / Confirmation process _ . _ ▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 10 of 15


慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員:陳立倫 / Name of the person who made measurement: Alan Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 11 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD. 台北市中山北路二段112號11樓之4 11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 1) 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 12 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD. 台北市中山北路二段112號11樓之4 11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

聚氯乙烯物質判定分析流程圖 / Analysis flow chart for determination of PVC in material

- 1) 測試人員:趙婉愉 / Name of the person who made measurement: Eva Chao
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 13 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD. 台北市中山北路二段112號11樓之4 11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

全氟辛酸(銨)/全氟辛烷磺酸分析流程圖/

- 1) 測試人員:劉家瑗 / Name of the person who made measurement: Carrie Liu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen

Analytical flow chart of PFOA/PFOS content



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 14 of 15

慕明企業有限公司 MOLECULE ENTERPRISE CO., LTD. 台北市中山北路二段112號11樓之4 11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN

含氯阻燃劑分析流程 / Chlorinated Flame retardant analytical flow chart

- 1) 測試人員:劉桓易 / Name of the person who made measurement: Max Liu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen
- 参考方法(Reference method): US EPA 8270D, US EPA 3540
- 測試項目(Test Items): PCBs, PCNs, PCTs, Mirex, CP, MCCP / 多氯聯苯, 多氯奈, 多氯三聯苯, 減蟻靈, 氯化石蠟, 中鏈氯化石蠟



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2008/C7175 日期(Date): 2009/01/07 頁數(Page): 15 of 15

慕明企業有限公司

MOLECULE ENTERPRISE CO., LTD.

台北市中山北路二段112號11樓之4

11F-4, NO. 112, CHUNG SHAN N, RD., SEC. 2, TAIPEI, TAIWAN



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No. F690501/LF-CTSAYAA09-06052

To: LG CHEM. LTD.

70-1

Hwachi-dong Yeosu-city JEONNAM Korea

The following merchandise was submitted and identified by the client as:

Product Name : KEYFLEX BT1063D

SGS File No. : AYAA09-06052

Received Date: March 05, 2009

Test Performing Date : March 06, 2009

Test Performed : SGS Testing Korea tested the sample(s) selected by applicant with following results

Test Results : For further details, please refer to following page(s)

SGS Testing Korea Co. Ltd.

Page 1 of 3

Issued Date: March 10, 2009

Pluto Kim Cindy Park Jinee Song/ Testing Person

Jeff Jang / Chemical Lab Mgr



Test Report No. F690501/LF-CTSAYAA09-06052 Issued Date: March 10, 2009

Sample No. : AYAA09-06052.001

Sample Description : KEYFLEX BT1063D

Item No./Part No. : N/A

Heavy Metals

Test Items	Unit	Test Method	MDL	Results
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, ICP-OES	0.5	N.D.
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, ICP-OES	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, ICP-OES	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321:2008, UV-VIS	1	N.D.

Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.

NOTE:

- (1) N.D. = Not detected.(<MDL)
- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) ** = Qualitative analysis (No Unit)
- (6) Negative = Undetectable / Positive = Detectable


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sas.com/terms.and.conditions.thm</u> and, for electronic format documents, subject to Terms and Conditions for Electron increases. Adherence in dismon to the limitation or of slability, indemnification issues defined therein. Any holder of this document to the limitation or of slability, indemnification issues defined therein. Any holder of this document to the instructions, if any the Company's fadings at the time of its intervention only and intervention only and intervention only and intervention of year and the time of its intervention of year and the properties of the content to appearance of this document to see not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to unlessly described the proposular of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this obcument to unlessly depressed to the fullest extent of the false.

Page 2 of 3



Test Report No. F690501/LF-CTSAYAA09-06052

Issued Date: March 10, 2009 Page 3 of 3



*** End ***

NOTE:

- (1) N.D. = Not detected.(<MDL)
- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) ** = Qualitative analysis (No Unit)
- (6) Negative = Undetectable / Positive = Detectable

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.hlm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms a-documents.hlm and interest to a literature or flaibility, intermittation issues defined therein. Any holder of this document devised that information contained hereon reflects the Company's fadings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test recommended and such asmole's later and such asmole as a such asmole's later and such asmole's later and such asmole as a such asmole's later and such asmole as a such asmole's later and such asmole and such asmole's later and such asmole's later and such asmole as a such asmole as a such as a such as a such



號碼(No.): CE/2008/B3037B 日期(Date): 2009/06/11 頁數(Page): 1 of 6

太松實業股份有限公司 DYNACHEM & CO., LTD.

台北市大同區重慶北路三段139號8樓

identified by/on behalf of the client as):

8F, NO. 139, SEC. 3, CHUNG CHING NORTH ROAD, TAIPEI, TAIWAN, R. O. C.

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and

樣品名稱(Sample Description)

: 聚碳酸樹脂 (POLYCARBONATE (PC), DESIGNATED "PANLITE" FURNISHED AS PELLETS)

樣品型號(Style/Item No.)

: AD5503: K1300Y: L1225L: L1225LL: L1225LM: L1225T: L1225Y: L1225Z100: L1225ZL100; L1250VX; L1250Y; L1250ZH; L1250ZG; L1250ZW; L1250Z100; LN1250G; LN2250; LV2225Y; LV2225L; LV2250Y; LN2520A; LS2250; G3110PH; G3120PH; G3410H QG1901HX; G3420 QG1005X; G3430 QG1007X; Z1705ZH; ML1103 QF1232; MN3500; MN3600H; MN3705; MN3705M; DN3715F; SD1414;

生產或供應廠商(Manufacturer/Vendor)

: 帝人株式會社 (TEIJIN CHEMICALS LTD.)

收件日期(Sample Receiving Date)

: 2008/11/12

測試期間(Testing Period)

: 2008/11/12 TO 2008/11/19

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3279 www.sgs.com



號碼(No.): CE/2008/B3037B 日期(Date): 2009/06/11 頁數(Page): 2 of 6

太松實業股份有限公司 DYNACHEM & CO., LTD.

台北市大同區重慶北路三段139號8樓

8F, NO. 139, SEC. 3, CHUNG CHING NORTH ROAD, TAIPEI, TAIWAN, R. O. C.



測試結果(Test Results)

測試部位(PART NAME) NO.1

: 透明塑膠粒 (TRANSPARENT PLASTIC PELLETS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鈹 / Beryllium (Be)	mg/kg	参考US EPA 3050B 方法,用感應耦合電漿原子發射光譜儀檢測鈹含量. / With reference to US EPA Method 3050B for Beryllium Content. Analysis was performed by ICP-AES.	2	n.d.
绨 / Antimony (Sb)	mg/kg	参考US EPA 3050B 方法,用感應耦合電漿原子發射光譜儀檢測錦含量. / With reference to US EPA Method 3050B for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.
可塑劑定量分析 / Phthalates				
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 000084-74-2)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸丁酯苯甲酯 / BBP (Benzyl butyl phthalate) (CAS No.: 000085-68-7)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 000117-81-7)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2008/B3037B 日期(Date): 2009/06/11 頁數(Page): 3 of 6

太松實業股份有限公司 DYNACHEM & CO., LTD.

台北市大同區重慶北路三段139號8樓

8F, NO. 139, SEC. 3, CHUNG CHING NORTH ROAD, TAIPEI, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 000117-84-0)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 028553-12-0)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 026761-40-0)	%	本測試參考EN 14372: 2004, 以氣相 層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.01	n.d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "---" = Not Conducted (未測項目)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/B3037B 日期(Date): 2009/06/11 頁數(Page): 4 of 6

太松實業股份有限公司 DYNACHEM & CO., LTD.


台北市大同區重慶北路三段139號8樓

8F, NO. 139, SEC. 3, CHUNG CHING NORTH ROAD, TAIPEI, TAIWAN, R. O. C.



- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

元素的消化流程圖 (Flow Chart of Digestion for elements analysis)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO3, HC1, HF, H2O2
玻璃 / Glass	硝酸,氫氟酸 / HNO3/HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO3
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HC1
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2008/B3037B 日期(Date): 2009/06/11 頁數(Page): 5 of 6

太松實業股份有限公司 DYNACHEM & CO., LTD.


台北市大同區重慶北路三段139號8樓

8F, NO. 139, SEC. 3, CHUNG CHING NORTH ROAD, TAIPEI, TAIWAN, R. O. C.



可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 1) 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2008/B3037B 日期(Date): 2009/06/11 頁數(Page): 6 of 6

太松實業股份有限公司 DYNACHEM & CO., LTD.

台北市大同區重慶北路三段139號8樓

8F, NO. 139, SEC. 3, CHUNG CHING NORTH ROAD, TAIPEI, TAIWAN, R. O. C.



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



測試報告 號碼: CE/2009/71272 日期: 2009/07/14 頁數: 1 of 4

唐正企業有限公司 台北縣中和市中正路861巷11號

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下:

樣品名稱 : 空心管之黄銅材質裸面處理

樣品型號 : \$0.6-21 收件日期 : 2009/07/07

測試期間 : 2009/07/07 TO 2009/07/14

測試方法 : 參考IEC 62321: 2008方法檢測.

- (1) 用感應藕合電漿原子發射光譜儀(ICP-AES)檢測鎘含量.
- (2) 用感應藕合電漿原子發射光譜儀(ICP-AES)檢測鉛含量.
- (3) 用感應藕合電漿原子發射光譜儀(ICP-AES)檢測汞含量.
- (4) 用Spot test / boiling water extraction方法檢測六價鉻含量.

測試結果 : 請見下一頁.

Nicole Chien / Supervisor Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd



號碼: CE/2009/71272 日期: 2009/07/14 頁數: 2 of 4

唐正企業有限公司 台北縣中和市中正路861巷11號



測試結果 (單位: mg/kg)

測試項目	測試方法 (請參考)	結果 No.1	方法偵測 極限値
鎘	(1)	n.d.	2
鉛	(2)	36	2
汞	(3)	n.d.	2
六價鉻 (Spot test / boiling water extraction)	(4)	Negative	備註4

測試部位描述:

NO.1 : 金色金屬

備註:1. mg/kg = ppm;0.1wt% = 1000ppm

2. n.d. = Not Detected (未檢出)

3. MDL = Method Detection Limit (方法偵測極限值)

4. Spot-test:

Negative=鍍層中偵測不到六價鉻, Positive=鍍層中偵測到六價鉻; 當該測項無法確認時,測試樣品可藉由boiling-water-extraction測試方法進一步確認

Boiling-water-extraction:

Negative=鍍層中偵測不到六價鉻, Positive=鍍層中偵測到六價鉻; 該溶液濃度≧0.02 mg/kg with 50 cm² (sample surface area)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼: CE/2009/71272 日期: 2009/07/14 頁數: 3 of 4

唐正企業有限公司 台北縣中和市中正路861巷11號



- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)
- 2) 測試人員:楊登偉
- 3) 測試負責人:張啓興



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



頁數: 4 of 4 號碼: CE/2009/71272 日期: 2009/07/14

唐正企業有限公司 台北縣中和市中正路861巷11號





報告結尾 **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。