


6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85103G	53.86	88.20	-34.34	45.70	3	Vertical	208	2.03	-	40.50	10.44	42.78
RMS	13.84927G	42.68	68.20	-25.52	34.51	3	Vertical	208	2.03	-	40.50	10.44	42.77

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85098G	53.80	88.20	-34.40	45.64	3	Horizontal	16	1.08	-	40.50	10.44	42.78
RMS	13.84759G	42.65	68.20	-25.55	34.48	3	Horizontal	16	1.08	-	40.50	10.44	42.77

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76351G	51.26	83.54	-32.28	46.24	1	Vertical	337	2.57	-	38.21	15.81	49.00
AV	20.78988G	37.62	63.54	-25.92	32.56	1	Vertical	337	2.57	-	38.22	15.83	48.99

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78358G	52.76	83.54	-30.78	47.71	1	Horizontal	143	2.92	-	38.21	15.83	48.99
AV	20.78838G	39.59	63.54	-23.95	34.53	1	Horizontal	143	2.92	-	38.22	15.83	48.99

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00826G	54.06	88.20	-34.14	45.79	3	Vertical	137	2.89	-	40.72	10.50	42.95
RMS	14.00774G	42.93	68.20	-25.27	34.66	3	Vertical	137	2.89	-	40.72	10.50	42.95

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00896G	54.04	88.20	-34.16	45.77	3	Horizontal	191	1.70	-	40.72	10.50	42.95
RMS	14.00761G	42.94	68.20	-25.26	34.68	3	Horizontal	191	1.70	-	40.72	10.50	42.96

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00909G	52.54	83.54	-31.00	47.10	1	Vertical	11	2.93	-	38.31	16.01	48.88
AV	21.02523G	38.73	63.54	-24.81	33.26	1	Vertical	11	2.93	-	38.33	16.02	48.88

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02418G	51.23	83.54	-32.31	45.76	1	Horizontal	147	2.17	-	38.33	16.02	48.88
AV	21.02478G	38.73	63.54	-24.81	33.26	1	Horizontal	147	2.17	-	38.33	16.02	48.88



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0812G	95.14	Inf	-Inf	94.11	3	Vertical	223	2.71	-	36.44	7.02	42.43
RMS	7.081G	83.18	Inf	-Inf	82.15	3	Vertical	223	2.71	-	36.44	7.02	42.43
PK	7.1378G	58.79	88.20	-29.41	57.71	3	Vertical	223	2.71	-	36.55	7.04	42.51
RMS	7.1784G	48.44	68.20	-19.76	47.19	3	Vertical	223	2.71	-	36.77	7.05	42.57

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0848G	105.21	Inf	-Inf	104.18	3	Horizontal	230	1.00	-	36.43	7.03	42.43
RMS	7.0828G	93.28	Inf	-Inf	92.26	3	Horizontal	230	1.00	-	36.43	7.02	42.43
PK	7.1334G	60.43	88.20	-27.77	59.36	3	Horizontal	230	1.00	-	36.53	7.04	42.50
RMS	7.129G	48.94	68.20	-19.26	47.88	3	Horizontal	230	1.00	-	36.52	7.04	42.50

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16844G	55.84	88.20	-32.36	47.20	3	Vertical	352	1.93	-	40.70	10.58	42.64
RMS	14.16802G	43.91	68.20	-24.29	35.27	3	Vertical	352	1.93	-	40.70	10.58	42.64

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16937G	55.53	88.20	-32.67	46.89	3	Horizontal	137	2.14	-	40.70	10.58	42.64
RMS	14.16762G	43.91	68.20	-24.29	35.27	3	Horizontal	137	2.14	-	40.70	10.58	42.64

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25428G	53.11	83.54	-30.43	47.16	1	Vertical	269	1.50	-	38.60	16.20	48.85
AV	21.25224G	37.76	63.54	-25.78	31.81	1	Vertical	269	1.50	-	38.60	16.20	48.85

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25131G	46.87	83.54	-36.67	40.92	1	Horizontal	88	1.50	-	38.60	16.20	48.85
AV	21.24504G	33.07	63.54	-30.47	27.13	1	Horizontal	88	1.50	-	38.59	16.20	48.85

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	56.36	88.20	-31.84	58.27	3	Vertical	221	2.33	-	34.85	6.31	43.07
RMS	5.9234G	45.64	68.20	-22.56	47.56	3	Vertical	221	2.33	-	34.84	6.31	43.07
PK	5.9582G	94.34	Inf	-Inf	96.05	3	Vertical	221	2.33	-	35.00	6.34	43.05
RMS	6.0094G	81.57	Inf	-Inf	83.21	3	Vertical	221	2.33	-	35.00	6.39	43.03

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.17	88.20	-27.03	63.08	3	Horizontal	176	1.07	-	34.85	6.31	43.07
RMS	5.9246G	46.79	68.20	-21.41	48.70	3	Horizontal	176	1.07	-	34.85	6.31	43.07
PK	5.9758G	102.64	Inf	-Inf	104.32	3	Horizontal	176	1.07	-	35.00	6.36	43.04
RMS	6.011G	91.02	Inf	-Inf	92.66	3	Horizontal	176	1.07	-	35.00	6.39	43.03



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97096G	52.30	74.00	-21.70	46.89	3	Vertical	270	1.38	-	38.60	9.72	42.91
AV	11.96958G	40.97	54.00	-13.03	35.57	3	Vertical	270	1.38	-	38.60	9.71	42.91

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97018G	52.36	74.00	-21.64	46.96	3	Horizontal	103	1.23	-	38.60	9.71	42.91
AV	11.96934G	40.95	54.00	-13.05	35.55	3	Horizontal	103	1.23	-	38.60	9.71	42.91

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.96433G	45.65	83.54	-37.89	41.98	1	Vertical	304	1.50	-	37.73	15.28	49.34
AV	17.96619G	33.61	63.54	-29.93	29.95	1	Vertical	304	1.50	-	37.73	15.28	49.35

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95602G	54.37	83.54	-29.17	50.71	1	Horizontal	360	1.50	-	37.71	15.27	49.32
AV	17.95791G	39.51	63.54	-24.03	35.85	1	Horizontal	360	1.50	-	37.71	15.27	49.32

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44858G	51.55	74.00	-22.45	46.20	3	Vertical	117	1.17	-	38.50	9.90	43.05
AV	12.44776G	40.55	54.00	-13.45	35.20	3	Vertical	117	1.17	-	38.50	9.90	43.05

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44878G	51.52	74.00	-22.48	46.17	3	Horizontal	158	1.06	-	38.50	9.90	43.05
AV	12.4476G	40.59	54.00	-13.41	35.24	3	Horizontal	158	1.06	-	38.50	9.90	43.05

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66627G	48.55	83.54	-34.99	44.92	1	Vertical	238	1.53	-	37.93	15.27	49.57
AV	18.67485G	36.60	63.54	-26.94	32.95	1	Vertical	238	1.53	-	37.94	15.27	49.56

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6831G	49.66	83.54	-33.88	46.00	1	Horizontal	66	1.81	-	37.95	15.27	49.56
AV	18.67155G	38.58	63.54	-24.96	34.93	1	Horizontal	66	1.81	-	37.94	15.27	49.56



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76841G	53.66	88.20	-34.54	47.49	3	Vertical	311	1.62	-	38.87	10.03	42.73
RMS	12.7675G	41.85	68.20	-26.35	35.68	3	Vertical	311	1.62	-	38.87	10.03	42.73

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7687G	53.67	88.20	-34.53	47.50	3	Horizontal	20	1.19	-	38.87	10.03	42.73
RMS	12.76769G	41.89	68.20	-26.31	35.72	3	Horizontal	20	1.19	-	38.87	10.03	42.73

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16643G	47.03	83.54	-36.51	43.27	1	Vertical	285	1.69	-	37.97	15.24	49.45
AV	19.16862G	36.02	63.54	-27.52	32.26	1	Vertical	285	1.69	-	37.97	15.24	49.45

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15698G	49.17	83.54	-34.37	45.42	1	Horizontal	356	1.72	-	37.96	15.24	49.45
AV	19.16523G	36.02	63.54	-27.52	32.26	1	Horizontal	356	1.72	-	37.97	15.24	49.45

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92785G	53.91	88.20	-34.29	47.09	3	Vertical	350	1.30	-	39.26	10.09	42.53
RMS	12.92752G	42.36	68.20	-25.84	35.54	3	Vertical	350	1.30	-	39.26	10.09	42.53

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92845G	53.24	88.20	-34.96	46.42	3	Horizontal	289	1.02	-	39.26	10.09	42.53
RMS	12.92767G	42.38	68.20	-25.82	35.56	3	Horizontal	289	1.02	-	39.26	10.09	42.53

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40853G	48.07	83.54	-35.47	44.52	1	Vertical	307	1.69	-	37.94	15.23	49.62
AV	19.39431G	36.02	63.54	-27.52	32.46	1	Vertical	307	1.69	-	37.94	15.23	49.61

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39206G	49.02	83.54	-34.52	45.46	1	Horizontal	20	2.55	-	37.94	15.23	49.61
AV	19.39446G	35.02	63.54	-28.52	31.46	1	Horizontal	20	2.55	-	37.94	15.23	49.61



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09023G	53.69	88.20	-34.51	46.48	3	Vertical	149	2.57	-	39.48	10.15	42.42
RMS	13.09239G	42.20	68.20	-26.00	34.99	3	Vertical	149	2.57	-	39.48	10.15	42.42

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09214G	53.11	88.20	-35.09	45.90	3	Horizontal	39	2.65	-	39.48	10.15	42.42
RMS	13.09189G	42.24	68.20	-25.96	35.03	3	Horizontal	39	2.65	-	39.48	10.15	42.42

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64841G	48.19	83.54	-35.35	44.63	1	Vertical	32	1.35	-	37.90	15.22	49.56
AV	19.64634G	38.80	63.54	-24.74	35.24	1	Vertical	32	1.35	-	37.90	15.22	49.56

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64235G	48.93	83.54	-34.61	45.37	1	Horizontal	356	2.34	-	37.90	15.22	49.56
AV	19.64589G	36.77	63.54	-26.77	33.21	1	Horizontal	356	2.34	-	37.90	15.22	49.56

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24949G	55.56	88.20	-32.64	47.93	3	Vertical	41	2.16	-	39.80	10.21	42.38
RMS	13.24772G	42.72	68.20	-25.48	35.09	3	Vertical	41	2.16	-	39.80	10.21	42.38

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24988G	54.09	88.20	-34.11	46.46	3	Horizontal	170	1.10	-	39.80	10.21	42.38
RMS	13.24773G	42.73	68.20	-25.47	35.10	3	Horizontal	170	1.10	-	39.80	10.21	42.38

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8705G	47.20	83.54	-36.34	43.42	1	Vertical	106	1.23	-	37.95	15.21	49.38
AV	19.8744G	35.59	63.54	-27.95	31.80	1	Vertical	106	1.23	-	37.95	15.21	49.37

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88271G	48.52	83.54	-35.02	44.73	1	Horizontal	199	1.92	-	37.95	15.21	49.37
AV	19.87206G	36.57	63.54	-26.97	32.78	1	Horizontal	199	1.92	-	37.95	15.21	49.37



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40803G	55.22	88.20	-32.98	47.27	3	Vertical	14	2.51	-	40.02	10.27	42.34
RMS	13.40764G	43.34	68.20	-24.86	35.39	3	Vertical	14	2.51	-	40.02	10.27	42.34

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41206G	55.56	88.20	-32.64	47.61	3	Horizontal	73	2.71	-	40.02	10.27	42.34
RMS	13.40775G	43.33	68.20	-24.87	35.38	3	Horizontal	73	2.71	-	40.02	10.27	42.34

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11365G	48.89	83.54	-34.65	44.75	1	Vertical	168	2.32	-	38.09	15.29	49.24
AV	20.12907G	36.79	63.54	-26.75	32.63	1	Vertical	168	2.32	-	38.10	15.30	49.24

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12961G	49.18	83.54	-34.36	45.02	1	Horizontal	32	1.27	-	38.10	15.30	49.24
AV	20.12979G	37.78	63.54	-25.76	33.62	1	Horizontal	32	1.27	-	38.10	15.30	49.24

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56766G	55.85	88.20	-32.35	47.73	3	Vertical	111	1.47	-	40.20	10.33	42.41
RMS	13.5681G	43.65	68.20	-24.55	35.53	3	Vertical	111	1.47	-	40.20	10.33	42.41

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56838G	54.63	88.20	-33.57	46.51	3	Horizontal	293	2.40	-	40.20	10.33	42.41
RMS	13.56875G	43.67	68.20	-24.53	35.55	3	Horizontal	293	2.40	-	40.20	10.33	42.41

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34936G	47.15	83.54	-36.39	42.61	1	Vertical	66	2.41	-	38.24	15.48	49.18
AV	20.35377G	36.52	63.54	-27.02	31.98	1	Vertical	66	2.41	-	38.24	15.48	49.18

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35542G	48.05	83.54	-35.49	43.51	1	Horizontal	32	1.01	-	38.24	15.48	49.18
AV	20.35437G	38.50	63.54	-25.04	33.96	1	Horizontal	32	1.01	-	38.24	15.48	49.18



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72754G	54.88	88.20	-33.32	46.79	3	Vertical	96	2.98	-	40.31	10.40	42.62
RMS	13.72802G	43.26	68.20	-24.94	35.17	3	Vertical	96	2.98	-	40.31	10.40	42.62

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72987G	54.85	88.20	-33.35	46.75	3	Horizontal	216	2.83	-	40.32	10.40	42.62
RMS	13.7277G	43.26	68.20	-24.94	35.17	3	Horizontal	216	2.83	-	40.31	10.40	42.62

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59452G	47.18	83.54	-36.36	42.33	1	Vertical	195	1.55	-	38.26	15.68	49.09
AV	20.60859G	38.31	63.54	-25.23	33.44	1	Vertical	195	1.55	-	38.26	15.69	49.08

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60199G	47.38	83.54	-36.16	42.53	1	Horizontal	220	2.07	-	38.26	15.68	49.09
AV	20.5944G	36.34	63.54	-27.20	31.49	1	Horizontal	220	2.07	-	38.26	15.68	49.09

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88906G	54.52	88.20	-33.68	46.31	3	Vertical	102	1.78	-	40.58	10.46	42.83
RMS	13.88762G	43.15	68.20	-25.05	34.93	3	Vertical	102	1.78	-	40.58	10.46	42.82

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89133G	54.23	88.20	-33.97	46.02	3	Horizontal	344	2.80	-	40.58	10.46	42.83
RMS	13.88764G	43.13	68.20	-25.07	34.91	3	Horizontal	344	2.80	-	40.58	10.46	42.82

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83968G	49.64	83.54	-33.90	44.49	1	Vertical	256	2.12	-	38.24	15.87	48.96
AV	20.84982G	37.77	63.54	-25.77	32.61	1	Vertical	256	2.12	-	38.24	15.88	48.96

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82303G	48.00	83.54	-35.54	42.88	1	Horizontal	8	1.56	-	38.23	15.86	48.97
AV	20.84757G	35.75	63.54	-27.79	30.59	1	Horizontal	8	1.56	-	38.24	15.88	48.96



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0414G	96.46	Inf	-Inf	95.34	3	Vertical	198	2.96	-	36.48	7.01	42.37
RMS	7.0382G	85.35	Inf	-Inf	84.23	3	Vertical	198	2.96	-	36.48	7.01	42.37
PK	7.2238G	59.12	88.20	-29.08	57.74	3	Vertical	198	2.96	-	36.95	7.07	42.64
RMS	7.223G	48.66	68.20	-19.54	47.28	3	Vertical	198	2.96	-	36.95	7.07	42.64

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.017G	101.22	Inf	-Inf	100.11	3	Horizontal	233	1.10	-	36.43	7.01	42.33
RMS	7.0178G	89.45	Inf	-Inf	88.34	3	Horizontal	233	1.10	-	36.44	7.01	42.34
PK	7.1254G	61.15	88.20	-27.05	60.10	3	Horizontal	233	1.10	-	36.50	7.04	42.49
RMS	7.2214G	48.64	68.20	-19.56	47.26	3	Horizontal	233	1.10	-	36.94	7.07	42.63

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05009G	54.97	88.20	-33.23	46.52	3	Vertical	333	1.30	-	40.80	10.52	42.87
RMS	14.05216G	43.40	68.20	-24.80	34.95	3	Vertical	333	1.30	-	40.80	10.52	42.87

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04789G	55.01	88.20	-33.19	46.57	3	Horizontal	67	1.40	-	40.80	10.52	42.88
RMS	14.04947G	43.35	68.20	-24.85	34.90	3	Horizontal	67	1.40	-	40.80	10.52	42.87

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07608G	48.84	83.54	-34.70	43.26	1	Vertical	267	1.50	-	38.39	16.06	48.87
AV	21.07749G	35.85	63.54	-27.69	30.27	1	Vertical	267	1.50	-	38.39	16.06	48.87

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06696G	47.15	83.54	-36.39	41.59	1	Horizontal	280	1.50	-	38.38	16.05	48.87
AV	21.07149G	33.94	63.54	-29.60	28.36	1	Horizontal	280	1.50	-	38.39	16.06	48.87

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8888G	57.56	88.20	-30.64	59.74	3	Vertical	189	1.26	-	34.63	6.28	43.09
RMS	5.9224G	46.42	68.20	-21.78	48.35	3	Vertical	189	1.26	-	34.83	6.31	43.07
PK	6.058G	96.20	Inf	-Inf	97.74	3	Vertical	189	1.26	-	35.02	6.45	43.01
RMS	6.1012G	83.49	Inf	-Inf	84.89	3	Vertical	189	1.26	-	35.10	6.50	43.00

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8948G	59.45	88.20	-28.75	61.58	3	Horizontal	178	1.00	-	34.67	6.29	43.09
RMS	5.9236G	47.39	68.20	-20.81	49.31	3	Horizontal	178	1.00	-	34.84	6.31	43.07
PK	6.0766G	100.67	Inf	-Inf	102.15	3	Horizontal	178	1.00	-	35.05	6.47	43.00
RMS	6.031G	88.32	Inf	-Inf	89.92	3	Horizontal	178	1.00	-	35.00	6.42	43.02



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04961G	52.78	74.00	-21.22	47.44	3	Vertical	323	1.11	-	38.50	9.75	42.91
AV	12.04814G	41.21	54.00	-12.79	35.87	3	Vertical	323	1.11	-	38.50	9.75	42.91

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05247G	52.47	74.00	-21.53	47.13	3	Horizontal	352	2.06	-	38.50	9.75	42.91
AV	12.0475G	41.23	54.00	-12.77	35.88	3	Horizontal	352	2.06	-	38.51	9.75	42.91

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08892G	49.48	83.54	-34.06	45.86	1	Vertical	360	1.50	-	37.80	15.30	49.48
AV	18.08487G	35.72	63.54	-27.82	32.10	1	Vertical	360	1.50	-	37.80	15.30	49.48

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08994G	49.69	83.54	-33.85	46.07	1	Horizontal	1	1.50	-	37.80	15.30	49.48
AV	18.06642G	37.65	63.54	-25.89	34.02	1	Horizontal	1	1.50	-	37.80	15.30	49.47

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37094G	51.44	74.00	-22.56	46.15	3	Vertical	165	1.67	-	38.44	9.87	43.02
AV	12.36772G	40.17	54.00	-13.83	34.88	3	Vertical	165	1.67	-	38.44	9.87	43.02

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36899G	51.12	74.00	-22.88	45.83	3	Horizontal	21	2.49	-	38.44	9.87	43.02
AV	12.36795G	40.14	54.00	-13.86	34.85	3	Horizontal	21	2.49	-	38.44	9.87	43.02

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56352G	49.68	83.54	-33.86	46.20	1	Vertical	58	2.27	-	37.85	15.27	49.64
AV	18.56988G	36.27	63.54	-27.27	32.77	1	Vertical	58	2.27	-	37.86	15.27	49.63

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56856G	47.97	83.54	-35.57	44.48	1	Horizontal	233	1.80	-	37.85	15.27	49.63
AV	18.56997G	32.26	63.54	-31.28	28.76	1	Horizontal	233	1.80	-	37.86	15.27	49.63



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68754G	52.57	74.00	-21.43	46.63	3	Vertical	344	2.30	-	38.78	9.99	42.83
AV	12.68956G	41.74	54.00	-12.26	35.79	3	Vertical	344	2.30	-	38.78	10.00	42.83

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6896G	52.41	74.00	-21.59	46.46	3	Horizontal	173	2.35	-	38.78	10.00	42.83
AV	12.68964G	41.71	54.00	-12.29	35.76	3	Horizontal	173	2.35	-	38.78	10.00	42.83

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04499G	49.83	83.54	-33.71	46.03	1	Vertical	24	2.26	-	37.92	15.25	49.37
AV	19.03392G	38.26	63.54	-25.28	34.46	1	Vertical	24	2.26	-	37.91	15.25	49.36

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03068G	49.90	83.54	-33.64	46.10	1	Horizontal	290	1.95	-	37.91	15.25	49.36
AV	19.03455G	36.27	63.54	-27.27	32.47	1	Horizontal	290	1.95	-	37.91	15.25	49.36

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01057G	54.73	88.20	-33.47	47.65	3	Vertical	140	1.84	-	39.40	10.12	42.44
RMS	13.0075G	42.22	68.20	-25.98	35.14	3	Vertical	140	1.84	-	39.40	10.12	42.44

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0092G	54.44	88.20	-33.76	47.36	3	Horizontal	349	2.11	-	39.40	10.12	42.44
RMS	13.00807G	42.24	68.20	-25.96	35.16	3	Horizontal	349	2.11	-	39.40	10.12	42.44

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51641G	50.81	83.54	-32.73	47.36	1	Vertical	157	1.39	-	37.90	15.22	49.67
AV	19.51005G	37.84	63.54	-25.70	34.39	1	Vertical	157	1.39	-	37.90	15.22	49.67

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51371G	48.60	83.54	-34.94	45.15	1	Horizontal	217	1.71	-	37.90	15.22	49.67
AV	19.51341G	37.82	63.54	-25.72	34.37	1	Horizontal	217	1.71	-	37.90	15.22	49.67



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33014G	54.82	74.00	-19.18	46.98	3	Vertical	156	1.46	-	39.96	10.24	42.36
AV	13.32751G	43.22	54.00	-10.78	35.38	3	Vertical	156	1.46	-	39.96	10.24	42.36

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32814G	54.92	74.00	-19.08	47.08	3	Horizontal	245	1.91	-	39.96	10.24	42.36
AV	13.32785G	43.24	54.00	-10.76	35.40	3	Horizontal	245	1.91	-	39.96	10.24	42.36

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00871G	48.10	83.54	-35.44	44.15	1	Vertical	261	1.86	-	38.01	15.21	49.27
AV	19.99368G	36.81	63.54	-26.73	32.89	1	Vertical	261	1.86	-	38.00	15.20	49.28

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98144G	49.34	83.54	-34.20	45.44	1	Horizontal	262	1.33	-	37.99	15.20	49.29
AV	19.99464G	37.81	63.54	-25.73	33.88	1	Horizontal	262	1.33	-	38.00	15.20	49.27

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65052G	54.10	88.20	-34.10	46.05	3	Vertical	294	2.95	-	40.20	10.37	42.52
RMS	13.64765G	43.17	68.20	-25.03	35.12	3	Vertical	294	2.95	-	40.20	10.36	42.51

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65153G	53.94	88.20	-34.26	45.89	3	Horizontal	16	1.91	-	40.20	10.37	42.52
RMS	13.65232G	43.19	68.20	-25.01	35.14	3	Horizontal	16	1.91	-	40.20	10.37	42.52

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4657G	49.55	83.54	-33.99	44.84	1	Vertical	199	2.03	-	38.29	15.57	49.15
AV	20.4744G	38.44	63.54	-25.10	33.72	1	Vertical	199	2.03	-	38.29	15.58	49.15

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46696G	48.57	83.54	-34.97	43.86	1	Horizontal	313	2.84	-	38.29	15.57	49.15
AV	20.47458G	37.43	63.54	-26.11	32.71	1	Horizontal	313	2.84	-	38.29	15.58	49.15



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.97G	91.82	Inf	-Inf	90.78	3	Vertical	190	2.45	-	36.40	6.98	42.34
RMS	6.969G	81.06	Inf	-Inf	80.02	3	Vertical	190	2.45	-	36.40	6.98	42.34
PK	7.216G	60.45	88.20	-27.75	59.08	3	Vertical	190	2.45	-	36.93	7.07	42.63
RMS	7.2145G	48.68	68.20	-19.52	47.30	3	Vertical	190	2.45	-	36.93	7.07	42.62

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9805G	99.94	Inf	-Inf	98.88	3	Horizontal	234	1.14	-	36.40	6.99	42.33
RMS	6.968G	87.39	Inf	-Inf	86.36	3	Horizontal	234	1.14	-	36.40	6.98	42.35
PK	7.149G	60.78	88.20	-27.42	59.67	3	Horizontal	234	1.14	-	36.60	7.04	42.53
RMS	7.131G	48.95	68.20	-19.25	47.89	3	Horizontal	234	1.14	-	36.52	7.04	42.50

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97224G	54.50	88.20	-33.70	46.24	3	Vertical	220	2.49	-	40.70	10.49	42.93
RMS	13.96751G	42.92	68.20	-25.28	34.66	3	Vertical	220	2.49	-	40.70	10.49	42.93

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96965G	54.17	88.20	-34.03	45.91	3	Horizontal	176	2.47	-	40.70	10.49	42.93
RMS	13.96753G	42.93	68.20	-25.27	34.67	3	Horizontal	176	2.47	-	40.70	10.49	42.93

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9562G	47.96	83.54	-35.58	42.62	1	Vertical	267	1.50	-	38.28	15.96	48.90
AV	20.95185G	34.37	63.54	-29.17	29.04	1	Vertical	267	1.50	-	38.28	15.96	48.91


6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX



6985MHz\_TX




EUT\_Z\_2TX  
 Setting 12  
 04-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94906G	47.06	83.54	-36.48	41.73	1	Horizontal	281	1.50	-	38.28	15.96	48.91
AV	20.95368G	33.56	63.54	-29.98	28.22	1	Horizontal	281	1.50	-	38.28	15.96	48.90









6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_2TX

MASK

6515MHz\_TX

CF (Hz)  
6.515G

Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS




24/08/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511751G	-14.18	6.484625G	-64.21	-54.18	-10.03	1
6.511776G	-14.51	6.486775G	-63.99	-54.51	-9.48	2



6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_2TX

MASK

6695MHz\_TX

CF (Hz)  
6.695G

Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS




24/08/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.700524G	-14.00	6.723025G	-64.64	-54.00	-10.64	1
6.700524G	-14.14	6.730175G	-65.10	-54.14	-10.96	2



6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_2TX

MASK

6895MHz\_TX

CF (Hz)  
6.895G

Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS






24/08/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89685G	-13.70	6.933225G	-62.94	-53.70	-9.24	1
6.890626G	-14.06	6.924525G	-63.18	-54.06	-9.12	2







5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

CF (Hz)  
6.415G

Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



24/08/2024

Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417924G	-14.33	6.425025G	-16.80	-14.63	-2.17	1
6.411951G	-14.57	6.425025G	-17.43	-14.87	-2.56	2



































































Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-73.30	2.70	-76.04	≤ -62
						Minimal	-74.30	2.70	-77.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-68.30	2.70	-71.09	≤ -62
						Minimal	-69.30	2.70	-72.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-66.30	2.70	-69.03	≤ -62
						Minimal	-67.30	2.70	-70.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-68.30	2.70	-71.04	≤ -62
						Minimal	-69.30	2.70	-72.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-75.30	2.70	-78.03	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6185	OFF	-77.30	2.70	-80.07	≤ -62
						Minimal	-78.30	2.70	-81.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	6260	OFF	-75.30	2.70	-78.07	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-69.30	2.70	-72.04	≤ -62
						Minimal	-70.30	2.70	-73.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6505	OFF	-76.30	2.70	-79.04	≤ -62
						Minimal	-77.30	2.70	-80.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	6580	OFF	-70.30	2.70	-73.02	≤ -62
						Minimal	-71.30	2.70	-74.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-70.30	2.70	-73.07	≤ -62
						Minimal	-71.30	2.70	-74.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6665	OFF	-75.30	2.70	-78.06	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	6740	OFF	-72.30	2.70	-75.02	≤ -62
						Minimal	-73.30	2.70	-76.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62



**Contention-Based Protocol Result**


**Appendix F**

8	207	160	6985	Low edge	6910	OFF	-71.30	2.70	-74.02	≤ -62
						Minimal	-72.30	2.70	-75.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				Center	6985	OFF	-77.30	2.70	-80.04	≤ -62
						Minimal	-78.30	2.70	-81.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62
				High edge	7060	OFF	-75.30	2.70	-78.05	≤ -62
						Minimal	-76.30	2.70	-79.00	≤ -62
						ON	-79.30	2.70	-82.00	≤ -62



Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-76.04	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-71.09	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-69.03	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.04	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-78.03	OFF	10	100	90	PASS
				Center	6185	-80.07	OFF	10	100	90	PASS
				High edge	6260	-78.07	OFF	9	90	90	PASS
6	111	160	6505	Low edge	6430	-72.04	OFF	10	100	90	PASS
				Center	6505	-79.04	OFF	10	100	90	PASS
				High edge	6580	-73.02	OFF	9	90	90	PASS
7	143	160	6665	Low edge	6590	-73.07	OFF	10	100	90	PASS
				Center	6665	-78.06	OFF	9	90	90	PASS
				High edge	6740	-75.02	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-74.02	OFF	10	100	90	PASS
				Center	6985	-80.04	OFF	9	90	90	PASS
				High edge	7060	-78.05	OFF	9	90	90	PASS




**Traffic Loading Calculation**

R&S | Agilent

VISA session GPIB0::20:	Threshold (dBm) -30	Marker 1 (sec) 0	Space Time of Point 0.000003	No. of Pulse 30331
	Mean Level (dBm) -2.93	Marker 2 (sec) 0.1	Mark 1 Point 1	Close TX Time(sec) 94.784375m
	RMS Level (dBm) -2.89	Total Trace of Points 32001	Mark 2 Point 32001	Duty (%) 94.78











**Traffic Loading Calculation**



R&S | Agilent



VISA session GPIB0::20	Threshold (dBm) -30	Marker 1 (sec) 0	Space Time of Point 0.000003	No. of Pulse 13613
	Mean Level (dBm) -12.06	Marker 2 (sec) 0.1	Mark 1 Point 1	Close TX Time(sec) 42.540625m
	RMS Level (dBm) -11.98	Total Trace of Points 32001	Mark 2 Point 32001	<b>Duty (%) 42.54</b>































Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal





Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal