


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62052G	52.01	74.00	-21.99	46.80	3	Horizontal	42	1.23	-	38.90	9.03	42.72
AV	10.62062G	39.70	54.00	-14.30	34.49	3	Horizontal	42	1.23	-	38.90	9.03	42.72
PK	15.92846G	52.74	74.00	-21.26	45.19	3	Horizontal	242	1.10	-	38.31	11.42	42.18
AV	15.93059G	40.93	54.00	-13.07	33.37	3	Horizontal	242	1.10	-	38.32	11.42	42.18

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.434G	55.43	74.00	-18.57	59.44	3	Vertical	182	1.35	-	33.24	6.14	43.39
AV	5.439G	44.42	54.00	-9.58	48.40	3	Vertical	182	1.35	-	33.26	6.14	43.38
PK	5.4666G	55.84	68.20	-12.36	59.64	3	Vertical	182	1.35	-	33.40	6.15	43.35
PK	5.5134G	102.60	Inf	-Inf	106.09	3	Vertical	182	1.35	-	33.63	6.18	43.30
AV	5.5128G	94.28	Inf	-Inf	97.77	3	Vertical	182	1.35	-	33.63	6.18	43.30

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	56.43	74.00	-17.57	60.29	3	Horizontal	184	1.00	-	33.35	6.15	43.36
AV	5.4344G	46.03	54.00	-7.97	50.04	3	Horizontal	184	1.00	-	33.24	6.14	43.39
PK	5.469G	55.96	68.20	-12.24	59.75	3	Horizontal	184	1.00	-	33.41	6.15	43.35
PK	5.5146G	104.87	Inf	-Inf	108.36	3	Horizontal	184	1.00	-	33.63	6.18	43.30
AV	5.5122G	95.35	Inf	-Inf	98.85	3	Horizontal	184	1.00	-	33.62	6.18	43.30

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01798G	52.92	74.00	-21.08	47.09	3	Vertical	152	1.55	-	38.86	9.23	42.26
AV	11.01898G	40.62	54.00	-13.38	34.79	3	Vertical	152	1.55	-	38.86	9.23	42.26
PK	16.5316G	56.43	68.20	-11.77	46.52	3	Vertical	125	1.11	-	39.36	11.88	41.33

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01879G	53.23	74.00	-20.77	47.40	3	Horizontal	250	2.38	-	38.86	9.23	42.26
AV	11.01924G	40.62	54.00	-13.38	34.79	3	Horizontal	250	2.38	-	38.86	9.23	42.26
PK	16.52933G	55.96	68.20	-12.24	46.04	3	Horizontal	95	2.90	-	39.36	11.88	41.32

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	55.01	74.00	-18.99	59.09	3	Vertical	184	1.35	-	33.19	6.13	43.40
PK	5.4615G	54.50	68.20	-13.70	58.33	3	Vertical	184	1.35	-	33.37	6.15	43.35
AV	5.4483G	43.11	54.00	-10.89	47.05	3	Vertical	184	1.35	-	33.29	6.14	43.37
PK	5.5578G	103.31	Inf	-Inf	106.69	3	Vertical	184	1.35	-	33.70	6.20	43.28
AV	5.5524G	95.05	Inf	-Inf	98.43	3	Vertical	184	1.35	-	33.70	6.20	43.28

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4459G	56.64	74.00	-17.36	60.59	3	Horizontal	186	1.07	-	33.28	6.14	43.37
PK	5.4618G	54.86	68.20	-13.34	58.69	3	Horizontal	186	1.07	-	33.37	6.15	43.35
AV	5.4567G	43.27	54.00	-10.73	47.14	3	Horizontal	186	1.07	-	33.34	6.15	43.36
PK	5.547G	105.15	Inf	-Inf	108.55	3	Horizontal	186	1.07	-	33.69	6.19	43.28
AV	5.5521G	95.81	Inf	-Inf	99.19	3	Horizontal	186	1.07	-	33.70	6.20	43.28

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09995G	58.11	74.00	-15.89	52.46	3	Vertical	28	2.84	-	38.80	9.27	42.42
AV	11.10004G	43.21	54.00	-10.79	37.56	3	Vertical	28	2.84	-	38.80	9.27	42.42
PK	16.64876G	55.96	68.20	-12.24	46.06	3	Vertical	344	1.63	-	39.50	11.97	41.57

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09987G	57.53	74.00	-16.47	51.88	3	Horizontal	150	1.34	-	38.80	9.27	42.42
AV	11.10005G	43.21	54.00	-10.79	37.56	3	Horizontal	150	1.34	-	38.80	9.27	42.42
PK	16.64855G	56.07	68.20	-12.13	46.18	3	Horizontal	140	1.98	-	39.49	11.97	41.57

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6726G	101.56	Inf	-Inf	104.81	3	Vertical	192	1.50	-	33.75	6.21	43.21
AV	5.6726G	93.10	Inf	-Inf	96.35	3	Vertical	192	1.50	-	33.75	6.21	43.21
PK	5.7678G	57.56	68.20	-10.64	60.45	3	Vertical	192	1.50	-	34.07	6.20	43.16

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6654G	104.08	Inf	-Inf	107.36	3	Horizontal	185	1.06	-	33.73	6.21	43.22
AV	5.6694G	94.60	Inf	-Inf	97.87	3	Horizontal	185	1.06	-	33.74	6.21	43.22
PK	5.7668G	58.79	68.20	-9.41	61.68	3	Horizontal	185	1.06	-	34.07	6.20	43.16

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33971G	51.70	74.00	-22.30	46.40	3	Vertical	229	2.83	-	38.80	9.39	42.89
AV	11.342G	38.92	54.00	-15.08	33.62	3	Vertical	229	2.83	-	38.80	9.39	42.89
PK	17.0117G	57.25	68.20	-10.95	46.73	3	Vertical	295	1.58	-	40.55	12.26	42.29

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33946G	51.65	74.00	-22.35	46.35	3	Horizontal	10	2.90	-	38.80	9.39	42.89
AV	11.33885G	38.70	54.00	-15.30	33.39	3	Horizontal	10	2.90	-	38.80	9.39	42.88
PK	17.01031G	56.76	68.20	-11.44	46.25	3	Horizontal	35	2.75	-	40.54	12.26	42.29

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7G	103.67	Inf	-Inf	106.86	3	Vertical	183	1.18	-	33.80	6.21	43.20
AV	5.708G	95.54	Inf	-Inf	98.69	3	Vertical	183	1.18	-	33.83	6.21	43.19
PK	5.8656G	57.01	68.20	-11.19	59.37	3	Vertical	183	1.18	-	34.49	6.26	43.11

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	104.81	Inf	-Inf	107.93	3	Horizontal	185	1.01	-	33.86	6.21	43.19
AV	5.7096G	96.40	Inf	-Inf	99.54	3	Horizontal	185	1.01	-	33.84	6.21	43.19
PK	5.8984G	56.52	68.20	-11.68	58.63	3	Horizontal	185	1.01	-	34.69	6.29	43.09

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41766G	52.56	74.00	-21.44	47.37	3	Vertical	352	2.93	-	38.80	9.43	43.04
AV	11.41772G	39.08	54.00	-14.92	33.89	3	Vertical	352	2.93	-	38.80	9.43	43.04
PK	17.13058G	58.82	68.20	-9.38	47.68	3	Vertical	86	1.35	-	41.06	12.36	42.28

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41908G	51.26	74.00	-22.74	46.07	3	Horizontal	283	1.26	-	38.80	9.43	43.04
AV	11.41757G	39.12	54.00	-14.88	33.93	3	Horizontal	283	1.26	-	38.80	9.43	43.04
PK	17.1294G	57.85	68.20	-10.35	46.71	3	Horizontal	308	2.42	-	41.06	12.36	42.28

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	56.81	68.20	-11.39	60.12	3	Vertical	183	1.18	-	33.70	6.22	43.23
PK	5.753G	101.71	Inf	-Inf	104.67	3	Vertical	183	1.18	-	34.01	6.20	43.17
AV	5.7605G	93.46	Inf	-Inf	96.38	3	Vertical	183	1.18	-	34.04	6.20	43.16
PK	5.9715G	57.37	68.20	-10.83	59.07	3	Vertical	183	1.18	-	35.00	6.35	43.05

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	55.85	68.20	-12.35	59.19	3	Horizontal	186	1.03	-	33.70	6.22	43.26
PK	5.7595G	105.63	Inf	-Inf	108.55	3	Horizontal	186	1.03	-	34.04	6.20	43.16
AV	5.7545G	95.77	Inf	-Inf	98.72	3	Horizontal	186	1.03	-	34.02	6.20	43.17
PK	5.9425G	57.52	68.20	-10.68	59.29	3	Horizontal	186	1.03	-	34.96	6.33	43.06

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5094G	51.96	74.00	-22.04	46.87	3	Vertical	225	2.85	-	38.80	9.48	43.19
AV	11.50759G	39.27	54.00	-14.73	34.19	3	Vertical	225	2.85	-	38.80	9.48	43.20
PK	17.26587G	57.43	68.20	-10.77	45.83	3	Vertical	304	2.96	-	41.40	12.47	42.27

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50865G	51.65	74.00	-22.35	46.56	3	Horizontal	196	2.97	-	38.80	9.48	43.19
AV	11.50857G	39.23	54.00	-14.77	34.14	3	Horizontal	196	2.97	-	38.80	9.48	43.19
PK	17.26342G	56.85	68.20	-11.35	45.27	3	Horizontal	16	1.05	-	41.38	12.47	42.27

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	56.22	68.20	-11.98	59.54	3	Vertical	202	1.10	-	33.70	6.22	43.24
PK	5.7975G	103.18	Inf	-Inf	105.93	3	Vertical	202	1.10	-	34.19	6.20	43.14
AV	5.7975G	94.39	Inf	-Inf	97.14	3	Vertical	202	1.10	-	34.19	6.20	43.14
PK	5.956G	57.28	68.20	-10.92	58.99	3	Vertical	202	1.10	-	35.00	6.34	43.05

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6135G	55.33	68.20	-12.87	58.66	3	Horizontal	174	2.01	-	33.70	6.22	43.25
PK	5.794G	103.34	Inf	-Inf	106.11	3	Horizontal	174	2.01	-	34.18	6.20	43.15
AV	5.797G	95.03	Inf	-Inf	97.78	3	Horizontal	174	2.01	-	34.19	6.20	43.14
PK	6.008G	57.99	68.20	-10.21	59.63	3	Horizontal	174	2.01	-	35.00	6.39	43.03

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59238G	51.38	74.00	-22.62	46.20	3	Vertical	272	2.02	-	38.80	9.52	43.14
AV	11.59217G	38.21	54.00	-15.79	33.03	3	Vertical	272	2.02	-	38.80	9.52	43.14
PK	17.38326G	58.72	68.20	-9.48	46.59	3	Vertical	48	2.69	-	41.83	12.56	42.26

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58838G	50.91	74.00	-23.09	45.74	3	Horizontal	256	1.58	-	38.80	9.52	43.15
AV	11.59208G	38.21	54.00	-15.79	33.03	3	Horizontal	256	1.58	-	38.80	9.52	43.14
PK	17.38591G	58.71	68.20	-9.49	46.56	3	Horizontal	163	2.08	-	41.84	12.57	42.26

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	55.56	74.00	-18.44	60.79	3	Vertical	194	1.39	-	32.59	5.90	43.72
AV	5.145G	45.91	54.00	-8.09	51.14	3	Vertical	194	1.39	-	32.59	5.90	43.72
PK	5.2125G	100.84	Inf	-Inf	105.85	3	Vertical	194	1.39	-	32.70	5.93	43.64
AV	5.213G	93.83	Inf	-Inf	98.84	3	Vertical	194	1.39	-	32.70	5.93	43.64
PK	5.4195G	55.65	74.00	-18.35	59.74	3	Vertical	194	1.39	-	33.18	6.13	43.40
AV	5.3615G	45.79	54.00	-8.21	50.23	3	Vertical	194	1.39	-	32.95	6.08	43.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1355G	56.10	74.00	-17.90	61.37	3	Horizontal	167	1.18	-	32.57	5.89	43.73
AV	5.143G	47.67	54.00	-6.33	52.91	3	Horizontal	167	1.18	-	32.59	5.89	43.72
PK	5.216G	100.91	Inf	-Inf	105.91	3	Horizontal	167	1.18	-	32.70	5.94	43.64
AV	5.213G	94.32	Inf	-Inf	99.33	3	Horizontal	167	1.18	-	32.70	5.93	43.64
PK	5.3715G	54.73	74.00	-19.27	59.11	3	Horizontal	167	1.18	-	32.99	6.09	43.46
AV	5.4565G	45.65	54.00	-8.35	49.52	3	Horizontal	167	1.18	-	33.34	6.15	43.36

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42036G	52.36	68.20	-15.84	47.68	3	Vertical	101	2.13	-	38.60	8.92	42.84
PK	15.62774G	53.60	74.00	-20.40	45.73	3	Vertical	168	1.08	-	38.18	11.27	41.58
AV	15.62743G	43.90	54.00	-10.10	36.03	3	Vertical	168	1.08	-	38.18	11.27	41.58

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42134G	52.50	68.20	-15.70	47.83	3	Horizontal	262	2.01	-	38.60	8.92	42.85
PK	15.63109G	53.45	74.00	-20.55	45.62	3	Horizontal	152	1.97	-	38.15	11.27	41.59
AV	15.63151G	43.72	54.00	-10.28	35.89	3	Horizontal	152	1.97	-	38.15	11.27	41.59

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.121G	54.14	74.00	-19.86	59.47	3	Vertical	197	1.35	-	32.54	5.88	43.75
AV	5.138G	43.42	54.00	-10.58	48.68	3	Vertical	197	1.35	-	32.58	5.89	43.73
PK	5.2975G	100.44	Inf	-Inf	105.17	3	Vertical	197	1.35	-	32.79	6.02	43.54
AV	5.2925G	92.85	Inf	-Inf	97.61	3	Vertical	197	1.35	-	32.78	6.01	43.55
PK	5.35G	55.95	74.00	-18.05	60.46	3	Vertical	197	1.35	-	32.90	6.07	43.48
AV	5.351G	45.73	54.00	-8.27	50.24	3	Vertical	197	1.35	-	32.90	6.07	43.48
PK	5.5285G	55.21	68.20	-12.99	58.66	3	Vertical	197	1.35	-	33.66	6.18	43.29

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1405G	55.09	74.00	-18.91	60.35	3	Horizontal	166	1.25	-	32.58	5.89	43.73
AV	5.1385G	43.73	54.00	-10.27	48.99	3	Horizontal	166	1.25	-	32.58	5.89	43.73
PK	5.3015G	101.74	Inf	-Inf	106.46	3	Horizontal	166	1.25	-	32.80	6.02	43.54
AV	5.289G	93.42	Inf	-Inf	98.18	3	Horizontal	166	1.25	-	32.78	6.01	43.55
PK	5.351G	56.40	74.00	-17.60	60.91	3	Horizontal	166	1.25	-	32.90	6.07	43.48
AV	5.3515G	45.68	54.00	-8.32	50.18	3	Horizontal	166	1.25	-	32.91	6.07	43.48
PK	5.5125G	55.18	68.20	-13.02	58.68	3	Horizontal	166	1.25	-	33.62	6.18	43.30

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57816G	52.36	68.20	-15.84	47.28	3	Vertical	199	2.90	-	38.86	9.00	42.78
PK	15.87033G	54.71	74.00	-19.29	47.24	3	Vertical	16	1.34	-	38.14	11.39	42.06
AV	15.87123G	42.79	54.00	-11.21	35.33	3	Vertical	16	1.34	-	38.14	11.39	42.07

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57826G	52.12	68.20	-16.08	47.04	3	Horizontal	220	2.07	-	38.86	9.00	42.78
PK	15.87125G	54.41	74.00	-19.59	46.95	3	Horizontal	73	2.34	-	38.14	11.39	42.07
AV	15.86834G	42.83	54.00	-11.17	35.36	3	Horizontal	73	2.34	-	38.14	11.39	42.06

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3385G	54.75	68.20	-13.45	59.31	3	Vertical	182	1.36	-	32.88	6.06	43.50
PK	5.4535G	55.39	74.00	-18.61	59.28	3	Vertical	182	1.36	-	33.32	6.15	43.36
AV	5.456G	45.13	54.00	-8.87	49.00	3	Vertical	182	1.36	-	33.34	6.15	43.36
PK	5.468G	55.98	68.20	-12.22	59.77	3	Vertical	182	1.36	-	33.41	6.15	43.35
PK	5.5225G	99.92	Inf	-Inf	103.39	3	Vertical	182	1.36	-	33.65	6.18	43.30
AV	5.5275G	92.27	Inf	-Inf	95.72	3	Vertical	182	1.36	-	33.66	6.18	43.29
PK	5.7685G	55.55	68.20	-12.65	58.44	3	Vertical	182	1.36	-	34.07	6.20	43.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3185G	54.23	68.20	-13.97	58.87	3	Horizontal	186	1.00	-	32.84	6.04	43.52
PK	5.432G	56.13	74.00	-17.87	60.15	3	Horizontal	186	1.00	-	33.23	6.14	43.39
PK	5.4695G	55.77	68.20	-12.43	59.55	3	Horizontal	186	1.00	-	33.42	6.15	43.35
AV	5.46G	45.88	54.00	-8.12	49.73	3	Horizontal	186	1.00	-	33.36	6.15	43.36
PK	5.5355G	102.00	Inf	-Inf	105.43	3	Horizontal	186	1.00	-	33.67	6.19	43.29
AV	5.529G	93.44	Inf	-Inf	96.89	3	Horizontal	186	1.00	-	33.66	6.18	43.29
PK	5.75G	56.48	68.20	-11.72	59.44	3	Horizontal	186	1.00	-	34.00	6.21	43.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05988G	53.47	74.00	-20.53	47.76	3	Vertical	261	2.39	-	38.80	9.25	42.34
AV	11.0606G	42.60	54.00	-11.40	36.89	3	Vertical	261	2.39	-	38.80	9.25	42.34
PK	16.58763G	55.05	68.20	-13.15	45.25	3	Vertical	325	1.70	-	39.32	11.92	41.44

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05863G	53.93	74.00	-20.07	48.21	3	Horizontal	16	2.59	-	38.80	9.25	42.33
AV	11.06037G	42.63	54.00	-11.37	36.92	3	Horizontal	16	2.59	-	38.80	9.25	42.34
PK	16.59109G	55.49	68.20	-12.71	45.69	3	Horizontal	17	2.91	-	39.32	11.93	41.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4005G	55.43	74.00	-18.57	59.64	3	Vertical	182	1.13	-	33.10	6.12	43.43
PK	5.4685G	56.31	68.20	-11.89	60.10	3	Vertical	182	1.13	-	33.41	6.15	43.35
AV	5.46G	44.43	54.00	-9.57	48.28	3	Vertical	182	1.13	-	33.36	6.15	43.36
PK	5.613G	100.89	Inf	-Inf	104.22	3	Vertical	182	1.13	-	33.70	6.22	43.25
AV	5.613G	93.49	Inf	-Inf	96.82	3	Vertical	182	1.13	-	33.70	6.22	43.25
PK	5.7915G	57.20	68.20	-11.00	59.98	3	Vertical	182	1.13	-	34.17	6.20	43.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4355G	55.75	74.00	-18.25	59.75	3	Horizontal	175	2.10	-	33.24	6.14	43.38
AV	5.4445G	44.43	54.00	-9.57	48.38	3	Horizontal	175	2.10	-	33.28	6.14	43.37
PK	5.4635G	54.53	68.20	-13.67	58.35	3	Horizontal	175	2.10	-	33.38	6.15	43.35
PK	5.614G	100.05	Inf	-Inf	103.38	3	Horizontal	175	2.10	-	33.70	6.22	43.25
AV	5.614G	92.51	Inf	-Inf	95.84	3	Horizontal	175	2.10	-	33.70	6.22	43.25
PK	5.7895G	56.29	68.20	-11.91	59.08	3	Horizontal	175	2.10	-	34.16	6.20	43.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22009G	54.29	74.00	-19.71	48.97	3	Vertical	187	2.58	-	38.64	9.33	42.65
AV	11.22156G	42.69	54.00	-11.31	37.37	3	Vertical	187	2.58	-	38.64	9.33	42.65
PK	16.82986G	57.11	68.20	-11.09	46.81	3	Vertical	49	1.80	-	40.12	12.12	41.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22091G	54.10	74.00	-19.90	48.78	3	Horizontal	356	1.17	-	38.64	9.33	42.65
AV	11.22067G	42.69	54.00	-11.31	37.37	3	Horizontal	356	1.17	-	38.64	9.33	42.65
PK	16.83246G	57.03	68.20	-11.17	46.72	3	Horizontal	94	1.24	-	40.13	12.12	41.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4525G	54.92	74.00	-19.08	58.83	3	Vertical	180	1.29	-	33.31	6.15	43.37
AV	5.4535G	43.15	54.00	-10.85	47.04	3	Vertical	180	1.29	-	33.32	6.15	43.36
PK	5.4645G	54.28	68.20	-13.92	58.09	3	Vertical	180	1.29	-	33.39	6.15	43.35
PK	5.688G	99.81	Inf	-Inf	103.02	3	Vertical	180	1.29	-	33.78	6.21	43.20
AV	5.693G	91.45	Inf	-Inf	94.65	3	Vertical	180	1.29	-	33.79	6.21	43.20
PK	5.9035G	56.95	68.20	-11.25	59.02	3	Vertical	180	1.29	-	34.72	6.29	43.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	54.41	74.00	-19.59	58.36	3	Horizontal	185	1.08	-	33.28	6.14	43.37
PK	5.462G	54.89	68.20	-13.31	58.72	3	Horizontal	185	1.08	-	33.37	6.15	43.35
AV	5.46G	43.19	54.00	-10.81	47.04	3	Horizontal	185	1.08	-	33.36	6.15	43.36
PK	5.694G	102.47	Inf	-Inf	105.67	3	Horizontal	185	1.08	-	33.79	6.21	43.20
AV	5.694G	93.54	Inf	-Inf	96.74	3	Horizontal	185	1.08	-	33.79	6.21	43.20
PK	5.888G	57.38	68.20	-10.82	59.56	3	Horizontal	185	1.08	-	34.63	6.28	43.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38139G	51.64	74.00	-22.36	46.40	3	Vertical	264	1.29	-	38.80	9.41	42.97
AV	11.38022G	39.50	54.00	-14.50	34.26	3	Vertical	264	1.29	-	38.80	9.41	42.97
PK	17.06832G	57.61	68.20	-10.59	46.77	3	Vertical	203	1.27	-	40.81	12.31	42.28

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38028G	52.24	74.00	-21.76	47.00	3	Horizontal	104	2.63	-	38.80	9.41	42.97
AV	11.3796G	39.51	54.00	-14.49	34.26	3	Horizontal	104	2.63	-	38.80	9.41	42.96
PK	17.07171G	57.84	68.20	-10.36	46.98	3	Horizontal	176	1.80	-	40.83	12.31	42.28

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	55.99	68.20	-12.21	59.31	3	Vertical	194	1.46	-	33.70	6.22	43.24
PK	5.7735G	99.23	Inf	-Inf	102.10	3	Vertical	194	1.46	-	34.09	6.20	43.16
AV	5.773G	91.05	Inf	-Inf	93.92	3	Vertical	194	1.46	-	34.09	6.20	43.16
PK	6.001G	58.34	68.20	-9.86	59.99	3	Vertical	194	1.46	-	35.00	6.38	43.03

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6085G	56.20	68.20	-12.00	59.53	3	Horizontal	187	1.00	-	33.70	6.22	43.25
PK	5.7735G	101.73	Inf	-Inf	104.60	3	Horizontal	187	1.00	-	34.09	6.20	43.16
AV	5.774G	92.60	Inf	-Inf	95.46	3	Horizontal	187	1.00	-	34.10	6.20	43.16
PK	6.019G	57.63	68.20	-10.57	59.25	3	Horizontal	187	1.00	-	35.00	6.40	43.02

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54803G	50.92	74.00	-23.08	45.79	3	Vertical	286	2.46	-	38.80	9.50	43.17
AV	11.54895G	38.09	54.00	-15.91	32.96	3	Vertical	286	2.46	-	38.80	9.50	43.17
PK	17.32421G	56.95	68.20	-11.25	45.04	3	Vertical	301	1.73	-	41.65	12.52	42.26

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54809G	50.66	74.00	-23.34	45.53	3	Horizontal	54	2.63	-	38.80	9.50	43.17
AV	11.54811G	38.06	54.00	-15.94	32.93	3	Horizontal	54	2.63	-	38.80	9.50	43.17
PK	17.32347G	57.60	68.20	-10.60	45.69	3	Horizontal	304	2.92	-	41.65	12.52	42.26

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1164G	60.74	74.00	-13.26	66.08	3	Vertical	186	1.26	-	32.53	5.88	43.75
AV	5.118G	45.26	54.00	-8.74	50.59	3	Vertical	186	1.26	-	32.54	5.88	43.75
PK	5.266G	99.08	Inf	-Inf	103.94	3	Vertical	186	1.26	-	32.73	5.99	43.58
AV	5.2532G	89.27	Inf	-Inf	94.19	3	Vertical	186	1.26	-	32.71	5.97	43.60
PK	5.406G	56.60	74.00	-17.40	60.78	3	Vertical	186	1.26	-	33.12	6.12	43.42
AV	5.354G	43.86	54.00	-10.14	48.35	3	Vertical	186	1.26	-	32.92	6.07	43.48
PK	5.6188G	55.19	68.20	-13.01	58.51	3	Vertical	186	1.26	-	33.70	6.22	43.24

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	63.18	74.00	-10.82	68.51	3	Horizontal	187	1.89	-	32.54	5.88	43.75
AV	5.118G	46.70	54.00	-7.30	52.03	3	Horizontal	187	1.89	-	32.54	5.88	43.75
PK	5.2468G	100.16	Inf	-Inf	105.09	3	Horizontal	187	1.89	-	32.70	5.97	43.60
AV	5.2556G	87.92	Inf	-Inf	92.82	3	Horizontal	187	1.89	-	32.71	5.98	43.59
PK	5.4092G	58.78	74.00	-15.22	62.94	3	Horizontal	187	1.89	-	33.14	6.12	43.42
AV	5.3516G	44.13	54.00	-9.87	48.63	3	Horizontal	187	1.89	-	32.91	6.07	43.48
PK	5.5532G	55.54	68.20	-12.66	58.92	3	Horizontal	187	1.89	-	33.70	6.20	43.28

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50048G	51.91	68.20	-16.29	47.12	3	Vertical	269	1.42	-	38.70	8.97	42.88
PK	15.74833G	54.46	74.00	-19.54	46.86	3	Vertical	355	2.94	-	38.09	11.33	41.82
AV	15.74954G	41.56	54.00	-12.44	33.95	3	Vertical	355	2.94	-	38.10	11.33	41.82

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49908G	51.96	68.20	-16.24	47.18	3	Horizontal	102	2.48	-	38.70	8.96	42.88
PK	15.74889G	54.28	74.00	-19.72	46.68	3	Horizontal	40	1.42	-	38.09	11.33	41.82
AV	15.74992G	41.52	54.00	-12.48	33.91	3	Horizontal	40	1.42	-	38.10	11.33	41.82

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1908G	53.68	68.20	-14.52	58.75	3	Vertical	198	1.14	-	32.68	5.92	43.67
PK	5.4332G	60.12	74.00	-13.88	64.14	3	Vertical	198	1.14	-	33.23	6.14	43.39
AV	5.418G	49.15	54.00	-4.85	53.26	3	Vertical	198	1.14	-	33.17	6.13	43.41
PK	5.5756G	98.48	Inf	-Inf	101.84	3	Vertical	198	1.14	-	33.70	6.21	43.27
AV	5.5756G	88.44	Inf	-Inf	91.80	3	Vertical	198	1.14	-	33.70	6.21	43.27
PK	5.8508G	60.63	68.20	-7.57	63.09	3	Vertical	198	1.14	-	34.40	6.25	43.11

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 12
 04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	54.07	68.20	-14.13	58.61	3	Horizontal	182	1.00	-	32.89	6.06	43.49
PK	5.4372G	61.71	74.00	-12.29	65.70	3	Horizontal	182	1.00	-	33.25	6.14	43.38
AV	5.4436G	47.02	54.00	-6.98	50.99	3	Horizontal	182	1.00	-	33.27	6.14	43.38
PK	5.5564G	101.19	Inf	-Inf	104.57	3	Horizontal	182	1.00	-	33.70	6.20	43.28
AV	5.574G	90.09	Inf	-Inf	93.45	3	Horizontal	182	1.00	-	33.70	6.21	43.27
PK	5.9556G	56.58	68.20	-11.62	58.29	3	Horizontal	182	1.00	-	35.00	6.34	43.05

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13939G	57.52	74.00	-16.48	52.08	3	Vertical	105	1.49	-	38.64	9.29	42.49
AV	11.1403G	43.95	54.00	-10.05	38.51	3	Vertical	105	1.49	-	38.64	9.29	42.49
PK	16.71103G	56.17	68.20	-12.03	46.20	3	Vertical	97	1.77	-	39.64	12.02	41.69

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 12
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13967G	57.81	74.00	-16.19	52.37	3	Horizontal	248	1.56	-	38.64	9.29	42.49
AV	11.14027G	43.90	54.00	-10.10	38.46	3	Horizontal	248	1.56	-	38.64	9.29	42.49
PK	16.71065G	56.20	68.20	-12.00	46.23	3	Horizontal	140	1.96	-	39.64	12.02	41.69