



Profile: 109S008R	Page No.: 107
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz By 802.11a (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.993	24.955	-13.007	74.000	36.038	PK
2		5470.000	63.781	27.731	-24.519	88.300	36.050	PK
3	*	5494.620	98.878	62.830	N/A	N/A	36.049	PK

Profile: 109S008R	Page No.: 108
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz By 802.11a (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.747	12.709	-5.253	54.000	36.038	AV
2		5470.000	49.354	13.304	-18.946	68.300	36.050	AV
3	*	5492.730	88.203	52.157	N/A	N/A	36.047	AV

Profile: 109S008R	Page No.: 109
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:12
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11a (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5706.092	102.235	65.887	N/A	N/A	36.348	PK
2		5725.000	62.283	25.846	-26.017	88.300	36.437	PK

Profile: 109S008R	Page No.: 110
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:14
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11a (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5701.315	91.586	55.247	N/A	N/A	36.338	AV
2		5725.000	50.100	13.663	-18.200	68.300	36.437	AV

Profile: 109S008R	Page No.: 111
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:14
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11a (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.908	103.531	67.189	N/A	N/A	36.341	PK
2		5725.000	62.740	26.303	-25.560	88.300	36.437	PK

Profile: 109S008R	Page No.: 112
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:16
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11a (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.070	93.138	56.796	N/A	N/A	36.342	AV
2		5725.000	50.201	13.764	-18.099	68.300	36.437	AV

Profile: 109S008R	Page No.: 113
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz)(Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.196	25.577	-12.804	74.000	35.619	PK
2	*	5183.755	101.031	65.911	N/A	N/A	35.120	PK

Profile: 109S008R	Page No.: 114
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.197	12.578	-5.803	54.000	35.619	AV
2	*	5182.900	90.093	54.987	N/A	N/A	35.105	AV

Profile: 109S008R	Page No.: 115
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.696	25.077	-13.304	74.000	35.619	PK
2	*	5175.655	100.207	65.040	N/A	N/A	35.166	PK

Profile: 109S008R	Page No.: 116
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.237	12.618	-5.763	54.000	35.619	AV
2	*	5183.170	89.417	54.307	N/A	N/A	35.110	AV

Profile: 109S008R	Page No.: 117
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.640	106.054	70.340	N/A	N/A	35.715	PK
2		5350.000	62.202	26.433	-11.798	74.000	35.769	PK

Profile: 109S008R	Page No.: 118
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.200	94.510	58.797	N/A	N/A	35.713	AV
2		5350.000	49.685	13.916	-4.315	54.000	35.769	AV

Profile: 109S008R	Page No.: 119
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.960	105.872	70.158	N/A	N/A	35.714	PK
2		5350.000	61.712	25.943	-12.288	74.000	35.769	PK

Profile: 109S008R	Page No.: 120
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.120	95.660	59.943	N/A	N/A	35.717	AV
2		5350.000	49.849	14.080	-4.151	54.000	35.769	AV

Profile: 109S008R	Page No.: 121
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.381	25.343	-12.619	74.000	36.038	PK
2		5470.000	63.573	27.523	-24.727	88.300	36.050	PK
3	*	5502.360	105.642	69.586	N/A	N/A	36.056	PK

Profile: 109S008R	Page No.: 122
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.701	12.663	-5.299	54.000	36.038	AV
2		5470.000	49.281	13.231	-19.019	68.300	36.050	AV
3	*	5502.495	94.766	58.710	N/A	N/A	36.056	AV

Profile: 109S008R	Page No.: 123
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	62.081	26.043	-11.919	74.000	36.038	PK
2		5470.000	61.685	25.635	-26.615	88.300	36.050	PK
3	*	5498.535	105.359	69.307	N/A	N/A	36.052	PK

Profile: 109S008R	Page No.: 124
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.729	12.691	-5.271	54.000	36.038	AV
2		5470.000	49.430	13.380	-18.870	68.300	36.050	AV
3	*	5497.140	95.005	58.954	N/A	N/A	36.051	AV

Profile: 109S008R	Page No.: 125
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:37
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.402	105.889	69.545	N/A	N/A	36.345	PK
2		5725.000	67.816	31.379	-20.484	88.300	36.437	PK

Profile: 109S008R	Page No.: 126
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:45
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.265	95.387	59.045	N/A	N/A	36.342	AV
2		5725.000	52.423	15.986	-15.877	68.300	36.437	AV

Profile: 109S008R	Page No.: 127
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:45
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.595	105.710	69.382	N/A	N/A	36.328	PK
2		5725.000	68.066	31.629	-20.234	88.300	36.437	PK

Profile: 109S008R	Page No.: 128
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:46
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.973	94.024	57.682	N/A	N/A	36.341	AV
2		5725.000	52.132	15.695	-16.168	68.300	36.437	AV

Profile: 109S008R	Page No.: 129
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz)(Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.545	24.926	-13.455	74.000	35.619	PK
2	*	5183.395	94.423	59.309	N/A	N/A	35.114	PK

Profile: 109S008R	Page No.: 130
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.118	12.499	-5.882	54.000	35.619	AV
2	*	5185.600	83.924	48.772	N/A	N/A	35.152	AV

Profile: 109S008R	Page No.: 131
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz)(Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.948	25.329	-13.052	74.000	35.619	PK
2	*	5182.585	97.207	62.107	N/A	N/A	35.100	PK

Profile: 109S008R	Page No.: 132
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.094	12.475	-5.906	54.000	35.619	AV
2	*	5182.585	86.627	51.527	N/A	N/A	35.100	AV

Profile: 109S008R	Page No.: 133
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz)(Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.560	101.535	65.817	N/A	N/A	35.717	PK
2		5350.000	62.180	26.411	-11.820	74.000	35.769	PK

Profile: 109S008R	Page No.: 134
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.720	90.439	54.722	N/A	N/A	35.717	AV
2		5350.000	48.585	12.816	-5.415	54.000	35.769	AV

Profile: 109S008R	Page No.: 135
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.440	103.432	67.715	N/A	N/A	35.717	PK
2		5350.000	62.975	27.206	-11.025	74.000	35.769	PK

Profile: 109S008R	Page No.: 136
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.000	92.854	57.137	N/A	N/A	35.717	AV
2		5350.000	48.810	13.041	-5.190	54.000	35.769	AV

Profile: 109S008R	Page No.: 137
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.925	24.887	-13.075	74.000	36.038	PK
2		5470.000	62.820	26.770	-25.480	88.300	36.050	PK
3	*	5502.900	101.980	65.923	27.980	74.000	36.057	PK

Profile: 109S008R	Page No.: 138
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.854	12.816	-5.146	54.000	36.038	AV
2		5470.000	49.820	13.770	-18.480	68.300	36.050	AV
3	*	5502.495	91.091	55.035	37.091	54.000	36.056	AV

Profile: 109S008R	Page No.: 139
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.439	25.401	-12.561	74.000	36.038	PK
2		5470.000	63.902	27.852	-24.398	88.300	36.050	PK
3	*	5495.610	103.455	67.406	29.455	74.000	36.049	PK

Profile: 109S008R	Page No.: 140
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.994	12.956	-5.006	54.000	36.038	AV
2		5470.000	50.259	14.209	-18.041	68.300	36.050	AV
3	*	5503.035	92.991	56.934	38.991	54.000	36.057	AV

Profile: 109S008R	Page No.: 141
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:06
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain B)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.635	101.263	64.933	N/A	N/A	36.330	PK
2		5725.000	64.252	27.815	-24.048	88.300	36.437	PK

Profile: 109S008R	Page No.: 142
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:07
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.973	90.764	54.422	N/A	N/A	36.341	AV
2		5725.000	50.542	14.105	-17.758	68.300	36.437	AV

Profile: 109S008R	Page No.: 143
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:08
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.995	103.113	66.766	N/A	N/A	36.348	PK
2		5725.000	65.798	29.361	-22.502	88.300	36.437	PK

Profile: 109S008R	Page No.: 144
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:08
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.410	92.558	56.212	N/A	N/A	36.347	AV
2		5725.000	51.170	14.733	-17.130	68.300	36.437	AV

Profile: 109S008R	Page No.: 145
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.594	24.975	-13.406	74.000	35.619	PK
2	*	5184.340	97.026	61.895	N/A	N/A	35.131	PK

Profile: 109S008R	Page No.: 146
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.103	12.484	-5.897	54.000	35.619	AV
2	*	5178.985	82.663	47.537	N/A	N/A	35.126	AV

Profile: 109S008R	Page No.: 147
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.971	24.352	-14.029	74.000	35.619	PK
2	*	5184.340	98.560	63.429	N/A	N/A	35.131	PK

Profile: 109S008R	Page No.: 148
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz By 802.11n(20MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.112	12.493	-5.888	54.000	35.619	AV
2	*	5178.535	85.435	50.303	N/A	N/A	35.132	AV

Profile: 109S008R	Page No.: 149
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.360	106.290	70.571	N/A	N/A	35.719	PK
2		5350.000	62.956	27.187	-11.044	74.000	35.769	PK

Profile: 109S008R	Page No.: 150
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.840	93.104	57.391	N/A	N/A	35.713	PK
2		5350.000	48.962	13.193	-25.038	74.000	35.769	PK

Profile: 109S008R	Page No.: 151
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.280	103.131	67.413	N/A	N/A	35.717	PK
2		5350.000	60.928	25.159	-13.072	74.000	35.769	PK

Profile: 109S008R	Page No.: 152
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.760	90.342	54.629	N/A	N/A	35.713	AV
2		5350.000	48.650	12.881	-5.350	54.000	35.769	AV

Profile: 109S008R	Page No.: 153
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	62.464	26.426	-11.536	74.000	36.038	PK
2		5470.000	62.162	26.112	-26.138	88.300	36.050	PK
3	*	5503.260	102.718	66.661	N/A	N/A	36.057	PK

Profile: 109S008R	Page No.: 154
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.685	12.647	-5.315	54.000	36.038	AV
2		5470.000	49.033	12.983	-19.267	68.300	36.050	AV
3	*	5502.360	89.352	53.296	N/A	N/A	36.056	AV

Profile: 109S008R	Page No.: 155
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.518	25.480	-12.482	74.000	36.038	PK
2		5470.000	61.629	25.579	-26.671	88.300	36.050	PK
3	*	5504.475	105.250	69.192	N/A	N/A	36.058	PK

Profile: 109S008R	Page No.: 156
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz By 802.11n20MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.797	12.759	-5.203	54.000	36.038	AV
2		5470.000	49.416	13.366	-18.884	68.300	36.050	AV
3	*	5503.035	92.446	56.389	N/A	N/A	36.057	AV

Profile: 109S008R	Page No.: 157
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:34
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.865	103.786	67.439	N/A	N/A	36.347	PK
2		5725.000	61.841	25.404	-26.459	88.300	36.437	PK

Profile: 109S008R	Page No.: 158
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:36
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.882	89.566	53.222	N/A	N/A	36.344	AV
2		5725.000	49.576	13.139	-18.724	68.300	36.437	AV

Profile: 109S008R	Page No.: 159
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:36
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.305	104.637	68.293	N/A	N/A	36.345	PK
2		5725.000	61.940	25.503	-26.360	88.300	36.437	PK

Profile: 109S008R	Page No.: 160
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:38
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz By 802.11n(20MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.875	91.813	55.471	N/A	N/A	36.341	AV
2		5725.000	50.015	13.578	-18.285	68.300	36.437	AV

Profile: 109S008R	Page No.: 161
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.563	25.944	-12.437	74.000	35.619	PK
2	*	5199.250	95.433	60.044	N/A	N/A	35.389	PK

Profile: 109S008R	Page No.: 162
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.445	12.826	-5.555	54.000	35.619	AV
2	*	5192.600	83.832	48.558	N/A	N/A	35.274	AV

Profile: 109S008R	Page No.: 163
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.690	25.071	-13.310	74.000	35.619	PK
2	*	5186.650	95.681	60.510	N/A	N/A	35.170	PK

Profile: 109S008R	Page No.: 164
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.609	12.990	-5.391	54.000	35.619	AV
2	*	5188.050	84.782	49.587	N/A	N/A	35.195	AV

Profile: 109S008R	Page No.: 165
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz)(Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5319.350	99.690	63.976	N/A	N/A	35.714	PK
2		5350.000	63.425	27.656	-10.575	74.000	35.769	PK

Profile: 109S008R	Page No.: 166
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.100	88.507	52.792	N/A	N/A	35.716	AV
2		5350.000	50.946	15.177	-3.054	54.000	35.769	AV

Profile: 109S008R	Page No.: 167
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5312.550	102.162	66.445	N/A	N/A	35.717	PK
2		5350.000	66.548	30.779	-7.452	74.000	35.769	PK

Profile: 109S008R	Page No.: 168
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.250	91.301	55.585	N/A	N/A	35.716	AV
2		5350.000	52.753	16.984	-1.247	54.000	35.769	AV

Profile: 109S008R	Page No.: 169
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	63.673	27.635	-10.327	74.000	36.038	PK
2		5470.000	68.770	32.720	-19.53	88.300	36.050	PK
3	*	5519.400	103.116	67.009	N/A	N/A	36.107	PK

Profile: 109S008R	Page No.: 209
Engineer: Jame	
Site: AC5	Time: 2010/09/16 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.644	12.606	-5.356	54.000	36.038	AV
2		5470.000	53.303	17.253	-14.997	68.300	36.050	AV
3	*	5512.400	90.865	54.782	N/A	N/A	36.084	AV

Profile: 109S008R	Page No.: 171
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	63.912	27.874	-10.088	74.000	36.038	PK
2		5470.000	69.857	33.807	-18.443	88.300	36.050	PK
3	*	5498.500	103.840	67.788	N/A	N/A	36.052	PK

Profile: 109S008R	Page No.: 210
Engineer: Jame	
Site: AC5	Time: 2010/09/16 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.996	11.958	-6.004	54.000	36.038	AV
2		5470.000	53.529	17.479	-14.771	68.300	36.050	AV
3	*	5499.250	91.012	54.959	N/A	N/A	36.053	AV

Profile: 109S008R	Page No.: 173
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:03
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain A)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5679.500	102.511	66.199	N/A	N/A	36.312	PK
2		5725.000	61.633	25.196	-26.667	88.300	36.437	PK

Profile: 109S008R	Page No.: 174
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:04
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz)(Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5681.300	91.586	55.272	N/A	N/A	36.313	AV
2		5725.000	49.547	13.110	-18.753	68.300	36.437	AV

Profile: 109S008R	Page No.: 175
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:05
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5672.450	103.387	67.080	N/A	N/A	36.307	PK
2		5725.000	62.376	25.939	-25.924	88.300	36.437	PK

Profile: 109S008R	Page No.: 176
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:05
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain A)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5672.350	92.522	56.215	N/A	N/A	36.307	AV
2		5725.000	49.598	13.161	-18.702	68.300	36.437	AV

Profile: 109S008R	Page No.: 177
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.620	26.001	-12.380	74.000	35.619	PK
2	*	5192.750	93.474	58.198	N/A	N/A	35.276	PK

Profile: 109S008R	Page No.: 178
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz)(Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.274	12.655	-5.726	54.000	35.619	AV
2	*	5179.250	81.963	46.840	N/A	N/A	35.123	AV

Profile: 109S008R	Page No.: 179
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz)(Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.537	24.918	-13.463	74.000	35.619	PK
2	*	5179.200	95.461	60.337	N/A	N/A	35.124	PK

Profile: 109S008R	Page No.: 180
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.371	12.752	-5.629	54.000	35.619	AV
2	*	5178.650	84.493	49.363	N/A	N/A	35.130	AV

Profile: 109S008R	Page No.: 181
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz)(Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5319.200	98.203	62.489	N/A	N/A	35.714	PK
2		5350.000	62.919	27.150	-11.081	74.000	35.769	PK

Profile: 109S008R	Page No.: 182
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.700	87.252	51.536	N/A	N/A	35.716	AV
2		5350.000	51.051	15.282	-2.949	54.000	35.769	AV

Profile: 109S008R	Page No.: 183
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5319.050	99.973	64.260	N/A	N/A	35.714	PK
2		5350.000	65.664	29.895	-8.336	74.000	35.769	PK

Profile: 109S008R	Page No.: 184
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5320.300	89.108	53.393	N/A	N/A	35.714	AV
2		5350.000	52.142	16.373	-1.858	54.000	35.769	AV

Profile: 109S008R	Page No.: 185
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	63.991	27.953	-10.009	74.000	36.038	PK
2		5470.000	69.709	33.659	-18.591	88.300	36.050	PK
3	*	5512.950	102.177	66.092	N/A	N/A	36.085	PK

Profile: 109S008R	Page No.: 186
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	51.110	15.072	-2.890	54.000	36.038	AV
2		5470.000	56.194	20.144	-12.106	68.300	36.050	AV
3	*	5500.850	90.812	54.757	N/A	N/A	36.055	AV

Profile: 109S008R	Page No.: 187
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	63.878	27.840	-10.122	74.000	36.038	PK
2		5470.000	70.319	34.269	-17.981	88.300	36.050	PK
3	*	5518.850	101.549	65.444	N/A	N/A	36.105	PK

Profile: 109S008R	Page No.: 188
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	51.036	14.998	-2.964	54.000	36.038	AV
2		5470.000	55.939	19.889	-12.361	68.300	36.050	AV
3		5521.200	90.561	54.448	N/A	N/A	36.113	AV

Profile: 109S008R	Page No.: 189
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:32
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5673.100	100.984	64.676	N/A	N/A	36.308	PK
2		5725.000	62.139	25.702	-26.161	88.300	36.437	PK

Profile: 109S008R	Page No.: 190
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:34
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5681.100	90.108	53.795	N/A	N/A	36.314	AV
2		5725.000	49.406	12.969	-18.894	68.300	36.437	AV

Profile: 109S008R	Page No.: 191
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:34
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5679.050	100.303	63.991	N/A	N/A	36.312	PK
2		5725.000	62.282	25.845	-26.018	88.300	36.437	PK

Profile: 109S008R	Page No.: 192
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:36
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5682.050	89.413	53.099	N/A	N/A	36.314	AV
2		5725.000	49.370	12.933	-18.930	68.300	36.437	AV

Profile: 109S008R	Page No.: 193
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.405	25.786	-12.595	74.000	35.619	PK
2	*	5183.500	95.026	59.910	N/A	N/A	35.116	PK

Profile: 109S008R	Page No.: 194
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.266	12.647	-5.734	54.000	35.619	AV
2	*	5178.800	80.106	44.977	N/A	N/A	35.129	AV

Profile: 109S008R	Page No.: 195
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.434	24.815	-13.566	74.000	35.619	PK
2	*	5184.450	95.696	60.564	N/A	N/A	35.133	PK

Profile: 109S008R	Page No.: 196
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz By 802.11n(40MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.270	12.651	-5.730	54.000	35.619	AV
2	*	5179.100	82.654	47.529	N/A	N/A	35.125	AV

Profile: 109S008R	Page No.: 197
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5303.400	102.792	67.068	N/A	N/A	35.724	PK
2		5350.000	63.782	28.013	-10.218	74.000	35.769	PK

Profile: 109S008R	Page No.: 198
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5298.850	88.836	53.107	N/A	N/A	35.730	AV
2		5350.000	50.408	14.639	-3.592	54.000	35.769	AV

Profile: 109S008R	Page No.: 199
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5304.150	103.101	67.377	N/A	N/A	35.724	PK
2		5350.000	62.258	26.489	-11.742	74.000	35.769	PK

Profile: 109S008R	Page No.: 200
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz By 802.11n(40MHz)(Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5307.000	89.790	54.069	N/A	N/A	35.722	AV
2		5350.000	50.727	14.958	-3.273	54.000	35.769	AV

Profile: 109S008R	Page No.: 201
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5457.900	65.608	29.573	-8.392	74.000	36.035	PK
2		5460.000	62.082	26.044	-11.918	74.000	36.038	PK
3		5470.000	65.764	29.714	-22.536	88.300	36.050	PK
4	*	5503.450	102.772	66.715	N/A	N/A	36.057	PK

Profile: 109S008R	Page No.: 202
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	49.503	13.465	-4.497	54.000	36.038	AV
2		5470.000	52.173	16.123	-16.127	68.300	36.050	AV
3	*	5507.700	88.207	52.139	N/A	N/A	36.068	AV

Profile: 109S008R	Page No.: 203
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5458.550	65.832	29.796	-8.168	74.000	36.036	PK
2		5460.000	63.423	27.385	-10.577	74.000	36.038	PK
3		5470.000	66.058	30.008	-22.242	88.300	36.050	PK
4	*	5503.550	102.770	66.713	N/A	N/A	36.057	PK

Profile: 109S008R	Page No.: 204
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC 1016P	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz By 802.11n40MHz (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	49.670	13.632	-4.330	54.000	36.038	AV
2		5470.000	52.757	16.707	-15.543	68.300	36.050	AV
3	*	5499.600	89.496	53.443	N/A	N/A	36.054	AV

Profile: 109S008R	Page No.: 205
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:50
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz)(Chain A+B)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5663.400	101.765	65.464	N/A	N/A	36.301	PK
2		5725.000	61.344	24.907	-26.956	88.300	36.437	PK

Profile: 109S008R	Page No.: 206
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:52
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Horizontal
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain A+B)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5658.150	88.177	51.880	N/A	N/A	36.297	AV
2		5725.000	49.233	12.796	-19.067	68.300	36.437	AV

Profile: 109S008R	Page No.: 207
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:53
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz)(Chain A+B)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5673.400	102.771	66.463	N/A	N/A	36.308	PK
2		5725.000	61.168	24.731	-27.132	88.300	36.437	PK

Profile: 109S008R	Page No.: 208
Engineer: Jame	
Site: AC5	Time: 2010/09/13 - 14:53
Limit: FCC_PartE_15.407_RE(3m)	Margin: 0
Probe: BBHA9120D-499(1-18GHz)	Polarity: Vertical
EUT: Eee PC	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz By 802.11n(40MHz) (Chain A+B)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5659.200	89.861	53.563	N/A	N/A	36.297	AV
2		5725.000	49.283	12.846	-19.017	68.300	36.437	AV

11. Frequency Stability


11.1. Test Equipment

Frequency Stability / TR-8

Instrument	Manufacturer	Type No.	Serial No.	Cal. Date
Spectrum Analyzer	Agilent	E4446A	MY45300103	2010/04/30
AC Power Supply	IDRC	CF-500TP	979422	2009/10/21
Programmable Temperature & Humidity Chamber	Gaoyu	TH-1P-B	WIT-05121302	2010/01/19
Temperature/Humidity Meter	zhicheng	ZC1-2	TR8-TH	2010/01/14

Note: All equipments are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.

11.2. Test Setup



11.3. Limit

Manufactures of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

11.4. Test Procedure

Frequency Stability Under Temperature Variations:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to highest. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C decreased per stage until the lowest temperature reached.

Frequency Stability Under Voltage Variations:

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.

11.5. Uncertainty

The measurement uncertainty is defined as ± 100 Hz

11.6. Test Result

Product	:	Eee PC
Test Item	:	Frequency Stability
Test Site	:	TR-8
Test Mode	:	Carrier Transmit

Operating Frequency: 5180MHz					
Temp (°C)	Voltage (AC)	Frequency Tolerance (ppm)			
		0 minutes	2 minutes	5 minutes	10 minutes
-20	102	2.13	2.13	2.19	2.18
	120	1.98	1.97	1.96	1.98
	138	2.22	2.21	2.21	2.14
20	102	2.13	2.13	2.19	2.18
	120	1.96	1.96	1.95	1.94
	138	2.21	2.21	2.21	2.14
55	102	2.13	2.13	2.19	2.18
	120	1.97	1.96	1.96	1.94
	138	2.22	2.20	2.18	2.16

12. Appendix 1 – RF Test Software Parameters Setting (CRTU)

Chain A

Model	Channel	Frequency (MHz)	Chain	Register setting
802.11a	36	5180	A	16
	40	5200		16.5
	48	5240		17
	52	5260		25.5
	60	5300		25.5
	64	5320		26
	100	5500		24
	120	5600		24.5
	140	5700		24.5
802.11n(20)	36	5180	A	16
	40	5200		16.5
	48	5240		17
	52	5260		25.5
	60	5300		25.5
	64	5320		26
	100	5500		24
	120	5600		24.5
	140	5700		24.5
802.11n(40)	38	5190	A	18
	46	5230		18
	54	5270		27
	62	5310		24.5
	102	5510		26
	118	5590		26
	134	5670		26

Chain B

Model	Channel	Frequency (MHz)	Chain	Register setting
802.11a	36	5180	B	17
	40	5200		17
	48	5240		17
	52	5260		24.5
	60	5300		24
	64	5320		24
	100	5500		27
	120	5600		27
	140	5700		27
802.11n(20)	36	5180	B	17
	40	5200		17
	48	5240		17
	52	5260		24.5
	60	5300		24
	64	5320		24
	100	5500		27
	120	5600		27
	140	5700		27
802.11n(40)	38	5190	B	18.5
	46	5230		18.5
	54	5270		26
	62	5310		24
	102	5510		28.5
	118	5590		28.5
	134	5670		28

Chain A+B

Model	Channel	Frequency (MHz)	Register setting Chain A	Register setting Chain B
802.11n(20)	36	5180	16	17
	40	5200	16	17
	48	5240	16.5	16.5
	52	5260	25	24
	60	5300	25	24
	64	5320	25	23.5
	100	5500	23.5	26.5
	120	5600	24	26.5
	140	5700	24	26.5
802.11n(40)	38	5190	17	18
	46	5230	17.5	18
	54	5270	26.5	26
	62	5310	26.5	25
	102	5510	25	28
	118	5590	25.5	28
	134	5670	25.5	28