







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																											
ANT	802.11ax HE20 Full CH233 7115MHz																																																											
7+8	Vertical	Fundamental																																																										
<p><b>Peak</b></p>	 <p>Site : 032005-KS            Condition : WiFi 6E PEAK 3m 3317.5M 70957 VERTICAL            Project : RSM 1000 0000Hz VSM 3000 0000Hz SRT Auto            Mode : FR241808            Plane : 55            Antenna : Z            Single-directivity : Single-directivity            MEI : #62            Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>71.80</td> <td>-18.50</td> <td>88.30</td> <td>60.48</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>26</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	7125.00	71.80	-18.50	88.30	60.48	35.82	12.61	37.11	100	26	Peak	VERTICAL	 <p>Site : 032005-KS            Condition : WiFi 6E PEAK 3m 3317.5M 70957 VERTICAL            Project : RSM 1000 0000Hz VSM 3000 0000Hz SRT Auto            Mode : FR241808            Plane : 55            Antenna : Z            Single-directivity : Single-directivity            MEI : #62            Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7120.00</td> <td>85.72</td> <td>-2.58</td> <td>88.30</td> <td>74.40</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>26</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	7120.00	85.72	-2.58	88.30	74.40	35.82	12.61	37.11	100	26	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	7125.00	71.80	-18.50	88.30	60.48	35.82	12.61	37.11	100	26	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	7120.00	85.72	-2.58	88.30	74.40	35.82	12.61	37.11	100	26	Peak	VERTICAL																																																
<p><b>Avg.</b></p>	 <p>Site : 032005-KS            Condition : WiFi 6E (AVG) 3m 3317.5M 70957 VERTICAL            Project : RSM 1000 0000Hz VSM 3000 0000Hz SRT Auto            Mode : FR241808            Plane : 55            Antenna : Z            Single-directivity : Single-directivity            MEI : #62            Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>65.05</td> <td>-3.25</td> <td>68.30</td> <td>53.73</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>26</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	7125.00	65.05	-3.25	68.30	53.73	35.82	12.61	37.11	100	26	Peak	VERTICAL	 <p>Site : 032005-KS            Condition : WiFi 6E (AVG) 3m 3317.5M 70957 VERTICAL            Project : RSM 1000 0000Hz VSM 3000 0000Hz SRT Auto            Mode : FR241808            Plane : 55            Antenna : Z            Single-directivity : Single-directivity            MEI : #62            Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7120.00</td> <td>77.66</td> <td>9.16</td> <td>68.30</td> <td>66.14</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>26</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	7120.00	77.66	9.16	68.30	66.14	35.82	12.61	37.11	100	26	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	7125.00	65.05	-3.25	68.30	53.73	35.82	12.61	37.11	100	26	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	7120.00	77.66	9.16	68.30	66.14	35.82	12.61	37.11	100	26	Average	VERTICAL																																																



WIFI 802.11ax HE20 Full&Part 27M LTE B7 BW\_20M (Harmonic @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH233 7115 MHz																																																																			
7+8	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 020802-ES Condition : WIFI 6E PEAK 3m 3317 SN 75957 HORIZONTAL Project : RM 1000 000MHz VHM-3000 000MHz SWT-Auto Mode : CS Plane : Z Polarization : Single-directivity IME1 : #52 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.02</td> <td>-42.28</td> <td>88.30</td> <td>53.73</td> <td>39.02</td> <td>18.19</td> <td>64.92</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg			1 14230.00	46.02	-42.28	88.30	53.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL	<p>Site : 020802-ES Condition : WIFI 6E PEAK 3m 3317 SN 75957 VERTICAL Project : RM 1000 000MHz VHM-3000 000MHz SWT-Auto Mode : CS Plane : Z Polarization : Single-directivity IME1 : #52 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>45.92</td> <td>-42.38</td> <td>88.30</td> <td>53.63</td> <td>39.02</td> <td>18.19</td> <td>64.92</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg			1 14230.00	45.92	-42.38	88.30	53.63	39.02	18.19	64.92	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg																																																												
1 14230.00	46.02	-42.28	88.30	53.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	cm	deg																																																												
1 14230.00	45.92	-42.38	88.30	53.63	39.02	18.19	64.92	100	0 Peak	VERTICAL																																																										



WIFI 802.11ax HE20 Full & Part 27M LTE B7 BW\_20M&&BLE\_CH00 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Full CH233 7115MHz																																																																					
7+8	Horizontal	Fundamental																																																																				
Peak	<p>Site : 030905-KS Condition : WIFI 6E PEAK 3m 3317 SM 75957 HORIZONTAL RSM 1000.000KHz VBM 3000.000KHz SMT Auto Project : (FR)241808 Mode : S6 Plane : Z Single-directivity IME1 : #52 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>69.22</td> <td>-19.08</td> <td>88.30</td> <td>57.90</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>370</td> <td>290 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	7125.00	69.22	-19.08	88.30	57.90	35.82	12.61	37.11	370	290 Peak	HORIZONTAL	<p>Site : 030905-KS Condition : WIFI 6E PEAK 3m 3317 SM 75957 HORIZONTAL RSM 1000.000KHz VBM 3000.000KHz SMT Auto Project : (FR)241808 Mode : S6 Plane : Z Single-directivity IME1 : #52 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7120.00</td> <td>81.91</td> <td>-6.39</td> <td>88.30</td> <td>70.59</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>370</td> <td>290 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	7120.00	81.91	-6.39	88.30	70.59	35.82	12.61	37.11	370	290 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	7125.00	69.22	-19.08	88.30	57.90	35.82	12.61	37.11	370	290 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	7120.00	81.91	-6.39	88.30	70.59	35.82	12.61	37.11	370	290 Peak	HORIZONTAL																																																											
Avg.	<p>Site : 030905-KS Condition : WIFI 6E (AVG) 3m 3317 SM 75957 HORIZONTAL RSM 1000.000KHz VBM 0.010KHz SMT Auto Project : (FR)241808 Mode : S6 Plane : Z Single-directivity IME1 : #52 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>44.38</td> <td>-3.92</td> <td>48.30</td> <td>53.04</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>370</td> <td>290 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	7125.00	44.38	-3.92	48.30	53.04	35.82	12.61	37.11	370	290 Average	HORIZONTAL	<p>Site : 030905-KS Condition : WIFI 6E (AVG) 3m 3317 SM 75957 HORIZONTAL RSM 1000.000KHz VBM 0.010KHz SMT Auto Project : (FR)241808 Mode : S6 Plane : Z Single-directivity IME1 : #52 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7111.00</td> <td>73.40</td> <td>5.10</td> <td>48.30</td> <td>42.08</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>370</td> <td>290 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	7111.00	73.40	5.10	48.30	42.08	35.82	12.61	37.11	370	290 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	7125.00	44.38	-3.92	48.30	53.04	35.82	12.61	37.11	370	290 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	7111.00	73.40	5.10	48.30	42.08	35.82	12.61	37.11	370	290 Average	HORIZONTAL																																																											



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																											
ANT	802.11ax HE20 Full CH233 7115MHz																																																											
7+8	Vertical	Fundamental																																																										
Peak	 <p>Site : 030905-KS Condition : WIFI DE PEAK 3m 3317.5M 70507 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto FR241808 Mode : S4 Plane : Z Single-directivity : MEI : #62 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>WIC</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.34</td> <td>-15.90</td> <td>88.30</td> <td>61.02</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>25</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	72.34	-15.90	88.30	61.02	35.82	12.61	37.11	100	25	Peak	VERTICAL	 <p>Site : 030905-KS Condition : WIFI DE PEAK 3m 3317.5M 70507 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SRT Auto FR241808 Mode : S4 Plane : Z Single-directivity : MEI : #62 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>WIC</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7111.00</td> <td>85.43</td> <td>-2.87</td> <td>88.30</td> <td>74.11</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>25</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7111.00	85.43	-2.87	88.30	74.11	35.82	12.61	37.11	100	25	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7125.00	72.34	-15.90	88.30	61.02	35.82	12.61	37.11	100	25	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7111.00	85.43	-2.87	88.30	74.11	35.82	12.61	37.11	100	25	Peak	VERTICAL																																																
Avg.	 <p>Site : 030905-KS Condition : WIFI DE (AVG) 3m 3317.5M 70507 VERTICAL Project : RSM 1000 000KHz VSW 0.010KHz SRT Auto FR241808 Mode : S4 Plane : Z Single-directivity : MEI : #62 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>WIC</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>65.64</td> <td>-2.66</td> <td>68.30</td> <td>54.32</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>25</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	65.64	-2.66	68.30	54.32	35.82	12.61	37.11	100	25	Average	VERTICAL	 <p>Site : 030905-KS Condition : WIFI DE (AVG) 3m 3317.5M 70507 VERTICAL Project : RSM 1000 000KHz VSW 0.010KHz SRT Auto FR241808 Mode : S4 Plane : Z Single-directivity : MEI : #62 Powersetting : -5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>WIC</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7120.00</td> <td>76.94</td> <td>8.64</td> <td>68.30</td> <td>65.62</td> <td>35.82</td> <td>12.61</td> <td>37.11</td> <td>100</td> <td>25</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7120.00	76.94	8.64	68.30	65.62	35.82	12.61	37.11	100	25	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7125.00	65.64	-2.66	68.30	54.32	35.82	12.61	37.11	100	25	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																					
WIC	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7120.00	76.94	8.64	68.30	65.62	35.82	12.61	37.11	100	25	Average	VERTICAL																																																







WIFI 802.11ax HE20 Full & Part 27M LTE B7 BW\_20M & BLE\_CH00 (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH233 7115 MHz																																																													
7+8	Horizontal	Vertical																																																												
Peak Avg.	<p>Site Condition: 020902-HE              Condition: WIFI 0E PEAK 3m 3317 5M 75957 HORIZONTAL              RSM 1000 0000Hz VSW 3000 0000Hz SWT Auto              Project: (FR)241808              Mode: 05              Plane: 2              Single-directivity              IMEI: 862              Powersetting: -9</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14232.00</td> <td>45.02</td> <td>-43.28</td> <td>88.30</td> <td>52.73</td> <td>39.02</td> <td>18.19</td> <td>64.92</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	dB	dB	cm	deg			1	14232.00	45.02	-43.28	88.30	52.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL	<p>Site Condition: 020902-HE              Condition: WIFI 0E PEAK 3m 3317 5M 75957 VERTICAL              RSM 1000 0000Hz VSW 3000 0000Hz SWT Auto              Project: (FR)241808              Mode: 05              Plane: 2              Single-directivity              IMEI: 862              Powersetting: -9</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14232.00</td> <td>44.92</td> <td>-43.38</td> <td>88.30</td> <td>52.63</td> <td>39.02</td> <td>18.19</td> <td>64.92</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	dB	dB	cm	deg			1	14232.00	44.92	-43.38	88.30	52.63	39.02	18.19	64.92	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
dB	dB	dB	dB	dB	cm	deg																																																								
1	14232.00	45.02	-43.28	88.30	52.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
dB	dB	dB	dB	dB	cm	deg																																																								
1	14232.00	44.92	-43.38	88.30	52.63	39.02	18.19	64.92	100	0 Peak	VERTICAL																																																			



WIFI 802.11ax HE20 Full & Part 27M LTE B7 BW\_20M & BLE\_CH00 (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																													
ANT	BLE CH00 2402MHz																																													
7+8	Horizontal	Fundamental																																												
Peak	 <p>Site : 020905-KS            Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL            Project : FR241808            Mode : S6            Plane : Z            ME1 : Single-directivity</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>2388.13</th> <th>50.43</th> <th>-23.57</th> <th>74.00</th> <th>47.31</th> <th>32.88</th> <th>7.10</th> <th>36.86</th> <th>165</th> <th>203</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	2388.13	50.43	-23.57	74.00	47.31	32.88	7.10	36.86	165	203	Peak	HORIZONTAL	 <p>Site : 020905-KS            Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL            Project : FR241808            Mode : S6            Plane : Z            ME1 : Single-directivity</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>2402.00</th> <th>98.33</th> <th>24.33</th> <th>74.00</th> <th>95.18</th> <th>32.88</th> <th>7.13</th> <th>36.86</th> <th>165</th> <th>203</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	2402.00	98.33	24.33	74.00	95.18	32.88	7.13	36.86	165	203	Peak	HORIZONTAL
ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																						
1	2388.13	50.43	-23.57	74.00	47.31	32.88	7.10	36.86	165	203	Peak	HORIZONTAL																																		
ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																						
1	2402.00	98.33	24.33	74.00	95.18	32.88	7.13	36.86	165	203	Peak	HORIZONTAL																																		
Avg.	 <p>Site : 020905-KS            Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL            Project : FR241808            Mode : S6            Plane : Z            ME1 : Single-directivity</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>2384.88</th> <th>40.72</th> <th>-13.28</th> <th>54.00</th> <th>37.63</th> <th>32.86</th> <th>7.10</th> <th>36.87</th> <th>165</th> <th>203</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	2384.88	40.72	-13.28	54.00	37.63	32.86	7.10	36.87	165	203	Average	HORIZONTAL	 <p>Site : 020905-KS            Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL            Project : FR241808            Mode : S6            Plane : Z            ME1 : Single-directivity</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>2402.00</th> <th>97.74</th> <th>43.74</th> <th>54.00</th> <th>94.59</th> <th>32.88</th> <th>7.13</th> <th>36.86</th> <th>165</th> <th>203</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	2402.00	97.74	43.74	54.00	94.59	32.88	7.13	36.86	165	203	Average	HORIZONTAL
ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																						
1	2384.88	40.72	-13.28	54.00	37.63	32.86	7.10	36.87	165	203	Average	HORIZONTAL																																		
ME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																						
1	2402.00	97.74	43.74	54.00	94.59	32.88	7.13	36.86	165	203	Average	HORIZONTAL																																		



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	BLE CH00 2402MHz																																																																			
7+8	Vertical	Fundamental																																																																		
<b>Peak</b>	<p>Site : 030905-KS            Condition : FCC PART 15C 3m 2317.5M 79957 VERTICAL            Project : RSR-1000 000kHz YBR-3000 000kHz SMT-Auto            Mode : S0            Plane : Z            Single-directivity : 2            IE1 : #02</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.79</td> <td>50.35</td> <td>-23.65</td> <td>74.00</td> <td>47.29</td> <td>32.86</td> <td>7.07</td> <td>36.87</td> <td>271</td> <td>69 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg		1	2372.79	50.35	-23.65	74.00	47.29	32.86	7.07	36.87	271	69 Peak VERTICAL	<p>Site : 030905-KS            Condition : FCC PART 15C 3m 2317.5M 79957 VERTICAL            Project : RSR-1000 000kHz YBR-3000 000kHz SMT-Auto            Mode : S0            Plane : Z            Single-directivity : 2            IE1 : #02</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.59</td> <td>26.59</td> <td>74.00</td> <td>97.44</td> <td>32.88</td> <td>7.13</td> <td>36.86</td> <td>271</td> <td>69 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg		1	2402.00	100.59	26.59	74.00	97.44	32.88	7.13	36.86	271	69 Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																											
1	2372.79	50.35	-23.65	74.00	47.29	32.86	7.07	36.87	271	69 Peak VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	100.59	26.59	74.00	97.44	32.88	7.13	36.86	271	69 Peak VERTICAL																																																										
<b>Avg</b>	<p>Site : 030905-KS            Condition : FCC PART 15C (AVG) 3m 2317.5M 79957 VERTICAL            Project : RSR-1000 000kHz YBR-3 700kHz SMT-Auto            Mode : S0            Plane : Z            Single-directivity : 2            IE1 : #02</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.45</td> <td>40.51</td> <td>-13.19</td> <td>54.00</td> <td>37.72</td> <td>32.86</td> <td>7.10</td> <td>36.87</td> <td>271</td> <td>69 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg		1	2383.45	40.51	-13.19	54.00	37.72	32.86	7.10	36.87	271	69 Average VERTICAL	<p>Site : 030905-KS            Condition : FCC PART 15C (AVG) 3m 2317.5M 79957 VERTICAL            Project : RSR-1000 000kHz YBR-3 700kHz SMT-Auto            Mode : S0            Plane : Z            Single-directivity : 2            IE1 : #02</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.03</td> <td>46.03</td> <td>54.00</td> <td>96.88</td> <td>32.88</td> <td>7.13</td> <td>36.86</td> <td>271</td> <td>69 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg		1	2402.00	100.03	46.03	54.00	96.88	32.88	7.13	36.86	271	69 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																											
1	2383.45	40.51	-13.19	54.00	37.72	32.86	7.10	36.87	271	69 Average VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	100.03	46.03	54.00	96.88	32.88	7.13	36.86	271	69 Average VERTICAL																																																										



WIFI 802.11ax HE20 Full & Part 27M LTE B7 BW\_20M & BLE\_CH00 (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	BLE CH00 2402MHz																																																																	
7+8	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 020000-03 Condition : FCC PART 15C 3m 3317 5M 79957 HORIZONTAL Power : 1000.0000MHz YBR-3000.0000MHz SRT:Auto Project : (FR)241808 Mode : CS Plane : Z IMEI : 862</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.31</td> <td>-33.69</td> <td>74.00</td> <td>61.29</td> <td>34.19</td> <td>10.20</td> <td>65.37</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	4804.00	40.31	-33.69	74.00	61.29	34.19	10.20	65.37	300	0 Peak	HORIZONTAL	<p>Site : 020000-03 Condition : FCC PART 15C 3m 3317 5M 79957 VERTICAL Power : 1000.0000MHz YBR-3000.0000MHz SRT:Auto Project : (FR)241808 Mode : CS Plane : Z IMEI : 862</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.35</td> <td>-34.65</td> <td>74.00</td> <td>60.33</td> <td>34.19</td> <td>10.20</td> <td>65.37</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	4804.00	39.35	-34.65	74.00	60.33	34.19	10.20	65.37	100	0 Peak	VERTICAL
IMEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	4804.00	40.31	-33.69	74.00	61.29	34.19	10.20	65.37	300	0 Peak	HORIZONTAL																																																							
IMEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	4804.00	39.35	-34.65	74.00	60.33	34.19	10.20	65.37	100	0 Peak	VERTICAL																																																							






## Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1/2	802.11a	98.97	-	-	10Hz
1/2	802.11ax HE20	100	-	-	10Hz
1/2	802.11ax HE40	100	-	-	10Hz
1/2	802.11ax HE80	100	-	-	10Hz
1/2	802.11ax HE160	100	-	-	10Hz

### 802.11a






802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

