




11BE320MIMO_Ant5_6905_Large RU 996*3+484_5




11BE320MIMO_Ant5_6905_Large RU 996*3+484_8




11BE320MIMO_Ant5_6905_Puncturing 80M+40M_1




11BE320MIMO_Ant5_6905_Puncturing 80M+40M_3




11BE320MIMO_Ant5_6905_Puncturing 80M+40M_5




11BE320MIMO_Ant5_6905_Puncturing 80M+40M_8




11BE320MIMO_Ant5_6905_Puncturing 80M_1




11BE320MIMO_Ant5_6905_Puncturing 80M_2




11BE320MIMO_Ant5_6905_Puncturing 80M_3




11BE320MIMO_Ant5_6905_Puncturing 80M_4




11BE320MIMO_Ant5_6905_Puncturing 40M_1




11BE320MIMO_Ant5_6905_Puncturing 40M_2




11BE320MIMO_Ant5_6905_Puncturing 40M_3




11BE320MIMO_Ant5_6905_Puncturing 40M_6




11BE320MIMO_Ant5_6905_Puncturing 40M_7




11BE320MIMO_Ant5_6905_Puncturing 40M_8




11BE320MIMO_Ant4_6905_Large RU 996*2+484_3




11BE320MIMO_Ant4_6905_Large RU 996*2+484_6




11BE320MIMO_Ant4_6905_Large RU 996*3_4




11BE320MIMO_Ant4_6905_Large RU 996*3+484_5




11BE320MIMO_Ant4_6905_Large RU 996*3+484_8




11BE320MIMO_Ant4_6905_Puncturing 80M+40M_1




11BE320MIMO_Ant4_6905_Puncturing 80M+40M_3




11BE320MIMO_Ant4_6905_Puncturing 80M+40M_5




11BE320MIMO_Ant4_6905_Puncturing 80M+40M_8




11BE320MIMO_Ant4_6905_Puncturing 80M_1




11BE320MIMO_Ant4_6905_Puncturing 80M_2




11BE320MIMO_Ant4_6905_Puncturing 80M_3




11BE320MIMO_Ant4_6905_Puncturing 80M_4




11BE320MIMO_Ant4_6905_Puncturing 40M_1




11BE320MIMO_Ant4_6905_Puncturing 40M_2




11BE320MIMO_Ant4_6905_Puncturing 40M_3




11BE320MIMO_Ant4_6905_Puncturing 40M_6



11BE320MIMO_Ant4_6905_Puncturing 40M_7



11B320MIMO_Ant4_6905_Puncturing 40M_8





<MIMO Ant.5+6>

Maximum conducted output power

Test Result

Test Mode	Antenna	Channel	MRU Mode	MRU Mode	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20MIMO	Ant5	5935	52+26_OFDMA	1	0.02	-12.28	≤23.41	0.59	-11.69	≤24.00	PASS
			106+26_OFDMA	1	0.02	-10.03	≤23.41	0.59	-9.44	≤24.00	PASS
	Ant6	5935	52+26_OFDMA	1	0.02	-13.25	≤24.22	-0.22	-13.47	≤24.00	PASS
			106+26_OFDMA	1	0.02	-11.23	≤24.22	-0.22	-11.45	≤24.00	PASS
	total	5935	52+26_OFDMA	1	---	-9.73	≤23.41	0.59	-9.14	≤24.00	PASS
			106+26_OFDMA	1	---	-7.58	≤23.41	0.59	-6.99	≤24.00	PASS
	Ant5	5955	52+26_OFDMA	1	0.02	-0.71	≤23.41	0.59	-0.12	≤24.00	PASS
			106+26_OFDMA	1	0.02	1.98	≤23.41	0.59	2.57	≤24.00	PASS
	Ant6	5955	52+26_OFDMA	1	0.02	-1.77	≤24.22	-0.22	-1.99	≤24.00	PASS
			106+26_OFDMA	1	0.02	0.9	≤24.22	-0.22	0.68	≤24.00	PASS
	total	5955	52+26_OFDMA	1	---	1.8	≤23.41	0.59	2.39	≤24.00	PASS
			106+26_OFDMA	1	---	4.48	≤23.41	0.59	5.07	≤24.00	PASS
	Ant5	6435	52+26_OFDMA	1	0.02	0.35	≤24.51	-0.51	-0.16	≤24.00	PASS
			106+26_OFDMA	1	0.02	3.07	≤24.51	-0.51	2.56	≤24.00	PASS
	Ant6	6435	52+26_OFDMA	1	0.02	-1.19	≤24.47	-0.47	-1.66	≤24.00	PASS
			106+26_OFDMA	1	0.02	1.5	≤24.47	-0.47	1.03	≤24.00	PASS
	total	6435	52+26_OFDMA	1	---	2.66	≤24.47	-0.47	2.19	≤24.00	PASS
			106+26_OFDMA	1	---	5.37	≤24.47	-0.47	4.9	≤24.00	PASS
	Ant5	6535	52+26_OFDMA	1	0.02	0.42	≤24.51	-0.51	-0.09	≤24.00	PASS
			106+26_OFDMA	1	0.02	2.09	≤24.51	-0.51	1.58	≤24.00	PASS
	Ant6	6535	52+26_OFDMA	1	0.02	-0.29	≤24.53	-0.53	-0.82	≤24.00	PASS
			106+26_OFDMA	1	0.02	1.37	≤24.53	-0.53	0.84	≤24.00	PASS
	total	6535	52+26_OFDMA	1	---	3.09	≤24.51	-0.51	2.58	≤24.00	PASS
			106+26_OFDMA	1	---	4.76	≤24.51	-0.51	4.25	≤24.00	PASS
	Ant5	7095	52+26_OFDMA	3	0.02	2.82	≤25.22	-1.22	1.6	≤24.00	PASS
			106+26_OFDMA	2	0.02	4.72	≤25.22	-1.22	3.5	≤24.00	PASS
	Ant6	7095	52+26_OFDMA	3	0.02	1.88	≤25.30	-1.3	0.58	≤24.00	PASS
			106+26_OFDMA	2	0.02	4.98	≤25.30	-1.3	3.68	≤24.00	PASS
total	7095	52+26_OFDMA	3	---	5.39	≤25.22	-1.22	4.17	≤24.00	PASS	
		106+26_OFDMA	2	---	7.86	≤25.22	-1.22	6.64	≤24.00	PASS	
Ant5	7115	52+26_OFDMA	3	0.02	-9.88	≤25.22	-1.22	-11.1	≤24.00	PASS	
		106+26_OFDMA	2	0.02	-8.16	≤25.22	-1.22	-9.38	≤24.00	PASS	
Ant6	7115	52+26_OFDMA	3	0.02	-11.05	≤25.30	-1.3	-12.35	≤24.00	PASS	



11BE80MIMO	total	7115	106+26_OFDMA	2	0.01	-9.52	≤25.30	-1.3	-10.82	≤24.00	PASS
			52+26_OFDMA	3	---	-7.42	≤25.22	-1.22	-8.64	≤24.00	PASS
			106+26_OFDMA	2	---	-5.78	≤25.22	-1.22	-7	≤24.00	PASS
	Ant5	5985	Large RU 484+242	2	0.08	8.54	≤23.41	0.59	9.13	≤24.00	PASS
				4	0.08	8.67	≤23.41	0.59	9.26	≤24.00	PASS
			Puncturing 20M	1	0.03	8.31	≤23.41	0.59	8.9	≤24.00	PASS
				2	0.13	8.42	≤23.41	0.59	9.01	≤24.00	PASS
				3	0.13	8.54	≤23.41	0.59	9.13	≤24.00	PASS
				4	0.13	8.48	≤23.41	0.59	9.07	≤24.00	PASS
	Ant6	5985	Large RU 484+242	2	0.08	8.19	≤24.22	-0.22	7.97	≤24.00	PASS
				4	0.08	8.16	≤24.22	-0.22	7.94	≤24.00	PASS
			Puncturing 20M	1	0.03	7.34	≤24.22	-0.22	7.12	≤24.00	PASS
				2	0.13	7.48	≤24.22	-0.22	7.26	≤24.00	PASS
				3	0.13	7.51	≤24.22	-0.22	7.29	≤24.00	PASS
				4	0.13	7.45	≤24.22	-0.22	7.23	≤24.00	PASS
	total	5985	Large RU 484+242	2	---	11.38	≤23.41	0.59	11.97	≤24.00	PASS
				4	---	11.43	≤23.41	0.59	12.02	≤24.00	PASS
			Puncturing 20M	1	---	10.86	≤23.41	0.59	11.45	≤24.00	PASS
				2	---	10.99	≤23.41	0.59	11.58	≤24.00	PASS
				3	---	11.07	≤23.41	0.59	11.66	≤24.00	PASS
				4	---	11.01	≤23.41	0.59	11.6	≤24.00	PASS
	Ant5	7025	Large RU 484+242	2	0.08	8.81	≤25.22	-1.22	7.59	≤24.00	PASS
				4	0.08	8.65	≤25.22	-1.22	7.43	≤24.00	PASS
			Puncturing 20M	1	0.03	8.82	≤25.22	-1.22	7.6	≤24.00	PASS
				2	0.03	8.98	≤25.22	-1.22	7.76	≤24.00	PASS
				3	0.03	8.92	≤25.22	-1.22	7.7	≤24.00	PASS
				4	0.03	8.86	≤25.22	-1.22	7.64	≤24.00	PASS
	Ant6	7025	Large RU 484+242	2	0.08	7.68	≤25.30	-1.3	6.38	≤24.00	PASS
4				0.08	7.72	≤25.30	-1.3	6.42	≤24.00	PASS	
Puncturing 20M			1	0.03	7.3	≤25.30	-1.3	6	≤24.00	PASS	
			2	0.03	7.38	≤25.30	-1.3	6.08	≤24.00	PASS	
			3	0.03	7.28	≤25.30	-1.3	5.98	≤24.00	PASS	
			4	0.03	7.26	≤25.30	-1.3	5.96	≤24.00	PASS	
total	7025	Large RU 484+242	2	---	11.29	≤25.22	-1.22	10.07	≤24.00	PASS	
			4	---	11.22	≤25.22	-1.22	10	≤24.00	PASS	
		Puncturing 20M	1	---	11.14	≤25.22	-1.22	9.92	≤24.00	PASS	
			2	---	11.26	≤25.22	-1.22	10.04	≤24.00	PASS	
			3	---	11.19	≤25.22	-1.22	9.97	≤24.00	PASS	
			4	---	11.14	≤25.22	-1.22	9.92	≤24.00	PASS	
11BE160MIMO	Ant5	6025	Large RU 996+484	3	0.09	6.29	≤23.41	0.59	6.88	≤24.00	PASS
				4	0.09	6.75	≤23.41	0.59	7.34	≤24.00	PASS



			Puncturing 40M	1	0.04	6.69	≤23.41	0.59	7.28	≤24.00	PASS
				2	0.04	6.59	≤23.41	0.59	7.18	≤24.00	PASS
				3	0.04	6.81	≤23.41	0.59	7.4	≤24.00	PASS
				4	0.04	6.76	≤23.41	0.59	7.35	≤24.00	PASS
			Puncturing 20M	1	0.04	7.3	≤23.41	0.59	7.89	≤24.00	PASS
				2	0.04	7.29	≤23.41	0.59	7.88	≤24.00	PASS
				4	0.04	7.25	≤23.41	0.59	7.84	≤24.00	PASS
				6	0.04	7.37	≤23.41	0.59	7.96	≤24.00	PASS
	Ant6	6025	Large RU 996+484	3	0.09	5.55	≤24.22	-0.22	5.33	≤24.00	PASS
				4	0.09	5.85	≤24.22	-0.22	5.63	≤24.00	PASS
			Puncturing 40M	1	0.04	5.91	≤24.22	-0.22	5.69	≤24.00	PASS
				2	0.04	5.87	≤24.22	-0.22	5.65	≤24.00	PASS
				3	0.04	5.99	≤24.22	-0.22	5.77	≤24.00	PASS
				4	0.04	5.89	≤24.22	-0.22	5.67	≤24.00	PASS
			Puncturing 20M	1	0.04	6.97	≤24.22	-0.22	6.75	≤24.00	PASS
				2	0.04	6.92	≤24.22	-0.22	6.7	≤24.00	PASS
	4	0.04		6.85	≤24.22	-0.22	6.63	≤24.00	PASS		
	6	0.04		7.02	≤24.22	-0.22	6.8	≤24.00	PASS		
	total	6025	Large RU 996+484	3	---	8.95	≤23.41	0.59	9.54	≤24.00	PASS
				4	---	9.33	≤23.41	0.59	9.92	≤24.00	PASS
			Puncturing 40M	1	---	9.33	≤23.41	0.59	9.92	≤24.00	PASS
				2	---	9.26	≤23.41	0.59	9.85	≤24.00	PASS
				3	---	9.43	≤23.41	0.59	10.02	≤24.00	PASS
				4	---	9.36	≤23.41	0.59	9.95	≤24.00	PASS
			Puncturing 20M	1	---	10.15	≤23.41	0.59	10.74	≤24.00	PASS
				2	---	10.12	≤23.41	0.59	10.71	≤24.00	PASS
	4	---		10.06	≤23.41	0.59	10.65	≤24.00	PASS		
	6	---		10.21	≤23.41	0.59	10.8	≤24.00	PASS		
Ant5	6985	Large RU 996+484	3	0.09	8.28	≤25.22	-1.22	7.06	≤24.00	PASS	
			4	0.09	8.17	≤25.22	-1.22	6.95	≤24.00	PASS	
		Puncturing 40M	1	0.04	8.58	≤25.22	-1.22	7.36	≤24.00	PASS	
			2	0.04	8.62	≤25.22	-1.22	7.4	≤24.00	PASS	
			3	0.04	8.57	≤25.22	-1.22	7.35	≤24.00	PASS	
			4	0.04	8.53	≤25.22	-1.22	7.31	≤24.00	PASS	
		Puncturing 20M	1	0.04	9.48	≤25.22	-1.22	8.26	≤24.00	PASS	
			2	0.04	9.59	≤25.22	-1.22	8.37	≤24.00	PASS	
4	0.04		9.43	≤25.22	-1.22	8.21	≤24.00	PASS			
6	0.04		9.53	≤25.22	-1.22	8.31	≤24.00	PASS			



	Ant6	6985	Large RU 996+484	8	0.04	9.47	≤25.22	-1.22	8.25	≤24.00	PASS
				3	0.09	6.44	≤25.30	-1.3	5.14	≤24.00	PASS
				4	0.09	6.41	≤25.30	-1.3	5.11	≤24.00	PASS
			Puncturing 40M	1	0.04	6.71	≤25.30	-1.3	5.41	≤24.00	PASS
				2	0.04	6.89	≤25.30	-1.3	5.59	≤24.00	PASS
				3	0.04	6.84	≤25.30	-1.3	5.54	≤24.00	PASS
			Puncturing 20M	4	0.04	6.83	≤25.30	-1.3	5.53	≤24.00	PASS
				1	0.04	7.78	≤25.30	-1.3	6.48	≤24.00	PASS
				2	0.04	7.82	≤25.30	-1.3	6.52	≤24.00	PASS
				4	0.04	7.71	≤25.30	-1.3	6.41	≤24.00	PASS
				6	0.04	7.72	≤25.30	-1.3	6.42	≤24.00	PASS
				8	0.04	7.71	≤25.30	-1.3	6.41	≤24.00	PASS
	total	6985	Large RU 996+484	3	---	10.47	≤25.22	-1.22	9.25	≤24.00	PASS
				4	---	10.39	≤25.22	-1.22	9.17	≤24.00	PASS
				1	---	10.76	≤25.22	-1.22	9.54	≤24.00	PASS
			Puncturing 40M	2	---	10.85	≤25.22	-1.22	9.63	≤24.00	PASS
				3	---	10.8	≤25.22	-1.22	9.58	≤24.00	PASS
				4	---	10.77	≤25.22	-1.22	9.55	≤24.00	PASS
			Puncturing 20M	1	---	11.72	≤25.22	-1.22	10.5	≤24.00	PASS
				2	---	11.8	≤25.22	-1.22	10.58	≤24.00	PASS
				4	---	11.66	≤25.22	-1.22	10.44	≤24.00	PASS
				6	---	11.73	≤25.22	-1.22	10.51	≤24.00	PASS
				8	---	11.69	≤25.22	-1.22	10.47	≤24.00	PASS
				Large RU 996*2+484	3	0.15	6.28	≤23.41	0.59	6.87	≤24.00
6	0.15	6.33	≤23.41		0.59	6.92	≤24.00	PASS			
Large RU 996*3	4	0.18	7.03		≤23.41	0.59	7.62	≤24.00	PASS		
	5	0.2	6.91		≤23.41	0.59	7.5	≤24.00	PASS		
Large RU 996*3+484	8	0.2	7.37		≤23.41	0.59	7.96	≤24.00	PASS		
	1	0.04	7.07		≤23.41	0.59	7.66	≤24.00	PASS		
Puncturing 80M+40M	3	0.04	7.05	≤23.41	0.59	7.64	≤24.00	PASS			
	5	0.04	7.11	≤23.41	0.59	7.7	≤24.00	PASS			
	8	0.04	7.02	≤23.41	0.59	7.61	≤24.00	PASS			
	Puncturing 80M	1	0.04	7.29	≤23.41	0.59	7.88	≤24.00	PASS		
		2	0.04	7.29	≤23.41	0.59	7.88	≤24.00	PASS		
		3	0.04	7.45	≤23.41	0.59	8.04	≤24.00	PASS		
4		0.04	7.38	≤23.41	0.59	7.97	≤24.00	PASS			
Puncturing 40M	1	0.04	7.89	≤23.41	0.59	8.48	≤24.00	PASS			
	2	0.04	7.88	≤23.41	0.59	8.47	≤24.00	PASS			
	3	0.04	7.87	≤23.41	0.59	8.46	≤24.00	PASS			
	6	0.04	7.91	≤23.41	0.59	8.5	≤24.00	PASS			
	7	0.04	7.97	≤23.41	0.59	8.56	≤24.00	PASS			



			8	0.04	7.9	≤23.41	0.59	8.49	≤24.00	PASS		
Ant6	6105	Large RU 996*2+484	3	0.15	5.31	≤24.22	-0.22	5.09	≤24.00	PASS		
			6	0.15	5.35	≤24.22	-0.22	5.13	≤24.00	PASS		
		Large RU 996*3	4	0.18	6.18	≤24.22	-0.22	5.96	≤24.00	PASS		
			Large RU 996*3+484	5	0.2	6.15	≤24.22	-0.22	5.93	≤24.00	PASS	
		8		0.2	6.56	≤24.22	-0.22	6.34	≤24.00	PASS		
		Puncturing 80M+40M	1	0.04	6.11	≤24.22	-0.22	5.89	≤24.00	PASS		
			3	0.04	6.03	≤24.22	-0.22	5.81	≤24.00	PASS		
			5	0.04	6.15	≤24.22	-0.22	5.93	≤24.00	PASS		
			8	0.04	6.1	≤24.22	-0.22	5.88	≤24.00	PASS		
		Puncturing 80M	1	0.04	7.05	≤24.22	-0.22	6.83	≤24.00	PASS		
			2	0.04	6.82	≤24.22	-0.22	6.6	≤24.00	PASS		
			3	0.04	7.09	≤24.22	-0.22	6.87	≤24.00	PASS		
			4	0.04	6.98	≤24.22	-0.22	6.76	≤24.00	PASS		
		Puncturing 40M	1	0.04	7.41	≤24.22	-0.22	7.19	≤24.00	PASS		
			2	0.04	7.38	≤24.22	-0.22	7.16	≤24.00	PASS		
			3	0.04	7.36	≤24.22	-0.22	7.14	≤24.00	PASS		
			6	0.04	7.42	≤24.22	-0.22	7.2	≤24.00	PASS		
			7	0.04	7.52	≤24.22	-0.22	7.3	≤24.00	PASS		
			8	0.04	7.46	≤24.22	-0.22	7.24	≤24.00	PASS		
		total	6105	Large RU 996*2+484	3	---	8.83	≤23.41	0.59	9.42	≤24.00	PASS
					6	---	8.88	≤23.41	0.59	9.47	≤24.00	PASS
				Large RU 996*3	4	---	9.64	≤23.41	0.59	10.23	≤24.00	PASS
					Large RU 996*3+484	5	---	9.56	≤23.41	0.59	10.15	≤24.00
				8		---	9.99	≤23.41	0.59	10.58	≤24.00	PASS
Puncturing 80M+40M	1			---	9.63	≤23.41	0.59	10.22	≤24.00	PASS		
	3			---	9.58	≤23.41	0.59	10.17	≤24.00	PASS		
	5			---	9.67	≤23.41	0.59	10.26	≤24.00	PASS		
	8			---	9.59	≤23.41	0.59	10.18	≤24.00	PASS		
Puncturing 80M	1			---	10.18	≤23.41	0.59	10.77	≤24.00	PASS		
	2			---	10.07	≤23.41	0.59	10.66	≤24.00	PASS		
	3			---	10.28	≤23.41	0.59	10.87	≤24.00	PASS		
	4			---	10.19	≤23.41	0.59	10.78	≤24.00	PASS		
Puncturing 40M	1			---	10.67	≤23.41	0.59	11.26	≤24.00	PASS		
	2			---	10.65	≤23.41	0.59	11.24	≤24.00	PASS		
	3			---	10.63	≤23.41	0.59	11.22	≤24.00	PASS		
	6			---	10.68	≤23.41	0.59	11.27	≤24.00	PASS		
	7			---	10.76	≤23.41	0.59	11.35	≤24.00	PASS		
	8			---	10.7	≤23.41	0.59	11.29	≤24.00	PASS		
Ant5	6905			Large RU 996*2+484	3	0.15	7.43	≤25.22	-1.22	6.21	≤24.00	PASS
					6	0.15	7.37	≤25.22	-1.22	6.15	≤24.00	PASS



			Large RU 996*3	4	0.18	8.32	≤25.22	-1.22	7.1	≤24.00	PASS			
			Large RU 996*3+484	5	0.2	8.83	≤25.22	-1.22	7.61	≤24.00	PASS			
				8	0.2	8.78	≤25.22	-1.22	7.56	≤24.00	PASS			
			Puncturing 80M+40M	1	0.04	7.83	≤25.22	-1.22	6.61	≤24.00	PASS			
				3	0.04	7.91	≤25.22	-1.22	6.69	≤24.00	PASS			
				5	0.04	7.83	≤25.22	-1.22	6.61	≤24.00	PASS			
			Puncturing 80M	8	0.04	7.74	≤25.22	-1.22	6.52	≤24.00	PASS			
				1	0.02	8.76	≤25.22	-1.22	7.54	≤24.00	PASS			
				2	0.04	8.87	≤25.22	-1.22	7.65	≤24.00	PASS			
				3	0.04	8.79	≤25.22	-1.22	7.57	≤24.00	PASS			
			Puncturing 40M	4	0.04	8.7	≤25.22	-1.22	7.48	≤24.00	PASS			
				1	0.04	9.26	≤25.22	-1.22	8.04	≤24.00	PASS			
				2	0.04	9.32	≤25.22	-1.22	8.1	≤24.00	PASS			
				3	0.04	9.16	≤25.22	-1.22	7.94	≤24.00	PASS			
				6	0.04	9.15	≤25.22	-1.22	7.93	≤24.00	PASS			
						Large RU 996*2+484	7	0.04	9.14	≤25.22	-1.22	7.92	≤24.00	PASS
	8	0.04					9.16	≤25.22	-1.22	7.94	≤24.00	PASS		
	Ant6	6905		Large RU 996*2+484	3	0.15	5.52	≤25.30	-1.3	4.22	≤24.00	PASS		
					6	0.15	5.43	≤25.30	-1.3	4.13	≤24.00	PASS		
				Large RU 996*3	4	0.18	6.22	≤25.30	-1.3	4.92	≤24.00	PASS		
					5	0.2	7	≤25.30	-1.3	5.7	≤24.00	PASS		
				Large RU 996*3+484	8	0.2	6.96	≤25.30	-1.3	5.66	≤24.00	PASS		
					1	0.04	5.48	≤25.30	-1.3	4.18	≤24.00	PASS		
					3	0.04	5.87	≤25.30	-1.3	4.57	≤24.00	PASS		
				Puncturing 80M+40M	5	0.04	5.82	≤25.30	-1.3	4.52	≤24.00	PASS		
					8	0.04	5.7	≤25.30	-1.3	4.4	≤24.00	PASS		
					1	0.04	6.71	≤25.30	-1.3	5.41	≤24.00	PASS		
				Puncturing 80M	2	0.04	7.02	≤25.30	-1.3	5.72	≤24.00	PASS		
					3	0.04	6.96	≤25.30	-1.3	5.66	≤24.00	PASS		
					4	0.04	7.01	≤25.30	-1.3	5.71	≤24.00	PASS		
					1	0.04	7.18	≤25.30	-1.3	5.88	≤24.00	PASS		
				Puncturing 40M	2	0.04	7.21	≤25.30	-1.3	5.91	≤24.00	PASS		
3					0.04	7.27	≤25.30	-1.3	5.97	≤24.00	PASS			
6					0.04	7.19	≤25.30	-1.3	5.89	≤24.00	PASS			
7					0.04	7.16	≤25.30	-1.3	5.86	≤24.00	PASS			
8					0.04	7.23	≤25.30	-1.3	5.93	≤24.00	PASS			
total				6905		Large RU 996*2+484	3	---	9.59	≤25.22	-1.22	8.37	≤24.00	PASS
							6	---	9.52	≤25.22	-1.22	8.3	≤24.00	PASS
						Large RU 996*3	4	---	10.41	≤25.22	-1.22	9.19	≤24.00	PASS
							5	---	11.02	≤25.22	-1.22	9.8	≤24.00	PASS
						Large RU 996*3+484	8	---	10.97	≤25.22	-1.22	9.75	≤24.00	PASS



			Puncturing 80M+40M	1	---	9.82	≤25.22	-1.22	8.6	≤24.00	PASS
				3	---	10.02	≤25.22	-1.22	8.8	≤24.00	PASS
				5	---	9.95	≤25.22	-1.22	8.73	≤24.00	PASS
				8	---	9.85	≤25.22	-1.22	8.63	≤24.00	PASS
			Puncturing 80M	1	---	10.87	≤25.22	-1.22	9.65	≤24.00	PASS
				2	---	11.05	≤25.22	-1.22	9.83	≤24.00	PASS
				3	---	10.98	≤25.22	-1.22	9.76	≤24.00	PASS
				4	---	10.95	≤25.22	-1.22	9.73	≤24.00	PASS
			Puncturing 40M	1	---	11.35	≤25.22	-1.22	10.13	≤24.00	PASS
				2	---	11.4	≤25.22	-1.22	10.18	≤24.00	PASS
				3	---	11.33	≤25.22	-1.22	10.11	≤24.00	PASS
				6	---	11.29	≤25.22	-1.22	10.07	≤24.00	PASS
				7	---	11.27	≤25.22	-1.22	10.05	≤24.00	PASS
				8	---	11.31	≤25.22	-1.22	10.09	≤24.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Maximum power spectral density

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant5	5935	52+26_OFDMA	1	-18.94	≤-1.59	0.59	-18.35	≤-1.00	PASS
			106+26_OFDMA	1	-19.04	≤-1.59	0.59	-18.45	≤-1.00	PASS
	Ant6	5935	52+26_OFDMA	1	-20.08	≤-0.78	-0.22	-20.3	≤-1.00	PASS
			106+26_OFDMA	1	-20.2	≤-0.78	-0.22	-20.42	≤-1.00	PASS
	total	5935	52+26_OFDMA	1	-16.46	≤-4.20	3.2	-13.26	≤-1.00	PASS
			106+26_OFDMA	1	-16.57	≤-4.20	3.2	-13.37	≤-1.00	PASS
	Ant5	5955	52+26_OFDMA	1	-7.5	≤-1.59	0.59	-6.91	≤-1.00	PASS
			106+26_OFDMA	1	-7.14	≤-1.59	0.59	-6.55	≤-1.00	PASS
	Ant6	5955	52+26_OFDMA	1	-8.72	≤-0.78	-0.22	-8.94	≤-1.00	PASS
			106+26_OFDMA	1	-8.54	≤-0.78	-0.22	-8.76	≤-1.00	PASS
	total	5955	52+26_OFDMA	1	-5.06	≤-4.20	3.2	-1.86	≤-1.00	PASS
			106+26_OFDMA	1	-4.77	≤-4.20	3.2	-1.57	≤-1.00	PASS
	Ant5	6435	52+26_OFDMA	1	-6.69	≤-0.49	-0.51	-7.2	≤-1.00	PASS
			106+26_OFDMA	1	-6.34	≤-0.49	-0.51	-6.85	≤-1.00	PASS
	Ant6	6435	52+26_OFDMA	1	-8.4	≤-0.53	-0.47	-8.87	≤-1.00	PASS
			106+26_OFDMA	1	-7.95	≤-0.53	-0.47	-8.42	≤-1.00	PASS
	total	6435	52+26_OFDMA	1	-4.45	≤-3.52	2.52	-1.93	≤-1.00	PASS



			106+26 _OFDMA	1	-4.06	≤-3.52	2.52	-1.54	≤-1.00	PASS
	Ant5	6535	52+26 _OFDMA	1	-6.96	≤-0.49	-0.51	-7.47	≤-1.00	PASS
			106+26 _OFDMA	1	-7.48	≤-0.49	-0.51	-7.99	≤-1.00	PASS
	Ant6	6535	52+26 _OFDMA	1	-7.41	≤-0.47	-0.53	-7.94	≤-1.00	PASS
			106+26 _OFDMA	1	-8.04	≤-0.47	-0.53	-8.57	≤-1.00	PASS
	total	6535	52+26 _OFDMA	1	-4.17	≤-3.49	2.49	-1.68	≤-1.00	PASS
			106+26 _OFDMA	1	-4.74	≤-3.49	2.49	-2.25	≤-1.00	PASS
	Ant5	7095	52+26 _OFDMA	3	-5.86	≤0.22	-1.22	-7.08	≤-1.00	PASS
			106+26 _OFDMA	2	-6.3	≤0.22	-1.22	-7.52	≤-1.00	PASS
	Ant6	7095	52+26 _OFDMA	3	-7.22	≤0.30	-1.3	-8.52	≤-1.00	PASS
			106+26 _OFDMA	2	-6.3	≤0.30	-1.3	-7.6	≤-1.00	PASS
	total	7095	52+26 _OFDMA	3	-3.48	≤-2.75	1.75	-1.73	≤-1.00	PASS
			106+26 _OFDMA	2	-3.29	≤-2.75	1.75	-1.54	≤-1.00	PASS
	Ant5	7115	52+26 _OFDMA	3	-18.67	≤0.22	-1.22	-19.89	≤-1.00	PASS
			106+26 _OFDMA	2	-19.23	≤0.22	-1.22	-20.45	≤-1.00	PASS
	Ant6	7115	52+26 _OFDMA	3	-20.23	≤0.30	-1.3	-21.53	≤-1.00	PASS
			106+26 _OFDMA	2	-20.87	≤0.30	-1.3	-22.17	≤-1.00	PASS
	total	7115	52+26 _OFDMA	3	-16.37	≤-2.75	1.75	-14.62	≤-1.00	PASS
			106+26 _OFDMA	2	-16.96	≤-2.75	1.75	-15.21	≤-1.00	PASS
11BE80MIMO	Ant5	5985	Large RU 484+242	2	-8.73	≤-1.59	0.59	-8.14	≤-1.00	PASS
				4	-8.56	≤-1.59	0.59	-7.97	≤-1.00	PASS
			Puncturing	1	-8.74	≤-1.59	0.59	-8.15	≤-1.00	PASS



11BE160MIMO	Ant6	20M	2	-8.73	≤-1.59	0.59	-8.14	≤-1.00	PASS		
			3	-8.77	≤-1.59	0.59	-8.18	≤-1.00	PASS		
			4	-8.74	≤-1.59	0.59	-8.15	≤-1.00	PASS		
			4	-8.74	≤-1.59	0.59	-8.15	≤-1.00	PASS		
		5985	Large RU 484+242	2	-8.55	≤-0.78	-0.22	-8.77	≤-1.00	PASS	
				4	-8.57	≤-0.78	-0.22	-8.79	≤-1.00	PASS	
			Puncturing 20M	1	-9.28	≤-0.78	-0.22	-9.5	≤-1.00	PASS	
				2	-9.06	≤-0.78	-0.22	-9.28	≤-1.00	PASS	
		total	5985	Large RU 484+242	2	-5.63	≤-4.20	3.2	-2.43	≤-1.00	PASS
					4	-5.55	≤-4.20	3.2	-2.35	≤-1.00	PASS
				Puncturing 20M	1	-5.99	≤-4.20	3.2	-2.79	≤-1.00	PASS
					2	-5.88	≤-4.20	3.2	-2.68	≤-1.00	PASS
	7025		Large RU 484+242	2	-9.09	≤0.22	-1.22	-10.31	≤-1.00	PASS	
				4	-9.11	≤0.22	-1.22	-10.33	≤-1.00	PASS	
			Puncturing 20M	1	-9.02	≤0.22	-1.22	-10.24	≤-1.00	PASS	
				2	-8.81	≤0.22	-1.22	-10.03	≤-1.00	PASS	
	Ant6		7025	Large RU 484+242	3	-8.81	≤0.22	-1.22	-10.03	≤-1.00	PASS
					4	-8.89	≤0.22	-1.22	-10.11	≤-1.00	PASS
				Puncturing 20M	1	-9.51	≤0.30	-1.3	-10.81	≤-1.00	PASS
					2	-10.32	≤0.30	-1.3	-11.62	≤-1.00	PASS
		7025	Large RU 484+242	3	-9.53	≤0.30	-1.3	-10.83	≤-1.00	PASS	
				4	-9.53	≤0.30	-1.3	-10.83	≤-1.00	PASS	
			Puncturing 20M	1	-10.1	≤0.30	-1.3	-11.4	≤-1.00	PASS	
				2	-10.42	≤0.30	-1.3	-11.72	≤-1.00	PASS	
		total	7025	Large RU 484+242	3	-10.04	≤0.30	-1.3	-11.34	≤-1.00	PASS
					4	-10.04	≤0.30	-1.3	-11.34	≤-1.00	PASS
				Puncturing 20M	1	-6.28	≤-2.75	1.75	-4.53	≤-1.00	PASS
					2	-6.3	≤-2.75	1.75	-4.55	≤-1.00	PASS
6025	Large RU 996+484		1	-6.61	≤-2.75	1.75	-4.86	≤-1.00	PASS		
			2	-6.4	≤-2.75	1.75	-4.65	≤-1.00	PASS		
	Puncturing 40M		3	-6.53	≤-2.75	1.75	-4.78	≤-1.00	PASS		
			4	-6.42	≤-2.75	1.75	-4.67	≤-1.00	PASS		
6025	Puncturing 40M		1	-13.4	≤-1.59	0.59	-12.81	≤-1.00	PASS		
			2	-13.27	≤-1.59	0.59	-12.68	≤-1.00	PASS		
	Puncturing 20M		1	-13.43	≤-1.59	0.59	-12.84	≤-1.00	PASS		
			2	-13.12	≤-1.59	0.59	-12.53	≤-1.00	PASS		
6025	Puncturing 40M	3	-13.07	≤-1.59	0.59	-12.48	≤-1.00	PASS			
		4	-13.34	≤-1.59	0.59	-12.75	≤-1.00	PASS			
	Puncturing 20M	1	-13.45	≤-1.59	0.59	-12.86	≤-1.00	PASS			
		2	-13.36	≤-1.59	0.59	-12.77	≤-1.00	PASS			



				4	-13.34	≤-1.59	0.59	-12.75	≤-1.00	PASS
				6	-13.25	≤-1.59	0.59	-12.66	≤-1.00	PASS
				8	-13.39	≤-1.59	0.59	-12.8	≤-1.00	PASS
Ant6	6025	Large RU 996+484		3	-13.68	≤-0.78	-0.22	-13.9	≤-1.00	PASS
				4	-13.7	≤-0.78	-0.22	-13.92	≤-1.00	PASS
		Puncturing 40M		1	-14.19	≤-0.78	-0.22	-14.41	≤-1.00	PASS
				2	-13.91	≤-0.78	-0.22	-14.13	≤-1.00	PASS
				3	-13.88	≤-0.78	-0.22	-14.1	≤-1.00	PASS
			4	-14.23	≤-0.78	-0.22	-14.45	≤-1.00	PASS	
		Puncturing 20M		1	-13.84	≤-0.78	-0.22	-14.06	≤-1.00	PASS
				2	-13.76	≤-0.78	-0.22	-13.98	≤-1.00	PASS
				4	-13.79	≤-0.78	-0.22	-14.01	≤-1.00	PASS
				6	-13.69	≤-0.78	-0.22	-13.91	≤-1.00	PASS
			8	-13.9	≤-0.78	-0.22	-14.12	≤-1.00	PASS	
		total	6025	Large RU 996+484		3	-10.53	≤-4.20	3.2	-7.33
	4				-10.47	≤-4.20	3.2	-7.27	≤-1.00	PASS
Puncturing 40M				1	-10.78	≤-4.20	3.2	-7.58	≤-1.00	PASS
				2	-10.49	≤-4.20	3.2	-7.29	≤-1.00	PASS
				3	-10.45	≤-4.20	3.2	-7.25	≤-1.00	PASS
				4	-10.75	≤-4.20	3.2	-7.55	≤-1.00	PASS
Puncturing 20M				1	-10.63	≤-4.20	3.2	-7.43	≤-1.00	PASS
				2	-10.55	≤-4.20	3.2	-7.35	≤-1.00	PASS
				4	-10.55	≤-4.20	3.2	-7.35	≤-1.00	PASS
				6	-10.45	≤-4.20	3.2	-7.25	≤-1.00	PASS
	8			-10.63	≤-4.20	3.2	-7.43	≤-1.00	PASS	
Ant5	6985			Large RU 996+484		3	-11.13	≤0.22	-1.22	-12.35
			4		-11.58	≤0.22	-1.22	-12.8	≤-1.00	PASS
		Puncturing 40M		1	-11.69	≤0.22	-1.22	-12.91	≤-1.00	PASS
				2	-11.47	≤0.22	-1.22	-12.69	≤-1.00	PASS
				3	-11.61	≤0.22	-1.22	-12.83	≤-1.00	PASS
				4	-11.85	≤0.22	-1.22	-13.07	≤-1.00	PASS
		Puncturing 20M		1	-11.63	≤0.22	-1.22	-12.85	≤-1.00	PASS
				2	-11.35	≤0.22	-1.22	-12.57	≤-1.00	PASS
				4	-11.46	≤0.22	-1.22	-12.68	≤-1.00	PASS
				6	-11.46	≤0.22	-1.22	-12.68	≤-1.00	PASS
			8	-11.48	≤0.22	-1.22	-12.7	≤-1.00	PASS	
		Ant6	6985	Large RU 996+484		3	-13.21	≤0.30	-1.3	-14.51
	4				-12.98	≤0.30	-1.3	-14.28	≤-1.00	PASS
Puncturing 40M				1	-13.1	≤0.30	-1.3	-14.4	≤-1.00	PASS
				2	-12.73	≤0.30	-1.3	-14.03	≤-1.00	PASS
				3	-12.89	≤0.30	-1.3	-14.19	≤-1.00	PASS



	total	6985	Puncturing 20M	4	-12.98	≤0.30	-1.3	-14.28	≤-1.00	PASS	
				1	-12.89	≤0.30	-1.3	-14.19	≤-1.00	PASS	
				2	-12.66	≤0.30	-1.3	-13.96	≤-1.00	PASS	
				4	-12.58	≤0.30	-1.3	-13.88	≤-1.00	PASS	
				6	-12.73	≤0.30	-1.3	-14.03	≤-1.00	PASS	
		8	-12.75	≤0.30	-1.3	-14.05	≤-1.00	PASS			
		Large RU 996+484	3	-9.04	≤-2.75	1.75	-7.29	≤-1.00	PASS		
			4	-9.21	≤-2.75	1.75	-7.46	≤-1.00	PASS		
			Puncturing 40M	1	-9.33	≤-2.75	1.75	-7.58	≤-1.00	PASS	
				2	-9.04	≤-2.75	1.75	-7.29	≤-1.00	PASS	
	3			-9.19	≤-2.75	1.75	-7.44	≤-1.00	PASS		
	4	-9.37		≤-2.75	1.75	-7.62	≤-1.00	PASS			
	Puncturing 20M	1	-9.2	≤-2.75	1.75	-7.45	≤-1.00	PASS			
		2	-8.95	≤-2.75	1.75	-7.20	≤-1.00	PASS			
		4	-8.97	≤-2.75	1.75	-7.22	≤-1.00	PASS			
		6	-9.04	≤-2.75	1.75	-7.29	≤-1.00	PASS			
		8	-9.06	≤-2.75	1.75	-7.31	≤-1.00	PASS			
		11BE320MIMO	Ant5	6105	Large RU 996*2+484	3	-15.08	≤-1.59	0.59	-14.49	≤-1.00
	6					-14.97	≤-1.59	0.59	-14.38	≤-1.00	PASS
	Large RU 996*3				4	-14.97	≤-1.59	0.59	-14.38	≤-1.00	PASS
5					-15.34	≤-1.59	0.59	-14.75	≤-1.00	PASS	
Large RU 996*3+484	8				-15.2	≤-1.59	0.59	-14.61	≤-1.00	PASS	
	Puncturing 80M+40M				1	-14.98	≤-1.59	0.59	-14.39	≤-1.00	PASS
3				-14.98	≤-1.59	0.59	-14.39	≤-1.00	PASS		
5				-14.93	≤-1.59	0.59	-14.34	≤-1.00	PASS		
8				-14.93	≤-1.59	0.59	-14.34	≤-1.00	PASS		
Puncturing 80M	1			-16	≤-1.59	0.59	-15.41	≤-1.00	PASS		
	2			-15.13	≤-1.59	0.59	-14.54	≤-1.00	PASS		
	3			-15.14	≤-1.59	0.59	-14.55	≤-1.00	PASS		
	4			-15.54	≤-1.59	0.59	-14.95	≤-1.00	PASS		
Puncturing 40M	1			-15.98	≤-1.59	0.59	-15.39	≤-1.00	PASS		
	2			-15.26	≤-1.59	0.59	-14.67	≤-1.00	PASS		
	3		-15.3	≤-1.59	0.59	-14.71	≤-1.00	PASS			
	6		-15.18	≤-1.59	0.59	-14.59	≤-1.00	PASS			
	7		-15.12	≤-1.59	0.59	-14.53	≤-1.00	PASS			
	8		-15.34	≤-1.59	0.59	-14.75	≤-1.00	PASS			
Ant6	6105		Large RU 996*2+484	3	-15.98	≤-0.78	-0.22	-16.2	≤-1.00	PASS	
		6		-16.09	≤-0.78	-0.22	-16.31	≤-1.00	PASS		
		Large RU 996*3	4	-15.91	≤-0.78	-0.22	-16.13	≤-1.00	PASS		
		Large RU	5	-16.16	≤-0.78	-0.22	-16.38	≤-1.00	PASS		



	total	6105	996*3+484	8	-16.08	≤-0.78	-0.22	-16.3	≤-1.00	PASS		
			Puncturing 80M+40M	1	-16.31	≤-0.78	-0.22	-16.53	≤-1.00	PASS		
				3	-16.36	≤-0.78	-0.22	-16.58	≤-1.00	PASS		
				5	-15.88	≤-0.78	-0.22	-16.1	≤-1.00	PASS		
				8	-15.92	≤-0.78	-0.22	-16.14	≤-1.00	PASS		
			Puncturing 80M	1	-16.06	≤-0.78	-0.22	-16.28	≤-1.00	PASS		
				2	-16.33	≤-0.78	-0.22	-16.55	≤-1.00	PASS		
				3	-16.17	≤-0.78	-0.22	-16.39	≤-1.00	PASS		
				4	-16.43	≤-0.78	-0.22	-16.65	≤-1.00	PASS		
			Puncturing 40M	1	-16.52	≤-0.78	-0.22	-16.74	≤-1.00	PASS		
				2	-16.24	≤-0.78	-0.22	-16.46	≤-1.00	PASS		
				3	-16.34	≤-0.78	-0.22	-16.56	≤-1.00	PASS		
				6	-16.35	≤-0.78	-0.22	-16.57	≤-1.00	PASS		
				7	-16.25	≤-0.78	-0.22	-16.47	≤-1.00	PASS		
			total	6105	Large RU 996*2+484	3	-12.5	≤-4.20	3.2	-9.3	≤-1.00	PASS
						6	-12.48	≤-4.20	3.2	-9.28	≤-1.00	PASS
	Large RU 996*3	4			-12.4	≤-4.20	3.2	-9.2	≤-1.00	PASS		
		5			-12.72	≤-4.20	3.2	-9.52	≤-1.00	PASS		
	Large RU 996*3+484	8			-12.61	≤-4.20	3.2	-9.41	≤-1.00	PASS		
		1			-12.58	≤-4.20	3.2	-9.38	≤-1.00	PASS		
	Puncturing 80M+40M	3			-12.61	≤-4.20	3.2	-9.41	≤-1.00	PASS		
		5			-12.37	≤-4.20	3.2	-9.17	≤-1.00	PASS		
		8			-12.39	≤-4.20	3.2	-9.19	≤-1.00	PASS		
		1			-13.02	≤-4.20	3.2	-9.82	≤-1.00	PASS		
	Puncturing 80M	2			-12.68	≤-4.20	3.2	-9.48	≤-1.00	PASS		
		3			-12.61	≤-4.20	3.2	-9.41	≤-1.00	PASS		
		4			-12.95	≤-4.20	3.2	-9.75	≤-1.00	PASS		
		1			-13.23	≤-4.20	3.2	-10.03	≤-1.00	PASS		
	Puncturing 40M	2			-12.71	≤-4.20	3.2	-9.51	≤-1.00	PASS		
		3			-12.78	≤-4.20	3.2	-9.58	≤-1.00	PASS		
		6	-12.72	≤-4.20	3.2	-9.52	≤-1.00	PASS				
		7	-12.64	≤-4.20	3.2	-9.44	≤-1.00	PASS				
8		-12.87	≤-4.20	3.2	-9.67	≤-1.00	PASS					
Ant5		6905	Large RU 996*2+484	3	-14.72	≤0.22	-0.51	-15.23	≤-1.00	PASS		
	6			-14.74	≤0.22	-0.51	-15.25	≤-1.00	PASS			
	Large RU 996*3		4	-14.51	≤0.22	-0.51	-15.02	≤-1.00	PASS			
			5	-14.17	≤0.22	-0.51	-14.68	≤-1.00	PASS			
	Large RU 996*3+484		8	-14.18	≤0.22	-0.51	-14.69	≤-1.00	PASS			
			1	-14.64	≤0.22	-0.51	-15.15	≤-1.00	PASS			



			80M+40M	3	-14.27	≤0.22	-0.51	-14.78	≤-1.00	PASS	
				5	-14.22	≤0.22	-0.51	-14.73	≤-1.00	PASS	
				8	-14.07	≤0.22	-0.51	-14.58	≤-1.00	PASS	
			Puncturing 80M	1	-14.49	≤0.22	-0.51	-15.00	≤-1.00	PASS	
				2	-14.25	≤0.22	-0.51	-14.76	≤-1.00	PASS	
				3	-14.3	≤0.22	-0.51	-14.81	≤-1.00	PASS	
			Puncturing 40M	4	-14.66	≤0.22	-0.51	-15.17	≤-1.00	PASS	
				1	-14.63	≤0.22	-0.51	-15.14	≤-1.00	PASS	
				2	-14.1	≤0.22	-0.51	-14.61	≤-1.00	PASS	
				3	-14.46	≤0.22	-0.51	-14.97	≤-1.00	PASS	
				6	-14.48	≤0.22	-0.51	-14.99	≤-1.00	PASS	
						Large RU 996*2+484	7	-14.56	≤0.22	-0.51	-15.07
	8	-14.64					≤0.22	-0.51	-15.15	≤-1.00	PASS
	Ant6	6905	Large RU 996*2+484	3	-16.22	≤0.30	-0.53	-16.75	≤-1.00	PASS	
				6	-16.73	≤0.30	-0.53	-17.26	≤-1.00	PASS	
			Large RU 996*3	4	-16.69	≤0.30	-0.53	-17.22	≤-1.00	PASS	
				5	-15.78	≤0.30	-0.53	-16.31	≤-1.00	PASS	
			Large RU 996*3+484	8	-16.19	≤0.30	-0.53	-16.72	≤-1.00	PASS	
				1	-17.81	≤0.30	-0.53	-18.34	≤-1.00	PASS	
			Puncturing 80M+40M	3	-16.41	≤0.30	-0.53	-16.94	≤-1.00	PASS	
				5	-16.61	≤0.30	-0.53	-17.14	≤-1.00	PASS	
				8	-17.42	≤0.30	-0.53	-17.95	≤-1.00	PASS	
			Puncturing 80M	1	-16.42	≤0.30	-0.53	-16.95	≤-1.00	PASS	
				2	-15.91	≤0.30	-0.53	-16.44	≤-1.00	PASS	
				3	-15.97	≤0.30	-0.53	-16.50	≤-1.00	PASS	
				4	-16.24	≤0.30	-0.53	-16.77	≤-1.00	PASS	
			Puncturing 40M	1	-16.2	≤0.30	-0.53	-16.73	≤-1.00	PASS	
				2	-15.7	≤0.30	-0.53	-16.23	≤-1.00	PASS	
3				-16.17	≤0.30	-0.53	-16.70	≤-1.00	PASS		
6	-16.38	≤0.30		-0.53	-16.91	≤-1.00	PASS				
7	-16.4	≤0.30		-0.53	-16.93	≤-1.00	PASS				
8	-16.08	≤0.30		-0.53	-16.61	≤-1.00	PASS				
total	6905	Large RU 996*2+484	3	-12.4	≤-2.75	2.49	-9.91	≤-1.00	PASS		
			6	-12.61	≤-2.75	2.49	-10.12	≤-1.00	PASS		
		Large RU 996*3	4	-12.45	≤-2.75	2.49	-9.96	≤-1.00	PASS		
			5	-11.89	≤-2.75	2.49	-9.40	≤-1.00	PASS		
		Large RU 996*3+484	8	-12.06	≤-2.75	2.49	-9.57	≤-1.00	PASS		
			1	-12.93	≤-2.75	2.49	-10.44	≤-1.00	PASS		
		Puncturing 80M+40M	3	-12.2	≤-2.75	2.49	-9.71	≤-1.00	PASS		
			5	-12.24	≤-2.75	2.49	-9.75	≤-1.00	PASS		





			8	-12.42	≤ -2.75	2.49	-9.93	≤ -1.00	PASS
		Puncturing 80M	1	-12.34	≤ -2.75	2.49	-9.85	≤ -1.00	PASS
			2	-11.99	≤ -2.75	2.49	-9.50	≤ -1.00	PASS
			3	-12.04	≤ -2.75	2.49	-9.55	≤ -1.00	PASS
			4	-12.37	≤ -2.75	2.49	-9.88	≤ -1.00	PASS
		Puncturing 40M	1	-12.33	≤ -2.75	2.49	-9.84	≤ -1.00	PASS
			2	-11.82	≤ -2.75	2.49	-9.33	≤ -1.00	PASS
			3	-12.22	≤ -2.75	2.49	-9.73	≤ -1.00	PASS
			6	-12.32	≤ -2.75	2.49	-9.83	≤ -1.00	PASS
			7	-12.37	≤ -2.75	2.49	-9.88	≤ -1.00	PASS
			8	-12.29	≤ -2.75	2.49	-9.80	≤ -1.00	PASS

Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Graphs







11BE20MIMO_Ant6_5935_106+26_OFDMA_1




11BE20MIMO_Ant5_5955_52+26_OFDMA_1




11BE20MIMO_Ant5_5955_106+26_OFDMA_1




11BE20MIMO_Ant6_5955_52+26_OFDMA_1




11BE20MIMO_Ant6_5955_106+26_OFDMA_1




11BE20MIMO_Ant5_6435_52+26_OFDMA_1




11BE20MIMO_Ant5_6435_106+26_OFDMA_1




11BE20MIMO_Ant6_6435_52+26_OFDMA_1




11BE20MIMO_Ant6_6435_106+26_OFDMA_1




11BE20MIMO_Ant5_6535_52+26_OFDMA_1




11BE20MIMO_Ant5_6535_106+26_OFDMA_1




11BE20MIMO_Ant6_6535_52+26_OFDMA_1




11BE20MIMO_Ant6_6535_106+26_OFDMA_1




11BE20MIMO_Ant5_7095_52+26_OFDMA_3




11BE20MIMO_Ant5_7095_106+26_OFDMA_2




11BE20MIMO_Ant6_7095_52+26_OFDMA_3




11BE20MIMO_Ant6_7095_106+26_OFDMA_2




11BE20MIMO_Ant5_7115_52+26_OFDMA_3




11BE20MIMO_Ant5_7115_106+26_OFDMA_2




11BE20MIMO_Ant6_7115_52+26_OFDMA_3




11BE20MIMO_Ant6_7115_106+26_OFDMA_2




11BE80MIMO_Ant5_5985_Large RU 484+242_2




11BE80MIMO_Ant5_5985_Large RU 484+242_4




11BE80MIMO_Ant5_5985_Puncturing 20M_1




11BE80MIMO_Ant5_5985_Puncturing 20M_2




11BE80MIMO_Ant5_5985_Puncturing 20M_3




11BE80MIMO_Ant5_5985_Puncturing 20M_4




11BE80MIMO_Ant6_5985_Large RU 484+242_2




11BE80MIMO_Ant6_5985_Large RU 484+242_4




11BE80MIMO_Ant6_5985_Puncturing 20M_1




11BE80MIMO_Ant6_5985_Puncturing 20M_2




11BE80MIMO_Ant6_5985_Puncturing 20M_3




11BE80MIMO_Ant6_5985_Puncturing 20M_4




11BE80MIMO_Ant5_7025_Large RU 484+242_2




11BE80MIMO_Ant5_7025_Large RU 484+242_4




11BE80MIMO_Ant5_7025_Puncturing 20M_1




11BE80MIMO_Ant5_7025_Puncturing 20M_2




11BE80MIMO_Ant5_7025_Puncturing 20M_3




11BE80MIMO_Ant5_7025_Puncturing 20M_4




11BE80MIMO_Ant6_7025_Large RU 484+242_2




11BE80MIMO_Ant6_7025_Large RU 484+242_4




11BE80MIMO_Ant6_7025_Puncturing 20M_1




11BE80MIMO_Ant6_7025_Puncturing 20M_2




11BE80MIMO_Ant6_7025_Puncturing 20M_3




11BE80MIMO_Ant6_7025_Puncturing 20M_4




11BE160MIMO_Ant5_6025_Large RU 996+484_3




11BE160MIMO_Ant5_6025_Large RU 996+484_4




11BE160MIMO_Ant5_6025_Puncturing 40M_1




11BE160MIMO_Ant5_6025_Puncturing 40M_2




11BE160MIMO_Ant5_6025_Puncturing 40M_3




11BE160MIMO_Ant5_6025_Puncturing 40M_4




11BE160MIMO_Ant5_6025_Puncturing 20M_1




11BE160MIMO_Ant5_6025_Puncturing 20M_2




11BE160MIMO_Ant5_6025_Puncturing 20M_4




11BE160MIMO_Ant5_6025_Puncturing 20M_6




11BE160MIMO_Ant5_6025_Puncturing 20M_8




11BE160MIMO_Ant6_6025_Large RU 996+484_3




11BE160MIMO_Ant6_6025_Large RU 996+484_4




11BE160MIMO_Ant6_6025_Puncturing 40M_1




11BE160MIMO_Ant6_6025_Puncturing 40M_2




11BE160MIMO_Ant6_6025_Puncturing 40M_3



11BE160MIMO_Ant6_6025_Puncturing 40M_4



11BE160MIMO_Ant6_6025_Puncturing 20M_1



11BE160MIMO_Ant6_6025_Puncturing 20M_2