





11BE20MIMO_Ant5_5825_52+26_OFDMA_3




11BE20MIMO_Ant5_5825_106+26_OFDMA_2






11BE20MIMO_Ant6_5825_52+26_OFDMA_3




11BE20MIMO_Ant6_5825_106+26_OFDMA_2






11BE80MIMO_Ant5_5775_Large RU 484+242_2




11BE80MIMO_Ant5_5775_Puncturing 20M_2






11BE80MIMO_Ant6_5775_Large RU 484+242_2



Date: 25.OCT.2023 10:13:51

11BE80MIMO_Ant6_5775_Puncturing 20M_2




Date: 25.OCT.2023 01:19:02



Appendix B. AC Conducted Emission Test Results

Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	35.22	-20.78	56.00	14.70	10.39	10.13	Average
2 *	0.15	51.52	-14.48	66.00	31.00	10.39	10.13	QP
3	0.18	30.42	-24.26	54.68	10.00	10.28	10.14	Average
4	0.18	47.12	-17.56	64.68	26.70	10.28	10.14	QP
5	0.27	27.15	-24.10	51.25	6.90	10.10	10.15	Average
6	0.27	37.25	-24.00	61.25	17.00	10.10	10.15	QP
7	0.44	25.62	-21.40	47.02	5.10	10.36	10.16	Average
8	0.44	33.12	-23.90	57.02	12.60	10.36	10.16	QP
9	0.50	24.02	-21.99	46.01	3.60	10.26	10.16	Average
10	0.50	35.22	-20.79	56.01	14.80	10.26	10.16	QP
11	0.98	26.23	-19.77	46.00	5.80	10.27	10.16	Average
12	0.98	37.73	-18.27	56.00	17.30	10.27	10.16	QP



Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	33.91	-21.96	55.87	13.60	10.18	10.13	Average
2 *	0.15	50.11	-15.76	65.87	29.80	10.18	10.13	QP
3	0.18	29.80	-24.88	54.68	9.20	10.46	10.14	Average
4	0.18	46.20	-18.48	64.68	25.60	10.46	10.14	QP
5	0.22	24.28	-28.68	52.96	3.90	10.23	10.15	Average
6	0.22	38.58	-24.38	62.96	18.20	10.23	10.15	QP
7	0.37	27.84	-20.72	48.56	7.50	10.18	10.16	Average
8	0.37	34.74	-23.82	58.56	14.40	10.18	10.16	QP
9	0.43	25.15	-22.05	47.20	5.00	9.99	10.16	Average
10	0.43	34.05	-23.15	57.20	13.90	9.99	10.16	QP
11	1.00	25.08	-20.92	46.00	4.70	10.22	10.16	Average
12	1.00	37.98	-18.02	56.00	17.60	10.22	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Shiwei Wen	Relative Humidity :	50%
		Temperature :	20-22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 5+4	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 5+4	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 5+4	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 5+4	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 5+4	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT40	134	5670	MCS0	Full	-
Mode 25	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT80	42	5210	MCS0	Full	-
Mode 26	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT80	58	5290	MCS0	Full	-
Mode 27	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT80	106	5530	MCS0	Full	-
Mode 28	U-NII-1	5.15-5.35	CDD 5+4	802.11be EHT160	50	5250	MCS0	Full	-
Mode 29	U-NII-3	5.725-5.85	CDD 5+4	802.11a	149	5745	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 30	U-NII-3	5.725-5.85	CDD 5+4	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	CDD 5+4	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	149	5745	MCS0	Full	-
Mode 33	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	157	5785	MCS0	Full	-
Mode 34	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	165	5825	MCS0	Full	-
Mode 35	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT40	151	5755	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT40	159	5795	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT80	155	5775	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	36	5180	MCS0	Single RU 106/52	-
Mode 39	U-NII-2A	5.15-5.25	CDD 5+4	802.11be EHT20	64	5320	MCS0	Single RU 26/8	-
Mode 40	U-NII-2C	5.25-5.35	CDD 5+4	802.11be EHT20	100	5500	MCS0	Single RU106/53	-
Mode 41	U-NII-2C	5.25-5.35	CDD 5+4	802.11be EHT20	140	5700	MCS0	Single RU52/40	-
Mode 42	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	149	5745	MCS0	Single RU52/37	-
Mode 43	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	165	5825	MCS0	Single RU52/40	-
Mode 44	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	36	5180	MCS0	Small RU 52+26	38+1
Mode 45	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	36	5180	MCS0	Small RU 106+26	53+4
Mode 46	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT20	64	5320	MCS0	Small RU 52+26	39+7
Mode 47	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT20	64	5320	MCS0	Small RU 106+26	54+4
Mode 48	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	100	5500	MCS0	Small RU 52+26	38+1
Mode 49	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	100	5500	MCS0	Small RU 106+26	53+4
Mode 50	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	140	5700	MCS0	Small RU 52+26	39+7
Mode 51	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	140	5700	MCS0	Small RU 106+26	54+4
Mode 52	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	149	5745	MCS0	Small RU 52+26	38+1
Mode 53	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	149	5745	MCS0	Small RU 106+26	53+4
Mode 54	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	165	5825	MCS0	Small RU 52+26	39+7
Mode 55	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT20	165	5825	MCS0	Small RU 106+26	54+4
Mode 56	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT80	42	5210	MCS0	Puncturing 20M	④
Mode 57	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT80	58	5290	MCS0	Puncturing 20M	①
Mode 58	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT80	106	5530	MCS0	Puncturing 20M	④
Mode 59	U-NII-1	5.15-5.35	CDD 5+4	802.11be EHT160	50	5250	MCS0	Puncturing 20M	②
Mode 60	U-NII-1	5.15-5.35	CDD 5+4	802.11be EHT160	50	5250	MCS0	Puncturing 40M	②
Mode 61	U-NII-3	5.725-5.85	CDD 5+4	802.11be	155	5775	MCS0	Puncturing	②



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
				EHT80				20M(2)	
Mode 62	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT80	42	5210	MCS0	Large RU 484+242	④
Mode 63	U-NII-2A	5.25-5.35	CDD 5+4	802.11be EHT80	58	5290	MCS0	Large RU 484+242	①
Mode 64	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT80	106	5530	MCS0	Large RU 484+242	④
Mode 65	U-NII-1	5.15-5.35	CDD 5+4	802.11be EHT160	50	5250	MCS0	Large RU 996+484	③
Mode 66	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Large RU 484+242	②
Mode 67	UNII 2A	5.25-5.35	CDD 5+4	11be EHT40	54	5270	MCS0	-	LF
Mode 68	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Puncturing 20M(2)	LF
Mode 69	Co-location	2.4G WIFI	CDD 5+4	802.11g	11	2462	6M	-	-
		5G WIFI	CDD 5+4	802.11be EHT40	54	5270	MCS0	-	-
		WWAN	7	NR B30 (10M)	-	-	-	-	-
Mode 70	Co-location	BT	MIMO 5+4	Bluetooth	78	2480	1DH5	-	-
		5G WIFI	CDD 5+4	802.11be EHT40	54	5270	MCS0	-	-
		WWAN	7	NR B30 (10M)	-	-	-	-	-
Mode 71	Co-location	BLE	5	Bluetooth-LE	38	2478	2M	-	-
		2.4G WIFI	4	802.11g	11	2462	6Mbps	-	-
		5G WIFI	CDD 5+4	802.11be EHT40	54	5270	MCS0	-	-
		WWAN	7	NR B30 (10M)	-	-	-	-	-
Mode 72	U-NII-1	5.15-5.25	CDD 5+6	802.11a	36	5180	6Mbps	-	-
Mode 73	U-NII-1	5.15-5.25	CDD 5+6	802.11a	44	5220	6Mbps	-	-
Mode 74	U-NII-1	5.15-5.25	CDD 5+6	802.11a	48	5240	6Mbps	-	-
Mode 75	U-NII-2A	5.25-5.35	CDD 5+6	802.11a	52	5260	6Mbps	-	-
Mode 76	U-NII-2A	5.25-5.35	CDD 5+6	802.11a	60	5300	6Mbps	-	-
Mode 77	U-NII-2A	5.25-5.35	CDD 5+6	802.11a	64	5320	6Mbps	-	-
Mode 78	U-NII-2C	5.47-5.725	CDD 5+6	802.11a	100	5500	6Mbps	-	-
Mode 79	U-NII-2C	5.47-5.725	CDD 5+6	802.11a	116	5580	6Mbps	-	-
Mode 80	U-NII-2C	5.47-5.725	CDD 5+6	802.11a	140	5700	6Mbps	-	-
Mode 81	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	36	5180	MCS0	Full	-
Mode 82	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	44	5220	MCS0	Full	-
Mode 83	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	48	5240	MCS0	Full	-
Mode 84	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT20	52	5260	MCS0	Full	-
Mode 85	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT20	60	5300	MCS0	Full	-
Mode 86	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT20	64	5320	MCS0	Full	-
Mode 87	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	100	5500	MCS0	Full	-
Mode 88	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	116	5580	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 89	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	140	5700	MCS0	Full	-
Mode 90	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT40	38	5190	MCS0	Full	-
Mode 91	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT40	46	5230	MCS0	Full	-
Mode 92	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT40	54	5270	MCS0	Full	-
Mode 93	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT40	62	5310	MCS0	Full	-
Mode 94	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT40	102	5510	MCS0	Full	-
Mode 95	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT40	134	5670	MCS0	Full	-
Mode 96	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT80	42	5210	MCS0	Full	-
Mode 97	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT80	58	5290	MCS0	Full	-
Mode 98	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT80	106	5530	MCS0	Full	-
Mode 99	U-NII-1	5.15-5.35	CDD 5+6	802.11be EHT160	50	5250	MCS0	Full	-
Mode 100	U-NII-3	5.725-5.85	CDD 5+6	802.11a	149	5745	6Mbps	-	-
Mode 101	U-NII-3	5.725-5.85	CDD 5+6	802.11a	157	5785	6Mbps	-	-
Mode 102	U-NII-3	5.725-5.85	CDD 5+6	802.11a	165	5825	6Mbps	-	-
Mode 103	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	149	5745	MCS0	Full	-
Mode 104	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	157	5785	MCS0	Full	-
Mode 105	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	165	5825	MCS0	Full	-
Mode 106	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT40	151	5755	MCS0	Full	-
Mode 107	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT40	159	5795	MCS0	Full	-
Mode 108	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT80	155	5775	MCS0	Full	-
Mode 109	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	36	5180	MCS0	Single RU 26/0	-
Mode 110	U-NII-2A	5.15-5.25	CDD 5+6	802.11be EHT20	64	5320	MCS0	Single RU52/40	-
Mode 111	U-NII-2C	5.25-5.35	CDD 5+6	802.11be EHT20	100	5500	MCS0	Single RU52/37	-
Mode 112	U-NII-2C	5.25-5.35	CDD 5+6	802.11be EHT20	140	5700	MCS0	Single RU 26/8	-
Mode 113	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	149	5745	MCS0	Single RU 26/0	-
Mode 114	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	165	5825	MCS0	Single RU52/40	-
Mode 115	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	36	5180	MCS0	Small RU 52+26	38+1
Mode 116	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	36	5180	MCS0	Small RU 106+26	53+4
Mode 117	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT20	64	5320	MCS0	Small RU 52+26	39+7
Mode 118	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT20	64	5320	MCS0	Small RU 106+26	54+4
Mode 119	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	100	5500	MCS0	Small RU 52+26	38+1
Mode 120	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	100	5500	MCS0	Small RU 106+26	53+4



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 121	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	140	5700	MCS0	Small RU 52+26	39+7
Mode 122	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	140	5700	MCS0	Small RU 106+26	54+4
Mode 123	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	149	5745	MCS0	Small RU 52+26	38+1
Mode 124	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	149	5745	MCS0	Small RU 106+26	53+4
Mode 125	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	165	5825	MCS0	Small RU 52+26	39+7
Mode 126	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT20	165	5825	MCS0	Small RU 106+26	54+4
Mode 127	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT80	42	5210	MCS0	Puncturing 20M	④
Mode 128	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT80	58	5290	MCS0	Puncturing 20M	①
Mode 129	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT80	106	5530	MCS0	Puncturing 20M	④
Mode 130	U-NII-1	5.15-5.35	CDD 5+6	802.11be EHT160	50	5250	MCS0	Puncturing 20M	②
Mode 131	U-NII-1	5.15-5.35	CDD 5+6	802.11be EHT160	50	5250	MCS0	Puncturing 40M	②
Mode 132	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT80	155	5775	MCS0	Puncturing 20M	②
Mode 133	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT80	42	5210	MCS0	Large RU 484+242	④
Mode 134	U-NII-2A	5.25-5.35	CDD 5+6	802.11be EHT80	58	5290	MCS0	Large RU 484+242	①
Mode 135	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT80	106	5530	MCS0	Large RU 484+242	④
Mode 136	U-NII-1	5.15-5.35	CDD 5+6	802.11be EHT160	50	5250	MCS0	Large RU 996+484	③
Mode 137	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT80	155	5775	MCS0	Large RU 484+242	②
Mode 138	UNII 2A	5.15-5.25	CDD 5+6	11be EHT20	64	5320	MCS0	-	LF
Mode 139	U-NII-3	5.725-5.85	CDD 5+6	802.11be EHT40	151	5755	MCS0	-	LF
Mode 140	Co-location	2.4G WIFI	CDD 5+6	802.11g	11	2462	6Mbps	-	-
		5G WIFI	CDD 5+6	802.11be EHT20	64	5320	MCS0	-	-
		WWAN	7	NR B30	-	-	-	-	-
Mode 141	Co-location	BT	MIMO 5+6	Bluetooth	78	2480	1DH5	-	-
		5G WIFI	CDD 5+6	802.11be EHT20	64	5320	MCS0	-	-
		WWAN	7	NR B30	-	-	-	-	-
Mode 142	Co-location	BLE	5	Bluetooth-LE	38	2480	2M	-	-
		2.4G WIFI	6	802.11g	11	2462	6Mbps	-	-
		5G WIFI	CDD 5+6	802.11be EHT20	64	5320	MCS0	-	-
		WWAN	7	NR B30	-	-	-	-	-
Mode 143	U-NII-1~2C	5.25-5.35	CDD 5+4	802.11be EHT40	54	5270	MCS0	Full	worse from sample 1
Mode 144	U-NII-3	5.725-5.85	CDD 5+4	802.11be EHT80	155	5775	MCS0	Puncturing 20M②	
Mode 145	U-NII-1	5.15-5.25	CDD 5+4	802.11be EHT20	40	5200	MCS0	Full	
Mode 146	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	136	5680	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 147	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT20	132	5660	MCS0	Full	-
Mode 148	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT40	110	5550	MCS0	Full	-
Mode 149	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT40	118	5590	MCS0	Full	-
Mode 150	U-NII-2C	5.47-5.725	CDD 5+4	802.11be EHT40	126	5630	MCS0	Full	-
Mode 151	U-NII-1	5.15-5.25	CDD 5+6	802.11be EHT20	40	5200	MCS0	Full	-
Mode 152	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT20	136	5680	MCS0	Full	-
Mode 153	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT40	110	5550	MCS0	Full	-
Mode 154	U-NII-2C	5.47-5.725	CDD 5+6	802.11be EHT40	126	5630	MCS0	Full	-



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 44 rows of test data for various frequencies and modulation types (802.11a, 802.11be EHT20, 802.11be EHT40).



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11be EHT40	102	5460.64	65.38	68.30	-2.92	H	PEAK	Pass	Band Edge
23	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11be EHT40	134	5728.00	62.54	68.30	-5.76	H	PEAK	Pass	Band Edge
24	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11be EHT80	42	5149.23	50.74	54.00	-3.26	V	AVERAGE	Pass	Band Edge
25	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
26	802.11be EHT80	58	5372.55	49.71	54.00	-4.29	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11be EHT80	106	5440.81	50.16	54.00	-3.84	V	AVERAGE	Pass	Band Edge
27	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11be EHT160	50	5408.05	50.55	54.00	-3.45	V	AVERAGE	Pass	Band Edge
28	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
29	802.11a	149	-	-	-	-	-	-	-	Band Edge
29	802.11a	149	17235.00	49.49	68.30	-18.81	H	Peak	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	17355.00	49.66	68.30	-18.64	H	Peak	Pass	Harmonic
31	802.11a	165	-	-	-	-	-	-	-	Band Edge
31	802.11a	165	17475.00	51.05	68.30	-17.25	V	Peak	Pass	Harmonic
32	802.11be EHT20	149	5649.37	59.29	68.30	-9.01	H	PEAK	Pass	Band Edge
32	802.11be EHT20	149	17235.00	49.69	68.30	-18.61	V	Peak	Pass	Harmonic
33	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11be EHT20	157	17355.00	50.21	68.30	-18.09	H	Peak	Pass	Harmonic
34	802.11be EHT20	165	5924.83	56.87	68.33	-11.46	V	PEAK	Pass	Band Edge
34	802.11be EHT20	165	17475.00	50.58	68.30	-17.72	H	Peak	Pass	Harmonic
35	802.11be EHT40	151	5649.14	63.58	68.30	-4.72	V	PEAK	Pass	Band Edge
35	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT40	159	5924.81	64.04	68.34	-4.30	V	PEAK	Pass	Band Edge
36	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
37	802.11be EHT80	155	5649.28	63.90	68.30	-4.40	V	PEAK	Pass	Band Edge
37	802.11be EHT80	155	17325	49.31	68.30	-18.99	H	PEAK	Pass	Harmonic
38	802.11be EHT20	36	5149.99	43.32	54.00	-10.68	H	AVERAGE	Pass	Band Edge
38	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
39	802.11be EHT20	64	5358.30	42.13	54.00	-11.87	H	AVERAGE	Pass	Band Edge
39	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
40	802.11be EHT20	100	5458.98	42.34	54.00	-11.66	H	AVERAGE	Pass	Band Edge
40	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT20	140	5736.82	53.88	68.30	-14.42	H	PEAK	Pass	Band Edge
41	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
42	802.11be EHT20	149	5647.42	53.44	68.30	-14.86	H	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT20	165	5942.00	53.16	68.30	-15.14	H	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
44	802.11be EHT20	36	5063.09	42.85	54.00	-11.15	H	AVERAGE	Pass	Band Edge
44	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT20	36	5108.63	42.91	54.00	-11.09	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5355.21	43.04	54.00	-10.96	H	AVERAGE	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	64	5350.04	44.21	54.00	-9.79	H	AVERAGE	Pass	Band Edge
47	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	100	5457.63	42.71	54.00	-11.29	H	AVERAGE	Pass	Band Edge
48	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	100	5459.88	42.72	54.00	-11.28	H	AVERAGE	Pass	Band Edge
49	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	140	5737.02	54.08	68.30	-14.22	H	PEAK	Pass	Band Edge
50	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	140	5725.26	53.86	68.30	-14.44	H	PEAK	Pass	Band Edge
51	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	149	5646.55	53.27	68.30	-15.03	H	PEAK	Pass	Band Edge
52	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	149	5632.19	53.81	68.30	-14.49	H	PEAK	Pass	Band Edge
53	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	165	5934.25	52.97	68.30	-15.33	H	PEAK	Pass	Band Edge
54	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	165	5933.25	53.29	68.30	-15.01	V	PEAK	Pass	Band Edge
55	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	42	5147.97	44.03	54.00	-9.97	H	AVERAGE	Pass	Band Edge
56	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	58	5354.01	50.32	54.00	-3.68	H	AVERAGE	Pass	Band Edge
57	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	106	5459.89	43.96	54.00	-10.04	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	50	5097.65	50.88	54.00	-3.12	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	50	5118.88	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
60	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT80	155	5649.53	65.63	68.30	-2.67	H	PEAK	Pass	Band Edge
61	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT80	42	5143.96	50.09	54.00	-3.91	V	AVERAGE	Pass	Band Edge
62	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT80	58	5390.22	47.52	54.00	-6.48	V	AVERAGE	Pass	Band Edge
63	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT80	106	5461.17	63.95	68.30	-4.35	V	PEAK	Pass	Band Edge
64	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	50	5118.15	47.75	54.00	-6.25	H	AVERAGE	Pass	Band Edge
65	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT80	155	5650.40	64.82	68.60	-3.78	H	PEAK	Pass	Band Edge
66	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT40	54	162.89	30.7	43.5	-12.8	H	PEAK	Pass	LF
68	802.11be EHT80	155	165.8	31.83	43.5	-11.67	H	Peak	Pass	LF



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
69	Co-location		5350.8	50.41	54	-3.59	V	Average	Pass	Band Edge
			10540	49.19	68.3	-19.11	V	Average	Pass	Harmonic
70	Co-location		5354.16	50.98	54.00	-3.02	H	Average	Pass	Band Edge
			6916.50	59.64	68.30	-8.66	H	Peak	Pass	Harmonic
71	Co-location		5351.28	51.85	54.00	-2.15	H	Average	Pass	Band Edge
			9222.00	58.17	68.30	-10.13	V	Peak	Pass	Harmonic
72	802.11a	36	5149.51	51.28	54.00	-2.72	H	AVERAGE	Pass	Band Edge
72	802.11a	36	10360.00	48.49	68.30	-19.81	V	Peak	Pass	Harmonic
73	802.11a	44	-	-	-	-	-	-	-	Band Edge
73	802.11a	44	10440.00	48.68	68.30	-19.62	H	Peak	Pass	Harmonic
74	802.11a	48	-	-	-	-	-	-	-	Band Edge
74	802.11a	48	10480.00	48.23	68.30	-20.07	H	Peak	Pass	Harmonic
75	802.11a	52	-	-	-	-	-	-	-	Band Edge
75	802.11a	52	10520.00	48.86	68.30	-19.44	V	Peak	Pass	Harmonic
76	802.11a	60	-	-	-	-	-	-	-	Band Edge
76	802.11a	60	15900.00	49.36	74.00	-24.64	V	Peak	Pass	Harmonic
77	802.11a	64	5350.00	50.17	54.00	-3.83	V	AVERAGE	Pass	Band Edge
77	802.11a	64	15960.00	49.67	74.00	-24.33	H	Peak	Pass	Harmonic
78	802.11a	100	5468.73	64.55	68.30	-3.75	H	PEAK	Pass	Band Edge
78	802.11a	100	16500.00	49.79	68.30	-18.51	V	Peak	Pass	Harmonic
79	802.11a	116	-	-	-	-	-	-	-	Band Edge
79	802.11a	116	16740.00	48.81	68.30	-19.49	H	Peak	Pass	Harmonic
80	802.11a	140	5728.37	65.09	68.30	-3.21	H	PEAK	Pass	Band Edge
80	802.11a	140	17100.00	50.44	68.30	-17.86	H	Peak	Pass	Harmonic
81	802.11be EHT20	36	5149.62	49.10	54.00	-4.90	V	AVERAGE	Pass	Band Edge
81	802.11be EHT20	36	10360.00	48.06	68.30	-20.24	H	Peak	Pass	Harmonic
82	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
82	802.11be EHT20	44	10440.00	47.59	68.30	-20.71	V	Peak	Pass	Harmonic
83	802.11be EHT20	48	5150.00	48.01	54.00	-5.99	V	AVERAGE	Pass	Band Edge
83	802.11be EHT20	48	10480.00	47.55	68.30	-20.75	V	Peak	Pass	Harmonic
84	802.11be EHT20	52	5350.00	43.38	54.00	-10.62	V	AVERAGE	Pass	Band Edge
84	802.11be EHT20	52	10520.00	49.20	68.30	-19.10	V	Peak	Pass	Harmonic
85	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT20	60	15900.00	49.59	74.00	-24.41	V	Peak	Pass	Harmonic
86	802.11be EHT20	64	5350.04	51.79	54.00	-2.21	H	AVERAGE	Pass	Band Edge
86	802.11be EHT20	64	15960.00	49.54	74.00	-24.46	V	Peak	Pass	Harmonic
87	802.11be EHT20	100	5459.59	51.43	54.00	-2.57	H	AVERAGE	Pass	Band Edge
87	802.11be EHT20	100	16500.00	50.03	68.30	-18.27	V	Peak	Pass	Harmonic
88	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT20	116	16740.00	47.61	68.30	-20.69	H	Peak	Pass	Harmonic
89	802.11be EHT20	140	5725.32	63.95	68.30	-4.35	V	PEAK	Pass	Band Edge
89	802.11be EHT20	140	17100.00	50.76	68.30	-17.54	H	Peak	Pass	Harmonic
90	802.11be EHT40	38	5145.84	51.78	54.00	-2.22	H	AVERAGE	Pass	Band Edge
90	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT40	46	5149.39	50.44	54.00	-3.56	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
91	802.11be EHT40	46	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT40	54	5358.64	49.08	54.00	-4.92	H	AVERAGE	Pass	Band Edge
92	802.11be EHT40	54	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT40	62	5359.43	48.73	54.00	-5.27	V	AVERAGE	Pass	Band Edge
93	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT40	102	5460.00	50.20	54.00	-3.80	H	AVERAGE	Pass	Band Edge
94	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT40	134	5726.01	62.50	68.30	-5.80	H	PEAK	Pass	Band Edge
95	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT80	42	5133.88	50.07	54.00	-3.93	H	AVERAGE	Pass	Band Edge
96	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT80	58	5383.74	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge
97	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
98	802.11be EHT80	106	5446.39	48.78	54.00	-5.22	V	AVERAGE	Pass	Band Edge
98	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
99	802.11be EHT160	50	5114.38	50.61	54.00	-3.39	V	AVERAGE	Pass	Band Edge
99	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
100	802.11a	149	-	-	-	-	-	-	-	Band Edge
100	802.11a	149	17235.00	48.82	68.30	-19.48	H	Peak	Pass	Harmonic
101	802.11a	157	-	-	-	-	-	-	-	Band Edge
101	802.11a	157	17355.00	50.21	68.30	-18.09	V	Peak	Pass	Harmonic
102	802.11a	165	-	-	-	-	-	-	-	Band Edge
102	802.11a	165	17475.00	51.91	68.30	-16.39	V	Peak	Pass	Harmonic
103	802.11be EHT20	149	5649.95	62.17	68.30	-6.13	H	PEAK	Pass	Band Edge
103	802.11be EHT20	149	17235.00	50.75	68.30	-17.55	H	Peak	Pass	Harmonic
104	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
104	802.11be EHT20	157	17355.00	50.51	68.30	-17.79	V	Peak	Pass	Harmonic
105	802.11be EHT20	165	5920.58	64.28	71.46	-7.18	H	PEAK	Pass	Band Edge
105	802.11be EHT20	165	17475.00	50.12	68.30	-18.18	H	Peak	Pass	Harmonic
106	802.11be EHT40	151	5645.96	65.50	68.30	-2.80	H	PEAK	Pass	Band Edge
106	802.11be EHT40	151	17265.00	50.43	68.30	-17.87	V	Peak	Pass	Harmonic
107	802.11be EHT40	159	5935.82	62.86	68.30	-5.44	V	PEAK	Pass	Band Edge
107	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
108	802.11be EHT80	155	5651.63	65.90	69.50	-3.60	V	PEAK	Pass	Band Edge
108	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
109	802.11be EHT20	36	5054.47	42.98	54.00	-11.02	V	AVERAGE	Pass	Band Edge
109	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
110	802.11be EHT20	64	5370.05	42.43	54.00	-11.57	H	AVERAGE	Pass	Band Edge
110	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	100	5457.93	42.33	54.00	-11.67	H	AVERAGE	Pass	Band Edge
111	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	140	5761.27	53.17	68.30	-15.13	V	PEAK	Pass	Band Edge
112	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT20	149	5616.10	53.60	68.30	-14.70	V	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
114	802.11be EHT20	165	5929.38	52.41	68.30	-15.89	V	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT20	36	5148.77	43.03	54.00	-10.97	V	AVERAGE	Pass	Band Edge
115	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT20	36	5042.05	43.04	54.00	-10.96	V	AVERAGE	Pass	Band Edge
116	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT20	64	5355.92	43.56	54.00	-10.44	H	AVERAGE	Pass	Band Edge
117	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT20	64	5350.04	42.93	54.00	-11.07	H	AVERAGE	Pass	Band Edge
118	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT20	100	5458.84	42.62	54.00	-11.38	V	AVERAGE	Pass	Band Edge
119	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT20	100	5457.48	42.68	54.00	-11.32	H	AVERAGE	Pass	Band Edge
120	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT20	140	5753.92	53.65	68.30	-14.65	H	PEAK	Pass	Band Edge
121	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT20	140	5748.14	54.38	68.30	-13.92	V	PEAK	Pass	Band Edge
122	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT20	149	5649.88	54.03	68.30	-14.27	H	PEAK	Pass	Band Edge
123	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT20	149	5648.58	55.00	68.30	-13.30	H	PEAK	Pass	Band Edge
124	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT20	165	5944.88	52.71	68.30	-15.59	H	PEAK	Pass	Band Edge
125	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT20	165	5929.88	53.15	68.30	-15.15	H	PEAK	Pass	Band Edge
126	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT80	42	5146.90	43.98	54.00	-10.02	V	AVERAGE	Pass	Band Edge
127	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT80	58	5351.80	43.82	54.00	-10.18	H	AVERAGE	Pass	Band Edge
128	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
129	802.11be EHT80	106	5457.39	43.27	54.00	-10.73	H	AVERAGE	Pass	Band Edge
129	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT160	50	5115.15	47.45	54.00	-6.55	H	AVERAGE	Pass	Band Edge
130	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT160	50	5117.65	49.13	54.00	-4.87	H	AVERAGE	Pass	Band Edge
131	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT80	155	5643.05	65.20	68.30	-3.10	H	PEAK	Pass	Band Edge
132	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT80	42	5144.71	44.51	54.00	-9.49	V	AVERAGE	Pass	Band Edge
133	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT80	58	5390.05	46.91	54.00	-7.09	H	AVERAGE	Pass	Band Edge
134	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
135	802.11be EHT80	106	5443.51	44.52	54.00	-9.48	V	AVERAGE	Pass	Band Edge
135	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
136	802.11be EHT160	50	5126.38	45.95	54.00	-8.05	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
136	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
137	802.11be EHT80	155	5646.55	65.23	68.30	-3.07	V	PEAK	Pass	Band Edge
	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
138	802.11be EHT20	64	164.83	31.59	43.50	-11.91	H	PEAK	Pass	LF
139	802.11be EHT40	151	96.93	35.52	43.50	-11.98	V	PEAK	Pass	LF
140	Co-location		5352.96	50.08	54.00	-3.92	V	Average	Pass	Band Edge
			6916.50	59.02	68.30	-9.28	V	Peak	Pass	Harmonic
141	Co-location		5350.08	51.30	54.00	-2.70	V	Average	Pass	Band Edge
			9222.00	55.27	68.30	-13.03	V	Peak	Pass	Harmonic
142	Co-location		5350.08	50.37	54.00	-3.63	V	Average	Pass	Band Edge
			9222.00	60.21	68.30	-8.09	V	Peak	Pass	Harmonic
143	802.11be EHT40	54	5350.47	46.12	54.00	-7.88	V	AVERAGE	Pass	Band Edge
143	802.11be EHT40	54	10540.00	47.84	68.30	-20.46	H	Peak	Pass	Harmonic
144	802.11be EHT80	155	5924.80	65.25	68.35	-3.10	H	PEAK	Pass	Band Edge
144	802.11be EHT80	155	17325.00	49.31	68.30	-18.99	H	Peak	Pass	Harmonic
145	802.11be EHT20	40	5149.92	49.14	54.00	-4.86	V	AVERAGE	Pass	Band Edge
145	802.11be EHT20	40	-	-	-	-	-	-	-	Harmonic
146	802.11be EHT20	136	5729.01	62.57	68.30	-5.73	H	PEAK	Pass	Band Edge
146	802.11be EHT20	136	-	-	-	-	-	-	-	Harmonic
147	802.11be EHT20	132	5726.43	65.71	68.30	-2.59	H	PEAK	Pass	Band Edge
147	802.11be EHT20	132	-	-	-	-	-	-	-	Harmonic
148	802.11be EHT40	110	5457.50	47.63	54.00	-6.37	H	AVERAGE	Pass	Band Edge
148	802.11be EHT40	110	-	-	-	-	-	-	-	Harmonic
149	802.11be EHT40	118	5458.60	43.76	54.00	-10.24	H	AVERAGE	Pass	Band Edge
149	802.11be EHT40	118	-	-	-	-	-	-	-	Harmonic
150	802.11be EHT40	126	5735.77	63.56	68.30	-4.74	V	PEAK	Pass	Band Edge
150	802.11be EHT40	126	-	-	-	-	-	-	-	Harmonic
151	802.11be EHT20	40	5148.72	48.42	54.00	-5.58	V	AVERAGE	Pass	Band Edge
151	802.11be EHT20	40	-	-	-	-	-	-	-	Harmonic
152	802.11be EHT20	136	5725.02	60.49	68.30	-7.81	H	PEAK	Pass	Band Edge
152	802.11be EHT20	136	-	-	-	-	-	-	-	Harmonic
153	802.11be EHT40	110	5459.72	50.01	54.00	-3.99	H	AVERAGE	Pass	Band Edge
153	802.11be EHT40	110	-	-	-	-	-	-	-	Harmonic
154	802.11be EHT40	126	5726.74	60.65	68.30	-7.65	H	PEAK	Pass	Band Edge
154	802.11be EHT40	126	-	-	-	-	-	-	-	Harmonic



		1																																																																
Mode	Band Edge																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak																																																																		
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5147.51 61.76 74.00 -12.24</td> <td>47.58</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5147.51 61.76 74.00 -12.24	47.58	34.87	11.09	31.78	100	155	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00 95.70 -</td> <td>81.59</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5180.00 95.70 -	81.59	34.86	11.07	31.82	100	155
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5147.51 61.76 74.00 -12.24	47.58	34.87	11.09	31.78	100	155	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5180.00 95.70 -	81.59	34.86	11.07	31.82	100	155	PEAK																																																											
Avg																																																																		
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.99 50.82 54.00 -3.18</td> <td>36.65</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>100</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5149.99 50.82 54.00 -3.18	36.65	34.87	11.08	31.78	100	155	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00 88.75 -</td> <td>74.60</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>100</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5180.00 88.75 -	74.60	34.87	11.08	31.80	100	155
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5149.99 50.82 54.00 -3.18	36.65	34.87	11.08	31.78	100	155	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5180.00 88.75 -	74.60	34.87	11.08	31.80	100	155	AVERAGE																																																											



		1																																																																														
Mode	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.85</td> <td>61.29</td> <td>74.00</td> <td>-12.71</td> <td>47.11</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>299</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	61.29	74.00	-12.71	47.11	34.87	11.09	31.78	299	256	PEAK	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.84</td> <td>-----</td> <td>-----</td> <td>87.73</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>299</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.84	-----	-----	87.73	34.86	11.07	31.82	299	256	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.85	61.29	74.00	-12.71	47.11	34.87	11.09	31.78	299	256	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	101.84	-----	-----	87.73	34.86	11.07	31.82	299	256	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.99</td> <td>51.14</td> <td>54.00</td> <td>-2.86</td> <td>36.97</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>299</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	51.14	54.00	-2.86	36.97	34.87	11.08	31.78	299	256	AVERAGE	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>94.58</td> <td>-----</td> <td>-----</td> <td>80.43</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>299</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.58	-----	-----	80.43	34.87	11.08	31.80	299	256	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.99	51.14	54.00	-2.86	36.97	34.87	11.08	31.78	299	256	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	94.58	-----	-----	80.43	34.87	11.08	31.80	299	256	AVERAGE																																																																					





Mode	1																																																																																														
	Harmonic																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-11-09</p>	<p>Date: 2023-11-09</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.85</td> <td>68.30</td> <td>-19.45</td> <td>46.03</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.33</td> <td>74.00</td> <td>-24.67</td> <td>42.09</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	48.85	68.30	-19.45	46.03	39.44	14.15	50.77	-- -- Peak	2	15540.00	49.33	74.00	-24.67	42.09	41.82	16.85	51.43	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.63</td> <td>68.30</td> <td>-19.67</td> <td>45.81</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>48.75</td> <td>74.00</td> <td>-25.25</td> <td>41.51</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	48.63	68.30	-19.67	45.81	39.44	14.15	50.77	-- -- Peak	2	15540.00	48.75	74.00	-25.25	41.51	41.82	16.85	51.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10360.00	48.85	68.30	-19.45	46.03	39.44	14.15	50.77	-- -- Peak																																																																																						
2	15540.00	49.33	74.00	-24.67	42.09	41.82	16.85	51.43	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10360.00	48.63	68.30	-19.67	45.81	39.44	14.15	50.77	-- -- Peak																																																																																						
2	15540.00	48.75	74.00	-25.25	41.51	41.82	16.85	51.43	-- -- Peak																																																																																						



Mode	2																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.36</td> <td>68.30</td> <td>-19.94</td> <td>45.47</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.94</td> <td>74.00</td> <td>-25.06</td> <td>41.63</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	48.36	68.30	-19.94	45.47	39.48	14.20	50.79	--	--	Peak	2	15660.00	48.94	74.00	-25.06	41.63	41.90	16.94	51.53	--	--	Peak	<p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.99</td> <td>68.30</td> <td>-21.31</td> <td>44.10</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>41.90</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	46.99	68.30	-21.31	44.10	39.48	14.20	50.79	--	--	Peak	2	15660.00	49.21	74.00	-24.79	41.90	41.90	16.94	51.53	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10440.00	48.36	68.30	-19.94	45.47	39.48	14.20	50.79	--	--	Peak																																																																																									
2	15660.00	48.94	74.00	-25.06	41.63	41.90	16.94	51.53	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10440.00	46.99	68.30	-21.31	44.10	39.48	14.20	50.79	--	--	Peak																																																																																									
2	15660.00	49.21	74.00	-24.79	41.90	41.90	16.94	51.53	--	--	Peak																																																																																									



Mode	3																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																															
ANT	CDD 5+4																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Date: 2023-11-09. The plot shows a red line for the peak level and a blue line for the average level. Two peaks are marked at 10480 MHz and 15720 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.42</td> <td>68.30</td> <td>-19.88</td> <td>45.50</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.44</td> <td>74.00</td> <td>-25.56</td> <td>41.10</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	48.42	68.30	-19.88	45.50	39.49	14.23	50.80	--	Peak	2	15720.00	48.44	74.00	-25.56	41.10	41.93	16.99	51.58	--	Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2023-11-09. The plot shows a red line for the peak level and a blue line for the average level. Two peaks are marked at 10480 MHz and 15720 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.48</td> <td>68.30</td> <td>-19.82</td> <td>45.56</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.72</td> <td>74.00</td> <td>-25.28</td> <td>41.38</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	48.48	68.30	-19.82	45.56	39.49	14.23	50.80	--	Peak	2	15720.00	48.72	74.00	-25.28	41.38	41.93	16.99	51.58	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10480.00	48.42	68.30	-19.88	45.50	39.49	14.23	50.80	--	Peak																																																																																						
2	15720.00	48.44	74.00	-25.56	41.10	41.93	16.99	51.58	--	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10480.00	48.48	68.30	-19.82	45.56	39.49	14.23	50.80	--	Peak																																																																																						
2	15720.00	48.72	74.00	-25.28	41.38	41.93	16.99	51.58	--	Peak																																																																																						







Mode	4																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.66</td> <td>68.30</td> <td>-19.64</td> <td>45.71</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.06</td> <td>74.00</td> <td>-24.94</td> <td>41.68</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.66	68.30	-19.64	45.71	39.50	14.25	50.80	-- -- Peak	2	15780.00	49.06	74.00	-24.94	41.68	41.97	17.04	51.63	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.24</td> <td>68.30</td> <td>-20.06</td> <td>45.29</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.86</td> <td>74.00</td> <td>-24.14</td> <td>42.48</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.24	68.30	-20.06	45.29	39.50	14.25	50.80	-- -- Peak	2	15780.00	49.86	74.00	-24.14	42.48	41.97	17.04	51.63
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10520.00	48.66	68.30	-19.64	45.71	39.50	14.25	50.80	-- -- Peak																																																																																						
2	15780.00	49.06	74.00	-24.94	41.68	41.97	17.04	51.63	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10520.00	48.24	68.30	-20.06	45.29	39.50	14.25	50.80	-- -- Peak																																																																																						
2	15780.00	49.86	74.00	-24.14	42.48	41.97	17.04	51.63	-- -- Peak																																																																																						



Mode	5																																																																																										
	Harmonic																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>47.89</td> <td>74.00</td> <td>-26.11</td> <td>44.91</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15900.00</td> <td>49.23</td> <td>74.00</td> <td>-24.77</td> <td>41.77</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10600.00	47.89	74.00	-26.11	44.91	39.48	14.30	50.80	-- -- Peak	2 15900.00	49.23	74.00	-24.77	41.77	42.04	17.14	51.72	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>49.17</td> <td>74.00</td> <td>-24.83</td> <td>46.19</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15900.00</td> <td>49.03</td> <td>74.00</td> <td>-24.97</td> <td>41.57</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10600.00	49.17	74.00	-24.83	46.19	39.48	14.30	50.80	-- -- Peak	2 15900.00	49.03	74.00	-24.97	41.57	42.04	17.14	51.72
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10600.00	47.89	74.00	-26.11	44.91	39.48	14.30	50.80	-- -- Peak																																																																																			
2 15900.00	49.23	74.00	-24.77	41.77	42.04	17.14	51.72	-- -- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10600.00	49.17	74.00	-24.83	46.19	39.48	14.30	50.80	-- -- Peak																																																																																			
2 15900.00	49.03	74.00	-24.97	41.57	42.04	17.14	51.72	-- -- Peak																																																																																			



		6																																																																												
Mode	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.50</td> <td>59.59</td> <td>74.00</td> <td>-14.41</td> <td>45.86</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>100</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.50	59.59	74.00	-14.41	45.86	34.83	10.94	32.04	100	79 PEAK	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.12</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>100</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.12	-----	-----	92.32	34.84	10.96	32.00	100	79 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5355.50	59.59	74.00	-14.41	45.86	34.83	10.94	32.04	100	79 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	106.12	-----	-----	92.32	34.84	10.96	32.00	100	79 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.31</td> <td>50.64</td> <td>54.00</td> <td>-3.36</td> <td>36.90</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.31	50.64	54.00	-3.36	36.90	34.83	10.94	32.03	100	79 AVERAGE	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.77</td> <td>-----</td> <td>-----</td> <td>83.94</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>100</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.77	-----	-----	83.94	34.84	10.97	31.98	100	79 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5350.31	50.64	54.00	-3.36	36.90	34.83	10.94	32.03	100	79 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	97.77	-----	-----	83.94	34.84	10.97	31.98	100	79 AVERAGE																																																																				



	6																																																																	
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5352.97 56.78 74.00 -17.22</td> <td>43.04</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5352.97 56.78 74.00 -17.22	43.04	34.83	10.94	32.03	100	238	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 100.78 -----</td> <td>86.98</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00 100.78 -----	86.98	34.84	10.96	32.00	100	238	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5352.97 56.78 74.00 -17.22	43.04	34.83	10.94	32.03	100	238	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5320.00 100.78 -----	86.98	34.84	10.96	32.00	100	238	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5353.25 46.65 54.00 -7.35</td> <td>32.91</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5353.25 46.65 54.00 -7.35	32.91	34.83	10.94	32.03	100	238	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 94.00 -----</td> <td>80.20</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00 94.00 -----	80.20	34.84	10.96	32.00	100	238	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5353.25 46.65 54.00 -7.35	32.91	34.83	10.94	32.03	100	238	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5320.00 94.00 -----	80.20	34.84	10.96	32.00	100	238	AVERAGE																																																											



Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	CDD 5+4																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.31</td> <td>74.00</td> <td>-25.69</td> <td>45.32</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.80</td> <td>74.00</td> <td>-24.20</td> <td>42.30</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10640.00	48.31	74.00	-25.69	45.32	39.47	14.32	50.80	--	--	Peak	2	15960.00	49.80	74.00	-24.20	42.30	42.08	17.19	51.77	--	--	Peak	<p>Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.36</td> <td>74.00</td> <td>-25.64</td> <td>45.37</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.76</td> <td>74.00</td> <td>-24.24</td> <td>42.26</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10640.00	48.36	74.00	-25.64	45.37	39.47	14.32	50.80	--	--	Peak	2	15960.00	49.76	74.00	-24.24	42.26	42.08	17.19	51.77	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																											
1	10640.00	48.31	74.00	-25.69	45.32	39.47	14.32	50.80	--	--	Peak																																																																																							
2	15960.00	49.80	74.00	-24.20	42.30	42.08	17.19	51.77	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																											
1	10640.00	48.36	74.00	-25.64	45.37	39.47	14.32	50.80	--	--	Peak																																																																																							
2	15960.00	49.76	74.00	-24.24	42.26	42.08	17.19	51.77	--	--	Peak																																																																																							



	7																																																									
Mode	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5456.73 58.52 74.00 -15.48 44.76 34.81 11.11 32.16 100 64</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5466.34 62.54 68.30 -5.76 48.75 34.81 11.15 32.17 100 64</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5456.73 58.52 74.00 -15.48 44.76 34.81 11.11 32.16 100 64	PEAK							2 5466.34 62.54 68.30 -5.76 48.75 34.81 11.15 32.17 100 64	PEAK							<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 107.44 -----</td> <td>93.54 34.81 11.30 32.21 100 64</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 107.44 -----	93.54 34.81 11.30 32.21 100 64	PEAK					
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5456.73 58.52 74.00 -15.48 44.76 34.81 11.11 32.16 100 64	PEAK																																																									
2 5466.34 62.54 68.30 -5.76 48.75 34.81 11.15 32.17 100 64	PEAK																																																									
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 107.44 -----	93.54 34.81 11.30 32.21 100 64	PEAK																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.98 47.91 54.00 -6.09 34.15 34.81 11.12 32.17 100 64</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.98 47.91 54.00 -6.09 34.15 34.81 11.12 32.17 100 64	AVERAGE							<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 101.65 -----</td> <td>87.80 34.80 11.25 32.20 100 64</td> <td>AVERAGE</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 101.65 -----	87.80 34.80 11.25 32.20 100 64	AVERAGE													
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.98 47.91 54.00 -6.09 34.15 34.81 11.12 32.17 100 64	AVERAGE																																																									
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 101.65 -----	87.80 34.80 11.25 32.20 100 64	AVERAGE																																																								



	7																																																									
Mode	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.98 54.07 74.00 -19.93</td> <td>40.30</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> <tr> <td>2 5468.43 62.35 68.30 -5.95</td> <td>48.56</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5458.98 54.07 74.00 -19.93	40.30	34.81	11.12	32.16	100	241	PEAK	2 5468.43 62.35 68.30 -5.95	48.56	34.81	11.16	32.18	100	241	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 103.94</td> <td>90.04</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>100</td> <td>241</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 103.94	90.04	34.81	11.30	32.21	100	241	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5458.98 54.07 74.00 -19.93	40.30	34.81	11.12	32.16	100	241	PEAK																																																			
2 5468.43 62.35 68.30 -5.95	48.56	34.81	11.16	32.18	100	241	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 103.94	90.04	34.81	11.30	32.21	100	241	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.55 43.71 54.00 -10.29</td> <td>29.94</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>100</td> <td>241</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.55 43.71 54.00 -10.29	29.94	34.81	11.12	32.16	100	241	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 96.89</td> <td>82.99</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>100</td> <td>241</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 96.89	82.99	34.81	11.30	32.21	100	241	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.55 43.71 54.00 -10.29	29.94	34.81	11.12	32.16	100	241	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 96.89	82.99	34.81	11.30	32.21	100	241	AVERAGE																																																			






Mode	7																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.89</td> <td>74.00</td> <td>-26.11</td> <td>44.75</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.91</td> <td>68.30</td> <td>-18.39</td> <td>41.95</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.89	74.00	-26.11	44.75	39.40	14.54	50.80	-- Peak	2	16500.00	49.91	68.30	-18.39	41.95	42.40	17.36	51.80	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>48.54</td> <td>74.00</td> <td>-25.46</td> <td>45.40</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>50.48</td> <td>68.30</td> <td>-17.82</td> <td>42.52</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	48.54	74.00	-25.46	45.40	39.40	14.54	50.80	-- Peak	2	16500.00	50.48	68.30	-17.82	42.52	42.40	17.36	51.80
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11000.00	47.89	74.00	-26.11	44.75	39.40	14.54	50.80	-- Peak																																																																																								
2	16500.00	49.91	68.30	-18.39	41.95	42.40	17.36	51.80	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11000.00	48.54	74.00	-25.46	45.40	39.40	14.54	50.80	-- Peak																																																																																								
2	16500.00	50.48	68.30	-17.82	42.52	42.40	17.36	51.80	-- Peak																																																																																								






Mode	8																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																				
ANT	CDD 5+4																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.61</td> <td>74.00</td> <td>-25.39</td> <td>45.21</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>49.07</td> <td>68.30</td> <td>-19.23</td> <td>40.94</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	48.61	74.00	-25.39	45.21	39.53	14.64	50.77	--	Peak	2	16740.00	49.07	68.30	-19.23	40.94	42.45	17.43	51.75	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.49</td> <td>74.00</td> <td>-25.51</td> <td>45.09</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.52</td> <td>68.30</td> <td>-20.78</td> <td>39.39</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	48.49	74.00	-25.51	45.09	39.53	14.64	50.77	--	Peak	2	16740.00	47.52	68.30	-20.78	39.39	42.45	17.43	51.75	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11160.00	48.61	74.00	-25.39	45.21	39.53	14.64	50.77	--	Peak																																																																																											
2	16740.00	49.07	68.30	-19.23	40.94	42.45	17.43	51.75	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11160.00	48.49	74.00	-25.51	45.09	39.53	14.64	50.77	--	Peak																																																																																											
2	16740.00	47.52	68.30	-20.78	39.39	42.45	17.43	51.75	--	Peak																																																																																											



	9																																																																											
Mode	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.69</td> <td>66.07</td> <td>68.30</td> <td>-2.23</td> <td>51.69</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5726.69	66.07	68.30	-2.23	51.69	35.12	11.65	32.39	100	59 PEAK	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.99</td> <td>-----</td> <td>-----</td> <td>94.62</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5700.00	108.99	-----	-----	94.62	35.08	11.66	32.37	100	59 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1 5726.69	66.07	68.30	-2.23	51.69	35.12	11.65	32.39	100	59 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1 5700.00	108.99	-----	-----	94.62	35.08	11.66	32.37	100	59 PEAK																																																																			
Avg	Blank	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.26</td> <td>-----</td> <td>-----</td> <td>87.89</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5700.00	102.26	-----	-----	87.89	35.08	11.66	32.37	100	59 AVERAGE																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																				
1 5700.00	102.26	-----	-----	87.89	35.08	11.66	32.37	100	59 AVERAGE																																																																			



	9																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.77</td> <td>65.60</td> <td>68.30</td> <td>-2.70</td> <td>51.22</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>100 326 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg	1 5725.77	65.60	68.30	-2.70	51.22	35.12	11.65	32.39	100 326 PEAK	 <p>Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.29</td> <td>-----</td> <td>-----</td> <td>87.91</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>100 326 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg	1 5700.00	102.29	-----	-----	87.91	35.07	11.67	32.36	100 326 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																		
1 5725.77	65.60	68.30	-2.70	51.22	35.12	11.65	32.39	100 326 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																		
1 5700.00	102.29	-----	-----	87.91	35.07	11.67	32.36	100 326 PEAK																																																																		
Avg	Blank	 <p>Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.81</td> <td>-----</td> <td>-----</td> <td>81.44</td> <td>35.06</td> <td>11.67</td> <td>32.36</td> <td>100 326 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg	1 5700.00	95.81	-----	-----	81.44	35.06	11.67	32.36	100 326 AVERAGE																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																		
1 5700.00	95.81	-----	-----	81.44	35.06	11.67	32.36	100 326 AVERAGE																																																																		



Mode	9																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.66</td> <td>74.00</td> <td>-25.34</td> <td>44.88</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>49.01</td> <td>68.30</td> <td>-19.29</td> <td>40.82</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	48.66	74.00	-25.34	44.88	39.72	14.78	50.72	--	--	Peak	2	17100.00	49.01	68.30	-19.29	40.82	42.46	17.53	51.80	--	--	Peak	<p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.32</td> <td>74.00</td> <td>-24.68</td> <td>45.54</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.24</td> <td>68.30</td> <td>-18.06</td> <td>42.05</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	49.32	74.00	-24.68	45.54	39.72	14.78	50.72	--	--	Peak	2	17100.00	50.24	68.30	-18.06	42.05	42.46	17.53	51.80	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11400.00	48.66	74.00	-25.34	44.88	39.72	14.78	50.72	--	--	Peak																																																																																									
2	17100.00	49.01	68.30	-19.29	40.82	42.46	17.53	51.80	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11400.00	49.32	74.00	-24.68	45.54	39.72	14.78	50.72	--	--	Peak																																																																																									
2	17100.00	50.24	68.30	-18.06	42.05	42.46	17.53	51.80	--	--	Peak																																																																																									



	10																																																																											
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.85</td> <td>61.09</td> <td>74.00</td> <td>-12.91</td> <td>46.91</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.85	61.09	74.00	-12.91	46.91	34.87	11.09	31.78	100	150	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>95.82</td> <td>-----</td> <td>-----</td> <td>81.67</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>100</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	95.82	-----	-----	81.67	34.87	11.08	31.80	100	150	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.85	61.09	74.00	-12.91	46.91	34.87	11.09	31.78	100	150	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	95.82	-----	-----	81.67	34.87	11.08	31.80	100	150	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.99</td> <td>49.84</td> <td>54.00</td> <td>-4.16</td> <td>35.67</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>100</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.99	49.84	54.00	-4.16	35.67	34.87	11.08	31.78	100	150	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>87.51</td> <td>-----</td> <td>-----</td> <td>73.36</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>100</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	87.51	-----	-----	73.36	34.87	11.08	31.80	100	150	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.99	49.84	54.00	-4.16	35.67	34.87	11.08	31.78	100	150	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	87.51	-----	-----	73.36	34.87	11.08	31.80	100	150	AVERAGE																																																																	



	10																																																																											
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.25</td> <td>60.43</td> <td>74.00</td> <td>-13.57</td> <td>46.25</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>373</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.25	60.43	74.00	-13.57	46.25	34.87	11.09	31.78	373	181	PEAK	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.67</td> <td>-----</td> <td>-----</td> <td>86.56</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>373</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	100.67	-----	-----	86.56	34.86	11.07	31.82	373	181	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5148.25	60.43	74.00	-13.57	46.25	34.87	11.09	31.78	373	181	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	100.67	-----	-----	86.56	34.86	11.07	31.82	373	181	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.51</td> <td>50.75</td> <td>54.00</td> <td>-3.25</td> <td>36.57</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>373</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.51	50.75	54.00	-3.25	36.57	34.87	11.09	31.78	373	181	AVERAGE	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>94.85</td> <td>-----</td> <td>-----</td> <td>80.70</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>373</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	94.85	-----	-----	80.70	34.87	11.08	31.80	373	181	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.51	50.75	54.00	-3.25	36.57	34.87	11.09	31.78	373	181	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	94.85	-----	-----	80.70	34.87	11.08	31.80	373	181	AVERAGE																																																																	



Mode	10																																																																																										
	Harmonic																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>47.99</td> <td>68.30</td> <td>-20.31</td> <td>45.17</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15540.00</td> <td>49.47</td> <td>74.00</td> <td>-24.53</td> <td>42.23</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10360.00	47.99	68.30	-20.31	45.17	39.44	14.15	50.77	-- -- Peak	2 15540.00	49.47	74.00	-24.53	42.23	41.82	16.85	51.43	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>49.15</td> <td>68.30</td> <td>-19.15</td> <td>46.33</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15540.00</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>41.91</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10360.00	49.15	68.30	-19.15	46.33	39.44	14.15	50.77	-- -- Peak	2 15540.00	49.15	74.00	-24.85	41.91	41.82	16.85	51.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10360.00	47.99	68.30	-20.31	45.17	39.44	14.15	50.77	-- -- Peak																																																																																			
2 15540.00	49.47	74.00	-24.53	42.23	41.82	16.85	51.43	-- -- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10360.00	49.15	68.30	-19.15	46.33	39.44	14.15	50.77	-- -- Peak																																																																																			
2 15540.00	49.15	74.00	-24.85	41.91	41.82	16.85	51.43	-- -- Peak																																																																																			



Mode	11																																																																																										
	Harmonic																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>47.57</td> <td>68.30</td> <td>-20.73</td> <td>44.68</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15660.00</td> <td>49.75</td> <td>74.00</td> <td>-24.25</td> <td>42.44</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10440.00	47.57	68.30	-20.73	44.68	39.48	14.20	50.79	-- -- Peak	2 15660.00	49.75	74.00	-24.25	42.44	41.90	16.94	51.53	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>48.55</td> <td>68.30</td> <td>-19.75</td> <td>45.66</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15660.00</td> <td>48.36</td> <td>74.00</td> <td>-25.64</td> <td>41.05</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10440.00	48.55	68.30	-19.75	45.66	39.48	14.20	50.79	-- -- Peak	2 15660.00	48.36	74.00	-25.64	41.05	41.90	16.94	51.53
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10440.00	47.57	68.30	-20.73	44.68	39.48	14.20	50.79	-- -- Peak																																																																																			
2 15660.00	49.75	74.00	-24.25	42.44	41.90	16.94	51.53	-- -- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10440.00	48.55	68.30	-19.75	45.66	39.48	14.20	50.79	-- -- Peak																																																																																			
2 15660.00	48.36	74.00	-25.64	41.05	41.90	16.94	51.53	-- -- Peak																																																																																			



		12																																																																														
Mode		Band Edge - L																																																																														
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																														
ANT		CDD 5+4																																																																														
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.76</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>39.14</td> <td>34.88</td> <td>11.11</td> <td>31.73</td> <td>324</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5110.76	53.40	74.00	-20.60	39.14	34.88	11.11	31.73	324	69	PEAK	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>110.70</td> <td>-----</td> <td>-----</td> <td>96.73</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>324</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	110.70	-----	-----	96.73	34.85	11.02	31.90	324	69	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5110.76	53.40	74.00	-20.60	39.14	34.88	11.11	31.73	324	69	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5240.00	110.70	-----	-----	96.73	34.85	11.02	31.90	324	69	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.64</td> <td>43.84</td> <td>54.00</td> <td>-10.16</td> <td>29.66</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>324</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.64	43.84	54.00	-10.16	29.66	34.87	11.09	31.78	324	69	AVERAGE	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>102.32</td> <td>-----</td> <td>-----</td> <td>88.33</td> <td>34.85</td> <td>11.03</td> <td>31.89</td> <td>324</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.32	-----	-----	88.33	34.85	11.03	31.89	324	69	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.64	43.84	54.00	-10.16	29.66	34.87	11.09	31.78	324	69	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5240.00	102.32	-----	-----	88.33	34.85	11.03	31.89	324	69	AVERAGE																																																																					



	12																																			
Mode	Band Edge - R																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																			
ANT	CDD 5+4																																			
Pol.	Horizontal	Fundamental																																		
Peak																																				
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.51</td> <td>52.52</td> <td>74.00</td> <td>-21.48</td> <td>38.79</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>324</td> <td>69</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1 5356.51	52.52	74.00	-21.48	38.79	34.83	10.94	32.04	324	69
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq Level Line (dB)	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																													
1 5356.51	52.52	74.00	-21.48	38.79	34.83	10.94	32.04	324	69	PEAK																										
Avg																																				
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.63</td> <td>42.57</td> <td>54.00</td> <td>-11.43</td> <td>28.83</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>324</td> <td>69</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1 5353.63	42.57	54.00	-11.43	28.83	34.83	10.94	32.03	324	69
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq Level Line (dB)	Level	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																													
1 5353.63	42.57	54.00	-11.43	28.83	34.83	10.94	32.03	324	69	AVERAGE																										



		12																																																																	
Mode		Band Edge - L																																																																	
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																	
ANT		CDD 5+4																																																																	
Pol.		Vertical	Fundamental																																																																
Peak		<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5038.76 53.23 74.00 -20.77</td> <td>38.83</td> <td>34.89</td> <td>11.15</td> <td>31.64</td> <td>392</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5038.76 53.23 74.00 -20.77	38.83	34.89	11.15	31.64	392	117	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5240.00 106.73</td> <td>92.73</td> <td>34.85</td> <td>11.03</td> <td>31.88</td> <td>392</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5240.00 106.73	92.73	34.85	11.03	31.88	392	117	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5038.76 53.23 74.00 -20.77	38.83	34.89	11.15	31.64	392	117	PEAK																																																												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5240.00 106.73	92.73	34.85	11.03	31.88	392	117	PEAK																																																												
Avg		<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5061.34 43.26 54.00 -10.74</td> <td>28.91</td> <td>34.89</td> <td>11.13</td> <td>31.67</td> <td>392</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5061.34 43.26 54.00 -10.74	28.91	34.89	11.13	31.67	392	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5240.00 98.86</td> <td>84.87</td> <td>34.85</td> <td>11.03</td> <td>31.89</td> <td>392</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5240.00 98.86	84.87	34.85	11.03	31.89	392	117	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5061.34 43.26 54.00 -10.74	28.91	34.89	11.13	31.67	392	117	AVERAGE																																																												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5240.00 98.86	84.87	34.85	11.03	31.89	392	117	AVERAGE																																																												



	12																																				
Mode	Band Edge - R																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																				
ANT	CDD 5+4																																				
Pol.	Vertical	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.47</td> <td>52.79</td> <td>74.00</td> <td>-21.21</td> <td>39.07</td> <td>34.81</td> <td>11.06</td> <td>32.15</td> <td>392</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5446.47	52.79	74.00	-21.21	39.07	34.81	11.06	32.15	392	117
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																														
1	5446.47	52.79	74.00	-21.21	39.07	34.81	11.06	32.15	392	117	PEAK																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.63</td> <td>42.36</td> <td>54.00</td> <td>-11.64</td> <td>28.62</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>392</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5353.63	42.36	54.00	-11.64	28.62	34.83	10.94	32.03	392	117
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																														
1	5353.63	42.36	54.00	-11.64	28.62	34.83	10.94	32.03	392	117	AVERAGE																										



Mode	12																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																											
ANT	CDD 5+4																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>47.87</td> <td>68.30</td> <td>-20.43</td> <td>44.95</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.00</td> <td>74.00</td> <td>-25.00</td> <td>41.66</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.87	68.30	-20.43	44.95	39.49	14.23	50.80	--	--	Peak	2	15720.00	49.00	74.00	-25.00	41.66	41.93	16.99	51.58	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.01</td> <td>68.30</td> <td>-20.29</td> <td>45.09</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.14</td> <td>74.00</td> <td>-24.86</td> <td>41.80</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.01	68.30	-20.29	45.09	39.49	14.23	50.80	--	--	Peak	2	15720.00	49.14	74.00	-24.86	41.80	41.93	16.99	51.58	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10480.00	47.87	68.30	-20.43	44.95	39.49	14.23	50.80	--	--	Peak																																																																																																	
2	15720.00	49.00	74.00	-25.00	41.66	41.93	16.99	51.58	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10480.00	48.01	68.30	-20.29	45.09	39.49	14.23	50.80	--	--	Peak																																																																																																	
2	15720.00	49.14	74.00	-24.86	41.80	41.93	16.99	51.58	--	--	Peak																																																																																																	







		13																																																																
Mode	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5148.10 54.57 74.00 -19.43</td> <td>40.39</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>324</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5148.10 54.57 74.00 -19.43	40.39	34.87	11.09	31.78	324	67	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5260.00 110.40</td> <td>96.44</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>324</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5260.00 110.40	96.44	34.85	11.02	31.91	324	67	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5148.10 54.57 74.00 -19.43	40.39	34.87	11.09	31.78	324	67	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5260.00 110.40	96.44	34.85	11.02	31.91	324	67	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5038.90 43.11 54.00 -10.89</td> <td>28.71</td> <td>34.89</td> <td>11.15</td> <td>31.64</td> <td>324</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5038.90 43.11 54.00 -10.89	28.71	34.89	11.15	31.64	324	67	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5260.00 102.13</td> <td>88.17</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>324</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5260.00 102.13	88.17	34.85	11.02	31.91	324	67	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5038.90 43.11 54.00 -10.89	28.71	34.89	11.15	31.64	324	67	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5260.00 102.13	88.17	34.85	11.02	31.91	324	67	AVERAGE																																																											



	13																																		
Mode	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																		
ANT	CDD 5+4																																		
Pol.	Horizontal	Fundamental																																	
Peak																																			
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5372.72</td> <td>52.86</td> <td>74.00</td> <td>-21.14</td> <td>39.16</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>324</td> <td>67 PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1 5372.72	52.86	74.00	-21.14	39.16	34.83	10.93	32.06	324
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq Level Line (dB)	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																												
1 5372.72	52.86	74.00	-21.14	39.16	34.83	10.93	32.06	324	67 PEAK																										
Avg																																			
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>43.08</td> <td>54.00</td> <td>-10.92</td> <td>29.34</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>324</td> <td>67 AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1 5350.10	43.08	54.00	-10.92	29.34	34.83	10.94	32.03	324
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq Level Line (dB)	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																												
1 5350.10	43.08	54.00	-10.92	29.34	34.83	10.94	32.03	324	67 AVERAGE																										



		13																																																																														
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5095.32</td> <td>52.68</td> <td>74.00</td> <td>-21.32</td> <td>38.39</td> <td>34.88</td> <td>11.12</td> <td>31.71</td> <td>389</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5095.32	52.68	74.00	-21.32	38.39	34.88	11.12	31.71	389	118	PEAK	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>106.55</td> <td>-----</td> <td>-----</td> <td>92.61</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>389</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	106.55	-----	-----	92.61	34.85	11.01	31.92	389	118	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5095.32	52.68	74.00	-21.32	38.39	34.88	11.12	31.71	389	118	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5260.00	106.55	-----	-----	92.61	34.85	11.01	31.92	389	118	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5090.32</td> <td>42.70</td> <td>54.00</td> <td>-11.30</td> <td>28.29</td> <td>34.89</td> <td>11.15</td> <td>31.63</td> <td>389</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5090.32	42.70	54.00	-11.30	28.29	34.89	11.15	31.63	389	118	AVERAGE	 <p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>99.03</td> <td>-----</td> <td>-----</td> <td>85.09</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>389</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	99.03	-----	-----	85.09	34.85	11.01	31.92	389	118	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5090.32	42.70	54.00	-11.30	28.29	34.89	11.15	31.63	389	118	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5260.00	99.03	-----	-----	85.09	34.85	11.01	31.92	389	118	AVERAGE																																																																					



	13																																				
Mode	Band Edge - R																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																				
ANT	CDD 5+4																																				
Pol.	Vertical	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5457.30</td> <td>52.77</td> <td>74.00</td> <td>-21.23</td> <td>39.01</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>389 118 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5457.30	52.77	74.00	-21.23	39.01	34.81	11.11	32.16
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																													
1 5457.30	52.77	74.00	-21.23	39.01	34.81	11.11	32.16	389 118 PEAK																													
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.30</td> <td>42.48</td> <td>54.00</td> <td>-11.52</td> <td>28.74</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>389 118 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5354.30	42.48	54.00	-11.52	28.74	34.83	10.94	32.03
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Level	Factor	Loss Factor																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																													
1 5354.30	42.48	54.00	-11.52	28.74	34.83	10.94	32.03	389 118 AVERAGE																													



Mode	13																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.26</td> <td>68.30</td> <td>-20.04</td> <td>45.31</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.09</td> <td>74.00</td> <td>-24.91</td> <td>41.71</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.26	68.30	-20.04	45.31	39.50	14.25	50.80	-- -- Peak	2	15780.00	49.09	74.00	-24.91	41.71	41.97	17.04	51.63	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.79</td> <td>68.30</td> <td>-19.51</td> <td>45.84</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.53</td> <td>74.00</td> <td>-24.47</td> <td>42.15</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.79	68.30	-19.51	45.84	39.50	14.25	50.80	-- -- Peak	2	15780.00	49.53	74.00	-24.47	42.15	41.97	17.04	51.63
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10520.00	48.26	68.30	-20.04	45.31	39.50	14.25	50.80	-- -- Peak																																																																																						
2	15780.00	49.09	74.00	-24.91	41.71	41.97	17.04	51.63	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10520.00	48.79	68.30	-19.51	45.84	39.50	14.25	50.80	-- -- Peak																																																																																						
2	15780.00	49.53	74.00	-24.47	42.15	41.97	17.04	51.63	-- -- Peak																																																																																						



Mode	14																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>48.21</td> <td>74.00</td> <td>-25.79</td> <td>45.23</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.53</td> <td>74.00</td> <td>-24.47</td> <td>42.07</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.21	74.00	-25.79	45.23	39.48	14.30	50.80	--	--	Peak	2	15900.00	49.53	74.00	-24.47	42.07	42.04	17.14	51.72	--	--	Peak	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>49.26</td> <td>74.00</td> <td>-24.74</td> <td>46.28</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.43</td> <td>74.00</td> <td>-24.57</td> <td>41.97</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	49.26	74.00	-24.74	46.28	39.48	14.30	50.80	--	--	Peak	2	15900.00	49.43	74.00	-24.57	41.97	42.04	17.14	51.72	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10600.00	48.21	74.00	-25.79	45.23	39.48	14.30	50.80	--	--	Peak																																																																																									
2	15900.00	49.53	74.00	-24.47	42.07	42.04	17.14	51.72	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10600.00	49.26	74.00	-24.74	46.28	39.48	14.30	50.80	--	--	Peak																																																																																									
2	15900.00	49.43	74.00	-24.57	41.97	42.04	17.14	51.72	--	--	Peak																																																																																									



		15																																																																
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.74 63.20 74.00</td> <td>-10.80</td> <td>49.46</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>320</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.74 63.20 74.00	-10.80	49.46	34.83	10.94	32.03	320	65 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 111.37</td> <td>-----</td> <td>97.55</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>320</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00 111.37	-----	97.55	34.84	10.97	31.99	320	65 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5350.74 63.20 74.00	-10.80	49.46	34.83	10.94	32.03	320	65 PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5320.00 111.37	-----	97.55	34.84	10.97	31.99	320	65 PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.00 50.65 54.00</td> <td>-3.35</td> <td>36.91</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>320</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.00 50.65 54.00	-3.35	36.91	34.83	10.94	32.03	320	65 AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 102.44</td> <td>-----</td> <td>88.64</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>320</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00 102.44	-----	88.64	34.84	10.96	32.00	320	65 AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5350.00 50.65 54.00	-3.35	36.91	34.83	10.94	32.03	320	65 AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5320.00 102.44	-----	88.64	34.84	10.96	32.00	320	65 AVERAGE																																																											



		15																																																																														
Mode	Band Edge																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>59.01</td> <td>74.00</td> <td>-14.99</td> <td>45.27</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>396</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	59.01	74.00	-14.99	45.27	34.83	10.94	32.03	396	105	PEAK	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>107.77</td> <td>-----</td> <td>-----</td> <td>93.97</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>396</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.77	-----	-----	93.97	34.84	10.96	32.00	396	105	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5350.00	59.01	74.00	-14.99	45.27	34.83	10.94	32.03	396	105	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5320.00	107.77	-----	-----	93.97	34.84	10.96	32.00	396	105	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>46.41</td> <td>54.00</td> <td>-7.59</td> <td>32.67</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>396</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	46.41	54.00	-7.59	32.67	34.83	10.94	32.03	396	105	AVERAGE	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.01</td> <td>-----</td> <td>-----</td> <td>84.21</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>396</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.01	-----	-----	84.21	34.84	10.96	32.00	396	105	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5350.00	46.41	54.00	-7.59	32.67	34.83	10.94	32.03	396	105	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5320.00	98.01	-----	-----	84.21	34.84	10.96	32.00	396	105	AVERAGE																																																																					



Mode	15																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.30</td> <td>74.00</td> <td>-24.70</td> <td>46.31</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.07</td> <td>74.00</td> <td>-24.93</td> <td>41.57</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	49.30	74.00	-24.70	46.31	39.47	14.32	50.80	-- -- Peak	2	15960.00	49.07	74.00	-24.93	41.57	42.08	17.19	51.77	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.23</td> <td>74.00</td> <td>-24.77</td> <td>46.24</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.24</td> <td>74.00</td> <td>-24.76</td> <td>41.74</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	49.23	74.00	-24.77	46.24	39.47	14.32	50.80	-- -- Peak	2	15960.00	49.24	74.00	-24.76	41.74	42.08	17.19	51.77
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10640.00	49.30	74.00	-24.70	46.31	39.47	14.32	50.80	-- -- Peak																																																																																						
2	15960.00	49.07	74.00	-24.93	41.57	42.08	17.19	51.77	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10640.00	49.23	74.00	-24.77	46.24	39.47	14.32	50.80	-- -- Peak																																																																																						
2	15960.00	49.24	74.00	-24.76	41.74	42.08	17.19	51.77	-- -- Peak																																																																																						



	16																																																									
Mode	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.89 56.79 74.00 -17.21</td> <td>43.03</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>300</td> <td>59</td> <td>PEAK</td> </tr> <tr> <td>2 5464.54 61.53 68.30 -6.77</td> <td>47.75</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>300</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.89 56.79 74.00 -17.21	43.03	34.81	11.12	32.17	300	59	PEAK	2 5464.54 61.53 68.30 -6.77	47.75	34.81	11.14	32.17	300	59	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 106.22</td> <td>-----</td> <td>92.32</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>300</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 106.22	-----	92.32	34.81	11.30	32.21	300	59 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.89 56.79 74.00 -17.21	43.03	34.81	11.12	32.17	300	59	PEAK																																																			
2 5464.54 61.53 68.30 -6.77	47.75	34.81	11.14	32.17	300	59	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 106.22	-----	92.32	34.81	11.30	32.21	300	59 PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.98 45.41 54.00 -8.59</td> <td>31.65</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>300</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.98 45.41 54.00 -8.59	31.65	34.81	11.12	32.17	300	59	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 96.94</td> <td>-----</td> <td>83.04</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>300</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 96.94	-----	83.04	34.81	11.30	32.21	300	59 AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.98 45.41 54.00 -8.59	31.65	34.81	11.12	32.17	300	59	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 96.94	-----	83.04	34.81	11.30	32.21	300	59 AVERAGE																																																			



	16																																																																																		
Mode	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																		
ANT	CDD 5+4																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.09</td> <td>58.43</td> <td>74.00</td> <td>-15.57</td> <td>44.68</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>300 243 PEAK</td> </tr> <tr> <td>2 5466.79</td> <td>62.61</td> <td>68.30</td> <td>-5.69</td> <td>48.82</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>300 243 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5455.09	58.43	74.00	-15.57	44.68	34.81	11.10	32.16	300 243 PEAK	2 5466.79	62.61	68.30	-5.69	48.82	34.81	11.15	32.17	300 243 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>105.02</td> <td>-----</td> <td>-----</td> <td>91.12</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>300 243 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	105.02	-----	-----	91.12	34.81	11.30	32.21	300 243 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5455.09	58.43	74.00	-15.57	44.68	34.81	11.10	32.16	300 243 PEAK																																																																											
2 5466.79	62.61	68.30	-5.69	48.82	34.81	11.15	32.17	300 243 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5500.00	105.02	-----	-----	91.12	34.81	11.30	32.21	300 243 PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5460.00</td> <td>45.93</td> <td>54.00</td> <td>-8.07</td> <td>32.17</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>300 243 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5460.00	45.93	54.00	-8.07	32.17	34.81	11.12	32.17	300 243 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>96.85</td> <td>-----</td> <td>-----</td> <td>82.95</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>300 243 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	96.85	-----	-----	82.95	34.81	11.30	32.21	300 243 AVERAGE									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5460.00	45.93	54.00	-8.07	32.17	34.81	11.12	32.17	300 243 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5500.00	96.85	-----	-----	82.95	34.81	11.30	32.21	300 243 AVERAGE																																																																											



Mode	16																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.28</td> <td>74.00</td> <td>-26.72</td> <td>44.14</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.50</td> <td>68.30</td> <td>-18.80</td> <td>41.54</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.28	74.00	-26.72	44.14	39.40	14.54	50.80	--	--	Peak	2	16500.00	49.50	68.30	-18.80	41.54	42.40	17.36	51.80	--	--	Peak	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>48.36</td> <td>74.00</td> <td>-25.64</td> <td>45.22</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>50.10</td> <td>68.30</td> <td>-18.20</td> <td>42.14</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	48.36	74.00	-25.64	45.22	39.40	14.54	50.80	--	--	Peak	2	16500.00	50.10	68.30	-18.20	42.14	42.40	17.36	51.80	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11000.00	47.28	74.00	-26.72	44.14	39.40	14.54	50.80	--	--	Peak																																																																																									
2	16500.00	49.50	68.30	-18.80	41.54	42.40	17.36	51.80	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11000.00	48.36	74.00	-25.64	45.22	39.40	14.54	50.80	--	--	Peak																																																																																									
2	16500.00	50.10	68.30	-18.20	42.14	42.40	17.36	51.80	--	--	Peak																																																																																									



Mode	17																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>49.10</td> <td>74.00</td> <td>-24.90</td> <td>45.70</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 16740.00</td> <td>48.54</td> <td>68.30</td> <td>-19.76</td> <td>40.41</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.10	74.00	-24.90	45.70	39.53	14.64	50.77	--	-- Peak	2 16740.00	48.54	68.30	-19.76	40.41	42.45	17.43	51.75	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>45.61</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 16740.00</td> <td>48.61</td> <td>68.30</td> <td>-19.69</td> <td>40.48</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.01	74.00	-24.99	45.61	39.53	14.64	50.77	--	-- Peak	2 16740.00	48.61	68.30	-19.69	40.48	42.45	17.43	51.75	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11160.00	49.10	74.00	-24.90	45.70	39.53	14.64	50.77	--	-- Peak																																																																																								
2 16740.00	48.54	68.30	-19.76	40.41	42.45	17.43	51.75	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11160.00	49.01	74.00	-24.99	45.61	39.53	14.64	50.77	--	-- Peak																																																																																								
2 16740.00	48.61	68.30	-19.69	40.48	42.45	17.43	51.75	--	-- Peak																																																																																								



	18																																																	
Mode	Band Edge																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																	
ANT	CDD 5+4																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5725.06 64.39 68.30 -3.91</td> <td>50.01</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>308</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		5725.06 64.39 68.30 -3.91	50.01	35.12	11.65	32.39	308	74	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5700.00 111.51 -----</td> <td>97.14</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>308</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		5700.00 111.51 -----	97.14	35.08	11.66	32.37	308	74	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
5725.06 64.39 68.30 -3.91	50.01	35.12	11.65	32.39	308	74	PEAK																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
5700.00 111.51 -----	97.14	35.08	11.66	32.37	308	74	PEAK																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5700.00 102.38 -----</td> <td>88.00</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>308</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		5700.00 102.38 -----	88.00	35.07	11.67	32.36	308	74	AVERAGE																								
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
5700.00 102.38 -----	88.00	35.07	11.67	32.36	308	74	AVERAGE																																											



		18																																																																					
Mode	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																						
ANT	CDD 5+4																																																																						
Pol.	Vertical	Fundamental																																																																					
Peak	<p style="text-align: right;">Date: 2023-11-18</p>		<p style="text-align: right;">Date: 2023-11-18</p>																																																																				
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5725.12</td> <td>62.28</td> <td>68.30</td> <td>-6.02</td> <td>47.90</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>400</td> <td>156 PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	1 5725.12	62.28	68.30	-6.02	47.90	35.12	11.65	32.39	400	156 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>105.87</td> <td>-----</td> <td>-----</td> <td>91.50</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>400</td> <td>156 PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	1 5700.00	105.87	-----	-----	91.50	35.08	11.66	32.37	400
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm																																																																
1 5725.12	62.28	68.30	-6.02	47.90	35.12	11.65	32.39	400	156 PEAK																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm																																																																
1 5700.00	105.87	-----	-----	91.50	35.08	11.66	32.37	400	156 PEAK																																																														
Avg	Blank		<p style="text-align: right;">Date: 2023-11-18</p>																																																																				
			<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.00</td> <td>-----</td> <td>-----</td> <td>83.63</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>400</td> <td>156 AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	1 5700.00	98.00	-----	-----	83.63	35.08	11.66	32.37	400	156 AVERAGE																																	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm																																																																
1 5700.00	98.00	-----	-----	83.63	35.08	11.66	32.37	400	156 AVERAGE																																																														



Mode	18																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.61</td> <td>74.00</td> <td>-24.39</td> <td>45.83</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17100.00</td> <td>49.48</td> <td>68.30</td> <td>-18.82</td> <td>41.29</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.61	74.00	-24.39	45.83	39.72	14.78	50.72	--	-- Peak	2 17100.00	49.48	68.30	-18.82	41.29	42.46	17.53	51.80	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>45.64</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17100.00</td> <td>49.80</td> <td>68.30</td> <td>-18.50</td> <td>41.61</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.42	74.00	-24.58	45.64	39.72	14.78	50.72	--	-- Peak	2 17100.00	49.80	68.30	-18.50	41.61	42.46	17.53	51.80	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11400.00	49.61	74.00	-24.39	45.83	39.72	14.78	50.72	--	-- Peak																																																																																								
2 17100.00	49.48	68.30	-18.82	41.29	42.46	17.53	51.80	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11400.00	49.42	74.00	-24.58	45.64	39.72	14.78	50.72	--	-- Peak																																																																																								
2 17100.00	49.80	68.30	-18.50	41.61	42.46	17.53	51.80	--	-- Peak																																																																																								



19

Mode

Band Edge - L

U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz

ANT



CDD 5+4

Pol.

Horizontal

Fundamental



Peak



Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				
1	5149.83	60.41	74.00	-13.59	46.23	34.87	11.09	31.78	100	147	PEAK

Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				
1	5190.00	95.22	-----	-----	81.11	34.86	11.07	31.82	100	147	PEAK

Avg



Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				
1	5149.83	49.61	54.00	-4.39	35.43	34.87	11.09	31.78	100	147	AVERAGE

Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				
1	5190.00	87.53	-----	-----	73.42	34.86	11.07	31.82	100	147	AVERAGE



Mode	19																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.68</td> <td>51.92</td> <td>74.00</td> <td>-22.08</td> <td>38.22</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>100</td> <td>147</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5372.68	51.92	74.00	-22.08	38.22	34.83	10.93	32.06	100	147	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5372.68	51.92	74.00	-22.08	38.22	34.83	10.93	32.06	100	147	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.02</td> <td>41.98</td> <td>54.00</td> <td>-12.02</td> <td>28.34</td> <td>34.82</td> <td>10.92</td> <td>32.10</td> <td>100</td> <td>147</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5411.02	41.98	54.00	-12.02	28.34	34.82	10.92	32.10	100	147	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5411.02	41.98	54.00	-12.02	28.34	34.82	10.92	32.10	100	147	AVERAGE																											



		19																																																																								
Mode		Band Edge - L																																																																								
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																								
ANT		CDD 5+4																																																																								
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.22</td> <td>61.21</td> <td>74.00</td> <td>-12.79</td> <td>47.02</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>400</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5142.22	61.21	74.00	-12.79	47.02	34.87	11.09	31.77	400	178	PEAK	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>96.30</td> <td>-----</td> <td>-----</td> <td>82.19</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>400</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5190.00	96.30	-----	-----	82.19	34.86	11.07	31.82	400	178	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5142.22	61.21	74.00	-12.79	47.02	34.87	11.09	31.77	400	178	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5190.00	96.30	-----	-----	82.19	34.86	11.07	31.82	400	178	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.44</td> <td>50.05</td> <td>54.00</td> <td>-3.95</td> <td>35.87</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5149.44	50.05	54.00	-3.95	35.87	34.87	11.09	31.78	400	178	AVERAGE	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>87.99</td> <td>-----</td> <td>-----</td> <td>73.86</td> <td>34.87</td> <td>11.07</td> <td>31.81</td> <td>400</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5190.00	87.99	-----	-----	73.86	34.87	11.07	31.81	400	178	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5149.44	50.05	54.00	-3.95	35.87	34.87	11.09	31.78	400	178	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5190.00	87.99	-----	-----	73.86	34.87	11.07	31.81	400	178	AVERAGE																																																															



Mode	19																																	
	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																	
ANT	CDD 5+4																																	
Pol.	Vertical	Fundamental																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5422.63 51.80 74.00 -22.20</td> <td>38.14</td> <td>34.82</td> <td>10.96</td> <td>32.12</td> <td>400</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg		1 5422.63 51.80 74.00 -22.20	38.14	34.82	10.96	32.12	400	178	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																												
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																												
1 5422.63 51.80 74.00 -22.20	38.14	34.82	10.96	32.12	400	178	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5440.97 41.94 54.00 -12.06</td> <td>28.23</td> <td>34.81</td> <td>11.04</td> <td>32.14</td> <td>400</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg		1 5440.97 41.94 54.00 -12.06	28.23	34.81	11.04	32.14	400	178	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line Margin	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																												
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	cm	deg																												
1 5440.97 41.94 54.00 -12.06	28.23	34.81	11.04	32.14	400	178	AVERAGE																											



		20																																																																									
Mode		Band Edge - L																																																																									
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																									
ANT		CDD 5+4																																																																									
Pol.		Horizontal	Fundamental																																																																								
Peak		<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.98</td> <td>62.79</td> <td>74.00</td> <td>-11.21</td> <td>48.62</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>327 106 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.98	62.79	74.00	-11.21	48.62	34.87	11.08	31.78	327 106 PEAK	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>99.60</td> <td>-----</td> <td>-----</td> <td>85.59</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>327 106 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	99.60	-----	-----	85.59	34.85	11.04	31.88	327 106 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5149.98	62.79	74.00	-11.21	48.62	34.87	11.08	31.78	327 106 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5230.00	99.60	-----	-----	85.59	34.85	11.04	31.88	327 106 PEAK																																																																			
Avg		<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.85</td> <td>50.80</td> <td>54.00</td> <td>-3.20</td> <td>36.62</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>327 106 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.85	50.80	54.00	-3.20	36.62	34.87	11.09	31.78	327 106 AVERAGE	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>91.26</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>327 106 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	91.26	-----	-----	77.29	34.85	11.02	31.90	327 106 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5149.85	50.80	54.00	-3.20	36.62	34.87	11.09	31.78	327 106 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5230.00	91.26	-----	-----	77.29	34.85	11.02	31.90	327 106 AVERAGE																																																																			



	20	
Mode	Band Edge - R	
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak		
	Blank	
Avg		
	Blank	



		20																																																																														
Mode	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.93</td> <td>62.04</td> <td>74.00</td> <td>-11.96</td> <td>47.86</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.93	62.04	74.00	-11.96	47.86	34.87	11.09	31.78	400	188	PEAK	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>97.50</td> <td>-----</td> <td>-----</td> <td>83.53</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	97.50	-----	-----	83.53	34.85	11.02	31.90	400	188	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5148.93	62.04	74.00	-11.96	47.86	34.87	11.09	31.78	400	188	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5230.00	97.50	-----	-----	83.53	34.85	11.02	31.90	400	188	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.82</td> <td>49.60</td> <td>54.00</td> <td>-4.40</td> <td>35.42</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.82	49.60	54.00	-4.40	35.42	34.87	11.09	31.78	400	188	AVERAGE	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>89.45</td> <td>-----</td> <td>-----</td> <td>75.48</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	89.45	-----	-----	75.48	34.85	11.02	31.90	400	188	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.82	49.60	54.00	-4.40	35.42	34.87	11.09	31.78	400	188	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5230.00	89.45	-----	-----	75.48	34.85	11.02	31.90	400	188	AVERAGE																																																																					



	20																																
Mode	Band Edge - R																																
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																
ANT	CDD 5+4																																
Pol.	Vertical	Fundamental																															
Peak																																	
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5386.06 52.90 74.00 -21.10</td> <td>39.23</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5386.06 52.90 74.00 -21.10	39.23	34.82	10.92	32.07	400	188
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5386.06 52.90 74.00 -21.10	39.23	34.82	10.92	32.07	400	188	PEAK																										
Avg																																	
	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5386.31 42.50 54.00 -11.50</td> <td>28.83</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5386.31 42.50 54.00 -11.50	28.83	34.82	10.92	32.07	400	188
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor		cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5386.31 42.50 54.00 -11.50	28.83	34.82	10.92	32.07	400	188	AVERAGE																										



		21																																																																											
Mode	Band Edge - L																																																																												
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																												
ANT	CDD 5+4																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5104.63</td> <td>53.89</td> <td>74.00</td> <td>-20.11</td> <td>39.63</td> <td>34.88</td> <td>11.11</td> <td>31.73</td> <td>370</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5104.63	53.89	74.00	-20.11	39.63	34.88	11.11	31.73	370	74	PEAK	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>103.24</td> <td>-----</td> <td>-----</td> <td>89.34</td> <td>34.84</td> <td>11.00</td> <td>31.94</td> <td>370</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	103.24	-----	-----	89.34	34.84	11.00	31.94	370	74	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5104.63	53.89	74.00	-20.11	39.63	34.88	11.11	31.73	370	74	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5270.00	103.24	-----	-----	89.34	34.84	11.00	31.94	370	74	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5115.72</td> <td>43.28</td> <td>54.00</td> <td>-10.72</td> <td>29.04</td> <td>34.88</td> <td>11.10</td> <td>31.74</td> <td>370</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5115.72	43.28	54.00	-10.72	29.04	34.88	11.10	31.74	370	74	AVERAGE	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>94.86</td> <td>-----</td> <td>-----</td> <td>80.96</td> <td>34.84</td> <td>11.00</td> <td>31.94</td> <td>370</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	94.86	-----	-----	80.96	34.84	11.00	31.94	370	74	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5115.72	43.28	54.00	-10.72	29.04	34.88	11.10	31.74	370	74	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5270.00	94.86	-----	-----	80.96	34.84	11.00	31.94	370	74	AVERAGE																																																																		



	21																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																						
ANT	CDD 5+4																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.67</td> <td>65.21</td> <td>74.00</td> <td>-8.79</td> <td>51.47</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>370</td> <td>74 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.67	65.21	74.00	-8.79	51.47	34.83	10.94	32.03	370	74 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1	5350.67	65.21	74.00	-8.79	51.47	34.83	10.94	32.03	370	74 PEAK																													
Avg	<p style="text-align: right;">Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.02</td> <td>51.86</td> <td>54.00</td> <td>-2.14</td> <td>38.12</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>370</td> <td>74 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.02	51.86	54.00	-2.14	38.12	34.83	10.94	32.03	370	74 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1	5351.02	51.86	54.00	-2.14	38.12	34.83	10.94	32.03	370	74 AVERAGE																													



	21																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.18</td> <td>53.14</td> <td>74.00</td> <td>-20.86</td> <td>38.96</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.18	53.14	74.00	-20.86	38.96	34.87	11.09	31.78	400	158	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>81.47</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>400</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	95.40	-----	-----	81.47	34.85	11.01	31.93	400	158	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.18	53.14	74.00	-20.86	38.96	34.87	11.09	31.78	400	158	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	95.40	-----	-----	81.47	34.85	11.01	31.93	400	158	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.10</td> <td>42.56</td> <td>54.00</td> <td>-11.44</td> <td>28.38</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.10	42.56	54.00	-11.44	28.38	34.87	11.09	31.78	400	158	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>87.92</td> <td>-----</td> <td>-----</td> <td>74.04</td> <td>34.84</td> <td>10.99</td> <td>31.95</td> <td>400</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	87.92	-----	-----	74.04	34.84	10.99	31.95	400	158	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5148.10	42.56	54.00	-11.44	28.38	34.87	11.09	31.78	400	158	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	87.92	-----	-----	74.04	34.84	10.99	31.95	400	158	AVERAGE																																																																	



	21																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																												
ANT	CDD 5+4																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.18</td> <td>53.14</td> <td>74.00</td> <td>-20.86</td> <td>38.96</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5149.18	53.14	74.00	-20.86	38.96	34.87	11.09	31.78	400	158
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5149.18	53.14	74.00	-20.86	38.96	34.87	11.09	31.78	400	158	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.47</td> <td>48.95</td> <td>54.00</td> <td>-5.05</td> <td>35.21</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>400</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5350.47	48.95	54.00	-5.05	35.21	34.83	10.94	32.03	400	158
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
cm	deg																																												
1	5350.47	48.95	54.00	-5.05	35.21	34.83	10.94	32.03	400	158	AVERAGE																																		



Mode	21																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>47.89</td> <td>68.30</td> <td>-20.41</td> <td>44.94</td> <td>39.49</td> <td>14.26</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>49.60</td> <td>74.00</td> <td>-24.40</td> <td>42.20</td> <td>41.99</td> <td>17.06</td> <td>51.65</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	47.89	68.30	-20.41	44.94	39.49	14.26	50.80	--	--	Peak	2	15810.00	49.60	74.00	-24.40	42.20	41.99	17.06	51.65	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>47.81</td> <td>68.30</td> <td>-20.49</td> <td>44.86</td> <td>39.49</td> <td>14.26</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>49.88</td> <td>74.00</td> <td>-24.12</td> <td>42.48</td> <td>41.99</td> <td>17.06</td> <td>51.65</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	47.81	68.30	-20.49	44.86	39.49	14.26	50.80	--	--	Peak	2	15810.00	49.88	74.00	-24.12	42.48	41.99	17.06	51.65	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10540.00	47.89	68.30	-20.41	44.94	39.49	14.26	50.80	--	--	Peak																																																																																								
2	15810.00	49.60	74.00	-24.40	42.20	41.99	17.06	51.65	--	--	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10540.00	47.81	68.30	-20.49	44.86	39.49	14.26	50.80	--	--	Peak																																																																																								
2	15810.00	49.88	74.00	-24.12	42.48	41.99	17.06	51.65	--	--	Peak																																																																																								



		22																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																	
ANT		CDD 5+4																																																																	
Pol.		Horizontal	Fundamental																																																																
Peak		<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5054.10 52.53 74.00 -21.47</td> <td>38.16</td> <td>34.89</td> <td>11.14</td> <td>31.66</td> <td>322</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5054.10 52.53 74.00 -21.47	38.16	34.89	11.14	31.66	322	86	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 104.79 -</td> <td>90.96</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>322</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5310.00 104.79 -	90.96	34.84	10.97	31.98	322	86	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5054.10 52.53 74.00 -21.47	38.16	34.89	11.14	31.66	322	86	PEAK																																																												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5310.00 104.79 -	90.96	34.84	10.97	31.98	322	86	PEAK																																																												
Avg		<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5036.43 42.92 54.00 -11.08</td> <td>28.52</td> <td>34.89</td> <td>11.15</td> <td>31.64</td> <td>322</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5036.43 42.92 54.00 -11.08	28.52	34.89	11.15	31.64	322	86	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 96.00 -</td> <td>82.17</td> <td>34.84</td> <td>10.97</td> <td>31.98</td> <td>322</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5310.00 96.00 -	82.17	34.84	10.97	31.98	322	86	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5036.43 42.92 54.00 -11.08	28.52	34.89	11.15	31.64	322	86	AVERAGE																																																												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																													
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5310.00 96.00 -	82.17	34.84	10.97	31.98	322	86	AVERAGE																																																												



	22																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																						
ANT	CDD 5+4																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.39</td> <td>65.68</td> <td>74.00</td> <td>-8.32</td> <td>51.95</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>322 86 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.39	65.68	74.00	-8.32	51.95	34.83	10.94	32.04	322 86 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5355.39	65.68	74.00	-8.32	51.95	34.83	10.94	32.04	322 86 PEAK																														
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.23</td> <td>51.76</td> <td>54.00</td> <td>-2.24</td> <td>38.03</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>322 86 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5355.23	51.76	54.00	-2.24	38.03	34.83	10.94	32.04	322 86 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																															
1	5355.23	51.76	54.00	-2.24	38.03	34.83	10.94	32.04	322 86 AVERAGE																														
Blank																																							







		22																																																																
Mode	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5032.40 52.91 74.00 -21.09</td> <td>38.51</td> <td>34.89</td> <td>11.15</td> <td>31.64</td> <td>376</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5032.40 52.91 74.00 -21.09	38.51	34.89	11.15	31.64	376	129	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 100.10</td> <td>86.25</td> <td>34.84</td> <td>10.98</td> <td>31.97</td> <td>376</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5310.00 100.10	86.25	34.84	10.98	31.97	376	129	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5032.40 52.91 74.00 -21.09	38.51	34.89	11.15	31.64	376	129	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5310.00 100.10	86.25	34.84	10.98	31.97	376	129	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5059.40 43.09 54.00 -10.91</td> <td>28.73</td> <td>34.89</td> <td>11.14</td> <td>31.67</td> <td>376</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5059.40 43.09 54.00 -10.91	28.73	34.89	11.14	31.67	376	129	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5310.00 91.68</td> <td>77.86</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>376</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5310.00 91.68	77.86	34.84	10.97	31.99	376	129	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5059.40 43.09 54.00 -10.91	28.73	34.89	11.14	31.67	376	129	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5310.00 91.68	77.86	34.84	10.97	31.99	376	129	AVERAGE																																																											



	22																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																							
ANT	CDD 5+4																																							
Pol.	Vertical	Fundamental																																						
Peak																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.48</td> <td>62.41</td> <td>74.00</td> <td>-11.59</td> <td>48.70</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>376</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5366.48	62.41	74.00	-11.59	48.70	34.83	10.93	32.05	376	129
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5366.48	62.41	74.00	-11.59	48.70	34.83	10.93	32.05	376	129	PEAK																													
Avg																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.73</td> <td>50.39</td> <td>54.00</td> <td>-3.61</td> <td>36.66</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>376</td> <td>129</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5356.73	50.39	54.00	-3.61	36.66	34.83	10.94	32.04	376	129
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5356.73	50.39	54.00	-3.61	36.66	34.83	10.94	32.04	376	129	AVERAGE																													



	23																																																																																											
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>46.99</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>300</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.64</td> <td>65.38</td> <td>68.30</td> <td>-2.92</td> <td>51.62</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>300</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	60.76	74.00	-13.24	46.99	34.81	11.12	32.16	300	61	PEAK	2	5460.64	65.38	68.30	-2.92	51.62	34.81	11.12	32.17	300	61	PEAK	 <p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>106.18</td> <td>-----</td> <td>-----</td> <td>92.33</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>300</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.18	-----	-----	92.33	34.80	11.25	32.20	300	61	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.68	60.76	74.00	-13.24	46.99	34.81	11.12	32.16	300	61	PEAK																																																																																	
2	5460.64	65.38	68.30	-2.92	51.62	34.81	11.12	32.17	300	61	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	106.18	-----	-----	92.33	34.80	11.25	32.20	300	61	PEAK																																																																																	
Avg	 <p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.84</td> <td>50.48</td> <td>54.00</td> <td>-3.52</td> <td>36.72</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>300</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.84	50.48	54.00	-3.52	36.72	34.81	11.12	32.17	300	61	AVERAGE	 <p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.80</td> <td>-----</td> <td>-----</td> <td>83.95</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>300</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.80	-----	-----	83.95	34.80	11.25	32.20	300	61	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.84	50.48	54.00	-3.52	36.72	34.81	11.12	32.17	300	61	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	97.80	-----	-----	83.95	34.80	11.25	32.20	300	61	AVERAGE																																																																																	



Mode	23																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5737.87</td> <td>53.54</td> <td>68.30</td> <td>-14.76</td> <td>39.16</td> <td>35.13</td> <td>11.65</td> <td>32.40</td> <td>300</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5737.87	53.54	68.30	-14.76	39.16	35.13	11.65	32.40	300	61	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5737.87	53.54	68.30	-14.76	39.16	35.13	11.65	32.40	300	61	PEAK																														



	23																																																									
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.56 61.23 74.00 -12.77</td> <td>47.47</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>400</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>2 5467.38 63.06 68.30 -5.24</td> <td>49.27</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>400</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5458.56 61.23 74.00 -12.77	47.47	34.81	11.11	32.16	400	159	PEAK	2 5467.38 63.06 68.30 -5.24	49.27	34.81	11.15	32.17	400	159	PEAK	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5510.00 99.64 -----</td> <td>85.74</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>400</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5510.00 99.64 -----	85.74	34.81	11.30	32.21	400	159	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5458.56 61.23 74.00 -12.77	47.47	34.81	11.11	32.16	400	159	PEAK																																																			
2 5467.38 63.06 68.30 -5.24	49.27	34.81	11.15	32.17	400	159	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5510.00 99.64 -----	85.74	34.81	11.30	32.21	400	159	PEAK																																																			
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.84 49.09 54.00 -4.91</td> <td>35.33</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>400</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5459.84 49.09 54.00 -4.91	35.33	34.81	11.12	32.17	400	159	AVERAGE	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5510.00 92.03 -----</td> <td>78.18</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>400</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5510.00 92.03 -----	78.18	34.80	11.25	32.20	400	159	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5459.84 49.09 54.00 -4.91	35.33	34.81	11.12	32.17	400	159	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5510.00 92.03 -----	78.18	34.80	11.25	32.20	400	159	AVERAGE																																																			



Mode	23																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5751.36</td> <td>53.30</td> <td>68.30</td> <td>-15.00</td> <td>38.92</td> <td>35.15</td> <td>11.64</td> <td>32.41</td> <td>400</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5751.36	53.30	68.30	-15.00	38.92	35.15	11.64	32.41	400	159	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5751.36	53.30	68.30	-15.00	38.92	35.15	11.64	32.41	400	159	PEAK																														







		24																																																								
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5434.64 51.90 74.00 -22.10</td> <td>38.21</td> <td>34.81</td> <td>11.01</td> <td>32.13</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>2 5465.39 51.03 68.30 -17.27</td> <td>37.25</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5434.64 51.90 74.00 -22.10	38.21	34.81	11.01	32.13	100	314	PEAK	2 5465.39 51.03 68.30 -17.27	37.25	34.81	11.14	32.17	100	314	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5670.00 104.44</td> <td>90.06</td> <td>35.06</td> <td>11.67</td> <td>32.35</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5670.00 104.44	90.06	35.06	11.67	32.35	100	314	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5434.64 51.90 74.00 -22.10	38.21	34.81	11.01	32.13	100	314	PEAK																																																			
2 5465.39 51.03 68.30 -17.27	37.25	34.81	11.14	32.17	100	314	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5670.00 104.44	90.06	35.06	11.67	32.35	100	314	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.92 42.23 54.00 -11.77</td> <td>28.47</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5459.92 42.23 54.00 -11.77	28.47	34.81	11.12	32.17	100	314	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5670.00 95.66</td> <td>81.28</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg		1 5670.00 95.66	81.28	35.05	11.68	32.35	100	314	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5459.92 42.23 54.00 -11.77	28.47	34.81	11.12	32.17	100	314	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor		cm	deg																																																				
1 5670.00 95.66	81.28	35.05	11.68	32.35	100	314	AVERAGE																																																			



Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.00</td> <td>62.54</td> <td>68.30</td> <td>-5.76</td> <td>48.16</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>100 314 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5728.00	62.54	68.30	-5.76	48.16	35.12	11.65	32.39	100 314 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5728.00	62.54	68.30	-5.76	48.16	35.12	11.65	32.39	100 314 PEAK																														



		24																																																																																									
Mode	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.56</td> <td>52.74</td> <td>74.00</td> <td>-21.26</td> <td>39.02</td> <td>34.81</td> <td>11.06</td> <td>32.15</td> <td>399</td> <td>156 PEAK</td> </tr> <tr> <td>2</td> <td>5466.64</td> <td>51.54</td> <td>68.30</td> <td>-16.76</td> <td>37.75</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>399</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.56	52.74	74.00	-21.26	39.02	34.81	11.06	32.15	399	156 PEAK	2	5466.64	51.54	68.30	-16.76	37.75	34.81	11.15	32.17	399	156 PEAK	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>101.10</td> <td>-----</td> <td>-----</td> <td>86.73</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>399</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.10	-----	-----	86.73	35.03	11.68	32.34	399	156 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5444.56	52.74	74.00	-21.26	39.02	34.81	11.06	32.15	399	156 PEAK																																																																																	
2	5466.64	51.54	68.30	-16.76	37.75	34.81	11.15	32.17	399	156 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5670.00	101.10	-----	-----	86.73	35.03	11.68	32.34	399	156 PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.11</td> <td>42.16</td> <td>54.00</td> <td>-11.84</td> <td>28.41</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>399</td> <td>156 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.11	42.16	54.00	-11.84	28.41	34.81	11.10	32.16	399	156 AVERAGE	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>92.75</td> <td>-----</td> <td>-----</td> <td>78.38</td> <td>35.03</td> <td>11.68</td> <td>32.34</td> <td>399</td> <td>156 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.75	-----	-----	78.38	35.03	11.68	32.34	399	156 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5456.11	42.16	54.00	-11.84	28.41	34.81	11.10	32.16	399	156 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5670.00	92.75	-----	-----	78.38	35.03	11.68	32.34	399	156 AVERAGE																																																																																	



Mode	24																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																							
ANT	CDD 5+4																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.39</td> <td>61.99</td> <td>68.30</td> <td>-6.31</td> <td>47.61</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>399</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.39	61.99	68.30	-6.31	47.61	35.12	11.65	32.39	399	156 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5726.39	61.99	68.30	-6.31	47.61	35.12	11.65	32.39	399	156 PEAK																														



		25																																																																											
Mode	Band Edge - L																																																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																												
ANT	CDD 5+4																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.89</td> <td>60.70</td> <td>74.00</td> <td>-13.30</td> <td>46.49</td> <td>34.87</td> <td>11.10</td> <td>31.76</td> <td>100</td> <td>146</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5129.89	60.70	74.00	-13.30	46.49	34.87	11.10	31.76	100	146	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>92.06</td> <td>-----</td> <td>-----</td> <td>78.07</td> <td>34.85</td> <td>11.03</td> <td>31.89</td> <td>100</td> <td>146</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	92.06	-----	-----	78.07	34.85	11.03	31.89	100	146	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5129.89	60.70	74.00	-13.30	46.49	34.87	11.10	31.76	100	146	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5210.00	92.06	-----	-----	78.07	34.85	11.03	31.89	100	146	PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.21</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>35.58</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>146</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.21	49.76	54.00	-4.24	35.58	34.87	11.09	31.78	100	146	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>81.77</td> <td>-----</td> <td>-----</td> <td>67.66</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>146</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	81.77	-----	-----	67.66	34.86	11.07	31.82	100	146	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5149.21	49.76	54.00	-4.24	35.58	34.87	11.09	31.78	100	146	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5210.00	81.77	-----	-----	67.66	34.86	11.07	31.82	100	146	AVERAGE																																																																		



	25																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.65</td> <td>53.93</td> <td>74.00</td> <td>-20.07</td> <td>40.19</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>146</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.65	53.93	74.00	-20.07	40.19	34.83	10.94	32.03	100	146	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5351.65	53.93	74.00	-20.07	40.19	34.83	10.94	32.03	100	146	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>43.72</td> <td>54.00</td> <td>-10.28</td> <td>29.98</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>146</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.00	43.72	54.00	-10.28	29.98	34.83	10.94	32.03	100	146	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.00	43.72	54.00	-10.28	29.98	34.83	10.94	32.03	100	146	AVERAGE																											
Blank																																						



		25																																																																						
Mode	Band Edge - L																																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																							
ANT	CDD 5+4																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2023-11-19</p>	<p style="text-align: right;">Date: 2023-11-19</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.02</td> <td>60.81</td> <td>74.00</td> <td>-13.19</td> <td>46.63</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>190 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.02	60.81	74.00	-13.19	46.63	34.87	11.09	31.78	400	190 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>95.53</td> <td>-----</td> <td>-----</td> <td>81.54</td> <td>34.85</td> <td>11.03</td> <td>31.89</td> <td>400</td> <td>190 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5210.00	95.53	-----	-----	81.54	34.85	11.03	31.89	400
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5149.02	60.81	74.00	-13.19	46.63	34.87	11.09	31.78	400	190 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5210.00	95.53	-----	-----	81.54	34.85	11.03	31.89	400	190 PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-11-19</p>	<p style="text-align: right;">Date: 2023-11-19</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.23</td> <td>50.74</td> <td>54.00</td> <td>-3.26</td> <td>36.56</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>190 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.23	50.74	54.00	-3.26	36.56	34.87	11.09	31.78	400	190 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>85.34</td> <td>-----</td> <td>-----</td> <td>71.37</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>400</td> <td>190 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5210.00	85.34	-----	-----	71.37	34.85	11.02	31.90	400
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5149.23	50.74	54.00	-3.26	36.56	34.87	11.09	31.78	400	190 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5210.00	85.34	-----	-----	71.37	34.85	11.02	31.90	400	190 AVERAGE																																																															



	25																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																					
ANT	CDD 5+4																																					
Pol.	Vertical	Fundamental																																				
Peak																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.88</td> <td>53.82</td> <td>74.00</td> <td>-20.18</td> <td>40.20</td> <td>34.82</td> <td>10.90</td> <td>32.10</td> <td>400</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5404.88	53.82	74.00	-20.18	40.20	34.82	10.90	32.10	400	190
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																														
1	5404.88	53.82	74.00	-20.18	40.20	34.82	10.90	32.10	400	190	PEAK																											
Avg																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5389.65</td> <td>43.19</td> <td>54.00</td> <td>-10.81</td> <td>29.54</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>400</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5389.65	43.19	54.00	-10.81	29.54	34.82	10.91	32.08	400	190
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																														
1	5389.65	43.19	54.00	-10.81	29.54	34.82	10.91	32.08	400	190	AVERAGE																											







		26																																																																																									
Mode	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="5"></th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5072.38</td> <td>53.15</td> <td>74.00</td> <td>-20.85</td> <td>38.82</td> <td>34.89</td> <td>11.13</td> <td>31.69</td> <td>400</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						Remark	1	5072.38	53.15	74.00	-20.85	38.82	34.89	11.13	31.69	400	115	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="5"></th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.27</td> <td>-----</td> <td>-----</td> <td>80.47</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>400</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						Remark	1	5290.00	94.27	-----	-----	80.47	34.84	10.96	32.00	400	115	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
cm	deg						Remark																																																																																				
1	5072.38	53.15	74.00	-20.85	38.82	34.89	11.13	31.69	400	115	PEAK																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
cm	deg						Remark																																																																																				
1	5290.00	94.27	-----	-----	80.47	34.84	10.96	32.00	400	115	PEAK																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="5"></th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5043.94</td> <td>42.97</td> <td>54.00</td> <td>-11.03</td> <td>28.59</td> <td>34.89</td> <td>11.14</td> <td>31.65</td> <td>400</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						Remark	1	5043.94	42.97	54.00	-11.03	28.59	34.89	11.14	31.65	400	115	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="5"></th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>86.73</td> <td>-----</td> <td>-----</td> <td>72.93</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>400</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						Remark	1	5290.00	86.73	-----	-----	72.93	34.84	10.96	32.00	400	115	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
cm	deg						Remark																																																																																				
1	5043.94	42.97	54.00	-11.03	28.59	34.89	11.14	31.65	400	115	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
cm	deg						Remark																																																																																				
1	5290.00	86.73	-----	-----	72.93	34.84	10.96	32.00	400	115	AVERAGE																																																																																



	26																																					
Mode	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.93</td> <td>60.28</td> <td>74.00</td> <td>-13.72</td> <td>46.59</td> <td>34.83</td> <td>10.92</td> <td>32.06</td> <td>400</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5374.93	60.28	74.00	-13.72	46.59	34.83	10.92	32.06	400	115	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5374.93	60.28	74.00	-13.72	46.59	34.83	10.92	32.06	400	115	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.55</td> <td>49.71</td> <td>54.00</td> <td>-4.29</td> <td>36.01</td> <td>34.83</td> <td>10.93</td> <td>32.06</td> <td>400</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5372.55	49.71	54.00	-4.29	36.01	34.83	10.93	32.06	400	115	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5372.55	49.71	54.00	-4.29	36.01	34.83	10.93	32.06	400	115	AVERAGE																											
Blank																																						



		26																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5072.65</td> <td>53.28</td> <td>74.00</td> <td>-20.72</td> <td>38.95</td> <td>34.89</td> <td>11.13</td> <td>31.69</td> <td>400</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5072.65	53.28	74.00	-20.72	38.95	34.89	11.13	31.69	400	259	PEAK	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.03</td> <td>-----</td> <td>-----</td> <td>80.21</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>400</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	94.03	-----	-----	80.21	34.84	10.97	31.99	400	259	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5072.65	53.28	74.00	-20.72	38.95	34.89	11.13	31.69	400	259	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	94.03	-----	-----	80.21	34.84	10.97	31.99	400	259	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.40</td> <td>43.34</td> <td>54.00</td> <td>-10.66</td> <td>29.11</td> <td>34.88</td> <td>11.10</td> <td>31.75</td> <td>400</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.40	43.34	54.00	-10.66	29.11	34.88	11.10	31.75	400	259	AVERAGE	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>86.02</td> <td>-----</td> <td>-----</td> <td>72.20</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>400</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	86.02	-----	-----	72.20	34.84	10.97	31.99	400	259	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5123.40	43.34	54.00	-10.66	29.11	34.88	11.10	31.75	400	259	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	86.02	-----	-----	72.20	34.84	10.97	31.99	400	259	AVERAGE																																																																	



	26																																													
Mode	Band Edge - R																																													
ANT	CDD 5+4																																													
Pol.	Vertical	Fundamental																																												
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.59</td> <td>59.60</td> <td>74.00</td> <td>-14.40</td> <td>45.93</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>400</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5383.59	59.60	74.00	-14.40	45.93	34.82	10.92	32.07	400	259	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
						cm	deg																																							
1	5383.59	59.60	74.00	-14.40	45.93	34.82	10.92	32.07	400	259	PEAK																																			
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5380.71</td> <td>49.63</td> <td>54.00</td> <td>-4.37</td> <td>35.96</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>400</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5380.71	49.63	54.00	-4.37	35.96	34.82	10.92	32.07	400	259	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
						cm	deg																																							
1	5380.71	49.63	54.00	-4.37	35.96	34.82	10.92	32.07	400	259	AVERAGE																																			



		27																																																								
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																									
ANT	CDD 5+4																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5437.93 60.91 74.00 -13.09</td> <td>47.21</td> <td>34.81</td> <td>11.03</td> <td>32.14</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2 5469.43 59.34 68.30 -8.96</td> <td>45.55</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5437.93 60.91 74.00 -13.09	47.21	34.81	11.03	32.14	100	62	PEAK	2 5469.43 59.34 68.30 -8.96	45.55	34.81	11.16	32.18	100	62	PEAK	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5530.00 101.28 -----</td> <td>87.27</td> <td>34.84</td> <td>11.40</td> <td>32.23</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5530.00 101.28 -----	87.27	34.84	11.40	32.23	100	62	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5437.93 60.91 74.00 -13.09	47.21	34.81	11.03	32.14	100	62	PEAK																																																			
2 5469.43 59.34 68.30 -8.96	45.55	34.81	11.16	32.18	100	62	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5530.00 101.28 -----	87.27	34.84	11.40	32.23	100	62	PEAK																																																			
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5434.51 48.20 54.00 -5.80</td> <td>34.51</td> <td>34.81</td> <td>11.01</td> <td>32.13</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5434.51 48.20 54.00 -5.80	34.51	34.81	11.01	32.13	100	62	AVERAGE	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5530.00 91.99 -----</td> <td>77.87</td> <td>34.87</td> <td>11.50</td> <td>32.25</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5530.00 91.99 -----	77.87	34.87	11.50	32.25	100	62	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5434.51 48.20 54.00 -5.80	34.51	34.81	11.01	32.13	100	62	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5530.00 91.99 -----	77.87	34.87	11.50	32.25	100	62	AVERAGE																																																			



Mode	27																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																					
ANT	CDD 5+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5760.21</td> <td>53.76</td> <td>68.30</td> <td>-14.54</td> <td>39.37</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>100 62 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5760.21	53.76	68.30	-14.54	39.37	35.16	11.64	32.41	100 62 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5760.21	53.76	68.30	-14.54	39.37	35.16	11.64	32.41	100 62 PEAK																														