



		65																																																																														
Mode		Band Edge - L																																																																														
		U-NII-1_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484_5250MHz																																																																														
ANT		CDD 5+4																																																																														
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.88</td> <td>59.68</td> <td>74.00</td> <td>-14.32</td> <td>45.46</td> <td>34.87</td> <td>11.10</td> <td>31.75</td> <td>327</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5126.88	59.68	74.00	-14.32	45.46	34.87	11.10	31.75	327	253	PEAK	<p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>94.46</td> <td>-----</td> <td>-----</td> <td>80.47</td> <td>34.85</td> <td>11.03</td> <td>31.89</td> <td>327</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.46	-----	-----	80.47	34.85	11.03	31.89	327	253	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5126.88	59.68	74.00	-14.32	45.46	34.87	11.10	31.75	327	253	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5250.00	94.46	-----	-----	80.47	34.85	11.03	31.89	327	253	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.38</td> <td>46.98</td> <td>54.00</td> <td>-7.02</td> <td>32.76</td> <td>34.87</td> <td>11.10</td> <td>31.75</td> <td>327</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5126.38	46.98	54.00	-7.02	32.76	34.87	11.10	31.75	327	253	AVERAGE	<p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>84.88</td> <td>-----</td> <td>-----</td> <td>70.89</td> <td>34.85</td> <td>11.03</td> <td>31.89</td> <td>327</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	84.88	-----	-----	70.89	34.85	11.03	31.89	327	253	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5126.38	46.98	54.00	-7.02	32.76	34.87	11.10	31.75	327	253	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5250.00	84.88	-----	-----	70.89	34.85	11.03	31.89	327	253	AVERAGE																																																																					



	65																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484_5250MHz																																								
ANT	CDD 5+4																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.35</td> <td>58.38</td> <td>74.00</td> <td>-15.62</td> <td>44.64</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>327</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.35	58.38	74.00	-15.62	44.64	34.83	10.94	32.03	327	253	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.35	58.38	74.00	-15.62	44.64	34.83	10.94	32.03	327	253	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.94</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>32.88</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>327</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5367.94	46.59	54.00	-7.41	32.88	34.83	10.93	32.05	327	253	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5367.94	46.59	54.00	-7.41	32.88	34.83	10.93	32.05	327	253	AVERAGE																														



		66																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																																																															
ANT	5+4																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.88</td> <td>64.35</td> <td>68.30</td> <td>-3.95</td> <td>49.98</td> <td>35.00</td> <td>11.69</td> <td>32.32</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>64.82</td> <td>68.60</td> <td>-3.78</td> <td>50.45</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.85</td> <td>73.72</td> <td>105.72</td> <td>-32.00</td> <td>59.35</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>72.31</td> <td>111.31</td> <td>-39.00</td> <td>57.92</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5642.88	64.35	68.30	-3.95	49.98	35.00	11.69	32.32	101	319	PEAK	2	5650.40	64.82	68.60	-3.78	50.45	35.01	11.69	32.33	101	319	PEAK	3	5701.85	73.72	105.72	-32.00	59.35	35.08	11.66	32.37	101	319	PEAK	4	5720.23	72.31	111.31	-39.00	57.92	35.11	11.66	32.38	101	319	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.25</td> <td>-----</td> <td>-----</td> <td>89.86</td> <td>35.14</td> <td>11.65</td> <td>32.40</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	104.25	-----	-----	89.86	35.14	11.65	32.40	101	319	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5642.88	64.35	68.30	-3.95	49.98	35.00	11.69	32.32	101	319	PEAK																																																																																																					
2	5650.40	64.82	68.60	-3.78	50.45	35.01	11.69	32.33	101	319	PEAK																																																																																																					
3	5701.85	73.72	105.72	-32.00	59.35	35.08	11.66	32.37	101	319	PEAK																																																																																																					
4	5720.23	72.31	111.31	-39.00	57.92	35.11	11.66	32.38	101	319	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5775.00	104.25	-----	-----	89.86	35.14	11.65	32.40	101	319	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.24</td> <td>-----</td> <td>-----</td> <td>81.86</td> <td>35.23</td> <td>11.60</td> <td>32.45</td> <td>101</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	96.24	-----	-----	81.86	35.23	11.60	32.45	101	319	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5775.00	96.24	-----	-----	81.86	35.23	11.60	32.45	101	319	AVERAGE																																																																																																					



Mode	66																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																									
ANT	5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. Date: 2023-11-07. The plot shows a signal level starting at approximately 105 dBuV/m at 5775 MHz and decreasing to about 60 dBuV/m at 5950 MHz. A red limit line is shown at 140 dBuV/m. Three peaks are marked with blue vertical lines and numbered 1, 2, and 3. A red label 'PEAK_BE(B4)_16-24' is positioned near the signal level at 5915 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>69.91</td> <td>112.05</td> <td>-42.14</td> <td>55.58</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.13</td> <td>72.33</td> <td>106.00</td> <td>-33.67</td> <td>58.02</td> <td>35.32</td> <td>11.49</td> <td>32.50</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>62.14</td> <td>68.22</td> <td>-6.08</td> <td>47.89</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.68</td> <td>62.90</td> <td>68.30</td> <td>-5.40</td> <td>48.64</td> <td>35.40</td> <td>11.40</td> <td>32.54</td> <td>101</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.45	69.91	112.05	-42.14	55.58	35.30	11.52	32.49	101	319	PEAK	2	5872.13	72.33	106.00	-33.67	58.02	35.32	11.49	32.50	101	319	PEAK	3	5924.98	62.14	68.22	-6.08	47.89	35.39	11.40	32.54	101	319	PEAK	4	5925.68	62.90	68.30	-5.40	48.64	35.40	11.40	32.54	101	319	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.45	69.91	112.05	-42.14	55.58	35.30	11.52	32.49	101	319	PEAK																																																															
2	5872.13	72.33	106.00	-33.67	58.02	35.32	11.49	32.50	101	319	PEAK																																																															
3	5924.98	62.14	68.22	-6.08	47.89	35.39	11.40	32.54	101	319	PEAK																																																															
4	5925.68	62.90	68.30	-5.40	48.64	35.40	11.40	32.54	101	319	PEAK																																																															



		66																																																																																																												
Mode	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																																																																													
ANT	5+4																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.88</td> <td>63.68</td> <td>68.30</td> <td>-4.62</td> <td>49.31</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>64.32</td> <td>68.34</td> <td>-4.02</td> <td>49.95</td> <td>35.01</td> <td>11.69</td> <td>32.33</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.35</td> <td>73.29</td> <td>108.66</td> <td>-35.37</td> <td>58.91</td> <td>35.10</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>69.62</td> <td>110.91</td> <td>-41.29</td> <td>55.23</td> <td>35.11</td> <td>11.66</td> <td>32.38</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5649.88	63.68	68.30	-4.62	49.31	35.01	11.69	32.33	100	238	PEAK	2	5650.05	64.32	68.34	-4.02	49.95	35.01	11.69	32.33	100	238	PEAK	3	5712.35	73.29	108.66	-35.37	58.91	35.10	11.66	32.38	100	238	PEAK	4	5720.05	69.62	110.91	-41.29	55.23	35.11	11.66	32.38	100	238	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.83</td> <td>-----</td> <td>-----</td> <td>88.44</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>100</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	102.83	-----	-----	88.44	35.21	11.62	32.44	100	238
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5649.88	63.68	68.30	-4.62	49.31	35.01	11.69	32.33	100	238	PEAK																																																																																																			
2	5650.05	64.32	68.34	-4.02	49.95	35.01	11.69	32.33	100	238	PEAK																																																																																																			
3	5712.35	73.29	108.66	-35.37	58.91	35.10	11.66	32.38	100	238	PEAK																																																																																																			
4	5720.05	69.62	110.91	-41.29	55.23	35.11	11.66	32.38	100	238	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	102.83	-----	-----	88.44	35.21	11.62	32.44	100	238	PEAK																																																																																																			
Avg	Blank																																																																																																													
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>92.59</td> <td>-----</td> <td>-----</td> <td>78.21</td> <td>35.24</td> <td>11.59</td> <td>32.45</td> <td>100</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	92.59	-----	-----	78.21	35.24	11.59	32.45	100	238	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	92.59	-----	-----	78.21	35.24	11.59	32.45	100	238	AVERAGE																																																																																																			



Mode	66																																																									
	Band Edge - R																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242_5775MHz																																																									
ANT	5+4																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5775 to 5950 MHz. A red line indicates the limit, and a blue line shows the signal. A peak is labeled 'PEAK_BC(B4)_16-24'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>70.97</td> <td>110.86</td> <td>-39.89</td> <td>56.64</td> <td>35.30</td> <td>11.52 32.49 100 238 PEAK</td> </tr> <tr> <td>2</td> <td>5874.75</td> <td>73.81</td> <td>105.27</td> <td>-31.46</td> <td>59.50</td> <td>35.32</td> <td>11.49 32.50 100 238 PEAK</td> </tr> <tr> <td>3</td> <td>5919.55</td> <td>64.79</td> <td>72.22</td> <td>-7.43</td> <td>50.53</td> <td>35.39</td> <td>11.41 32.54 100 238 PEAK</td> </tr> <tr> <td>4</td> <td>5930.58</td> <td>63.28</td> <td>68.30</td> <td>-5.02</td> <td>49.04</td> <td>35.40</td> <td>11.39 32.55 100 238 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	5854.98	70.97	110.86	-39.89	56.64	35.30	11.52 32.49 100 238 PEAK	2	5874.75	73.81	105.27	-31.46	59.50	35.32	11.49 32.50 100 238 PEAK	3	5919.55	64.79	72.22	-7.43	50.53	35.39	11.41 32.54 100 238 PEAK	4	5930.58	63.28	68.30	-5.02	49.04	35.40	11.39 32.55 100 238 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																			
1	5854.98	70.97	110.86	-39.89	56.64	35.30	11.52 32.49 100 238 PEAK																																																			
2	5874.75	73.81	105.27	-31.46	59.50	35.32	11.49 32.50 100 238 PEAK																																																			
3	5919.55	64.79	72.22	-7.43	50.53	35.39	11.41 32.54 100 238 PEAK																																																			
4	5930.58	63.28	68.30	-5.02	49.04	35.40	11.39 32.55 100 238 PEAK																																																			






Mode	67																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																																																																																																																																																									
ANT	CDD 5+4																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
QP/ Peak	<p>Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>57.16</td><td>19.65</td><td>40.00</td><td>-20.35</td><td>36.31</td><td>13.04</td><td>1.55</td><td>31.25</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>97.90</td><td>24.01</td><td>43.50</td><td>-19.49</td><td>36.84</td><td>16.54</td><td>1.85</td><td>31.22</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>162.89</td><td>30.70</td><td>43.50</td><td>-12.80</td><td>43.34</td><td>16.15</td><td>2.26</td><td>31.05</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>251.16</td><td>23.54</td><td>46.00</td><td>-22.46</td><td>33.09</td><td>18.85</td><td>2.50</td><td>30.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>438.37</td><td>23.62</td><td>46.00</td><td>-22.38</td><td>28.31</td><td>22.75</td><td>3.26</td><td>30.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>766.23</td><td>29.62</td><td>46.00</td><td>-16.38</td><td>30.44</td><td>25.97</td><td>4.21</td><td>31.00</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	57.16	19.65	40.00	-20.35	36.31	13.04	1.55	31.25	--	--	Peak	2	97.90	24.01	43.50	-19.49	36.84	16.54	1.85	31.22	--	--	Peak	3	162.89	30.70	43.50	-12.80	43.34	16.15	2.26	31.05	--	--	Peak	4	251.16	23.54	46.00	-22.46	33.09	18.85	2.50	30.90	--	--	Peak	5	438.37	23.62	46.00	-22.38	28.31	22.75	3.26	30.70	--	--	Peak	6	766.23	29.62	46.00	-16.38	30.44	25.97	4.21	31.00	--	--	Peak	<p>Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>51.34</td><td>25.64</td><td>40.00</td><td>-14.36</td><td>41.28</td><td>14.12</td><td>1.45</td><td>31.21</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>96.93</td><td>30.61</td><td>43.50</td><td>-12.89</td><td>43.64</td><td>16.36</td><td>1.84</td><td>31.23</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>159.98</td><td>28.37</td><td>43.50</td><td>-15.13</td><td>40.89</td><td>16.30</td><td>2.24</td><td>31.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>246.31</td><td>18.21</td><td>46.00</td><td>-27.79</td><td>28.33</td><td>18.30</td><td>2.48</td><td>30.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>612.00</td><td>27.10</td><td>46.00</td><td>-18.90</td><td>29.33</td><td>24.97</td><td>3.78</td><td>30.98</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>890.39</td><td>31.17</td><td>46.00</td><td>-14.83</td><td>30.97</td><td>26.74</td><td>4.47</td><td>31.01</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	51.34	25.64	40.00	-14.36	41.28	14.12	1.45	31.21	--	--	Peak	2	96.93	30.61	43.50	-12.89	43.64	16.36	1.84	31.23	--	--	Peak	3	159.98	28.37	43.50	-15.13	40.89	16.30	2.24	31.06	--	--	Peak	4	246.31	18.21	46.00	-27.79	28.33	18.30	2.48	30.90	--	--	Peak	5	612.00	27.10	46.00	-18.90	29.33	24.97	3.78	30.98	--	--	Peak	6	890.39	31.17	46.00	-14.83	30.97	26.74	4.47	31.01	--	--	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	57.16	19.65	40.00	-20.35	36.31	13.04	1.55	31.25	--	--	Peak																																																																																																																																																															
2	97.90	24.01	43.50	-19.49	36.84	16.54	1.85	31.22	--	--	Peak																																																																																																																																																															
3	162.89	30.70	43.50	-12.80	43.34	16.15	2.26	31.05	--	--	Peak																																																																																																																																																															
4	251.16	23.54	46.00	-22.46	33.09	18.85	2.50	30.90	--	--	Peak																																																																																																																																																															
5	438.37	23.62	46.00	-22.38	28.31	22.75	3.26	30.70	--	--	Peak																																																																																																																																																															
6	766.23	29.62	46.00	-16.38	30.44	25.97	4.21	31.00	--	--	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	51.34	25.64	40.00	-14.36	41.28	14.12	1.45	31.21	--	--	Peak																																																																																																																																																															
2	96.93	30.61	43.50	-12.89	43.64	16.36	1.84	31.23	--	--	Peak																																																																																																																																																															
3	159.98	28.37	43.50	-15.13	40.89	16.30	2.24	31.06	--	--	Peak																																																																																																																																																															
4	246.31	18.21	46.00	-27.79	28.33	18.30	2.48	30.90	--	--	Peak																																																																																																																																																															
5	612.00	27.10	46.00	-18.90	29.33	24.97	3.78	30.98	--	--	Peak																																																																																																																																																															
6	890.39	31.17	46.00	-14.83	30.97	26.74	4.47	31.01	--	--	Peak																																																																																																																																																															



Mode	68																																																																																															
	LF																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_5775MHz																																																																																															
ANT	5+4																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak																																																																																																
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>54.250</td> <td>20.64</td> <td>-19.36</td> <td>40.00</td> <td>34.50</td> <td>19.42</td> <td>1.68</td> <td>34.96</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>95.960</td> <td>24.24</td> <td>-19.26</td> <td>43.50</td> <td>42.58</td> <td>14.42</td> <td>2.04</td> <td>34.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>165.800</td> <td>31.83</td> <td>-11.67</td> <td>43.50</td> <td>46.08</td> <td>18.04</td> <td>2.41</td> <td>34.70</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>249.220</td> <td>23.79</td> <td>-22.21</td> <td>46.00</td> <td>37.94</td> <td>17.54</td> <td>3.01</td> <td>34.70</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>412.180</td> <td>23.21</td> <td>-22.79</td> <td>46.00</td> <td>32.62</td> <td>21.74</td> <td>3.35</td> <td>34.50</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>878.750</td> <td>30.55</td> <td>-15.45</td> <td>46.00</td> <td>31.75</td> <td>28.70</td> <td>4.40</td> <td>34.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	54.250	20.64	-19.36	40.00	34.50	19.42	1.68	34.96	---	---	Peak	2	95.960	24.24	-19.26	43.50	42.58	14.42	2.04	34.80	---	---	Peak	3	165.800	31.83	-11.67	43.50	46.08	18.04	2.41	34.70	---	---	Peak	4	249.220	23.79	-22.21	46.00	37.94	17.54	3.01	34.70	---	---	Peak	5	412.180	23.21	-22.79	46.00	32.62	21.74	3.35	34.50	---	---	Peak	6	878.750	30.55	-15.45	46.00	31.75	28.70	4.40	34.30	---	---	Peak
	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	54.250	20.64	-19.36	40.00	34.50	19.42	1.68	34.96	---	---	Peak																																																																																					
2	95.960	24.24	-19.26	43.50	42.58	14.42	2.04	34.80	---	---	Peak																																																																																					
3	165.800	31.83	-11.67	43.50	46.08	18.04	2.41	34.70	---	---	Peak																																																																																					
4	249.220	23.79	-22.21	46.00	37.94	17.54	3.01	34.70	---	---	Peak																																																																																					
5	412.180	23.21	-22.79	46.00	32.62	21.74	3.35	34.50	---	---	Peak																																																																																					
6	878.750	30.55	-15.45	46.00	31.75	28.70	4.40	34.30	---	---	Peak																																																																																					
<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>53.280</td> <td>25.94</td> <td>-14.06</td> <td>40.00</td> <td>39.77</td> <td>19.47</td> <td>1.67</td> <td>34.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>95.960</td> <td>31.07</td> <td>-12.43</td> <td>43.50</td> <td>49.41</td> <td>14.42</td> <td>2.04</td> <td>34.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>165.800</td> <td>29.29</td> <td>-14.21</td> <td>43.50</td> <td>43.54</td> <td>18.04</td> <td>2.41</td> <td>34.70</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>250.190</td> <td>21.35</td> <td>-24.65</td> <td>46.00</td> <td>35.47</td> <td>17.57</td> <td>3.01</td> <td>34.70</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>450.010</td> <td>23.85</td> <td>-22.15</td> <td>46.00</td> <td>32.13</td> <td>22.75</td> <td>3.47</td> <td>34.50</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>771.080</td> <td>31.64</td> <td>-14.36</td> <td>46.00</td> <td>34.29</td> <td>27.70</td> <td>4.01</td> <td>34.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.280	25.94	-14.06	40.00	39.77	19.47	1.67	34.97	---	---	Peak	2	95.960	31.07	-12.43	43.50	49.41	14.42	2.04	34.80	---	---	Peak	3	165.800	29.29	-14.21	43.50	43.54	18.04	2.41	34.70	---	---	Peak	4	250.190	21.35	-24.65	46.00	35.47	17.57	3.01	34.70	---	---	Peak	5	450.010	23.85	-22.15	46.00	32.13	22.75	3.47	34.50	---	---	Peak	6	771.080	31.64	-14.36	46.00	34.29	27.70	4.01	34.36	---	---	Peak	
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	53.280	25.94	-14.06	40.00	39.77	19.47	1.67	34.97	---	---	Peak																																																																																					
2	95.960	31.07	-12.43	43.50	49.41	14.42	2.04	34.80	---	---	Peak																																																																																					
3	165.800	29.29	-14.21	43.50	43.54	18.04	2.41	34.70	---	---	Peak																																																																																					
4	250.190	21.35	-24.65	46.00	35.47	17.57	3.01	34.70	---	---	Peak																																																																																					
5	450.010	23.85	-22.15	46.00	32.13	22.75	3.47	34.50	---	---	Peak																																																																																					
6	771.080	31.64	-14.36	46.00	34.29	27.70	4.01	34.36	---	---	Peak																																																																																					



		69																																																																																																				
Mode	Band Edge - L																																																																																																					
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																																																																																					
ANT	CDD 5+4/ CDD 5+4/7																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-11-30</p>	 <p style="text-align: right;">Date: 2023-12-19</p>																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.40</td> <td>55.12</td> <td>74.00</td> <td>-18.88</td> <td>40.94</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5148.40	55.12	74.00	-18.88	40.94	34.87	11.09	31.78	100	25	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>101.65</td> <td>-----</td> <td>-----</td> <td>87.72</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>94.27</td> <td>-----</td> <td>-----</td> <td>80.34</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5270.00	101.65	-----	-----	87.72	34.85	11.01	31.93	100	25	Peak	2	5270.00	94.27	-----	-----	80.34	34.85	11.01	31.93	100	25
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
							deg																																																																																															
1	5148.40	55.12	74.00	-18.88	40.94	34.87	11.09	31.78	100	25	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
							deg																																																																																															
1	5270.00	101.65	-----	-----	87.72	34.85	11.01	31.93	100	25	Peak																																																																																											
2	5270.00	94.27	-----	-----	80.34	34.85	11.01	31.93	100	25	Average																																																																																											
Avg	 <p style="text-align: right;">Date: 2023-11-30</p>	Blank																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>42.41</td> <td>54.00</td> <td>-11.59</td> <td>28.24</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5150.00	42.41	54.00	-11.59	28.24	34.87	11.08	31.78	100	25	Average																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
							deg																																																																																															
1	5150.00	42.41	54.00	-11.59	28.24	34.87	11.08	31.78	100	25	Average																																																																																											





		69																																											
Mode	Band Edge - R																																												
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																												
ANT	CDD 5+4/ CDD 5+4/7																																												
Pol.	Horizontal	Fundamental																																											
Peak	<p style="text-align: right;">Date: 2023-11-30</p>		Blank																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.04</td> <td>61.33</td> <td>74.00</td> <td>-12.67</td> <td>47.60</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5357.04	61.33	74.00	-12.67	47.60	34.83	10.94	32.04	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5357.04	61.33	74.00	-12.67	47.60	34.83	10.94	32.04	100	25	Peak																																		
Avg	<p style="text-align: right;">Date: 2023-11-30</p>		Blank																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.04</td> <td>46.38</td> <td>54.00</td> <td>-7.62</td> <td>32.64</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5351.04	46.38	54.00	-7.62	32.64	34.83	10.94	32.03	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5351.04	46.38	54.00	-7.62	32.64	34.83	10.94	32.03	100	25	Average																																		



	69																																																																																					
Mode	Band Edge - L																																																																																					
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																																																																					
ANT	CDD 5+4/ CDD 5+4/7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.35</td> <td>53.17</td> <td>74.00</td> <td>-20.83</td> <td>38.99</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5147.35	53.17	74.00	-20.83	38.99	34.87	11.09	31.78	100	25	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>98.89</td> <td>-----</td> <td>-----</td> <td>84.96</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>91.29</td> <td>-----</td> <td>-----</td> <td>77.36</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5270.00	98.89	-----	-----	84.96	34.85	11.01	31.93	100	25	Peak	2	5270.00	91.29	-----	-----	77.36	34.85	11.01	31.93	100	25	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5147.35	53.17	74.00	-20.83	38.99	34.87	11.09	31.78	100	25	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5270.00	98.89	-----	-----	84.96	34.85	11.01	31.93	100	25	Peak																																																																											
2	5270.00	91.29	-----	-----	77.36	34.85	11.01	31.93	100	25	Average																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>42.58</td> <td>54.00</td> <td>-11.42</td> <td>28.41</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5150.00	42.58	54.00	-11.42	28.41	34.87	11.08	31.78	100	25	Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5150.00	42.58	54.00	-11.42	28.41	34.87	11.08	31.78	100	25	Average																																																																											



	69																																													
Mode	Band Edge - R																																													
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																													
ANT	CDD 5+4/ CDD 5+4/7																																													
Pol.	Vertical	Fundamental																																												
Peak	<p style="text-align: right;">Date: 2023-11-30</p>  <table border="1" data-bbox="263 1108 734 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.52</td> <td>65.69</td> <td>74.00</td> <td>-8.31</td> <td>51.96</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5357.52	65.69	74.00	-8.31	51.96	34.83	10.94	32.04	100	25	Peak	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
						cm	deg																																							
1	5357.52	65.69	74.00	-8.31	51.96	34.83	10.94	32.04	100	25	Peak																																			
Avg	<p style="text-align: right;">Date: 2023-11-30</p>  <table border="1" data-bbox="263 1780 734 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>50.41</td> <td>54.00</td> <td>-3.59</td> <td>36.67</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5350.80	50.41	54.00	-3.59	36.67	34.83	10.94	32.03	100	25	Average	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
						cm	deg																																							
1	5350.80	50.41	54.00	-3.59	36.67	34.83	10.94	32.03	100	25	Average																																			





		69																																																																								
Mode	Band Edge																																																																									
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																																																									
ANT	CDD 5+4/ CDD 5+4/7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.64</td> <td>60.78</td> <td>74.00</td> <td>-13.22</td> <td>52.54</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>357</td> <td>16</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2483.64	60.78	74.00	-13.22	52.54	32.46	7.88	32.10	357	16	Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.07</td> <td>-----</td> <td>-----</td> <td>91.88</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>357</td> <td>16</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	100.07	-----	-----	91.88	32.42	7.86	32.09	357	16	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2483.64	60.78	74.00	-13.22	52.54	32.46	7.88	32.10	357	16	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2462.00	100.07	-----	-----	91.88	32.42	7.86	32.09	357	16	Peak																																																															
Avg	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>38.35</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>357</td> <td>16</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2483.52	46.59	54.00	-7.41	38.35	32.46	7.88	32.10	357	16	Average	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>93.39</td> <td>-----</td> <td>-----</td> <td>85.20</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>357</td> <td>16</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	93.39	-----	-----	85.20	32.42	7.86	32.09	357	16	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2483.52	46.59	54.00	-7.41	38.35	32.46	7.88	32.10	357	16	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2462.00	93.39	-----	-----	85.20	32.42	7.86	32.09	357	16	Average																																																															






		69																																																																									
Mode	Band Edge																																																																										
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																																																										
ANT	CDD 5+4/ CDD 5+4/7																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.72</td> <td>61.19</td> <td>74.00</td> <td>-12.81</td> <td>52.95</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>211</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2483.72	61.19	74.00	-12.81	52.95	32.46	7.88	32.10	400	211	Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>101.13</td> <td>-----</td> <td>-----</td> <td>92.94</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>211</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	101.13	-----	-----	92.94	32.42	7.86	32.09	400	211	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2483.72	61.19	74.00	-12.81	52.95	32.46	7.88	32.10	400	211	Peak																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2462.00	101.13	-----	-----	92.94	32.42	7.86	32.09	400	211	Peak																																																																
Avg	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>47.08</td> <td>54.00</td> <td>-6.92</td> <td>38.84</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>211</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2483.56	47.08	54.00	-6.92	38.84	32.46	7.88	32.10	400	211	Average	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>94.32</td> <td>-----</td> <td>-----</td> <td>86.13</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>211</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	94.32	-----	-----	86.13	32.42	7.86	32.09	400	211	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2483.56	47.08	54.00	-6.92	38.84	32.46	7.88	32.10	400	211	Average																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2462.00	94.32	-----	-----	86.13	32.42	7.86	32.09	400	211	Average																																																																



Mode	69																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																										
	Co-location_11be EHT40_5270MHz_11g_CH11_2462MHz+B30																																																																																																																																																																																																																										
ANT	CDD 5+4/ CDD 5+4/7																																																																																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																																																																																									
Peak Avg	 <p>Date: 2023-12-19</p>	 <p>Date: 2023-12-19</p>																																																																																																																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4611.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>36.38</td><td>34.74</td><td>10.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>4924.00</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>35.04</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>6916.50</td><td>62.54</td><td>68.30</td><td>-5.76</td><td>46.63</td><td>36.15</td><td>12.19</td><td>32.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>7386.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>30.90</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>9222.00</td><td>48.55</td><td>68.30</td><td>-19.75</td><td>28.15</td><td>38.53</td><td>14.15</td><td>32.28</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>10540.00</td><td>48.69</td><td>68.30</td><td>-19.61</td><td>26.54</td><td>39.49</td><td>14.26</td><td>31.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>7</td><td>15810.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>24.26</td><td>41.99</td><td>17.06</td><td>34.22</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4611.00	49.86	74.00	-24.14	36.38	34.74	10.80	32.06	--	--	Peak	2	4924.00	49.34	74.00	-24.66	35.04	34.87	11.12	31.69	--	--	Peak	3	6916.50	62.54	68.30	-5.76	46.63	36.15	12.19	32.43	--	--	Peak	4	7386.00	47.67	74.00	-26.33	30.90	36.35	13.13	32.71	--	--	Peak	5	9222.00	48.55	68.30	-19.75	28.15	38.53	14.15	32.28	--	--	Peak	6	10540.00	48.69	68.30	-19.61	26.54	39.49	14.26	31.60	--	--	Peak	7	15810.00	49.09	74.00	-24.91	24.26	41.99	17.06	34.22	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4611.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>36.48</td><td>34.74</td><td>10.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>4924.00</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>35.24</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>6916.50</td><td>62.22</td><td>68.30</td><td>-6.08</td><td>46.31</td><td>36.15</td><td>12.19</td><td>32.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>7386.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>32.00</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>9222.00</td><td>47.70</td><td>68.30</td><td>-20.60</td><td>27.30</td><td>38.53</td><td>14.15</td><td>32.28</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>10540.00</td><td>49.19</td><td>68.30</td><td>-19.11</td><td>27.04</td><td>39.49</td><td>14.26</td><td>31.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>7</td><td>15810.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>24.00</td><td>41.99</td><td>17.06</td><td>34.22</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4611.00	49.96	74.00	-24.04	36.48	34.74	10.80	32.06	--	--	Peak	2	4924.00	49.54	74.00	-24.46	35.24	34.87	11.12	31.69	--	--	Peak	3	6916.50	62.22	68.30	-6.08	46.31	36.15	12.19	32.43	--	--	Peak	4	7386.00	48.77	74.00	-25.23	32.00	36.35	13.13	32.71	--	--	Peak	5	9222.00	47.70	68.30	-20.60	27.30	38.53	14.15	32.28	--	--	Peak	6	10540.00	49.19	68.30	-19.11	27.04	39.49	14.26	31.60	--	--	Peak	7	15810.00	48.83	74.00	-25.17	24.00	41.99	17.06	34.22	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																																																			
1	4611.00	49.86	74.00	-24.14	36.38	34.74	10.80	32.06	--	--	Peak																																																																																																																																																																																																																
2	4924.00	49.34	74.00	-24.66	35.04	34.87	11.12	31.69	--	--	Peak																																																																																																																																																																																																																
3	6916.50	62.54	68.30	-5.76	46.63	36.15	12.19	32.43	--	--	Peak																																																																																																																																																																																																																
4	7386.00	47.67	74.00	-26.33	30.90	36.35	13.13	32.71	--	--	Peak																																																																																																																																																																																																																
5	9222.00	48.55	68.30	-19.75	28.15	38.53	14.15	32.28	--	--	Peak																																																																																																																																																																																																																
6	10540.00	48.69	68.30	-19.61	26.54	39.49	14.26	31.60	--	--	Peak																																																																																																																																																																																																																
7	15810.00	49.09	74.00	-24.91	24.26	41.99	17.06	34.22	--	--	Peak																																																																																																																																																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																																																																																			
1	4611.00	49.96	74.00	-24.04	36.48	34.74	10.80	32.06	--	--	Peak																																																																																																																																																																																																																
2	4924.00	49.54	74.00	-24.46	35.24	34.87	11.12	31.69	--	--	Peak																																																																																																																																																																																																																
3	6916.50	62.22	68.30	-6.08	46.31	36.15	12.19	32.43	--	--	Peak																																																																																																																																																																																																																
4	7386.00	48.77	74.00	-25.23	32.00	36.35	13.13	32.71	--	--	Peak																																																																																																																																																																																																																
5	9222.00	47.70	68.30	-20.60	27.30	38.53	14.15	32.28	--	--	Peak																																																																																																																																																																																																																
6	10540.00	49.19	68.30	-19.11	27.04	39.49	14.26	31.60	--	--	Peak																																																																																																																																																																																																																
7	15810.00	48.83	74.00	-25.17	24.00	41.99	17.06	34.22	--	--	Peak																																																																																																																																																																																																																

Note: the highest signals over limit are co-location fundamental signals.



	70																																																																																					
Mode	Band Edge - L																																																																																					
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30																																																																																					
ANT	CDD 5+4/ MIMO 5+4/7																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.30</td> <td>54.29</td> <td>74.00</td> <td>-19.71</td> <td>40.11</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>202</td> <td>65</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.30	54.29	74.00	-19.71	40.11	34.87	11.09	31.78	202	65	Peak	 <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>102.01</td> <td>-----</td> <td>88.08</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>202</td> <td>65</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>95.48</td> <td>-----</td> <td>81.55</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>202</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	102.01	-----	88.08	34.85	11.01	31.93	202	65	Peak	2	5270.00	95.48	-----	81.55	34.85	11.01	31.93	202	65	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5146.30	54.29	74.00	-19.71	40.11	34.87	11.09	31.78	202	65	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5270.00	102.01	-----	88.08	34.85	11.01	31.93	202	65	Peak																																																																												
2	5270.00	95.48	-----	81.55	34.85	11.01	31.93	202	65	Average																																																																												
Avg	 <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>43.05</td> <td>54.00</td> <td>-10.95</td> <td>28.88</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>202</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5150.00	43.05	54.00	-10.95	28.88	34.87	11.08	31.78	202	65	Average	Blank																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5150.00	43.05	54.00	-10.95	28.88	34.87	11.08	31.78	202	65	Average																																																																											



	70																																					
Mode	Band Edge - R																																					
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30																																					
ANT	CDD 5+4/ MIMO 5+4/7																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.72</td> <td>65.28</td> <td>74.00</td> <td>-8.72</td> <td>51.54</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>202</td> <td>65</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.72	65.28	74.00	-8.72	51.54	34.83	10.94	32.03	202	65	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5352.72	65.28	74.00	-8.72	51.54	34.83	10.94	32.03	202	65	Peak																											
Avg	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.16</td> <td>50.98</td> <td>54.00</td> <td>-3.02</td> <td>37.24</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>202</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.16	50.98	54.00	-3.02	37.24	34.83	10.94	32.03	202	65	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5354.16	50.98	54.00	-3.02	37.24	34.83	10.94	32.03	202	65	Average																											



		70																																																																																																				
Mode	Band Edge - L																																																																																																					
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30																																																																																																					
ANT	CDD 5+4/ MIMO 5+4/7																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.00</td> <td>52.84</td> <td>74.00</td> <td>-21.16</td> <td>38.58</td> <td>34.88</td> <td>11.11</td> <td>31.73</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1	5112.00	52.84	74.00	-21.16	38.58	34.88	11.11	31.73	100	35	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>97.22</td> <td>-----</td> <td>-----</td> <td>83.29</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>90.69</td> <td>-----</td> <td>-----</td> <td>76.76</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1	5270.00	97.22	-----	-----	83.29	34.85	11.01	31.93	100	35	Peak	2	5270.00	90.69	-----	-----	76.76	34.85	11.01	31.93	100	35
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
					cm	deg																																																																																																
1	5112.00	52.84	74.00	-21.16	38.58	34.88	11.11	31.73	100	35	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
					cm	deg																																																																																																
1	5270.00	97.22	-----	-----	83.29	34.85	11.01	31.93	100	35	Peak																																																																																											
2	5270.00	90.69	-----	-----	76.76	34.85	11.01	31.93	100	35	Average																																																																																											
Avg		Blank																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.10</td> <td>43.93</td> <td>54.00</td> <td>-10.07</td> <td>29.75</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1	5149.10	43.93	54.00	-10.07	29.75	34.87	11.09	31.78	100	35	Average																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
					cm	deg																																																																																																
1	5149.10	43.93	54.00	-10.07	29.75	34.87	11.09	31.78	100	35	Average																																																																																											



	70	
Mode	Band Edge - R	
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30	
ANT	CDD 5+4/ MIMO 5+4/7	
Pol.	Vertical	Fundamental
Peak		
	Blank	
Avg		
	Blank	







Mode	70																																																																																																								
	Band Edge																																																																																																								
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30																																																																																																								
ANT	CDD 5+4/ MIMO 5+4/7																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																							
Peak	<p>Date: 2023-12-19</p>	<p>Date: 2023-12-19</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.72</td> <td>47.89</td> <td>74.00</td> <td>-26.11</td> <td>39.61</td> <td>32.49</td> <td>7.89</td> <td>32.10</td> <td>196</td> <td>206</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2496.72</td> <td>23.10</td> <td>74.00</td> <td>-50.90</td> <td>14.82</td> <td>32.49</td> <td>7.89</td> <td>32.10</td> <td>196</td> <td>206</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2496.72	47.89	74.00	-26.11	39.61	32.49	7.89	32.10	196	206	Peak	2	2496.72	23.10	74.00	-50.90	14.82	32.49	7.89	32.10	196	206	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.05</td> <td>-----</td> <td>-----</td> <td>91.82</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>196</td> <td>206</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>75.26</td> <td>-----</td> <td>-----</td> <td>67.03</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>196</td> <td>206</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	100.05	-----	-----	91.82	32.46	7.87	32.10	196	206	Peak	2	2480.00	75.26	-----	-----	67.03	32.46	7.87	32.10	196	206
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	2496.72	47.89	74.00	-26.11	39.61	32.49	7.89	32.10	196	206	Peak																																																																																														
2	2496.72	23.10	74.00	-50.90	14.82	32.49	7.89	32.10	196	206	Average																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	2480.00	100.05	-----	-----	91.82	32.46	7.87	32.10	196	206	Peak																																																																																														
2	2480.00	75.26	-----	-----	67.03	32.46	7.87	32.10	196	206	Average																																																																																														



Mode	70																																																																																																	
	Band Edge																																																																																																	
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30																																																																																																	
ANT	CDD 5+4/ MIMO 5+4/7																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<p>Date: 2023-12-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.60</td> <td>48.69</td> <td>74.00</td> <td>-25.31</td> <td>40.41</td> <td>32.49</td> <td>7.89</td> <td>32.10</td> <td>269</td> <td>252</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2494.60</td> <td>23.90</td> <td>74.00</td> <td>-50.10</td> <td>15.62</td> <td>32.49</td> <td>7.89</td> <td>32.10</td> <td>269</td> <td>252</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2494.60	48.69	74.00	-25.31	40.41	32.49	7.89	32.10	269	252	Peak	2	2494.60	23.90	74.00	-50.10	15.62	32.49	7.89	32.10	269	252	Average	<p>Date: 2023-12-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.72</td> <td>-----</td> <td>-----</td> <td>89.49</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>269</td> <td>252</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>72.93</td> <td>-----</td> <td>-----</td> <td>64.70</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>269</td> <td>252</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	97.72	-----	-----	89.49	32.46	7.87	32.10	269	252	Peak	2	2480.00	72.93	-----	-----	64.70	32.46	7.87	32.10	269	252	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	2494.60	48.69	74.00	-25.31	40.41	32.49	7.89	32.10	269	252	Peak																																																																																							
2	2494.60	23.90	74.00	-50.10	15.62	32.49	7.89	32.10	269	252	Average																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	2480.00	97.72	-----	-----	89.49	32.46	7.87	32.10	269	252	Peak																																																																																							
2	2480.00	72.93	-----	-----	64.70	32.46	7.87	32.10	269	252	Average																																																																																							



Mode	70																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	Co-location_11be EHT40_5270MHz_BT_CH78_2480MHz+B30																																																																																																																																																																																																	
ANT	CDD 5+4/ MIMO 5+4/7																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Date: 2023-12-19. Shows peaks at 4611, 4960, 6916, 7440, 9222, 10540, and 15810 MHz. Limit lines for PART 15.407 and PART 15.407 AVG are shown.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable (dB)</th> <th>Preamp (dB)</th> <th>Apos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>4611.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>34.96</td><td>34.74</td><td>10.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>4960.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>34.99</td><td>34.88</td><td>11.14</td><td>31.65</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>6916.50</td><td>59.64</td><td>68.30</td><td>-8.66</td><td>43.73</td><td>36.15</td><td>12.19</td><td>32.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>7440.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>30.91</td><td>36.38</td><td>12.97</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>9222.00</td><td>47.64</td><td>68.30</td><td>-20.66</td><td>27.24</td><td>38.53</td><td>14.15</td><td>32.28</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>10540.00</td><td>48.74</td><td>68.30</td><td>-19.56</td><td>26.59</td><td>39.49</td><td>14.26</td><td>31.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>7</td><td>15810.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>24.29</td><td>41.99</td><td>17.06</td><td>34.22</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable (dB)	Preamp (dB)	Apos (cm)	TPos (deg)	Remark	1	4611.00	48.44	74.00	-25.56	34.96	34.74	10.80	32.06	--	--	Peak	2	4960.00	49.36	74.00	-24.64	34.99	34.88	11.14	31.65	--	--	Peak	3	6916.50	59.64	68.30	-8.66	43.73	36.15	12.19	32.43	--	--	Peak	4	7440.00	47.51	74.00	-26.49	30.91	36.38	12.97	32.75	--	--	Peak	5	9222.00	47.64	68.30	-20.66	27.24	38.53	14.15	32.28	--	--	Peak	6	10540.00	48.74	68.30	-19.56	26.59	39.49	14.26	31.60	--	--	Peak	7	15810.00	49.12	74.00	-24.88	24.29	41.99	17.06	34.22	--	--	Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2023-12-19. Shows peaks at 4611, 4960, 6916, 7440, 9222, 10540, and 15810 MHz. Limit lines for PART 15.407 and PART 15.407 AVG are shown.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable (dB)</th> <th>Preamp (dB)</th> <th>Apos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>4611.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>34.63</td><td>34.74</td><td>10.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>4960.00</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>35.60</td><td>34.88</td><td>11.14</td><td>31.65</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>6916.50</td><td>58.05</td><td>68.30</td><td>-10.25</td><td>42.14</td><td>36.15</td><td>12.19</td><td>32.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>7440.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>30.75</td><td>36.38</td><td>12.97</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>9222.00</td><td>46.87</td><td>68.30</td><td>-21.43</td><td>26.47</td><td>38.53</td><td>14.15</td><td>32.28</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>10540.00</td><td>48.80</td><td>68.30</td><td>-19.50</td><td>26.65</td><td>39.49</td><td>14.26</td><td>31.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>7</td><td>15810.00</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>24.98</td><td>41.99</td><td>17.06</td><td>34.22</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable (dB)	Preamp (dB)	Apos (cm)	TPos (deg)	Remark	1	4611.00	48.11	74.00	-25.89	34.63	34.74	10.80	32.06	--	--	Peak	2	4960.00	49.97	74.00	-24.03	35.60	34.88	11.14	31.65	--	--	Peak	3	6916.50	58.05	68.30	-10.25	42.14	36.15	12.19	32.43	--	--	Peak	4	7440.00	47.35	74.00	-26.65	30.75	36.38	12.97	32.75	--	--	Peak	5	9222.00	46.87	68.30	-21.43	26.47	38.53	14.15	32.28	--	--	Peak	6	10540.00	48.80	68.30	-19.50	26.65	39.49	14.26	31.60	--	--	Peak	7	15810.00	49.81	74.00	-24.19	24.98	41.99	17.06	34.22	--	--	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable (dB)	Preamp (dB)	Apos (cm)	TPos (deg)	Remark																																																																																																																																																																																						
1	4611.00	48.44	74.00	-25.56	34.96	34.74	10.80	32.06	--	--	Peak																																																																																																																																																																																							
2	4960.00	49.36	74.00	-24.64	34.99	34.88	11.14	31.65	--	--	Peak																																																																																																																																																																																							
3	6916.50	59.64	68.30	-8.66	43.73	36.15	12.19	32.43	--	--	Peak																																																																																																																																																																																							
4	7440.00	47.51	74.00	-26.49	30.91	36.38	12.97	32.75	--	--	Peak																																																																																																																																																																																							
5	9222.00	47.64	68.30	-20.66	27.24	38.53	14.15	32.28	--	--	Peak																																																																																																																																																																																							
6	10540.00	48.74	68.30	-19.56	26.59	39.49	14.26	31.60	--	--	Peak																																																																																																																																																																																							
7	15810.00	49.12	74.00	-24.88	24.29	41.99	17.06	34.22	--	--	Peak																																																																																																																																																																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable (dB)	Preamp (dB)	Apos (cm)	TPos (deg)	Remark																																																																																																																																																																																							
1	4611.00	48.11	74.00	-25.89	34.63	34.74	10.80	32.06	--	--	Peak																																																																																																																																																																																							
2	4960.00	49.97	74.00	-24.03	35.60	34.88	11.14	31.65	--	--	Peak																																																																																																																																																																																							
3	6916.50	58.05	68.30	-10.25	42.14	36.15	12.19	32.43	--	--	Peak																																																																																																																																																																																							
4	7440.00	47.35	74.00	-26.65	30.75	36.38	12.97	32.75	--	--	Peak																																																																																																																																																																																							
5	9222.00	46.87	68.30	-21.43	26.47	38.53	14.15	32.28	--	--	Peak																																																																																																																																																																																							
6	10540.00	48.80	68.30	-19.50	26.65	39.49	14.26	31.60	--	--	Peak																																																																																																																																																																																							
7	15810.00	49.81	74.00	-24.19	24.98	41.99	17.06	34.22	--	--	Peak																																																																																																																																																																																							
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Date: 2023-12-19. Shows average spectrum with peaks at 4611, 4960, 6916, 7440, 9222, 10540, and 15810 MHz. Limit lines for PART 15.407 and PART 15.407 AVG are shown.</p>	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2023-12-19. Shows average spectrum with peaks at 4611, 4960, 6916, 7440, 9222, 10540, and 15810 MHz. Limit lines for PART 15.407 and PART 15.407 AVG are shown.</p>																																																																																																																																																																																																

Note: the highest signals over limit are co-location fundamental signals.



	71																																																																																			
Mode	Band Edge - L																																																																																			
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																																																																			
ANT	5/4/CDD 5+4/7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.65</td> <td>52.87</td> <td>74.00</td> <td>-21.13</td> <td>38.68</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>319</td> <td>90</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5139.65	52.87	74.00	-21.13	38.68	34.87	11.09	31.77	319	90	Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>101.36</td> <td>-----</td> <td>87.43</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>319</td> <td>90</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>95.16</td> <td>-----</td> <td>81.23</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>319</td> <td>90</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5270.00	101.36	-----	87.43	34.85	11.01	31.93	319	90	Peak	2	5270.00	95.16	-----	81.23	34.85	11.01	31.93	319	90	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																													
1	5139.65	52.87	74.00	-21.13	38.68	34.87	11.09	31.77	319	90	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																													
1	5270.00	101.36	-----	87.43	34.85	11.01	31.93	319	90	Peak																																																																										
2	5270.00	95.16	-----	81.23	34.85	11.01	31.93	319	90	Average																																																																										
Avg	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.05</td> <td>44.39</td> <td>54.00</td> <td>-9.61</td> <td>30.21</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>319</td> <td>90</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5148.05	44.39	54.00	-9.61	30.21	34.87	11.09	31.78	319	90	Average	Blank																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																													
1	5148.05	44.39	54.00	-9.61	30.21	34.87	11.09	31.78	319	90	Average																																																																									



	71																																					
Mode	Band Edge - R																																					
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																					
ANT	5/4/CDD 5+4/7																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.08</td> <td>64.90</td> <td>74.00</td> <td>-9.10</td> <td>51.16</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>319</td> <td>90</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.08	64.90	74.00	-9.10	51.16	34.83	10.94	32.03	319	90	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.08	64.90	74.00	-9.10	51.16	34.83	10.94	32.03	319	90	Peak																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.28</td> <td>51.85</td> <td>54.00</td> <td>-2.15</td> <td>38.11</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>319</td> <td>90</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.28	51.85	54.00	-2.15	38.11	34.83	10.94	32.03	319	90	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5351.28	51.85	54.00	-2.15	38.11	34.83	10.94	32.03	319	90	Average																											
Avg																																						



71																																																																																																					
Mode	Band Edge - L																																																																																																				
Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																																																																																					
ANT	5/4/CDD 5+4/7																																																																																																				
Pol.	Vertical																																																																																																				
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.50</td> <td>52.73</td> <td>74.00</td> <td>-21.27</td> <td>38.52</td> <td>34.87</td> <td>11.10</td> <td>31.76</td> <td>337</td> <td>125</td> <td>Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>102.30</td> <td>-----</td> <td>-----</td> <td>88.37</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>337</td> <td>125</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5270.00</td> <td>95.64</td> <td>-----</td> <td>-----</td> <td>81.71</td> <td>34.85</td> <td>11.01</td> <td>31.93</td> <td>337</td> <td>125</td> <td>Average</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	5129.50	52.73	74.00	-21.27	38.52	34.87	11.10	31.76	337	125	Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	5270.00	102.30	-----	-----	88.37	34.85	11.01	31.93	337	125	Peak	2	5270.00	95.64	-----	-----	81.71	34.85	11.01	31.93	337	125	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
				cm	deg																																																																																																
1	5129.50	52.73	74.00	-21.27	38.52	34.87	11.10	31.76	337	125	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
				cm	deg																																																																																																
1	5270.00	102.30	-----	-----	88.37	34.85	11.01	31.93	337	125	Peak																																																																																										
2	5270.00	95.64	-----	-----	81.71	34.85	11.01	31.93	337	125	Average																																																																																										
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5043.05</td> <td>41.66</td> <td>54.00</td> <td>-12.34</td> <td>27.27</td> <td>34.89</td> <td>11.15</td> <td>31.65</td> <td>337</td> <td>125</td> <td>Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%; text-align: center;"> <p>Blank</p> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	5043.05	41.66	54.00	-12.34	27.27	34.89	11.15	31.65	337	125	Peak																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
				cm	deg																																																																																																
1	5043.05	41.66	54.00	-12.34	27.27	34.89	11.15	31.65	337	125	Peak																																																																																										



	71																																				
Mode	Band Edge - R																																				
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																				
ANT	5/4/CDD 5+4/7																																				
Pol.	Vertical	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.76</td> <td>59.46</td> <td>74.00</td> <td>-14.54</td> <td>45.72</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>337</td> <td>125</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5351.76	59.46	74.00	-14.54	45.72	34.83	10.94	32.03	337	125
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5351.76	59.46	74.00	-14.54	45.72	34.83	10.94	32.03	337	125	Peak																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.32</td> <td>45.44</td> <td>54.00</td> <td>-8.56</td> <td>31.70</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>337</td> <td>125</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5350.32	45.44	54.00	-8.56	31.70	34.83	10.94	32.03	337	125
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5350.32	45.44	54.00	-8.56	31.70	34.83	10.94	32.03	337	125	Average																										



		71																																																																								
Mode	Band Edge																																																																									
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																																																									
ANT	5/4/CDD 5+4/7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.52</td> <td>51.83</td> <td>74.00</td> <td>-22.17</td> <td>43.58</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>373</td> <td>130</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2484.52	51.83	74.00	-22.17	43.58	32.47	7.88	32.10	373	130	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.96</td> <td>-----</td> <td>-----</td> <td>91.77</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>373</td> <td>130</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	99.96	-----	-----	91.77	32.42	7.86	32.09	373	130
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2484.52	51.83	74.00	-22.17	43.58	32.47	7.88	32.10	373	130	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2462.00	99.96	-----	-----	91.77	32.42	7.86	32.09	373	130	Peak																																																															
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>40.09</td> <td>54.00</td> <td>-13.91</td> <td>31.85</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>373</td> <td>130</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2483.52	40.09	54.00	-13.91	31.85	32.46	7.88	32.10	373	130	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>84.20</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>373</td> <td>130</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	92.39	-----	-----	84.20	32.42	7.86	32.09	373	130
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2483.52	40.09	54.00	-13.91	31.85	32.46	7.88	32.10	373	130	Average																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2462.00	92.39	-----	-----	84.20	32.42	7.86	32.09	373	130	Average																																																															



		71																																																																											
Mode	Band Edge																																																																												
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																																																												
ANT	5/4/CDD 5+4/7																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>52.16</td> <td>74.00</td> <td>-21.84</td> <td>43.91</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.16	52.16	74.00	-21.84	43.91	32.47	7.88	32.10	400	360	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>94.36</td> <td>-----</td> <td>-----</td> <td>86.17</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	94.36	-----	-----	86.17	32.42	7.86	32.09	400	360	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2484.16	52.16	74.00	-21.84	43.91	32.47	7.88	32.10	400	360	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2462.00	94.36	-----	-----	86.17	32.42	7.86	32.09	400	360	Peak																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>39.49</td> <td>54.00</td> <td>-14.51</td> <td>31.25</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	39.49	54.00	-14.51	31.25	32.46	7.88	32.10	400	360	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>87.20</td> <td>-----</td> <td>-----</td> <td>79.01</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>400</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	87.20	-----	-----	79.01	32.42	7.86	32.09	400	360	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2483.52	39.49	54.00	-14.51	31.25	32.46	7.88	32.10	400	360	Average																																																																		
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2462.00	87.20	-----	-----	79.01	32.42	7.86	32.09	400	360	Average																																																																		



71																																						
Mode	Band Edge																																					
Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																						
ANT	5/4/CDD 5+4/7																																					
Pol.	Horizontal																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>49.92</td> <td>74.00</td> <td>-24.08</td> <td>41.68</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>368</td> <td>154</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	49.92	74.00	-24.08	41.68	32.46	7.88	32.10	368	154	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																														
1	2483.56	49.92	74.00	-24.08	41.68	32.46	7.88	32.10	368	154	Peak																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>98.57</td> <td>-----</td> <td>-----</td> <td>90.34</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>368</td> <td>154</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	98.57	-----	-----	90.34	32.45	7.87	32.09	368	154	Peak	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																														
1	2478.00	98.57	-----	-----	90.34	32.45	7.87	32.09	368	154	Peak																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>41.45</td> <td>54.00</td> <td>-12.55</td> <td>33.21</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>368</td> <td>154</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	41.45	54.00	-12.55	33.21	32.46	7.88	32.10	368	154	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																														
1	2483.52	41.45	54.00	-12.55	33.21	32.46	7.88	32.10	368	154	Average																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>97.59</td> <td>-----</td> <td>-----</td> <td>89.36</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>368</td> <td>154</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	97.59	-----	-----	89.36	32.45	7.87	32.09	368	154	Average	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																														
1	2478.00	97.59	-----	-----	89.36	32.45	7.87	32.09	368	154	Average																											



		71																																																																									
Mode	Band Edge																																																																										
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																																																										
ANT	5/4/CDD 5+4/7																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.56</td> <td>50.62</td> <td>74.00</td> <td>-23.38</td> <td>42.37</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>252</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2484.56	50.62	74.00	-23.38	42.37	32.47	7.88	32.10	100	252	Peak	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>91.67</td> <td>-----</td> <td>-----</td> <td>83.44</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>100</td> <td>252</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2478.00	91.67	-----	-----	83.44	32.45	7.87	32.09	100	252	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2484.56	50.62	74.00	-23.38	42.37	32.47	7.88	32.10	100	252	Peak																																																																
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2478.00	91.67	-----	-----	83.44	32.45	7.87	32.09	100	252	Peak																																																																
Avg	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.84</td> <td>41.81</td> <td>54.00</td> <td>-12.19</td> <td>33.57</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>100</td> <td>252</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2483.84	41.81	54.00	-12.19	33.57	32.46	7.88	32.10	100	252	Average	<p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>90.82</td> <td>-----</td> <td>-----</td> <td>82.59</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>100</td> <td>252</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2478.00	90.82	-----	-----	82.59	32.45	7.87	32.09	100	252	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2483.84	41.81	54.00	-12.19	33.57	32.46	7.88	32.10	100	252	Average																																																																
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	2478.00	90.82	-----	-----	82.59	32.45	7.87	32.09	100	252	Average																																																																



Mode	71																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																									
	Co-location_11be EHT40_Ch54_5270MHz_11g_Ch11_2462MHz_BLE_CH38_2478MHz+B30																																																																																																																																																																																																																																																																									
ANT	5/4/CDD 5+4/7																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4611.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>33.90</td><td>34.74</td><td>10.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>4924.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>34.57</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>4956.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>34.72</td><td>34.88</td><td>11.13</td><td>31.66</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>6916.50</td><td>49.37</td><td>68.30</td><td>-18.93</td><td>33.46</td><td>36.15</td><td>12.19</td><td>32.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>7386.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>30.95</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>7434.00</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>31.68</td><td>36.37</td><td>12.99</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>7</td><td>9222.00</td><td>53.88</td><td>68.30</td><td>-14.42</td><td>33.48</td><td>38.53</td><td>14.15</td><td>32.28</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>8</td><td>10540.00</td><td>48.85</td><td>68.30</td><td>-19.45</td><td>26.70</td><td>39.49</td><td>14.26</td><td>31.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>9</td><td>15810.00</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>24.52</td><td>41.99</td><td>17.06</td><td>34.22</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	4611.00	47.38	74.00	-26.62	33.90	34.74	10.80	32.06	--	--	Peak	2	4924.00	48.87	74.00	-25.13	34.57	34.87	11.12	31.69	--	--	Peak	3	4956.00	49.07	74.00	-24.93	34.72	34.88	11.13	31.66	--	--	Peak	4	6916.50	49.37	68.30	-18.93	33.46	36.15	12.19	32.43	--	--	Peak	5	7386.00	47.72	74.00	-26.28	30.95	36.35	13.13	32.71	--	--	Peak	6	7434.00	48.29	74.00	-25.71	31.68	36.37	12.99	32.75	--	--	Peak	7	9222.00	53.88	68.30	-14.42	33.48	38.53	14.15	32.28	--	--	Peak	8	10540.00	48.85	68.30	-19.45	26.70	39.49	14.26	31.60	--	--	Peak	9	15810.00	49.35	74.00	-24.65	24.52	41.99	17.06	34.22	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4611.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>34.85</td><td>34.74</td><td>10.80</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>4924.00</td><td>49.15</td><td>74.00</td><td>-24.85</td><td>34.85</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>4956.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>35.07</td><td>34.88</td><td>11.13</td><td>31.66</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>6916.50</td><td>50.55</td><td>68.30</td><td>-17.75</td><td>34.64</td><td>36.15</td><td>12.19</td><td>32.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>7386.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>31.95</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>7434.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>32.25</td><td>36.37</td><td>12.99</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>7</td><td>9222.00</td><td>58.17</td><td>68.30</td><td>-10.13</td><td>37.77</td><td>38.53</td><td>14.15</td><td>32.28</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>8</td><td>10540.00</td><td>49.65</td><td>68.30</td><td>-18.65</td><td>27.50</td><td>39.49</td><td>14.26</td><td>31.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>9</td><td>15810.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>24.24</td><td>41.99</td><td>17.06</td><td>34.22</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	4611.00	48.33	74.00	-25.67	34.85	34.74	10.80	32.06	--	--	Peak	2	4924.00	49.15	74.00	-24.85	34.85	34.87	11.12	31.69	--	--	Peak	3	4956.00	49.42	74.00	-24.58	35.07	34.88	11.13	31.66	--	--	Peak	4	6916.50	50.55	68.30	-17.75	34.64	36.15	12.19	32.43	--	--	Peak	5	7386.00	48.72	74.00	-25.28	31.95	36.35	13.13	32.71	--	--	Peak	6	7434.00	48.86	74.00	-25.14	32.25	36.37	12.99	32.75	--	--	Peak	7	9222.00	58.17	68.30	-10.13	37.77	38.53	14.15	32.28	--	--	Peak	8	10540.00	49.65	68.30	-18.65	27.50	39.49	14.26	31.60	--	--	Peak	9	15810.00	49.07	74.00	-24.93	24.24	41.99	17.06	34.22	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																																																																																																																																																																			
1	4611.00	47.38	74.00	-26.62	33.90	34.74	10.80	32.06	--	--	Peak																																																																																																																																																																																																																																																															
2	4924.00	48.87	74.00	-25.13	34.57	34.87	11.12	31.69	--	--	Peak																																																																																																																																																																																																																																																															
3	4956.00	49.07	74.00	-24.93	34.72	34.88	11.13	31.66	--	--	Peak																																																																																																																																																																																																																																																															
4	6916.50	49.37	68.30	-18.93	33.46	36.15	12.19	32.43	--	--	Peak																																																																																																																																																																																																																																																															
5	7386.00	47.72	74.00	-26.28	30.95	36.35	13.13	32.71	--	--	Peak																																																																																																																																																																																																																																																															
6	7434.00	48.29	74.00	-25.71	31.68	36.37	12.99	32.75	--	--	Peak																																																																																																																																																																																																																																																															
7	9222.00	53.88	68.30	-14.42	33.48	38.53	14.15	32.28	--	--	Peak																																																																																																																																																																																																																																																															
8	10540.00	48.85	68.30	-19.45	26.70	39.49	14.26	31.60	--	--	Peak																																																																																																																																																																																																																																																															
9	15810.00	49.35	74.00	-24.65	24.52	41.99	17.06	34.22	--	--	Peak																																																																																																																																																																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																																																																																																																																																																			
1	4611.00	48.33	74.00	-25.67	34.85	34.74	10.80	32.06	--	--	Peak																																																																																																																																																																																																																																																															
2	4924.00	49.15	74.00	-24.85	34.85	34.87	11.12	31.69	--	--	Peak																																																																																																																																																																																																																																																															
3	4956.00	49.42	74.00	-24.58	35.07	34.88	11.13	31.66	--	--	Peak																																																																																																																																																																																																																																																															
4	6916.50	50.55	68.30	-17.75	34.64	36.15	12.19	32.43	--	--	Peak																																																																																																																																																																																																																																																															
5	7386.00	48.72	74.00	-25.28	31.95	36.35	13.13	32.71	--	--	Peak																																																																																																																																																																																																																																																															
6	7434.00	48.86	74.00	-25.14	32.25	36.37	12.99	32.75	--	--	Peak																																																																																																																																																																																																																																																															
7	9222.00	58.17	68.30	-10.13	37.77	38.53	14.15	32.28	--	--	Peak																																																																																																																																																																																																																																																															
8	10540.00	49.65	68.30	-18.65	27.50	39.49	14.26	31.60	--	--	Peak																																																																																																																																																																																																																																																															
9	15810.00	49.07	74.00	-24.93	24.24	41.99	17.06	34.22	--	--	Peak																																																																																																																																																																																																																																																															

Note: the highest signals over limit are co-location fundamental signals.



		72																																																																												
Mode	Band Edge																																																																													
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																													
ANT	CDD 5+6																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.51</td> <td>62.74</td> <td>74.00</td> <td>-11.26</td> <td>48.56</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>327</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.51	62.74	74.00	-11.26	48.56	34.87	11.09	31.78	327	114 PEAK	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.79</td> <td>-----</td> <td>-----</td> <td>84.66</td> <td>34.87</td> <td>11.07</td> <td>31.81</td> <td>327</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.79	-----	-----	84.66	34.87	11.07	31.81	327	114 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5149.51	62.74	74.00	-11.26	48.56	34.87	11.09	31.78	327	114 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	98.79	-----	-----	84.66	34.87	11.07	31.81	327	114 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.51</td> <td>51.28</td> <td>54.00</td> <td>-2.72</td> <td>37.10</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>327</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.51	51.28	54.00	-2.72	37.10	34.87	11.09	31.78	327	114 AVERAGE	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>92.53</td> <td>-----</td> <td>-----</td> <td>78.42</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>327</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.53	-----	-----	78.42	34.86	11.07	31.82	327	114 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5149.51	51.28	54.00	-2.72	37.10	34.87	11.09	31.78	327	114 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	92.53	-----	-----	78.42	34.86	11.07	31.82	327	114 AVERAGE																																																																				



		72																																																																														
Mode	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.89</td> <td>59.65</td> <td>74.00</td> <td>-14.35</td> <td>45.47</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.89	59.65	74.00	-14.35	45.47	34.87	11.09	31.78	100	272	PEAK	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.01</td> <td>-----</td> <td>-----</td> <td>83.86</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>100</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.01	-----	-----	83.86	34.87	11.08	31.80	100	272	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5147.89	59.65	74.00	-14.35	45.47	34.87	11.09	31.78	100	272	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	98.01	-----	-----	83.86	34.87	11.08	31.80	100	272	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.99</td> <td>49.46</td> <td>54.00</td> <td>-4.54</td> <td>35.29</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>100</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	49.46	54.00	-4.54	35.29	34.87	11.08	31.78	100	272	AVERAGE	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>91.18</td> <td>-----</td> <td>-----</td> <td>77.03</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>100</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	91.18	-----	-----	77.03	34.87	11.08	31.80	100	272	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.99	49.46	54.00	-4.54	35.29	34.87	11.08	31.78	100	272	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	91.18	-----	-----	77.03	34.87	11.08	31.80	100	272	AVERAGE																																																																					



Mode	72																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	CDD 5+6																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.87</td> <td>68.30</td> <td>-20.43</td> <td>45.05</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>42.12</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	47.87	68.30	-20.43	45.05	39.44	14.15	50.77	--	--	Peak	2	15540.00	49.36	74.00	-24.64	42.12	41.82	16.85	51.43	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.49</td> <td>68.30</td> <td>-19.81</td> <td>45.67</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.37</td> <td>74.00</td> <td>-24.63</td> <td>42.13</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	48.49	68.30	-19.81	45.67	39.44	14.15	50.77	--	--	Peak	2	15540.00	49.37	74.00	-24.63	42.13	41.82	16.85	51.43	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10360.00	47.87	68.30	-20.43	45.05	39.44	14.15	50.77	--	--	Peak																																																																																								
2	15540.00	49.36	74.00	-24.64	42.12	41.82	16.85	51.43	--	--	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10360.00	48.49	68.30	-19.81	45.67	39.44	14.15	50.77	--	--	Peak																																																																																								
2	15540.00	49.37	74.00	-24.63	42.13	41.82	16.85	51.43	--	--	Peak																																																																																								



Mode	73																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																											
ANT	CDD 5+6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.68</td> <td>68.30</td> <td>-19.62</td> <td>45.79</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.81</td> <td>74.00</td> <td>-25.19</td> <td>41.50</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	48.68	68.30	-19.62	45.79	39.48	14.20	50.79	--	--	Peak	2	15660.00	48.81	74.00	-25.19	41.50	41.90	16.94	51.53	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.20</td> <td>68.30</td> <td>-20.10</td> <td>45.31</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>41.98</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	48.20	68.30	-20.10	45.31	39.48	14.20	50.79	--	--	Peak	2	15660.00	49.29	74.00	-24.71	41.98	41.90	16.94	51.53	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10440.00	48.68	68.30	-19.62	45.79	39.48	14.20	50.79	--	--	Peak																																																																																																	
2	15660.00	48.81	74.00	-25.19	41.50	41.90	16.94	51.53	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10440.00	48.20	68.30	-20.10	45.31	39.48	14.20	50.79	--	--	Peak																																																																																																	
2	15660.00	49.29	74.00	-24.71	41.98	41.90	16.94	51.53	--	--	Peak																																																																																																	



	74																																																																																																
Mode	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2023-11-21</p>	<p style="text-align: right;">Date: 2023-11-21</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.23</td> <td>68.30</td> <td>-20.07</td> <td>45.31</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.54</td> <td>74.00</td> <td>-24.46</td> <td>42.20</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.23	68.30	-20.07	45.31	39.49	14.23	50.80	-- -- Peak	2	15720.00	49.54	74.00	-24.46	42.20	41.93	16.99	51.58	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>47.74</td> <td>68.30</td> <td>-20.56</td> <td>44.82</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.93</td> <td>74.00</td> <td>-25.07</td> <td>41.59</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.74	68.30	-20.56	44.82	39.49	14.23	50.80	-- -- Peak	2	15720.00	48.93	74.00	-25.07	41.59	41.93	16.99	51.58
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10480.00	48.23	68.30	-20.07	45.31	39.49	14.23	50.80	-- -- Peak																																																																																								
2	15720.00	49.54	74.00	-24.46	42.20	41.93	16.99	51.58	-- -- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10480.00	47.74	68.30	-20.56	44.82	39.49	14.23	50.80	-- -- Peak																																																																																								
2	15720.00	48.93	74.00	-25.07	41.59	41.93	16.99	51.58	-- -- Peak																																																																																								



Mode	75																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																			
ANT	CDD 5+6																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.49</td> <td>68.30</td> <td>-19.81</td> <td>45.54</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.65</td> <td>74.00</td> <td>-24.35</td> <td>42.27</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.49	68.30	-19.81	45.54	39.50	14.25	50.80	--	--	Peak	2	15780.00	49.65	74.00	-24.35	42.27	41.97	17.04	51.63	--	--	Peak	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.86</td> <td>68.30</td> <td>-19.44</td> <td>45.91</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.74</td> <td>74.00</td> <td>-24.26</td> <td>42.36</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	48.86	68.30	-19.44	45.91	39.50	14.25	50.80	--	--	Peak	2	15780.00	49.74	74.00	-24.26	42.36	41.97	17.04	51.63	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10520.00	48.49	68.30	-19.81	45.54	39.50	14.25	50.80	--	--	Peak																																																																																									
2	15780.00	49.65	74.00	-24.35	42.27	41.97	17.04	51.63	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10520.00	48.86	68.30	-19.44	45.91	39.50	14.25	50.80	--	--	Peak																																																																																									
2	15780.00	49.74	74.00	-24.26	42.36	41.97	17.04	51.63	--	--	Peak																																																																																									



Mode	76																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																		
ANT	CDD 5+6																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>46.14</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.35</td> <td>74.00</td> <td>-24.65</td> <td>41.89</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	49.12	74.00	-24.88	46.14	39.48	14.30	50.80	--	--	Peak	2	15900.00	49.35	74.00	-24.65	41.89	42.04	17.14	51.72	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>48.47</td> <td>74.00</td> <td>-25.53</td> <td>45.49</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>41.90</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.47	74.00	-25.53	45.49	39.48	14.30	50.80	--	--	Peak	2	15900.00	49.36	74.00	-24.64	41.90	42.04	17.14	51.72	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10600.00	49.12	74.00	-24.88	46.14	39.48	14.30	50.80	--	--	Peak																																																																																								
2	15900.00	49.35	74.00	-24.65	41.89	42.04	17.14	51.72	--	--	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10600.00	48.47	74.00	-25.53	45.49	39.48	14.30	50.80	--	--	Peak																																																																																								
2	15900.00	49.36	74.00	-24.64	41.90	42.04	17.14	51.72	--	--	Peak																																																																																								



		77																																																																
Mode	Band Edge																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																	
ANT	CDD 5+6																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.59 60.59 74.00</td> <td>-13.41</td> <td>46.85</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.59 60.59 74.00	-13.41	46.85	34.83	10.94	32.03	100	57 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 103.45</td> <td>-----</td> <td>89.65</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>100</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00 103.45	-----	89.65	34.84	10.96	32.00	100	57 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5350.59 60.59 74.00	-13.41	46.85	34.83	10.94	32.03	100	57 PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5320.00 103.45	-----	89.65	34.84	10.96	32.00	100	57 PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.59 49.65 54.00</td> <td>-4.35</td> <td>35.91</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.59 49.65 54.00	-4.35	35.91	34.83	10.94	32.03	100	57 AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00 96.78</td> <td>-----</td> <td>82.96</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>100</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00 96.78	-----	82.96	34.84	10.97	31.99	100	57 AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5350.59 49.65 54.00	-4.35	35.91	34.83	10.94	32.03	100	57 AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5320.00 96.78	-----	82.96	34.84	10.97	31.99	100	57 AVERAGE																																																											



		77																																																																														
Mode	Band Edge																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.51</td> <td>59.70</td> <td>74.00</td> <td>-14.30</td> <td>45.96</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>400</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.51	59.70	74.00	-14.30	45.96	34.83	10.94	32.03	400	260	PEAK	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.30</td> <td>74.00</td> <td>27.30</td> <td>87.50</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>400</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.30	74.00	27.30	87.50	34.84	10.96	32.00	400	260	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5354.51	59.70	74.00	-14.30	45.96	34.83	10.94	32.03	400	260	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5320.00	101.30	74.00	27.30	87.50	34.84	10.96	32.00	400	260	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>50.17</td> <td>54.00</td> <td>-3.83</td> <td>36.43</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>400</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.17	54.00	-3.83	36.43	34.83	10.94	32.03	400	260	AVERAGE	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.69</td> <td>54.00</td> <td>40.69</td> <td>80.89</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>400</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.69	54.00	40.69	80.89	34.84	10.96	32.00	400	260	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5350.00	50.17	54.00	-3.83	36.43	34.83	10.94	32.03	400	260	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5320.00	94.69	54.00	40.69	80.89	34.84	10.96	32.00	400	260	AVERAGE																																																																					



Mode	77																																																																																																										
	Harmonic																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																										
ANT	CDD 5+6																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>46.30</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.67</td> <td>74.00</td> <td>-24.33</td> <td>42.17</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	49.29	74.00	-24.71	46.30	39.47	14.32	50.80	--	--	Peak	2	15960.00	49.67	74.00	-24.33	42.17	42.08	17.19	51.77	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>46.37</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.57</td> <td>74.00</td> <td>-24.43</td> <td>42.07</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	49.36	74.00	-24.64	46.37	39.47	14.32	50.80	--	--	Peak	2	15960.00	49.57	74.00	-24.43	42.07	42.08	17.19	51.77	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10640.00	49.29	74.00	-24.71	46.30	39.47	14.32	50.80	--	--	Peak																																																																																																
2	15960.00	49.67	74.00	-24.33	42.17	42.08	17.19	51.77	--	--	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10640.00	49.36	74.00	-24.64	46.37	39.47	14.32	50.80	--	--	Peak																																																																																																
2	15960.00	49.57	74.00	-24.43	42.07	42.08	17.19	51.77	--	--	Peak																																																																																																



		78																																																																																											
Mode	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																												
ANT	CDD 5+6																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.84</td> <td>59.61</td> <td>74.00</td> <td>-14.39</td> <td>45.84</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>393</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.73</td> <td>64.55</td> <td>68.30</td> <td>-3.75</td> <td>50.76</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>393</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.84	59.61	74.00	-14.39	45.84	34.81	11.12	32.16	393	63	PEAK	2	5468.73	64.55	68.30	-3.75	50.76	34.81	11.16	32.18	393	63	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.83</td> <td>-----</td> <td>-----</td> <td>95.98</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>393</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.83	-----	-----	95.98	34.80	11.25	32.20	393	63	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5458.84	59.61	74.00	-14.39	45.84	34.81	11.12	32.16	393	63	PEAK																																																																																		
2	5468.73	64.55	68.30	-3.75	50.76	34.81	11.16	32.18	393	63	PEAK																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	109.83	-----	-----	95.98	34.80	11.25	32.20	393	63	PEAK																																																																																		
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.84</td> <td>48.63</td> <td>54.00</td> <td>-5.37</td> <td>34.86</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>393</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.84	48.63	54.00	-5.37	34.86	34.81	11.12	32.16	393	63	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>88.31</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>393</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.16	-----	-----	88.31	34.80	11.25	32.20	393	63	AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5458.84	48.63	54.00	-5.37	34.86	34.81	11.12	32.16	393	63	AVERAGE																																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	102.16	-----	-----	88.31	34.80	11.25	32.20	393	63	AVERAGE																																																																																		



		78																																																																																										
Mode	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>57.72</td> <td>74.00</td> <td>-16.28</td> <td>43.96</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>366</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.79</td> <td>61.35</td> <td>68.30</td> <td>-6.95</td> <td>47.57</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>366</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	57.72	74.00	-16.28	43.96	34.81	11.12	32.17	366	103	PEAK	2	5463.79	61.35	68.30	-6.95	47.57	34.81	11.14	32.17	366	103	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.66</td> <td>-----</td> <td>-----</td> <td>94.81</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>366</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.66	-----	-----	94.81	34.80	11.25	32.20	366	103	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	57.72	74.00	-16.28	43.96	34.81	11.12	32.17	366	103	PEAK																																																																																	
2	5463.79	61.35	68.30	-6.95	47.57	34.81	11.14	32.17	366	103	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	108.66	-----	-----	94.81	34.80	11.25	32.20	366	103	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>47.26</td> <td>54.00</td> <td>-6.74</td> <td>33.50</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>366</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	47.26	54.00	-6.74	33.50	34.81	11.12	32.17	366	103	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.88</td> <td>-----</td> <td>-----</td> <td>87.02</td> <td>34.80</td> <td>11.27</td> <td>32.21</td> <td>366</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.88	-----	-----	87.02	34.80	11.27	32.21	366	103	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	47.26	54.00	-6.74	33.50	34.81	11.12	32.17	366	103	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	100.88	-----	-----	87.02	34.80	11.27	32.21	366	103	AVERAGE																																																																																	



Mode	78																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-11-21</p>	<p>Date: 2023-11-21</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.31</td> <td>74.00</td> <td>-26.69</td> <td>44.17</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.05</td> <td>68.30</td> <td>-19.25</td> <td>41.09</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.31	74.00	-26.69	44.17	39.40	14.54	50.80	-- -- Peak	2	16500.00	49.05	68.30	-19.25	41.09	42.40	17.36	51.80	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>48.30</td> <td>74.00</td> <td>-25.70</td> <td>45.16</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.79</td> <td>68.30</td> <td>-18.51</td> <td>41.83</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	48.30	74.00	-25.70	45.16	39.40	14.54	50.80	-- -- Peak	2	16500.00	49.79	68.30	-18.51	41.83	42.40	17.36	51.80
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	11000.00	47.31	74.00	-26.69	44.17	39.40	14.54	50.80	-- -- Peak																																																																																						
2	16500.00	49.05	68.30	-19.25	41.09	42.40	17.36	51.80	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	11000.00	48.30	74.00	-25.70	45.16	39.40	14.54	50.80	-- -- Peak																																																																																						
2	16500.00	49.79	68.30	-18.51	41.83	42.40	17.36	51.80	-- -- Peak																																																																																						



Mode	79																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>49.82</td> <td>74.00</td> <td>-24.18</td> <td>46.42</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 16740.00</td> <td>48.81</td> <td>68.30</td> <td>-19.49</td> <td>40.68</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.82	74.00	-24.18	46.42	39.53	14.64	50.77	--	-- Peak	2 16740.00	48.81	68.30	-19.49	40.68	42.45	17.43	51.75	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>48.10</td> <td>74.00</td> <td>-25.90</td> <td>44.70</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 16740.00</td> <td>47.88</td> <td>68.30</td> <td>-20.42</td> <td>39.75</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	48.10	74.00	-25.90	44.70	39.53	14.64	50.77	--	-- Peak	2 16740.00	47.88	68.30	-20.42	39.75	42.45	17.43	51.75	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11160.00	49.82	74.00	-24.18	46.42	39.53	14.64	50.77	--	-- Peak																																																																																								
2 16740.00	48.81	68.30	-19.49	40.68	42.45	17.43	51.75	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11160.00	48.10	74.00	-25.90	44.70	39.53	14.64	50.77	--	-- Peak																																																																																								
2 16740.00	47.88	68.30	-20.42	39.75	42.45	17.43	51.75	--	-- Peak																																																																																								



Mode	80																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.37</td> <td>65.09</td> <td>68.30</td> <td>-3.21</td> <td>50.71</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>376</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5728.37	65.09	68.30	-3.21	50.71	35.12	11.65	32.39	376	63	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.59</td> <td>-----</td> <td>-----</td> <td>96.22</td> <td>35.06</td> <td>11.67</td> <td>32.36</td> <td>376</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5700.00	110.59	-----	-----	96.22	35.06	11.67	32.36	376	63	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																								
1	5728.37	65.09	68.30	-3.21	50.71	35.12	11.65	32.39	376	63	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																								
1	5700.00	110.59	-----	-----	96.22	35.06	11.67	32.36	376	63	PEAK																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.80</td> <td>-----</td> <td>-----</td> <td>89.43</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>376</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg	1	5700.00	103.80	-----	-----	89.43	35.08	11.66	32.37	376	63	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	cm	deg																																																																								
1	5700.00	103.80	-----	-----	89.43	35.08	11.66	32.37	376	63	AVERAGE																																																																					



	80																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	CDD 5+6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.18</td> <td>61.56</td> <td>68.30</td> <td>-6.74</td> <td>47.18</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>363 108 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5728.18	61.56	68.30	-6.74	47.18	35.12	11.65	32.39	363 108 PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.36</td> <td>-----</td> <td>93.99</td> <td>35.06</td> <td>11.67</td> <td>32.36</td> <td>363</td> <td>108 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	108.36	-----	93.99	35.06	11.67	32.36	363	108 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5728.18	61.56	68.30	-6.74	47.18	35.12	11.65	32.39	363 108 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	108.36	-----	93.99	35.06	11.67	32.36	363	108 PEAK																																																																		
Avg	Blank	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>101.28</td> <td>-----</td> <td>86.91</td> <td>35.06</td> <td>11.67</td> <td>32.36</td> <td>363</td> <td>108 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	101.28	-----	86.91	35.06	11.67	32.36	363	108 AVERAGE																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	101.28	-----	86.91	35.06	11.67	32.36	363	108 AVERAGE																																																																		



Mode	80																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.74</td> <td>74.00</td> <td>-24.26</td> <td>45.96</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.44</td> <td>68.30</td> <td>-17.86</td> <td>42.25</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	49.74	74.00	-24.26	45.96	39.72	14.78	50.72	--	-- Peak	2	17100.00	50.44	68.30	-17.86	42.25	42.46	17.53	51.80	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.28</td> <td>74.00</td> <td>-25.72</td> <td>44.50</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.24</td> <td>68.30</td> <td>-18.06</td> <td>42.05</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	48.28	74.00	-25.72	44.50	39.72	14.78	50.72	--	-- Peak	2	17100.00	50.24	68.30	-18.06	42.05	42.46	17.53	51.80	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11400.00	49.74	74.00	-24.26	45.96	39.72	14.78	50.72	--	-- Peak																																																																																													
2	17100.00	50.44	68.30	-17.86	42.25	42.46	17.53	51.80	--	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11400.00	48.28	74.00	-25.72	44.50	39.72	14.78	50.72	--	-- Peak																																																																																													
2	17100.00	50.24	68.30	-18.06	42.05	42.46	17.53	51.80	--	-- Peak																																																																																													



		81																																																																												
Mode	Band Edge																																																																													
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																													
ANT	CDD 5+6																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.67</td> <td>57.46</td> <td>74.00</td> <td>-16.54</td> <td>43.28</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>391</td> <td>132 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.67	57.46	74.00	-16.54	43.28	34.87	11.09	31.78	391	132 PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.06</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>34.87</td> <td>11.07</td> <td>31.81</td> <td>391</td> <td>132 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.06	-----	-----	85.93	34.87	11.07	31.81	391	132 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5149.67	57.46	74.00	-16.54	43.28	34.87	11.09	31.78	391	132 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	100.06	-----	-----	85.93	34.87	11.07	31.81	391	132 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.43</td> <td>46.91</td> <td>54.00</td> <td>-7.09</td> <td>32.73</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>391</td> <td>132 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.43	46.91	54.00	-7.09	32.73	34.87	11.09	31.78	391	132 AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>92.88</td> <td>-----</td> <td>-----</td> <td>78.73</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>391</td> <td>132 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.88	-----	-----	78.73	34.87	11.08	31.80	391	132 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5148.43	46.91	54.00	-7.09	32.73	34.87	11.09	31.78	391	132 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	92.88	-----	-----	78.73	34.87	11.08	31.80	391	132 AVERAGE																																																																				



		81																																																																																								
Mode	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																									
ANT	CDD 5+6																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.99</td> <td>60.59</td> <td>74.00</td> <td>-13.41</td> <td>46.42</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>371</td> <td>55 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5149.99	60.59	74.00	-13.41	46.42	34.87	11.08	31.78	371	55 PEAK	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.24</td> <td>-----</td> <td>-----</td> <td>87.11</td> <td>34.87</td> <td>11.07</td> <td>31.81</td> <td>371</td> <td>55 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	101.24	-----	-----	87.11	34.87	11.07	31.81	371	55 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.99	60.59	74.00	-13.41	46.42	34.87	11.08	31.78	371	55 PEAK																																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	101.24	-----	-----	87.11	34.87	11.07	31.81	371	55 PEAK																																																																																
Avg	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.62</td> <td>49.10</td> <td>54.00</td> <td>-4.90</td> <td>34.92</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>371</td> <td>55 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5149.62	49.10	54.00	-4.90	34.92	34.87	11.09	31.78	371	55 AVERAGE	<table border="1"> <thead> <tr> <th colspan="2"></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>93.21</td> <td>-----</td> <td>-----</td> <td>79.06</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>371</td> <td>55 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	93.21	-----	-----	79.06	34.87	11.08	31.80	371	55 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.62	49.10	54.00	-4.90	34.92	34.87	11.09	31.78	371	55 AVERAGE																																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	93.21	-----	-----	79.06	34.87	11.08	31.80	371	55 AVERAGE																																																																																







Mode	81																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.06</td> <td>68.30</td> <td>-20.24</td> <td>45.24</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.06</td> <td>74.00</td> <td>-24.94</td> <td>41.82</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	48.06	68.30	-20.24	45.24	39.44	14.15	50.77	--	Peak	2	15540.00	49.06	74.00	-24.94	41.82	41.82	16.85	51.43	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.30</td> <td>68.30</td> <td>-21.00</td> <td>44.48</td> <td>39.44</td> <td>14.15</td> <td>50.77</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.19</td> <td>74.00</td> <td>-24.81</td> <td>41.95</td> <td>41.82</td> <td>16.85</td> <td>51.43</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	47.30	68.30	-21.00	44.48	39.44	14.15	50.77	--	Peak	2	15540.00	49.19	74.00	-24.81	41.95	41.82	16.85	51.43	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	10360.00	48.06	68.30	-20.24	45.24	39.44	14.15	50.77	--	Peak																																																																																												
2	15540.00	49.06	74.00	-24.94	41.82	41.82	16.85	51.43	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	10360.00	47.30	68.30	-21.00	44.48	39.44	14.15	50.77	--	Peak																																																																																												
2	15540.00	49.19	74.00	-24.81	41.95	41.82	16.85	51.43	--	Peak																																																																																												



Mode	82																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																																											
ANT	CDD 5+6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.40</td> <td>68.30</td> <td>-20.90</td> <td>44.51</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>41.84</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.40	68.30	-20.90	44.51	39.48	14.20	50.79	--	--	Peak	2	15660.00	49.15	74.00	-24.85	41.84	41.90	16.94	51.53	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.59</td> <td>68.30</td> <td>-20.71</td> <td>44.70</td> <td>39.48</td> <td>14.20</td> <td>50.79</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.43</td> <td>74.00</td> <td>-24.57</td> <td>42.12</td> <td>41.90</td> <td>16.94</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.59	68.30	-20.71	44.70	39.48	14.20	50.79	--	--	Peak	2	15660.00	49.43	74.00	-24.57	42.12	41.90	16.94	51.53	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10440.00	47.40	68.30	-20.90	44.51	39.48	14.20	50.79	--	--	Peak																																																																																																	
2	15660.00	49.15	74.00	-24.85	41.84	41.90	16.94	51.53	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10440.00	47.59	68.30	-20.71	44.70	39.48	14.20	50.79	--	--	Peak																																																																																																	
2	15660.00	49.43	74.00	-24.57	42.12	41.90	16.94	51.53	--	--	Peak																																																																																																	



		83																																																																														
Mode	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.02</td> <td>58.15</td> <td>74.00</td> <td>-15.85</td> <td>43.97</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>371</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.02	58.15	74.00	-15.85	43.97	34.87	11.09	31.78	371	103	PEAK	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>105.55</td> <td>-----</td> <td>-----</td> <td>91.58</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>371</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	105.55	-----	-----	91.58	34.85	11.02	31.90	371	103	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5147.02	58.15	74.00	-15.85	43.97	34.87	11.09	31.78	371	103	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5240.00	105.55	-----	-----	91.58	34.85	11.02	31.90	371	103	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.86</td> <td>47.39</td> <td>54.00</td> <td>-6.61</td> <td>33.21</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>371</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.86	47.39	54.00	-6.61	33.21	34.87	11.09	31.78	371	103	AVERAGE	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>97.27</td> <td>-----</td> <td>-----</td> <td>83.30</td> <td>34.85</td> <td>11.02</td> <td>31.90</td> <td>371</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	97.27	-----	-----	83.30	34.85	11.02	31.90	371	103	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.86	47.39	54.00	-6.61	33.21	34.87	11.09	31.78	371	103	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5240.00	97.27	-----	-----	83.30	34.85	11.02	31.90	371	103	AVERAGE																																																																					





	83																																	
Mode	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																	
ANT	CDD 5+6																																	
Pol.	Horizontal	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5387.97 53.01 74.00 -20.99</td> <td>39.36</td> <td>34.82</td> <td>10.91</td> <td>32.08</td> <td>371</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5387.97 53.01 74.00 -20.99	39.36	34.82	10.91	32.08	371	103	PEAK	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5387.97 53.01 74.00 -20.99	39.36	34.82	10.91	32.08	371	103	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.01 42.78 54.00 -11.22</td> <td>29.04</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>371</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5351.01 42.78 54.00 -11.22	29.04	34.83	10.94	32.03	371	103	AVERAGE	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level Factor	Level Factor	Loss Factor	Loss Factor	cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5351.01 42.78 54.00 -11.22	29.04	34.83	10.94	32.03	371	103	AVERAGE																											



		83																																																																														
Mode	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.42</td> <td>58.55</td> <td>74.00</td> <td>-15.45</td> <td>44.37</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>365</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.42	58.55	74.00	-15.45	44.37	34.87	11.09	31.78	365	58	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>106.00</td> <td>-----</td> <td>-----</td> <td>92.00</td> <td>34.85</td> <td>11.03</td> <td>31.88</td> <td>365</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	106.00	-----	-----	92.00	34.85	11.03	31.88	365	58	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.42	58.55	74.00	-15.45	44.37	34.87	11.09	31.78	365	58	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5240.00	106.00	-----	-----	92.00	34.85	11.03	31.88	365	58	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>48.01</td> <td>54.00</td> <td>-5.99</td> <td>33.84</td> <td>34.87</td> <td>11.08</td> <td>31.78</td> <td>365</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.01	54.00	-5.99	33.84	34.87	11.08	31.78	365	58	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>95.73</td> <td>-----</td> <td>-----</td> <td>81.72</td> <td>34.85</td> <td>11.04</td> <td>31.88</td> <td>365</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	95.73	-----	-----	81.72	34.85	11.04	31.88	365	58	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5150.00	48.01	54.00	-5.99	33.84	34.87	11.08	31.78	365	58	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5240.00	95.73	-----	-----	81.72	34.85	11.04	31.88	365	58	AVERAGE																																																																					



	83																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																								
ANT	CDD 5+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p>  <table border="1" data-bbox="263 1108 734 1243"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5382.01</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>38.41</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>365</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5382.01	52.08	74.00	-21.92	38.41	34.82	10.92	32.07	365	58	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5382.01	52.08	74.00	-21.92	38.41	34.82	10.92	32.07	365	58	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p>  <table border="1" data-bbox="263 1780 734 1915"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.55</td> <td>41.68</td> <td>54.00</td> <td>-12.32</td> <td>27.93</td> <td>34.81</td> <td>11.09</td> <td>32.15</td> <td>365</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5451.55	41.68	54.00	-12.32	27.93	34.81	11.09	32.15	365	58	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5451.55	41.68	54.00	-12.32	27.93	34.81	11.09	32.15	365	58	AVERAGE																														



Mode	83																																																																																										
	Harmonic																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																										
ANT	CDD 5+6																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>47.42</td> <td>68.30</td> <td>-20.88</td> <td>44.50</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15720.00</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>41.81</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10480.00	47.42	68.30	-20.88	44.50	39.49	14.23	50.80	-- -- Peak	2 15720.00	49.15	74.00	-24.85	41.81	41.93	16.99	51.58	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>47.55</td> <td>68.30</td> <td>-20.75</td> <td>44.63</td> <td>39.49</td> <td>14.23</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2 15720.00</td> <td>48.83</td> <td>74.00</td> <td>-25.17</td> <td>41.49</td> <td>41.93</td> <td>16.99</td> <td>51.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10480.00	47.55	68.30	-20.75	44.63	39.49	14.23	50.80	-- -- Peak	2 15720.00	48.83	74.00	-25.17	41.49	41.93	16.99	51.58
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10480.00	47.42	68.30	-20.88	44.50	39.49	14.23	50.80	-- -- Peak																																																																																			
2 15720.00	49.15	74.00	-24.85	41.81	41.93	16.99	51.58	-- -- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 10480.00	47.55	68.30	-20.75	44.63	39.49	14.23	50.80	-- -- Peak																																																																																			
2 15720.00	48.83	74.00	-25.17	41.49	41.93	16.99	51.58	-- -- Peak																																																																																			



		84																																																																														
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.05</td> <td>53.50</td> <td>74.00</td> <td>-20.50</td> <td>39.28</td> <td>34.87</td> <td>11.10</td> <td>31.75</td> <td>362</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5128.05	53.50	74.00	-20.50	39.28	34.87	11.10	31.75	362	58	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>110.80</td> <td>-----</td> <td>-----</td> <td>96.84</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>362</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5260.00	110.80	-----	-----	96.84	34.85	11.02	31.91	362	58	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																								
1	5128.05	53.50	74.00	-20.50	39.28	34.87	11.10	31.75	362	58	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																								
1	5260.00	110.80	-----	-----	96.84	34.85	11.02	31.91	362	58	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.85</td> <td>42.95</td> <td>54.00</td> <td>-11.05</td> <td>28.77</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>362</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5148.85	42.95	54.00	-11.05	28.77	34.87	11.09	31.78	362	58	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>87.46</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>362</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	5260.00	101.40	-----	-----	87.46	34.85	11.01	31.92	362	58	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																								
1	5148.85	42.95	54.00	-11.05	28.77	34.87	11.09	31.78	362	58	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																								
1	5260.00	101.40	-----	-----	87.46	34.85	11.01	31.92	362	58	AVERAGE																																																																					



	84																																	
Mode	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																	
ANT	CDD 5+6																																	
Pol.	Horizontal	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5430.72 51.86 74.00 -22.14</td> <td>38.18</td> <td>34.81</td> <td>11.00</td> <td>32.13</td> <td>362</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5430.72 51.86 74.00 -22.14	38.18	34.81	11.00	32.13	362	58	PEAK	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																														
1 5430.72 51.86 74.00 -22.14	38.18	34.81	11.00	32.13	362	58	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.10 41.86 54.00 -12.14</td> <td>28.12</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>362</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB				1 5350.10 41.86 54.00 -12.14	28.12	34.83	10.94	32.03	362	58	AVERAGE	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB																														
1 5350.10 41.86 54.00 -12.14	28.12	34.83	10.94	32.03	362	58	AVERAGE																											



	84																																																																	
Mode	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																	
ANT	CDD 5+6																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5064.90 52.94 74.00 -21.06</td> <td>38.60</td> <td>34.89</td> <td>11.13</td> <td>31.68</td> <td>356</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5064.90 52.94 74.00 -21.06	38.60	34.89	11.13	31.68	356	58	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5260.00 103.43</td> <td>89.47</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>356</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5260.00 103.43	89.47	34.85	11.02	31.91	356	58	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5064.90 52.94 74.00 -21.06	38.60	34.89	11.13	31.68	356	58	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5260.00 103.43	89.47	34.85	11.02	31.91	356	58	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5148.85 43.02 54.00 -10.98</td> <td>28.84</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>356</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5148.85 43.02 54.00 -10.98	28.84	34.87	11.09	31.78	356	58	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5260.00 95.75</td> <td>81.79</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>356</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5260.00 95.75	81.79	34.85	11.02	31.91	356	58	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5148.85 43.02 54.00 -10.98	28.84	34.87	11.09	31.78	356	58	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5260.00 95.75	81.79	34.85	11.02	31.91	356	58	AVERAGE																																																											



	84																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																								
ANT	CDD 5+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.52</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>39.87</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>356</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.52	53.61	74.00	-20.39	39.87	34.83	10.94	32.03	356	58	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.52	53.61	74.00	-20.39	39.87	34.83	10.94	32.03	356	58	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>43.38</td> <td>54.00</td> <td>-10.62</td> <td>29.64</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>356</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	43.38	54.00	-10.62	29.64	34.83	10.94	32.03	356	58	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.00	43.38	54.00	-10.62	29.64	34.83	10.94	32.03	356	58	AVERAGE																														



Mode	84																																																																																																											
	Harmonic																																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																																											
ANT	CDD 5+6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.10</td> <td>68.30</td> <td>-19.20</td> <td>46.15</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.80</td> <td>74.00</td> <td>-24.20</td> <td>42.42</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.10	68.30	-19.20	46.15	39.50	14.25	50.80	--	--	Peak	2	15780.00	49.80	74.00	-24.20	42.42	41.97	17.04	51.63	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.20</td> <td>68.30</td> <td>-19.10</td> <td>46.25</td> <td>39.50</td> <td>14.25</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.69</td> <td>74.00</td> <td>-24.31</td> <td>42.31</td> <td>41.97</td> <td>17.04</td> <td>51.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.20	68.30	-19.10	46.25	39.50	14.25	50.80	--	--	Peak	2	15780.00	49.69	74.00	-24.31	42.31	41.97	17.04	51.63	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10520.00	49.10	68.30	-19.20	46.15	39.50	14.25	50.80	--	--	Peak																																																																																																	
2	15780.00	49.80	74.00	-24.20	42.42	41.97	17.04	51.63	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10520.00	49.20	68.30	-19.10	46.25	39.50	14.25	50.80	--	--	Peak																																																																																																	
2	15780.00	49.69	74.00	-24.31	42.31	41.97	17.04	51.63	--	--	Peak																																																																																																	



Mode	85																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																	
ANT	CDD 5+6																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>48.43</td> <td>74.00</td> <td>-25.57</td> <td>45.45</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.52</td> <td>74.00</td> <td>-24.48</td> <td>42.06</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.43	74.00	-25.57	45.45	39.48	14.30	50.80	-- -- Peak	2	15900.00	49.52	74.00	-24.48	42.06	42.04	17.14	51.72	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>48.23</td> <td>74.00</td> <td>-25.77</td> <td>45.25</td> <td>39.48</td> <td>14.30</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.59</td> <td>74.00</td> <td>-24.41</td> <td>42.13</td> <td>42.04</td> <td>17.14</td> <td>51.72</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.23	74.00	-25.77	45.25	39.48	14.30	50.80	-- -- Peak	2	15900.00	49.59	74.00	-24.41	42.13	42.04	17.14	51.72	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	10600.00	48.43	74.00	-25.57	45.45	39.48	14.30	50.80	-- -- Peak																																																																																									
2	15900.00	49.52	74.00	-24.48	42.06	42.04	17.14	51.72	-- -- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	10600.00	48.23	74.00	-25.77	45.25	39.48	14.30	50.80	-- -- Peak																																																																																									
2	15900.00	49.59	74.00	-24.41	42.13	42.04	17.14	51.72	-- -- Peak																																																																																									



		86																																																																							
Mode		Band Edge																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																							
ANT		CDD 5+6																																																																							
Pol.		Horizontal	Fundamental																																																																						
Peak																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.66</td> <td>62.62</td> <td>74.00</td> <td>-11.38</td> <td>48.88</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>377</td> <td>106 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5354.66	62.62	74.00	-11.38	48.88	34.83	10.94	32.03	377	106 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>102.93</td> <td>-----</td> <td>-----</td> <td>89.13</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>377</td> <td>106 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5320.00	102.93	-----	-----	89.13	34.84	10.96	32.00	377
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
1 5354.66	62.62	74.00	-11.38	48.88	34.83	10.94	32.03	377	106 PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
1 5320.00	102.93	-----	-----	89.13	34.84	10.96	32.00	377	106 PEAK																																																																
Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.04</td> <td>51.79</td> <td>54.00</td> <td>-2.21</td> <td>38.05</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>377</td> <td>106 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5350.04	51.79	54.00	-2.21	38.05	34.83	10.94	32.03	377	106 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>94.71</td> <td>-----</td> <td>-----</td> <td>80.91</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>377</td> <td>106 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5320.00	94.71	-----	-----	80.91	34.84	10.96	32.00	377
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
1 5350.04	51.79	54.00	-2.21	38.05	34.83	10.94	32.03	377	106 AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
1 5320.00	94.71	-----	-----	80.91	34.84	10.96	32.00	377	106 AVERAGE																																																																



	86																																																																											
Mode	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																											
ANT	CDD 5+6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.04</td> <td>62.40</td> <td>74.00</td> <td>-11.60</td> <td>48.66</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>351</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.04	62.40	74.00	-11.60	48.66	34.83	10.94	32.03	351	101	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.41</td> <td>-----</td> <td>-----</td> <td>88.61</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>351</td> <td>101</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	102.41	-----	-----	88.61	34.84	10.96	32.00	351	101	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5350.04	62.40	74.00	-11.60	48.66	34.83	10.94	32.03	351	101	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5320.00	102.41	-----	-----	88.61	34.84	10.96	32.00	351	101	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.63</td> <td>50.60</td> <td>54.00</td> <td>-3.40</td> <td>36.87</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>351</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5355.63	50.60	54.00	-3.40	36.87	34.83	10.94	32.04	351	101	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>93.34</td> <td>-----</td> <td>-----</td> <td>79.52</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>351</td> <td>101</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	93.34	-----	-----	79.52	34.84	10.97	31.99	351	101	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5355.63	50.60	54.00	-3.40	36.87	34.83	10.94	32.04	351	101	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5320.00	93.34	-----	-----	79.52	34.84	10.97	31.99	351	101	AVERAGE																																																																	



Mode	86																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																																		
ANT	CDD 5+6																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>49.05</td> <td>74.00</td> <td>-24.95</td> <td>46.06</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>41.92</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	49.05	74.00	-24.95	46.06	39.47	14.32	50.80	--	--	Peak	2	15960.00	49.42	74.00	-24.58	41.92	42.08	17.19	51.77	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.32</td> <td>74.00</td> <td>-25.68</td> <td>45.33</td> <td>39.47</td> <td>14.32</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.54</td> <td>74.00</td> <td>-24.46</td> <td>42.04</td> <td>42.08</td> <td>17.19</td> <td>51.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	48.32	74.00	-25.68	45.33	39.47	14.32	50.80	--	--	Peak	2	15960.00	49.54	74.00	-24.46	42.04	42.08	17.19	51.77	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10640.00	49.05	74.00	-24.95	46.06	39.47	14.32	50.80	--	--	Peak																																																																																								
2	15960.00	49.42	74.00	-24.58	41.92	42.08	17.19	51.77	--	--	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10640.00	48.32	74.00	-25.68	45.33	39.47	14.32	50.80	--	--	Peak																																																																																								
2	15960.00	49.54	74.00	-24.46	42.04	42.08	17.19	51.77	--	--	Peak																																																																																								



		87																																																																																										
Mode	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>63.97</td> <td>74.00</td> <td>-10.03</td> <td>50.21</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.18</td> <td>65.37</td> <td>68.30</td> <td>-2.93</td> <td>51.60</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	63.97	74.00	-10.03	50.21	34.81	11.12	32.17	100	62	PEAK	2	5463.18	65.37	68.30	-2.93	51.60	34.81	11.13	32.17	100	62	PEAK	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.95</td> <td>-----</td> <td>-----</td> <td>96.05</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>100</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.95	-----	-----	96.05	34.81	11.30	32.21	100	62	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	63.97	74.00	-10.03	50.21	34.81	11.12	32.17	100	62	PEAK																																																																																	
2	5463.18	65.37	68.30	-2.93	51.60	34.81	11.13	32.17	100	62	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	109.95	-----	-----	96.05	34.81	11.30	32.21	100	62	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.59</td> <td>51.43</td> <td>54.00</td> <td>-2.57</td> <td>37.66</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.59	51.43	54.00	-2.57	37.66	34.81	11.12	32.16	100	62	AVERAGE	<p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.48</td> <td>-----</td> <td>-----</td> <td>86.58</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>100</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.48	-----	-----	86.58	34.81	11.30	32.21	100	62	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.59	51.43	54.00	-2.57	37.66	34.81	11.12	32.16	100	62	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	100.48	-----	-----	86.58	34.81	11.30	32.21	100	62	AVERAGE																																																																																	



		87																																																								
Mode	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																									
ANT	CDD 5+6																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5456.13 58.15 74.00 -15.85</td> <td>44.40</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>397</td> <td>148</td> <td>PEAK</td> </tr> <tr> <td>2 5470.00 64.54 68.30 -3.76</td> <td>50.75</td> <td>34.81</td> <td>11.16</td> <td>32.18</td> <td>397</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5456.13 58.15 74.00 -15.85	44.40	34.81	11.10	32.16	397	148	PEAK	2 5470.00 64.54 68.30 -3.76	50.75	34.81	11.16	32.18	397	148	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 104.63 -----</td> <td>90.78</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>397</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 104.63 -----	90.78	34.80	11.25	32.20	397	148	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5456.13 58.15 74.00 -15.85	44.40	34.81	11.10	32.16	397	148	PEAK																																																			
2 5470.00 64.54 68.30 -3.76	50.75	34.81	11.16	32.18	397	148	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 104.63 -----	90.78	34.80	11.25	32.20	397	148	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5458.98 47.28 54.00 -6.72</td> <td>33.51</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>397</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5458.98 47.28 54.00 -6.72	33.51	34.81	11.12	32.16	397	148	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00 96.53 -----</td> <td>82.68</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>397</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5500.00 96.53 -----	82.68	34.80	11.25	32.20	397	148	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5458.98 47.28 54.00 -6.72	33.51	34.81	11.12	32.16	397	148	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5500.00 96.53 -----	82.68	34.80	11.25	32.20	397	148	AVERAGE																																																			






	87																																																																																											
Mode	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>48.72</td> <td>74.00</td> <td>-25.28</td> <td>45.58</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>49.60</td> <td>68.30</td> <td>-18.70</td> <td>41.64</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	48.72	74.00	-25.28	45.58	39.40	14.54	50.80	-- -- Peak	2 16500.00	49.60	68.30	-18.70	41.64	42.40	17.36	51.80	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>45.34</td> <td>39.40</td> <td>14.54</td> <td>50.80</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>50.03</td> <td>68.30</td> <td>-18.27</td> <td>42.07</td> <td>42.40</td> <td>17.36</td> <td>51.80</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	48.48	74.00	-25.52	45.34	39.40	14.54	50.80	-- -- Peak	2 16500.00	50.03	68.30	-18.27	42.07	42.40	17.36	51.80	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 11000.00	48.72	74.00	-25.28	45.58	39.40	14.54	50.80	-- -- Peak																																																																																				
2 16500.00	49.60	68.30	-18.70	41.64	42.40	17.36	51.80	-- -- Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 11000.00	48.48	74.00	-25.52	45.34	39.40	14.54	50.80	-- -- Peak																																																																																				
2 16500.00	50.03	68.30	-18.27	42.07	42.40	17.36	51.80	-- -- Peak																																																																																				



Mode	88																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																																											
ANT	CDD 5+6																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.18</td> <td>74.00</td> <td>-25.82</td> <td>44.78</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.61</td> <td>68.30</td> <td>-20.69</td> <td>39.48</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	48.18	74.00	-25.82	44.78	39.53	14.64	50.77	--	--	Peak	2	16740.00	47.61	68.30	-20.69	39.48	42.45	17.43	51.75	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.63</td> <td>74.00</td> <td>-25.37</td> <td>45.23</td> <td>39.53</td> <td>14.64</td> <td>50.77</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.41</td> <td>68.30</td> <td>-20.89</td> <td>39.28</td> <td>42.45</td> <td>17.43</td> <td>51.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	48.63	74.00	-25.37	45.23	39.53	14.64	50.77	--	--	Peak	2	16740.00	47.41	68.30	-20.89	39.28	42.45	17.43	51.75	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11160.00	48.18	74.00	-25.82	44.78	39.53	14.64	50.77	--	--	Peak																																																																																																	
2	16740.00	47.61	68.30	-20.69	39.48	42.45	17.43	51.75	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11160.00	48.63	74.00	-25.37	45.23	39.53	14.64	50.77	--	--	Peak																																																																																																	
2	16740.00	47.41	68.30	-20.89	39.28	42.45	17.43	51.75	--	--	Peak																																																																																																	



	89																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																									
ANT	CDD 5+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.53</td> <td>62.19</td> <td>68.30</td> <td>-6.11</td> <td>47.81</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>100 327 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5727.53	62.19	68.30	-6.11	47.81	35.12	11.65	32.39	100 327 PEAK	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>109.21</td> <td>-----</td> <td>94.84</td> <td>35.08</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>327 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	109.21	-----	94.84	35.08	11.66	32.37	100	327 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5727.53	62.19	68.30	-6.11	47.81	35.12	11.65	32.39	100 327 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	109.21	-----	94.84	35.08	11.66	32.37	100	327 PEAK																																																																		
Avg	Blank	 <p style="text-align: right;">Date: 2023-11-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>100.26</td> <td>-----</td> <td>85.88</td> <td>35.09</td> <td>11.66</td> <td>32.37</td> <td>100</td> <td>327 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	100.26	-----	85.88	35.09	11.66	32.37	100	327 AVERAGE																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	100.26	-----	85.88	35.09	11.66	32.37	100	327 AVERAGE																																																																		



	89																																																																							
Mode	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																							
ANT	CDD 5+6																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.32</td> <td>63.95</td> <td>68.30</td> <td>-4.35</td> <td>49.57</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>382</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5725.32	63.95	68.30	-4.35	49.57	35.12	11.65	32.39	382	156 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>107.64</td> <td>-----</td> <td>-----</td> <td>93.26</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>382</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	107.64	-----	-----	93.26	35.07	11.67	32.36	382	156 PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5725.32	63.95	68.30	-4.35	49.57	35.12	11.65	32.39	382	156 PEAK																																																															
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	107.64	-----	-----	93.26	35.07	11.67	32.36	382	156 PEAK																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.38</td> <td>-----</td> <td>-----</td> <td>85.00</td> <td>35.07</td> <td>11.67</td> <td>32.36</td> <td>382</td> <td>156 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	99.38	-----	-----	85.00	35.07	11.67	32.36	382	156 AVERAGE																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	99.38	-----	-----	85.00	35.07	11.67	32.36	382	156 AVERAGE																																																															



Mode	89																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.11</td> <td>74.00</td> <td>-24.89</td> <td>45.33</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17100.00</td> <td>50.76</td> <td>68.30</td> <td>-17.54</td> <td>42.57</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.11	74.00	-24.89	45.33	39.72	14.78	50.72	--	-- Peak	2 17100.00	50.76	68.30	-17.54	42.57	42.46	17.53	51.80	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>48.95</td> <td>74.00</td> <td>-25.05</td> <td>45.17</td> <td>39.72</td> <td>14.78</td> <td>50.72</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 17100.00</td> <td>50.50</td> <td>68.30</td> <td>-17.80</td> <td>42.31</td> <td>42.46</td> <td>17.53</td> <td>51.80</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	48.95	74.00	-25.05	45.17	39.72	14.78	50.72	--	-- Peak	2 17100.00	50.50	68.30	-17.80	42.31	42.46	17.53	51.80	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11400.00	49.11	74.00	-24.89	45.33	39.72	14.78	50.72	--	-- Peak																																																																																								
2 17100.00	50.76	68.30	-17.54	42.57	42.46	17.53	51.80	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 11400.00	48.95	74.00	-25.05	45.17	39.72	14.78	50.72	--	-- Peak																																																																																								
2 17100.00	50.50	68.30	-17.80	42.31	42.46	17.53	51.80	--	-- Peak																																																																																								



	90																																																																									
Mode	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																									
ANT	CDD 5+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5144.51</td> <td>63.60</td> <td>74.00</td> <td>-10.40</td> <td>49.41</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>345 114 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5144.51	63.60	74.00	-10.40	49.41	34.87	11.09	31.77	345 114 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>96.27</td> <td>-----</td> <td>-----</td> <td>82.12</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>345 114 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	96.27	-----	-----	82.12	34.87	11.08	31.80	345 114 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5144.51	63.60	74.00	-10.40	49.41	34.87	11.09	31.77	345 114 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5190.00	96.27	-----	-----	82.12	34.87	11.08	31.80	345 114 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5145.84</td> <td>51.78</td> <td>54.00</td> <td>-2.22</td> <td>37.60</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>345 114 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5145.84	51.78	54.00	-2.22	37.60	34.87	11.09	31.78	345 114 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>88.57</td> <td>-----</td> <td>-----</td> <td>74.42</td> <td>34.87</td> <td>11.08</td> <td>31.80</td> <td>345 114 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	88.57	-----	-----	74.42	34.87	11.08	31.80	345 114 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5145.84	51.78	54.00	-2.22	37.60	34.87	11.09	31.78	345 114 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5190.00	88.57	-----	-----	74.42	34.87	11.08	31.80	345 114 AVERAGE																																																																		



	90																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																								
ANT	CDD 5+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.81</td> <td>51.90</td> <td>74.00</td> <td>-22.10</td> <td>38.27</td> <td>34.82</td> <td>10.92</td> <td>32.11</td> <td>345</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5411.81	51.90	74.00	-22.10	38.27	34.82	10.92	32.11	345	114	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5411.81	51.90	74.00	-22.10	38.27	34.82	10.92	32.11	345	114	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.47</td> <td>41.53</td> <td>54.00</td> <td>-12.47</td> <td>27.78</td> <td>34.81</td> <td>11.10</td> <td>32.16</td> <td>345</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.47	41.53	54.00	-12.47	27.78	34.81	11.10	32.16	345	114	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5454.47	41.53	54.00	-12.47	27.78	34.81	11.10	32.16	345	114	AVERAGE																														



		90																																																																												
Mode	Band Edge - L																																																																													
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																													
ANT	CDD 5+6																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.73</td> <td>60.98</td> <td>74.00</td> <td>-13.02</td> <td>46.80</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.73	60.98	74.00	-13.02	46.80	34.87	11.09	31.78	100	274 PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>94.34</td> <td>-----</td> <td>-----</td> <td>80.26</td> <td>34.86</td> <td>11.06</td> <td>31.84</td> <td>100</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.34	-----	-----	80.26	34.86	11.06	31.84	100	274 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5147.73	60.98	74.00	-13.02	46.80	34.87	11.09	31.78	100	274 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5190.00	94.34	-----	-----	80.26	34.86	11.06	31.84	100	274 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.83</td> <td>50.30</td> <td>54.00</td> <td>-3.70</td> <td>36.12</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>100</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.83	50.30	54.00	-3.70	36.12	34.87	11.09	31.78	100	274 AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>86.39</td> <td>-----</td> <td>-----</td> <td>72.28</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>100</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	86.39	-----	-----	72.28	34.86	11.07	31.82	100	274 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5149.83	50.30	54.00	-3.70	36.12	34.87	11.09	31.78	100	274 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5190.00	86.39	-----	-----	72.28	34.86	11.07	31.82	100	274 AVERAGE																																																																				



	90																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																								
ANT	CDD 5+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.26</td> <td>52.14</td> <td>74.00</td> <td>-21.86</td> <td>38.41</td> <td>34.81</td> <td>11.07</td> <td>32.15</td> <td>100</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5448.26	52.14	74.00	-21.86	38.41	34.81	11.07	32.15	100	274	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5448.26	52.14	74.00	-21.86	38.41	34.81	11.07	32.15	100	274	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.59</td> <td>41.58</td> <td>54.00</td> <td>-12.42</td> <td>27.84</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>100</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.59	41.58	54.00	-12.42	27.84	34.83	10.94	32.03	100	274	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.59	41.58	54.00	-12.42	27.84	34.83	10.94	32.03	100	274	AVERAGE																														







	91																																																																															
Mode	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.55</td> <td>62.51</td> <td>74.00</td> <td>-11.49</td> <td>48.33</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>356</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.55	62.51	74.00	-11.49	48.33	34.87	11.09	31.78	356	61	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>101.66</td> <td>-----</td> <td>-----</td> <td>87.63</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>356</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	101.66	-----	-----	87.63	34.86	11.04	31.87	356	61	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5147.55	62.51	74.00	-11.49	48.33	34.87	11.09	31.78	356	61	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5230.00	101.66	-----	-----	87.63	34.86	11.04	31.87	356	61	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.39</td> <td>50.44</td> <td>54.00</td> <td>-3.56</td> <td>36.26</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>356</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.39	50.44	54.00	-3.56	36.26	34.87	11.09	31.78	356	61	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>93.27</td> <td>-----</td> <td>-----</td> <td>79.24</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>356</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.27	-----	-----	79.24	34.86	11.04	31.87	356	61	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.39	50.44	54.00	-3.56	36.26	34.87	11.09	31.78	356	61	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5230.00	93.27	-----	-----	79.24	34.86	11.04	31.87	356	61	AVERAGE																																																																					



	91																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																								
ANT	CDD 5+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.05</td> <td>52.29</td> <td>74.00</td> <td>-21.71</td> <td>38.53</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>356</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.05	52.29	74.00	-21.71	38.53	34.81	11.11	32.16	356	61	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5458.05	52.29	74.00	-21.71	38.53	34.81	11.11	32.16	356	61	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.09</td> <td>42.42</td> <td>54.00</td> <td>-11.58</td> <td>28.75</td> <td>34.81</td> <td>10.99</td> <td>32.13</td> <td>356</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5429.09	42.42	54.00	-11.58	28.75	34.81	10.99	32.13	356	61	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5429.09	42.42	54.00	-11.58	28.75	34.81	10.99	32.13	356	61	AVERAGE																														



		91																																																																															
Mode	Band Edge - L																																																																																
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																
ANT	CDD 5+6																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.63</td> <td>59.25</td> <td>74.00</td> <td>-14.75</td> <td>45.02</td> <td>34.88</td> <td>11.10</td> <td>31.75</td> <td>400</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5123.63	59.25	74.00	-14.75	45.02	34.88	11.10	31.75	400	58	PEAK	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>96.70</td> <td>-----</td> <td>-----</td> <td>82.67</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>400</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	96.70	-----	-----	82.67	34.86	11.04	31.87	400	58	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5123.63	59.25	74.00	-14.75	45.02	34.88	11.10	31.75	400	58	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5230.00	96.70	-----	-----	82.67	34.86	11.04	31.87	400	58	PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.56</td> <td>49.19</td> <td>54.00</td> <td>-4.81</td> <td>35.00</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>400</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.56	49.19	54.00	-4.81	35.00	34.87	11.09	31.77	400	58	AVERAGE	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>88.96</td> <td>-----</td> <td>-----</td> <td>74.93</td> <td>34.86</td> <td>11.04</td> <td>31.87</td> <td>400</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	88.96	-----	-----	74.93	34.86	11.04	31.87	400	58	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5144.56	49.19	54.00	-4.81	35.00	34.87	11.09	31.77	400	58	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5230.00	88.96	-----	-----	74.93	34.86	11.04	31.87	400	58	AVERAGE																																																																						



	91																																	
Mode	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																	
ANT	CDD 5+6																																	
Pol.	Vertical	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5376.63 52.04 74.00 -21.96</td> <td>38.36</td> <td>34.82</td> <td>10.92</td> <td>32.06</td> <td>400</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5376.63 52.04 74.00 -21.96	38.36	34.82	10.92	32.06	400	58	PEAK	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level	Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5376.63 52.04 74.00 -21.96	38.36	34.82	10.92	32.06	400	58	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5353.88 41.84 54.00 -12.16</td> <td>28.10</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>400</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5353.88 41.84 54.00 -12.16	28.10	34.83	10.94	32.03	400	58	AVERAGE	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level	Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5353.88 41.84 54.00 -12.16	28.10	34.83	10.94	32.03	400	58	AVERAGE																											



		92																																																																														
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.10</td> <td>54.86</td> <td>74.00</td> <td>-19.14</td> <td>40.68</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.10	54.86	74.00	-19.14	40.68	34.87	11.09	31.78	400	106	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>94.57</td> <td>-----</td> <td>-----</td> <td>80.63</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>400</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	94.57	-----	-----	80.63	34.85	11.01	31.92	400	106
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5148.10	54.86	74.00	-19.14	40.68	34.87	11.09	31.78	400	106	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	94.57	-----	-----	80.63	34.85	11.01	31.92	400	106	PEAK																																																																					
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.43</td> <td>43.75</td> <td>54.00</td> <td>-10.25</td> <td>29.56</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>400</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5142.43	43.75	54.00	-10.25	29.56	34.87	11.09	31.77	400	106	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>87.23</td> <td>-----</td> <td>-----</td> <td>73.29</td> <td>34.85</td> <td>11.01</td> <td>31.92</td> <td>400</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	87.23	-----	-----	73.29	34.85	11.01	31.92	400	106
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5142.43	43.75	54.00	-10.25	29.56	34.87	11.09	31.77	400	106	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5270.00	87.23	-----	-----	73.29	34.85	11.01	31.92	400	106	AVERAGE																																																																					



	92																																	
Mode	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																	
ANT	CDD 5+6																																	
Pol.	Horizontal	Fundamental																																
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5355.80 61.97 74.00 -12.03</td> <td>48.24</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>400</td> <td>106</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5355.80 61.97 74.00 -12.03	48.24	34.83	10.94	32.04	400	106	PEAK	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level	Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5355.80 61.97 74.00 -12.03	48.24	34.83	10.94	32.04	400	106	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5358.64 49.08 54.00 -4.92</td> <td>35.35</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>400</td> <td>106</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5358.64 49.08 54.00 -4.92	35.35	34.83	10.94	32.04	400	106	AVERAGE	Blank
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq Level Line (dB)	Level	Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																												
1 5358.64 49.08 54.00 -4.92	35.35	34.83	10.94	32.04	400	106	AVERAGE																											







		92																																																																												
Mode	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																													
ANT	CDD 5+6																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5063.88</td> <td>52.92</td> <td>74.00</td> <td>-21.08</td> <td>38.57</td> <td>34.89</td> <td>11.13</td> <td>31.67</td> <td>400</td> <td>193 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5063.88	52.92	74.00	-21.08	38.57	34.89	11.13	31.67	400	193 PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>97.84</td> <td>74.00</td> <td>23.84</td> <td>83.88</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>400</td> <td>193 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	97.84	74.00	23.84	83.88	34.85	11.02	31.91	400	193 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5063.88	52.92	74.00	-21.08	38.57	34.89	11.13	31.67	400	193 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5270.00	97.84	74.00	23.84	83.88	34.85	11.02	31.91	400	193 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5041.47</td> <td>42.67</td> <td>54.00</td> <td>-11.33</td> <td>28.28</td> <td>34.89</td> <td>11.15</td> <td>31.65</td> <td>400</td> <td>193 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5041.47	42.67	54.00	-11.33	28.28	34.89	11.15	31.65	400	193 AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>89.73</td> <td>54.00</td> <td>35.73</td> <td>75.77</td> <td>34.85</td> <td>11.02</td> <td>31.91</td> <td>400</td> <td>193 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	89.73	54.00	35.73	75.77	34.85	11.02	31.91	400	193 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5041.47	42.67	54.00	-11.33	28.28	34.89	11.15	31.65	400	193 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5270.00	89.73	54.00	35.73	75.77	34.85	11.02	31.91	400	193 AVERAGE																																																																				



	92																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																								
ANT	CDD 5+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.59</td> <td>61.38</td> <td>74.00</td> <td>-12.62</td> <td>47.65</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>400</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.59	61.38	74.00	-12.62	47.65	34.83	10.94	32.04	400	193	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5359.59	61.38	74.00	-12.62	47.65	34.83	10.94	32.04	400	193	PEAK																														
Blank																																									
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.29</td> <td>48.87</td> <td>54.00</td> <td>-5.13</td> <td>35.13</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>400</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.29	48.87	54.00	-5.13	35.13	34.83	10.94	32.03	400	193	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.29	48.87	54.00	-5.13	35.13	34.83	10.94	32.03	400	193	AVERAGE																														
Blank																																									







	93																																																																									
Mode	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																									
ANT	CDD 5+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5030.23</td> <td>52.03</td> <td>74.00</td> <td>-21.97</td> <td>37.62</td> <td>34.89</td> <td>11.15</td> <td>31.63</td> <td>349 62 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5030.23	52.03	74.00	-21.97	37.62	34.89	11.15	31.63	349 62 PEAK	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>103.28</td> <td>-----</td> <td>-----</td> <td>89.48</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>349 62 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	103.28	-----	-----	89.48	34.84	10.96	32.00	349 62 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5030.23	52.03	74.00	-21.97	37.62	34.89	11.15	31.63	349 62 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5310.00	103.28	-----	-----	89.48	34.84	10.96	32.00	349 62 PEAK																																																																		
Avg	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5059.06</td> <td>42.80</td> <td>54.00</td> <td>-11.20</td> <td>28.44</td> <td>34.89</td> <td>11.14</td> <td>31.67</td> <td>349 62 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5059.06	42.80	54.00	-11.20	28.44	34.89	11.14	31.67	349 62 AVERAGE	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>95.00</td> <td>-----</td> <td>-----</td> <td>81.20</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>349 62 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	95.00	-----	-----	81.20	34.84	10.96	32.00	349 62 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5059.06	42.80	54.00	-11.20	28.44	34.89	11.14	31.67	349 62 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5310.00	95.00	-----	-----	81.20	34.84	10.96	32.00	349 62 AVERAGE																																																																		



	93																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																								
ANT	CDD 5+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.89</td> <td>59.87</td> <td>74.00</td> <td>-14.13</td> <td>46.16</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>349</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.89	59.87	74.00	-14.13	46.16	34.83	10.93	32.05	349	62	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5362.89	59.87	74.00	-14.13	46.16	34.83	10.93	32.05	349	62	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.73</td> <td>48.15</td> <td>54.00</td> <td>-5.85</td> <td>34.42</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>349</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5356.73	48.15	54.00	-5.85	34.42	34.83	10.94	32.04	349	62	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5356.73	48.15	54.00	-5.85	34.42	34.83	10.94	32.04	349	62	AVERAGE																														







		93																																																																														
Mode	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																															
ANT	CDD 5+6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.22</td> <td>52.41</td> <td>74.00</td> <td>-21.59</td> <td>38.14</td> <td>34.88</td> <td>11.11</td> <td>31.72</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5101.22	52.41	74.00	-21.59	38.14	34.88	11.11	31.72	400	186	PEAK	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.70</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.70	-----	-----	83.88	34.84	10.97	31.99	400	186	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5101.22	52.41	74.00	-21.59	38.14	34.88	11.11	31.72	400	186	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	97.70	-----	-----	83.88	34.84	10.97	31.99	400	186	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5060.64</td> <td>42.59</td> <td>54.00</td> <td>-11.41</td> <td>28.23</td> <td>34.89</td> <td>11.14</td> <td>31.67</td> <td>400</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5060.64	42.59	54.00	-11.41	28.23	34.89	11.14	31.67	400	186	AVERAGE	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>88.18</td> <td>-----</td> <td>-----</td> <td>74.31</td> <td>34.84</td> <td>10.99</td> <td>31.96</td> <td>400</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	88.18	-----	-----	74.31	34.84	10.99	31.96	400	186	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5060.64	42.59	54.00	-11.41	28.23	34.89	11.14	31.67	400	186	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	88.18	-----	-----	74.31	34.84	10.99	31.96	400	186	AVERAGE																																																																					



	93																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																								
ANT	CDD 5+6																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.98</td> <td>60.39</td> <td>74.00</td> <td>-13.61</td> <td>46.67</td> <td>34.83</td> <td>10.93</td> <td>32.04</td> <td>400</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.98	60.39	74.00	-13.61	46.67	34.83	10.93	32.04	400	186	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5361.98	60.39	74.00	-13.61	46.67	34.83	10.93	32.04	400	186	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.43</td> <td>48.73</td> <td>54.00</td> <td>-5.27</td> <td>35.00</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>400</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.43	48.73	54.00	-5.27	35.00	34.83	10.94	32.04	400	186	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5359.43	48.73	54.00	-5.27	35.00	34.83	10.94	32.04	400	186	AVERAGE																														



	94																																																																																											
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.06</td> <td>62.61</td> <td>74.00</td> <td>-11.39</td> <td>48.84</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>318</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.46</td> <td>63.23</td> <td>68.30</td> <td>-5.07</td> <td>49.45</td> <td>34.81</td> <td>11.14</td> <td>32.17</td> <td>318</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.06	62.61	74.00	-11.39	48.84	34.81	11.12	32.16	318	56	PEAK	2	5465.46	63.23	68.30	-5.07	49.45	34.81	11.14	32.17	318	56	PEAK	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>105.30</td> <td>-----</td> <td>-----</td> <td>91.44</td> <td>34.80</td> <td>11.27</td> <td>32.21</td> <td>318</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.30	-----	-----	91.44	34.80	11.27	32.21	318	56	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.06	62.61	74.00	-11.39	48.84	34.81	11.12	32.16	318	56	PEAK																																																																																	
2	5465.46	63.23	68.30	-5.07	49.45	34.81	11.14	32.17	318	56	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	105.30	-----	-----	91.44	34.80	11.27	32.21	318	56	PEAK																																																																																	
Avg	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>50.20</td> <td>54.00</td> <td>-3.80</td> <td>36.44</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>318</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	50.20	54.00	-3.80	36.44	34.81	11.12	32.17	318	56	AVERAGE	 <p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.26</td> <td>-----</td> <td>-----</td> <td>82.41</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>318</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.26	-----	-----	82.41	34.80	11.25	32.20	318	56	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5460.00	50.20	54.00	-3.80	36.44	34.81	11.12	32.17	318	56	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	96.26	-----	-----	82.41	34.80	11.25	32.20	318	56	AVERAGE																																																																																	



Mode	94																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																								
ANT	CDD 5+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5760.82</td> <td>52.55</td> <td>68.30</td> <td>-15.75</td> <td>38.15</td> <td>35.17</td> <td>11.64</td> <td>32.41</td> <td>318</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5760.82	52.55	68.30	-15.75	38.15	35.17	11.64	32.41	318	56	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5760.82	52.55	68.30	-15.75	38.15	35.17	11.64	32.41	318	56	PEAK																														



		94																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.38</td> <td>57.73</td> <td>74.00</td> <td>-16.27</td> <td>43.96</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>395</td> <td>153 PEAK</td> </tr> <tr> <td>2</td> <td>5461.92</td> <td>58.85</td> <td>68.30</td> <td>-9.45</td> <td>45.08</td> <td>34.81</td> <td>11.13</td> <td>32.17</td> <td>395</td> <td>153 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.38	57.73	74.00	-16.27	43.96	34.81	11.12	32.16	395	153 PEAK	2	5461.92	58.85	68.30	-9.45	45.08	34.81	11.13	32.17	395	153 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>101.13</td> <td>-----</td> <td>-----</td> <td>87.23</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>395</td> <td>153 PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.13	-----	-----	87.23	34.81	11.30	32.21	395
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5459.38	57.73	74.00	-16.27	43.96	34.81	11.12	32.16	395	153 PEAK																																																																																					
2	5461.92	58.85	68.30	-9.45	45.08	34.81	11.13	32.17	395	153 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5510.00	101.13	-----	-----	87.23	34.81	11.30	32.21	395	153 PEAK																																																																																					
Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.52</td> <td>47.09</td> <td>54.00</td> <td>-6.91</td> <td>33.32</td> <td>34.81</td> <td>11.12</td> <td>32.16</td> <td>395</td> <td>153 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.52	47.09	54.00	-6.91	33.32	34.81	11.12	32.16	395	153 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>91.67</td> <td>-----</td> <td>-----</td> <td>77.77</td> <td>34.81</td> <td>11.30</td> <td>32.21</td> <td>395</td> <td>153 AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.67	-----	-----	77.77	34.81	11.30	32.21	395	153 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5459.52	47.09	54.00	-6.91	33.32	34.81	11.12	32.16	395	153 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5510.00	91.67	-----	-----	77.77	34.81	11.30	32.21	395	153 AVERAGE																																																																																					



Mode	94																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																					
ANT	CDD 5+6																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5758.50</td> <td>52.63</td> <td>68.30</td> <td>-15.67</td> <td>38.24</td> <td>35.16</td> <td>11.64</td> <td>32.41</td> <td>395 153 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5758.50	52.63	68.30	-15.67	38.24	35.16	11.64	32.41	395 153 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5758.50	52.63	68.30	-15.67	38.24	35.16	11.64	32.41	395 153 PEAK																														







		95																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.07</td> <td>51.63</td> <td>74.00</td> <td>-22.37</td> <td>37.95</td> <td>34.82</td> <td>10.92</td> <td>32.06</td> <td>396</td> <td>66</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.56</td> <td>51.37</td> <td>68.30</td> <td>-16.93</td> <td>37.61</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>396</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5377.07	51.63	74.00	-22.37	37.95	34.82	10.92	32.06	396	66	PEAK	2	5460.56	51.37	68.30	-16.93	37.61	34.81	11.12	32.17	396	66	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>105.19</td> <td>-----</td> <td>-----</td> <td>90.81</td> <td>35.06</td> <td>11.67</td> <td>32.35</td> <td>396</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.19	-----	-----	90.81	35.06	11.67	32.35	396	66	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5377.07	51.63	74.00	-22.37	37.95	34.82	10.92	32.06	396	66	PEAK																																																																																	
2	5460.56	51.37	68.30	-16.93	37.61	34.81	11.12	32.17	396	66	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5670.00	105.19	-----	-----	90.81	35.06	11.67	32.35	396	66	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>42.09</td> <td>54.00</td> <td>-11.91</td> <td>28.33</td> <td>34.81</td> <td>11.11</td> <td>32.16</td> <td>396</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	42.09	54.00	-11.91	28.33	34.81	11.11	32.16	396	66	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>95.46</td> <td>-----</td> <td>-----</td> <td>81.08</td> <td>35.06</td> <td>11.67</td> <td>32.35</td> <td>396</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.46	-----	-----	81.08	35.06	11.67	32.35	396	66	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5458.00	42.09	54.00	-11.91	28.33	34.81	11.11	32.16	396	66	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5670.00	95.46	-----	-----	81.08	35.06	11.67	32.35	396	66	AVERAGE																																																																																	



Mode	95																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																					
ANT	CDD 5+6																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.01</td> <td>62.50</td> <td>68.30</td> <td>-5.80</td> <td>48.12</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>396 66 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5726.01	62.50	68.30	-5.80	48.12	35.12	11.65	32.39	396 66 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5726.01	62.50	68.30	-5.80	48.12	35.12	11.65	32.39	396 66 PEAK																														



		95																																																																																				
Mode		Band Edge - L																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																				
ANT		CDD 5+6																																																																																				
Pol.		Vertical	Fundamental																																																																																			
Peak	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5406.51</td> <td>51.46</td> <td>74.00</td> <td>-22.54</td> <td>37.84</td> <td>34.82</td> <td>10.90</td> <td>32.10</td> <td>400 180 PEAK</td> </tr> <tr> <td>2</td> <td>5460.27</td> <td>50.96</td> <td>68.30</td> <td>-17.34</td> <td>37.20</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>400 180 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5406.51	51.46	74.00	-22.54	37.84	34.82	10.90	32.10	400 180 PEAK	2	5460.27	50.96	68.30	-17.34	37.20	34.81	11.12	32.17	400 180 PEAK	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>104.47</td> <td>-----</td> <td>-----</td> <td>90.10</td> <td>35.02</td> <td>11.68</td> <td>32.33</td> <td>400 180 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.47	-----	-----	90.10	35.02	11.68	32.33	400 180 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5406.51	51.46	74.00	-22.54	37.84	34.82	10.90	32.10	400 180 PEAK																																																																													
2	5460.27	50.96	68.30	-17.34	37.20	34.81	11.12	32.17	400 180 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5670.00	104.47	-----	-----	90.10	35.02	11.68	32.33	400 180 PEAK																																																																													
Avg	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.73</td> <td>54.00</td> <td>-12.27</td> <td>27.97</td> <td>34.81</td> <td>11.12</td> <td>32.17</td> <td>400 180 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.73	54.00	-12.27	27.97	34.81	11.12	32.17	400 180 AVERAGE	 <p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>94.95</td> <td>-----</td> <td>-----</td> <td>80.57</td> <td>35.05</td> <td>11.68</td> <td>32.35</td> <td>400 180 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.95	-----	-----	80.57	35.05	11.68	32.35	400 180 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5459.92	41.73	54.00	-12.27	27.97	34.81	11.12	32.17	400 180 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5670.00	94.95	-----	-----	80.57	35.05	11.68	32.35	400 180 AVERAGE																																																																													



Mode	95																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																									
ANT	CDD 5+6																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.10</td> <td>60.03</td> <td>68.30</td> <td>-8.27</td> <td>45.65</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>400</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.10	60.03	68.30	-8.27	45.65	35.12	11.65	32.39	400	180	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5728.10	60.03	68.30	-8.27	45.65	35.12	11.65	32.39	400	180	PEAK																															



		96																																																																											
Mode	Band Edge - L																																																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																												
ANT	CDD 5+6																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.84</td> <td>62.29</td> <td>74.00</td> <td>-11.71</td> <td>48.11</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>327</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.84	62.29	74.00	-11.71	48.11	34.87	11.09	31.78	327	114	PEAK	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>91.19</td> <td>-----</td> <td>-----</td> <td>77.19</td> <td>34.85</td> <td>11.03</td> <td>31.88</td> <td>327</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	91.19	-----	-----	77.19	34.85	11.03	31.88	327	114	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5149.84	62.29	74.00	-11.71	48.11	34.87	11.09	31.78	327	114	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5210.00	91.19	-----	-----	77.19	34.85	11.03	31.88	327	114	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.88</td> <td>50.07</td> <td>54.00</td> <td>-3.93</td> <td>35.87</td> <td>34.87</td> <td>11.09</td> <td>31.76</td> <td>327</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5133.88	50.07	54.00	-3.93	35.87	34.87	11.09	31.76	327	114	AVERAGE	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>81.95</td> <td>-----</td> <td>-----</td> <td>67.95</td> <td>34.85</td> <td>11.03</td> <td>31.88</td> <td>327</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	81.95	-----	-----	67.95	34.85	11.03	31.88	327	114	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5133.88	50.07	54.00	-3.93	35.87	34.87	11.09	31.76	327	114	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5210.00	81.95	-----	-----	67.95	34.85	11.03	31.88	327	114	AVERAGE																																																																		



	96																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																					
ANT	CDD 5+6																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.15</td> <td>52.38</td> <td>74.00</td> <td>-21.62</td> <td>38.64</td> <td>34.81</td> <td>11.08</td> <td>32.15</td> <td>327</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5450.15	52.38	74.00	-21.62	38.64	34.81	11.08	32.15	327	114	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5450.15	52.38	74.00	-21.62	38.64	34.81	11.08	32.15	327	114	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.15</td> <td>42.43</td> <td>54.00</td> <td>-11.57</td> <td>28.70</td> <td>34.83</td> <td>10.94</td> <td>32.04</td> <td>327</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5357.15	42.43	54.00	-11.57	28.70	34.83	10.94	32.04	327	114	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5357.15	42.43	54.00	-11.57	28.70	34.83	10.94	32.04	327	114	AVERAGE																											
Blank																																						



		96																																																																										
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																											
ANT	CDD 5+6																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-20</p>	<p style="text-align: right;">Date: 2023-11-20</p>																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.18</td> <td>61.67</td> <td>74.00</td> <td>-12.33</td> <td>47.49</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>400</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.18	61.67	74.00	-12.33	47.49	34.87	11.09	31.78	400	57	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>91.47</td> <td>-----</td> <td>-----</td> <td>77.36</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>400</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	91.47	-----	-----	77.36	34.86	11.07	31.82	400	57
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5148.18	61.67	74.00	-12.33	47.49	34.87	11.09	31.78	400	57	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	91.47	-----	-----	77.36	34.86	11.07	31.82	400	57	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-20</p>	<p style="text-align: right;">Date: 2023-11-20</p>																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.97</td> <td>48.42</td> <td>54.00</td> <td>-5.58</td> <td>34.20</td> <td>34.87</td> <td>11.10</td> <td>31.75</td> <td>400</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5126.97	48.42	54.00	-5.58	34.20	34.87	11.10	31.75	400	57	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>83.19</td> <td>-----</td> <td>-----</td> <td>69.08</td> <td>34.86</td> <td>11.07</td> <td>31.82</td> <td>400</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	83.19	-----	-----	69.08	34.86	11.07	31.82	400	57
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5126.97	48.42	54.00	-5.58	34.20	34.87	11.10	31.75	400	57	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	83.19	-----	-----	69.08	34.86	11.07	31.82	400	57	AVERAGE																																																																	



	96																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																					
ANT	CDD 5+6																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.38</td> <td>52.01</td> <td>74.00</td> <td>-21.99</td> <td>38.30</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>400</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5363.38	52.01	74.00	-21.99	38.30	34.83	10.93	32.05	400	57	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5363.38	52.01	74.00	-21.99	38.30	34.83	10.93	32.05	400	57	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-11-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.38</td> <td>42.11</td> <td>54.00</td> <td>-11.89</td> <td>28.37</td> <td>34.83</td> <td>10.94</td> <td>32.03</td> <td>400</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.38	42.11	54.00	-11.89	28.37	34.83	10.94	32.03	400	57	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5351.38	42.11	54.00	-11.89	28.37	34.83	10.94	32.03	400	57	AVERAGE																											



97																																	
Mode	Band Edge - L																																
U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																	
ANT	CDD 5+6																																
Pol.	Horizontal																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5144.59 56.48 74.00 -17.52</td> <td>42.29</td> <td>34.87</td> <td>11.09</td> <td>31.77</td> <td>343</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5144.59 56.48 74.00 -17.52	42.29	34.87	11.09	31.77	343	60	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line (dB)	Level Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5144.59 56.48 74.00 -17.52	42.29	34.87	11.09	31.77	343	60	PEAK																										
<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00 95.36</td> <td>81.56</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>343</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5290.00 95.36	81.56	34.84	10.96	32.00	343	60	PEAK	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5290.00 95.36	81.56	34.84	10.96	32.00	343	60	PEAK																										
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.23 46.59 54.00 -7.41</td> <td>32.41</td> <td>34.87</td> <td>11.09</td> <td>31.78</td> <td>343</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5149.23 46.59 54.00 -7.41	32.41	34.87	11.09	31.78	343	60	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line (dB)	Level Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5149.23 46.59 54.00 -7.41	32.41	34.87	11.09	31.78	343	60	AVERAGE																										
<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00 87.13</td> <td>73.33</td> <td>34.84</td> <td>10.96</td> <td>32.00</td> <td>343</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5290.00 87.13	73.33	34.84	10.96	32.00	343	60	AVERAGE	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 5290.00 87.13	73.33	34.84	10.96	32.00	343	60	AVERAGE																										



	97																																					
Mode	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																					
ANT	CDD 5+6																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5383.09</td> <td>62.84</td> <td>74.00</td> <td>-11.16</td> <td>49.17</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>343 60 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5383.09	62.84	74.00	-11.16	49.17	34.82	10.92	32.07	343 60 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5383.09	62.84	74.00	-11.16	49.17	34.82	10.92	32.07	343 60 PEAK																														
Avg	<p style="text-align: right;">Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5383.74</td> <td>50.83</td> <td>54.00</td> <td>-3.17</td> <td>37.16</td> <td>34.82</td> <td>10.92</td> <td>32.07</td> <td>343 60 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5383.74	50.83	54.00	-3.17	37.16	34.82	10.92	32.07	343 60 AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5383.74	50.83	54.00	-3.17	37.16	34.82	10.92	32.07	343 60 AVERAGE																														



		97																																																																
Mode	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																	
ANT	CDD 5+6																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5110.64 52.58 74.00 -21.42</td> <td>38.32</td> <td>34.88</td> <td>11.11</td> <td>31.73</td> <td>400</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5110.64 52.58 74.00 -21.42	38.32	34.88	11.11	31.73	400	189	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00 94.29 -----</td> <td>80.47</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>400</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5290.00 94.29 -----	80.47	34.84	10.97	31.99	400	189	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5110.64 52.58 74.00 -21.42	38.32	34.88	11.11	31.73	400	189	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5290.00 94.29 -----	80.47	34.84	10.97	31.99	400	189	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5125.72 42.91 54.00 -11.09</td> <td>28.69</td> <td>34.87</td> <td>11.10</td> <td>31.75</td> <td>400</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5125.72 42.91 54.00 -11.09	28.69	34.87	11.10	31.75	400	189	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5290.00 85.99 -----</td> <td>72.17</td> <td>34.84</td> <td>10.97</td> <td>31.99</td> <td>400</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5290.00 85.99 -----	72.17	34.84	10.97	31.99	400	189	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5125.72 42.91 54.00 -11.09	28.69	34.87	11.10	31.75	400	189	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5290.00 85.99 -----	72.17	34.84	10.97	31.99	400	189	AVERAGE																																																											



		97																																								
Mode	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																									
ANT	CDD 5+6																																									
Pol.	Vertical	Fundamental																																								
Peak	<p style="text-align: right;">Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.93</td> <td>63.27</td> <td>74.00</td> <td>-10.73</td> <td>49.56</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>400</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5366.93	63.27	74.00	-10.73	49.56	34.83	10.93	32.05	400	189	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5366.93	63.27	74.00	-10.73	49.56	34.83	10.93	32.05	400	189	PEAK																															
Avg	<p style="text-align: right;">Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.76</td> <td>50.75</td> <td>54.00</td> <td>-3.25</td> <td>37.04</td> <td>34.83</td> <td>10.93</td> <td>32.05</td> <td>400</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5366.76	50.75	54.00	-3.25	37.04	34.83	10.93	32.05	400	189	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5366.76	50.75	54.00	-3.25	37.04	34.83	10.93	32.05	400	189	AVERAGE																															



		98																																																								
Mode	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																									
ANT	CDD 5+6																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5435.77 60.61 74.00 -13.39</td> <td>46.92</td> <td>34.81</td> <td>11.02</td> <td>32.14</td> <td>396</td> <td>64</td> <td>PEAK</td> </tr> <tr> <td>2 5466.93 60.25 68.30 -8.05</td> <td>46.46</td> <td>34.81</td> <td>11.15</td> <td>32.17</td> <td>396</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5435.77 60.61 74.00 -13.39	46.92	34.81	11.02	32.14	396	64	PEAK	2 5466.93 60.25 68.30 -8.05	46.46	34.81	11.15	32.17	396	64	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5530.00 99.40</td> <td>85.55</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>396</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5530.00 99.40	85.55	34.80	11.25	32.20	396	64	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5435.77 60.61 74.00 -13.39	46.92	34.81	11.02	32.14	396	64	PEAK																																																			
2 5466.93 60.25 68.30 -8.05	46.46	34.81	11.15	32.17	396	64	PEAK																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5530.00 99.40	85.55	34.80	11.25	32.20	396	64	PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5442.97 48.58 54.00 -5.42</td> <td>34.86</td> <td>34.81</td> <td>11.05</td> <td>32.14</td> <td>396</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5442.97 48.58 54.00 -5.42	34.86	34.81	11.05	32.14	396	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5530.00 90.44</td> <td>76.59</td> <td>34.80</td> <td>11.25</td> <td>32.20</td> <td>396</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5530.00 90.44	76.59	34.80	11.25	32.20	396	64	AVERAGE								
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																		
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5442.97 48.58 54.00 -5.42	34.86	34.81	11.05	32.14	396	64	AVERAGE																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																																				
1 5530.00 90.44	76.59	34.80	11.25	32.20	396	64	AVERAGE																																																			



Mode	98																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																								
ANT	CDD 5+6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-11-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.66</td> <td>53.52</td> <td>68.30</td> <td>-14.78</td> <td>39.14</td> <td>35.12</td> <td>11.65</td> <td>32.39</td> <td>396</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5729.66	53.52	68.30	-14.78	39.14	35.12	11.65	32.39	396	64	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5729.66	53.52	68.30	-14.78	39.14	35.12	11.65	32.39	396	64	PEAK																														