










Annex F. Photographs




F.1 Test Sample

<p>AX201D2W Module: 201210-02.S38 (Front view)</p>  <p>A photograph showing the front view of the AX201D2W Module. The module is a small, rectangular component with a white label featuring the Intel logo and the text 'AX201D2W'. It is positioned next to a black ruler with white markings for scale.</p>	<p>AX201D2W Module: 201210-02.S38 (Back view)</p>  <p>A photograph showing the back view of the AX201D2W Module. The back of the module is primarily yellow with a grid of gold-colored pads. It is positioned next to a black ruler with white markings for scale.</p>
<p>Adapter: 180001-01.S21 (Front view)</p>  <p>A photograph showing the front view of the Adapter. The adapter is a green printed circuit board (PCB) with a prominent orange metal shield covering the central area. It has several screws and a connector at the bottom. A ruler is visible on the left side for scale.</p>	<p>Adapter: 180001-01.S21 (Back view)</p>  <p>A photograph showing the back view of the Adapter. The back of the adapter is a green PCB with various electronic components, including a central chip and several connectors. A ruler is visible on the left side for scale.</p>
<p>Platform Extender: 180717-03.S16</p>  <p>A photograph showing the Platform Extender. It is a large green PCB populated with numerous components, including an Intel processor, memory modules, and various connectors. A ruler is placed vertically on the right side for scale.</p>	<p>Laptop PC Host: 170000-01.S14</p>  <p>A photograph showing a Dell laptop PC host. The laptop is open, displaying a Windows desktop with a blue and white background. The time '3:05' and date 'Thursday, August 5' are visible on the screen. The laptop is black and has a blue USB cable plugged into the side.</p>

F.2 Test positions


Top Edge 12mm	Bottom Edge 12mm
	
Left Edge 12mm	Right Edge 12mm
	
Front Face 12mm	Back Face 12mm
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 <p>A photograph showing the front view of the antenna host platform. A black ruler with white markings in centimeters is placed above the antenna. The antenna is a rectangular white PCB with a yellow antenna element on the left side. The text on the antenna reads: "Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch. Antenna Type: WIMAX / WLAN. Date: TEL: +86-21-6434 8850 EXT.101". The SkyCross logo is visible on the right side.</p>	 <p>A photograph of the antenna host platform with labels indicating its edges and faces. The labels are: "TOP EDGE" at the top, "BOTTOM EDGE" at the bottom, "LEFT EDGE" on the left, and "RIGHT EDGE" on the right. A red arrow points to the "BACK FACE" on the right side, and the text "FRONT FACE" is printed in red on the bottom right of the antenna.</p>
General Setup	
 <p>A photograph showing the general setup for the antenna testing. A yellow antenna host platform is mounted on a black metal frame. A green PCB with various components is placed on a red surface to the right of the antenna. The setup is in a laboratory environment.</p>	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -191014-02



End of the report

This page is intentionally left blank and marks the last page of the test report.