


Band Edge


Band5_15MHz_QPSK_1_0_1_0_CH_Low831.5




Band5_15MHz_QPSK_50_0_25_0_CH_High841.5




Band5_15MHz_QPSK_1_49_1_24_CH_High841.5




Band5_20MHz_QPSK_1_0_1_0_CH_Low834



Band5_15MHz_QPSK_50_0_25_0_CH_Low831.5



Band5_20MHz_QPSK_1_49_1_49_CH_High839




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band5_20MHz_QPSK_50_0_50_0_CH_Low834



Band5_20MHz_QPSK_50_0_50_0_CH_High839



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)

RSS-130 §4.7, RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §6.5, RSS-199 §4.5

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

FCC §27.53(g) for LTE B12

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)(3) for LTE B4, 66

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC §27.53(m) (4) (6) for LTE B7, 41

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RSS-130 §4.7.1 for LTE B12

Compliance for operations in the 617-652 MHz, 663-698 MHz, 698-756 MHz and the 777-787 MHz band, the unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

RSS-139 §6.6 for LTE B4, 66

In the first 1.0 MHz bands immediately outside and adjacent to the equipment's smallest operating frequency block, Footnote 2 which can contain the equipment's occupied bandwidth, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least $43 + 10 \log_{10} p$ (watts) dB.

After the first 1.0 MHz outside the equipment's smallest operating frequency block, which can contain the equipment's occupied bandwidth, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least $43 + 10 \log_{10} p$ (watts) dB.

RSS-199 §4.5 for LTE B7, 38, 41

In the 1 MHz band immediately outside and adjacent to the channel edge, the unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth for base station and fixed subscriber equipment, and 2% for mobile subscriber equipment. Beyond the 1 MHz band, a resolution bandwidth of 1 MHz shall be used. A narrower resolution bandwidth can be used, provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz, or 1% or 2% of the occupied bandwidth, as applicable.

Equipment shall comply with the following unwanted emission limits:

for base station and fixed subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ for mobile subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least:

$40 + 10 \log_{10} p$ from the channel edges to 5 MHz away

$43 + 10 \log_{10} p$ between 5 MHz and X MHz from the channel edges, and

$55 + 10 \log_{10} p$ at X MHz and beyond from the channel edges

In addition, the attenuation shall not be less than $43 + 10 \log_{10} p$ on all frequencies between 2490.5 MHz and 2496 MHz, and $55 + 10 \log_{10} p$ at or below 2490.5 MHz.

In (a) and (b), p is the transmitter power measured in watts and X is 6 MHz or the equipment occupied bandwidth, whichever is greater.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber Equipment

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)$ ^{Note}
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)$ ^{Note}
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.2 EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$ERP \text{ (dBm)} = SG \text{ Level(dBm)} + \text{Antenna Gain(dBd)} + \text{Cable Loss(dB)}$$

$$EIRP \text{ (dBm)} = SG \text{ Level(dBm)} + \text{Antenna Gain(dBi)} + \text{Cable Loss(dB)}$$

9.4 Measurement Equipment Used:

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2019	12/24/2020
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/20/2019	12/19/2020
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/13/2020	01/12/2021
Spectrum Analyzer	Agilent	E4446A	MY51100003	10/23/2019	10/22/2020
EMI Test Receiver	R&S	ESCI 7	100759	07/13/2020	07/12/2021
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021
Pre-Amplifier	EMC Instruments	EMC184045B	980135	01/02/2020	01/01/2021
Pre-Amplifier	EMC Instruments	EMC051825	980152	01/02/2020	01/01/2021
Pre-Amplifier	HP	8447D	2944A09469	01/02/2020	01/01/2021
Filter 635-920	Micro-Tronics	WI	4	01/02/2020	01/01/2021
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2020	01/01/2021
Filter 1700-2000	Micro-Tronics	EWT	M3	01/02/2020	01/01/2021
Filter 2240-2700	Micro-Tronics	WI	2	01/02/2020	01/01/2021
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2020	01/01/2021
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2020	01/01/2021
High Pass Filter	WI	WHKX4.0/18G-10SS	22	01/02/2020	01/01/2021
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2020	01/01/2021
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2020	01/01/2021
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-2000	160123	01/02/2020	01/01/2021


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.5 Measurement Result:
Radiated Spurious Emission Measurement Result: LTE Band 5B Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 5B	Test Date	:2020-07-13
Test Mode	:Tx CH Low	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:829_836.2 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-72.39	-57.03	-14.61	-0.75	-13.00	-59.39
90.14	-74.23	-67.52	-5.81	-0.90	-13.00	-61.23
109.54	-75.72	-67.63	-7.09	-1.00	-13.00	-62.72
718.70	-70.01	-66.16	-1.22	-2.63	-13.00	-57.01
914.64	-71.40	-66.66	-1.79	-2.95	-13.00	-58.40
1662.20	-54.27	-60.19	9.80	-3.88	-13.00	-41.27
2493.30	-37.84	-43.99	10.95	-4.80	-13.00	-24.84
4163.00	-45.81	-52.42	12.85	-6.24	-13.00	-32.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 5B
 Test Mode :Tx CH Low
 EUT Pol :E1 Plane
 Test Frequency :829_836.2 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.89	-76.22	-62.34	-13.09	-0.79	-13.00	-63.22
159.01	-71.15	-62.94	-7.00	-1.21	-13.00	-58.15
265.71	-73.89	-70.68	-1.68	-1.53	-13.00	-60.89
393.75	-77.95	-74.56	-1.57	-1.82	-13.00	-64.95
718.70	-71.70	-67.85	-1.22	-2.63	-13.00	-58.70
964.11	-74.10	-69.18	-1.83	-3.09	-13.00	-61.10
1662.20	-55.93	-61.85	9.80	-3.88	-13.00	-42.93
2493.30	-36.32	-42.47	10.95	-4.80	-13.00	-23.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 5B
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :834_841.2 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.34	-69.26	-51.66	-16.98	-0.62	-13.00	-56.26
88.20	-73.59	-66.50	-6.20	-0.89	-13.00	-60.59
99.84	-73.39	-66.43	-6.01	-0.95	-13.00	-60.39
668.26	-71.67	-67.42	-1.46	-2.79	-13.00	-58.67
718.70	-69.05	-65.20	-1.22	-2.63	-13.00	-56.05
772.05	-72.89	-68.77	-1.93	-2.19	-13.00	-59.89
1675.20	-56.38	-62.28	9.80	-3.90	-13.00	-43.38
4188.00	-42.96	-49.34	12.75	-6.37	-13.00	-29.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 5B
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :834_841.2 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-77.82	-70.73	-6.20	-0.89	-13.00	-64.82
158.04	-72.80	-64.54	-7.05	-1.21	-13.00	-59.80
594.54	-76.83	-72.54	-1.83	-2.46	-13.00	-63.83
662.44	-75.34	-71.27	-1.35	-2.72	-13.00	-62.34
719.67	-73.00	-69.17	-1.19	-2.64	-13.00	-60.00
788.54	-73.70	-69.45	-1.62	-2.63	-13.00	-60.70
1675.20	-57.92	-63.82	9.80	-3.90	-13.00	-44.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 5B
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :839_846.2 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :VERTICAL
 Engineer :Neo




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-75.25	-59.89	-14.61	-0.75	-13.00	-62.25
90.14	-74.88	-68.17	-5.81	-0.90	-13.00	-61.88
100.81	-73.01	-65.86	-6.20	-0.95	-13.00	-60.01
657.59	-72.90	-68.94	-1.32	-2.64	-13.00	-59.90
721.61	-70.55	-66.64	-1.26	-2.65	-13.00	-57.55
784.66	-73.34	-69.14	-1.73	-2.47	-13.00	-60.34
1685.20	-56.68	-62.57	9.80	-3.91	-13.00	-43.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
Operation Mode :LTE 5B
Test Mode :Tx CH High
EUT Pol :E1 Plane
Test Frequency :839_846.2 MHz

Test Site :SAC I Chamber
Test Date :2020-07-17
Temp./Humi. :25.3/62
Antenna Pol. :HORIZONTAL
Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-76.42	-69.33	-6.20	-0.89	-13.00	-63.42
120.21	-78.18	-69.77	-7.35	-1.06	-13.00	-65.18
156.10	-73.21	-64.83	-7.17	-1.21	-13.00	-60.21
274.44	-77.96	-74.67	-1.75	-1.54	-13.00	-64.96
658.56	-74.86	-70.87	-1.33	-2.66	-13.00	-61.86
719.67	-72.89	-69.06	-1.19	-2.64	-13.00	-59.89
1685.20	-58.00	-63.89	9.80	-3.91	-13.00	-45.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 7C Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 7C	Test Date	:2020-07-13
Test Mode	:Tx CH Low	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:2510_2529.8 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-71.62	-56.48	-14.38	-0.76	-25.00	-46.62
90.14	-74.79	-68.08	-5.81	-0.90	-25.00	-49.79
99.84	-75.24	-68.28	-6.01	-0.95	-25.00	-50.24
109.54	-75.58	-67.49	-7.09	-1.00	-25.00	-50.58
548.95	-73.65	-70.26	-1.22	-2.17	-25.00	-48.65
900.09	-71.10	-66.47	-1.64	-2.99	-25.00	-46.10
5037.83	-42.89	-48.68	12.62	-6.83	-25.00	-17.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 7C
 Test Mode :Tx CH Low
 EUT Pol :E1 Plane
 Test Frequency :2510_2529.8 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
160.95	-71.75	-63.74	-6.80	-1.21	-25.00	-46.75
272.50	-75.32	-72.02	-1.77	-1.53	-25.00	-50.32
408.30	-77.18	-73.90	-1.41	-1.87	-25.00	-52.18
546.04	-76.77	-73.48	-1.20	-2.09	-25.00	-51.77
667.29	-75.79	-71.58	-1.43	-2.78	-25.00	-50.79
901.06	-74.16	-69.52	-1.65	-2.99	-25.00	-49.16
5037.83	-49.35	-55.14	12.62	-6.83	-25.00	-24.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 7C
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :2525.1_2544.9 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-74.43	-59.29	-14.38	-0.76	-25.00	-49.43
88.20	-74.17	-67.08	-6.20	-0.89	-25.00	-49.17
100.81	-71.46	-64.31	-6.20	-0.95	-25.00	-46.46
730.34	-72.81	-68.68	-1.47	-2.66	-25.00	-47.81
841.89	-72.33	-67.92	-1.62	-2.79	-25.00	-47.33
907.85	-71.73	-67.00	-1.72	-3.01	-25.00	-46.73
5070.00	-45.56	-51.32	12.56	-6.80	-25.00	-20.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 7C
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :2525.1_2544.9 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-76.56	-69.47	-6.20	-0.89	-25.00	-51.56
124.09	-78.70	-70.21	-7.46	-1.03	-25.00	-53.70
155.13	-73.06	-64.64	-7.21	-1.21	-25.00	-48.06
759.44	-74.68	-70.20	-1.81	-2.67	-25.00	-49.68
823.46	-74.60	-70.11	-1.58	-2.91	-25.00	-49.60
915.61	-73.73	-69.00	-1.80	-2.93	-25.00	-48.73
5070.00	-49.04	-54.80	12.56	-6.80	-25.00	-24.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 7C
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :2540.2_2560 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.89	-75.21	-61.33	-13.09	-0.79	-25.00	-50.21
88.20	-72.10	-65.01	-6.20	-0.89	-25.00	-47.10
100.81	-73.26	-66.11	-6.20	-0.95	-25.00	-48.26
754.59	-72.19	-67.63	-1.76	-2.80	-25.00	-47.19
832.19	-72.86	-68.16	-1.71	-2.99	-25.00	-47.86
915.61	-71.60	-66.87	-1.80	-2.93	-25.00	-46.60
5110.00	-40.72	-46.45	12.54	-6.81	-25.00	-15.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 7C
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :2540.2_2560 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-76.37	-69.28	-6.20	-0.89	-25.00	-51.37
156.10	-73.57	-65.19	-7.17	-1.21	-25.00	-48.57
272.50	-78.29	-74.99	-1.77	-1.53	-25.00	-53.29
716.76	-71.53	-67.66	-1.28	-2.59	-25.00	-46.53
846.74	-73.90	-69.79	-1.57	-2.54	-25.00	-48.90
967.99	-74.21	-69.29	-1.81	-3.11	-25.00	-49.21
5110.00	-47.69	-53.42	12.54	-6.81	-25.00	-22.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 38C Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 38C	Test Date	:2020-07-17
Test Mode	:Tx CH Low	Temp./Humi.	:25.3/62
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:2580_2599.8 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
90.14	-72.79	-66.08	-5.81	-0.90	-25.00	-47.79
100.81	-72.34	-65.19	-6.20	-0.95	-25.00	-47.34
539.25	-73.76	-70.55	-1.29	-1.92	-25.00	-48.76
636.25	-74.15	-70.24	-1.48	-2.43	-25.00	-49.15
770.11	-73.16	-69.01	-1.99	-2.16	-25.00	-48.16
905.91	-72.00	-67.30	-1.70	-3.00	-25.00	-47.00
5180.00	-48.54	-54.33	12.88	-7.09	-25.00	-23.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 38C
 Test Mode :Tx CH Low
 EUT Pol :E1 Plane
 Test Frequency :2580_2599.8 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-75.53	-68.44	-6.20	-0.89	-25.00	-50.53
153.19	-73.97	-65.43	-7.32	-1.22	-25.00	-48.97
251.16	-79.48	-76.31	-1.65	-1.52	-25.00	-54.48
793.39	-74.37	-70.04	-1.60	-2.73	-25.00	-49.37
844.80	-74.39	-70.16	-1.59	-2.64	-25.00	-49.39
904.94	-74.37	-69.68	-1.69	-3.00	-25.00	-49.37
5180.00	-49.37	-55.16	12.88	-7.09	-25.00	-24.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 38C
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :2585.1_2604.9 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-73.10	-57.74	-14.61	-0.75	-25.00	-48.10
90.14	-74.71	-68.00	-5.81	-0.90	-25.00	-49.71
109.54	-76.04	-67.95	-7.09	-1.00	-25.00	-51.04
155.13	-78.00	-69.58	-7.21	-1.21	-25.00	-53.00
553.80	-73.97	-70.43	-1.31	-2.23	-25.00	-48.97
706.09	-73.16	-69.33	-1.45	-2.38	-25.00	-48.16
5190.00	-47.99	-53.80	12.94	-7.13	-25.00	-22.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 38C
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :2585.1_2604.9 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
159.01	-71.66	-63.45	-7.00	-1.21	-25.00	-46.66
265.71	-75.24	-72.03	-1.68	-1.53	-25.00	-50.24
527.61	-77.43	-74.19	-1.33	-1.91	-25.00	-52.43
605.21	-76.99	-72.99	-1.89	-2.11	-25.00	-51.99
762.35	-75.55	-71.23	-1.78	-2.54	-25.00	-50.55
893.30	-73.69	-69.19	-1.54	-2.96	-25.00	-48.69
5190.00	-49.63	-55.44	12.94	-7.13	-25.00	-24.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 38C
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :2590.2_2610 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-75.05	-59.69	-14.61	-0.75	-25.00	-50.05
90.14	-73.65	-66.94	-5.81	-0.90	-25.00	-48.65
100.81	-72.25	-65.10	-6.20	-0.95	-25.00	-47.25
597.45	-73.30	-69.09	-1.85	-2.36	-25.00	-48.30
757.50	-73.48	-68.97	-1.79	-2.72	-25.00	-48.48
891.36	-72.12	-67.68	-1.48	-2.96	-25.00	-47.12
5200.00	-47.01	-52.84	13.00	-7.17	-25.00	-22.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 38C
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :2590.2_2610 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-76.71	-69.62	-6.20	-0.89	-25.00	-51.71
119.24	-79.17	-70.79	-7.32	-1.06	-25.00	-54.17
158.04	-73.25	-64.99	-7.05	-1.21	-25.00	-48.25
721.61	-74.56	-70.65	-1.26	-2.65	-25.00	-49.56
851.59	-74.55	-70.64	-1.55	-2.36	-25.00	-49.55
967.99	-73.95	-69.03	-1.81	-3.11	-25.00	-48.95
5200.00	-48.70	-54.53	13.00	-7.17	-25.00	-23.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 41C Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 41C	Test Date	:2020-07-17
Test Mode	:Tx CH Low	Temp./Humi.	:25.3/62
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:2506_2517.7 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-75.67	-60.31	-14.61	-0.75	-25.00	-50.67
90.14	-73.65	-66.94	-5.81	-0.90	-25.00	-48.65
100.81	-73.19	-66.04	-6.20	-0.95	-25.00	-48.19
595.51	-73.05	-68.79	-1.84	-2.42	-25.00	-48.05
643.04	-73.75	-69.79	-1.46	-2.50	-25.00	-48.75
891.36	-71.28	-66.84	-1.48	-2.96	-25.00	-46.28
5023.70	-47.86	-53.66	12.65	-6.85	-25.00	-22.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 41C
 Test Mode :Tx CH Low
 EUT Pol :E1 Plane
 Test Frequency :2506_2517.7 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-76.27	-69.18	-6.20	-0.89	-25.00	-51.27
127.00	-78.83	-70.17	-7.65	-1.01	-25.00	-53.83
153.19	-73.97	-65.43	-7.32	-1.22	-25.00	-48.97
272.50	-79.36	-76.06	-1.77	-1.53	-25.00	-54.36
842.86	-74.07	-69.72	-1.61	-2.74	-25.00	-49.07
929.19	-74.49	-69.81	-1.95	-2.73	-25.00	-49.49
5023.70	-48.95	-54.75	12.65	-6.85	-25.00	-23.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 41C
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :2590.5_2602.2 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-74.11	-58.97	-14.38	-0.76	-25.00	-49.11
90.14	-74.23	-67.52	-5.81	-0.90	-25.00	-49.23
99.84	-73.04	-66.08	-6.01	-0.95	-25.00	-48.04
154.16	-76.83	-68.34	-7.27	-1.22	-25.00	-51.83
847.71	-72.02	-67.97	-1.56	-2.49	-25.00	-47.02
896.21	-71.73	-67.16	-1.60	-2.97	-25.00	-46.73
5192.70	-44.86	-50.68	12.96	-7.14	-25.00	-19.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 41C
 Test Mode :Tx CH Mid
 EUT Pol :E1 Plane
 Test Frequency :2590.5_2602.2 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-17
 Temp./Humi. :25.3/62
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
88.20	-76.54	-69.45	-6.20	-0.89	-25.00	-51.54
156.10	-73.05	-64.67	-7.17	-1.21	-25.00	-48.05
274.44	-77.88	-74.59	-1.75	-1.54	-25.00	-52.88
730.34	-75.55	-71.42	-1.47	-2.66	-25.00	-50.55
835.10	-73.96	-69.22	-1.79	-2.95	-25.00	-48.96
922.40	-73.65	-68.93	-1.88	-2.84	-25.00	-48.65
5192.70	-49.89	-55.71	12.96	-7.14	-25.00	-24.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 41C
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :2675_2686.7 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :VERTICAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-71.10	-55.74	-14.61	-0.75	-25.00	-46.10
88.20	-74.76	-67.67	-6.20	-0.89	-25.00	-49.76
99.84	-75.98	-69.02	-6.01	-0.95	-25.00	-50.98
156.10	-77.20	-68.82	-7.17	-1.21	-25.00	-52.20
568.35	-73.58	-69.82	-1.47	-2.29	-25.00	-48.58
726.46	-72.98	-68.90	-1.43	-2.65	-25.00	-47.98
5376.00	-46.27	-52.71	13.45	-7.01	-25.00	-21.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 41C
 Test Mode :Tx CH High
 EUT Pol :E1 Plane
 Test Frequency :2675_2686.7 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
158.04	-71.97	-63.71	-7.05	-1.21	-25.00	-46.97
265.71	-75.51	-72.30	-1.68	-1.53	-25.00	-50.51
350.10	-77.47	-74.10	-1.54	-1.83	-25.00	-52.47
539.25	-76.06	-72.85	-1.29	-1.92	-25.00	-51.06
839.95	-74.01	-69.49	-1.64	-2.88	-25.00	-49.01
915.61	-73.66	-68.93	-1.80	-2.93	-25.00	-48.66
5376.00	-49.58	-56.02	13.45	-7.01	-25.00	-24.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 2 + LTE Band 5 Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 2A_5A	Test Date	:2020-07-13
Test Mode	:Tx CH Low	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:1852.5_826.5 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-72.16	-56.80	-14.61	-0.75	-13.00	-59.16
90.14	-74.24	-67.53	-5.81	-0.90	-13.00	-61.24
100.81	-74.28	-67.13	-6.20	-0.95	-13.00	-61.28
660.50	-71.89	-67.86	-1.34	-2.69	-13.00	-58.89
715.79	-70.74	-66.84	-1.32	-2.58	-13.00	-57.74
915.61	-71.94	-67.21	-1.80	-2.93	-13.00	-58.94
1653.00	-47.80	-53.73	9.80	-3.87	-13.00	-34.80
3705.00	-51.92	-58.47	12.40	-5.85	-13.00	-38.92
4132.50	-45.53	-52.36	12.90	-6.07	-13.00	-32.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
 Operation Mode :LTE 2A_5A
 Test Mode :Tx CH Low
 EUT Pol :E1 Plane
 Test Frequency :1852.5_826.5 MHz

Test Site :SAC I Chamber
 Test Date :2020-07-13
 Temp./Humi. :26.1/64
 Antenna Pol. :HORIZONTAL
 Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
102.75	-77.83	-70.43	-6.44	-0.96	-13.00	-64.83
159.01	-72.33	-64.12	-7.00	-1.21	-13.00	-59.33
270.56	-75.28	-71.96	-1.79	-1.53	-13.00	-62.28
662.44	-75.82	-71.75	-1.35	-2.72	-13.00	-62.82
720.64	-72.20	-68.34	-1.21	-2.65	-13.00	-59.20
924.34	-73.08	-68.37	-1.90	-2.81	-13.00	-60.08
1653.00	-47.22	-53.15	9.80	-3.87	-13.00	-34.22
3705.00	-51.97	-58.52	12.40	-5.85	-13.00	-38.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 2 + LTE Band 12 Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 2A_12A	Test Date	:2020-07-13
Test Mode	:Tx CH Mid	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:1880_707.5 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-72.66	-57.30	-14.61	-0.75	-13.00	-59.66
91.11	-75.00	-68.45	-5.64	-0.91	-13.00	-62.00
109.54	-75.40	-67.31	-7.09	-1.00	-13.00	-62.40
156.10	-76.58	-68.20	-7.17	-1.21	-13.00	-63.58
658.56	-69.51	-65.52	-1.33	-2.66	-13.00	-56.51
939.86	-67.96	-63.36	-1.97	-2.63	-13.00	-54.96
1415.00	-46.85	-51.05	7.79	-3.59	-13.00	-33.85
3760.00	-51.85	-58.51	12.40	-5.74	-13.00	-38.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
Operation Mode :LTE 2A_12A
Test Mode :Tx CH Mid
EUT Pol :E1 Plane
Test Frequency :1880_707.5 MHz

Test Site :SAC I Chamber
Test Date :2020-07-13
Temp./Humi. :26.1/64
Antenna Pol. :HORIZONTAL
Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-78.37	-63.23	-14.38	-0.76	-13.00	-65.37
100.81	-78.35	-71.20	-6.20	-0.95	-13.00	-65.35
158.04	-72.34	-64.08	-7.05	-1.21	-13.00	-59.34
272.50	-75.79	-72.49	-1.77	-1.53	-13.00	-62.79
659.53	-72.45	-68.44	-1.33	-2.68	-13.00	-59.45
941.80	-71.12	-66.48	-1.98	-2.66	-13.00	-58.12
1415.00	-46.66	-50.86	7.79	-3.59	-13.00	-33.66
3760.00	-51.55	-58.21	12.40	-5.74	-13.00	-38.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 4 + LTE Band 5 Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 4A_5A	Test Date	:2020-07-13
Test Mode	:Tx CH High	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:1745_846.5 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-71.50	-56.14	-14.61	-0.75	-13.00	-58.50
91.11	-74.58	-68.03	-5.64	-0.91	-13.00	-61.58
100.81	-75.94	-68.79	-6.20	-0.95	-13.00	-62.94
160.95	-77.30	-69.29	-6.80	-1.21	-13.00	-64.30
662.44	-72.39	-68.32	-1.35	-2.72	-13.00	-59.39
719.67	-71.13	-67.30	-1.19	-2.64	-13.00	-58.13
1693.00	-35.89	-41.77	9.80	-3.92	-13.00	-22.89
3490.00	-52.58	-59.31	12.54	-5.81	-13.00	-39.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
Operation Mode :LTE 4A_5A
Test Mode :Tx CH High
EUT Pol :E1 Plane
Test Frequency :1745_846.5 MHz

Test Site :SAC I Chamber
Test Date :2020-07-13
Temp./Humi. :26.1/64
Antenna Pol. :HORIZONTAL
Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.89	-77.55	-63.67	-13.09	-0.79	-13.00	-64.55
160.95	-72.49	-64.48	-6.80	-1.21	-13.00	-59.49
265.71	-74.23	-71.02	-1.68	-1.53	-13.00	-61.23
599.39	-76.69	-72.54	-1.86	-2.29	-13.00	-63.69
665.35	-74.85	-70.71	-1.38	-2.76	-13.00	-61.85
720.64	-73.23	-69.37	-1.21	-2.65	-13.00	-60.23
1693.00	-44.66	-50.54	9.80	-3.92	-13.00	-31.66
3490.00	-51.95	-58.68	12.54	-5.81	-13.00	-38.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 4 + LTE Band 12 Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 4A_12A	Test Date	:2020-07-13
Test Mode	:Tx CH Mid	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:VERTICAL
Test Frequency	:1732.5_707.5 MHz	Engineer	:Neo




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
59.10	-71.74	-55.83	-15.18	-0.73	-13.00	-58.74
88.20	-74.37	-67.28	-6.20	-0.89	-13.00	-61.37
156.10	-75.81	-67.43	-7.17	-1.21	-13.00	-62.81
561.56	-74.20	-70.55	-1.37	-2.28	-13.00	-61.20
659.53	-69.66	-65.65	-1.33	-2.68	-13.00	-56.66
939.86	-68.24	-63.64	-1.97	-2.63	-13.00	-55.24
1415.00	-47.01	-51.21	7.79	-3.59	-13.00	-34.01
2122.50	-37.57	-42.91	9.77	-4.43	-13.00	-24.57
3465.00	-53.27	-60.34	12.64	-5.57	-13.00	-40.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
Operation Mode :LTE 4A_12A
Test Mode :Tx CH Mid
EUT Pol :E1 Plane
Test Frequency :1732.5_707.5 MHz

Test Site :SAC I Chamber
Test Date :2020-07-13
Temp./Humi. :26.1/64
Antenna Pol. :HORIZONTAL
Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-75.77	-60.63	-14.38	-0.76	-13.00	-62.77
159.01	-71.52	-63.31	-7.00	-1.21	-13.00	-58.52
269.59	-72.38	-69.06	-1.79	-1.53	-13.00	-59.38
386.96	-76.64	-73.33	-1.51	-1.80	-13.00	-63.64
659.53	-72.73	-68.72	-1.33	-2.68	-13.00	-59.73
938.89	-71.41	-66.80	-1.97	-2.64	-13.00	-58.41
1415.00	-46.97	-51.17	7.79	-3.59	-13.00	-33.97
2122.50	-35.57	-40.91	9.77	-4.43	-13.00	-22.57
3465.00	-53.38	-60.45	12.64	-5.57	-13.00	-40.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE Band 12 + LTE Band 66 Mode

Report Number	:ER/2020/30084	Test Site	:SAC I Chamber
Operation Mode	:LTE 12A_66A	Test Date	:2020-07-13
Test Mode	:Tx CH Mid	Temp./Humi.	:26.1/64
EUT Pol	:E1 Plane	Antenna Pol.	:HORIZONTAL
Test Frequency	:707.5_1745 MHz	Engineer	:Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-71.98	-56.84	-14.38	-0.76	-13.00	-58.98
86.26	-75.28	-67.64	-6.76	-0.88	-13.00	-62.28
99.84	-73.52	-66.56	-6.01	-0.95	-13.00	-60.52
109.54	-74.63	-66.54	-7.09	-1.00	-13.00	-61.63
659.53	-69.17	-65.16	-1.33	-2.68	-13.00	-56.17
936.95	-68.52	-63.87	-1.99	-2.66	-13.00	-55.52
1415.00	-47.09	-51.29	7.79	-3.59	-13.00	-34.09
2122.50	-40.47	-45.81	9.77	-4.43	-13.00	-27.47
3490.00	-53.12	-59.85	12.54	-5.81	-13.00	-40.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2020/30084
Operation Mode :LTE 12A_66A
Test Mode :Tx CH Mid
EUT Pol :E1 Plane
Test Frequency :707.5_1745 MHz

Test Site :SAC I Chamber
Test Date :2020-07-13
Temp./Humi. :26.1/64
Antenna Pol. :HORIZONTAL
Engineer :Neo



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
57.16	-78.28	-61.92	-15.65	-0.71	-13.00	-65.28
119.24	-78.55	-70.17	-7.32	-1.06	-13.00	-65.55
158.04	-72.55	-64.29	-7.05	-1.21	-13.00	-59.55
269.59	-75.17	-71.85	-1.79	-1.53	-13.00	-62.17
659.53	-72.61	-68.60	-1.33	-2.68	-13.00	-59.61
938.89	-71.44	-66.83	-1.97	-2.64	-13.00	-58.44
1415.00	-46.76	-50.96	7.79	-3.59	-13.00	-33.76
2122.50	-38.90	-44.24	9.77	-4.43	-13.00	-25.90
3490.00	-52.77	-59.50	12.54	-5.81	-13.00	-39.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 FREQUENCY STABILITY MEASUREMENT

10.1 Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/21/2020	04/20/2021
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021
Temperature Chamber	TERCHY	MHG-120LF	911009	05/20/2020	05/19/2021
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	01/02/2020	01/01/2021

10.5 Measurement Result

Note: The battery is rated 3.85Vdc.

Reference Freq.:	LTE CA B5 Mid Channel		836.5	MHz 10M+5M QPSK CH 20252
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	836.499995	-5	2091.25
3.85	25	836.499998	-2	2091.25
3.35	25	836.500001	1	2091.25
3.35 (End Point)	25	836.500007	7	2091.25
Freq. ERROR vs. Temp.				
3.85	-30	836.500006	6	2091.25
3.85	-20	836.500001	1	2091.25
3.85	-10	836.499990	-10	2091.25
3.85	0	836.499995	-5	2091.25
3.85	10	836.500004	4	2091.25
3.85	20	836.499997	-3	2091.25
3.85	30	836.499993	-7	2091.25
3.85	40	836.500006	6	2091.25
3.85	50	836.499999	-1	2091.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE CA B5 Mid Channel		836.5	MHz 10M+10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	836.499995	-5	2091.25
3.85	25	836.499989	-11	2091.25
3.35	25	836.499997	-3	2091.25
3.35 (End Point)	25	836.500009	9	2091.25
Freq. ERROR vs. Temp.				
3.85	-30	836.500008	8	2091.25
3.85	-20	836.500002	2	2091.25
3.85	-10	836.499994	-6	2091.25
3.85	0	836.500007	7	2091.25
3.85	10	836.499995	-5	2091.25
3.85	20	836.499996	-4	2091.25
3.85	30	836.500003	3	2091.25
3.85	40	836.499995	-5	2091.25
3.85	50	836.500004	4	2091.25

Reference Freq.:	LTE CA B7 Mid Channel		2535	MHz 20M+10M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	2534.999998	-2	6337.5
3.85	25	2535.000009	9	6337.5
3.35	25	2534.999992	-8	6337.5
3.35 (End Point)	25	2535.000003	3	6337.5
Freq. ERROR vs. Temp.				
3.85	-30	2534.999993	-7	6337.5
3.85	-20	2535.000002	2	6337.5
3.85	-10	2535.000006	6	6337.5
3.85	0	2535.000008	8	6337.5
3.85	10	2534.999991	-9	6337.5
3.85	20	2535.000003	3	6337.5
3.85	30	2535.000002	2	6337.5
3.85	40	2534.999999	-1	6337.5
3.85	50	2534.999992	-8	6337.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B7 Mid Channel		2535	MHz 20M+20M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	2535.000004	4	6337.5
3.85	25	2535.000005	5	6337.5
3.35	25	2535.000010	10	6337.5
3.35 (End Point)	25	2534.999993	-7	6337.5
Freq. ERROR vs. Temp.				
3.85	-30	2534.999994	-6	6337.5
3.85	-20	2534.999992	-8	6337.5
3.85	-10	2535.000005	5	6337.5
3.85	0	2534.999998	-2	6337.5
3.85	10	2535.000007	7	6337.5
3.85	20	2534.999990	-10	6337.5
3.85	30	2534.999996	-4	6337.5
3.85	40	2535.000001	1	6337.5
3.85	50	2534.999994	-6	6337.5

Reference Freq.:	LTE CA B38 Mid Channel		2595	MHz 15M+15M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	2594.999995	-5	6487.5
3.85	25	2594.999996	-4	6487.5
3.35	25	2595.000009	9	6487.5
3.35 (End Point)	25	2594.999994	-6	6487.5
Freq. ERROR vs. Temp.				
3.85	-30	2595.000007	7	6487.5
3.85	-20	2594.999995	-5	6487.5
3.85	-10	2595.000006	6	6487.5
3.85	0	2594.999998	-2	6487.5
3.85	10	2594.999992	-8	6487.5
3.85	20	2595.000003	3	6487.5
3.85	30	2595.000004	4	6487.5
3.85	40	2594.999999	-1	6487.5
3.85	50	2594.999991	-9	6487.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE CA B38 Mid Channel		2595	MHz 20M+20M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	2595.000007	7	6337.5
3.85	25	2594.999994	-6	6337.5
3.35	25	2595.000004	4	6337.5
3.35 (End Point)	25	2595.000002	2	6337.5
Freq. ERROR vs. Temp.				
3.85	-30	2595.000004	4	6337.5
3.85	-20	2594.999995	-5	6337.5
3.85	-10	2594.999998	-2	6337.5
3.85	0	2595.000001	1	6337.5
3.85	10	2594.999994	-6	6337.5
3.85	20	2595.000003	3	6337.5
3.85	30	2594.999995	-5	6337.5
3.85	40	2594.999996	-4	6337.5
3.85	50	2595.000002	2	6337.5

Reference Freq.:	LTE CA B41 Mid Channel		2593	MHz 20M+15M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 1.25 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	2593.000002	2	6482.5
3.85	25	2593.000004	4	6482.5
3.35	25	2592.999997	-3	6482.5
3.35 (End Point)	25	2593.000008	8	6482.5
Freq. ERROR vs. Temp.				
3.85	-30	2593.000006	6	6482.5
3.85	-20	2593.000008	8	6482.5
3.85	-10	2593.000009	9	6482.5
3.85	0	2592.999995	-5	6482.5
3.85	10	2592.999990	-10	6482.5
3.85	20	2593.000002	2	6482.5
3.85	30	2592.999994	-6	6482.5
3.85	40	2593.000001	1	6482.5
3.85	50	2592.999992	-8	6482.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE CA B41 Mid Channel		2593	MHz 20M+20M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.43	25	2592.999994	-6	6482.5
3.85	25	2592.999992	-8	6482.5
3.35	25	2592.999998	-2	6482.5
3.35 (End Point)	25	2593.000001	1	6482.5
Freq. ERROR vs. Temp.				
3.85	-30	2593.000005	5	6482.5
3.85	-20	2592.999992	-8	6482.5
3.85	-10	2593.000001	1	6482.5
3.85	0	2593.000004	4	6482.5
3.85	10	2592.999993	-7	6482.5
3.85	20	2593.000003	3	6482.5
3.85	30	2592.999991	-9	6482.5
3.85	40	2593.000004	4	6482.5
3.85	50	2593.000007	7	6482.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11 PEAK TO AVERAGE RATIO

11.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal =1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/21/2020	04/20/2021
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021
Splitter	RF-LAMBDA	RFLT2W1G18G	11-JSPF412-018	01/02/2020	01/01/2021

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.5 Measurement Result


LTE CA Band 5										
Modulation	PCC			SCC			Channel	Frequency (MHz)	PAPR(dBm)	Limit
	Bandwidth (MHz)	RB Size	RB Office	Bandwidth (MHz)	RB Size	RB Office				
256QAM	5MHz	25	0	10MHz	50	0	20525	836.5	7.62	13
	10MHz	50	0	5MHz	25	0			7.17	13
	10MHz	50	0	10MHz	50	0			6.85	13
LTE CA Band 7										
Modulation	PCC			SCC			Channel	Frequency (MHz)	PAPR(dBm)	Limit
	Bandwidth (MHz)	RB Size	RB Office	Bandwidth (MHz)	RB Size	RB Office				
256QAM	10MHz	50	0	20MHz	100	0	21100	2535.0	8.91	13
	20MHz	100	0	10MHz	50	0			6.83	13
	20MHz	100	0	20MHz	100	0			2.76	13
LTE CA Band 38										
Modulation	PCC			SCC			Channel	Frequency (MHz)	PAPR(dBm)	Limit
	Bandwidth (MHz)	RB Size	RB Office	Bandwidth (MHz)	RB Size	RB Office				
256QAM	15MHz	75	0	15MHz	75	0	38000	2595.0	5.68	13
	20MHz	100	0	20MHz	100	0			5.93	13
LTE CA Band 41										
Modulation	PCC			SCC			Channel	Frequency (MHz)	PAPR(dBm)	Limit
	Bandwidth (MHz)	RB Size	RB Office	Bandwidth (MHz)	RB Size	RB Office				
256QAM	5MHz	25	0	20MHz	100	0	40620	2593.0	12.17	13
	20MHz	100	0	5MHz	25	0			12.54	13
	20MHz	100	0	20MHz	100	0			5.79	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5 15MHz 256QAM 25 0 50 0 Mid836.5




Band7 30MHz 256QAM 50 0 100 0 Mid2535




Band5 15MHz 256QAM 50 0 25 0 Mid836.5




Band7 30MHz 256QAM 100 0 50 0 Mid2535



Band5 20MHz 256QAM 50 0 50 0 Mid836.5



Band7 40MHz 256QAM 100 0 100 0 Mid2535




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38 30MHz 256QAM 75 0 75 0 Mid2595




Band41 25MHz 256QAM 100 0 25 0 Mid2593




Band38 40MHz 256QAM 100 0 100 0 Mid2595



Band41 40MHz 256QAM 100 0 100 0 Mid2593



Band41 25MHz 256QAM 25 0 100 0 Mid2593



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.