





FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30.DEC.2020 00:23:24

Date: 30.DEC.2020 00:33:19

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30.DEC.2020 00:27:03



Date: 30.DEC.2020 00:30:31



FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30.DEC.2020 00:23:49

Date: 30.DEC.2020 00:33:47

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30.DEC.2020 00:27:32



Date: 30.DEC.2020 00:31:19



FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30.DEC.2020 00:24:26

Date: 30.DEC.2020 00:34:18

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30.DEC.2020 00:27:53

Date: 30.DEC.2020 00:31:52





Conducted Spurious Emission



FR1 n77 / 20MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 26.JAN.2021 13:41:25

Date: 26.JAN.2021 13:42:41

Highest Channel / 1RB1




Date: 26.JAN.2021 13:43:55




FR1 n77 / 30MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1

Middle Channel / 1RB1




Date: 26.JAN.2021 13:46:36



Date: 26.JAN.2021 13:48:10

Highest Channel / 1RB1





Date: 26.JAN.2021 13:49:22



FR1 n77 / 40MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 26.JAN.2021 13:50:36

Date: 26.JAN.2021 13:51:47

Highest Channel / 1RB1





Date: 26.JAN.2021 13:52:53



FR1 n77 / 50MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 26.JAN.2021 13:54:19

Date: 26.JAN.2021 13:55:33

Highest Channel / 1RB1




Date: 26.JAN.2021 13:56:59




FR1 n77 / 60MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1

Middle Channel / 1RB1




Date: 26.JAN.2021 13:58:11



Date: 26.JAN.2021 13:59:26

Highest Channel / 1RB1





Date: 26.JAN.2021 14:00:39



FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 26.JAN.2021 14:01:59

Date: 26.JAN.2021 14:03:17

Highest Channel / 1RB1





Date: 26.JAN.2021 14:04:27



FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 26.JAN.2021 14:05:39

Date: 26.JAN.2021 14:13:57

Highest Channel / 1RB1





Date: 26.JAN.2021 14:17:36



FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 26.JAN.2021 14:18:52

Date: 26.JAN.2021 14:20:01

Highest Channel / 1RB1



Date: 26.JAN.2021 14:22:25



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 100MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0025	PASS
40	Normal Voltage	0.0030	
30	Normal Voltage	0.0013	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0025	
0	Normal Voltage	0.0022	
-10	Normal Voltage	0.0035	
-20	Normal Voltage	0.0022	
-30	Normal Voltage	0.0043	
20	Maximum Voltage	0.0005	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0011	

Note:

1. Normal Voltage =7.74 V. ; Battery End Point (BEP) =7.3 V. ; Maximum Voltage =8.7 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

EN-DC_5A_n2A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3783	-56.19	-13	-43.19	-68.45	2.64	14.90	H
	5673	-56.01	-13	-43.01	-67.87	2.94	14.80	H
	7560	-51.37	-13	-38.37	-61.14	3.39	13.16	H
	3783	-56.93	-13	-43.93	-69.19	2.64	14.90	V
	5673	-55.04	-13	-42.04	-66.90	2.94	14.80	V
	7560	-51.35	-13	-38.35	-61.12	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_12A_n2A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3783	-56.58	-13	-43.58	-68.84	2.64	14.90	H
	5673	-55.07	-13	-42.07	-66.93	2.94	14.80	H
	7560	-52.56	-13	-39.56	-62.33	3.39	13.16	H
	3783	-56.68	-13	-43.68	-68.94	2.64	14.90	V
	5673	-55.52	-13	-42.52	-67.38	2.94	14.80	V
	7560	-52.31	-13	-39.31	-62.08	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_13A_n2A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3783	-57.56	-13	-44.56	-69.82	2.64	14.90	H
	5673	-53.60	-13	-40.60	-65.46	2.94	14.80	H
	7560	-52.43	-13	-39.43	-62.20	3.39	13.16	H
	3783	-56.47	-13	-43.47	-68.73	2.64	14.90	V
	5673	-54.80	-13	-41.80	-66.66	2.94	14.80	V
	7560	-52.19	-13	-39.19	-61.96	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

5G NR n5 / NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1650	-53.34	-13	-40.34	-60.31	1.58	10.70	H
	2474	-60.36	-13	-47.36	-68.61	2.102	12.50	H
	3300	-55.36	-13	-42.36	-64.25	2.856	13.90	H
	4122	-53.48	-13	-40.48	-61.94	2.689	13.30	H
	4950	-46.49	-13	-33.49	-55.91	3.327	14.90	H
	1650	-51.47	-13	-38.47	-58.44	1.58	10.70	V
	2474	-59.01	-13	-46.01	-67.26	2.10	12.50	V
	3300	-57.45	-13	-44.45	-66.34	2.86	13.90	V
	4122	-58.18	-13	-45.18	-66.64	2.69	13.30	V
	4950	-52.75	-13	-39.75	-60.51	3.09	13.00	V
Middle	1654	-51.21	-13	-38.21	-58.18	1.58	10.70	H
	2482	-60.67	-13	-47.67	-68.92	2.102	12.50	H
	3306	-50.76	-13	-37.76	-59.65	2.856	13.90	H
	4134	-51.53	-13	-38.53	-59.99	2.689	13.30	H
	4962	-46.84	-13	-33.84	-56.26	3.327	14.90	H
	5790	-56.33	-13	-43.33	-66.26	3.7351	15.82	H
	1654	-50.12	-13	-37.12	-57.09	1.58	10.70	V
	2482	-58.80	-13	-45.80	-67.05	2.10	12.50	V
	3306	-52.77	-13	-39.77	-61.66	2.86	13.90	V
	4134	-58.30	-13	-45.30	-66.76	2.69	13.30	V



	4962	-51.27	-13	-38.27	-59.03	3.09	13.00	V
	5790	-57.05	-13	-44.05	-65.82	3.18	14.10	V
Highest	1660	-49.52	-13	-36.52	-56.49	1.58	10.70	H
	2490	-60.27	-13	-47.27	-68.52	2.102	12.50	H
	3318	-48.54	-13	-35.54	-57.43	2.856	13.90	H
	4146	-49.08	-13	-36.08	-57.54	2.689	13.30	H
	4980	-42.40	-13	-29.40	-51.82	3.327	14.90	H
	5808	-55.11	-13	-42.11	-65.04	3.7351	15.82	H
	6636	-55.26	-13	-42.26	-65.71	4.1432	16.74	H
	1660	-50.79	-13	-37.79	-57.76	1.58	10.70	V
	2488	-58.42	-13	-45.42	-66.67	2.10	12.50	V
	3318	-50.82	-13	-37.82	-59.71	2.86	13.90	V
	4146	-56.03	-13	-43.03	-64.49	2.69	13.30	V
	4980	-47.96	-13	-34.96	-55.72	3.09	13.00	V
	5808	-55.86	-13	-42.86	-64.63	3.18	14.10	V
	6636	-56.60	-13	-43.60	-63.84	3.31	12.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_7A_n5A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1660	-65.91	-13	-52.91	-72.88	1.58	10.70	H
	2490	-59.16	-13	-46.16	-67.41	2.102	12.50	H
	3318	-60.61	-13	-47.61	-69.50	2.856	13.90	H
	1660	-64.93	-13	-51.93	-71.90	1.58	10.70	V
	2490	-57.57	-13	-44.57	-65.82	2.10	12.50	V
	3318	-60.60	-13	-47.60	-69.49	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n5A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1660	-51.54	-13	-38.54	-58.51	1.58	10.70	H
	2488	-57.68	-13	-44.68	-65.93	2.102	12.50	H
	3318	-47.19	-13	-34.19	-56.08	2.856	13.90	H
	4146	-50.32	-13	-37.32	-58.78	2.689	13.30	H
	4980	-48.46	-13	-35.46	-57.88	3.327	14.90	H
	1660	-50.56	-13	-37.56	-57.53	1.58	10.70	V
	2488	-57.10	-13	-44.10	-65.35	2.10	12.50	V
	3318	-49.99	-13	-36.99	-58.88	2.86	13.90	V
	4146	-52.12	-13	-39.12	-60.58	2.69	13.30	V
	4980	-52.79	-13	-39.79	-60.55	3.09	13.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



5G NR n25 / NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-56.48	-13	-43.48	-68.74	2.64	14.90	H
	5553	-54.80	-13	-41.80	-66.66	2.94	14.80	H
	7404	-44.62	-13	-31.62	-54.39	3.39	13.16	H
	9252	-44.23	-13	-31.23	-54.71	4.00	14.48	H
	3702	-55.67	-13	-42.67	-67.93	2.64	14.90	V
	5553	-54.31	-13	-41.31	-66.17	2.94	14.80	V
	7404	-50.26	-13	-37.26	-60.03	3.39	13.16	V
	9252	-42.59	-13	-29.59	-53.07	4.00	14.48	V
Middle	3744	-47.21	-13	-34.21	-59.47	2.64	14.90	H
	5622	-54.49	-13	-41.49	-66.35	2.94	14.80	H
	7488	-43.93	-13	-30.93	-53.70	3.39	13.16	H
	9360	-46.40	-13	-33.40	-56.88	4.00	14.48	H
	3744	-53.68	-13	-40.68	-65.94	2.64	14.90	V
	5622	-54.85	-13	-41.85	-66.71	2.94	14.80	V
	7488	-44.01	-13	-31.01	-53.78	3.39	13.16	V
	9360	-41.21	-13	-28.21	-51.69	4.00	14.48	V
Highest	3792	-55.01	-13	-42.01	-67.27	2.64	14.90	H
	5688	-55.32	-13	-42.32	-67.18	2.94	14.80	H
	7584	-43.75	-13	-30.75	-53.52	3.39	13.16	H
	9480	-43.20	-13	-30.20	-53.68	4.00	14.48	H
	3792	-55.03	-13	-42.03	-67.29	2.64	14.90	V
	5688	-55.37	-13	-42.37	-67.23	2.94	14.80	V
	7584	-46.89	-13	-33.89	-56.66	3.39	13.16	V
	9480	-40.69	-13	-27.69	-51.17	4.00	14.48	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_12A_n25A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3792	-56.88	-13	-43.88	-69.14	2.64	14.90	H
	5688	-55.09	-13	-42.09	-66.95	2.94	14.80	H
	7584	-52.23	-13	-39.23	-62.00	3.39	13.16	H
	3792	-57.13	-13	-44.13	-69.39	2.64	14.90	V
	5688	-53.59	-13	-40.59	-65.45	2.94	14.80	V
	7584	-52.45	-13	-39.45	-62.22	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n25A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3792	-54.60	-13	-41.60	-66.86	2.64	14.90	H
	5688	-54.86	-13	-41.86	-66.72	2.94	14.80	H
	7584	-48.79	-13	-35.79	-58.56	3.39	13.16	H
	9480	-50.12	-13	-37.12	-60.60	4.00	14.48	H
	3792	-54.00	-13	-41.00	-66.26	2.64	14.90	V
	5688	-55.26	-13	-42.26	-67.12	2.94	14.80	V
	7584	-49.71	-13	-36.71	-59.48	3.39	13.16	V
	9480	-48.49	-13	-35.49	-58.97	4.00	14.48	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



5G NR n66 / NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3423	-57.83	-13	-44.83	-68.57	2.604	13.34	H
	5133	-54.07	-13	-41.07	-64.58	3.011	13.52	H
	6840	-53.69	-13	-40.69	-63.89	3.271	13.47	H
	3423	-58.07	-13	-45.07	-68.81	2.604	13.34	V
	5133	-54.27	-13	-41.27	-64.78	3.011	13.52	V
	6840	-53.76	-13	-40.76	-63.96	3.271	13.47	V
Middle	3471	-57.21	-13	-44.21	-67.95	2.604	13.34	H
	5208	-53.26	-13	-40.26	-63.77	3.011	13.52	H
	6948	-53.33	-13	-40.33	-63.53	3.271	13.47	H
	3471	-57.85	-13	-44.85	-68.59	2.604	13.34	V
	5208	-53.49	-13	-40.49	-64.00	3.011	13.52	V
	6948	-53.43	-13	-40.43	-63.63	3.271	13.47	V
Highest	3522	-57.39	-13	-44.39	-68.13	2.604	13.34	H
	5283	-54.62	-13	-41.62	-65.13	3.011	13.52	H
	7044	-53.20	-13	-40.20	-63.40	3.271	13.47	H
	3522	-57.84	-13	-44.84	-68.58	2.604	13.34	V
	5283	-54.55	-13	-41.55	-65.06	3.011	13.52	V
	7044	-53.45	-13	-40.45	-63.65	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_5A_n66A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-48.83	-13	-35.83	-59.57	2.604	13.34	H
	5283	-54.33	-13	-41.33	-64.84	3.011	13.52	H
	7044	-49.99	-13	-36.99	-60.19	3.271	13.47	H
	3522	-49.99	-13	-36.99	-60.73	2.604	13.34	V
	5283	-54.51	-13	-41.51	-65.02	3.011	13.52	V
	7044	-51.79	-13	-38.79	-61.99	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_12A_n66A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-57.72	-13	-44.72	-68.46	2.604	13.34	H
	5283	-55.55	-13	-42.55	-66.06	3.011	13.52	H
	7044	-53.29	-13	-40.29	-63.49	3.271	13.47	H
	3522	-58.19	-13	-45.19	-68.93	2.604	13.34	V
	5283	-54.89	-13	-41.89	-65.40	3.011	13.52	V
	7044	-53.50	-13	-40.50	-63.70	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_13A_n66A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-57.35	-13	-44.35	-68.09	2.604	13.34	H
	5283	-54.76	-13	-41.76	-65.27	3.011	13.52	H
	7044	-52.88	-13	-39.88	-63.08	3.271	13.47	H
	3522	-57.69	-13	-44.69	-68.43	2.604	13.34	V
	5283	-54.86	-13	-41.86	-65.37	3.011	13.52	V
	7044	-53.42	-13	-40.42	-63.62	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_71A_n66A / LTE 10MHz + NR 20MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-57.91	-13	-44.91	-68.65	2.604	13.34	H
	5283	-55.47	-13	-42.47	-65.98	3.011	13.52	H
	7044	-53.33	-13	-40.33	-63.53	3.271	13.47	H
	3522	-58.20	-13	-45.20	-68.94	2.604	13.34	V
	5283	-55.33	-13	-42.33	-65.84	3.011	13.52	V
	7044	-53.31	-13	-40.31	-63.51	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

5G NR n77 / NR 100MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7410	-60.42	-13	-47.42	-70.90	2.76	13.24	H
	11106	-56.38	-13	-43.38	-65.97	3.42	13.01	H
	14820	-58.26	-13	-45.26	-67.87	3.83	13.44	H
	7410	-59.69	-13	-46.69	-70.13	2.80	13.24	V
	11106	-56.52	-13	-43.52	-66.07	3.46	13.01	V
	14820	-58.75	-13	-45.75	-68.31	3.88	13.44	V
Middle	7590	-59.70	-13	-46.70	-70.18	2.76	13.24	H
	11376	-56.05	-13	-43.05	-65.64	3.42	13.01	H
	15180	-57.92	-13	-44.92	-67.53	3.83	13.44	H
	7590	-60.50	-13	-47.50	-70.94	2.80	13.24	V
	11376	-57.32	-13	-44.32	-66.87	3.46	13.01	V
	15180	-58.00	-13	-45.00	-67.56	3.88	13.44	V
Highest	7770	-61.44	-13	-48.44	-71.92	2.76	13.24	H
	11646	-55.54	-13	-42.54	-65.13	3.42	13.01	H
	15540	-56.66	-13	-43.66	-66.27	3.83	13.44	H
	7770	-61.22	-13	-48.22	-71.66	2.80	13.24	V
	11646	-56.18	-13	-43.18	-65.73	3.46	13.01	V
	15540	-56.82	-13	-43.82	-66.38	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_7A_n77A / LTE 10MHz + NR 100MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7410	-60.95	-13	-47.95	-71.43	2.76	13.24	H
	11106	-54.97	-13	-41.97	-64.56	3.42	13.01	H
	14820	-58.73	-13	-45.73	-68.34	3.83	13.44	H
	7410	-61.81	-13	-48.81	-72.25	2.80	13.24	V
	11106	-57.62	-13	-44.62	-67.17	3.46	13.01	V
	14820	-59.38	-13	-46.38	-68.94	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_41A_n77A / LTE 10MHz + NR 100MHz / QPSK DFT-s-OFDM								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7410	-59.89	-13	-46.89	-70.37	2.76	13.24	H
	11106	-54.14	-13	-41.14	-63.73	3.42	13.01	H
	14820	-59.78	-13	-46.78	-69.39	3.83	13.44	H
	7410	-60.68	-13	-47.68	-71.12	2.80	13.24	V
	11106	-56.30	-13	-43.30	-65.85	3.46	13.01	V
	14820	-58.88	-13	-45.88	-68.44	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.