


Page: 79 of 79




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「PIPPLIKをの程序報句と、本程子を発生力音曲部です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 80 of 80




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「PIPPLIKをの程序報句と、本程子を発生力音曲部です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 81 of 81



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「PIPPLIKをの程序報句と、本程子を発生力音曲部です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 82 of 82



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「PIPPLIKをの程序報句と、本程子を発生力音曲部です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 83 of 83




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「PIPPLIKをの程序報句と、本程子を発生力音曲部です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 84 of 84




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「PIPPLIKをの程序報句と、本程子を発生力音曲部です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 85 of 85



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「同時以株の程序階)の人 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 86 of 86

9 MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

FCC

OPERZTION Band		EUT CATEGORY	LIMIT
		Access Point (Master device)	1 Watt(30dBm)
U-NII-1	-NII-1		1 Watt(30dBm)
	\boxtimes	Mobile and portable client device	250mW(23.98dBm)
U-NII-2A	\boxtimes		250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C	\boxtimes		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3	\boxtimes		1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

ISED

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP shall not exceed 200 mW or 10 + 10 log ₁₀ B, dBm
5250~5350 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log ₁₀ B EIRP shall not exceed 1.0 W or 17 + 10 log ₁₀ B, dBm
5470-5600 MHz and 5650-5725 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log ₁₀ B EIRP shall not exceed 1.0 W or 17 + 10 log ₁₀ B, dBm
5725~5850 MHz	Conducted output power shall not exceed 1 W

For equipment operating in the band **5725-5850** MHz, If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 87 of 87

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• DirectionalGain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data:

NANT = the total number of antennas

 $q_{i,k} = 10^{Gk/20}$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

9.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- Record the max. reading and add 10 log(1/duty cycle). 5.
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

9.3 **Measurement Equipment Used**

	Conducted Emission Test Site: Conducted 2											
EQUIPMENT TYPE	MFR/BRAND	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.							
Power Meter	Anritsu	ML2496A	1242004	11/06/2020	11/05/2021							
Power Sensor	Anritsu	MA2411B	1207365	11/06/2020	11/05/2021							
Power Sensor	Anritsu	MA2411B	1207368	11/06/2020	11/05/2021							
Attenuator	Mini-Circuit	BW-S10W2+	2	12/16/2020	12/15/2021							
Attenuator	Mini-Circuit	BW-S10W2+	8	12/16/2020	12/15/2021							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 88 of 88

9.4 **Test Set-up**



9.5 **Measurement Result**

Conducted output power (FCC)

802.11a Ch0

	_		TOTAL	TOTAL		REQUIRED		
СН	Frequency (MHz)	Data Rate	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	6	15.82	38.227		23.98		
44	5220	6	16.01	39.936		23.98		PASS
48	5240	6	15.88	38.758		23.98		PASS
52	5260	6	18.89	77.511	23.98	or 11+10log(B) =	23.73	PASS
60	5300	6	17.78	60.030	23.98	or 11+10log(B) =	23.66	PASS
64	5320	6	16.59	45.642	23.98	or 11+10log(B) =	22.93	PASS
100	5500	6	16.42	43.890	23.98	or 11+10log(B) =	23.73	PASS
116	5580	6	18.25	66.891	23.98	or 11+10log(B) =	23.71	PASS
140	5700	6	16.57	45.432	23.98	or 11+10log(B) =	23.74	PASS
144	5720(U-NII 2C)	6	-1.11	0.77	23.98	or 11+10log(B) =	22.58	PASS
144	5720 (U-NII 3)	6	-6.27	0.24		30		PASS
149	5745	6	17.93	62.139		30		PASS
157	5785	6	18.00	63.149		30		PASS
165	5825	6	17.62	57.858		30		PASS

902 44a Ch4

802.11a_0	n1		_					
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	15.28	33.757		23.98		PASS
44	5220	6	15.43	34.943		23.98		PASS
48	5240	6	15.47	35.267		23.98		PASS
52	5260	6	17.87	61.286	23.98	or 11+10log(B) =	23.72	PASS
60	5300	6	17.01	50.276	23.98	or 11+10log(B) =	23.71	PASS
64	5320	6	15.71	37.270	23.98	or 11+10log(B) =	23.79	PASS
100	5500	6	15.64	36.675	23.98	or 11+10log(B) =	23.74	PASS
116	5580	6	17.81	60.446	23.98	or 11+10log(B) =	23.72	PASS
140	5700	6	16.51	44.809	23.98	or 11+10log(B) =	23.72	PASS
144	5720(U-NII 2C)	6	-1.10	0.78	23.98	or 11+10log(B) =	22.55	PASS
144	5720 (U-NII 3)	6	-6.32	0.23		30		PASS
149	5745	6	17.61	57.725		30	•	PASS
157	5785	6	17.86	61.146		30	•	PASS
165	5825	6	17.58	57.328		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 89

802.11a 2TX

СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULI
36	5180	6	15.69	14.97	18.40	69.165		23.98		PASS
44	5220	6	15.99	14.93	18.55	71.552		23.98		PASS
48	5240	6	15.79	15.02	18.48	70.404		23.98		PASS
52	5260	6	18.42	17.39	20.99	125.586	23.98	or 11+10log(B) =	23.72	PASS
60	5300	6	17.55	16.37	20.05	101.249	23.98	or 11+10log(B) =	23.66	PASS
64	5320	6	16.57	15.03	18.92	78.016	23.98	or 11+10log(B) =	22.93	PASS
100	5500	6	16.48	14.7	18.73	74.722	23.98	or 11+10log(B) =	23.73	PASS
116	5580	6	18.17	17.23	20.78	119.656	23.98	or 11+10log(B) =	23.71	PASS
140	5700	6	16.51	15.93	19.28	84.793	23.98	or 11+10log(B) =	23.72	PASS
144	5720(U-NII 2C)	6	16.69	16.50	19.65	92.226	23.98	or 11+10log(B) =	22.55	PASS
144	5720 (U-NII 3)	6	11.54	11.27	14.46	27.905		30		PASS
149	5745	6	17.77	17.41	20.65	116.083		30		PASS
157	5785	6	17.78	17.51	20.70	117.518		30		PASS
165	5825	6	17.98	17.79	20.94	124.165		30		PASS

802.11n_HT20_Ch0

	1 _	D . (TOTAL	TOTAL		REQUIRED		
СН	Frequency	Data	POWER	POWER		LIMIT		RESULT
	(MHz)	Rate	(dBm)	(mW)		(dBm)		
36	5180	MCS0	16.12	40.926		23.98		PASS
44	5220	MCS0	16.27	42.364		23.98		PASS
48	5240	MCS0	17.36	54.450		23.98		PASS
52	5260	MCS0	18.65	73.282	23.98	or 11+10log(B) =	24.06	PASS
60	5300	MCS0	17.42	55.208	23.98	or 11+10log(B) =	24.01	PASS
64	5320	MCS0	16.36	43.251	23.98	or 11+10log(B) =	24.03	PASS
100	5500	MCS0	16.33	42.954	23.98	or 11+10log(B) =	24.03	PASS
116	5580	MCS0	18.11	64.714	23.98	or 11+10log(B) =	24.02	PASS
140	5700	MCS0	16.35	43.152	23.98	or 11+10log(B) =	23.98	PASS
144	5720(U-NII 2C)	MCS0	-1.26	0.75	23.98	or 11+10log(B) =	22.78	PASS
144	5720 (U-NII 3)	MCS0	-5.99	0.25		30		PASS
149	5745	MCS0	18.32	67.920		30		PASS
157	5785	MCS0	18.36	68.549	30			PASS
165	5825	MCS0	18.13	65.013	30			PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 90 of 90

802.11n_HT20_Ch1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
36	5180	MCS0	15.87	38.637		23.98		PASS
44	5220	MCS0	15.92	39.084		23.98		PASS
48	5240	MCS0	16.84	48.306		23.98		PASS
52	5260	MCS0	17.93	62.087	23.98	or 11+10log(B) =	23.98	PASS
60	5300	MCS0	16.82	48.084	23.98	or 11+10log(B) =	23.95	PASS
64	5320	MCS0	15.44	34.995	23.98	or 11+10log(B) =	23.95	PASS
100	5500	MCS0	15.46	35.156	23.98	or 11+10log(B) =	23.90	PASS
116	5580	MCS0	17.65	58.210	23.98	or 11+10log(B) =	23.97	PASS
140	5700	MCS0	16.31	42.756	23.98	or 11+10log(B) =	24.00	PASS
144	5720(U-NII 2C)	MCS0	-1.24	0.75	23.98	or 11+10log(B) =	22.74	PASS
144	5720 (U-NII 3)	MCS0	-6.05	0.25		30		PASS
149	5745	MCS0	17.90	61.660		30		PASS
157	5785	MCS0	18.21	66.222	30			PASS
165	5825	MCS0	17.82	60.534		30		PASS

802.11n HT20 MIMO

СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СП	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS8	16.13	15.46	18.82	76.176		23.98		PASS
44	5220	MCS8	16.32	15.38	18.89	77.369		23.98		PASS
48	5240	MCS8	17.73	16.89	20.34	108.158		23.98		PASS
52	5260	MCS8	18.54	17.33	20.99	125.525	23.98	or 11+10log(B) =	23.98	PASS
60	5300	MCS8	17.45	16.35	19.95	98.742	23.98	or 11+10log(B) =	23.95	PASS
64	5320	MCS8	16.42	14.97	18.77	75.258	23.98	or 11+10log(B) =	23.95	PASS
100	5500	MCS8	16.27	14.53	18.50	70.743	23.98	or 11+10log(B) =	23.90	PASS
116	5580	MCS8	18.05	17.1	20.61	115.112	23.98	or 11+10log(B) =	23.97	PASS
140	5700	MCS8	16.42	15.82	19.14	82.047	23.98	or 11+10log(B) =	23.98	PASS
144	5720(U-NII 2C)	MCS8	16.47	16.25	19.37	86.544	23.98	or 11+10log(B) =	22.74	PASS
144	5720 (U-NII 3)	MCS8	11.74	11.44	14.60	28.853		30		PASS
149	5745	MCS8	18.09	17.87	20.99	125.652		30		PASS
157	5785	MCS8	18.17	17.75	20.98	125.181		30		PASS
165	5825	MCS8	17.92	17.65	20.80	120.154		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 91 of 91

802.11ac VHT20 Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
36	5180	MCS0	16.08	40.551		23.98		PASS
44	5220	MCS0	16.24	42.073		23.98		PASS
48	5240	MCS0	17.33	54.075		23.98		PASS
52	5260	MCS0	18.62	72.778	23.98	or 11+10log(B) =	24.06	PASS
60	5300	MCS0	17.39	54.828	23.98	or 11+10log(B) =	24.01	PASS
64	5320	MCS0	16.33	42.954	23.98	or 11+10log(B) =	24.03	PASS
100	5500	MCS0	16.28	42.462	23.98	or 11+10log(B) =	24.03	PASS
116	5580	MCS0	18.07	64.121	23.98	or 11+10log(B) =	24.02	PASS
140	5700	MCS0	16.32	42.855	23.98	or 11+10log(B) =	23.98	PASS
144	5720(U-NII 2C)	MCS0	-1.26	0.75	23.98	or 11+10log(B) =	22.78	PASS
144	5720 (U-NII 3)	MCS0	-5.99	0.25		30		PASS
149	5745	MCS0	18.29	67.453		30		PASS
157	5785	MCS0	18.33	68.077		30		PASS
165	5825	MCS0	18.10	64.565		30		PASS

802.11ac_VHT20_Ch1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
36	5180	MCS0	15.84	38.371		23.98		PASS
44	5220	MCS0	15.89	38.815		23.98		PASS
48	5240	MCS0	16.81	47.973		23.98		PASS
52	5260	MCS0	17.90	61.660	23.98	or 11+10log(B) =	23.98	PASS
60	5300	MCS0	16.79	47.753	23.98	or 11+10log(B) =	23.95	PASS
64	5320	MCS0	15.41	34.754	23.98	or 11+10log(B) =	23.95	PASS
100	5500	MCS0	15.43	34.914	23.98	or 11+10log(B) =	23.90	PASS
116	5580	MCS0	17.62	57.810	23.98	or 11+10log(B) =	23.97	PASS
140	5700	MCS0	16.28	42.462	23.98	or 11+10log(B) =	24.00	PASS
144	5720(U-NII 2C)	MCS0	-1.24	0.75	23.98	or 11+10log(B) =	22.74	PASS
144	5720 (U-NII 3)	MCS0	-6.05	0.25		30		PASS
149	5745	MCS0	17.67	58.479		30	•	PASS
157	5785	MCS0	18.17	65.615		30	•	PASS
165	5825	MCS0	17.79	60.117		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ltd.
 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號台灣檢驗科技股份有限公司
 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.sgs.com.tw



Page: 92 of 92

802.11ac_VHT20_MIMO

- CII	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS0	15.92	15.38	18.67	73.598		23.98		PASS
44	5220	MCS0	16.28	15.31	18.83	76.424		23.98		PASS
48	5240	MCS0	17.64	16.83	20.26	106.271		23.98		PASS
52	5260	MCS0	18.51	17.31	20.96	124.785	23.98	or 11+10log(B) =	23.98	PASS
60	5300	MCS0	17.38	16.24	19.86	96.774	23.98	or 11+10log(B) =	23.95	PASS
64	5320	MCS0	16.36	14.87	18.69	73.942	23.98	or 11+10log(B) =	23.95	PASS
100	5500	MCS0	13.63	12.21	15.99	39.702	23.98	or 11+10log(B) =	23.90	PASS
116	5580	MCS0	17.97	17.09	20.56	113.830	23.98	or 11+10log(B) =	23.97	PASS
140	5700	MCS0	16.37	15.75	19.08	80.935	23.98	or 11+10log(B) =	23.98	PASS
144	5720(U-NII 2C)	MCS0	16.45	16.20	19.34	85.857	23.98	or 11+10log(B) =	22.74	PASS
144	5720 (U-NII 3)	MCS0	11.72	11.39	14.57	28.625		30		PASS
149	5745	MCS0	18.01	17.77	20.90	123.082		30		PASS
157	5785	MCS0	18.11	17.72	20.93	123.870		30	·	PASS
165	5825	MCS0	17.88	17.63	20.77	119.319		30		PASS

802.11ax_HE20_Ch0

СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		MCS0	full	13.94	24.774		23.98		PASS
36	5180	MCS0	26/0	6.96	4.966		23.98		PASS
30	3180	MCS0	52/37	9.64	9.204		23.98		PASS
		MCS0	106/53	12.79	19.011		23.98		PASS
44	5220	MCS0	full	14.17	26.122		23.98		PASS
48	5240	MCS0	full	14.21	26.363		23.98		PASS
52	5260	MCS0	full	14.63	29.040	23.98	or 11+10log(B) =	24.11	PASS
60	5300	MCS0	full	14.43	27.733	23.98	PASS		
		MCS0	full	14.25	26.607	23.98	PASS		
C4	F220	MCS0	26/8	10.92	12.359	23.98	or 11+10log(B) =	24.15	PASS
64	5320	MCS0	52/40	13.38	21.777	23.98	or 11+10log(B) =	24.15	PASS
		MCS0	106/54	14.49	28.119	23.98	or 11+10log(B) =	24.15	PASS
		MCS0	full	14.37	27.353	23.98	or 11+10log(B) =	24.13	PASS
100	FF00	MCS0	26/0	11.12	12.942	23.98	or 11+10log(B) =	24.13	PASS
100	5500	MCS0	52/37	13.52	22.491	23.98	or 11+10log(B) =	24.13	PASS
		MCS0	106/53	14.66	29.242	23.98	or 11+10log(B) =	24.13	PASS
116	5580	MCS0	full	14.02	25.235	23.98	or 11+10log(B) =	24.14	PASS
		MCS0	full	13.93	24.717	23.98	or 11+10log(B) =	24.13	PASS
140	F700	MCS0	26/8	9.89	9.750	23.98	or 11+10log(B) =	24.13	PASS
140	5700	MCS0	52/40	12.32	17.061	23.98	or 11+10log(B) =	24.13	PASS
		MCS0	106/54	14.28	26.792	23.98	or 11+10log(B) =	24.13	PASS
144	5720(U-NII 2C)	MCS0	full	-1.30	0.741	23.98	or 11+10log(B) =	22.87	PASS
144	5720 (U-NII 3)	MCS0	full	-5.86	0.259		30		PASS
		MCS0	full	14.08	25.586		30		PASS
140	F74F	MCS0	26/0	14.12	25.823		30		PASS
149	5745	MCS0	52/37	14.44	27.797		30		PASS
		MCS0	106/53	13.87	24.378		30		PASS
157	5785	MCS0	full	14.27	26.730	30			PASS
		MCS0	full	14.49	28.119	30		PASS	
1.05	5025	MCS0	26/8	14.09	25.645				PASS
165	5825	MCS0	52/40	14.17	26.122		30		PASS
		MCS0	106/54	14.17	26.122		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 93 of 93

802.11ax HE20 Ch1

СН	HE20_Ch1 Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		MCS0	full	13.83	24.155		23.98		PASS
		MCS0	26/0	6.67	4.645		23.98		PASS
36	5180	MCS0	52/37	9.49	8.892		23.98		PASS
		MCS0	106/53	12.63	18.323		23.98		PASS
44	5220	MCS0	full	14.16	26.062		23.98		PASS
48	5240	MCS0	full	13.94	24.774		23.98		PASS
52	5260	MCS0	full	14.03	25.293	23.98	or 11+10log(B) =	24.21	PASS
60	5300	MCS0	full	14.08	25.586	23.98	or 11+10log(B) =	24.14	PASS
		MCS0	full	13.92	24.660	23.98	24.20	PASS	
6.4	5000	MCS0	26/8	10.46	11.117	23.98	or 11+10log(B) =	24.20	PASS
64	5320	MCS0	52/40	13.33	21.528	23.98	or 11+10log(B) =	24.20	PASS
		MCS0	106/54	14.25	26.607	23.98	or 11+10log(B) =	24.20	PASS
		MCS0	full	13.63	23.067	23.98	or 11+10log(B) =	24.21	PASS
400	100 5500	MCS0	26/0	10.43	11.041	23.98	or 11+10log(B) =	24.21	PASS
100		MCS0	52/37	13.45	22.131	23.98	or 11+10log(B) =	24.21	PASS
		MCS0	106/53	13.97	24.946	23.98	or 11+10log(B) =	24.21	PASS
116	5580	MCS0	full	13.97	24.946	23.98	or 11+10log(B) =	24.23	PASS
		MCS0	full	13.57	22.751	23.98	or 11+10log(B) =	24.19	PASS
4.40	F700	MCS0	26/8	9.71	9.354	23.98	or 11+10log(B) =	24.19	PASS
140	5700	MCS0	52/40	12.06	16.069	23.98	or 11+10log(B) =	24.19	PASS
		MCS0	106/54	13.84	24.210	23.98	or 11+10log(B) =	24.19	PASS
144	5720(U-NII 2C)	MCS0	full	-1.30	0.741	23.98	or 11+10log(B) =	22.87	PASS
144	5720 (U-NII 3)	MCS0	full	-5.86	0.259		30		PASS
		MCS0	full	13.65	23.174		30		PASS
1.40	F74F	MCS0	26/0	12.55	17.989		30		PASS
149	5745	MCS0	52/37	13.93	24.717			PASS	
		MCS0	106/53	13.28	21.281		30		PASS
157	5785	MCS0	full	14.23	26.485		30		PASS
		MCS0	full	13.75	23.714	30			PASS
165	EODE	MCS0	26/8	13.66	23.227		30		PASS
165	5825	MCS0	52/40	13.47	22.233				PASS
		MCS0	106/54	13.45	22.131		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 94 of 94

802.11ax HE20 MIMO

	Frequency	Data		Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		
СН	(MHz)	Rate	RU config.			POWER	POWER		LIMIT		RESULT
	(2)	rtuto		CH 0	CH 1	(dBm)	(mW)		(dBm)		
		MCS0	full	13.97	13.43	16.72	46.975		23.98		PASS
36	5180	MCS0	26/0	6.99	6.11	9.58	9.084		23.98		PASS
30	3100	MCS0	52/37	9.75	9.12	12.46	17.606		23.98		PASS
		MCS0	106/53	12.74	12.42	15.59	36.251		23.98		PASS
44	5220	MCS0	full	14.13	13.76	16.96	49.651		23.98		PASS
48	5240	MCS0	full	13.96	13.88	16.93	49.323		23.98		PASS
52	5260	MCS0	full	14.55	13.24	16.95	49.596	23.98	or 11+10log(B) =	24.11	PASS
60	5300	MCS0	full	14.31	13.47	16.92	49.210	23.98	or 11+10log(B) =	24.14	PASS
		MCS0	full	14.16	13.38	16.80	47.839	23.98	or 11+10log(B) =	24.15	PASS
64	5320	MCS0	26/8	10.85	9.84	13.38	21.800	23.98	or 11+10log(B) =	24.15	PASS
04	5320	MCS0	52/40	13.33	12.75	16.06	40.364	23.98	or 11+10log(B) =	24.15	PASS
		MCS0	106/54	14.28	13.61	16.97	49.753	23.98	or 11+10log(B) =	24.15	PASS
		MCS0	full	14.32	12.98	16.71	46.901	23.98	or 11+10log(B) =	24.13	PASS
100	5500	MCS0	26/0	10.96	9.93	13.49	22.314	23.98	or 11+10log(B) =	24.13	PASS
100	5500	MCS0	52/37	13.49	12.28	15.94	39.240	23.98	or 11+10log(B) =	24.13	PASS
		MCS0	106/53	14.53	13.31	16.97	49.808	23.98	or 11+10log(B) =	24.13	PASS
116	5580	MCS0	full	14.17	13.37	16.80	47.849	23.98	or 11+10log(B) =	24.14	PASS
		MCS0	full	13.76	13.64	16.71	46.889	23.98	or 11+10log(B) =	24.13	PASS
140	5700	MCS0	26/8	9.89	8.89	12.43	17.495	23.98	or 11+10log(B) =	24.13	PASS
140	5700	MCS0	52/40	12.24	11.72	15.00	31.609	23.98	or 11+10log(B) =	24.13	PASS
		MCS0	106/54	13.86	13.8	16.84	48.310	23.98	or 11+10log(B) =	24.13	PASS
144	5720(U-NII 2C)	MCS0	full	12.48	12.18	15.34	34.183	23.98	or 11+10log(B) =	22.87	PASS
144	5720 (U-NII 3)	MCS0	full	7.92	7.62	10.78	11.979		30		PASS
		MCS0	full	13.82	13.64	16.74	47.220		30		PASS
149	5745	MCS0	26/0	13.47	13.81	16.65	46.277		30		PASS
149	5/45	MCS0	52/37	13.9	14.02	16.97	49.782		30		PASS
		MCS0	106/53	13.51	13.62	16.58	45.453		30		PASS
157	5785	MCS0	full	14.22	13.71	16.98	49.920		30		PASS
		MCS0	full	13.84	14.04	16.95	49.562		30		PASS
165	5025	MCS0	26/8	13.79	13.69	16.75	47.322		30		PASS
165	5825	MCS0	52/40	13.6	13.7	16.66	46.351		30		PASS
		MCS0	106/54	13.52	13.77	16.66	46.314		30		PASS

802.11n_HT40_Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	15.64	36.644		23.98		PASS
46	5230	MCS0	17.02	50.350		23.98		PASS
54	5270	MCS0	17.77	59.841	23.98	or 11+10log(B) =	26.95	PASS
62	5310	MCS0	16.58	45.499	23.98	or 11+10log(B) =	26.97	PASS
102	5510	MCS0	14.26	26.669	23.98	or 11+10log(B) =	26.97	PASS
110	5550	MCS0	16.18	41.495	23.98	or 11+10log(B) =	26.95	PASS
134	5670	MCS0	16.91	49.091	23.98	or 11+10log(B) =	26.98	PASS
142	5710(U-NII 2C)	MCS0	-0.56	0.88	23.98	or 11+10log(B) =	26.41	PASS
142	5710 (U-NII 3)	MCS0	-9.19	0.12		30		PASS
151	5755	MCS0	17.83	60.674		30		PASS
159	5795	MCS0	17.99	62.951		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 95 of 95

802.11n HT40 Ch1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	15.47	35.237		23.98		PASS
46	5230	MCS0	16.44	44.055		23.98		PASS
54	5270	MCS0	16.95	49.545	23.98	or 11+10log(B) =	26.88	PASS
62	5310	MCS0	15.69	37.068	23.98	or 11+10log(B) =	26.91	PASS
102	5510	MCS0	13.66	23.227	23.98	or 11+10log(B) =	26.93	PASS
110	5550	MCS0	15.91	38.994	23.98	or 11+10log(B) =	26.89	PASS
134	5670	MCS0	16.69	46.666	23.98	or 11+10log(B) =	26.94	PASS
142	5710(U-NII 2C)	MCS0	-0.54	0.88	23.98	or 11+10log(B) =	26.38	PASS
142	5710 (U-NII 3)	MCS0	-9.36	0.12		30		PASS
151	5755	MCS0	17.57	57.148		30		PASS
159	5795	MCS0	17.77	59.841		30		PASS

802.11n_HT40_MIMO

СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
Oil	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		KLSOLI
38	5190	MCS8	15.67	15.22	18.46	70.164		23.98		PASS
46	5230	MCS8	16.97	16.18	19.60	91.269		23.98		PASS
54	5270	MCS8	17.68	16.53	20.15	103.592	23.98	or 11+10log(B) =	26.88	PASS
62	5310	MCS8	16.54	15.23	18.94	78.424	23.98	or 11+10log(B) =	26.91	PASS
102	5510	MCS8	16.44	14.83	18.72	74.464	23.98	or 11+10log(B) =	26.93	PASS
110	5550	MCS8	16.19	15.33	18.79	75.710	23.98	or 11+10log(B) =	26.89	PASS
134	5670	MCS8	16.76	16.48	19.63	91.887	23.98	or 11+10log(B) =	26.94	PASS
142	5710(U-NII 2C)	MCS8	17.11	17.10	20.12	102.765	23.98	or 11+10log(B) =	26.38	PASS
142	5710 (U-NII 3)	MCS8	8.48	8.28	11.40	13.790		30		PASS
151	5755	MCS8	17.66	17.51	20.60	114.708		30	•	PASS
159	5795	MCS8	17.75	17.61	20.69	117.243		30	•	PASS

802.11ac VHT40 Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	15.61	36.392		23.98		PASS
46	5230	MCS0	16.99	50.003		23.98		PASS
54	5270	MCS0	17.74	59.429	23.98	or 11+10log(B) =	26.95	PASS
62	5310	MCS0	16.55	45.186	23.98	or 11+10log(B) =	26.97	PASS
102	5510	MCS0	14.23	26.485	23.98	or 11+10log(B) =	26.97	PASS
110	5550	MCS0	16.15	41.210	23.98	or 11+10log(B) =	26.95	PASS
134	5670	MCS0	16.87	48.641	23.98	or 11+10log(B) =	26.98	PASS
142	5710(U-NII 2C)	MCS0	-0.56	0.88	23.98	or 11+10log(B) =	26.41	PASS
142	5710 (U-NII 3)	MCS0	-9.19	0.12		30		PASS
151	5755	MCS0	17.80	60.256		30		PASS
159	5795	MCS0	17.96	62.517		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 96

802.11ac VHT40 Ch1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	15.47	35.237		23.98		PASS
46	5230	MCS0	16.44	44.055		23.98		PASS
54	5270	MCS0	16.95	49.545	23.98	or 11+10log(B) =	26.88	PASS
62	5310	MCS0	15.69	37.068	23.98	or 11+10log(B) =	26.91	PASS
102	5510	MCS0	13.66	23.227	23.98	or 11+10log(B) =	26.93	PASS
110	5550	MCS0	15.91	38.994	23.98	or 11+10log(B) =	26.89	PASS
134	5670	MCS0	16.69	46.666	23.98	or 11+10log(B) =	26.94	PASS
142	5710(U-NII 2C)	MCS0	-0.54	0.88	23.98	or 11+10log(B) =	26.38	PASS
142	5710 (U-NII 3)	MCS0	-9.36	0.12		30		PASS
151	5755	MCS0	17.57	57.148		30		PASS
159	5795	MCS0	17.77	59.841		30		PASS

802.11ac VHT40 MIMO

CII	Frequency	Data	Avg. POW	VER (dBm)	TOTAL	TOTAL		REQUIRED		DECLU T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
38	5190	MCS0	15.63	15.16	18.41	69.369		23.98		PASS
46	5230	MCS0	16.91	16.09	19.53	89.735		23.98		PASS
54	5270	MCS0	17.65	16.47	20.11	102.571	23.98	or 11+10log(B) =	26.88	PASS
62	5310	MCS0	16.49	15.18	18.89	77.527	23.98	or 11+10log(B) =	26.91	PASS
102	5510	MCS0	16.38	14.77	18.66	73.443	23.98	or 11+10log(B) =	26.93	PASS
110	5550	MCS0	16.23	14.5	18.46	70.160	23.98	or 11+10log(B) =	26.89	PASS
134	5670	MCS0	16.73	16.42	19.59	90.951	23.98	or 11+10log(B) =	26.94	PASS
142	5710(U-NII 2C)	MCS0	17.07	17.07	20.08	101.940	23.98	or 11+10log(B) =	26.38	PASS
142	5710 (U-NII 3)	MCS0	8.44	8.25	11.36	13.679		30		PASS
151	5755	MCS0	17.62	17.47	20.56	113.657		30		PASS
159	5795	MCS0	17.71	17.58	20.66	116.300		30		PASS

802.11ax HE40 Ch0

00 <u>2.11ux</u>	_HE40_CII0					ı			1
СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
20	F100	MCS0	full	13.82	24.099		23.98		PASS
38	5190	MCS0	242/61	14.46	27.925		23.98		PASS
46	5230	MCS0	full	14.13	25.882			PASS	
54	5270	MCS0	full	14.55	28.510	23.98	or 11+10log(B) =	27.07	PASS
CO	F240	MCS0	full	14.28	26.792	23.98	or 11+10log(B) =	27.04	PASS
62	5310	MCS0	242/62	14.78	30.061	23.98	or 11+10log(B) =	27.04	PASS
400	5540	MCS0	full	14.26	26.669	23.98	or 11+10log(B) =	27.03	PASS
102	5510	MCS0	242/61	12.97	19.815	23.98	or 11+10log(B) =	27.03	PASS
110	5550	MCS0	full	13.90	24.547	23.98	or 11+10log(B) =	27.03	PASS
424	5670	MCS0	full	14.27	26.730	23.98	or 11+10log(B) =	27.03	PASS
134	5670	MCS0	242/62	13.99	25.061	23.98	or 11+10log(B) =	27.03	PASS
142	5710(U-NII 2C)	MCS0	full	-0.59	0.873	23.98	or 11+10log(B) =	26.46	PASS
142	5710 (U-NII 3)	MCS0	full	-8.95	0.127		30		PASS
151		MCS0	full	13.98	25.003		30		PASS
151	5755	MCS0	242/61	13.96	24.889		30		PASS
150	F70F	MCS0	full	13.83	24.155		30		PASS
159	5795	MCS0	242/62	14.07	25.527		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 97 of 97

802.11ax HE40 Ch1

OUZ.IIAX_	HE40_CIII	•			1	1			
СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
20	F400	MCS0	full	13.73	23.605		23.98		PASS
38	5190	MCS0	242/61	14.23	26.485		23.98		PASS
46	5230	MCS0	full	14.07	25.527		23.98		PASS
54	5270	MCS0	full	13.82	24.099	23.98	or 11+10log(B) =	27.05	PASS
C 2	F240	MCS0	full	13.82	24.099	23.98	or 11+10log(B) =	27.04	PASS
62	5310	MCS0	242/62	14.27	26.730	23.98	or 11+10log(B) =	27.04	PASS
102	FF10	MCS0	full	13.54	22.594	23.98	or 11+10log(B) =	27.02	PASS
102	5510	MCS0	242/61	12.41	17.418	23.98	or 11+10log(B) =	27.02	PASS
110	5550	MCS0	full	13.82	24.099	23.98	or 11+10log(B) =	27.02	PASS
124	F.C.70	MCS0	full	14.13	25.882	23.98	or 11+10log(B) =	27.03	PASS
134	5670	MCS0	242/62	13.69	23.388	23.98	or 11+10log(B) =	27.03	PASS
142	5710(U-NII 2C)	MCS0	full	-0.59	0.872	23.98	or 11+10log(B) =	26.46	PASS
142	5710 (U-NII 3)	MCS0	full	-8.93	0.128		30		PASS
151	F7FF	MCS0	full	13.93	24.717		30	•	PASS
151	5755	MCS0	242/61	14.38	27.416		30		PASS
150	F70F	MCS0	full	13.72	23.550		30		PASS
159	5795	MCS0	242/62	13.79	23.933	3 30			PASS

802.11ax HE40 MIMO

СН	Frequency	Data	RU config.	Avg. POW	ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
CII	(MHz)	Rate	Ko comig.	CH 0	CH 1	(dBm)	(mW)		(dBm)		KLSULI
20	5400	MCS0	full	13.82	13.52	16.68	46.590		23.98		PASS
38	5190	MCS0	242/61	13.94	13.8	16.88	48.763		23.98		PASS
46	5230	MCS0	full	13.95	13.8	16.89	48.820		23.98		PASS
54	5270	MCS0	full	14.47	13.4	16.98	49.867	23.98	or 11+10log(B) =	27.05	PASS
62	5240	MCS0	full	14.22	13.41	16.84	48.352	23.98	or 11+10log(B) =	27.04	PASS
62	5310	MCS0	242/62	14.28	13.62	16.97	49.806	23.98	or 11+10log(B) =	27.04	PASS
102	5540	MCS0	full	14.22	13.14	16.72	47.030	23.98	or 11+10log(B) =	27.02	PASS
102	5510	MCS0	242/61	12.93	11.87	15.44	35.015	23.98	or 11+10log(B) =	27.02	PASS
110	5550	MCS0	full	13.84	13.49	16.68	46.546	23.98	or 11+10log(B) =	27.02	PASS
424	5670	MCS0	full	14.09	13.85	16.98	49.911	23.98	or 11+10log(B) =	27.03	PASS
134	5670	MCS0	242/62	13.82	13.56	16.70	46.798	23.98	or 11+10log(B) =	27.03	PASS
142	5710(U-NII 2C)	MCS0	full	13.11	12.99	16.06	40.347	23.98	or 11+10log(B) =	26.46	PASS
142	5710 (U-NII 3)	MCS0	full	4.75	4.65	7.71	5.899		30		PASS
454	5755	MCS0	full	13.75	13.54	16.66	46.308		30		PASS
151	5755	MCS0	242/61	13.94	13.87	16.92	49.152		30		PASS
150	F70F	MCS0	full	13.82	13.37	16.61	45.826		30		PASS
159	5795	MCS0	242/62	13.86	13.47	16.68	46.555		30		PASS

802.11ac VHT80 Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	16.07	40.492		23.98		PASS
58	5290	MCS0	16.60	45.747	23.98	or 11+10log(B) =	30.12	PASS
106	5530	MCS0	14.07	25.548	23.98	or 11+10log(B) =	30.09	PASS
122	5610	MCS0	16.21	41.818	23.98	or 11+10log(B) =	30.12	PASS
138	5690(U-NII 2C)	MCS0	-0.26	0.94	23.98	or 11+10log(B) =	29.78	PASS
138	5690 (U-NII 3)	MCS0	-11.62	0.07		30		PASS
155	5775	MCS0	17.92	61.996		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 98 of 98

802.11ac VHT80 Ch1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	15.66	36.844		23.98		PASS
58	5290	MCS0	15.79	37.963	23.98	or 11+10log(B) =	30.08	PASS
106	5530	MCS0	13.56	22.718	23.98	or 11+10log(B) =	30.06	PASS
122	5610	MCS0	15.90	38.937	23.98	or 11+10log(B) =	30.08	PASS
138	5690(U-NII 2C)	MCS0	-0.25	0.94	23.98	or 11+10log(B) =	29.77	PASS
138	5690 (U-NII 3)	MCS0	-11.77	0.07		30		PASS
155	5775	MCS0	17.67	58.528		30	•	PASS

802.11ac_VHT80_MIMO

СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
On	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULI
42	5210	MCS0	15.42	14.91	18.23	66.473		23.98		PASS
58	5290	MCS0	16.18	15.02	18.69	74.004	23.98	or 11+10log(B) =	30.08	PASS
106	5530	MCS0	16.28	14.87	18.69	73.891	23.98	or 11+10log(B) =	30.06	PASS
122	5610	MCS0	15.83	15.03	18.50	70.833	23.98	or 11+10log(B) =	30.08	PASS
138	5690(U-NII 2C)	MCS0	17.41	17.47	20.49	112.047	23.98	or 11+10log(B) =	29.77	PASS
138	5690 (U-NII 3)	MCS0	6.06	5.96	9.06	8.051		30		PASS
155	5775	MCS0	17.59	17.33	20.52	112.613		30		PASS

802.11ax HE80 Ch0

СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	F210	MCS0	full	14.37	27.376		23.98		PASS
42	5210	MCS0	484/65	14.58	28.732		23.98		PASS
58	5290	MCS0	full	14.59	28.798	23.98	or 11+10log(B) =	30.12	PASS
56	5290	MCS0	484/66	14.63	29.065	23.98	or 11+10log(B) =	30.12	PASS
106	5530	MCS0	full	13.79	23.953	23.98	or 11+10log(B) =	30.13	PASS
106	5550	MCS0	484/65	11.99	15.826	23.98	or 11+10log(B) =	30.13	PASS
122	5610	MCS0	full	13.92	24.681	23.98	or $11+10\log(B) =$	30.08	PASS
122	2010	MCS0	484/66	14.42	27.693	23.98	or 11+10log(B) =	30.08	PASS
138	5690(U-NII 2C)	MCS0	full	-0.27	0.939	23.98	or 11+10log(B) =	29.79	PASS
138	5690 (U-NII 3)	MCS0	full	-11.47	0.071		30		PASS
		MCS0	full	14.46	27.949		30		PASS
155	5775	MCS0	484/65	14.35	27.250		30		PASS
		MCS0	484/66	14.62	28.998		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 99

802.11ax_HE80_Ch1

СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	full	13.82	24.119		23.98		PASS
42	5210	MCS0	484/65	14.46	27.949		23.98		PASS
го	F200	MCS0	full	13.69	23.408	23.98	or 11+10log(B) =	30.12	PASS
58	5290	MCS0	484/66	14.25	26.630	23.98	or 11+10log(B) =	30.12	PASS
106	5530	MCS0	full	12.99	19.923	23.98	or 11+10log(B) =	30.13	PASS
106	5550	MCS0	484/65	11.95	15.681	23.98	or 11+10log(B) =	30.13	PASS
122	5610	MCS0	full	13.76	23.788	23.98	or 11+10log(B) =	30.12	PASS
122	2010	MCS0	484/66	14.20	26.325	23.98	or 11+10log(B) =	30.12	PASS
138	5690(U-NII 2C)	MCS0	full	-0.28	0.938	23.98	or 11+10log(B) =	29.80	PASS
138	5690 (U-NII 3)	MCS0	full	-11.43	0.072		30		PASS
		MCS0	full	14.22	26.446		30		PASS
155	5775	MCS0	484/65	14.22	26.446		30		PASS
		MCS0	484/66	14.39	27.502		30	•	PASS

802.11ax HE80 MIMO

CII	Frequency	Data	Dilleanfin	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	RU config.	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
42	F240	MCS0	full	13.83	13.43	16.69	46.650		23.98		PASS
42	5210	MCS0	484/65	14.01	13.61	16.87	48.625		23.98		PASS
58	5290	MCS0	full	13.95	13.23	16.66	46.332	23.98	or 11+10log(B) =	30.12	PASS
58	5290	MCS0	484/66	14.1	13.27	16.76	47.411	23.98	or 11+10log(B) =	30.12	PASS
100	5520	MCS0	full	13.33	12.11	15.82	38.165	23.98	or 11+10log(B) =	30.13	PASS
106	5530	MCS0	484/65	11.69	10.67	14.26	26.692	23.98	or 11+10log(B) =	30.13	PASS
122	FC10	MCS0	full	13.74	13.36	16.61	45.794	23.98	or 11+10log(B) =	30.08	PASS
122	5610	MCS0	484/66	13.9	13.32	16.67	46.490	23.98	or 11+11log(B) =	30.08	PASS
138	5690(U-NII 2C)	MCS0	full	13.57	13.30	16.49	44.546	23.98	or 11+10log(B) =	29.79	PASS
138	5690 (U-NII 3)	MCS0	full	2.37	2.15	5.31	3.398		30		PASS
		MCS0	full	13.92	13.53	16.78	47.680		30		PASS
155	5775	MCS0	484/65	13.89	13.29	16.65	46.284		30		PASS
		MCS0	484/66	13.9	13.47	16.74	47.253		30		PASS

802.11ax_HE160_Ch0

СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		MCS0	full	12.96	19.786	23.98	or 11+10log(B) =	33.18	PASS
50	5250	MCS0	996/67	11.40	13.815	23.98	or 11+10log(B) =	33.18	PASS
		MCS0	996/S67	13.71	23.516	23.98	or 11+10log(B) =	33.18	PASS
		MCS0	full	12.97	19.832	23.98	or 11+10log(B) =	33.14	PASS
114	5570	MCS0	996/67	10.09	10.218	23.98	or 11+10log(B) =	33.14	PASS
		MCS0	996/S67	12.75	18.852	23.98	or 11+10log(B) =	33.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 100 of 100

802.11ax_HE160_Ch1

СН	Frequency (MHz)	Data Rate	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		MCS0	full	12.88	19.425	23.98	or 11+10log(B) =	33.16	PASS
50	5250	MCS0	996/67	10.59	11.465	23.98	or 11+10log(B) =	33.16	PASS
		MCS0	996/S67	13.43	22.048	23.98	or 11+10log(B) =	33.16	PASS
		MCS0	full	12.91	19.560	23.98	or 11+10log(B) =	33.19	PASS
114	5570	MCS0	996/67	9.69	9.319	23.98	or 11+10log(B) =	33.19	PASS
		MCS0	996/S67	12.60	18.212	23.98	or 11+10log(B) =	33.19	PASS

802.11ax HE160 MIMO

002.11ax_11E100											
СН	Frequency	Data	RU config.	Avg. POWER (dBm)		TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
Cn	(MHz)	Rate	Ko comig.	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULI
		MCS0	full	12.67	12.55	15.66	36.850	23.98	or 11+10log(B) =	33.16	PASS
50	5250	MCS0	996/67	10.11	10.46	13.34	21.590	23.98	or 11+10log(B) =	33.16	PASS
		MCS0	996/\$67	12.86	12.71	15.84	38.367	23.98	or 11+10log(B) =	33.16	PASS
		MCS0	full	12.72	12.54	15.68	37.024	23.98	or 11+10log(B) =	33.14	PASS
114	5570	MCS0	996/67	9.82	8.49	12.26	16.825	23.98	or 11+10log(B) =	33.14	PASS
		MCS0	996/S67	12.18	11.96	15.13	32.549	23.98	or 11+10log(B) =	33.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 101 of 101

9.5.2 **ISED EIRP**

802.11a Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	15.82	-0.660	15.16	32.837	23.01	or 10+10log(B)=	22.14	PASS
44	5220	16.01	-0.660	15.35	34.306	23.01	or 10+10log(B)=	22.14	PASS
48	5240	15.88	-0.660	15.22	33.294	23.01	or 10+10log(B)=	22.14	PASS
52	5260	18.89	-0.660	18.23	66.583	30	or 17+10log(B)=	29.14	PASS
60	5300	17.78	-0.660	17.12	51.566	30	or 17+10log(B)=	29.14	PASS
64	5320	16.59	-0.660	15.93	39.207	30	or 17+10log(B)=	29.14	PASS
100	5500	16.42	0.610	17.03	50.509	30	or 17+10log(B)=	29.15	PASS
116	5580	18.25	0.610	18.86	76.978	30	or 17+10log(B)=	29.15	PASS
140	5700	16.57	0.610	17.18	52.284	30	or 17+10log(B)=	29.14	PASS

802.11a Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	15.28	-2.540	12.74	18.809	23.01	or 10+10log(B)=	22.14	PASS
44	5220	15.43	-2.540	12.89	19.470	23.01	or 10+10log(B)=	22.14	PASS
48	5240	15.47	-2.540	12.93	19.650	23.01	or 10+10log(B)=	22.14	PASS
52	5260	17.87	-1.180	16.69	46.705	30	or 17+10log(B)=	29.15	PASS
60	5300	17.01	-1.180	15.83	38.315	30	or 17+10log(B)=	29.14	PASS
64	5320	15.71	-1.180	14.53	28.403	30	or 17+10log(B)=	29.15	PASS
100	5500	15.64	-1.120	14.52	28.338	30	or 17+10log(B)=	29.14	PASS
116	5580	17.81	-1.120	16.69	46.705	30	or 17+10log(B)=	29.14	PASS
140	5700	16.51	-1.120	15.39	34.623	30	or 17+10log(B)=	29.14	PASS

802.11a 43Tx

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	18.40	1.460	19.86	96.802	23.01	or 10+10log(B)=	22.14	PASS
44	5220	18.55	1.460	20.01	100.143	23.01	or 10+10log(B)=	22.14	PASS
48	5240	18.48	1.460	19.94	98.537	23.01	or 10+10log(B)=	22.14	PASS
52	5260	20.99	2.090	23.08	203.208	30	or 17+10log(B)=	29.14	PASS
60	5300	20.05	2.090	22.14	163.829	30	or 17+10log(B)=	29.14	PASS
64	5320	18.92	2.090	21.01	126.237	30	or 17+10log(B)=	29.14	PASS
100	5500	18.73	2.800	21.53	142.381	30	or 17+10log(B)=	29.14	PASS
116	5580	20.78	2.800	23.58	227.999	30	or 17+10log(B)=	29.14	PASS
140	5700	19.28	2.800	22.08	161.571	30	or 17+10log(B)=	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 102 of 102

802.11n_HT20_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	16.12	-0.660	15.46	35.156	23.01	or 10+10log(B)=	22.45	PASS
44	5220	16.27	-0.660	15.61	36.392	23.01	or 10+10log(B)=	22.45	PASS
48	5240	17.36	-0.660	16.70	46.774	23.01	or 10+10log(B)=	22.45	PASS
52	5260	18.65	-0.660	17.99	62.951	30	or 17+10log(B)=	29.45	PASS
60	5300	17.42	-0.660	16.76	47.424	30	or 17+10log(B)=	29.46	PASS
64	5320	16.36	-0.660	15.70	37.154	30	or 17+10log(B)=	29.45	PASS
100	5500	16.33	0.610	16.94	49.431	30	or 17+10log(B)=	29.45	PASS
116	5580	18.11	0.610	18.72	74.473	30	or 17+10log(B)=	29.45	PASS
140	5700	16.35	0.610	16.96	49.659	30	or 17+10log(B)=	29.45	PASS

802.11n HT20 Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	15.87	-2.540	13.33	21.528	23.01	or 10+10log(B)=	22.46	PASS
44	5220	15.92	-2.540	13.38	21.777	23.01	or 10+10log(B)=	22.45	PASS
48	5240	16.84	-2.540	14.30	26.915	23.01	or 10+10log(B)=	22.46	PASS
52	5260	17.93	-1.180	16.75	47.315	30	or 17+10log(B)=	29.45	PASS
60	5300	16.82	-1.180	15.64	36.644	30	or 17+10log(B)=	29.45	PASS
64	5320	15.44	-1.180	14.26	26.669	30	or 17+10log(B)=	29.45	PASS
100	5500	15.46	-1.120	14.34	27.164	30	or 17+10log(B)=	29.45	PASS
116	5580	17.65	-1.120	16.53	44.978	30	or 17+10log(B)=	29.46	PASS
140	5700	16.31	-1.120	15.19	33.037	30	or 17+10log(B)=	29.45	PASS

902 115 HT20 MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	18.82	1.460	20.28	106.616	23.01	or 10+10log(B)=	22.45	PASS
44	5220	18.89	1.460	20.35	108.285	23.01	or 10+10log(B)=	22.45	PASS
48	5240	20.34	1.460	21.80	151.376	23.01	or 10+10log(B)=	22.45	PASS
52	5260	20.99	2.090	23.08	203.110	30	or 17+10log(B)=	29.45	PASS
60	5300	19.95	2.090	22.04	159.773	30	or 17+10log(B)=	29.45	PASS
64	5320	18.77	2.090	20.86	121.774	30	or 17+10log(B)=	29.45	PASS
100	5500	18.50	2.800	21.30	134.799	30	or 17+10log(B)=	29.45	PASS
116	5580	20.61	2.800	23.41	219.342	30	or 17+10log(B)=	29.45	PASS
140	5700	19.14	2.800	21.94	156.338	30	or 17+10log(B)=	29.45	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 103 of 103

802.11ac_VHT20_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	16.08	-0.660	15.42	34.834	23.01	or 10+10log(B)=	#NUM!	PASS
44	5220	16.24	-0.660	15.58	36.141	23.01	or 10+10log(B)=	#NUM!	PASS
48	5240	17.33	-0.660	16.67	46.452	23.01	or 10+10log(B)=	#NUM!	PASS
52	5260	18.62	-0.660	17.96	62.517	30	or 17+10log(B)=	#NUM!	PASS
60	5300	17.39	-0.660	16.73	47.098	30	or 17+10log(B)=	#NUM!	PASS
64	5320	16.33	-0.660	15.67	36.898	30	or 17+10log(B)=	#NUM!	PASS
100	5500	16.28	0.610	16.89	48.865	30	or 17+10log(B)=	#NUM!	PASS
116	5580	18.07	0.610	18.68	73.790	30	or 17+10log(B)=	#NUM!	PASS
140	5700	16.32	0.610	16.93	49.317	30	or 17+10log(B)=	#NUM!	PASS

802.11ac VHT20 Ch1

002.114	C_VIII20_CIII								
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	15.84	-2.540	13.30	21.380	23.01	or 10+10log(B)=	#NUM!	PASS
44	5220	15.89	-2.540	13.35	21.627	23.01	or 10+10log(B)=	#NUM!	PASS
48	5240	16.81	-2.540	14.27	26.730	23.01	or 10+10log(B)=	#NUM!	PASS
52	5260	17.90	-1.180	16.72	46.989	30	or 17+10log(B)=	#NUM!	PASS
60	5300	16.79	-1.180	15.61	36.392	30	or 17+10log(B)=	#NUM!	PASS
64	5320	15.41	-1.180	14.23	26.485	30	or 17+10log(B)=	#NUM!	PASS
100	5500	15.43	-1.120	14.31	26.977	30	or 17+10log(B)=	#NUM!	PASS
116	5580	17.62	-1.120	16.50	44.668	30	or 17+10log(B)=	#NUM!	PASS
140	5700	16.28	-1.120	15.16	32.810	30	or 17+10log(B)=	#NUM!	PASS

802.11ac_VHT20_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	18.67	1.460	20.13	103.007	23.01	or 10+10log(B)=	#NUM!	PASS
44	5220	18.83	1.460	20.29	106.963	23.01	or 10+10log(B)=	#NUM!	PASS
48	5240	20.26	1.460	21.72	148.736	23.01	or 10+10log(B)=	#NUM!	PASS
52	5260	20.96	2.090	23.05	201.912	30	or 17+10log(B)=	#NUM!	PASS
60	5300	19.86	2.090	21.95	156.588	30	or 17+10log(B)=	#NUM!	PASS
64	5320	18.69	2.090	20.78	119.643	30	or 17+10log(B)=	#NUM!	PASS
100	5500	15.99	2.800	18.79	75.650	30	or 17+10log(B)=	#NUM!	PASS
116	5580	20.56	2.800	23.36	216.898	30	or 17+10log(B)=	#NUM!	PASS
140	5700	19.08	2.800	21.88	154.218	30	or 17+10log(B)=	#NUM!	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 104 of 104

802.11ax 20 Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
		full	13.94	-0.660	13.28	21.281	23.01	or 10+10log(B)=	22.77	PASS
36	5180	26/0	6.96	-0.660	6.30	4.266	23.01	or 10+10log(B)=	22.77	PASS
30	5180	52/37	9.64	-0.660	8.98	7.907	23.01	or 10+10log(B)=	22.77	PASS
		106/53	12.79	-0.660	12.13	16.331	23.01	or 10+10log(B)=	22.77	PASS
44	5220	full	14.17	-0.660	13.51	22.439	23.01	or 10+10log(B)=	22.77	PASS
48	5240	full	14.21	-0.660	13.55	22.646	23.01	or 10+10log(B)=	22.76	PASS
52	5260	full	14.63	-0.660	13.97	24.946	30	or 17+10log(B)=	29.77	PASS
60	5300	full	14.43	-0.660	13.77	23.823	30	or 17+10log(B)=	29.77	PASS
		full	14.25	-0.660	13.59	22.856	30	or 17+10log(B)=	29.77	PASS
64	E220	26/8	10.92	-0.660	10.26	10.617	30	or 17+10log(B)=	29.77	PASS
04	5320	52/40	13.38	-0.660	12.72	18.707	30	or 17+10log(B)=	29.77	PASS
		106/54	14.49	-0.660	13.83	24.155	30	or 17+10log(B)=	29.77	PASS
		full	14.37	0.610	14.98	31.477	30	or 17+10log(B)=	29.76	PASS
100	FF00	26/0	11.12	0.610	11.73	14.894	30	or 17+10log(B)=	29.76	PASS
100	5500	52/37	13.52	0.610	14.13	25.882	30	or 17+10log(B)=	29.76	PASS
		106/53	14.66	0.610	15.27	33.651	30	or 17+10log(B)=	29.76	PASS
116	5580	full	14.02	0.610	14.63	29.040	30	or 17+10log(B)=	29.77	PASS
		full	13.93	0.610	14.54	28.445	30	or 17+10log(B)=	29.77	PASS
140	F700	26/8	9.89	0.610	10.50	11.220	30	or 17+10log(B)=	29.77	PASS
140	5700	52/40	12.32	0.610	12.93	19.634	30	or 17+10log(B)=	29.77	PASS
		106/54	14.28	0.610	14.89	30.832	30	or 17+10log(B)=	29.77	PASS

802.11ax_20_Ch1

002.11a	x_20_Ch1	ı	TOTAL	A . 4				DEGUIDED		
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
		full	13.83	-2.540	11.29	13.459	23.01	or 10+10log(B)=	22.77	PASS
36	5180	26/0	6.67	-2.540	4.13	2.588	23.01	or 10+10log(B)=	22.77	PASS
30	5180	52/37	9.49	-2.540	6.95	4.955	23.01	or 10+10log(B)=	22.77	PASS
		106/53	12.63	-2.540	10.09	10.209	23.01	or 10+10log(B)=	22.77	PASS
44	5220	full	14.16	-2.540	11.62	14.521	23.01	or 10+10log(B)=	22.78	PASS
48	5240	full	13.94	-2.540	11.40	13.804	23.01	or 10+10log(B)=	22.77	PASS
52	5260	full	14.03	-1.180	12.85	19.275	30	or 17+10log(B)=	29.77	PASS
60	5300	full	14.08	-1.180	12.90	19.498	30	or 17+10log(B)=	29.77	PASS
		full	13.92	-1.180	12.74	18.793	30	or 17+10log(B)=	29.77	PASS
64	5320	26/8	10.46	-1.180	9.28	8.472	30	or 17+10log(B)=	29.77	PASS
04	3320	52/40	13.33	-1.180	12.15	16.406	30	or 17+10log(B)=	29.77	PASS
		106/54	14.25	-1.180	13.07	20.277	30	or 17+10log(B)=	29.77	PASS
		full	13.63	-1.120	12.51	17.824	30	or 17+10log(B)=	29.77	PASS
100	5500	26/0	10.43	-1.120	9.31	8.531	30	or 17+10log(B)=	29.77	PASS
100	5500	52/37	13.45	-1.120	12.33	17.100	30	or 17+10log(B)=	29.77	PASS
		106/53	13.97	-1.120	12.85	19.275	30	or 17+10log(B)=	29.77	PASS
116	5580	full	13.97	-1.120	12.85	19.275	30	or 17+10log(B)=	29.77	PASS
		full	13.57	-1.120	12.45	17.579	30	or 17+10log(B)=	29.77	PASS
1.40	F700	26/8	9.71	-1.120	8.59	7.228	30	or 17+10log(B)=	29.77	PASS
140	5700	52/40	12.06	-1.120	10.94	12.417	30	or 17+10log(B)=	29.77	PASS
		106/54	13.84	-1.120	12.72	18.707	30	or 17+10log(B)=	29.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 105 of 105

802.11ax 20 MIMO

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
		full	16.72	1.460	18.18	65.746	23.01	or 10+10log(B)=	22.77	PASS
36	F100	26/0	9.58	1.460	11.04	12.713	23.01	or 10+10log(B)=	22.77	PASS
30	5180	52/37	12.46	1.460	13.92	24.642	23.01	or 10+10log(B)=	22.77	PASS
		106/53	15.59	1.460	17.05	50.737	23.01	or 10+10log(B)=	22.77	PASS
44	5220	full	16.96	1.460	18.42	69.490	23.01	or 10+10log(B)=	22.77	PASS
48	5240	full	16.93	1.460	18.39	69.032	23.01	or 10+10log(B)=	22.76	PASS
52	5260	full	16.95	2.090	19.04	80.251	30	or 17+10log(B)=	29.77	PASS
60	5300	full	16.92	2.090	19.01	79.627	30	or 17+10log(B)=	29.77	PASS
		full	16.80	2.090	18.89	77.407	30	or 17+10log(B)=	29.77	PASS
64	5320	26/8	13.38	2.090	15.47	35.274	30	or 17+10log(B)=	29.77	PASS
04	3320	52/40	16.06	2.090	18.15	65.313	30	or 17+10log(B)=	29.77	PASS
		106/54	16.97	2.090	19.06	80.505	30	or 17+10log(B)=	29.77	PASS
		full	16.71	2.800	19.51	89.367	30	or 17+10log(B)=	29.76	PASS
100	5500	26/0	13.49	2.800	16.29	42.518	30	or 17+10log(B)=	29.76	PASS
100	3300	52/37	15.94	2.800	18.74	74.771	30	or 17+10log(B)=	29.76	PASS
		106/53	16.97	2.800	19.77	94.907	30	or 17+10log(B)=	29.76	PASS
116	5580	full	16.80	2.800	19.60	91.174	30	or 17+10log(B)=	29.77	PASS
		full	16.71	2.800	19.51	89.345	30	or 17+10log(B)=	29.77	PASS
140	5700	26/8	12.43	2.800	15.23	33.335	30	or 17+10log(B)=	29.77	PASS
140	3700	52/40	15.00	2.800	17.80	60.229	30	or 17+10log(B)=	29.77	PASS
		106/54	16.84	2.800	19.64	92.054	30	or 17+10log(B)=	29.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 106 of 106

802.11n_HT40_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	15.64	-0.660	14.98	31.477	23.01	or 10+10log(B)=	25.57	PASS
46	5230	17.02	-0.660	16.36	43.251	23.01	or 10+10log(B)=	25.58	PASS
54	5270	17.77	-0.660	17.11	51.404	30	or 17+10log(B)=	32.57	PASS
62	5310	16.58	-0.660	15.92	39.084	30	or 17+10log(B)=	32.57	PASS
102	5510	14.26	0.610	14.87	30.690	30	or 17+10log(B)=	32.57	PASS
110	5550	16.18	0.610	16.79	47.753	30	or 17+10log(B)=	32.57	PASS
134	5670	16.91	0.610	17.52	56.494	30	or 17+10log(B)=	32.57	PASS

802.11n_HT40_Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	15.47	-2.540	12.93	19.634	23.01	or 10+10log(B)=	25.57	PASS
46	5230	16.44	-2.540	13.90	24.547	23.01	or 10+10log(B)=	25.57	PASS
54	5270	16.95	-1.180	15.77	37.757	30	or 17+10log(B)=	32.57	PASS
62	5310	15.69	-1.180	14.51	28.249	30	or 17+10log(B)=	32.58	PASS
102	5510	13.66	-1.120	12.54	17.947	30	or 17+10log(B)=	32.58	PASS
110	5550	15.91	-1.120	14.79	30.130	30	or 17+10log(B)=	32.57	PASS
134	5670	16.69	-1.120	15.57	36.058	30	or 17+10log(B)=	32.57	PASS

802.11n_HT40_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	18.46	1.460	19.92	98.200	23.01	or 10+10log(B)=	25.57	PASS
46	5230	19.60	1.460	21.06	127.739	23.01	or 10+10log(B)=	25.57	PASS
54	5270	20.15	2.090	22.24	167.620	30	or 17+10log(B)=	32.57	PASS
62	5310	18.94	2.090	21.03	126.897	30	or 17+10log(B)=	32.57	PASS
102	5510	18.72	2.800	21.52	141.889	30	or 17+10log(B)=	32.57	PASS
110	5550	18.79	2.800	21.59	144.263	30	or 17+10log(B)=	32.57	PASS
134	5670	19.63	2.800	22.43	175.088	30	or 17+10log(B)=	32.57	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 107 of 107

802.11ac_VHT40_Ch0

	0_111140_0110								
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	15.61	-0.660	14.95	31.261	23.01	or 10+10log(B)=	#NUM!	PASS
46	5230	16.99	-0.660	16.33	42.954	23.01	or 10+10log(B)=	#NUM!	PASS
54	5270	17.74	-0.660	17.08	51.050	30	or 17+10log(B)=	#NUM!	PASS
62	5310	16.55	-0.660	15.89	38.815	30	or 17+10log(B)=	#NUM!	PASS
102	5510	14.23	0.610	14.84	30.479	30	or 17+10log(B)=	#NUM!	PASS
110	5550	16.15	0.610	16.76	47.424	30	or 17+10log(B)=	#NUM!	PASS
134	5670	16.87	0.610	17.48	55.976	30	or 17+10log(B)=	#NUM!	PASS

802.11ac_VHT40_Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	15.47	-2.540	12.93	19.634	23.01	or 10+10log(B)=	#NUM!	PASS
46	5230	16.44	-2.540	13.90	24.547	23.01	or 10+10log(B)=	#NUM!	PASS
54	5270	16.95	-1.180	15.77	37.757	30	or 17+10log(B)=	#NUM!	PASS
62	5310	15.69	-1.180	14.51	28.249	30	or 17+10log(B)=	#NUM!	PASS
102	5510	13.66	-1.120	12.54	17.947	30	or 17+10log(B)=	#NUM!	PASS
110	5550	15.91	-1.120	14.79	30.130	30	or 17+10log(B)=	#NUM!	PASS
134	5670	16.69	-1.120	15.57	36.058	30	or 17+10log(B)=	#NUM!	PASS

802.11ac_VHT40_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	18.41	1.460	19.87	97.088	23.01	or 10+10log(B)=	#NUM!	PASS
46	5230	19.53	1.460	20.99	125.592	23.01	or 10+10log(B)=	#NUM!	PASS
54	5270	20.11	2.090	22.20	165.968	30	or 17+10log(B)=	#NUM!	PASS
62	5310	18.89	2.090	20.98	125.444	30	or 17+10log(B)=	#NUM!	PASS
102	5510	18.66	2.800	21.46	139.942	30	or 17+10log(B)=	#NUM!	PASS
110	5550	18.46	2.800	21.26	133.687	30	or 17+10log(B)=	#NUM!	PASS
134	5670	19.59	2.800	22.39	173.303	30	or 17+10log(B)=	#NUM!	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 108 of 108

802.11ax_40_Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	full	13.82	-0.660	13.16	20.701	23.01	or 10+10log(B)=	25.77	PASS
50	5190	242/61	14.46	-0.660	13.80	23.988	23.01	or 10+10log(B)=	25.77	PASS
46	5230	full	14.13	-0.660	13.47	22.233	23.01	or 10+10log(B)=	25.76	PASS
54	5270	full	14.55	-0.660	13.89	24.491	30	or 17+10log(B)=	32.77	PASS
62	5310	full	14.28	-0.660	13.62	23.014	30	or 17+10log(B)=	32.76	PASS
62	5310	242/62	14.78	-0.660	14.12	25.823	30	or 17+10log(B)=	32.76	PASS
102	FF10	full	14.26	0.610	14.87	30.690	30	or 17+10log(B)=	32.77	PASS
102	5510	242/61	12.97	0.610	13.58	22.803	30	or 17+10log(B)=	32.77	PASS
110	5550	full	13.90	0.610	14.51	28.249	30	or 17+10log(B)=	32.77	PASS
134	5670	full	14.27	0.610	14.88	30.761	30	or 17+10log(B)=	32.77	PASS
134	30/0	242/62	13.99	0.610	14.60	28.840	30	or 17+10log(B)=	32.77	PASS

802.11ax 40 Ch1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	full	13.73	-2.540	11.19	13.152	23.01	or 10+10log(B)=	25.77	PASS
30	5190	242/61	14.23	-2.540	11.69	14.757	23.01	or 10+10log(B)=	25.77	PASS
46	5230	full	14.07	-2.540	11.53	14.223	23.01	or 10+10log(B)=	25.76	PASS
54	5270	full	13.82	-1.180	12.64	18.365	30	or 17+10log(B)=	32.76	PASS
62	5310	full	13.82	-1.180	12.64	18.365	30	or 17+10log(B)=	32.77	PASS
62	5310	242/62	14.27	-1.180	13.09	20.370	30	or 17+10log(B)=	32.77	PASS
102	FF10	full	13.54	-1.120	12.42	17.458	30	or 17+10log(B)=	32.77	PASS
102	5510	242/61	12.41	-1.120	11.29	13.459	30	or 17+10log(B)=	32.77	PASS
110	5550	full	13.82	-1.120	12.70	18.621	30	or 17+10log(B)=	32.76	PASS
124	F.C.7.0	full	14.13	-1.120	13.01	19.999	30	or 17+10log(B)=	32.77	PASS
134	5670	242/62	13.69	-1.120	12.57	18.072	30	or 17+10log(B)=	32.77	PASS

802 11ax 40 MIMO

002.114	X_4U_MIMU									
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	F100	full	16.68	1.460	18.14	65.206	23.01	or 10+10log(B)=	25.77	PASS
38	5190	242/61	16.88	1.460	18.34	68.247	23.01	or 10+10log(B)=	25.77	PASS
46	5230	full	16.89	1.460	18.35	68.327	23.01	or 10+10log(B)=	25.76	PASS
54	5270	full	16.98	2.090	19.07	80.689	30	or 17+10log(B)=	32.76	PASS
C 2	F310	full	16.84	2.090	18.93	78.238	30	or 17+10log(B)=	32.76	PASS
62	5310	242/62	16.97	2.090	19.06	80.590	30	or 17+10log(B)=	32.76	PASS
102	FF10	full	16.72	2.800	19.52	89.615	30	or 17+10log(B)=	32.77	PASS
102	5510	242/61	15.44	2.800	18.24	66.720	30	or 17+10log(B)=	32.77	PASS
110	5550	full	16.68	2.800	19.48	88.692	30	or 17+10log(B)=	32.76	PASS
134	5670	full	16.98	2.800	19.78	95.103	30	or 17+10log(B)=	32.77	PASS
134	30/0	242/62	16.70	2.800	19.50	89.171	30	or 17+10log(B)=	32.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 109 of 109

802.11ac_VHT80_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)		RESULT	
42	5210	16.07	-0.660	15.41	34.783	23.01	or 10+10log(B)=	28.78	PASS
58	5290	16.60	-0.660	15.94	39.297	30	or 17+10log(B)=	35.78	PASS
106	5530	14.07	0.610	14.68	29.401	30	or 17+10log(B)=	35.78	PASS

802.11ac_VHT80_Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)		RESULT	
42	5210	15.66	-2.540	13.12	20.529	23.01	or 10+10log(B)=	28.78	PASS
58	5290	15.79	-1.180	14.61	28.931	30	or 17+10log(B)=	35.78	PASS
106	5530	13.56	-1.120	12.44	17.554	30	or 17+10log(B)=	35.77	PASS

802.11ac_VHT80_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)			RESULT
42	5210	18.23	1.460	19.69	93.034	23.01	or 10+10log(B)=	28.78	PASS
58	5290	18.69	2.090	20.78	119.745	30	or 17+10log(B)=	35.78	PASS
106	5530	18.69	2.800	21.49	140.797	30	or 17+10log(B)=	35.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 110 of 110

802.11ax 80 Ch0

002.11d	<u> </u>									
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	full	14.37	-0.660	13.71	23.516	23.01	or 10+10log(B)=	28.87	PASS
42	5210	484/65	14.58	-0.660	13.92	24.681	23.01	or 10+10log(B)=	28.87	PASS
го.	F200	full	14.59	-0.660	13.93	24.738	30	or 17+10log(B)=	35.87	PASS
58	5290	484/66	14.63	-0.660	13.97	24.967	30	or 17+10log(B)=	35.87	PASS
106	FF20	full	13.79	0.610	14.40	27.565	30	or 17+10log(B)=	35.88	PASS
106	5530	484/65	11.99	0.610	12.60	18.212	30	or 17+10log(B)=	35.88	PASS

802 11ax 80 Ch1

002.11a	X_60_CII I									
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	full	13.82	-2.540	11.28	13.439	23.01	or 10+10log(B)=	28.87	PASS
42	5210	484/65	14.46	-2.540	11.92	15.573	23.01	or 10+10log(B)=	28.87	PASS
58	5290	full	13.69	-1.180	12.51	17.839	30	or 17+10log(B)=	35.88	PASS
36	5290	484/66	14.25	-1.180	13.07	20.294	30	or 17+10log(B)=	35.88	PASS
100	FF30	full	12.99	-1.120	11.87	15.394	30	or 17+10log(B)=	35.87	PASS
106	5530	484/65	11.95	-1.120	10.83	12.116	30	or 17+10log(B)=	35.87	PASS

802.11ax 80 MIMO

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	full	16.69	1.460	18.15	65.291	23.01	or 10+10log(B)=	28.87	PASS
42	5210	484/65	16.87	1.460	18.33	68.054	23.01	or 10+10log(B)=	28.87	PASS
58	5290	full	16.66	2.090	18.75	74.970	30	or 17+10log(B)=	35.87	PASS
36	5290	484/66	16.76	2.090	18.85	76.714	30	or 17+10log(B)=	35.87	PASS
100	FF20	full	15.82	2.800	18.62	72.722	30	or 17+10log(B)=	35.87	PASS
106	5530	484/65	14.26	2.800	17.06	50.861	30	or 17+10log(B)=	35.87	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 111 of 111

802.11ax 160 Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)			
		full	12.96	-0.660	12.30	16.997	30	or 17+10log(B)=	38.93	PASS	
50	5250	996/67	11.40	-0.660	10.74	11.868	30	or 17+10log(B)=	38.93	PASS	
		996/S67	13.71	-0.660	13.05	20.201	30	or 17+10log(B)=	38.93	PASS	
		full	12.97	0.610	13.58	22.823	30	or 17+10log(B)=	38.94	PASS	
114	5570	996/67	10.09	0.610	10.70	11.759	30	or 17+10log(B)=	38.94	PASS	
		996/S67	12.75	0.610	13.36	21.695	30	or 17+10log(B)=	38.94	PASS	

802 11ax 160 Ch1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		
		full	12.88	-1.180	11.70	14.804	30	or 17+10log(B)=	38.94	PASS
50	5250	996/67	10.59	-1.180	9.41	8.737	30	or 17+10log(B)=	38.94	PASS
		996/S67	13.43	-1.180	12.25	16.802	30	or 17+10log(B)=	38.94	PASS
		full	12.91	-1.120	11.79	15.113	30	or 17+10log(B)=	38.94	PASS
114	5570	996/67	9.69	-1.120	8.57	7.201	30	or 17+10log(B)=	38.94	PASS
		996/S67	12.60	-1.120	11.48	14.072	30	or 17+10log(B)=	38.94	PASS

802.11ax 160 MIMO

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		
		full	15.66	2.090	17.75	59.626	30	or 17+10log(B)=	31.93	PASS
50	5250	996/67	13.34	2.090	15.43	34.934	30	or 17+10log(B)=	31.93	PASS
		996/S67	15.84	2.090	17.93	62.081	30	or 17+10log(B)=	31.93	PASS
		full	15.68	2.800	18.48	70.549	30	or 17+10log(B)=	31.94	PASS
114	5570	996/67	12.26	2.800	15.06	32.060	30	or 17+10log(B)=	31.94	PASS
		996/S67	15.13	2.800	17.93	62.020	30	or 17+10log(B)=	31.94	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 112 of 112

9.5.3 Conducted output power (ISED)

802.11a Ch0

<u></u>	,0110						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	18.89	77.511	23.98	or 11+10log(B) =	23.14	PASS
60	5300	17.78	60.030	23.98	or 11+10log(B) =	23.14	PASS
64	5320	16.59	45.642	23.98	or 11+10log(B) =	23.14	PASS
100	5500	16.42	43.890	23.98	or 11+10log(B) =	23.15	PASS
116	5580	18.25	66.891	23.98	or 11+10log(B) =	23.15	PASS
140	5700	16.57	45.432	23.98	or 11+10log(B) =	23.14	PASS
144	5720(U-NII 2C)	-1.11	0.774	23.98	or 11+10log(B) =	22.2	PASS
144	5720 (U-NII 3)	-6.27	0.236		30		PASS
149	5745	17.93	62.139		30		PASS
157	5785	18.00	63.149		30		PASS
165	5825	17.62	57.858		30		PASS

802.11a_Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)			
52	5260	17.87	61.286	23.98	or 11+10log(B) =	23.15	PASS	
60	5300	17.01	50.276	23.98	or 11+10log(B) =	23.14	PASS	
64	5320	15.71	37.270	23.98	or 11+10log(B) =	23.15	PASS	
100	5500	15.64	36.675	23.98	or 11+10log(B) =	23.14	PASS	
116	5580	17.81	60.446	23.98	or 11+10log(B) =	23.14	PASS	
140	5700	16.51	44.809	23.98	or 11+10log(B) =	23.14	PASS	
144	5720(U-NII 2C)	-1.10	0.777	23.98	or 11+10log(B) =	22.2	PASS	
144	5720 (U-NII 3)	-6.32	0.233		30		PASS	
149	5745	17.61	57.725		30		PASS	
157	5785	17.86	61.146			PASS		
165	5825	17.58	57.328			PASS		

802.11a 2Tx

СН	Frequency	A	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
OII	(MHz)	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		RESOLI
52	5260	18.42	17.39	0	0	20.99	125.586	23.98	or 11+10log(B) =	23.14	PASS
60	5300	17.55	16.37	0	0	20.05	101.249	23.98	or 11+10log(B) =	23.14	PASS
64	5320	16.57	15.03	0	0	18.92	78.016	23.98	or 11+10log(B) =	23.14	PASS
100	5500	16.48	14.7	0	0	18.73	74.722	23.98	or 11+10log(B) =	23.14	PASS
116	5580	18.17	17.23	0	0	20.78	119.656	23.98	or 11+10log(B) =	23.14	PASS
140	5700	16.51	15.93	0	0	19.28	84.793	23.98	or 11+10log(B) =	23.14	PASS
144	5720(U-NII 2C)	16.69365	16.50068			19.65	92.226	23.98	or 11+10log(B) =	22.2	PASS
144	5720 (U-NII 3)	11.53769	11.27139			14.46	27.905		30		PASS
149	5745	17.77	17.41	0	0	20.65	116.083		30	•	PASS
157	5785	17.78	17.51	0	0	20.70	117.518		30		PASS
165	5825	17.98	17.79	0	0	20.94	124.165		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 113 of 113

802.11n_HT20_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	18.65	73.282	23.98	or 11+10log(B) =	23.45	PASS
60	5300	17.42	55.208	23.98	or 11+10log(B) =	23.46	PASS
64	5320	16.36	43.251	23.98	or 11+10log(B) =	23.45	PASS
100	5500	16.33	42.954	23.98	or 11+10log(B) =	23.45	PASS
116	5580	18.11	64.714	23.98	or 11+10log(B) =	23.45	PASS
140	5700	16.35	43.152	23.98	or 11+10log(B) =	23.45	PASS
144	5720(U-NII 2C)	-1.26	0.748	23.98	or 11+10log(B) =	22.40	PASS
144	5720 (U-NII 3)	-5.99	0.252		30		PASS
149	5745	18.32	67.920		30		PASS
157	5785	18.36	68.549		30		PASS
165	5825	18.13	65.013			PASS	

802.11n HT20 Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT		
52	5260	17.93	62.087	23.98	or 11+10log(B) =	23.45	PASS		
60	5300	16.82	48.084	23.98	or 11+10log(B) =	23.45	PASS		
64	5320	15.44	34.995	23.98	or 11+10log(B) =	23.45	PASS		
100	5500	15.46	35.156	23.98	or 11+10log(B) =	23.45	PASS		
116	5580	17.65	58.210	23.98	or 11+10log(B) =	23.46	PASS		
140	5700	16.31	42.756	23.98	or 11+10log(B) =	23.45	PASS		
144	5720(U-NII 2C)	-1.24	0.752	23.98	or 11+10log(B) =	22.4	PASS		
144	5720 (U-NII 3)	-6.05	0.248		30		PASS		
149	5745	17.90	61.660		30		PASS		
157	5785	18.21	66.222		30		PASS		
165	5825	17.82	60.534		30		PASS		

802.11n HT20 MIMO

СН	Frequency	А	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		RESULT
52	5260	18.54	17.33	0	0	20.99	125.525	23.98	or 11+10log(B) =	23.45	PASS
60	5300	17.45	16.35	0	0	19.95	98.742	23.98	or 11+10log(B) =	23.45	PASS
64	5320	16.42	14.97	0	0	18.77	75.258	23.98	or 11+10log(B) =	23.45	PASS
100	5500	16.27	14.53	0	0	18.50	70.743	23.98	or 11+10log(B) =	23.45	PASS
116	5580	18.05	17.1	0	0	20.61	115.112	23.98	or 11+10log(B) =	23.45	PASS
140	5700	16.42	15.82	0	0	19.14	82.047	23.98	or 11+10log(B) =	23.45	PASS
144	5720(U-NII 2C)	16.47054	16.25081			19.37	86.544	23.98	or 11+10log(B) =	22.4	PASS
144	5720 (U-NII 3)	11.73948	11.43868			14.60	28.853		30		PASS
149	5745	18.09	17.87	0	0	20.99	125.652		30		PASS
157	5785	18.17	17.75	0	0	20.98	125.181		30		PASS
165	5825	17.92	17.65	0	0	20.80	120.154		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 114 of 114

802.11ac VHT20 Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	18.62	72.778	23.98	or 11+10log(B) =	#NUM!	PASS
60	5300	17.39	54.828	23.98	or 11+10log(B) =	#NUM!	PASS
64	5320	16.33	42.954	23.98	or 11+10log(B) =	#NUM!	PASS
100	5500	16.28	42.462	23.98	or 11+10log(B) =	#NUM!	PASS
116	5580	18.07	64.121	23.98	or 11+10log(B) =	#NUM!	PASS
140	5700	16.32	42.855	23.98	or 11+10log(B) =	#NUM!	PASS
144	5720(U-NII 2C)	-1.26	0.748	23.98	or 11+10log(B) =	#NUM!	PASS
144	5720 (U-NII 3)	-5.99	0.252		30		PASS
149	5745	18.29	67.453		30		PASS
157	5785	18.33	68.077		30		PASS
165	5825	18.10	64.565		30		PASS

802.11ac VHT20 Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	17.90	61.660	23.98	or 11+10log(B) =	#NUM!	PASS
60	5300	16.79	47.753	23.98	or 11+10log(B) =	#NUM!	PASS
64	5320	15.41	34.754	23.98	or 11+10log(B) =	#NUM!	PASS
100	5500	15.43	34.914	23.98	or 11+10log(B) =	#NUM!	PASS
116	5580	17.62	57.810	23.98	or 11+10log(B) =	#NUM!	PASS
140	5700	16.28	42.462	23.98	or 11+10log(B) =	#NUM!	PASS
144	5720(U-NII 2C)	-1.24	0.752	23.98	or 11+10log(B) =	#NUM!	PASS
144	5720 (U-NII 3)	-6.05	0.248		30		PASS
149	5745	17.67	58.479		30		PASS
157	5785	18.17	65.615		30		PASS
165	5825	17.79	60.117		30		PASS

802.11ac_VHT20_MIMO

СН	Frequency	А	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		RESULT
52	5260	18.51	17.31	0	0	20.96	124.785	23.98	or 11+10log(B) =	#NUM!	PASS
60	5300	17.38	16.24	0	0	19.86	96.774	23.98	or 11+10log(B) =	#NUM!	PASS
64	5320	16.36	14.87	0	0	18.69	73.942	23.98	or 11+10log(B) =	#NUM!	PASS
100	5500	13.63	12.21	0	0	15.99	39.702	23.98	or 11+10log(B) =	#NUM!	PASS
116	5580	17.97	17.09	0	0	20.56	113.830	23.98	or 11+10log(B) =	#NUM!	PASS
140	5700	16.37	15.75	0	0	19.08	80.935	23.98	or 11+10log(B) =	#NUM!	PASS
144	5720(U-NII 2C)	16.45054	16.20081			19.34	85.857	23.98	or 11+10log(B) =	#NUM!	PASS
144	5720 (U-NII 3)	11.71948	11.38868			14.57	28.625		30		PASS
149	5745	18.01	17.77	0	0	20.90	123.082		30	•	PASS
157	5785	18.11	17.72	0	0	20.93	123.870		30		PASS
165	5825	17.88	17.63	0	0	20.77	119.319		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 115 of 115

802.11ax HE20 Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	full	14.63	29.040	23.98	or 11+10log(B) =	23.77	PASS
60	5300	full	14.43	27.733	23.98	or 11+10log(B) =	23.77	PASS
		full	14.25	26.607	23.98	or 11+10log(B) =	23.77	PASS
64	F220	26/8	10.92	12.359	23.98	or 11+10log(B) =	23.77	PASS
64	5320	52/40	13.38	21.777	23.98	or 11+10log(B) =	23.77	PASS
		106/54	14.49	28.119	23.98	or 11+10log(B) =	23.77	PASS
		full	14.37	27.353	23.98	or 11+10log(B) =	23.76	PASS
100	5500	26/0	11.12	12.942	23.98	or 11+10log(B) =	23.76	PASS
100	5500	52/37	13.52	22.491	23.98	or 11+10log(B) =	23.76	PASS
		106/53	14.66	29.242	23.98	or 11+10log(B) =	23.76	PASS
116	5580	full	14.02	25.235	23.98	or 11+10log(B) =	23.77	PASS
		full	13.93	24.717	23.98	or 11+10log(B) =	23.77	PASS
140	5700	26/8	9.89	9.750	23.98	or 11+10log(B) =	23.77	PASS
140	3700	52/40	12.32	17.061	23.98	or 11+10log(B) =	23.77	PASS
		106/54	14.28	26.792	23.98	or 11+10log(B) =	23.77	PASS
144	5720(U-NII 2C)	full	-1.30	0.741	23.98	or 11+10log(B) =	17.49	PASS
144	5720 (U-NII 3)	full	-5.86	0.259		30		PASS
		full	14.08	25.586		30		PASS
149	5745	26/0	14.12	25.823		30		PASS
149	3743	52/37	14.44	27.797		30		PASS
		106/53	13.87	24.378		30		PASS
157	5785	full	14.27	26.730		30		PASS
		full	14.49	28.119		30		PASS
165	E02E	26/8	14.09	25.645		30		PASS
100	5825	52/40	14.17	26.122		PASS		
		106/54	14.17	26.122		PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 116 of 116

802.11ax HE20 Ch1

002.11ax	_HE2U_Cn1							
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	full	14.03	25.293	23.98	or 11+10log(B) =	23.77	PASS
60	5300	full	14.08	25.586	23.98	or 11+10log(B) =	23.77	PASS
		full	13.92	24.660	23.98	or 11+10log(B) =	23.77	PASS
C 4	5220	26/8	10.46	11.117	23.98	or 11+10log(B) =	23.77	PASS
64	5320	52/40	13.33	21.528	23.98	or 11+10log(B) =	23.77	PASS
		106/54	14.25	26.607	23.98	or 11+10log(B) =	23.77	PASS
		full	13.63	23.067	23.98	or 11+10log(B) =	23.77	PASS
100	FF00	26/0	10.43	11.041	23.98	or 11+10log(B) =	23.77	PASS
100	5500	52/37	13.45	22.131	23.98	or 11+10log(B) =	23.77	PASS
		106/53	13.97	24.946	23.98	or 11+10log(B) =	23.77	PASS
116	5580	full	13.97	24.946	23.98	or 11+10log(B) =	23.77	PASS
		full	13.57	22.751	23.98	or 11+10log(B) =	23.77	PASS
140	5700	26/8	9.71	9.354	23.98	or 11+10log(B) =	23.77	PASS
140	3700	52/40	12.06	16.069	23.98	or 11+10log(B) =	23.77	PASS
		106/54	13.84	24.210	23.98	or 11+10log(B) =	23.77	PASS
144	5720(U-NII 2C)	full	-1.30	0.741	23.98	or 11+10log(B) =	22.6	PASS
144	5720 (U-NII 3)	full	-5.86	0.259		30		PASS
		full	13.65	23.174		30		PASS
149	5745	26/0	12.55	17.989		30		PASS
149	5/45	52/37	13.93	24.717		30		PASS
		106/53	13.28	21.281		30		PASS
157	5785	full	14.23	26.485		30		PASS
		full	13.75	23.714		30		PASS
165	E02E	26/8	13.66	23.227		30		PASS
103	5825	52/40	13.47	22.233			PASS	
		106/54	13.45	22.131		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 117 of 117

802.11ax HE20 MIMO

СН	Frequency	RU config.	А	VERAGE PO	OWER (dBn	1)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
OII	(MHz)	No comig.	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		KLSOLI
52	5260	full	14.55	13.24	0	0	16.95	49.596	23.98	or 11+10log(B) =	23.77	PASS
60	5300	full	14.31	13.47	0	0	16.92	49.210	23.98	or 11+10log(B) =	23.77	PASS
		full	14.16	13.38	0	0	16.80	47.839	23.98	or 11+10log(B) =	23.77	PASS
64	5320	26/8	10.85	9.84	0	0	13.38	21.800	23.98	or 11+10log(B) =	23.77	PASS
04	5320	52/40	13.33	12.75	0	0	16.06	40.364	23.98	or 11+10log(B) =	23.77	PASS
		106/54	14.28	13.61	0	0	16.97	49.753	23.98	or 11+10log(B) =	23.77	PASS
		full	14.32	12.98	0	0	16.71	46.901	23.98	or 11+10log(B) =	23.76	PASS
100	5500	26/0	10.96	9.93	0	0	13.49	22.314	23.98	or 11+10log(B) =	23.76	PASS
100	5500	52/37	13.49	12.28	0	0	15.94	39.240	23.98	or 11+10log(B) =	23.76	PASS
		106/53	14.53	13.31	0	0	16.97	49.808	23.98	or 11+10log(B) =	23.76	PASS
116	5580	full	14.17	13.37	0	0	16.80	47.849	23.98	or 11+10log(B) =	23.77	PASS
		full	13.76	13.64	0	0	16.71	46.889	23.98	or 11+10log(B) =	23.77	PASS
1.40	F700	26/8	9.89	8.89	0	0	12.43	17.495	23.98	or 11+10log(B) =	23.77	PASS
140	5700	52/40	12.24	11.72	0	0	15.00	31.609	23.98	or 11+10log(B) =	23.77	PASS
		106/54	13.86	13.8	0	0	16.84	48.310	23.98	or 11+10log(B) =	23.77	PASS
144	5720(U-NII 2C)	full	12.47525	12.17525			15.34	34.183	23.98	or 11+10log(B) =	22.6	PASS
144	5720 (U-NII 3)	full	7.92137	7.62137			10.78	11.979		30		PASS
		full	13.82	13.64	0	0	16.74	47.220		30		PASS
1.40	F74F	26/0	13.47	13.81	0	0	16.65	46.277		30		PASS
149	5745	52/37	13.9	14.02	0	0	16.97	49.782		30		PASS
		106/53	13.51	13.62	0	0	16.58	45.453		30		PASS
157	5785	full	14.22	13.71	0	0	16.98	49.920		30		PASS
		full	13.84	14.04	0	0	16.95	49.562		30		PASS
165	F02F	26/8	13.79	13.69	0	0	16.75	47.322		30		PASS
165	5825	52/40	13.6	13.7	0	0	16.66	46.351	_	30		PASS
		106/54	13.52	13.77	0	0	16.66	46.314		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 118 of 118

802.11n_HT40_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	17.77	59.841	23.98	or 11+10log(B) =	26.57	PASS
62	5310	16.58	45.499	23.98	or 11+10log(B) =	26.57	PASS
102	5510	14.26	26.669	23.98	or 11+10log(B) =	26.57	PASS
110	5550	16.18	41.495	23.98	or 11+10log(B) =	26.57	PASS
134	5670	16.91	49.091	23.98	or 11+10log(B) =	26.57	PASS
142	5710(U-NII 2C)	-0.56	0.879	23.98	or 11+10log(B) =	26.19	PASS
142	5710 (U-NII 3)	-9.19	0.121		30		PASS
151	5755	17.83	60.674		30	·	PASS
159	5795	17.99	62.951			PASS	

802.11n HT40 Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	16.95	49.545	23.98	or 11+10log(B) =	26.57	PASS
62	5310	15.69	37.068	23.98	or 11+10log(B) =	26.58	PASS
102	5510	13.66	23.227	23.98	or 11+10log(B) =	26.58	PASS
110	5550	15.91	38.994	23.98	or 11+10log(B) =	26.57	PASS
134	5670	16.69	46.666	23.98	or 11+10log(B) =	26.57	PASS
142	5710(U-NII 2C)	-0.54	0.884	23.98	or 11+10log(B) =	26.19	PASS
142	5710 (U-NII 3)	-9.36	0.116	30			PASS
151	5755	17.57	57.148		30		PASS
159	5795	17.77	59.841			PASS	

802.11n HT40 MIMO

СН	Frequency	А	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT			RESULT
GII	(MHz)	CH 0	CH 1	CH 2	CH3	(dBm)	(mW)		(dBm)		KLOOLI
54	5270	17.68	16.53	0	0	20.15	103.592	23.98	or 11+10log(B) =	26.57	PASS
62	5310	16.54	15.23	0	0	18.94	78.424	23.98	or 11+10log(B) =	26.57	PASS
102	5510	16.44	14.83	0	0	18.72	74.464	23.98	or 11+10log(B) =	26.57	PASS
110	5550	16.19	15.33	0	0	18.79	75.710	23.98	or 11+10log(B) =	26.57	PASS
134	5670	16.76	16.48	0	0	19.63	91.887	23.98	or 11+10log(B) =	26.57	PASS
142	5710(U-NII 2C)	17.11168	17.10464			20.12	102.765	23.98	or 11+10log(B) =	26.19	PASS
142	5710 (U-NII 3)	8.484817	8.28366			11.40	13.790		30		PASS
151	5755	17.66	17.51	0	0	20.60	114.708		30		PASS
159	5795	17.75	17.61	0	0	20.69	117.243		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 119 of 119

802.11ac VHT40 Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	17.74	59.429	23.98	or 11+10log(B) =	#NUM!	PASS
62	5310	16.55	45.186	23.98	or 11+10log(B) =	#NUM!	PASS
102	5510	14.23	26.485	23.98	or 11+10log(B) =	#NUM!	PASS
110	5550	16.15	41.210	23.98	or 11+10log(B) =	#NUM!	PASS
134	5670	16.87	48.641	23.98	or 11+10log(B) =	#NUM!	PASS
142	5710(U-NII 2C)	-0.56	0.879	23.98	or 11+10log(B) =	#NUM!	PASS
142	5710 (U-NII 3)	-9.19	0.121		30		PASS
151	5755	17.80	60.256		30		PASS
159	5795	17.96	62.517		30		PASS

802.11ac VHT40 Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	16.95	49.545	23.98	or 11+10log(B) =	#NUM!	PASS
62	5310	15.69	37.068	23.98	or 11+10log(B) =	#NUM!	PASS
102	5510	13.66	23.227	23.98	or 11+10log(B) =	#NUM!	PASS
110	5550	15.91	38.994	23.98	or 11+10log(B) =	#NUM!	PASS
134	5670	16.69	46.666	23.98	or 11+10log(B) =	#NUM!	PASS
142	5710(U-NII 2C)	-0.54	0.884	23.98	or 11+10log(B) =	#NUM!	PASS
142	5710 (U-NII 3)	-9.36	0.116		30		PASS
151	5755	17.57	57.148		30		PASS
159	5795	17.77	59.841		30		PASS

802.11ac VHT40 MIMO

00211140											
СН	Frequency	А	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	(MHz)	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		11.20021
54	5270	17.65	16.47	0	0	20.11	102.571	23.98	or 11+10log(B) =	#NUM!	PASS
62	5310	16.49	15.18	0	0	18.89	77.527	23.98	or 11+10log(B) =	#NUM!	PASS
102	5510	16.38	14.77	0	0	18.66	73.443	23.98	or 11+10log(B) =	#NUM!	PASS
110	5550	16.23	14.5	0	0	18.46	70.160	23.98	or 11+10log(B) =	#NUM!	PASS
134	5670	16.73	16.42	0	0	19.59	90.951	23.98	or 11+10log(B) =	#NUM!	PASS
142	5710(U-NII 2C)	17.07168	17.07464			20.08	101.940	23.98	or 11+10log(B) =	#NUM!	PASS
142	5710 (U-NII 3)	8.444817	8.25366			11.36	13.679		30		PASS
151	5755	17.62	17.47	0	0	20.56	113.657		30		PASS
159	5795	17.71	17.58	0	0	20.66	116.300		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 120 of 120

802.11ax_HE40_Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	full	14.55	28.510	23.98	or 11+10log(B) =	26.77	PASS
62	F210	full	14.28	26.792	23.98	or 11+10log(B) =	26.76	PASS
02	5310	242/62	14.78	30.061	23.98	or 11+10log(B) =	26.76	PASS
102	5510	full	14.26	26.669	23.98	or 11+10log(B) =	26.77	PASS
102	2210	242/61	12.97	19.815	23.98	or 11+10log(B) =	26.77	PASS
110	5550	full	13.90	24.547	23.98	or 11+10log(B) =	26.77	PASS
134	5670	full	14.27	26.730	23.98	or 11+10log(B) =	26.77	PASS
154	3070	242/62	13.99	25.061	23.98	or 11+10log(B) =	26.77	PASS
142	5710(U-NII 2C)	full	-0.59	0.873	23.98	or 11+10log(B) =	26.3	PASS
142	5710 (U-NII 3)	full	-8.95	0.127		30		PASS
151	5755	full	13.98	25.003		30		PASS
151	5/55	242/61	13.96	24.889		30		PASS
150	E70E	full	13.83	24.155		30		PASS
159	5795	242/62	14.07	25.527		30		PASS

802.11ax HE40 Ch1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	full	13.82	24.099	23.98	or 11+10log(B) =	26.76	PASS
62	F210	full	13.82	24.099	23.98	or 11+10log(B) =	26.77	PASS
62	5310	242/62	14.27	26.730	23.98	or 11+10log(B) =	26.77	PASS
102	FF10	full	13.54	22.594	23.98	or 11+10log(B) =	26.77	PASS
102	5510	242/61	12.41	17.418	23.98	or 11+10log(B) =	26.77	PASS
110	5550	full	13.82	24.099	23.98	or 11+10log(B) =	26.76	PASS
124	F.C.70	full	14.13	25.882	23.98	or 11+10log(B) =	26.77	PASS
134	5670	242/62	13.69	23.388	23.98	or 11+10log(B) =	26.77	PASS
142	5710(U-NII 2C)	full	-0.59	0.872	23.98	or 11+10log(B) =	26.3	PASS
142	5710 (U-NII 3)	full	-8.93	0.128		30		PASS
151	F7FF	full	13.93	24.717		30		PASS
151	5755	242/61	14.38	27.416		30		PASS
150	F.70F	full	13.72	23.550		30		PASS
159	5795	242/62	13.79	23.933		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 121 of 121

802.11ax_HE40_MIMO

СН	Frequency	RU config.	А	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
0.1	(MHz)	ixo comig.	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		REGOLI
54	5270	full	14.47	13.4	0	0	16.98	49.867	23.98	or 11+10log(B) =	26.76	PASS
62	F210	full	14.22	13.41	0	0	16.84	48.352	23.98	or 11+10log(B) =	26.76	PASS
62	5310	242/62	14.28	13.62	0	0	16.97	49.806	23.98	or 11+10log(B) =	26.76	PASS
102	5510	full	14.22	13.14	0	0	16.72	47.030	23.98	or 11+10log(B) =	26.77	PASS
102	3310	242/61	12.93	11.87	0	0	15.44	35.015	23.98	or 11+10log(B) =	26.77	PASS
110	5550	full	13.84	13.49	0	0	16.68	46.546	23.98	or 11+10log(B) =	26.76	PASS
134	5670	full	14.09	13.85	0	0	16.98	49.911	23.98	or 11+10log(B) =	26.77	PASS
134	3670	242/62	13.82	13.56	0	0	16.70	46.798	23.98	or 11+10log(B) =	26.77	PASS
142	5710(U-NII 2C)	full	13.10897	12.98574			16.06	40.347	23.98	or 11+10log(B) =	26.3	PASS
142	5710 (U-NII 3)	full	4.74612	4.648159			7.71	5.899		30		PASS
151	F7FF	full	13.75	13.54	0	0	16.66	46.308		30		PASS
151	5755	242/61	13.94	13.87	0	0	16.92	49.152		30		PASS
150	5795	full	13.82	13.37	0	0	16.61	45.826		30		PASS
159	5/95	242/62	13.86	13.47	0	0	16.68	46.555		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 122 of 122

802.11ac_VHT80_Ch0

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
58	5290	16.60	45.747	23.98	or 11+10log(B) =	29.78	PASS
106	5530	14.07	25.548	23.98	or 11+10log(B) =	29.78	PASS
122	5610	16.21	41.818	23.98	or 11+10log(B) =	29.77	PASS
138	5690(U-NII 2C)	-0.26	0.941	23.98	or 11+10log(B) =	15.35	PASS
138	5690 (U-NII 3)	-11.62	0.069		30		PASS
155	5775	17.92	61.996		30		PASS

802.11ac_VHT80_Ch1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
58	5290	15.79	37.963	23.98	or 11+10log(B) =	29.78	PASS
106	5530	13.56	22.718	23.98	or 11+10log(B) =	29.77	PASS
122	5610	15.90	38.937	23.98	or 11+10log(B) =	29.77	PASS
138	5690(U-NII 2C)	-0.25	0.944	23.98	or 11+10log(B) =	29.62	PASS
138	5690 (U-NII 3)	-11.77	0.067		30		PASS
155	5775	17.67	58.528		30	·	PASS

802.11ac_VHT80_MIMO

СН	Frequency	AVERAGE POWER (dBm)				TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		RESULT
58	5290	16.18	15.02	0	0	18.69	74.004	23.98	or 11+10log(B) =	29.78	PASS
106	5530	16.28	14.87	0	0	18.69	73.891	23.98	or 11+10log(B) =	29.77	PASS
122	5610	15.83	15.03	0	0	18.50	70.833	23.98	or 11+10log(B) =	29.77	PASS
138	5690(U-NII 2C)	17.41338	17.47385			20.49	112.047	23.98	or 11+10log(B) =	29.62	PASS
138	5690 (U-NII 3)	6.055793	5.960066			9.06	8.051		30	•	PASS
155	5775	17.59	17.33	0	0	20.52	112.613		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 123 of 123

802.11ax_HE80_Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
го	5290	full	14.59	28.798	23.98	or 11+10log(B) =	29.87	PASS
58	5290	484/66	14.63	29.065	23.98	or 11+10log(B) =	29.87	PASS
100	FF30	full	13.79	23.953	23.98	or 11+10log(B) =	29.88	PASS
106	5530	484/65	11.99	15.826	23.98	or 11+10log(B) =	29.88	PASS
122	5610	full	13.92	24.681	23.98	or 11+10log(B) =	29.87	PASS
138	5690(U-NII 2C)	full	-0.27	0.939	23.98	or 11+10log(B) =	29.67	PASS
138	5690 (U-NII 3)	full	-11.47	0.071		30		PASS
		full	14.46	27.949		30		PASS
155	5775	484/65	14.35	27.250		30		PASS
		484/66	14.62	28.998		30		PASS

802.11ax_HE80_Ch1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
Γ0	F200	full	13.69	23.408	23.98	or 11+10log(B) =	29.88	PASS
58	5290	484/66	14.25	26.630	23.98	or 11+10log(B) =	29.88	PASS
106	FF20	full	12.99	19.923	23.98	or 11+10log(B) =	29.87	PASS
106	5530	484/65	11.95	15.681	23.98	or 11+10log(B) =	29.87	PASS
122	5610	full	13.76	23.788	23.98	or 11+10log(B) =	29.87	PASS
138	5690(U-NII 2C)	full	-0.28	0.938	23.98	or 11+10log(B) =	29.67	PASS
138	5690 (U-NII 3)	full	-11.43	0.072		30		PASS
		full	14.22	26.446		30		PASS
155	5775	484/65	14.22	26.446		30		PASS
		484/66	14.39	27.502		30		PASS

802.11ax_HE80_MIMO

СН	Frequency	RU config.	А	VERAGE PO	OWER (dBn	n)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	Ko comig.	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)		(dBm)		1120021
го.	F200	full	13.95	13.23	0	0	16.66	46.332	23.98	or 11+10log(B) =	29.87	PASS
58	5290	484/66	14.1	13.27	0	0	16.76	47.411	23.98	or 11+10log(B) =	29.87	PASS
106	5530	full	13.33	12.11	0	0	15.82	38.165	23.98	or 11+10log(B) =	29.87	PASS
100	3330	484/65	11.69	10.67	0	0	14.26	26.692	23.98	or 11+10log(B) =	29.87	PASS
122	5610	full	13.74	13.36	0	0	16.61	45.794	23.98	or 11+10log(B) =	29.87	PASS
138	5690(U-NII 2C)	full	13.5725	13.29881			16.49	44.546	23.98	or 11+10log(B) =	29.67	PASS
138	5690 (U-NII 3)	full	2.371857	2.1502			5.31	3.398		30		PASS
		full	13.92	13.53	0	0	16.78	47.680		30		PASS
155	5775	484/65	13.89	13.29	0	0	16.65	46.284		30		PASS
		484/66	13.9	13.47	0	0	16.74	47.253		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 124 of 124

802.11ax_HE160_Ch0

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		full	12.96	19.786	23.98	or 11+10log(B) =	32.93	PASS
50	5250	996/67	11.40	13.815	23.98	or 11+10log(B) =	32.93	PASS
		996/S67	13.71	23.516	23.98	or 11+10log(B) =	32.93	PASS
		full	12.97	19.832	23.98	or 11+10log(B) =	32.94	PASS
114	5570	996/67	10.09	10.218	23.98	or 11+10log(B) =	32.94	PASS
		996/S67	12.75	18.852	23.98	or 11+10log(B) =	32.94	PASS

802.11ax_HE160_Ch1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		full	12.88	19.425	23.98	or 11+10log(B) =	32.94	PASS
50	5250	996/67	10.59	11.465	23.98	or 11+10log(B) =	32.94	PASS
		996/S67	13.43	22.048	23.98	or 11+10log(B) =	32.94	PASS
		full	12.91	19.560	23.98	or 11+10log(B) =	32.94	PASS
114	5570	996/67	9.69	9.319	23.98	or 11+10log(B) =	32.94	PASS
		996/S67	12.60	18.212	23.98	or 11+10log(B) =	32.94	PASS

802.11ax_HE160_MIMO

СН	Frequency	RU config.	AVERAGE POWER (dBm)				TOTAL	TOTAL TOTAL POWER		REQUIRED LIMIT		RESULT
(MHz)		No comig.	CH 0	CH 1	CH 2	СНЗ	(dBm)	(mW)	(dBm)			KESSET
		full	12.67	12.55	0	0	15.66	36.850	23.98	or 11+10log(B) =	32.93	PASS
50	5250	996/67	10.11	10.46	0	0	13.34	21.590	23.98	or 11+10log(B) =	32.93	PASS
		996/S67	12.86	12.71	0	0	15.84	38.367	23.98	or 11+10log(B) =	32.93	PASS
		full	12.72	12.54	0	0	15.68	37.024	23.98	or 11+10log(B) =	32.94	PASS
114	5570	996/67	9.82	8.49	0	0	12.26	16.825	23.98	or 11+10log(B) =	32.94	PASS
		996/S67	12.18	11.96	0	0	15.13	32.549	23.98	or 11+10log(B) =	32.94	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 125 of 125

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band		EUT CATEGORY	LIMIT				
		Access Point (Master device)	17dBm/ MHz				
U-NII-1		Fixed point-to-point Access Ponit	t Trabili in 12				
	\boxtimes	Mobile and portable client device	11dBm/ MHz				
U-NII-2A	\boxtimes		11dBm/ MHz				
U-NII-2C	\boxtimes		11dBm/ MHz				
U-NII-3	\boxtimes		30dBm/ 500kHz				

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

ISED

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP spectral density 10 dBm / MHz
5250~5350 MHz	11dBm / MHz
5470-5600 MHz and 5650-5725 MHz	11dBm / MHz
5725~5850 MHz	30dBm / 500 kHz

For equipment operating in the band 5725-5850 MHz, If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.sgs.com.tw



Page: 126 of 126

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k} = /20$ 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; \hat{G}_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW= approximately 1% of EBW. VBW≥ 3RBW, where span is enough to capture the entire bandwidth. Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.
- 8. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 127 of 127

10.3 Measurement Equipment Used

	Conducted Emission Test Site: Conducted 2										
EQUIPMENT TYPE	MFR/BRAND	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071571	06/27/2020	06/26/2021						
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021						

10.4 Test Set-up



10.5 Measurement Result

10.5.1 Power spectral density

10.0.1 1 0WCI	POWER DENSITY 802.11a MODE								
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd P	Total Corr'd PSD(dBm/MHz)		Margin (dB)			
5180.00	5.86	4.71	8.3	34	11.00 dBm/MHz	-2.66			
5220.00	4.63	4.73	7.	69	11.00 dBm/MHz	-3.31			
5240.00	4.37	4.47	7.	43	11.00 dBm/MHz	-3.57			
5260.00	8.14	6.44	10	.38	11.00 dBm/MHz	-0.62			
5300.00	5.95	5.12	8.9	56	11.00 dBm/MHz	-2.44			
5320.00	4.83	3.59	7.26		11.00 dBm/MHz	-3.74			
5500.00	5.02	3.38	7.3	29	11.00 dBm/MHz	-3.71			
5580.00	6.76	6.48	9.0	63	11.00 dBm/MHz	-1.37			
5700.00	6.26	5.68	8.9	99	11.00 dBm/MHz	-2.01			
5720 (U-NII 2C)	7.76	7.11	10	46	11.00 dBm/MHz	-0.54			
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log Total Corr'd (500kHz/RBW) PSD (dBm/500kHz)		Limit	Margin (dB)			
5720 (U-NII 3)	2.25	1.58	2.22	7.16	30.00 dBm/500kHz	-22.84			
5745.00	2.72	2.06	2.22	7.63	30.00 dBm/500kHz	-22.37			
5785.00	2.86	2.07	2.22	7.71	30.00 dBm/500kHz	-22.29			
5825.00	2.94	2.04	2.22	7.74	30.00 dBm/500kHz	-22.26			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 128 of 128

		POWER DENSIT	ΓΥ 802.11n HT20	MODE		
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd P	Total Corr'd PSD(dBm/MHz)		Margin (dB)
5180.00	5.79	5.08	8.4	46	11.00 dBm/MHz	-2.54
5220.00	4.64	4.85	7.7	76	11.00 dBm/MHz	-3.24
5240.00	5.39	5.30	8.3	36	11.00 dBm/MHz	-2.64
5260.00	7.49	6.17	9.8	39	11.00 dBm/MHz	-1.11
5300.00	5.67	4.68	8.2	21	11.00 dBm/MHz	-2.79
5320.00	4.46	3.03	6.8	31	11.00 dBm/MHz	-4.19
5500.00	4.66	3.01	6.9	92	11.00 dBm/MHz	-4.08
5580.00	7.30	5.94	9.6	68	11.00 dBm/MHz	-1.32
5700.00	5.79	5.22	8.8	52	11.00 dBm/MHz	-2.48
5720 (U-NII 2C)	7.31	6.91	10.	13	11.00 dBm/MHz	-0.87
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log Total Corr'd PSD(dBm/500k Factor(dB)		Limit	Margin (dB)
5720 (U-NII 3)	1.86	1.09	2.22 6.72		30.00 dBm/500kHz	-23.28
5745.00	2.33	1.99	2.22 7.39		30.00 dBm/500kHz	-22.61
5785.00	2.47	2.08	2.22	7.51	30.00 dBm/500kHz	-22.49
5825.00	2.36	1.42	2.22	7.14	30.00 dBm/500kHz	-22.86

	POWER DENSITY 802.11n HT40 MODE								
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)			
5190.00	2.10	1.28	4.	72	11.00 dBm/MHz	-6.28			
5230.00	3.08	1.99	5.9	58	11.00 dBm/MHz	-5.42			
5270.00	3.32	2.29	5.8	85	11.00 dBm/MHz	-5.15			
5310.00	1.52	0.45	4.0	03	11.00 dBm/MHz	-6.97			
5510.00	2.12	0.59	4.43		11.00 dBm/MHz	-6.57			
5550.00	1.08	1.07	4.0	09	11.00 dBm/MHz	-6.91			
5670.00	3.33	3.41	6.3	38	11.00 dBm/MHz	-4.62			
5710 (U-NII 2C)	4.31	4.03	7.	18	11.00 dBm/MHz	-3.82			
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log Total Corr'd PSD(dBm/500k Factor(dB)		Limit	Margin (dB)			
5710 (U-NII 3)	-2.37	-2.47	2.22 2.81		30.00 dBm/500kHz	-27.19			
5755.00	-1.31	-1.54	2.22	3.80	30.00 dBm/500kHz	-26.20			
5795.00	-1.23	-1.57	2.22	3.84	30.00 dBm/500kHz	-26.16			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ltd.
 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號台灣檢驗科技股份有限公司
 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.sgs.com.tw



Page: 129 of 129

	POWER DENSITY 802.11ac VHT80 MODE								
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)			
5210.00	-0.61	-1.63	1.9	92	11.00 dBm/MHz	-9.08			
5290.00	-0.65	-2.12	1.0	69	11.00 dBm/MHz	-9.31			
5530.00	-0.80	-2.29	1.5	1.53		-9.47			
5610.00	-1.44	-1.39	1.0	60	11.00 dBm/MHz	-9.40			
5690 (U-NII 2C)	1.71	1.34	4.	54	11.00 dBm/MHz	-6.46			
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log Total Corr'd PSD(dBm/500k Factor(dB) Hz)		Limit	Margin (dB)			
5690 (U-NII 3)	-6.14	-6.63	2.22	-1.15	30.00 dBm/500kHz	-31.15			
5775.00	-3.96	-4.57	2.22	0.98	30.00 dBm/500kHz	-29.02			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 130 of 130

			POWER DENS	ITY 802.11ax 20	MODE		
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)		SD(dBm/MHz)	Limit	Margin (dB)
	full	3.17	2.77	5.9	99	11.00 dBm/MHz	-5.01
5400	26/0	4.63	4.59	7.	62	11.00 dBm/MHz	-3.38
5180	52/37	5.05	4.67	7.	87	11.00 dBm/MHz	-3.13
	106/53	4.12	4.83	7.	50	11.00 dBm/MHz	-3.50
5220	full	2.34	3.01	5.	70	11.00 dBm/MHz	-5.30
5240	full	2.12	2.84	5.:	51	11.00 dBm/MHz	-5.49
5260	full	3.64	2.01	5.9	91	11.00 dBm/MHz	-5.09
5300	full	2.96	1.77	5.	42	11.00 dBm/MHz	-5.58
	full	2.34	1.33	4.8	87	11.00 dBm/MHz	-6.13
5220	26/8	7.46	7.03	10	.26	11.00 dBm/MHz	-0.74
5320	52/40	6.72	7.30	10	.03	11.00 dBm/MHz	-0.97
	106/54	6.62	5.57	9.	14	11.00 dBm/MHz	-1.86
	full	2.62	1.36	5.0	05	11.00 dBm/MHz	-5.95
5500	26/0	7.95	7.38	10.68		11.00 dBm/MHz	-0.32
5500	52/37	7.96	7.04	10	10.53		-0.47
	106/53	6.13	4.99	8.	61	11.00 dBm/MHz	-2.39
5580	full	3.12	2.58	5.8	87	11.00 dBm/MHz	-5.13
	full	2.99	2.87	5.9	94	11.00 dBm/MHz	-5.06
5700	26/8	8.08	7.85	10	.98	11.00 dBm/MHz	-0.02
5700	52/40	7.32	7.35	10	.35	11.00 dBm/MHz	-0.65
	106/54	6.84	6.88	9.8	87	11.00 dBm/MHz	-1.13
5720 (U-NII 2C	full	2.65	2.60	5.0	64	11.00 dBm/MHz	-5.36
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500k Hz)	Limit	Margin (dB)
5720 (U-NII 3)	full	-2.76	-3.04	2.22	2.34	30.00 dBm/500kHz	-27.66
	full	-2.44	-2.50	2.22	2.76	30.00 dBm/500kHz	-27.24
5745	26/0	6.73	6.96	2.22	12.08	30.00 dBm/500kHz	-17.92
3743	52/37	4.51	4.80	2.22 9.89		30.00 dBm/500kHz	-20.11
	106/53	1.25	1.09	2.22	6.40	30.00 dBm/500kHz	-23.60
5785	full	-1.76	-2.16	2.22	3.28	30.00 dBm/500kHz	-26.72
	full	-1.79	-1.89	2.22	3.39	30.00 dBm/500kHz	-26.61
5825	26/8	7.23	6.99	2.22	12.34	30.00 dBm/500kHz	-17.66
3023	52/40	4.93	3.68	2.22	9.58	30.00 dBm/500kHz	-20.42
	106/54	1.37	1.59	2.22	6.71	30.00 dBm/500kHz	-23.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw Member of SGS Group



Page: 131 of 131

			POWER DENS	ITY 802.11ax 40	MODE		
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	0.05	-0.42	2.8	83	11.00 dBm/MHz	-8.17
5190	242/61	3.21	2.78	6.0	01	11.00 dBm/MHz	-4.99
5230	full	-0.02	-0.28	2.8	86	11.00 dBm/MHz	-8.14
5270	full	0.13	-1.00	2.0	61	11.00 dBm/MHz	-8.39
5310	full	-0.22	-1.36	2.:	26	11.00 dBm/MHz	-8.74
5310	242/62	2.52	1.62	5.	10	11.00 dBm/MHz	-5.90
5510	full	-0.09	-1.14	2.43		11.00 dBm/MHz	-8.57
5510	242/61	1.41	0.38	3.93		11.00 dBm/MHz	-7.07
5550	full	-0.19	-0.74	2.55		11.00 dBm/MHz	-8.45
5670	full	0.78	0.65	3.	72	11.00 dBm/MHz	-7.28
3070	242/62	3.22	2.74	5.9	99	11.00 dBm/MHz	-5.01
5710 (U-NII 2C)	full	0.06	-0.13	2.9	97	11.00 dBm/MHz	-8.03
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500k Hz)	Limit	Margin (dB)
5710 (U-NII 3)	full	-6.89	-6.93	2.22	-1.68	30.00 dBm/500kHz	-31.68
5755	full	-5.10	-5.07	2.22 0.15		30.00 dBm/500kHz	-29.85
3733	242/61	-2.03	-2.09	2.22	3.17	30.00 dBm/500kHz	-26.83
5795	full	-4.83	-5.35	2.22	0.15	30.00 dBm/500kHz	-29.85
3793	242/62	-2.28	-2.92	2.22	2.64	30.00 dBm/500kHz	-27.36

			POWER DENS	TY 802.11ax 80	MODE		
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd P	Total Corr'd PSD(dBm/MHz)		Margin (dB)
5210	full	-2.57	-2.88	0.2	29	11.00 dBm/MHz	-10.71
5210	484/65	0.33	-0.33	3.0	02	11.00 dBm/MHz	-7.98
5290	full	-2.72	-3.92	-0.	26	11.00 dBm/MHz	-11.26
5290	484/66	-0.18	-1.46	2.:	24	11.00 dBm/MHz	-8.76
5530	full	-4.22	-4.30	-1.25		11.00 dBm/MHz	-12.25
5530	484/65	-2.50	-3.59	0.00		11.00 dBm/MHz	-11.00
5610	full	-2.65	-3.10	0.	14	11.00 dBm/MHz	-10.86
3010	484/66	-0.07	-0.44	2.	76	11.00 dBm/MHz	-8.24
5690 (U-NII 2C	full	-2.03	-2.60	0.	71	11.00 dBm/MHz	-10.29
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	10log Total Corr'd PSD(dBm/500k Factor(dB) Hz)		Limit	Margin (dB)
5690 (U-NII 3)	full	-9.66	-10.27	2.22	-4.72	30.00 dBm/500kHz	-34.72
	full	-7.61	-8.43	2.22 -2.77		30.00 dBm/500kHz	-32.77
5775	484/65	-5.11	-5.86	2.22 -0.24		30.00 dBm/500kHz	-30.24
	484/66	-5.74	-6.36	2.22	-0.81	30.00 dBm/500kHz	-30.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 132 of 132

	POWER DENSITY 802.11ax 160 MODE									
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Total Corr'd PSD(dBm/MHz)	Limit	Margin (dB)				
	full	-6.57	-6.84	-3.69	11.00 dBm/MHz	-14.69				
5250	996/67	-6.45	-5.99	-3.20	11.00 dBm/MHz	-14.20				
	996/S67	-4.46	-4.74	-1.59	11.00 dBm/MHz	-12.59				
	full	-6.69	-7.01	-3.84	11.00 dBm/MHz	-14.84				
5570	996/67	-7.33	-8.65	-4.93	11.00 dBm/MHz	-15.93				
	996/S67	-4.25	-4.71	-1.47	11.00 dBm/MHz	-12.47				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 133 of 133

EIRP spectral density (ISED) 10.5.2

EIR	EIRP spectral density 802.11a MODE							
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP PSD (dBm)	Limit (dBm)	Margin (dB)			
5180	8.34	1.46	9.80	10	-0.20			
5220	7.69	1.46	9.15	10	-0.85			
5240	7.43	1.46	8.89	10	-1.11			

EIRP spectral density 802.11n HT20 MODE							
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)		
5180	8.46	1.46	9.92	10	-0.08		
5220	7.76	1.46	9.22	10	-0.78		
5240	8.36	1.46	9.82	10	-0.18		

EIRP spectral density 802.11n HT40 MODE								
Freq. (MHz)	PSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)			
5190	4.72	1.46	6.18	10	-3.82			
5230	5.58	1.46	7.04	10	-2.96			

EIRP spectral density 802.11ac VHT80 MODE							
Freq. (MHz)	i i i i i i i i i i i i i i i i i i i						
5210	1.92	1.46	3.38	10	-6.62		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 134 of 134

EIRP spectral density 802.11ax 20 MODE							
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)	
5180	full	5.99	1.46	7.45	10	-2.55	
	26/0	7.62	1.46	9.08	10	-0.92	
	52/37	7.87	1.46	9.33	10	-0.67	
	106/53	7.50	1.46	8.96	10	-1.04	
5220	full	5.70	1.46	7.16	10	-2.84	
5240	full	5.51	1.46	6.97	10	-3.03	

EIRP spectral density 802.11ax 40 MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5190	full	2.83	1.46	4.29	10	-5.71
	242/61	6.01	1.46	7.47	10	-2.53
5230	full	2.86	1.46	4.32	10	-5.68

EIRP spectral density 802.11ax 80 MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5210	full	0.29	1.46	1.75	10	-8.25
	484/65	3.02	1.46	4.48	10	-5.52

EIRP spectral density 802.11ax 160 MODE						
Freq. (MHz)	RU config.	PSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5250	full	-3.69	1.46	-2.23	10	-12.23
	996/67	-3.20	1.46	-1.74	10	-11.74
	996/S67	-1.59	1.46	-0.13	10	-10.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音の名性質別編之人株の項具 「同時以後の理味情物人」を報告不能争之も背面に可いている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Np. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw