

Page: 171 of 284


Band7_20MHz_CP-QPSK_RB106_0_CH502000




Band7_20MHz_DFT-BPSK_RB1_0_CH502000




Band7_20MHz_CP-QPSK_RB106_0_CH507000




Band7_20MHz_DFT-BPSK_RB1_0_CH507000



Band7_20MHz_CP-QPSK_RB106_0_CH512000



Band7_20MHz_DFT-BPSK_RB1_0_CH512000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and service at <a href="h obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 172 of 284


Band38_20MHz_CP-QPSK_RB1_0_CH516000




Band38_20MHz_CP-QPSK_RB1_50_CH516000




Band38_20MHz_CP-QPSK_RB1_0_CH519000




Band38_20MHz_CP-QPSK_RB1_50_CH519000



Band38_20MHz_CP-QPSK_RB1_0_CH522000



Band38_20MHz_CP-QPSK_RB1_50_CH522000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and service at <a href="h obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 173 of 284


Band38_20MHz_CP-QPSK_RB51_0_CH516000




Band38_20MHz_DFT-BPSK_RB1_0_CH516000




Band38_20MHz_CP-QPSK_RB51_0_CH519000




Band38_20MHz_DFT-BPSK_RB1_0_CH519000



Band38_20MHz_CP-QPSK_RB51_0_CH522000



Band38_20MHz_DFT-BPSK_RB1_0_CH522000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms rins obcurrent is issued by the Company's subject to Terms and Conditions of Service primited overlead, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 174 of 284


Band38_20MHz_DFT-BPSK_RB1_50_CH516000



Band38_20MHz_DFT-BPSK_RB50_0_CH516000




Band38_20MHz_DFT-BPSK_RB1_50_CH519000




Band38_20MHz_DFT-BPSK_RB50_0_CH519000



Band38_20MHz_DFT-BPSK_RB1_50_CH522000



Band38_20MHz_DFT-BPSK_RB50_0_CH522000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and service at <a href="h obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 175 of 284


Band38_30MHz_CP-QPSK_RB1_0_CH517000




Band38_30MHz_CP-QPSK_RB1_77_CH517000




Band38_30MHz_CP-QPSK_RB1_0_CH519000




Band38_30MHz_CP-QPSK_RB1_77_CH519000



Band38_30MHz_CP-QPSK_RB1_0_CH521000



Band38_30MHz_CP-QPSK_RB1_77_CH521000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and service at <a href="h obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 176 of 284


Band38_30MHz_CP-QPSK_RB78_0_CH517000




Band38 30MHz DFT BPSK RB1 0 CH517000



Band38_30MHz_CP-QPSK_RB78_0_CH519000




Band38_30MHz_DFT_BPSK_RB1_0_CH519000



Band38_30MHz_CP-QPSK_RB78_0_CH521000



Band38_30MHz_DFT_BPSK_RB1_0_CH521000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms rins obcurrent is issued by the Company's subject to Terms and Conditions of Service primited overlead, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 177 of 284


Band38_30MHz DFT_BPSK RB1_77_CH517000



Band38_30MHz DFT_BPSK_RB75_0_CH517000




Band38_30MHz_DFT_BPSK_RB1_77_CH519000



Band38_30MHz_DFT_BPSK_RB75_0_CH519000



Band38_30MHz_DFT_BPSK_RB1_77_CH521000



Band38_30MHz_DFT_BPSK_RB75_0_CH521000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 178 of 284


Band38_40MHz\CP-QPSK\RB1_0_CH518000




Band38_40MHz_CP-QPSK_RB1_105_CH518000




Band38_40MHz\CP-QPSK\RB1_0_CH519000




Band38_40MHz_CP-QPSK_RB1_105_CH519000



Band38_40MHz\CP-QPSK\RB1_0_CH520000



Band38_40MHz_CP-QPSK_RB1_105_CH520000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms rins obcurrent is issued by the Company's subject to Terms and Conditions of Service primited overlead, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 179 of 284


Band38_40MHz_CP-QPSK_RB106_0_CH518000




Band38_40MHz_DFT_BPSK_RB1_0_CH518000



Band38_40MHz_CP-QPSK_RB106_0_CH519000




Band38_40MHz_DFT_BPSK_RB1_0_CH519000



Band38_40MHz_CP-QPSK_RB106_0_CH520000



Band38_40MHz_DFT_BPSK_RB1_0_CH520000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms rins obcurrent is issued by the Company's subject to Terms and Conditions of Service primited overlead, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 180 of 284







Band38_40MHz_DFT_BPSK_RB100_0_CH518000




Band38_40MHz_DFT_BPSK_RB1_105_CH519000



Band38_40MHz_DFT_BPSK_RB100_0_CH519000



Band38_40MHz_DFT_BPSK_RB1_105_CH520000



Band38_40MHz_DFT_BPSK_RB100_0_CH520000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 181 of 284

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h),

RSS-130 §4.7, RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §6.6, RSS-199 §4.5

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(a) for 5G NR n12. n71

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 76 + 10 log (P) dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

RSS-130 §4.7.1 for 5G NR n12, n71

Compliance for operations in the 617-652 MHz, 663-698 MHz, 698-756 MHz and the 777-787 MHz band, the unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least 43 + 10 log10 p (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

FCC §27.53(h)(1) for 5G NR n66

(h) AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log₁₀ (P) dB.

ISED RSS-132 §5.5 for 5G NR n5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

- i. In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p (watts).
- After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 182 of 284

ISED RSS-133 §6.5.1 for 5G NR n2, n25

Equipment shall comply with the limits in (i) and (ii) below.

- i. In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p(watts).
- ii. After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

RSS-139 §6.6 for 5G NR n66

In the first 1.0 MHz bands immediately outside and adjacent to the equipment's smallest operating frequency block, Footnote 2 which can contain the equipment's occupied bandwidth, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least 43 + 10 log10 p (watts) dB.

After the first 1.0 MHz outside the equipment's smallest operating frequency block, which can contain the equipment's occupied bandwidth, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least 43 + 10 log10 p (watts) dB.

FCC §27.53(m) (4) (6) for 5G NR n7, n38

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement nstrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 183 of 284

compliance with the rules.

RSS-199 §4.5 for 5G NR n7, n38

In the 1 MHz band immediately outside and adjacent to the channel edge, the unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth for base station and fixed subscriber equipment, and 2% for mobile subscriber equipment. Beyond the 1 MHz band, a resolution bandwidth of 1 MHz shall be used. A narrower resolution bandwidth can be used, provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz, or 1% or 2% of the occupied bandwidth, as applicable.

Equipment shall comply with the following unwanted emission limits:

for base station and fixed subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least 43 + 10 log10 p for mobile subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least:

- 40 + 10 log10 p from the channel edges to 5 MHz away
- 43 + 10 log10 p between 5 MHz and X MHz from the channel edges, and
- 55 + 10 log10 p at X MHz and beyond from the channel edges

In addition, the attenuation shall not be less than 43 + 10 log10 p on all frequencies between 2490.5 MHz and 2496 MHz, and 55 + 10 log10 p at or below 2490.5 MHz.

In (a) and (b), p is the transmitter power measured in watts and X is 6 MHz or the equipment occupied bandwidth, whichever is greater.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw


台灣檢驗科技股份有限公司




Page: 184 of 284

9.2 EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 185 of 284

9.3 **Measurement Procedure:**

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw



Page: 186 of 284

9.4 **Measurement Equipment Used:**

	Radiated Emission Test Site: SAC 1								
EQUIPMENT TYPE	EQUIPMENT TYPE MFR MODEL SERIAL LAST CAL. CAL DUE.								
Bi-log Antenna	SCHWAZBECK	VULB9168	300	11/18/2020	11/17/2021				
Horn Antenna	SCHWAZBECK	BBHA9120D	603	04/29/2020	04/28/2021				
Horn Antenna	SCHWAZBECK	BBHA9170	184	12/11/2020	12/10/2021				
Horn Antenna	SCHWAZBECK	BBHA9170	185	07/30/2020	07/29/2021				
Site Cal	SGS	SAC I chamber	N/A	01/01/2021	12/31/2021				
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/17/2020	12/16/2021				
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/13/2021	01/12/2022				
Spectrum Analyzer	Agilent	E4446A	MY51100003	10/29/2020	10/28/2021				
UXM 5G	KEYSIGHT	E7515B	MY60101215	11/04/2020	11/03/2021				
Test Software	audix	e3	Ver. 6.11-20180413	01/01/2021	12/31/2021				
Pre-Amplifier	EMC Instruments	EMC184045B	980135	12/16/2020	12/15/2021				
Pre-Amplifier	HP	8449B	3008A01973	12/16/2020	12/15/2021				
Pre-Amplifier	HP	8447D	2944A09469	12/16/2020	12/15/2021				
Bandreject Filter 635-920	Micro-Tronics	WI	4	12/16/2020	12/15/2021				
Bandreject Filter 800-1000	Micro-Tronics	EWT	M1	12/16/2020	12/15/2021				
Bandreject Filter 1700-2000	Micro-Tronics	EWT	M3	12/16/2020	12/15/2021				
Bandreject Filter 2240-2700	Micro-Tronics	WI	2	12/16/2020	12/15/2021				
Bandreject Filter 3300-3800	Micro-Tronics	WI	1	12/16/2020	12/15/2021				
1GHz High Pass Fil- ter	Micro-Tronics	HPM50108	32	12/16/2020	12/15/2021				
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	12/16/2020	12/15/2021				
High Pass Filter	WI	WHKX4.0/18G- 10SS	WHKX4.0/18G- 10SS	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	EMC 104-SM-SM- 2000	160123	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	SUCOFLEX 104	160125	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	SUCOFLEX 106	76096/6	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/16/2020	12/15/2021				
Coaxial Cable	Huber Suhner	SUCOFLEX 102	SN 520430/2	12/16/2020	12/15/2021				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 187 of 284

9.5 **Measurement Result:**


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n2A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1860 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-63.07	-48.75	-13.66	-0.66	-13.00	-50.07
65.89	-67.92	-59.33	-7.79	-0.80	-13.00	-54.92
94.99	-71.76	-70.39	-0.37	-1.00	-13.00	-58.76
191.99	-69.25	-71.36	3.54	-1.43	-13.00	-56.25
479.11	-65.27	-67.05	4.21	-2.43	-13.00	-52.27
968.96	-67.60	-68.55	3.81	-2.86	-13.00	-54.60
3720.00	-54.74	-59.52	12.34	-7.56	-13.00	-41.74
5580.00	-53.16	-56.70	12.96	-9.42	-13.00	-40.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 188 of 284


Report Number :ER/2021/20012 Test Site :SAC I Chamber

Operation Mode :n2A Test Date :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1860 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		· ·
dBm	dBm	dBi/dBd	dB	dBm	dB
-68.61	-54.29	-13.66	-0.66	-13.00	-55.61
-71.59	-69.21	-1.34	-1.04	-13.00	-58.59
-69.76	-71.58	3.26	-1.44	-13.00	-56.76
-68.33	-71.08	4.34	-1.59	-13.00	-55.33
-71.92	-73.76	4.25	-2.41	-13.00	-58.92
-70.85	-71.66	3.82	-3.01	-13.00	-57.85
-54.47	-59.25	12.34	-7.56	-13.00	-41.47
-53.56	-57.10	12.96	-9.42	-13.00	-40.56
	-68.61 -71.59 -69.76 -68.33 -71.92 -70.85 -54.47	Output Level dBm -68.61	dBm Output Level dBm Gain dBi/dBd -68.61 -54.29 -13.66 -71.59 -69.21 -1.34 -69.76 -71.58 3.26 -68.33 -71.08 4.34 -71.92 -73.76 4.25 -70.85 -71.66 3.82 -54.47 -59.25 12.34	dBm Output Level dBm Gain dBi/dBd Loss dB -68.61 -54.29 -13.66 -0.66 -71.59 -69.21 -1.34 -1.04 -69.76 -71.58 3.26 -1.44 -68.33 -71.08 4.34 -1.59 -71.92 -73.76 4.25 -2.41 -70.85 -71.66 3.82 -3.01 -54.47 -59.25 12.34 -7.56	dBm Output Level dBm Gain dBi/dBd Loss dB -68.61 -54.29 -13.66 -0.66 -13.00 -71.59 -69.21 -1.34 -1.04 -13.00 -69.76 -71.58 3.26 -1.44 -13.00 -68.33 -71.08 4.34 -1.59 -13.00 -71.92 -73.76 4.25 -2.41 -13.00 -70.85 -71.66 3.82 -3.01 -13.00 -54.47 -59.25 12.34 -7.56 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 189 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n2A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1880 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
41.64	-66.13	-52.15	-13.29	-0.69	-13.00	-53.13
65.89	-66.02	-57.43	-7.79	-0.80	-13.00	-53.02
94.99	-68.04	-66.67	-0.37	-1.00	-13.00	-55.04
192.96	-70.92	-73.18	3.69	-1.43	-13.00	-57.92
500.45	-70.94	-72.78	4.25	-2.41	-13.00	-57.94
983.51	-67.90	-68.71	3.91	-3.10	-13.00	-54.90
3760.00	-54.29	-59.06	12.40	-7.63	-13.00	-41.29
5640.00	-53.40	-57.17	13.00	-9.23	-13.00	-40.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 190 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n2A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1880 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		J
dBm	dBm	dBi/dBd	dB	dBm	dB
-69.43	-55.11	-13.66	-0.66	-13.00	-56.43
-73.11	-70.63	-1.25	-1.23	-13.00	-60.11
-73.75	-76.15	3.83	-1.43	-13.00	-60.75
-69.76	-72.51	4.34	-1.59	-13.00	-56.76
-73.32	-75.16	4.25	-2.41	-13.00	-60.32
-70.50	-71.33	3.83	-3.00	-13.00	-57.50
-53.96	-58.73	12.40	-7.63	-13.00	-40.96
-52.75	-56.52	13.00	-9.23	-13.00	-39.75
	-69.43 -73.11 -73.75 -69.76 -73.32 -70.50 -53.96	Output Level dBm -69.43 -55.11 -73.11 -70.63 -73.75 -76.15 -69.76 -72.51 -73.32 -75.16 -70.50 -71.33 -53.96 -58.73	dBm Output Level dBm Gain dBi/dBd -69.43 -55.11 -13.66 -73.11 -70.63 -1.25 -73.75 -76.15 3.83 -69.76 -72.51 4.34 -73.32 -75.16 4.25 -70.50 -71.33 3.83 -53.96 -58.73 12.40	dBm Output Level dBm Gain dBi/dBd Loss dB -69.43 -55.11 -13.66 -0.66 -73.11 -70.63 -1.25 -1.23 -73.75 -76.15 3.83 -1.43 -69.76 -72.51 4.34 -1.59 -73.32 -75.16 4.25 -2.41 -70.50 -71.33 3.83 -3.00 -53.96 -58.73 12.40 -7.63	dBm Output Level dBm Gain dBi/dBd Loss dB -69.43 -55.11 -13.66 -0.66 -13.00 -73.11 -70.63 -1.25 -1.23 -13.00 -73.75 -76.15 3.83 -1.43 -13.00 -69.76 -72.51 4.34 -1.59 -13.00 -73.32 -75.16 4.25 -2.41 -13.00 -70.50 -71.33 3.83 -3.00 -13.00 -53.96 -58.73 12.40 -7.63 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 191 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n2A **Test Date** :2021-04-08

:Tx CH High Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1900 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-63.26	-48.94	-13.66	-0.66	-13.00	-50.26
66.86	-68.61	-60.28	-7.53	-0.80	-13.00	-55.61
94.99	-68.46	-67.09	-0.37	-1.00	-13.00	-55.46
190.05	-72.03	-73.85	3.26	-1.44	-13.00	-59.03
838.01	-70.44	-72.03	4.64	-3.05	-13.00	-57.44
972.84	-67.87	-68.80	3.84	-2.91	-13.00	-54.87
3800.00	-53.41	-58.11	12.40	-7.70	-13.00	-40.41
5700.00	-53.29	-56.99	12.80	-9.10	-13.00	-40.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 192 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n2A **Test Date** :2021-04-08

:Tx CH High Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1900 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-68.51	-54.14	-13.72	-0.65	-13.00	-55.51
159.01	-72.60	-70.07	-1.29	-1.24	-13.00	-59.60
250.19	-70.28	-73.03	4.34	-1.59	-13.00	-57.28
745.86	-64.66	-65.04	2.83	-2.45	-13.00	-51.66
832.19	-70.90	-72.55	4.58	-2.93	-13.00	-57.90
967.99	-70.99	-71.92	3.80	-2.87	-13.00	-57.99
3800.00	-53.05	-57.75	12.40	-7.70	-13.00	-40.05
5700.00	-53.17	-56.87	12.80	-9.10	-13.00	-40.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 193 of 284

Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n5A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane **Test Frequency** :834 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-64.28	-49.96	-13.66	-0.66	-13.00	-51.28
66.86	-69.06	-60.73	-7.53	-0.80	-13.00	-56.06
94.99	-72.27	-70.90	-0.37	-1.00	-13.00	-59.27
191.99	-71.60	-73.71	3.54	-1.43	-13.00	-58.60
624.61	-71.13	-72.28	3.49	-2.34	-13.00	-58.13
929.19	-69.80	-70.29	3.64	-3.15	-13.00	-56.80
1668.00	-58.41	-63.67	9.54	-4.28	-13.00	-45.41
2502.00	-56.01	-61.42	10.60	-5.19	-13.00	-43.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 194 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n5A **Test Date** :2021-04-08

:Tx CH Low Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :834 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-69.11	-54.74	-13.72	-0.65	-13.00	-56.11
-72.09	-69.56	-1.29	-1.24	-13.00	-59.09
-72.21	-74.47	3.69	-1.43	-13.00	-59.21
-72.70	-75.45	4.34	-1.59	-13.00	-59.70
-72.77	-74.61	4.25	-2.41	-13.00	-59.77
-72.47	-73.62	3.49	-2.34	-13.00	-59.47
-57.63	-62.89	9.54	-4.28	-13.00	-44.63
-56.16	-61.57	10.60	-5.19	-13.00	-43.16
	-69.11 -72.09 -72.21 -72.70 -72.77 -72.47 -57.63	Output Level dBm -69.11	Output Level Gain dBi/dBd -69.11	dBm Output Level dBm Gain dBi/dBd Loss dB -69.11 -54.74 -13.72 -0.65 -72.09 -69.56 -1.29 -1.24 -72.21 -74.47 3.69 -1.43 -72.70 -75.45 4.34 -1.59 -72.77 -74.61 4.25 -2.41 -72.47 -73.62 3.49 -2.34 -57.63 -62.89 9.54 -4.28	dBm Output Level dBm Gain dBi/dBd Loss dBm -69.11 -54.74 -13.72 -0.65 -13.00 -72.09 -69.56 -1.29 -1.24 -13.00 -72.21 -74.47 3.69 -1.43 -13.00 -72.70 -75.45 4.34 -1.59 -13.00 -72.77 -74.61 4.25 -2.41 -13.00 -72.47 -73.62 3.49 -2.34 -13.00 -57.63 -62.89 9.54 -4.28 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 195 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n5A **Test Date** :2021-04-08

:Tx CH Mid Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :836.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-63.95	-49.58	-13.72	-0.65	-13.00	-50.95
66.86	-66.58	-58.25	-7.53	-0.80	-13.00	-53.58
191.99	-70.13	-72.24	3.54	-1.43	-13.00	-57.13
500.45	-71.88	-73.72	4.25	-2.41	-13.00	-58.88
673.11	-70.74	-71.46	3.80	-3.08	-13.00	-57.74
983.51	-69.19	-70.00	3.91	-3.10	-13.00	-56.19
1673.00	-57.88	-63.14	9.55	-4.29	-13.00	-44.88
2509.50	-56.50	-61.92	10.62	-5.20	-13.00	-43.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 196 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n5A **Test Date** :2021-04-08

:Tx CH Mid Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :836.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-68.77	-54.45	-13.66	-0.66	-13.00	-55.77
90.14	-75.78	-74.39	-0.41	-0.98	-13.00	-62.78
160.95	-72.43	-70.09	-1.09	-1.25	-13.00	-59.43
183.26	-73.19	-73.87	2.07	-1.39	-13.00	-60.19
250.19	-72.94	-75.69	4.34	-1.59	-13.00	-59.94
500.45	-72.28	-74.12	4.25	-2.41	-13.00	-59.28
1673.00	-56.99	-62.25	9.55	-4.29	-13.00	-43.99
2509.50	-57.17	-62.59	10.62	-5.20	-13.00	-44.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 197 of 284

Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n5A **Test Date** :2021-04-08

:Tx CH High Test Mode Temp./Humi. :23.9/61

:VERTICAL **EUT Pol** :H Plane Antenna Pol. **Test Frequency** :839 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-64.70	-50.38	-13.66	-0.66	-13.00	-51.70
65.89	-67.79	-59.20	-7.79	-0.80	-13.00	-54.79
95.96	-70.85	-69.57	-0.28	-1.00	-13.00	-57.85
192.96	-71.35	-73.61	3.69	-1.43	-13.00	-58.35
500.45	-71.57	-73.41	4.25	-2.41	-13.00	-58.57
987.39	-68.33	-69.12	3.97	-3.18	-13.00	-55.33
1678.00	-57.80	-63.06	9.56	-4.30	-13.00	-44.80
2517.00	-56.41	-61.84	10.63	-5.20	-13.00	-43.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 198 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n5A **Test Date** :2021-04-08

:Tx CH High Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :839 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-68.98	-54.66	-13.66	-0.66	-13.00	-55.98
110.51	-72.95	-70.39	-1.50	-1.06	-13.00	-59.95
159.01	-72.37	-69.84	-1.29	-1.24	-13.00	-59.37
192.96	-74.05	-76.31	3.69	-1.43	-13.00	-61.05
250.19	-67.81	-70.56	4.34	-1.59	-13.00	-54.81
500.45	-71.64	-73.48	4.25	-2.41	-13.00	-58.64
1678.00	-56.53	-61.79	9.56	-4.30	-13.00	-43.53
2517.00	-55.99	-61.42	10.63	-5.20	-13.00	-42.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 199 of 284

Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n7A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane **Test Frequency** :2510 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
NAL I—	dD.co	Output Level	Gain	Loss	dD.ma	٩D
MHz	dBm	dBm	dBi/dBd	dB	dBm	<u>dB</u>
37.76	-64.38	-50.06	-13.66	-0.66	-25.00	-39.38
65.89	-67.98	-59.39	-7.79	-0.80	-25.00	-42.98
193.93	-72.21	-74.61	3.83	-1.43	-25.00	-47.21
500.45	-70.72	-72.56	4.25	-2.41	-25.00	-45.72
833.16	-68.92	-70.56	4.59	-2.95	-25.00	-43.92
987.39	-67.67	-68.46	3.97	-3.18	-25.00	-42.67
5020.00	-53.02	-57.83	12.34	-7.53	-25.00	-28.02
7530.00	-45.87	-47.63	11.06	-9.30	-25.00	-20.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 200 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n7A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2510 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-69.92	-55.55	-13.72	-0.65	-25.00	-44.92
159.01	-71.43	-68.90	-1.29	-1.24	-25.00	-46.43
180.35	-73.01	-73.10	1.47	-1.38	-25.00	-48.01
250.19	-67.65	-70.40	4.34	-1.59	-25.00	-42.65
500.45	-72.93	-74.77	4.25	-2.41	-25.00	-47.93
839.95	-70.26	-71.84	4.67	-3.09	-25.00	-45.26
5020.00	-52.98	-57.79	12.34	-7.53	-25.00	-27.98
7530.00	-46.28	-48.04	11.06	-9.30	-25.00	-21.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 201 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n7A **Test Date** :2021-04-08

:Tx CH Mid Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :2535 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-62.89	-48.73	-13.48	-0.68	-25.00	-37.89
66.86	-66.77	-58.44	-7.53	-0.80	-25.00	-41.77
94.99	-71.20	-69.83	-0.37	-1.00	-25.00	-46.20
192.96	-69.49	-71.75	3.69	-1.43	-25.00	-44.49
500.45	-71.16	-73.00	4.25	-2.41	-25.00	-46.16
987.39	-66.80	-67.59	3.97	-3.18	-25.00	-41.80
5070.00	-52.09	-56.36	12.10	-7.83	-25.00	-27.09
7605.00	-46.41	-48.01	11.21	-9.61	-25.00	-21.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 202 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n7A **Test Date** :2021-04-08

:Tx CH Mid Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2535 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-69.29	-54.92	-13.72	-0.65	-25.00	-44.29
159.01	-72.97	-70.44	-1.29	-1.24	-25.00	-47.97
250.19	-69.13	-71.88	4.34	-1.59	-25.00	-44.13
500.45	-72.15	-73.99	4.25	-2.41	-25.00	-47.15
915.61	-71.49	-72.05	3.79	-3.23	-25.00	-46.49
968.96	-70.73	-71.68	3.81	-2.86	-25.00	-45.73
5070.00	-52.07	-56.34	12.10	-7.83	-25.00	-27.07
7605.00	-47.06	-48.66	11.21	-9.61	-25.00	-22.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 203 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n7A **Test Date** :2021-04-08

:Tx CH High Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :2560 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-65.09	-50.77	-13.66	-0.66	-25.00	-40.09
62.01	-70.42	-60.79	-8.87	-0.76	-25.00	-45.42
94.99	-71.73	-70.36	-0.37	-1.00	-25.00	-46.73
192.96	-70.27	-72.53	3.69	-1.43	-25.00	-45.27
828.31	-70.00	-71.58	4.51	-2.93	-25.00	-45.00
985.45	-68.17	-68.98	3.95	-3.14	-25.00	-43.17
5120.00	-53.28	-57.40	12.10	-7.98	-25.00	-28.28
7680.00	-45.73	-47.27	11.42	-9.88	-25.00	-20.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 204 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n7A **Test Date** :2021-04-08

:Tx CH High Test Mode Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2560 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-68.05	-53.68	-13.72	-0.65	-25.00	-43.05
159.01	-73.35	-70.82	-1.29	-1.24	-25.00	-48.35
190.05	-72.63	-74.45	3.26	-1.44	-25.00	-47.63
250.19	-69.41	-72.16	4.34	-1.59	-25.00	-44.41
500.45	-71.87	-73.71	4.25	-2.41	-25.00	-46.87
846.74	-70.97	-73.00	4.70	-2.67	-25.00	-45.97
5120.00	-52.85	-56.97	12.10	-7.98	-25.00	-27.85
7680.00	-45.74	-47.28	11.42	-9.88	-25.00	-20.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 205 of 284

Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n12A **Test Date** :2021-04-08

:Tx CH Low Test Mode Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane **Test Frequency** :706.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-64.29	-49.97	-13.66	-0.66	-13.00	-51.29
66.86	-66.37	-58.04	-7.53	-0.80	-13.00	-53.37
191.99	-70.53	-72.64	3.54	-1.43	-13.00	-57.53
500.45	-71.52	-73.36	4.25	-2.41	-13.00	-58.52
660.50	-70.35	-71.62	3.68	-2.41	-13.00	-57.35
988.36	-67.89	-68.67	3.98	-3.20	-13.00	-54.89
1413.00	-57.76	-61.61	7.71	-3.86	-13.00	-44.76
2119.50	-56.84	-61.71	9.66	-4.79	-13.00	-43.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 206 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n12A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :706.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-75.86	-69.58	-5.42	-0.86	-13.00	-62.86
112.45	-74.99	-72.27	-1.65	-1.07	-13.00	-61.99
159.01	-72.71	-70.18	-1.29	-1.24	-13.00	-59.71
191.99	-74.11	-76.22	3.54	-1.43	-13.00	-61.11
250.19	-70.74	-73.49	4.34	-1.59	-13.00	-57.74
500.45	-73.17	-75.01	4.25	-2.41	-13.00	-60.17
1413.00	-57.82	-61.67	7.71	-3.86	-13.00	-44.82
2119.50	-57.39	-62.26	9.66	-4.79	-13.00	-44.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 207 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n12A **Test Date** :2021-04-08

Test Mode :Tx CH Mid Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :707.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-64.11	-49.95	-13.48	-0.68	-13.00	-51.11
66.86	-66.64	-58.31	-7.53	-0.80	-13.00	-53.64
95.96	-72.04	-70.76	-0.28	-1.00	-13.00	-59.04
191.99	-70.44	-72.55	3.54	-1.43	-13.00	-57.44
250.19	-70.91	-73.66	4.34	-1.59	-13.00	-57.91
500.45	-71.66	-73.50	4.25	-2.41	-13.00	-58.66
1415.00	-57.49	-61.35	7.72	-3.86	-13.00	-44.49
2122.50	-56.99	-61.82	9.63	-4.80	-13.00	-43.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 208 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n12A **Test Date** :2021-04-08

Test Mode :Tx CH Mid Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :707.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.88	-69.74	-55.12	-14.01	-0.61	-13.00	-56.74
159.01	-72.45	-69.92	-1.29	-1.24	-13.00	-59.45
192.96	-73.76	-76.02	3.69	-1.43	-13.00	-60.76
250.19	-68.28	-71.03	4.34	-1.59	-13.00	-55.28
659.53	-73.93	-75.21	3.66	-2.38	-13.00	-60.93
958.29	-71.14	-71.94	3.74	-2.94	-13.00	-58.14
1415.00	-56.91	-60.77	7.72	-3.86	-13.00	-43.91
2122.50	-57.37	-62.20	9.63	-4.80	-13.00	-44.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 209 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n12A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :708.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-63.94	-49.62	-13.66	-0.66	-13.00	-50.94
66.86	-67.04	-58.71	-7.53	-0.80	-13.00	-54.04
192.96	-71.26	-73.52	3.69	-1.43	-13.00	-58.26
534.40	-72.86	-74.95	4.24	-2.15	-13.00	-59.86
660.50	-70.47	-71.74	3.68	-2.41	-13.00	-57.47
970.90	-68.47	-69.41	3.82	-2.88	-13.00	-55.47
1417.00	-57.56	-61.43	7.74	-3.87	-13.00	-44.56
2125.50	-56.06	-60.85	9.59	-4.80	-13.00	-43.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 210 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n12A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :708.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-67.99	-53.62	-13.72	-0.65	-13.00	-54.99
159.01	-71.85	-69.32	-1.29	-1.24	-13.00	-58.85
182.29	-72.52	-73.05	1.92	-1.39	-13.00	-59.52
250.19	-66.76	-69.51	4.34	-1.59	-13.00	-53.76
659.53	-73.53	-74.81	3.66	-2.38	-13.00	-60.53
851.59	-71.62	-73.76	4.65	-2.51	-13.00	-58.62
1417.00	-57.92	-61.79	7.74	-3.87	-13.00	-44.92
2125.50	-57.30	-62.09	9.59	-4.80	-13.00	-44.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 211 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n25A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane :1860 MHz :Neo Tsai

Test Frequency Engineer 0 Level (dBm/m)



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	<u>dB</u>
	37.76	-63.19	-48.87	-13.66	-0.66	-13.00	-50.19
	65.89	-67.52	-58.93	-7.79	-0.80	-13.00	-54.52
	94.99	-72.73	-71.36	-0.37	-1.00	-13.00	-59.73
	192.96	-71.76	-74.02	3.69	-1.43	-13.00	-58.76
	841.89	-69.59	-71.31	4.69	-2.97	-13.00	-56.59
	982.54	-67.52	-68.31	3.88	-3.09	-13.00	-54.52
	3720.00	-55.02	-59.80	12.34	-7.56	-13.00	-42.02
	5580.00	-54.32	-57.86	12.96	-9.42	-13.00	-41.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 212 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n25A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1860 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-68.26	-53.89	-13.72	-0.65	-13.00	-55.26
158.04	-72.44	-69.96	-1.25	-1.23	-13.00	-59.44
182.29	-72.89	-73.42	1.92	-1.39	-13.00	-59.89
250.19	-65.94	-68.69	4.34	-1.59	-13.00	-52.94
500.45	-70.98	-72.82	4.25	-2.41	-13.00	-57.98
838.01	-70.61	-72.20	4.64	-3.05	-13.00	-57.61
3720.00	-54.92	-59.70	12.34	-7.56	-13.00	-41.92
5580.00	-53.57	-57.11	12.96	-9.42	-13.00	-40.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 213 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n25A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1882.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-64.31	-50.15	-13.48	-0.68	-13.00	-51.31
65.89	-67.02	-58.43	-7.79	-0.80	-13.00	-54.02
190.05	-71.34	-73.16	3.26	-1.44	-13.00	-58.34
500.45	-70.48	-72.32	4.25	-2.41	-13.00	-57.48
844.80	-70.05	-71.98	4.72	-2.79	-13.00	-57.05
985.45	-68.48	-69.29	3.95	-3.14	-13.00	-55.48
3765.00	-54.07	-58.83	12.40	-7.64	-13.00	-41.07
5647.50	-53.64	-57.43	13.00	-9.21	-13.00	-40.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 214 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n25A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1882.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-69.23	-54.91	-13.66	-0.66	-13.00	-56.23
158.04	-72.42	-69.94	-1.25	-1.23	-13.00	-59.42
250.19	-69.27	-72.02	4.34	-1.59	-13.00	-56.27
500.45	-71.12	-72.96	4.25	-2.41	-13.00	-58.12
830.25	-71.18	-72.85	4.56	-2.89	-13.00	-58.18
956.35	-69.57	-70.35	3.77	-2.99	-13.00	-56.57
3765.00	-53.83	-58.59	12.40	-7.64	-13.00	-40.83
5647.50	-53.38	-57.17	13.00	-9.21	-13.00	-40.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 215 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n25A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1905 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-62.75	-48.38	-13.72	-0.65	-13.00	-49.75
65.89	-68.64	-60.05	- 7.79	-0.80	-13.00	-55.64
191.99	-71.61	-73.72	3.54	-1.43	-13.00	-58.61
500.45	-69.88	-71.72	4.25	-2.41	-13.00	-56.88
852.56	-70.18	-72.28	4.64	-2.54	-13.00	-57.18
968.96	-68.37	-69.32	3.81	-2.86	-13.00	-55.37
3810.00	-53.50	-58.21	12.38	-7.67	-13.00	-40.50
5715.00	-53.65	-57.38	12.80	-9.07	-13.00	-40.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 216 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n25A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1905 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-69.16	-54.79	-13.72	-0.65	-13.00	-56.16
158.04	-71.86	-69.38	-1.25	-1.23	-13.00	-58.86
180.35	-72.20	-72.29	1.47	-1.38	-13.00	-59.20
250.19	-66.94	-69.69	4.34	-1.59	-13.00	-53.94
500.45	-71.10	-72.94	4.25	-2.41	-13.00	-58.10
958.29	-71.22	-72.02	3.74	-2.94	-13.00	-58.22
3810.00	-52.42	-57.13	12.38	-7.67	-13.00	-39.42
5715.00	-52.65	-56.38	12.80	-9.07	-13.00	-39.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 217 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n38A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane

Test Frequency :2590 MHz Engineer :Neo Tsai



largin
· ·
dB
38.92
12.50
14.72
15.79
14.62
12.66
27.16
23.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 218 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n38A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2590 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-68.37	-54.00	-13.72	-0.65	-25.00	-43.37
158.04	-72.27	-69.79	-1.25	-1.23	-25.00	-47.27
183.26	-72.37	-73.05	2.07	-1.39	-25.00	-47.37
250.19	-65.89	-68.64	4.34	-1.59	-25.00	-40.89
500.45	-73.01	-74.85	4.25	-2.41	-25.00	-48.01
720.64	-69.45	-70.31	3.48	-2.62	-25.00	-44.45
5180.00	-51.93	-56.31	12.28	-7.90	-25.00	-26.93
7770.00	-48.54	-49.63	11.50	-10.41	-25.00	-23.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 219 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n38A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :2595 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-64.10	-49.78	-13.66	-0.66	-25.00	-39.10
66.86	-68.39	-60.06	-7.53	-0.80	-25.00	-43.39
94.99	-71.03	-69.66	-0.37	-1.00	-25.00	-46.03
194.90	-71.79	-74.24	3.88	-1.43	-25.00	-46.79
500.45	-70.29	-72.13	4.25	-2.41	-25.00	-45.29
716.76	-64.13	-64.88	3.49	-2.74	-25.00	-39.13
5190.00	-52.30	-56.75	12.34	- 7.89	-25.00	-27.30
7785.00	-49.16	-50.15	11.50	-10.51	-25.00	-24.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 220 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n38A **Test Date** :2021-04-08

Test Mode :Tx CH Mid Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2595 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-67.91	-53.54	-13.72	-0.65	-25.00	-42.91
159.01	-71.84	-69.31	-1.29	-1.24	-25.00	-46.84
182.29	-73.78	-74.31	1.92	-1.39	-25.00	-48.78
250.19	-66.31	-69.06	4.34	-1.59	-25.00	-41.31
713.85	-66.92	-67.52	3.45	-2.85	-25.00	-41.92
844.80	-71.37	-73.30	4.72	-2.79	-25.00	-46.37
5190.00	-51.31	-55.76	12.34	-7.89	-25.00	-26.31
7785.00	-49.52	-50.51	11.50	-10.51	-25.00	-24.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 221 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n38A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :2600 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-65.11	-50.79	-13.66	-0.66	-25.00	-40.11
-66.91	-58.58	-7.53	-0.80	-25.00	-41.91
-70.59	-72.85	3.69	-1.43	-25.00	-45.59
-71.12	-72.96	4.25	-2.41	-25.00	-46.12
-70.09	-72.18	4.69	-2.60	-25.00	-45.09
-67.63	-68.52	3.85	-2.96	-25.00	-42.63
-52.38	-56.90	12.40	-7.88	-25.00	-27.38
-49.67	-50.56	11.50	-10.61	-25.00	-24.67
	-65.11 -66.91 -70.59 -71.12 -70.09 -67.63 -52.38	Output Level dBm -65.11	dBm Output Level dBm Gain dBi/dBd -65.11 -50.79 -13.66 -66.91 -58.58 -7.53 -70.59 -72.85 3.69 -71.12 -72.96 4.25 -70.09 -72.18 4.69 -67.63 -68.52 3.85 -52.38 -56.90 12.40	dBm Output Level dBm Gain dBi/dBd Loss dB -65.11 -50.79 -13.66 -0.66 -66.91 -58.58 -7.53 -0.80 -70.59 -72.85 3.69 -1.43 -71.12 -72.96 4.25 -2.41 -70.09 -72.18 4.69 -2.60 -67.63 -68.52 3.85 -2.96 -52.38 -56.90 12.40 -7.88	dBm Output Level dBm Gain dBi/dBd Loss dB -65.11 -50.79 -13.66 -0.66 -25.00 -66.91 -58.58 -7.53 -0.80 -25.00 -70.59 -72.85 3.69 -1.43 -25.00 -71.12 -72.96 4.25 -2.41 -25.00 -70.09 -72.18 4.69 -2.60 -25.00 -67.63 -68.52 3.85 -2.96 -25.00 -52.38 -56.90 12.40 -7.88 -25.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 222 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n38A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2600 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		J
dBm	dBm	dBi/dBd	dB	dBm	dB
-69.23	-54.91	-13.66	-0.66	-25.00	-44.23
-73.71	-67.43	-5.42	-0.86	-25.00	-48.71
-73.53	-71.05	-1.25	-1.23	-25.00	-48.53
-71.77	-73.59	3.26	-1.44	-25.00	-46.77
-73.08	-73.83	3.49	-2.74	-25.00	-48.08
-70.56	-72.14	4.67	-3.09	-25.00	-45.56
-52.10	-56.62	12.40	-7.88	-25.00	-27.10
-49.25	-50.14	11.50	-10.61	-25.00	-24.25
	-69.23 -73.71 -73.53 -71.77 -73.08 -70.56 -52.10	Output Level dBm -69.23	dBm Output Level dBm Gain dBi/dBd -69.23 -54.91 -13.66 -73.71 -67.43 -5.42 -73.53 -71.05 -1.25 -71.77 -73.59 3.26 -73.08 -73.83 3.49 -70.56 -72.14 4.67 -52.10 -56.62 12.40	dBm Output Level dBm Gain dBi/dBd Loss dB -69.23 -54.91 -13.66 -0.66 -73.71 -67.43 -5.42 -0.86 -73.53 -71.05 -1.25 -1.23 -71.77 -73.59 3.26 -1.44 -73.08 -73.83 3.49 -2.74 -70.56 -72.14 4.67 -3.09 -52.10 -56.62 12.40 -7.88	dBm Output Level dBm Gain dBi/dBd Loss dB -69.23 -54.91 -13.66 -0.66 -25.00 -73.71 -67.43 -5.42 -0.86 -25.00 -73.53 -71.05 -1.25 -1.23 -25.00 -71.77 -73.59 3.26 -1.44 -25.00 -73.08 -73.83 3.49 -2.74 -25.00 -70.56 -72.14 4.67 -3.09 -25.00 -52.10 -56.62 12.40 -7.88 -25.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 223 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n66A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane

Test Frequency :1712.5 MHz Engineer :Neo Tsai



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
	36.79	-62.71	-48.34	-13.72	-0.65	-13.00	-49.71
	66.86	-65.45	-57.12	-7.53	-0.80	-13.00	-52.45
	191.99	-70.24	-72.35	3.54	-1.43	-13.00	-57.24
	500.45	-71.19	-73.03	4.25	-2.41	-13.00	-58.19
	832.19	-69.78	-71.43	4.58	-2.93	-13.00	-56.78
	970.90	-68.59	-69.53	3.82	-2.88	-13.00	-55.59
	3425.00	-54.69	-61.39	12.55	-5.85	-13.00	-41.69
	5137.50	-53.00	-57.15	12.10	-7.95	-13.00	-40.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 224 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n66A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1712.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-70.01	-55.64	-13.72	-0.65	-13.00	-57.01
158.04	-73.18	-70.70	-1.25	-1.23	-13.00	-60.18
190.05	-73.57	-75.39	3.26	-1.44	-13.00	-60.57
250.19	-66.91	-69.66	4.34	-1.59	-13.00	-53.91
500.45	-72.66	-74.50	4.25	-2.41	-13.00	-59.66
830.25	-70.28	-71.95	4.56	-2.89	-13.00	-57.28
3425.00	-54.51	-61.21	12.55	-5.85	-13.00	-41.51
5137.50	-53.16	-57.31	12.10	-7.95	-13.00	-40.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 225 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n66A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1745 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-62.64	-48.32	-13.66	-0.66	-13.00	-49.64
65.89	-68.06	-59.47	-7.79	-0.80	-13.00	-55.06
95.96	-69.08	-67.80	-0.28	-1.00	-13.00	-56.08
194.90	-70.75	-73.20	3.88	-1.43	-13.00	-57.75
500.45	-71.95	-73.79	4.25	-2.41	-13.00	-58.95
967.99	-68.75	-69.68	3.80	-2.87	-13.00	-55.75
3490.00	-55.82	-61.98	12.42	-6.26	-13.00	-42.82
5235.00	-52.80	-57.49	12.68	-7.99	-13.00	-39.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 226 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n66A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1745 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
37.76	-69.22	-54.90	-13.66	-0.66	-13.00	-56.22
159.01	-73.35	-70.82	-1.29	-1.24	-13.00	-60.35
183.26	-73.55	-74.23	2.07	-1.39	-13.00	-60.55
250.19	-68.27	-71.02	4.34	-1.59	-13.00	-55.27
500.45	-71.50	-73.34	4.25	-2.41	-13.00	-58.50
838.01	-70.49	-72.08	4.64	-3.05	-13.00	-57.49
3490.00	-55.48	-61.64	12.42	-6.26	-13.00	-42.48
5235.00	-52.63	-57.32	12.68	-7.99	-13.00	-39.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 227 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n66A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1777.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-63.19	-48.82	-13.72	-0.65	-13.00	-50.19
66.86	-70.87	-62.54	-7.53	-0.80	-13.00	-57.87
95.96	-71.43	-70.15	-0.28	-1.00	-13.00	-58.43
191.99	-70.64	-72.75	3.54	-1.43	-13.00	-57.64
500.45	-71.88	-73.72	4.25	-2.41	-13.00	-58.88
904.94	-62.15	-63.01	4.21	-3.35	-13.00	-49.15
3555.00	-55.37	-61.21	12.38	-6.54	-13.00	-42.37
5332.50	-52.09	-56.54	13.00	-8.55	-13.00	-39.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 228 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n66A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1777.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-68.60	-54.23	-13.72	-0.65	-13.00	-55.60
73.65	-73.72	-67.44	-5.42	-0.86	-13.00	-60.72
158.04	-73.15	-70.67	-1.25	-1.23	-13.00	-60.15
182.29	-72.99	-73.52	1.92	-1.39	-13.00	-59.99
250.19	-66.57	-69.32	4.34	-1.59	-13.00	-53.57
896.21	-67.10	-68.09	4.33	-3.34	-13.00	-54.10
3555.00	-54.55	-60.39	12.38	-6.54	-13.00	-41.55
5332.50	-51.97	-56.42	13.00	-8.55	-13.00	-38.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 229 of 284

Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane **Test Frequency** :673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
35.82	-65.36	-51.05	-13.67	-0.64	-13.00	-52.36
66.86	-68.64	-60.31	-7.53	-0.80	-13.00	-55.64
192.96	-70.20	-72.46	3.69	-1.43	-13.00	-57.20
660.50	-70.30	-71.57	3.68	-2.41	-13.00	-57.30
784.66	-66.99	-67.45	3.56	-3.10	-13.00	-53.99
896.21	-49.58	-50.57	4.33	-3.34	-13.00	-36.58
1346.00	-58.01	-61.34	7.11	-3.78	-13.00	-45.01
2019.00	-57.88	-63.34	10.16	-4.70	-13.00	-44.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 230 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n71A **Test Date** :2021-04-08

:Tx CH Low **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-68.12	-53.75	-13.72	-0.65	-13.00	-55.12
73.65	-74.79	-68.51	-5.42	-0.86	-13.00	-61.79
158.04	-73.17	-70.69	-1.25	-1.23	-13.00	-60.17
183.26	-72.76	-73.44	2.07	-1.39	-13.00	-59.76
500.45	-72.44	-74.28	4.25	-2.41	-13.00	-59.44
896.21	-49.77	-50.76	4.33	-3.34	-13.00	-36.77
1346.00	-58.50	-61.83	7.11	-3.78	-13.00	-45.50
2019.00	-57.50	-62.96	10.16	-4.70	-13.00	-44.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 231 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n71A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :680.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
37.76	-62.05	-47.73	-13.66	-0.66	-13.00	-49.05
56.19	-68.38	-57.25	-10.41	-0.72	-13.00	-55.38
63.95	-68.59	-59.21	-8.60	-0.78	-13.00	-55.59
95.96	-70.12	-68.84	-0.28	-1.00	-13.00	-57.12
657.59	-70.58	-71.83	3.64	-2.39	-13.00	-57.58
896.21	-57.35	-58.34	4.33	-3.34	-13.00	-44.35
1361.00	-57.84	-61.26	7.21	-3.79	-13.00	-44.84
2041.50	-57.35	-62.75	10.12	-4.72	-13.00	-44.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 232 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n71A **Test Date** :2021-04-08

:Tx CH Mid **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :680.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-69.05	-54.68	-13.72	-0.65	-13.00	-56.05
73.65	-73.61	-67.33	-5.42	-0.86	-13.00	-60.61
158.04	-73.12	-70.64	-1.25	-1.23	-13.00	-60.12
180.35	-73.49	-73.58	1.47	-1.38	-13.00	-60.49
250.19	-73.44	-76.19	4.34	-1.59	-13.00	-60.44
895.24	-58.86	-59.87	4.32	-3.31	-13.00	-45.86
1361.00	-57.32	-60.74	7.21	-3.79	-13.00	-44.32
2041.50	-57.86	-63.26	10.12	-4.72	-13.00	-44.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 233 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n71A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :693 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-62.86	-48.54	-13.66	-0.66	-13.00	-49.86
65.89	-67.33	-58.74	-7.79	-0.80	-13.00	-54.33
94.99	-73.30	-71.93	-0.37	-1.00	-13.00	-60.30
192.96	-70.30	-72.56	3.69	-1.43	-13.00	-57.30
844.80	-70.15	-72.08	4.72	-2.79	-13.00	-57.15
904.94	-60.86	-61.72	4.21	-3.35	-13.00	-47.86
1386.00	-57.39	-61.02	7.46	-3.83	-13.00	-44.39
2079.00	-56.74	-61.97	9.98	-4.75	-13.00	-43.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 234 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :n71A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :693 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-68.30	-53.93	-13.72	-0.65	-13.00	-55.30
158.04	-72.32	-69.84	-1.25	-1.23	-13.00	-59.32
191.99	-72.82	-74.93	3.54	-1.43	-13.00	-59.82
250.19	-70.70	-73.45	4.34	-1.59	-13.00	-57.70
500.45	-71.11	-72.95	4.25	-2.41	-13.00	-58.11
896.21	-61.99	-62.98	4.33	-3.34	-13.00	-48.99
1386.00	-58.06	-61.69	7.46	-3.83	-13.00	-45.06
2079.00	-56.67	-61.90	9.98	-4.75	-13.00	-43.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 235 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :2A n5A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1900 834 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-63.38	-49.06	-13.66	-0.66	-13.00	-50.38
63.95	-67.82	-58.44	-8.60	-0.78	-13.00	-54.82
95.96	-69.36	-68.08	-0.28	-1.00	-13.00	-56.36
192.96	-71.36	-73.62	3.69	-1.43	-13.00	-58.36
500.45	-70.31	-72.15	4.25	-2.41	-13.00	-57.31
966.05	-69.26	-70.17	3.78	-2.87	-13.00	-56.26
1668.00	-58.69	-63.95	9.54	-4.28	-13.00	-45.69
2502.00	-56.67	-62.08	10.60	-5.19	-13.00	-43.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1ems-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 236 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :2A_n5A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1900_834 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
73.65	-75.54	-69.26	-5.42	-0.86	-13.00	-62.54
158.04	-72.49	-70.01	-1.25	-1.23	-13.00	-59.49
190.05	-73.01	-74.83	3.26	-1.44	-13.00	-60.01
250.19	-68.43	-71.18	4.34	-1.59	-13.00	-55.43
500.45	-74.08	-75.92	4.25	-2.41	-13.00	-61.08
959.26	-70.77	-71.58	3.73	-2.92	-13.00	-57.77
1668.00	-58.76	-64.02	9.54	-4.28	-13.00	-45.76
2502.00	-57.20	-62.61	10.60	-5.19	-13.00	-44.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 237 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :2A n12A Test Date :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1900 708.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-64.36	-49.99	-13.72	-0.65	-13.00	-51.36
63.95	-67.25	-57.87	-8.60	-0.78	-13.00	-54.25
94.99	-71.11	-69.74	-0.37	-1.00	-13.00	-58.11
194.90	-71.38	-73.83	3.88	-1.43	-13.00	-58.38
665.35	-70.34	-71.26	3.73	-2.81	-13.00	-57.34
967.99	-68.89	-69.82	3.80	-2.87	-13.00	-55.89
1417.00	-58.12	-61.99	7.74	-3.87	-13.00	-45.12
2125.50	-57.06	-61.85	9.59	-4.80	-13.00	-44.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 238 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :2A_n12A **Test Date** :2021-04-08

:Tx CH High **Test Mode** Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1900_708.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
125.06	-74.79	-71.76	-1.88	-1.15	-13.00	-61.79
158.04	-72.22	-69.74	-1.25	-1.23	-13.00	-59.22
180.35	-73.67	-73.76	1.47	-1.38	-13.00	-60.67
250.19	-67.93	-70.68	4.34	-1.59	-13.00	-54.93
500.45	-72.08	-73.92	4.25	-2.41	-13.00	-59.08
961.20	-71.78	-72.63	3.74	-2.89	-13.00	-58.78
1417.00	-58.17	-62.04	7.74	-3.87	-13.00	-45.17
2125.50	-57.59	-62.38	9.59	-4.80	-13.00	-44.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 239 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :2A n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1900 673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-62.89	-48.52	-13.72	-0.65	-13.00	-49.89
63.95	-69.12	-59.74	-8.60	-0.78	-13.00	-56.12
196.84	-70.20	-72.83	4.06	-1.43	-13.00	-57.20
250.19	-64.20	-66.95	4.34	-1.59	-13.00	-51.20
595.51	-72.17	-73.28	3.76	-2.65	-13.00	-59.17
658.56	-72.06	-73.33	3.65	-2.38	-13.00	-59.06
1346.00	-57.68	-61.01	7.11	-3.78	-13.00	-44.68
2019.00	-58.07	-63.53	10.16	-4.70	-13.00	-45.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 240 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :2A_n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1900_673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		J
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
104.69	-70.65	-68.32	-1.30	-1.03	-13.00	-57.65
182.29	-74.60	-75.13	1.92	-1.39	-13.00	-61.60
199.75	-72.00	-74.86	4.29	-1.43	-13.00	-59.00
250.19	-68.36	-71.11	4.34	-1.59	-13.00	-55.36
500.45	-68.98	-70.82	4.25	-2.41	-13.00	-55.98
745.86	-72.43	-72.81	2.83	-2.45	-13.00	-59.43
1346.00	-57.64	-60.97	7.11	-3.78	-13.00	-44.64
2019.00	-58.24	-63.70	10.16	-4.70	-13.00	-45.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 241 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :5A n2A Test Date :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :829 1900 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-63.82	-49.50	-13.66	-0.66	-13.00	-50.82
63.95	-68.35	-58.97	-8.60	-0.78	-13.00	-55.35
125.06	-71.92	-68.89	-1.88	-1.15	-13.00	-58.92
192.96	-70.60	-72.86	3.69	-1.43	-13.00	-57.60
745.86	-69.75	-70.13	2.83	-2.45	-13.00	-56.75
985.45	-69.31	-70.12	3.95	-3.14	-13.00	-56.31
3800.00	-52.81	-57.51	12.40	-7.70	-13.00	-39.81
5700.00	-53.70	-57.40	12.80	-9.10	-13.00	-40.70
			_	_		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 242 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :5A_n2A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :829_1900 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
0.7.00					40.00	0.4.00
65.89	-74.38	-65.79	-7.79	-0.80	-13.00	-61.38
159.01	-72.86	-70.33	-1.29	-1.24	-13.00	-59.86
191.99	-72.09	-74.20	3.54	-1.43	-13.00	-59.09
250.19	-64.46	-67.21	4.34	-1.59	-13.00	-51.46
500.45	-74.92	-76.76	4.25	-2.41	-13.00	-61.92
851.59	-71.13	-73.27	4.65	-2.51	-13.00	-58.13
3800.00	-52.56	-57.26	12.40	-7.70	-13.00	-39.56
5700.00	-53.21	-56.91	12.80	-9.10	-13.00	-40.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 243 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :5A_n38A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :829_2590 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
39.70	-64.33	-50.17	-13.48	-0.68	-25.00	-39.33
65.89	-66.94	-58.35	-7.79	-0.80	-25.00	-41.94
95.96	-72.23	-70.95	-0.28	-1.00	-25.00	-47.23
190.05	-71.22	-73.04	3.26	-1.44	-25.00	-46.22
830.25	-70.31	-71.98	4.56	-2.89	-25.00	-45.31
986.42	-68.21	-69.01	3.96	-3.16	-25.00	-43.21
5180.00	-52.66	-57.04	12.28	-7.90	-25.00	-27.66
7770.00	-49.19	-50.28	11.50	-10.41	-25.00	-24.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 244 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :5A_n38A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :829_2590 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
73.65	-72.48	-66.20	-5.42	-0.86	-25.00	-47.48
158.04	-72.85	-70.37	-1.25	-1.23	-25.00	-47.85
250.19	-65.55	-68.30	4.34	-1.59	-25.00	-40.55
500.45	-73.96	-75.80	4.25	-2.41	-25.00	-48.96
844.80	-71.26	-73.19	4.72	-2.79	-25.00	-46.26
977.69	-70.34	-71.17	3.83	-3.00	-25.00	-45.34
5180.00	-51.79	-56.17	12.28	-7.90	-25.00	-26.79
7770.00	-49.08	-50.17	11.50	-10.41	-25.00	-24.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 245 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :5A n66A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane

Test Frequency :829 1712.5 MHz Engineer :Neo Tsai



imit Margin
•
Bm dB
3.00 -51.14
3.00 -57.72
3.00 -57.00
3.00 -50.52
3.00 -58.29
3.00 -58.71
3.00 -41.72
3.00 -40.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 246 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode Test Date :2021-04-08 :5A_n66A

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :829_1712.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
104.69	-70.82	-68.49	-1.30	-1.03	-13.00	-57.82
197.81	-71.43	-74.19	4.19	-1.43	-13.00	-58.43
250.19	-67.11	-69.86	4.34	-1.59	-13.00	-54.11
500.45	-70.08	-71.92	4.25	-2.41	-13.00	-57.08
604.24	-76.06	-77.10	3.62	-2.58	-13.00	-63.06
833.16	-71.66	-73.30	4.59	-2.95	-13.00	-58.66
3425.00	-54.39	-61.09	12.55	-5.85	-13.00	-41.39
5137.50	-53.31	-57.46	12.10	-7.95	-13.00	-40.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 247 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :7A_n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :2535 673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
36.79	-63.30	-48.93	-13.72	-0.65	-13.00	-50.30
65.89	-67.99	-59.40	-7.79	-0.80	-13.00	-54.99
196.84	-69.99	-72.62	4.06	-1.43	-13.00	-56.99
250.19	-68.20	-70.95	4.34	-1.59	-13.00	-55.20
532.46	-70.54	-72.68	4.21	-2.07	-13.00	-57.54
609.09	-72.15	-73.14	3.51	-2.52	-13.00	-59.15
1346.00	-57.74	-61.07	7.11	-3.78	-13.00	-44.74
2019.00	-58.27	-63.73	10.16	-4.70	-13.00	-45.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1ems-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 248 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :7A_n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2535_673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
104.69	-70.72	-68.39	-1.30	-1.03	-13.00	-57.72
185.20	-73.93	-74.89	2.37	-1.41	-13.00	-60.93
204.60	-71.97	-75.02	4.50	-1.45	-13.00	-58.97
250.19	-69.42	-72.17	4.34	-1.59	-13.00	-56.42
548.95	-75.83	-77.74	4.19	-2.28	-13.00	-62.83
599.39	-75.66	-76.68	3.66	-2.64	-13.00	-62.66
1346.00	-57.35	-60.68	7.11	-3.78	-13.00	-44.35
2019.00	-58.51	-63.97	10.16	-4.70	-13.00	-45.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 249 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :12A_n2A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol Antenna Pol. :VERTICAL :H Plane

Test Frequency :711 1900 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
37.76	-61.53	-47.21	-13.66	-0.66	-13.00	-48.53
66.86	-66.76	-58.43	-7.53	-0.80	-13.00	-53.76
95.96	-72.93	-71.65	-0.28	-1.00	-13.00	-59.93
192.96	-69.14	-71.40	3.69	-1.43	-13.00	-56.14
658.56	-70.27	-71.54	3.65	-2.38	-13.00	-57.27
730.34	-68.83	-69.24	3.14	-2.73	-13.00	-55.83
3800.00	-52.83	-57.53	12.40	-7.70	-13.00	-39.83
5700.00	-53.37	-57.07	12.80	-9.10	-13.00	-40.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 250 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :12A_n2A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :711_1900 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
73.65	-72.81	-66.53	-5.42	-0.86	-13.00	-59.81
158.04	-73.15	-70.67	-1.25	-1.23	-13.00	-60.15
192.96	-71.68	-73.94	3.69	-1.43	-13.00	-58.68
250.19	-74.65	-77.40	4.34	-1.59	-13.00	-61.65
500.45	-72.70	-74.54	4.25	-2.41	-13.00	-59.70
730.34	-65.80	-66.21	3.14	-2.73	-13.00	-52.80
3800.00	-52.74	-57.44	12.40	-7.70	-13.00	-39.74
5700.00	-53.05	-56.75	12.80	-9.10	-13.00	-40.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 251 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :12A_n25A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :711 1905 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		•
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-64.62	-50.25	-13.72	-0.65	-13.00	-51.62
-68.19	-59.60	- 7.79	-0.80	-13.00	-55.19
-68.45	-71.20	4.34	-1.59	-13.00	-55.45
-73.68	-76.04	4.24	-1.88	-13.00	-60.68
-72.61	-73.76	3.80	-2.65	-13.00	-59.61
-71.77	-72.79	3.66	-2.64	-13.00	-58.77
-53.62	-58.33	12.38	-7.67	-13.00	-40.62
-53.55	-57.28	12.80	-9.07	-13.00	-40.55
	-64.62 -68.19 -68.45 -73.68 -72.61 -71.77 -53.62	Output Level dBm -64.62	dBm Output Level dBm Gain dBi/dBd -64.62 -50.25 -13.72 -68.19 -59.60 -7.79 -68.45 -71.20 4.34 -73.68 -76.04 4.24 -72.61 -73.76 3.80 -71.77 -72.79 3.66 -53.62 -58.33 12.38	dBm Output Level dBm Gain dBi/dBd Loss dBi/dBd -64.62 -50.25 -13.72 -0.65 -68.19 -59.60 -7.79 -0.80 -68.45 -71.20 4.34 -1.59 -73.68 -76.04 4.24 -1.88 -72.61 -73.76 3.80 -2.65 -71.77 -72.79 3.66 -2.64 -53.62 -58.33 12.38 -7.67	dBm Output Level dBm Gain dBi/dBd Loss dBm -64.62 -50.25 -13.72 -0.65 -13.00 -68.19 -59.60 -7.79 -0.80 -13.00 -68.45 -71.20 4.34 -1.59 -13.00 -73.68 -76.04 4.24 -1.88 -13.00 -72.61 -73.76 3.80 -2.65 -13.00 -71.77 -72.79 3.66 -2.64 -13.00 -53.62 -58.33 12.38 -7.67 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1ems-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 252 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :12A_n25A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :711_1905 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
404.00	74.40	00.40	4.00	4.00	40.00	50.40
104.69	-71.46	-69.13	-1.30	-1.03	-13.00	-58.46
199.75	-71.82	-74.68	4.29	-1.43	-13.00	-58.82
250.19	-66.86	-69.61	4.34	-1.59	-13.00	-53.86
388.90	-74.73	-77.09	4.40	-2.04	-13.00	-61.73
500.45	-74.47	-76.31	4.25	-2.41	-13.00	-61.47
624.61	-75.24	-76.39	3.49	-2.34	-13.00	-62.24
3810.00	-53.27	-57.98	12.38	-7.67	-13.00	-40.27
5715.00	-53.49	-57.22	12.80	-9.07	-13.00	-40.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 253 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :12A n66A Test Date :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :711 1712.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
36.79	-63.42	-49.05	-13.72	-0.65	-13.00	-50.42
54.25	-68.09	-56.64	-10.73	-0.72	-13.00	-55.09
65.89	-68.78	-60.19	-7.79	-0.80	-13.00	-55.78
201.69	-67.64	-70.57	4.37	-1.44	-13.00	-54.64
250.19	-69.41	-72.16	4.34	-1.59	-13.00	-56.41
500.45	-70.57	-72.41	4.25	-2.41	-13.00	-57.57
3425.00	-54.35	-61.05	12.55	-5.85	-13.00	-41.35
5137.50	-53.47	-57.62	12.10	-7.95	-13.00	-40.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 254 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :12A_n66A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :711_1712.5 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
104.69	-71.95	-69.62	-1.30	-1.03	-13.00	-58.95
199.75	-71.78	-74.64	4.29	-1.43	-13.00	-58.78
250.19	-65.79	-68.54	4.34	-1.59	-13.00	-52.79
500.45	-70.06	-71.90	4.25	-2.41	-13.00	-57.06
600.36	-74.92	-75.92	3.64	-2.64	-13.00	-61.92
755.56	-73.91	-74.39	2.95	-2.47	-13.00	-60.91
3425.00	-54.26	-60.96	12.55	-5.85	-13.00	-41.26
5137.50	-52.16	-56.31	12.10	-7.95	-13.00	-39.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 255 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :66A n12A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1745 708.5 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-63.28	-48.91	-13.72	-0.65	-13.00	-50.28
-66.74	-58.41	-7.53	-0.80	-13.00	-53.74
-72.70	-71.33	-0.37	-1.00	-13.00	-59.70
-70.84	-73.29	3.88	-1.43	-13.00	-57.84
-70.36	-71.61	3.64	-2.39	-13.00	-57.36
-68.46	-69.34	3.76	-2.88	-13.00	-55.46
-59.80	-63.67	7.74	-3.87	-13.00	-46.80
-57.95	-62.74	9.59	-4.80	-13.00	-44.95
	-63.28 -66.74 -72.70 -70.84 -70.36 -68.46 -59.80	Output Level dBm -63.28 -66.74 -66.74 -72.70 -71.33 -70.84 -73.29 -70.36 -71.61 -68.46 -69.34 -59.80 Output Level dBm -48.91 -78.91 -78.41 -79.32 -71.33 -70.84 -73.29 -70.36 -71.61 -68.46 -69.34 -69.34	dBm Output Level dBm Gain dBi/dBd -63.28 -48.91 -13.72 -66.74 -58.41 -7.53 -72.70 -71.33 -0.37 -70.84 -73.29 3.88 -70.36 -71.61 3.64 -68.46 -69.34 3.76 -59.80 -63.67 7.74	dBm Output Level dBm Gain dBi/dBd Loss dB -63.28 -48.91 -13.72 -0.65 -66.74 -58.41 -7.53 -0.80 -72.70 -71.33 -0.37 -1.00 -70.84 -73.29 3.88 -1.43 -70.36 -71.61 3.64 -2.39 -68.46 -69.34 3.76 -2.88 -59.80 -63.67 7.74 -3.87	dBm Output Level dBm Gain dBi/dBd Loss dB -63.28 -48.91 -13.72 -0.65 -13.00 -66.74 -58.41 -7.53 -0.80 -13.00 -72.70 -71.33 -0.37 -1.00 -13.00 -70.84 -73.29 3.88 -1.43 -13.00 -70.36 -71.61 3.64 -2.39 -13.00 -68.46 -69.34 3.76 -2.88 -13.00 -59.80 -63.67 7.74 -3.87 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1ems-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 256 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :66A_n12A **Test Date** :2021-04-08

Test Mode :Tx CH High Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1745_708.5 MHz Engineer :Neo Tsai



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		· ·
dBm	dBm	dBi/dBd	dB	dBm	dB
-72.47	-69.94	-1.29	-1.24	-13.00	-59.47
-72.62	-74.73	3.54	-1.43	-13.00	-59.62
-65.86	-68.61	4.34	-1.59	-13.00	-52.86
-72.75	-74.59	4.25	-2.41	-13.00	-59.75
-71.93	-73.09	4.23	-3.07	-13.00	-58.93
-70.80	-71.60	3.74	-2.94	-13.00	-57.80
-58.74	-62.61	7.74	-3.87	-13.00	-45.74
-57.47	-62.26	9.59	-4.80	-13.00	-44.47
	-72.47 -72.62 -65.86 -72.75 -71.93 -70.80 -58.74	Output Level dBm -72.47	dBm Output Level dBm Gain dBi/dBd -72.47 -69.94 -1.29 -72.62 -74.73 3.54 -65.86 -68.61 4.34 -72.75 -74.59 4.25 -71.93 -73.09 4.23 -70.80 -71.60 3.74 -58.74 -62.61 7.74	dBm Output Level dBm Gain dBi/dBd Loss dB -72.47 -69.94 -1.29 -1.24 -72.62 -74.73 3.54 -1.43 -65.86 -68.61 4.34 -1.59 -72.75 -74.59 4.25 -2.41 -71.93 -73.09 4.23 -3.07 -70.80 -71.60 3.74 -2.94 -58.74 -62.61 7.74 -3.87	dBm Output Level dBm Gain dBi/dBd Loss dB -72.47 -69.94 -1.29 -1.24 -13.00 -72.62 -74.73 3.54 -1.43 -13.00 -65.86 -68.61 4.34 -1.59 -13.00 -72.75 -74.59 4.25 -2.41 -13.00 -71.93 -73.09 4.23 -3.07 -13.00 -70.80 -71.60 3.74 -2.94 -13.00 -58.74 -62.61 7.74 -3.87 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 257 of 284


Report Number **Test Site** :SAC I Chamber :ER/2021/20012

Operation Mode :66A n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1745 673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
34.85	-63.13	-48.48	-14.03	-0.62	-13.00	-50.13
65.89	-67.77	-59.18	-7.79	-0.80	-13.00	-54.77
202.66	-70.68	-73.66	4.42	-1.44	-13.00	-57.68
250.19	-68.12	-70.87	4.34	-1.59	-13.00	-55.12
500.45	-70.14	-71.98	4.25	-2.41	-13.00	-57.14
595.51	-72.18	-73.29	3.76	-2.65	-13.00	-59.18
1346.00	-57.82	-61.15	7.11	-3.78	-13.00	-44.82
2019.00	-58.38	-63.84	10.16	-4.70	-13.00	-45.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 258 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :66A_n71A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1745_673 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
104.69	-71.19	-68.86	-1.30	-1.03	-13.00	-58.19
197.81	-71.67	-74.43	4.19	-1.43	-13.00	-58.67
250.19	-67.59	-70.34	4.34	-1.59	-13.00	-54.59
500.45	-68.78	-70.62	4.25	-2.41	-13.00	-55.78
524.70	-76.14	-78.22	4.18	-2.10	-13.00	-63.14
745.86	-73.74	-74.12	2.83	-2.45	-13.00	-60.74
1346.00	-57.41	-60.74	7.11	-3.78	-13.00	-44.41
2019.00	-57.54	-63.00	10.16	-4.70	-13.00	-44.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 259 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :71A n38A Test Date :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :673 2590 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-64.94	-50.78	-13.48	-0.68	-25.00	-39.94
65.89	-68.57	-59.98	-7.79	-0.80	-25.00	-43.57
94.99	-71.76	-70.39	-0.37	-1.00	-25.00	-46.76
194.90	-69.85	-72.30	3.88	-1.43	-25.00	-44.85
500.45	-70.02	-71.86	4.25	-2.41	-25.00	-45.02
835.10	-69.92	-71.54	4.61	-2.99	-25.00	-44.92
5180.00	-52.04	-56.42	12.28	-7.90	-25.00	-27.04
7770.00	-48.16	-49.25	11.50	-10.41	-25.00	-23.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page: 260 of 284


Report Number Test Site :SAC I Chamber :ER/2021/20012

Operation Mode :71A_n38A **Test Date** :2021-04-08

Test Mode :Tx CH Low Temp./Humi. :23.9/61

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :673_2590 MHz Engineer :Neo Tsai



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
159.01	-73.54	-71.01	-1.29	-1.24	-25.00	-48.54
180.35	-72.86	-72.95	1.47	-1.38	-25.00	-47.86
250.19	-66.25	-69.00	4.34	-1.59	-25.00	-41.25
500.45	-71.20	-73.04	4.25	-2.41	-25.00	-46.20
624.61	-71.87	-73.02	3.49	-2.34	-25.00	-46.87
975.75	-69.95	-70.84	3.85	-2.96	-25.00	-44.95
5180.00	-51.73	-56.11	12.28	-7.90	-25.00	-26.73
7770.00	-47.34	-48.43	11.50	-10.41	-25.00	-22.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 261 of 284


10 FREQUENCY STABILITY MEASUREMENT

Standard Applicable

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 **Test Set-up**





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

10.3 **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 262 of 284

10.4 **Measurement Equipment Used**

Conducted Emission Test Site: Conducted 3								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY53400256	11/19/2020	11/18/2021			
UXM 5G	KEYSIGHT	E7515B	MY59321561	12/22/2020	12/21/2021			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/20/2020	05/19/2021			
DC Power Supply	Agilent	E3640A	MY52410006	12/17/2020	12/16/2021			
Attenuator	Mini-Circuit	BW-S10W2+	2	12/16/2020	12/15/2021			
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021			
Power Divider	RF-LAMBDA	RFLT2W1G1 8G	18112200202	12/16/2020	12/15/2021			

10.5 **Measurement Result**

		NR Band 2		
Modulation.:	CP-OF	DM QPSK		Reference Freq.:
SCS.:	15	kHz	1880	MHz 20M CH 376000
Power Supply Vdc	Temp.(°C)	Freq. (MHz)	Delta (Hz)	Limit = \pm 4.5 ppm (Hz)
	Fre	q. ERROR vs. VO	LTAGE	
4.257	25	1879.999980	-20	4700
3.87	25	1879.999990	-10	4700
3.483	25	1879.999971	-29	4700
3.4 (End Point)	25	1879.999983	-17	4700
	F	req. ERROR vs. T	emp.	
3.87	-30	1880.000002	2	4700
3.87	-20	1879.999977	-23	4700
3.87	-10	1880.000036	36	4700
3.87	0	1880.000003	3	4700
3.87	10	1879.999989	-11	4700
3.87	20	1880.000022	22	4700
3.87	30	1879.999980	-20	4700
3.87	40	1880.000035	35	4700
3.87	50	1880.000022	22	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 263 of 284

		NR Band 5		
Modulation.:	CP-OF	DM QPSK	Reference Freq.:	
SCS.:	15	kHz	836.5	MHz 20M CH 167300
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	Freq	. ERROR vs. VOL	TAGE	
4.257	25	836.499971	-29	2091
3.87	25	836.499980	-20	2091
3.483	25	836.499974	-26	2091
3.4 (End Point)	25	836.499977	-23	2091
	Fre	eq. ERROR vs. Te	mp.	
3.87	-30	836.499980	-20	2091
3.87	-20	836.499987	-13	2091
3.87	-10	836.499988	-12	2091
3.87	0	836.499998	-2	2091
3.87	10	836.499999	-1	2091
3.87	20	836.499995	-5	2091
3.87	30	836.500035	35	2091
3.87	40	836.500011	11	2091
3.87	50	836.500012	12	2091

		NR Band 7		
Modulation.:	CP-OF	DM QPSK		Reference Freq.:
SCS.:	15	kHz	2535	MHz 20M CH 507000
Power Supply Vdc	Temp. (℃)	Freq. (MHz)	Delta (Hz)	Limit = \pm 2.5 ppm (Hz)
	Fre	q. ERROR vs. VO	LTAGE	
4.257	25	2535.000025	25	6338
3.87	25	2534.999998	-2	6338
3.483	25	2534.999989	-11	6338
3.4 (End Point)	25	2534.999977	-23	6338
	F	req. ERROR vs. T	emp.	
3.87	-30	2535.000035	35	6338
3.87	-20	2534.999976	-24	6338
3.87	-10	2535.000018	18	6338
3.87	0	2535.000028	28	6338
3.87	10	2535.000040	40	6338
3.87	20	2535.000029	29	6338
3.87	30	2535.000029	29	6338
3.87	40	2535.000009	9	6338
3.87	50	2534.999985	-15	6338

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 264 of 284

		NR Band 12		
Modulation.:	CP-OFI	DM QPSK	Reference Freq.:	
SCS.:	15	kHz	707.5	MHz 15M CH 141500
Power Supply Vdc	Temp. (°℃)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	Freq.	ERROR vs. VOL	TAGE	
4.257	25	707.499978	-22	1769
3.87	25	707.499992	-8	1769
3.483	25	707.499984	-16	1769
3.4 (End Point)	25	707.500017	17	1769
	Fre	q. ERROR vs. Te	mp.	
3.87	-30	707.499983	-17	1769
3.87	-20	707.499981	-19	1769
3.87	-10	707.499990	-10	1769
3.87	0	707.499981	-19	1769
3.87	10	707.500015	15	1769
3.87	20	707.499987	-13	1769
3.87	30	707.500028	28	1769
3.87	40	707.500032	32	1769
3.87	50	707.499983	-17	1769

		NR Band 25		
Modulation.:	CP-OF	DM QPSK		Reference Freq.:
SCS.:	15	kHz	1882.5	MHz 20M CH 376500
Power Supply Vdc	Temp. (℃)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	Fre	q. ERROR vs. VO	LTAGE	
4.257	25	1882.500016	16	4706
3.87	25	1882.500006	6	4706
3.483	25	1882.499978	-22	4706
3.4 (End Point)	25	1882.500007	7	4706
	F	req. ERROR vs. T	emp.	
3.87	-30	1882.499972	-28	4706
3.87	-20	1882.499996	-4	4706
3.87	-10	1882.500031	31	4706
3.87	0	1882.499998	-2	4706
3.87	10	1882.499971	-29	4706
3.87	20	1882.500010	10	4706
3.87	30	1882.499980	-20	4706
3.87	40	1882.499981	-19	4706
3.87	50	1882.499972	-28	4706

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 265 of 284

		NR Band 38					
Modulation.:	CP-OF	Reference Freq.:					
SCS.:	15	kHz	2595	MHz 20M CH 519000			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)			
	Freq	ERROR vs. VOL	TAGE				
4.257	25	2594.999972	-28	6488			
3.87	25	2594.999997	-3	6488			
3.483	25	2594.999978	-22	6488			
3.4 (End Point)	25	2595.000006	6	6488			
	Fre	q. ERROR vs. Te	mp.				
3.87	-30	2595.000027	27	6488			
3.87	-20	2594.999996	-4	6488			
3.87	-10	2594.999987	-13	6488			
3.87	0	2595.000018	18	6488			
3.87	10	2595.000014	14	6488			
3.87	20	2595.000011	11	6488			
3.87	30	2594.999988	-12	6488			
3.87	40	2594.999972	-28	6488			
3.87	50	2594.999982	-18	6488			

		NR Band 66					
Modulation.:	CP-OF	Reference Freq.:					
SCS.:	15	kHz	1745 MHz 20M CH 349000				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)			
	Freq	. Error vs. Vol	TAGE				
4.257	25	1744.999985	-15	4363			
3.87	25	1745.000020	20	4363			
3.483	25	1745.000032	32	4363			
3.4 (End Point)	25	1744.999990	-10	4363			
	Fre	eq. ERROR vs. Te	mp.				
3.87	-30	1745.000038	38	4363			
3.87	-20	1745.000034	34	4363			
3.87	-10	1744.999978	-22	4363			
3.87	0	1745.000031	31	4363			
3.87	10	1745.000036	36	4363			
3.87	20	1745.000039	39	4363			
3.87	30	1745.000024	24	4363			
3.87	40	1744.999999	-1	4363			
3.87	50	1744.999984	-16	4363			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 266 of 284

		NR Band 71				
Modulation.:	CP-OFI	Reference Freq.:				
SCS.:	15	kHz	680.5	MHz 20M CH 136100		
Power Supply Vdc	Temp. (℃)	Freq. (MHz)	Delta (Hz)	Limit = \pm /- 2.5 ppm (Hz)		
	Fre	q. ERROR vs. VO	LTAGE			
4.257	25	680.499986	-14	1701		
3.87	25	680.500016	16	1701		
3.483	25	680.499974	-26	1701		
3.4 (End Point)	25	680.500012	12	1701		
	Fi	req. ERROR vs. T	emp.			
3.87	-30	680.500017	17	1701		
3.87	-20	680.499988	-12	1701		
3.87	-10	680.499974	-26	1701		
3.87	0	680.500016	16	1701		
3.87	10	680.499987	-13	1701		
3.87	20	680.499983	-17	1701		
3.87	30	680.500008	8	1701		
3.87	40	680.500038	38	1701		
3.87	50	680.500001	1	1701		

Note: The battery is rated 3.87V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 267 of 284

11 PEAK TO AVERAGE RATIO

Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 **Measurement Equipment Used**

Conducted Emission Test Site: Conducted 3											
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
Spectrum Analyzer	KEYSIGHT	N9010A	MY53400256	11/19/2020	11/18/2021						
UXM 5G	KEYSIGHT	E7515B	MY59321561	12/22/2020	12/21/2021						
Temperature Chamber	TERCHY	MHG-120LF	911009	05/20/2020	05/19/2021						
DC Power Supply	Agilent	E3640A	MY52410006	12/17/2020	12/16/2021						
Attenuator	Mini-Circuit	BW-S10W2+	2	12/16/2020	12/15/2021						
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021						
Power Divider	RF-LAMBDA	RFLT2W1G1 8G	18112200202	12/16/2020	12/15/2021						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 268 of 284

11.5 **Measurement Result**

NR BAND 2											NR B	AND 2			
	DFT-S-OFDM_SCS 15 kHz							DFT-S-OFDM_SCS 15 kHz							
Cha	annel ban	dwidth: 5N	ЛHz	Char	nel band	dwidth: 10N	ИНz	Channel bandwidth: 15MHz Channel bandwidth						dwidth: 20N	ЛHz
Freq.	CLI	PAPR	(dB)	Freq.	CLI	PAPR	(dB)	Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit	(MHz)	СП	256QAM	Limit	(MHz)	СП	256QAM	Limit
1852.5	370500	7.53	13	1855.0	371000	7.43	13	1857.5	371500	7.86	13	1860.0	372000	7.62	13
1880.0	376000	7.64	13	1880.0	376000	7.53	13	1880.0	376000	7.84	13	1880.0	376000	7.80	13
1907.5	381500	7.50	13	1905.0	381000	7.38	13	1902.5	380500	7.98	13	1900.0	380000	7.67	13
	NR BAND 5									•	NR B	AND 5			
DFT-S-OFDM_SCS 15 kHz									DFT	-S-OFDM	_SCS 15 k	кHz			
Cha	annel ban	dwidth: 5N	ЛHz	Chan	nel band	dwidth: 10N	ИHz	Char	nnel ban	dwidth: 15	MHz	Char	nel band	dwidth: 20N	ЛHz
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)	Freq.	CLI	PAPR	(dB)
(MHz)	CH	256QAM	Limit	(MHz)	СН	256QAM	Limit	(MHz)	СН	256QAM	Limit	(MHz)	CH	256QAM	Limi
826.5	165300	7.62	13	829.0	165800	7.26	13	831.5	166300	7.85	13	834.0	166800	7.56	13
836.5	167300	7.29	13	836.5	167300	7.33	13	836.5	167300	7.93	13	836.5	167300	7.32	13
846.5	169300	7.51	13	844.0	168800	7.47	13	841.5	168300	7.60	13	839.0	167800	7.28	13
			NR B	AND 7							NR B	AND 7			
		DFT	-S-OFDN	1_SCS 15 k	Hz					DFT	-S-OFDM	_SCS 15 k	кHz		
Cha	annel ban	dwidth: 5N	ЛHz	Chan	nel band	dwidth: 10N	ИHz	Char	nnel band	dwidth: 15	MHz	Char	nel band	dwidth: 20N	ЛHz
Freq.	CII	PAPR	(dB)	Freq.	CLI	PAPR	(dB)	Freq.	CII	PAPR	(dB)	Freq.	CLI	PAPR	(dB)
(MHz)	СН	256QAM	Limit	(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limi
2502.5	500500	7.54	13	2505.0	501000	7.60	13	2507.5	501500	7.89	13	2510.0	502000	7.57	13
2535.0	507000	7.65	13	2535.0	507000	7.51	13	2535.0	507000	7.67	13	2535.0	507000	7.33	13
2567.5	513500	7.46	13	2565.0	513000	7.62	13	2562.5	512500	7.88	13	2560.0	512000	7.63	13
					NR BA	ND 12		NR BAND 12							
				DFT-		SCS 15 k	Hz	DFT-OFDM_SCS 15 kHz					Hz	1	
		Chai	nnel ban	dwidth: 5N	1Hz	Chan	nel band	lwidth: 10N	width: 10MHz Channel bandwidth: 15MHz						
		Freq.	CLI	PAPR (dB)		Freq.	rea	PAPR	(dB)	Freq.	СН	PAPR	(dB)		
		(MHz)	СН	256QAM	Limit	(MHz)	СН	256QAM	Limit	(MHz)	СН	256QAM	Limit	1	
		701.5	140300	7.41	13	704.0	140800	7.37	13	706.5	141300	7.79	13	1	
		707.5	141500	7.33	13	707.5	141500	7.31	13	707.5	141500	7.69	13	1	
		713.5	142700	7.42	13	711.0	142200	7.34	13	708.5	141700	7.85	13		
			NR BA	AND 25		<u> </u>					NR BA	ND 25			
		DFT		I_SCS 15 k	Hz					DFT	-S-OFDM	_SCS 15 k	(Hz		
Cha	annel ban	dwidth: 5N				dwidth: 10N	ИНz	Char	nnel ban	dwidth: 15				dwidth: 20N	ЛHz
Freq.	CII	PAPR	(dB)	Freq.	CII	PAPR	(dB)	Freq.	CH	PAPR	(dB)	Freq.	CH	PAPR	(dB)
(MHz)	СН	256QAM	Limit	(MHz)	СН	256QAM	Limit	(MHz)	СН	256QAM	Limit	(MHz)	СН	256QAM	Limit
1852.5	370500	7.50	13	1855.0	371000	7.52	13	1857.5	371500	7.87	13	1860.0	372000	7.58	13
1882.5	376500	7.53	13	1882.5	376500	7.48	13	1882.5	376500	7.93	13	1882.5	376500	7.59	13
1912.5	382500	7.56	13	1910.0	382000	7.40	13	1907.5	381500	7.84	13	1905.0	381000	7.68	13
					NR BA							ND 38			
		DFT-S-OFDM_SCS 30 kHz Channel bandwidth: 20MHz Channel band										I_SCS 30 I			
			inei band				nel band	lwidth: 30N			inei band	dwidth: 40		4	
		Freq.	СН	PAPR		Freq.	CH	PAPR	_	Freq.	СН	PAPR	_	-	
		(MHz)	E1/000	256QAM	Limit	(MHz)	E17000	256QAM	Limit	(MHz)	E10000	256QAM	Limit	-	
			516000	6.93	13		517000	7.43	13	2590.0	518000	7.66	13		
		25052													
			519000 522000	6.79 6.97	13 13		519000 521000	7.28 7.52	13 13	2595.0 2600.0	519000 520000	7.41 7.65	13 13		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 269 of 284

NR BAND 66							NR BAND 66								
	DFT-S-OFDM_SCS 15 kHz						DFT-S-OFDM_SCS 15 kHz								
Channel bandwidth: 5MHz Channel bandwidth: 10MHz					Chai	Channel bandwidth: 15MHz Channel bandwidth: 20MHz						1Hz			
Freq.	СН	PAPR ((dB)	Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)	Freq. CH		PAPR (dB)	
(MHz)	СП	256QAM	Limit	(MHz)	Сп	256QAM	Limit	(MHz)	Сп	256QAM	Limit	(MHz)	СП	256QAM	Limit
1712.5	342500	7.60	13	1715.0	343000	7.49	13	1717.5	343500	7.64	13	1720.0	344000	7.29	13
1745.0	349000	7.59	13	1745.0	349000	7.58	13	1745.0	349000	7.60	13	1745.0	349000	7.27	13
1777.5	355500	7.49	13	1775.0	355000	7.43	13	1772.5	354500	7.63	13	1770.0	354000	7.46	13
			NR BA	ND 71				NR BAND 71							
		DFT-S	S-OFDM	_SCS 15 k	кHz			DFT-S-OFDM_SCS 15 kHz							
Cha	nnel ban	dwidth: 5Ml	Hz	Char	nel band	lwidth: 10N	1Hz	Channel bandwidth: 15MHz Channel bandwidth: 20MHz						1Hz	
Freq.	СН	PAPR ((dB)	Freq.	СН	PAPR	(dB)	Freq.	CH PAPR (dB)		Freq. CH		PAPR (dB)		
(MHz)	CII	256QAM	Limit	(MHz)	CII	256QAM	Limit	(MHz)	CII	256QAM	Limit	(MHz)	CIT	256QAM	Limit
665.5	133100	7.92	13	668.0	133600	7.60	13	670.5	134100	7.82	13	673.0	134600	7.48	13
680.5	136100	7.61	13	680.5	136100	7.57	13	680.5	136100	7.81	13	680.5	136100	7.51	13
695.5	139100	7.71	13	693.0	138600	7.68	13	690.5	138100	7.83	13	688.0	137500	7.53	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子、上載音音光性到角成之体の耳具・「同時以後の理味情報の人。本報音光神で記事的目間です。不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.