Request for Modular/Limited Modular Approval

Date: September 21, 2022				
Subject: Manufacturer's Declaration for	☑ - Modular Approval☐ - Limited Modular Approval	☐ - Split Modul		
Confidentiality Request for: MSQ	MPRFMODULE1			
8 Ba For Items Marked "NO(*)", the	nsic Requirements – FCC Part 15,212(Limited Module Description Must be l	a)(1) Filled Out on the Fo	ollowing Page	es
Modular A	pproval Requirement		Require	ment Met
The modular transmitter must have its own does not have to rely upon the shielding prall modular transmitter emissions to comp between the RF circuitry of the module and module is installed. Such coupling may retuning capacitors may be located external.	rovided by the device into which it is ins ly with FCC limits. It is also intended to id any wires or circuits in the device into sult in non-compliant operation. The ph	talled in order for prevent coupling which the ysical crystal and	⊠ - YES	□ - NO(*)
Details: <example contain<br="" module="" the="" –="">on the top of the board next to antenna c</example>		mponents and circu	itry. The shie	ld is located
2. The modular transmitter must have buffere ensure that the module will comply with F or over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)
Details: <example application="" data="" modulate="" the="" to="" –=""></example>	ion circuit is buffered as described in th	e operational descr	iption provide	d with the
The modular transmitter must have its own to ensure that the module will comply with supplying circuitry in the device into which is the device into which it is the device into which is the device into	h FCC requirements regardless of the des	sign of the power	⊠ - YES	□ - NO(*)
Details: <example application="" contain="" module="" the="" –=""></example>	es its own power supply regulation. Plea	ase refer to schemat	ic filed with ti	his
4. The modular transmitter must comply with §§ 15.203, 15.204(b), 15.204(c), 15.212(a attached or employ a "unique" antenna cantenna, including the cable). The "profes applicable to modules but can apply to lim 15.212(a)(1)(iv)), and 2.929(b). The antenna must either oupler (at all connections between the m ssional installation' provision of § 15.20	be permanently odule and the 03 is not	⊠ - YES	□ - NO(*)
Details: <example connect<br="" module="" the="" –="">connector. A list of antennas tested and a application></example>				
5. The modular transmitter must be tested in a inside another device during testing. This complying with Part 15 emission limits re Unless the transmitter module will be batt requirements found in Section 15.207. AC to the module must not contain ferrites, ur 15.27(a)). The length of these lines shall be unknown, at least 10 centimeters to insure and supporting equipment. Any accessorie module during testing shall be unmodified 15.212(a)(1)(v)	is intended to demonstrate that the modu gardless of the device into which it is ever ery powered, it must comply with the AC or DC power lines and data input/output aless they will be marketed with the module be length typical of actual use or, if that late that there is no coupling between the cases, peripherals, or support equipment cor	ale is capable of entually installed. C line conducted at lines connected ule (see Section ength is se of the module inected to the	⊠ - YES	□ - NO(*)
Details: <example module="" td="" tes<="" the="" was="" –=""><td>ted stand-alone as shown in test setup p</td><td>hotographs filed wi</td><td>th this applica</td><td>ution></td></example>	ted stand-alone as shown in test setup p	hotographs filed wi	th this applica	ution>

Modular Approval Requirement	Requirement Met		
6. The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	⊠ - YES	□ - NO(*)	
If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)			
Details: <example .filed="" a="" application.="" are="" as="" exhibit="" filed="" host="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" specific="" the="" there="" this="" with="" –=""></example>			
7. The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
Details: <example 15c="" application.="" are="" complies="" fcc="" filed="" in="" installation="" installer="" instructions="" manual="" module="" oem="" part="" provided="" requirements.="" the="" this="" to="" with="" –=""></example>			
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
Details: <example application.="" as="" exclusion="" exposure="" in="" info="" levels="" meets="" module="" portable="" rf="" shown="" the="" –=""></example>	rmation filed	with this	

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations - KDB 594280 / KDB 442812 (One of the following 2 items must be applied)				
Requirement	Requirement Met			
 For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	☐ - Provided in Separate Cover Letter	⊠ - N/A		
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separatecover="" the="" this="" user="" with="" –=""></example>				
 For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812. 	☐ - Provided in Separate Cover Letter	⊠ - N/A		
Details: <example -n="" a=""></example>				

Split Modular Requirements					
Requirement Provided in Manu		ual			
1. For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.	- Provided in Separate Cover Letter	⊠ - N/A			
Details: <example -="" a="" n=""></example>					

OF	M Integration Manual Gu	nidance – KDB 996369 D03 Section 2			
OEM Integration Manual Guidance - RDB 990309 D03 Section 2					
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures					
for third-parties to use and/or integrate the module into a host device.					
Requirement					
Kequirement					
		☐ - No,	d 11 1		
		If No, and LMA applies, the applicant			
Is this module intended for		not make the following detailed info public. However there still needs to be basic integration instructions for a users manual and			
sale to third parties?	⊠- YES	the information below must still be included in the operational			
sale to time parties.		description. If the applicant wishes to keep this info confidential,			
		this will require a separate statement c			
		module is not for sale to third partie instructions are internal confide			
Items	required to be in the man	nual – See KDB 996369 D03, Section 2	chtiai documents.		
		formation to be in the installation manua	l. Modular transmitter		
		for all these items indicating clearly when			
		indicate "Not Applicable". Also if a modu			
		parties, the user instructions may not need			
1. List of applicable FCC rules. KI		ription, but this should include a cover let	ter as cited above.		
	lated to the transmitter.	2			
2. Summarize the specific operation		96369 D03 Section 2.3			
		closs, reduction of power for point to point			
systems, professi	onal installation info				
3. Limited Module Procedures. KI					
		uses to verify the host meets the necessary			
	limiting conditions b. When DE exposure evaluation is passessary state how control will be maintained such - All Items shown				
b. When RF exposure evaluation is necessary, state how control will be maintained such that compliance is ensured, such as Class II for new hosts, etc.			the left are provided in		
4. Trace antenna designs. KDB 99	96369 D03, Section 2.5		the Modular Integration		
a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for Guide (or UM) for Ful					
		redures for ensuring compliance. If	Modular Approval (MA) or LMA.		
confidential, the i	method used to keep confid perational description.	lential must be identified and information	(WA) OI LIVIA.		
5. RF exposure considerations. KD		5	☐ - An LMA applies		
		llow host manufacturers to use the	and is approved ONLY		
		ssary: first to the host manufacturer to	for use by the grantee in		
define conditions	(mobile, portable – xx cm	from body) and second additional text	their own products, and		
6. Antennas. KDB 996369 D03, Se	vided to the end user in the	host product manuals.	not intended for sale to		
		and all applicable professional installer	3 rd parties as provided in a separate cover letter.		
		ist shall also identify the antenna types	Therefore the		
		nni-directional" is not considered a type)	information shown to		
7. Label and compliance informati			the left is found in the		
a. Advice to host integrators that they need to provide a physical or e-label stating "Contains FCC ID: " with their finished product theory of operation."					
8. Information on test modes and a	dditional testing requireme	ents. KDB 996369 D03, Section 2.9			
a. Test modes that s	should be taken into conside	eration by host integrators including			
		simultaneous configurations.			
b. Provide informat 9. Additional testing, Part 15 Subpa	ion on how to configure tes		_		
2. Additional testing, Fait 13 Subpa	ut D tilocidillici. KDD 3903	507 D03, 3000011 2.10			
Sincerely,					
Dank Sur Jank Sur					
Rv.		Iackson Ven			

(Print name)

(Signature/Title¹)

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.