

4F, No. 150, Li-Te Rd., Peitou, Taipei, Taiwan 112

March 15, 2016

## **DTS-UNII Device Declaration Letter**

We ha	ve declared below	w featured for FCC equipment authorization	n,	
Device	FCC ID: MSQI	2008		
(1)	DFS Device		Client with Radar detection	capability
		☑ Client without radar detection capability	y 🔝 N/A	

(2) Active / Passive Scanning, ad-hoc mode access point capability

To whom it may concern,

Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode or WIFI Direct capability	Access point capability
Channel 1	Yes	No	Yes	No
Channel 2	Yes	No	Yes	No
Channel 3	Yes	No	Yes	No
Channel 4	Yes	No	Yes	No
Channel 5	Yes	No	Yes	No
Channel 6	Yes	No	Yes	Yes
Channel 7	Yes	No	Yes	No
Channel 8	Yes	No	Yes	No
Channel 9	Yes	No	Yes	No
Channel 10	Yes	No	Yes	No
Channel 11	Yes	No	Yes	No
Channel 36	Yes	No	Yes	No
Channel 40	Yes	No	Yes	No
Channel 44	Yes	No	Yes	No
Channel 48	Yes	No	Yes	No
Channel 52	No	Yes	No	No

/ISUS

4F, No. 150, Li-Te Rd., Peitou, Taipei, Taiwan 112

	4r, No. 150, L	i-Te Rd., Peitou, Taip	ei, Taiwan 112	
Channel 56	No	Yes	No	No
Channel 60	No	Yes	No	No
Channel 64	No	Yes	No	No
Channel 100	No	Yes	No	No
Channel 104	No	Yes	No	No
Channel 108	No	Yes	No	No
Channel 112	No	Yes	No	No
Channel 116	No	Yes	No	No
Channel 132	No	Yes	No	No
Channel 136	No	Yes	No	No
Channel 140	No	Yes	No	No
Channel 144	Yes	No	Yes	No
Channel 149	Yes	No	Yes	No
Channel 153	Yes	No	Yes	No
Channel 157	Yes	No	Yes	No
Channel 161	Yes	No	Yes	No
Channel 165	Yes	No	Yes	No
		ļ,		

(3)	Country code selection ability - Yes, V No
selecti	please explain how it was implemented: (please also help to provide detail of options for each country
SCICCII	
(4)	Meet 15.202 requirement - ▼ Yes, □ No,
` ′	check below:
☐A n	naster device is defined as a device operating in a mode in which it has the capability to transmit without
receivi	ng an enabling signal. In this mode it is able to select a channel and initiate a network by sending
enablii	ng signals to other devices
☑A cl	ient device is defined as a device operating in a mode in which the transmissions of the device are under
contro	l of the master. A device in client mode is not able to initiate a network.



4F, No. 150, Li-Te Rd., Peitou, Taipei, Taiwan 112

For client devices that have software configuration control to operate in different modes (active scanning in some and passive scanning in others) in different bands (devices with multiple equipment classes or those that operate on non-DFS frequencies) or modular devices which configure the modes of operations through software, the application must provide software and operations description on how the software and / or hardware is implemented to ensure that proper operations modes cannot be modified by end user or an installer. 
Apply, No Apply, (If apply, please help to provide explanation on it was implement, and how software was controlled)

Jackson Yen / Associate Vice President

ASUSTeK Computer Inc

Tel: +886-2-28943447 Fax: +886-2-28987364

E-mail: jackson yen@asus.com