





LTE Band 26 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 2 JUN 2017 18:51:50

Date: 2 JUN 2017 18:51:24

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 2 JUN 2017 18:50:16

Date: 2 JUN 2017 18:50:44




LTE Band 26 / 5MHz

Highest Channel / QPSK



Date: 2 JUN 2017 19:29:20


Highest Channel / 16QAM



Date: 2 JUN 2017 18:48:47


LTE Band 26 / 10MHz

Lowest Channel / QPSK



Date: 2 JUN 2017 18:58:07

Lowest Channel / 16QAM




Date: 2 JUN 2017 18:58:36




LTE Band 26 / 10MHz

Middle Channel / QPSK




Date: 2 JUN 2017 19:02:13

Middle Channel / 16QAM




Date: 2 JUN 2017 19:02:38

Highest Channel / QPSK



Date: 2 JUN 2017 19:06:23

Highest Channel / 16QAM





Date: 2 JUN 2017 19:05:58



LTE Band 26 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 2 JUN 2017 19:10:47

Date: 2 JUN 2017 19:10:04

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 2 JUN 2017 19:14:55

Date: 2 JUN 2017 19:13:25




LTE Band 26 / 15MHz

Highest Channel / QPSK



Date: 2 JUN 2017 19:15:22


Highest Channel / 16QAM



Date: 2 JUN 2017 19:15:51


LTE Band 26 / 15MHz

Channel 26765 / QPSK



Date: 2 JUN 2017 21:08:14

Channel 26765 / 16QAM




Date: 2 JUN 2017 21:09:09




LTE Band 38 / 5MHz

Lowest Channel / QPSK




Date: 5 JUN 2017 14:01:42

Lowest Channel / 16QAM




Date: 5 JUN 2017 13:57:25

Middle Channel / QPSK



Date: 5 JUN 2017 14:02:54

Middle Channel / 16QAM




Date: 5 JUN 2017 14:03:56




LTE Band 38 / 5MHz

Highest Channel / QPSK



Date: 5 JUN 2017 14:06:34


Highest Channel / 16QAM



Date: 5 JUN 2017 14:05:36


LTE Band 38 / 10MHz

Lowest Channel / QPSK



Date: 5 JUN 2017 14:10:03

Lowest Channel / 16QAM




Date: 5 JUN 2017 14:11:30




LTE Band 38 / 10MHz

Middle Channel / QPSK




Date: 5 JUN 2017 14:13:33

Middle Channel / 16QAM




Date: 5 JUN 2017 14:12:42

Highest Channel / QPSK



Date: 5 JUN 2017 14:14:34

Highest Channel / 16QAM





Date: 5 JUN 2017 14:16:38



LTE Band 38 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 5 JUN 2017 14:19:30

Date: 5 JUN 2017 14:18:32

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 5 JUN 2017 14:20:38

Date: 5 JUN 2017 14:21:34




LTE Band 38 / 15MHz

Highest Channel / QPSK



Date: 5 JUN 2017 14:23:46


Highest Channel / 16QAM



Date: 5 JUN 2017 14:22:53


LTE Band 38 / 20MHz

Lowest Channel / QPSK



Date: 5 JUN 2017 14:25:17

Lowest Channel / 16QAM





Date: 5 JUN 2017 14:26:36



LTE Band 38 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 5 JUN 2017 14:28:32

Date: 5 JUN 2017 14:27:42

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 5 JUN 2017 14:29:29

Date: 5 JUN 2017 14:30:57




LTE Band 41 / 5MHz

Lowest Channel / QPSK




Ready [Progress Bar] Date: 6 JUN 2017 11:17:20

Lowest Channel / 16QAM




Ready [Progress Bar] Date: 6 JUN 2017 11:18:11

Middle Channel / QPSK



Ready [Progress Bar] Date: 6 JUN 2017 11:22:08

Middle Channel / 16QAM




Ready [Progress Bar] Date: 6 JUN 2017 11:20:41



LTE Band 41 / 5MHz


Highest Channel / QPSK



Ready ■■■■■■■ ▲

Date: 6 JUN 2017 11:23:26

Highest Channel / 16QAM




Ready ■■■■■■■ ▲

Date: 6 JUN 2017 11:24:46

LTE Band 41 / 10MHz


Lowest Channel / QPSK



Ready ■■■■■■■ ▲

Date: 6 JUN 2017 13:57:54

Lowest Channel / 16QAM



Ready ■■■■■■■ ▲



Date: 6 JUN 2017 13:59:13



LTE Band 41 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 6 JUN 2017 14:01:35

Date: 6 JUN 2017 14:00:27

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 6 JUN 2017 14:02:48



Date: 6 JUN 2017 14:04:06



LTE Band 41 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 6 JUN 2017 14:08:53

Date: 6 JUN 2017 14:07:46

Middle Channel / QPSK

Middle Channel / 16QAM



Date: 6 JUN 2017 14:10:03



Date: 6 JUN 2017 14:10:58



LTE Band 41 / 15MHz

Highest Channel / QPSK

Highest Channel / 16QAM





Date: 6 JUN 2017 14:13:01

Date: 6 JUN 2017 14:11:58

LTE Band 41 / 20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 6 JUN 2017 14:16:00

Date: 6 JUN 2017 14:20:59



LTE Band 41 / 20MHz


Middle Channel / QPSK



Ready ■■■■■■■■■■ ■

Date: 6 JUN 2017 14:23:17


Middle Channel / 16QAM



Ready ■■■■■■■■■■ ■

Date: 6 JUN 2017 14:22:07


Highest Channel / QPSK



Ready ■■■■■■■■■■ ■

Date: 6 JUN 2017 14:24:26

Highest Channel / 16QAM



Ready ■■■■■■■■■■ ■

Date: 6 JUN 2017 14:25:34



Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0010	PASS
40	Normal Voltage	0.0007	
30	Normal Voltage	0.0016	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0015	
0	Normal Voltage	0.0017	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0018	
-30	Normal Voltage	0.0020	
20	Maximum Voltage	0.0003	
20	Normal Voltage	0.0004	
20	Battery End Point	0.0013	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 4 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0013	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0008	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0009	
-10	Normal Voltage	0.0003	
-20	Normal Voltage	0.0013	
-30	Normal Voltage	0.0012	
20	Maximum Voltage	0.0021	
20	Normal Voltage	0.0010	
20	Battery End Point	0.0005	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0075	PASS
40	Normal Voltage	0.0091	
30	Normal Voltage	0.0035	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0073	
0	Normal Voltage	0.0020	
-10	Normal Voltage	0.0030	
-20	Normal Voltage	0.0093	
-30	Normal Voltage	0.0079	
20	Maximum Voltage	0.0031	
20	Normal Voltage	0.0016	
20	Battery End Point	0.0077	

Note: Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.



Test Conditions		LTE Band 7 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0004	PASS
40	Normal Voltage	0.0015	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0002	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0014	
-20	Normal Voltage	0.0003	
-30	Normal Voltage	0.0017	
20	Maximum Voltage	0.0001	
20	Normal Voltage	0.0005	
20	Battery End Point	0.0013	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 12 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0010	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0033	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0041	
-10	Normal Voltage	0.0003	
-20	Normal Voltage	0.0042	
-30	Normal Voltage	0.0048	
20	Maximum Voltage	0.0017	
20	Normal Voltage	0.0008	
20	Battery End Point	0.0045	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 17 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0017	PASS
40	Normal Voltage	0.0006	
30	Normal Voltage	0.0049	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0054	
0	Normal Voltage	0.0046	
-10	Normal Voltage	0.0051	
-20	Normal Voltage	0.0004	
-30	Normal Voltage	0.0061	
20	Maximum Voltage	0.0003	
20	Normal Voltage	0.0037	
20	Battery End Point	0.0041	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0077	PASS
40	Normal Voltage	0.0117	
30	Normal Voltage	0.0088	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0105	
0	Normal Voltage	0.0027	
-10	Normal Voltage	0.0044	
-20	Normal Voltage	0.0111	
-30	Normal Voltage	0.0092	
20	Maximum Voltage	0.0041	
20	Normal Voltage	0.0023	
20	Battery End Point	0.0096	

Note: Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.



Test Conditions		LTE Band 38 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0003	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0008	
-10	Normal Voltage	0.0001	
-20	Normal Voltage	0.0014	
-30	Normal Voltage	0.0007	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0003	
20	Battery End Point	0.0010	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 41 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0003	PASS
40	Normal Voltage	0.0012	
30	Normal Voltage	0.0005	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0010	
0	Normal Voltage	0.0007	
-10	Normal Voltage	0.0004	
-20	Normal Voltage	0.0001	
-30	Normal Voltage	0.0008	
20	Maximum Voltage	0.0011	
20	Normal Voltage	0.0006	
20	Battery End Point	0.0002	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-65.14	-13	-52.14	-68.65	-70.13	1.88	6.87	H
	5638	-65.58	-13	-52.58	-73.77	-72.88	2.38	9.68	H
	7518	-62.80	-13	-49.80	-74.83	-71.87	2.74	11.81	H
	3759	-64.68	-13	-51.68	-68.47	-69.67	1.88	6.87	V
	5638	-64.50	-13	-51.50	-73.07	-71.80	2.38	9.68	V
	7518	-63.50	-13	-50.50	-74.21	-72.57	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3756	-66.97	-13	-53.97	-70.48	-71.96	1.88	6.87	H
	5636	-66.12	-13	-53.12	-74.31	-73.42	2.38	9.68	H
	7515	-63.00	-13	-50.00	-75.03	-72.07	2.74	11.81	H
	3756	-66.13	-13	-53.13	-69.92	-71.12	1.88	6.87	V
	5636	-65.66	-13	-52.66	-74.23	-72.96	2.38	9.68	V
	7515	-62.53	-13	-49.53	-73.24	-71.60	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3756	-64.02	-13	-51.02	-67.53	-69.01	1.88	6.87	H
	5633.52	-65.84	-13	-52.84	-74.03	-73.14	2.38	9.68	H
	7512	-62.35	-13	-49.35	-74.38	-71.42	2.74	11.81	H
	3756	-67.20	-13	-54.20	-70.99	-72.19	1.88	6.87	V
	5633.52	-64.89	-13	-51.89	-73.46	-72.19	2.38	9.68	V
	7512	-63.97	-13	-50.97	-74.68	-73.04	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3750	-63.42	-13	-50.42	-66.93	-68.41	1.88	6.87	H
	5627	-66.11	-13	-53.11	-74.30	-73.41	2.38	9.68	H
	7503	-62.83	-13	-49.83	-74.86	-71.90	2.74	11.81	H
	3750	-66.51	-13	-53.51	-70.3	-71.50	1.88	6.87	V
	5627	-65.77	-13	-52.77	-74.34	-73.07	2.38	9.68	V
	7503	-63.95	-13	-50.95	-74.66	-73.02	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3747	-64.74	-13	-51.74	-68.25	-69.73	1.88	6.87	H
	5620	-65.88	-13	-52.88	-74.07	-73.18	2.38	9.68	H
	7494	-62.71	-13	-49.71	-74.74	-71.78	2.74	11.81	H
	3747	-64.73	-13	-51.73	-68.52	-69.72	1.88	6.87	V
	5620	-65.33	-13	-52.33	-73.9	-72.63	2.38	9.68	V
	7494	-64.02	-13	-51.02	-74.73	-73.09	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3741	-64.51	-13	-51.51	-68.02	-69.50	1.88	6.87	H
	5613	-66.21	-13	-53.21	-74.40	-73.51	2.38	9.68	H
	7485	-62.55	-13	-49.55	-74.58	-71.62	2.74	11.81	H
	3741	-66.12	-13	-53.12	-69.91	-71.11	1.88	6.87	V
	5613	-65.24	-13	-52.24	-73.81	-72.54	2.38	9.68	V
	7485	-64.14	-13	-51.14	-74.85	-73.21	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-62.97	-13	-49.97	-69.76	-67.86	1.81	6.70	H
	5196	-52.34	-13	-39.34	-65.02	-59.24	2.23	9.13	H
	6927	-60.36	-13	-47.36	-75.54	-68.42	2.60	10.66	H
	3464	-65.66	-13	-52.66	-70.86	-70.55	1.81	6.70	V
	5196	-56.20	-13	-43.20	-69.75	-63.10	2.23	9.13	V
	6927	-60.24	-13	-47.24	-75.29	-68.30	2.6	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3462	-61.79	-13	-48.79	-68.58	-66.68	1.81	6.70	H
	5193	-51.11	-13	-38.11	-63.79	-58.01	2.23	9.13	H
	6924	-59.77	-13	-46.77	-74.95	-67.83	2.60	10.66	H
	3462	-65.36	-13	-52.36	-70.56	-70.25	1.81	6.70	V
	5193	-55.81	-13	-42.81	-69.36	-62.71	2.23	9.13	V
	6924	-59.93	-13	-46.93	-74.98	-67.99	2.6	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3461	-64.98	-13	-51.98	-71.77	-69.87	1.81	6.70	H
	5190	-54.93	-13	-41.93	-67.61	-61.83	2.23	9.13	H
	6921	-59.21	-13	-46.21	-74.39	-67.27	2.60	10.66	H
	3461	-65.42	-13	-52.42	-70.62	-70.31	1.81	6.70	V
	5190	-55.54	-13	-42.54	-69.09	-62.44	2.23	9.13	V
	6921	-60.13	-13	-47.13	-75.18	-68.19	2.6	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.