



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3456	-63.84	-13	-50.84	-70.63	-68.73	1.81	6.70	H
	5184	-58.98	-13	-45.98	-71.66	-65.88	2.23	9.13	H
	6912	-59.94	-13	-46.94	-75.12	-68.00	2.60	10.66	H
	3456	-66.09	-13	-53.09	-71.29	-70.98	1.81	6.70	V
	5184	-58.91	-13	-45.91	-72.46	-65.81	2.23	9.13	V
	6912	-60.31	-13	-47.31	-75.36	-68.37	2.6	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3450	-60.26	-13	-47.26	-67.05	-65.15	1.81	6.70	H
	5178	-53.73	-13	-40.73	-66.41	-60.63	2.23	9.13	H
	6903	-59.47	-13	-46.47	-74.65	-67.53	2.60	10.66	H
	3450	-64.32	-13	-51.32	-69.52	-69.21	1.81	6.70	V
	5178	-58.59	-13	-45.59	-72.14	-65.49	2.23	9.13	V
	6903	-59.88	-13	-46.88	-74.93	-67.94	2.6	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3447	-57.80	-13	-44.80	-64.59	-62.69	1.81	6.70	H
	5169	-55.98	-13	-42.98	-68.66	-62.88	2.23	9.13	H
	6894	-59.96	-13	-46.96	-75.14	-68.02	2.60	10.66	H
	3447	-64.51	-13	-51.51	-69.71	-69.40	1.81	6.70	V
	5169	-59.42	-13	-46.42	-72.97	-66.32	2.23	9.13	V
	6894	-59.88	-13	-46.88	-74.93	-67.94	2.6	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-63.91	-13	-50.91	-62.54	-65.77	1.19	5.20	H
	2508	-60.47	-13	-47.47	-63.46	-62.69	1.53	5.90	H
	3345	-68.03	-13	-55.03	-71.98	-70.82	1.76	6.70	H
	1672	-68.09	-13	-55.09	-66.05	-69.95	1.19	5.20	V
	2508	-62.03	-13	-49.03	-64.01	-64.25	1.53	5.90	V
	3345	-67.97	-13	-54.97	-71.29	-70.76	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1670	-65.99	-13	-52.99	-64.62	-67.85	1.19	5.20	H
	2506	-62.65	-13	-49.65	-65.64	-64.87	1.53	5.90	H
	3342	-67.60	-13	-54.60	-71.55	-70.39	1.76	6.70	H
	1670	-68.18	-13	-55.18	-66.14	-70.04	1.19	5.20	V
	2506	-64.41	-13	-51.41	-66.39	-66.63	1.53	5.90	V
	3342	-68.21	-13	-55.21	-71.53	-71.00	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1668	-66.77	-13	-53.77	-65.40	-68.63	1.19	5.20	H
	2502	-60.53	-13	-47.53	-63.52	-62.75	1.53	5.90	H
	3336	-68.47	-13	-55.47	-72.42	-71.26	1.76	6.70	H
	1668	-67.91	-13	-54.91	-65.87	-69.77	1.19	5.20	V
	2502	-62.92	-13	-49.92	-64.9	-65.14	1.53	5.90	V
	3336	-68.07	-13	-55.07	-71.39	-70.86	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1664	-66.95	-13	-53.95	-65.58	-68.81	1.19	5.20	H
	2496	-54.41	-13	-41.41	-57.40	-56.63	1.53	5.90	H
	3327	-67.71	-13	-54.71	-71.66	-70.50	1.76	6.70	H
	1664	-68.50	-13	-55.50	-66.46	-70.36	1.19	5.20	V
	2496	-61.02	-13	-48.02	-63	-63.24	1.53	5.90	V
	3327	-67.47	-13	-54.47	-70.79	-70.26	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5064	-63.70	-25	-38.70	-72.92	-70.26	2.41	8.97	H
	7600	-61.61	-25	-36.61	-75.31	-70.61	2.86	11.86	H
	10134	-58.51	-25	-33.51	-76.86	-67.41	3.21	12.11	H
	5064	-64.92	-25	-39.92	-73.63	-71.48	2.41	8.97	V
	7600	-61.09	-25	-36.09	-75.72	-70.09	2.86	11.86	V
	10134	-57.60	-25	-32.60	-77	-66.50	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5060	-63.83	-25	-38.83	-73.05	-70.39	2.41	8.97	H
	7592	-60.99	-25	-35.99	-74.69	-69.99	2.86	11.86	H
	10125	-58.13	-25	-33.13	-76.48	-67.03	3.21	12.11	H
	5060	-64.67	-25	-39.67	-73.38	-71.23	2.41	8.97	V
	7592	-60.28	-25	-35.28	-74.91	-69.28	2.86	11.86	V
	10125	-57.24	-25	-32.24	-76.64	-66.14	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5056	-64.82	-25	-39.82	-74.04	-71.38	2.41	8.97	H
	7584	-61.87	-25	-36.87	-75.57	-70.87	2.86	11.86	H
	10116	-58.62	-25	-33.62	-76.97	-67.52	3.21	12.11	H
	5056	-64.48	-25	-39.48	-73.19	-71.04	2.41	8.97	V
	7584	-60.51	-25	-35.51	-75.14	-69.51	2.86	11.86	V
	10116	-56.71	-25	-31.71	-76.11	-65.61	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5052	-63.75	-25	-38.75	-72.97	-70.31	2.41	8.97	H
	7580	-61.21	-25	-36.21	-74.91	-70.21	2.86	11.86	H
	10107	-57.92	-25	-32.92	-76.27	-66.82	3.21	12.11	H
	5052	-64.28	-25	-39.28	-72.99	-70.84	2.41	8.97	V
	7580	-60.48	-25	-35.48	-75.11	-69.48	2.86	11.86	V
	10107	-56.64	-25	-31.64	-76.04	-65.54	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1414	-68.05	-13	-55.05	-63.89	-68.95	1.14	4.19	H
	2120	-54.44	-13	-41.44	-56.66	-55.90	1.4	5.01	H
	2828	-67.11	-13	-54.11	-67.75	-69.64	1.63	6.31	H
	1414	-70.68	-13	-57.68	-65.55	-71.58	1.14	4.19	V
	2120	-62.74	-13	-49.74	-60.86	-64.20	1.4	5.01	V
	2828	-65.65	-13	-52.65	-67.77	-68.18	1.63	6.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1412	-67.49	-13	-54.49	-63.33	-68.39	1.14	4.19	H
	2118	-51.58	-13	-38.58	-55.12	-53.04	1.4	5.01	H
	2824	-67.01	-13	-54.01	-67.65	-69.54	1.63	6.31	H
	1412	-70.21	-13	-57.21	-65.08	-71.11	1.14	4.19	V
	2118	-60.94	-13	-47.94	-59.06	-62.40	1.4	5.01	V
	2824	-66.02	-13	-53.02	-68.14	-68.55	1.63	6.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1410	-67.90	-13	-54.90	-63.74	-68.80	1.14	4.19	H
	2116	-51.56	-13	-38.56	-55.11	-53.02	1.4	5.01	H
	2822	-67.43	-13	-54.43	-68.07	-69.96	1.63	6.31	H
	1410	-71.00	-13	-58.00	-65.87	-71.90	1.14	4.19	V
	2116	-62.73	-13	-49.73	-60.85	-64.19	1.4	5.01	V
	2822	-66.02	-13	-53.02	-68.14	-68.55	1.63	6.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1406	-68.80	-13	-55.80	-64.64	-69.70	1.14	4.19	H
	2108	-58.03	-13	-45.03	-58.15	-59.49	1.4	5.01	H
	2812	-67.52	-13	-54.52	-68.16	-70.05	1.63	6.31	H
	1406	-71.03	-13	-58.03	-65.9	-71.93	1.14	4.19	V
	2108	-64.03	-13	-51.03	-62.15	-65.49	1.4	5.01	V
	2812	-65.08	-13	-52.08	-67.2	-67.61	1.63	6.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1416	-69.50	-13	-56.50	-65.34	-70.40	1.14	4.19	H
	2122	-58.66	-13	-45.66	-58.35	-60.12	1.4	5.01	H
	2832	-67.53	-13	-54.53	-68.17	-70.06	1.63	6.31	H
	1416	-70.96	-13	-57.96	-65.83	-71.86	1.14	4.19	V
	2124	-62.58	-13	-49.58	-60.7	-64.04	1.4	5.01	V
	2832	-66.31	-13	-53.31	-68.43	-68.84	1.63	6.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1411	-70.35	-13	-57.35	-66.19	-71.25	1.14	4.19	H
	2116	-54.93	-13	-41.93	-56.94	-56.39	1.4	5.01	H
	2822	-67.07	-13	-54.07	-67.71	-69.60	1.63	6.31	H
	1411	-71.01	-13	-58.01	-65.88	-71.91	1.14	4.19	V
	2116	-59.49	-13	-46.49	-57.78	-60.95	1.4	5.01	V
	2822	-66.06	-13	-53.06	-68.18	-68.59	1.63	6.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 1.4MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-65.38	-13	-52.38	-64.01	-67.24	1.19	5.20	H
	2508	-60.64	-13	-47.64	-63.63	-62.86	1.53	5.90	H
	3345	-67.29	-13	-54.29	-71.24	-70.08	1.76	6.70	H
	1672	-67.80	-13	-54.80	-65.76	-69.66	1.19	5.20	V
	2508	-60.94	-13	-47.94	-62.92	-63.16	1.53	5.90	V
	3345	-68.42	-13	-55.42	-71.74	-71.21	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 26 / 3MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1670	-65.75	-13	-52.75	-64.38	-67.61	1.19	5.20	H
	2506	-60.57	-13	-47.57	-63.56	-62.79	1.53	5.90	H
	3342	-68.07	-13	-55.07	-72.02	-70.86	1.76	6.70	H
	1670	-67.90	-13	-54.90	-65.86	-69.76	1.19	5.20	V
	2506	-62.96	-13	-49.96	-64.94	-65.18	1.53	5.90	V
	3342	-68.69	-13	-55.69	-72.01	-71.48	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 26 / 5MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1669	-66.57	-13	-53.57	-65.20	-68.43	1.19	5.20	H
	2502	-59.63	-13	-46.63	-62.62	-61.85	1.53	5.90	H
	3336	-68.44	-13	-55.44	-72.39	-71.23	1.76	6.70	H
	1668	-67.87	-13	-54.87	-65.83	-69.73	1.19	5.20	V
	2502	-61.84	-13	-48.84	-63.82	-64.06	1.53	5.90	V
	3336	-68.84	-13	-55.84	-72.16	-71.63	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1664	-67.32	-13	-54.32	-65.95	-69.18	1.19	5.20	H
	2496	-54.08	-13	-41.08	-57.07	-56.30	1.53	5.90	H
	3327	-66.80	-13	-53.80	-70.75	-69.59	1.76	6.70	H
	1664	-68.56	-13	-55.56	-66.52	-70.42	1.19	5.20	V
	2496	-55.26	-13	-42.26	-57.24	-57.48	1.53	5.90	V
	3327	-67.80	-13	-54.80	-71.12	-70.59	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 26 / 15MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1660	-68.81	-13	-55.81	-67.44	-70.67	1.19	5.20	H
	2488	-62.50	-13	-49.50	-65.49	-64.72	1.53	5.90	H
	3318	-67.17	-13	-54.17	-71.12	-69.96	1.76	6.70	H
	1660	-68.81	-13	-55.81	-66.77	-70.67	1.19	5.20	V
	2488	-64.45	-13	-51.45	-66.43	-66.67	1.53	5.90	V
	3318	-68.61	-13	-55.61	-71.93	-71.40	1.76	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5186	-64.02	-25	-39.02	-73.24	-70.58	2.41	8.97	H
	7780	-62.13	-25	-37.13	-75.83	-71.13	2.86	11.86	H
	10368	-58.51	-25	-33.51	-76.86	-67.41	3.21	12.11	H
	5184	-65.07	-25	-40.07	-73.78	-71.63	2.41	8.97	V
	7778.5	-61.63	-25	-36.63	-76.26	-70.63	2.86	11.86	V
	10368	-57.56	-25	-32.56	-76.96	-66.46	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5180	-64.47	-25	-39.47	-73.69	-71.03	2.41	8.97	H
	7772	-61.61	-25	-36.61	-75.31	-70.61	2.86	11.86	H
	10359	-58.69	-25	-33.69	-77.04	-67.59	3.21	12.11	H
	5180	-65.08	-25	-40.08	-73.79	-71.64	2.41	8.97	V
	7772	-60.54	-25	-35.54	-75.17	-69.54	2.86	11.86	V
	10359	-57.72	-25	-32.72	-77.12	-66.62	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5176	-64.11	-25	-39.11	-73.33	-70.67	2.41	8.97	H
	7765	-61.98	-25	-36.98	-75.68	-70.98	2.86	11.86	H
	10350	-58.74	-25	-33.74	-77.09	-67.64	3.21	12.11	H
	5176	-65.16	-25	-40.16	-73.87	-71.72	2.41	8.97	V
	7765	-60.77	-25	-35.77	-75.4	-69.77	2.86	11.86	V
	10350	-57.83	-25	-32.83	-77.23	-66.73	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5172	-64.69	-25	-39.69	-73.91	-71.25	2.41	8.97	H
	7758	-62.34	-25	-37.34	-76.04	-71.34	2.86	11.86	H
	10341	-58.75	-25	-33.75	-77.10	-67.65	3.21	12.11	H
	5172	-65.25	-25	-40.25	-73.96	-71.81	2.41	8.97	V
	7758	-60.77	-25	-35.77	-75.4	-69.77	2.86	11.86	V
	10341	-57.73	-25	-32.73	-77.13	-66.63	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 5MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5180	-65.01	-25	-40.01	-74.23	-71.57	2.41	8.97	H
	7772	-60.59	-25	-35.59	-74.29	-69.59	2.86	11.86	H
	10359	-59.58	-25	-34.58	-77.93	-68.48	3.21	12.11	H
	5180	-65.69	-25	-40.69	-74.4	-72.25	2.41	8.97	V
	7772	-61.06	-25	-36.06	-75.69	-70.06	2.86	11.86	V
	10359	-57.63	-25	-32.63	-77.03	-66.53	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 41 / 10MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5176	-65.80	-25	-40.80	-75.02	-72.36	2.41	8.97	H
	7764	-61.83	-25	-36.83	-75.53	-70.83	2.86	11.86	H
	10350	-59.35	-25	-34.35	-77.70	-68.25	3.21	12.11	H
	5176	-65.54	-25	-40.54	-74.25	-72.10	2.41	8.97	V
	7764	-61.11	-25	-36.11	-75.74	-70.11	2.86	11.86	V
	10350	-57.87	-25	-32.87	-77.27	-66.77	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 15MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5172	-65.12	-25	-40.12	-74.34	-71.68	2.41	8.97	H
	7760	-62.12	-25	-37.12	-75.82	-71.12	2.86	11.86	H
	10341	-59.48	-25	-34.48	-77.83	-68.38	3.21	12.11	H
	5172	-65.70	-25	-40.70	-74.41	-72.26	2.41	8.97	V
	7760	-61.40	-25	-36.40	-76.03	-70.40	2.86	11.86	V
	10341	-58.60	-25	-33.60	-78	-67.50	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 41 / 20MHz / QPSK/ RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5168	-64.63	-25	-39.63	-73.85	-71.19	2.41	8.97	H
	7752	-61.90	-25	-36.90	-75.60	-70.90	2.86	11.86	H
	10332	-59.09	-25	-34.09	-77.44	-67.99	3.21	12.11	H
	5168	-64.33	-25	-39.33	-73.04	-70.89	2.41	8.97	V
	7752	-60.78	-25	-35.78	-75.41	-69.78	2.86	11.86	V
	10332	-57.72	-25	-32.72	-77.12	-66.62	3.21	12.11	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.