

Report No.: 9809516

Mode: Charging

Tested By: Hong, Report No.: 9809516

Scan Settings (1 Range)

Start	Stop	Step	IF BW	Detector	M-Time	Accen	Preamp	OpRge
450K	30M	5K	10K	PK	0.0ms	AUTO	LN OFF	60dB

Final Measurement: N QP


Transducer No.	Start	Stop	Name
3	9K	30M	E1076

Mean Time: 1 s

Subranges: 16

Acc Margin: 20dB

dBuV



Ctrl. No.: N/A

Report No.: 9809516
Mode: Charging

Tested By: Hong, Report No.: 9809516

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A



Intertek Testing Services

ETL Testing Laboratories

Report No.: 9809516


Made : Transmit

Tested By: Hong, Report No.: 9809516

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: X OF		Transducer No.		Start	Stop	Name
Meas Time: 1 s		2		9k	30M	E1078
Subranges: 16						
Acc Margin: 20dB						



Report No.: 9809516

Mode: Transmit

Tested By: Hong, Report No.: 9809516

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

no Results

Report No.: 9809516

Mode: Standby

Tested By: Hong, Report No.: 9809516

Scan Settings (1 Range)

----- Frequencies ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRgc
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: X QP

Transducer No. Start

3 9k

Stop

30M

Name

EI078

Mean Time: 1 s

Subranges: 16

Acc Margin: 20dB

dBuV

80

70

60

50


40

30

20

10

0



FCC15B

30 MHz

Report No.: 9809516

Mode: Standby

Tested By: Hong, Report No.: 9809516

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A