

BOM QUERY [PRODUCTION]

DATE: 2013/4/15 TIME: 11:07

ITEM: HP4191AP-008-0 DESCRIPTION: 900MHZ TX RECHARGEABLE,BLK/SIL

Page 1 Of 4

REV: UM: PC

TOTAL WEIGHT: 0.17365192

PLANER: PLR PLAN POLICE: N

DRWG::

SN	LEVEL	PU	SEQN	PARTNO	DESIGNATION	CT	DESCRIPTION	USAGE	UM	QT	MB	EPA	Weight	DRWG
*1	1	SFG	0	03-01-HP1181-01		N	SWITCH COVER,BLACK	1	PC	I	B	EPAS061757	0.000050	GA4M0123
*2	1	SFG	0	1-01-HP1681-127		N	TOP COVER,GREY,W/PMS877C	1	PC	I	B	EPAS070683	0.085000	
*3	1	SFG	0	1-12-HP1681-11		N	BOTTOM COVER,BLACK	1	PC	I	B	EPAS070980	0.047900	SA2M0148
*4	1	SFG	0	14-43-26100-8		N	SCREW P 4.4 X 2.6 X 10 -T-B	4	PC	I	B	EPAS110240	0.000214	A4M0085
*5	1	SFG	0	14-97-20050-2		N	WASHER HEAD SCREW 5 X 2 X 5 -T -N	3	PC	I	B	EPAS122271	0.000150	A4M0964
*6	1	SFG	0	15-01-HP1681-1		N	CONTACT PIN	2	PC	I	B	EPAS050807	0.002000	SA4M0475
*7	1	SFG	0	22-04-E04701-09	JX1	N	DC JACK 5.5/2.1MM	1	PC	I	B	EPAS101065	0.001500	
*8	1	SFG	0	22-04-E3809	JX2	N	3.5MM STEREO JACK 3PIN EJ-3506	1	PC	I	B	EPAS090893	0.000930	
*9	1	SFG	0	31-18-E0850	ANT	N	SOLID WIRE AWG18 85MM BLACK	1	PC	I	B	EPAS091487	0.001220	
*10	1	SFG	0	31-28-E1200	W2	N	LEAD WIRE UL1007 AWG28 120MM BLACK	1	PC	I	B	EPAS081460	0.000274	
*11	1	SFG	0	31-28-E1202	W1	N	LEAD WIRE AWG28 UL1007 120MM RED	1	PC	I	B	EPAS081459	0.000264	
*12	1	SFG	0	33-05-0103KC-09	L1,L2	N	CHOKE COIL 1000UH +/-10% 8X10MM	2	PC	I	B	EPA G20100146	0.002290	
*13	1	SFG	0	33-06-M406C	LF1,LF2	N	MPX COIL M-406C	2	PC	I	B	EPAS120680	0.003880	
*14	1	SFG	0	33-45-330M-09	F2,F3,F4	N	CHOKE COIL 33UH +/-20% HANGSING	3	PC	I	B	EPAS041612	0.000240	
*15	1	SFG	0	35-S01-E2412-32	Q3,Q4,Q5	N	SMD.TRAN.NPN 2SC2412K SOT-23-3L	3	PC	I	B	EPAS100006	0.000010	
*16	1	SFG	999	35-S01-E3904-32	Q2	N	SMD.TRAN.NPN MMBT3904 SOT-23	1	PC	I	B	EPAS100007	0.000010	
1			A	35-S01-E3904-24	<35-S01-E3904-24>	N	SMD.TRAN.NPN MMBT3904 SOT-23	1.00	PC	I	B	EPAS100007	0.000010	
*17	1	SFG	0	35-S01-E8050-24	Q7	N	SMD TRANS NPN SS8050 SOT-23 L	1	PC	I	B	EPAS070834	0.000060	
*18	1	SFG	0	35-S02-E8550-34	Q1,Q6	N	SMD TRANS PNP S8550 SOT-23	2	PC	I	B	EPA G20100003	0.000060	
*19	1	SFG	0	36-03-E4302-27	Z1,Z2	N	ZENER DIODE 4.3V 1/4W +/-10% DO-35 BZX55C4V3	2	PC	I	B	EPAS100374	0.000200	
*20	1	SFG	0	36-S01-E4001-29	D2	N	SMD DIODE RECTIFIERS IN4001 M1 1A DO- 214AC	1	PC	I	B	EPAS130100	0.000080	
*21	1	SFG	0	36-S02-E4148-19	D1,D3,D4	N	HIGH-SPEED SWITCHING DIODES LL4148L	3	PC	I	B	EPAS110199	0.000035	
*22	1	SFG	0	37-01-HP4191A-01		N	MAIN BOARD 112X100X1.6MM 94V0 REV:A	1	PC	I	B	EPAS0000	0.000000	
*23	1	SFG	0	37-02-HP1181-02		N	LED BOARD 25.6X15X1.6MM 94V0	1	PC	I	B	EPAS061003	0.000860	SA4M0082
*24	1	SFG	0	38-06-E1056-51	C46	N	E.CAP 1UF+/-20% 50V 4X7MM 85 PET	1	PC	I	B	EPAS101037 / EPAS110052	0.000200	
*25	1	SFG	0	38-06-E10614-51	C25	N	E.CAP 10UF+/-20% 25V 5X11MM 85	1	PC	I	B	EPAS101022 / EPAS110039	0.000400	

BOM QUERY [PRODUCTION]

DATE: 2013/4/15 TIME: 11:07

ITEM: HP4191AP-008-0 DESCRIPTION: 900MHZ TX RECHARGEABLE,BLK/SIL

Page 2 Of 4

REV: UM: PC

TOTAL WEIGHT: 0.17365192

PLANER: PLR PLAN POLICE: N

DRWG::

SN	LEVEL	PU	SEQN	PARTNO	DESIGNATION	CT	DESCRIPTION	USAGE	UM	QT	MB	EPA	Weight	DRWG
*26	1	SFG	0	38-06-E10714-51	C53	N	E.CAP 100UF +/-20% 25V 6.3X11MM 85	1	PC	I	B	EPAS101032 / EPAS110049	0.000600	
*27	1	SFG	0	38-06-E10814-51	C2	N	E.CAP 1000UF+/-20% 25V 10X21MM 85 TRUTH	1	PC	I	B	EPAS050204	0.002300	
*28	1	SFG	0	38-06-E4768-51	C103,C44	N	E.CAP 47UF+/-20% 16V 5X11MM 85	2	PC	I	B	EPAS101033 / EPAS110047/EPAS 110819	0.000400	
*29	1	SFG	0	38-06-E47714B	C48,C7	N	E.CAP 470UF 25V +/-20% 8X14MM 85 PET	2	PC	I	B	EPAS110423	0.001220	
*30	1	SFG	0	38-S03-0056C5	C10	N	CHIP CAP. #0603 0.5PF 50V +/-0.25PF NPO	1	PC	I	B		0.000004	
*31	1	SFG	0	38-S03-1016D548	C1,C118,C13,C14,C15,C16,C21,C22,C4,C41,C50,C51,C54,C55,C9	N	CHIP CAP.#0603 100PF 50V+/-5% NPO	15	PC	I	B	EPAS030331	0.000004	
*32	1	SFG	0	38-S03-1026D5	R1	N	CHIP CAP. #0603 0.001UF 50V +/-5% NPO	1	PC	I	B		0.000004	
*33	1	SFG	0	38-S03-1036A5	C40,C47,C5,C58,C6,C62	N	CHIP CAP. #0603 0.01UF 50V +/-10% X7R	6	PC	I	B		0.000004	
*34	1	SFG	0	38-S03-1046A5	C19,C20,C24,C3,C38,C52,C64,C8	N	CHIP CAP. #0603 0.1UF 50V +/-10%	8	PC	I	B		0.000004	
*35	1	SFG	0	38-S03-10514A5	C23	N	CHIP CAP #0603 1UF 25V+/-10% GRM188R61E105KA12D	1	PC	I	B	EPAS070882	0.000004	
*36	1	SFG	0	38-S03-2006D5	C56,C57	N	CHIP CAP. #0603 20PF 50V +/-5%NPO	2	PC	I	B		0.000004	
*37	1	SFG	0	38-S03-2256A5	C11,C12,C34,C35,C72	N	CHIP CAP.#0603 2.2UF 16V +/-10%	5	PC	I	B	EPAS100001	0.000004	
*38	1	SFG	0	38-S03-3326A5	C26,C27	N	CHIP CAP. #0603 0.0033UF 50V +/-10%	2	PC	I	B		0.000004	
*39	1	SFG	0	38-S03-3336A5	C120,C42	N	CHIP CAP. #0603 0.033UF 50V +/-10%	2	PC	I	B		0.000004	
*40	1	SFG	0	38-S03-4716A5	C36,C37	N	CHIP CAP. #0603 470PF 50V +/-10%	2	PC	I	B		0.000004	
*41	1	SFG	0	38-S03-4726A5	C28,C29	N	CHIP CAP. #0603 0.0047UF 50V +/-10% X7R	2	PC	I	B		0.000004	
*42	1	SFG	0	38-S03-5606D5	C30,C31	N	CHIP CAP. #0603 56PF 50V +/-5%	2	PC	I	B		0.000004	
*43	1	SFG	0	38-S03-6816D5	C39	N	CHIP CAP. #0603 680PF 50V +/-5% NPO	1	PC	I	B		0.000004	
*44	1	SFG	0	39-53-0005	L3,R4,R74	N	CHIP RES. #0603 0 OHM 1/16W +/-5%	3	PC	I	B		0.000000	
*45	1	SFG	0	39-53-1025	R13,R17,R2,R46,R82	N	CHIP RES. #0603 1K OHM 1/16W +/-5%	5	PC	I	B		0.000000	
*46	1	SFG	0	39-53-1035	R57,R58,R60	N	CHIP RES. #0603 10K OHM 1/16W +/-5%	3	PC	I	B		0.000000	
*47	1	SFG	0	39-53-1045	R14,R15,R150,R29,R41,R45,R51,R53,R61,R79	N	CHIP RES. #0603 100K OHM 1/16W+/-5%	10	PC	I	B		0.000000	
*48	1	SFG	0	39-53-1055	R19,R42	N	CHIP RES. #0603 1M OHM 1/16W +/-5%	2	PC	I	B		0.000000	
*49	1	SFG	0	39-53-1525	R32,R34,R35,R36	N	CHIP RES. #0603 1.5K OHM 1/16W+/-5%	4	PC	I	B		0.000000	

BOM QUERY [PRODUCTION]

DATE: 2013/4/15 TIME: 11:07

ITEM: HP4191AP-008-0 DESCRIPTION: 900MHZ TX RECHARGEABLE,BLK/SIL

Page 3 Of 4

REV: UM: PC

TOTAL WEIGHT: 0.17365192

PLANER: PLR PLAN POLICE: N

DRWG::

SN	LEVEL	PU	SEQN	PARTNO	DESIGNATION	CT	DESCRIPTION	USAGE	UM	QT	MB	EPA	Weight	DRWG
*50	1	SFG	0	39-53-1535	R20,R3,R83	N	CHIP RES. #0603 15K OHM 1/16W +/-5%	3	PC	I	B		0.000000	
*51	1	SFG	0	39-53-1545	R5,R6	N	CHIP RES. #0603 150K OHM 1/16W+/-5%	2	PC	I	B		0.000000	
*52	1	SFG	0	39-53-1555	R22	N	CHIP RES. #0603 1.5M OHM 1/16W+/-5%	1	PC	I	B		0.000000	
*53	1	SFG	0	39-53-2025	R151,R39	N	CHIP RES. #0603 2K OHM 1/16W +/-5%	2	PC	I	B		0.000000	
*54	1	SFG	0	39-53-2215	R163,R18,R40	N	CHIP RES. #0603 220 OHM 1/16W +/-5%	3	PC	I	B		0.000000	
*55	1	SFG	0	39-53-2225	R10,R11,R12,R38,R43,R48,R9	N	CHIP RES. #0603 2.2K OHM 1/16W+/-5%	7	PC	I	B		0.000000	
*56	1	SFG	0	39-53-3025	R44,R49,R63,R78	N	CHIP RES. #0603 3K OHM 1/16W +/-5%	4	PC	I	B		0.000000	
*57	1	SFG	0	39-53-3035	R25,R26	N	CHIP RES. #0603 30K OHM 1/16W +/-5%	2	PC	I	B		0.000000	
*58	1	SFG	0	39-53-3315	R85	N	CHIP RES. #0603 330 OHM 1/16W +/-5%	1	PC	I	B		0.000000	
*59	1	SFG	0	39-53-3925	R21	N	CHIP RES. #0603 3.9K OHM 1/16W+/-5%	1	PC	I	B		0.000000	
*60	1	SFG	0	39-53-4725	R16	N	CHIP RES. #0603 4.7K OHM 1/16W+/-5%	1	PC	I	B		0.000000	
*61	1	SFG	0	39-53-4735	R37,R7,R8	N	CHIP RES. #0603 47K OHM 1/16W +/-5%	3	PC	I	B		0.000000	
*62	1	SFG	0	39-53-4745	R47	N	CHIP RES. #0603 470K OHM 1/16W+/-5%	1	PC	I	B		0.000000	
*63	1	SFG	0	39-53-6815	R30	N	CHIP RES. #0603 680 OHM 1/16W +/-5%	1	PC	I	B		0.000000	
*64	1	SFG	0	39-53-8225	R27,R28	N	CHIP RES. #0603 8.2K OHM 1/16W+/-5%	2	PC	I	B		0.000000	
*65	1	SFG	0	39-63-0005	R80	N	CHIP RES. #0805 0 OHM 1/8W+/-5%	1	PC	I	B		0.000005	
*66	1	SFG	0	39-7A-0005	R121,R124,R127,R128,R130,R59,R86,R89,R90,R91,R93,R94,R96,R97,R99	N	CHIP RES. #1206 0R0 OHM 1/8W +/-5%	15	PC	I	B		0.000009	
*67	1	SFG	0	39-7A-1215	R81,R84	N	CHIP RES.#1206 120 OHM 1/8W+/-5%	2	PC	I	B		0.000009	
*68	1	SFG	0	39-7A-1525	R50,R54	N	CHIP RES. #1206 1.5K OHM 1/8W+/-5%	2	PC	I	B		0.000009	
*69	1	SFG	0	39-7A-4725	R87	N	CHIP RES. #1206 4.7K OHM 1/8W+/-5%	1	PC	I	B		0.000009	
*70	1	SFG	0	4-01-HP1681		N	FOOT RUBBER,TRANSLUCENT8.8X3.3X2.3	2	PC	I	B	EPAS050832	0.001000	
*71	1	SFG	0	4-02-HP1681		N	FOOT RUBBER,TRANSLUCENT8.8X3.3X2.6	2	PC	I	B	EPAS050831	0.001000	
*72	1	SFG	0	42-06-E502-A	VR1,VR2	N	EVND8AA 5K OHM 6MM 3PIN	2	PC	I	B	EPAS060492	0.000370	
*73	1	SFG	0	44-01-22413-35	IC2	N	I.C. LS22241FALC SOP 16	1	PC	I	B	EPAS040912	0.000200	
*74	1	SFG	0	44-S02-903D6-84	IC1	N	STEREO ENCODE CL903B SOP18	1	PC	I	B	EPAS130599	0.000450	
*75	1	SFG	0	45-01-E22058-12	SW2	N	SIDE KNOB SIDE SWITCH SK-22H05 L=8MM	1	PC	I	B	EPA G20110088	0.001130	

BOM QUERY [PRODUCTION]

DATE: 2013/4/15 TIME: 11:07

ITEM: HP4191AP-008-0 DESCRIPTION: 900MHZ TX RECHARGEABLE,BLK/SIL

Page 4 Of 4

REV: UM: PC

TOTAL WEIGHT: 0.17365192

PLANER: PLR PLAN POLICE: N

DRWG::

SN	LEVEL	PU	SEQN	PARTNO	DESIGNATION	CT	DESCRIPTION	USAGE	UM	QT	MB	EPA	Weight	DRWG
*76	1	SFG	0	48-03-E25L00-G	D5	N	LED 3MM GREEN 3AG4HD00	1	PC	I	B	EPAS110473	0.000160	
*77	1	SFG	0	48-03-E25L00-R	D6	N	LED 3MM RED 3AR4HD02	1	PC	I	B	EPAS110474	0.000160	
*78	1	SFG	0	53-11-E07604	X1	N	CRYSTAL 7.600MHZ 20PF +/-20PPM	1	PC	I	B	EPA G20100002	0.000550	
*79	1	SFG	0	60-05-2828-15		N	CUSHION 28X28MM	1	PC	I	B	EPAS050685	0.000370	
*80	1	SFG	0	62-01-E0308-09		N	UL 1007#24 PITCH 'JST XH' 3X85MM	1	PC	I	B	EPAS040927	0.001300	
*81	1	SFG	0	62-21-E0300-12	JX3	N	TOP 3PIN BASE 2.5MM PITCH	1	PC	I	B	EPAS060913	0.000300	
*82	1	SFG	0	LF901U-001-0	UHF	N	UHF MODULE 912MHZ FOR US1	1	PC	I	M	BP G2010020	0.000000	

*** END OF REPORT ***