


FCC Test Report

FCC ID : MXF-C4500MG
Equipment : C4500 MG Multi-Dwelling Unit Gateway Product
Model No. : C4500MG
Brand Name : CenturyLink
Applicant : Gemtek Technology Co., Ltd.
Address : No. 15-1 Zhonghua Road, Hsinchu Industrial Park,
Hukou, Hsinchu, Taiwan, 30352.
Standard : 47 CFR FCC Part 15.247
Received Date : Dec. 16, 2020
Tested Date : Dec. 21, 2020 ~ Jan. 19, 2021

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by:



Along Chen / Assistant Manager

Approved by:



Gary Chang / Manager



Table of Contents

1	GENERAL DESCRIPTION	5
1.1	Information.....	5
1.2	Local Support Equipment List	8
1.3	Test Setup Chart	8
1.4	The Equipment List	9
1.5	Test Standards	10
1.6	Reference Guidance	10
1.7	Deviation from Test Standard and Measurement Procedure.....	10
1.8	Measurement Uncertainty	10
2	TEST CONFIGURATION	11
2.1	Testing Facility.....	11
2.2	The Worst Test Modes and Channel Details	11
3	TRANSMITTER TEST RESULTS.....	12
3.1	Conducted Emissions.....	12
3.2	6dB and Occupied Bandwidth	15
3.3	RF Output Power	23
3.4	Power Spectral Density	27
3.5	Unwanted Emissions into Restricted Frequency Bands	35
3.6	Emissions in Non-Restricted Frequency Bands	71
4	TEST LABORATORY INFORMATION	92

Release Record

Report No.	Version	Description	Issued Date
FR0D1601AC	Rev. 01	Initial issue	Feb. 22, 2021

Summary of Test Results

FCC Rules	Test Items	Measured	Result
15.207	Conducted Emissions	[dBuV]: 0.474MHz 37.69 (Margin -8.76dB) - AV	Pass
15.247(d) 15.209	Radiated Emissions	[dBuV/m at 3m]: 2382.00MHz 53.88 (Margin -0.12dB) - AV	Pass
15.247(b)(3)	Maximum Output Power	Max Power [dBm]: Non-beamforming mode 29.65 Beamforming mode 29.50	Pass
15.247(a)(2)	6dB Bandwidth	Meet the requirement of limit	Pass
15.247(e)	Power Spectral Density	Meet the requirement of limit	Pass
15.203	Antenna Requirement	Meet the requirement of limit	Pass

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Information

1.1.1 Specification of the Equipment under Test (EUT)

RF General Information					
Frequency Range (MHz)	IEEE Std. 802.11	Ch. Freq. (MHz)	Channel Number	Transmit Chains (N _{TX})	Data Rate / MCS
2400-2483.5	b	2412-2462	1-11 [11]	1	1-11 Mbps
2400-2483.5	g	2412-2462	1-11 [11]	2	6-54 Mbps
2400-2483.5	n (HT20)	2412-2462	1-11 [11]	2	MCS 0-15
2400-2483.5	n (HT40)	2422-2452	3-9 [7]	2	MCS 0-15
2400-2483.5	ax (HE20)	2412-2462	1-11 [11]	2	MCS 0-11
2400-2483.5	ax (HE40)	2422-2452	3-9 [7]	2	MCS 0-11

Note 1: RF output power specifies that Maximum Conducted (Average) Output Power.
 Note 2: DSSS-DBPSK, DQPSK, CCK modulation
 OFDM/OFDMA- BPSK, QPSK, 16QAM, 64QAM, 256QAM and 1024QAM modulation.
 Note 3: 802.11an/ax supports beamforming function.

1.1.2 Antenna Details

Ant. No.	Model	Type	Connector	Operating Frequencies (MHz) / Antenna Gain (dBi)		
				2400~2483.5	5150~5250	5725~5850
1	2.4G -1	PIFA	UFL	3.4	--	--
2	2.4G -2	PIFA	UFL	2.3	--	--
3	5G - 1	Dipole	UFL	--	3.8	4.5
4	5G - 2	Dipole	UFL	--	4	4.1

1.1.3 Power Supply Type of Equipment under Test (EUT)

Power Supply Type	12Vdc from adapter
--------------------------	--------------------

1.1.4 Accessories

Accessories		
No.	Equipment	Description
1	AC adapter	Brand: LEI Model: MU36B1120300-A1 Power Rating: I/P: 100-240Vac, 50/60Hz, 1.0A O/P: 12Vdc, 3A Power Line: 1.7m non-shielded without core
2	AC adapter	Brand: MOSO Model: MS-V3000R120-036H0-US Power Rating: I/P: 100-240Vac, 50/60Hz, 1.0A max. O/P: 12Vdc, 3A Power Line: 1.8m non-shielded without core
3	RJ45 (WAN) (White)	1.7m non-shielded without core
4	RJ 45 (LAN) (Yellow)	1.7m non-shielded without core

1.1.5 Channel List

Frequency band (MHz)		2400~2483.5	
802.11bg / n HT20 / ax HE20		802.11n HT40 / ax HE40	
Channel	Frequency(MHz)	Channel	Frequency(MHz)
1	2412	3	2422
2	2417	4	2427
3	2422	5	2432
4	2427	6	2437
5	2432	7	2442
6	2437	8	2447
7	2442	9	2452
8	2447	---	---
9	2452	---	---
10	2457	---	---
11	2462	---	---

1.1.6 Test Tool and Duty Cycle

Test Tool	Intel DUT GUI, V610.26		
Duty Cycle and Duty Factor	Mode	Duty Cycle (%)	Duty Factor (dB)
	11b	100.00%	0.00
	11g	100.00%	0.00
	ax (HE20)	100.00%	0.00
	ax (HE40)	100.00%	0.00


1.1.7 Power Index of Test Tool

Modulation Mode	Test Frequency (MHz)	Power Index	
		Non- beamforming	Beamforming
11b	2412	26	---
11b	2437	27	---
11b	2462	27	---
11g	2412	22.5	---
11g	2417	23.5	---
11g	2437	27.5	---
11g	2457	24.5	---
11g	2462	23	---
HT20	2412	21	21
HT20	2417	22	22
HT20	2437	27	27
HT20	2457	23	23
HT20	2462	22	22
HT40	2422	19.5	19.5
HT40	2437	22.5	22.5
HT40	2452	20.5	20.5
ax (HE20)	2412	21	21
ax (HE20)	2417	22	22
ax (HE20)	2437	27	27
ax (HE20)	2457	23	23
ax (HE20)	2462	22	22
ax (HE40)	2422	19.5	19.5
ax (HE40)	2437	22.5	22.5
ax (HE40)	2452	20.5	20.5

1.2 Local Support Equipment List

Support Equipment List					
No.	Equipment	Brand	Model	FCC ID	Remarks
1	Notebook	DELL	Latitude E5470	DoC	---
2	Notebook	DELL	Latitude E5470	DoC	---
3	USB 3.0 Flash	Transcend	JetFlash 700	---	---

1.3 Test Setup Chart



1.4 The Equipment List

Test Item	Conducted Emission				
Test Site	Conduction room 1 / (CO01-WS)				
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until
Receiver	R&S	ESR3	101657	Feb. 14, 2020	Feb. 13, 2021
LISN	R&S	ENV216	101579	Mar. 12, 2020	Mar. 11, 2021
RF Cable-CON	Woken	CFD200-NL	CFD200-NL-001	Oct. 21, 2020	Oct. 20, 2021
Measurement Software	AUDIX	e3	6.120210k	NA	NA

Note: Calibration Interval of instruments listed above is one year.

Test Item	Radiated Emission				
Test Site	966 chamber1 / (03CH01-WS)				
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until
Spectrum Analyzer	R&S	FSV40	101498	Dec. 04, 2020	Dec. 03, 2021
Receiver	R&S	ESR3	101657	Feb. 14, 2020	Feb. 13, 2021
Bilog Antenna	SCHWARZBECK	VULB9168	VULB9168-522	Jul. 10, 2020	Jul. 09, 2021
Horn Antenna 1G-18G	SCHWARZBECK	BBHA 9120 D	BBHA 9120 D 1096	Dec. 11, 2020	Dec. 10, 2021
Horn Antenna 18G-40G	SCHWARZBECK	BBHA 9170	BBHA 9170517	Nov. 06, 2020	Nov. 05, 2021
Loop Antenna	R&S	HFH2-Z2	100330	Nov. 17, 2020	Nov. 16, 2021
Loop Antenna Cable	KOAX KABEL	101354-BW	101354-BW	Oct. 06, 2020	Oct. 05, 2021
Preamplifier	EMC	EMC02325	980225	Jul. 03, 2020	Jul. 02, 2021
Preamplifier	Agilent	83017A	MY39501308	Sep. 26, 2020	Sep. 25, 2021
Preamplifier	EMC	EMC184045B	980192	Jul. 21, 2020	Jul. 20, 2021
RF Cable	EMC	EMCCFD400-SM-SM-8000	181106	Oct. 06, 2020	Oct. 05, 2021
RF Cable	HUBER+SUHNER	SUCOFLEX104	MY16019/4	Oct. 06, 2020	Oct. 05, 2021
RF Cable	HUBER+SUHNER	SUCOFLEX104	MY16014/4	Oct. 06, 2020	Oct. 05, 2021
LF cable 1M	EMC	EMCCFD400-NM-NM-1000	160502	Oct. 06, 2020	Oct. 05, 2021
LF cable 3M	Woken	CFD400NL-LW	CFD400NL-001	Oct. 06, 2020	Oct. 05, 2021
LF cable 11M	EMC	EMCCFD400-NW-NW-11000	200801	Oct. 06, 2020	Oct. 05, 2021
Measurement Software	AUDIX	e3	6.120210g	NA	NA

Note: Calibration Interval of instruments listed above is one year.

Test Item	RF Conducted				
Test Site	(TH01-WS)				
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until
Spectrum Analyzer	R&S	FSV40	101063	Apr. 30, 2020	Apr. 29, 2021
Power Meter	Anritsu	ML2495A	1241002	Nov. 04, 2020	Nov. 03, 2021
Power Sensor	Anritsu	MA2411B	1207366	Nov. 04, 2020	Nov. 03, 2021
AC POWER SOURCE	APC	AFC-500W	F312060012	Dec. 04, 2020	Dec. 03, 2021
Measurement Software	Sporton	SENSE-15247_DTS	V5.9	NA	NA
Note: Calibration Interval of instruments listed above is one year.					

1.5 Test Standards

47 CFR FCC Part 15.247

ANSI C63.10-2013

1.6 Reference Guidance

FCC KDB 558074 D01 15.247 Meas Guidance v05r02

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

1.7 Deviation from Test Standard and Measurement Procedure

None

1.8 Measurement Uncertainty

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2)).

Measurement Uncertainty	
Parameters	Uncertainty
Bandwidth	±34.130 Hz
Conducted power	±0.808 dB
Power density	±0.583 dB
Conducted emission	±2.715 dB
AC conducted emission	±2.92 dB
Radiated emission ≤ 1GHz	±3.41 dB
Radiated emission > 1GHz	±4.59 dB

2 Test Configuration

2.1 Testing Facility

Test Laboratory	International Certification Corp.
Test Site	CO01-WS, 03CH01-WS, TH01-WS
Address of Test Site	No. 3-1, Lane 6, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

- FCC Designation No.: TW2732
- FCC site registration No.: 181692
- ISED#: 10807A
- CAB identifier: TW2732

2.2 The Worst Test Modes and Channel Details

Test item	Modulation Mode	Test Frequency (MHz)	Data Rate (Mbps) / MCS	Test Configuration
Conducted Emissions	11g	2437	6 Mbps	Non-beamforming
Radiated Emissions ≤1GHz	11g	2437	6 Mbps	Non-beamforming
Maximum Output Power	11b	2412 / 2437 / 2462	1 Mbps	Non-beamforming
	11g	2412 / 2417 / 2437 / 2457 / 2462	6 Mbps	
	HT20	2412 / 2417 / 2437 / 2457 / 2462	MCS 0	
	HT40	2422 / 2437 / 2452	MCS 0	
	ax HE20	2412 / 2417 / 2437 / 2457 / 2462	MCS 0	
	ax HE40	2422 / 2437 / 2452	MCS 0	
Maximum Output Power	HT20	2412 / 2417 / 2437 / 2457 / 2462	MCS 0	Beamforming
	HT40	2422 / 2437 / 2452	MCS 0	
	ax HE20	2412 / 2417 / 2437 / 2457 / 2462	MCS 0	
	ax HE40	2422 / 2437 / 2452	MCS 0	
Radiated Emissions >1GHz 6dB bandwidth Power spectral density	11b	2412 / 2437 / 2462	1 Mbps	Non-beamforming
	11g	2412 / 2417 / 2437 / 2457 / 2462	6 Mbps	
	ax HE20	2412 / 2417 / 2437 / 2457 / 2462	MCS 0	
	ax HE40	2422 / 2437 / 2452	MCS 0	

NOTE:

1. The EUT was pretested with 3 orientations placed on the table for the radiated emission measurement – X, Y, and Z-plane. The **Y-plane** results were found as the worst case and were shown in this report.
2. Two adapters (LEI and MOSO) had been covered during the pretest and found that the worst adapter is **MOSO adapter** for conducted emissions test and **LEI adapter** for radiated emissions test.
3. Non-beamforming and beamforming mode had been covered during the pretest. The worst mode is Non-beamforming thus Non-beamforming is tested for all test items.

3 Transmitter Test Results

3.1 Conducted Emissions

3.1.1 Limit of Conducted Emissions


Conducted Emissions Limit		
Frequency Emission (MHz)	Quasi-Peak	Average
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50

Note 1: * Decreases with the logarithm of the frequency.

3.1.2 Test Procedures


1. The device is placed on a test table, raised 80 cm above the reference ground plane. The vertical conducting plane is located 40 cm to the rear of the device.
2. The device is connected to line impedance stabilization network (LISN) and other accessories are connected to other LISN. Measured levels of AC power line conducted emission are across the 50 Ω LISN port.
3. AC conducted emission measurements is made over frequency range from 150 kHz to 30 MHz.
4. This measurement was performed with AC 120V / 60Hz.

3.1.3 Test Setup




- Note: 1. Support units were connected to second LISN.
 2. Both of LISNs (AMN) are 80 cm from EUT and at least 80 cm from other units and other metal planes

3.1.4 Test Result of Conducted Emissions

Modulation	11g	Test Freq. (MHz)	2437																																																																																																																					
Power Phase	Line																																																																																																																							
<p>Test by : Alex Tsai Temperature: 20°C Humidity: 61%</p>																																																																																																																								
																																																																																																																								
<table border="1"> <thead> <tr> <th></th> <th>Freq MHz</th> <th>Level dBuV</th> <th>Limit Line dBuV</th> <th>Over Limit dB</th> <th>Read Level dBuV</th> <th>Factor dB</th> <th>Cable loss dB</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0.159</td> <td>31.75</td> <td>55.52</td> <td>-23.77</td> <td>21.89</td> <td>9.81</td> <td>0.05</td> <td>Average</td> </tr> <tr> <td>2</td> <td>0.159</td> <td>43.47</td> <td>65.52</td> <td>-22.05</td> <td>33.61</td> <td>9.81</td> <td>0.05</td> <td>QP</td> </tr> <tr> <td>3*</td> <td>0.447</td> <td>35.56</td> <td>46.93</td> <td>-11.37</td> <td>25.59</td> <td>9.89</td> <td>0.08</td> <td>Average</td> </tr> <tr> <td>4</td> <td>0.447</td> <td>42.11</td> <td>56.93</td> <td>-14.82</td> <td>32.14</td> <td>9.89</td> <td>0.08</td> <td>QP</td> </tr> <tr> <td>5</td> <td>1.043</td> <td>25.72</td> <td>46.00</td> <td>-20.28</td> <td>15.63</td> <td>9.97</td> <td>0.12</td> <td>Average</td> </tr> <tr> <td>6</td> <td>1.043</td> <td>31.41</td> <td>56.00</td> <td>-24.59</td> <td>21.32</td> <td>9.97</td> <td>0.12</td> <td>QP</td> </tr> <tr> <td>7</td> <td>2.396</td> <td>26.88</td> <td>46.00</td> <td>-19.12</td> <td>16.68</td> <td>9.99</td> <td>0.21</td> <td>Average</td> </tr> <tr> <td>8</td> <td>2.396</td> <td>32.02</td> <td>56.00</td> <td>-23.98</td> <td>21.82</td> <td>9.99</td> <td>0.21</td> <td>QP</td> </tr> <tr> <td>9</td> <td>4.874</td> <td>23.44</td> <td>46.00</td> <td>-22.56</td> <td>13.10</td> <td>10.03</td> <td>0.31</td> <td>Average</td> </tr> <tr> <td>10</td> <td>4.874</td> <td>28.10</td> <td>56.00</td> <td>-27.90</td> <td>17.76</td> <td>10.03</td> <td>0.31</td> <td>QP</td> </tr> <tr> <td>11</td> <td>12.988</td> <td>31.59</td> <td>50.00</td> <td>-18.41</td> <td>20.91</td> <td>10.15</td> <td>0.53</td> <td>Average</td> </tr> <tr> <td>12</td> <td>12.988</td> <td>36.51</td> <td>60.00</td> <td>-23.49</td> <td>25.83</td> <td>10.15</td> <td>0.53</td> <td>QP</td> </tr> </tbody> </table>					Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Remark	1	0.159	31.75	55.52	-23.77	21.89	9.81	0.05	Average	2	0.159	43.47	65.52	-22.05	33.61	9.81	0.05	QP	3*	0.447	35.56	46.93	-11.37	25.59	9.89	0.08	Average	4	0.447	42.11	56.93	-14.82	32.14	9.89	0.08	QP	5	1.043	25.72	46.00	-20.28	15.63	9.97	0.12	Average	6	1.043	31.41	56.00	-24.59	21.32	9.97	0.12	QP	7	2.396	26.88	46.00	-19.12	16.68	9.99	0.21	Average	8	2.396	32.02	56.00	-23.98	21.82	9.99	0.21	QP	9	4.874	23.44	46.00	-22.56	13.10	10.03	0.31	Average	10	4.874	28.10	56.00	-27.90	17.76	10.03	0.31	QP	11	12.988	31.59	50.00	-18.41	20.91	10.15	0.53	Average	12	12.988	36.51	60.00	-23.49	25.83	10.15	0.53	QP
	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Remark																																																																																																																
1	0.159	31.75	55.52	-23.77	21.89	9.81	0.05	Average																																																																																																																
2	0.159	43.47	65.52	-22.05	33.61	9.81	0.05	QP																																																																																																																
3*	0.447	35.56	46.93	-11.37	25.59	9.89	0.08	Average																																																																																																																
4	0.447	42.11	56.93	-14.82	32.14	9.89	0.08	QP																																																																																																																
5	1.043	25.72	46.00	-20.28	15.63	9.97	0.12	Average																																																																																																																
6	1.043	31.41	56.00	-24.59	21.32	9.97	0.12	QP																																																																																																																
7	2.396	26.88	46.00	-19.12	16.68	9.99	0.21	Average																																																																																																																
8	2.396	32.02	56.00	-23.98	21.82	9.99	0.21	QP																																																																																																																
9	4.874	23.44	46.00	-22.56	13.10	10.03	0.31	Average																																																																																																																
10	4.874	28.10	56.00	-27.90	17.76	10.03	0.31	QP																																																																																																																
11	12.988	31.59	50.00	-18.41	20.91	10.15	0.53	Average																																																																																																																
12	12.988	36.51	60.00	-23.49	25.83	10.15	0.53	QP																																																																																																																
<p>Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB). Note 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).</p>																																																																																																																								

Modulation	11g	Test Freq. (MHz)	2437
Power Phase	Neutral		

Test by : Alex Tsai Temperature: 20°C Humidity: 61%



	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Remark
1	0.159	32.70	55.52	-22.82	22.86	9.79	0.05	Average
2	0.159	44.19	65.52	-21.33	34.35	9.79	0.05	QP
3	0.258	29.66	51.51	-21.85	19.78	9.81	0.07	Average
4	0.258	36.35	61.51	-25.16	26.47	9.81	0.07	QP
5*	0.474	37.69	46.45	-8.76	27.77	9.83	0.09	Average
6	0.474	42.72	56.45	-13.73	32.80	9.83	0.09	QP
7	1.980	30.16	46.00	-15.84	20.06	9.92	0.18	Average
8	1.980	35.89	56.00	-20.11	25.79	9.92	0.18	QP
9	4.672	21.50	46.00	-24.50	11.24	9.95	0.31	Average
10	4.672	26.58	56.00	-29.42	16.32	9.95	0.31	QP
11	12.988	29.55	50.00	-20.45	18.90	10.12	0.53	Average
12	12.988	34.61	60.00	-25.39	23.96	10.12	0.53	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB).
 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).

3.2 6dB and Occupied Bandwidth

3.2.1 Limit of 6dB Bandwidth

The minimum 6dB bandwidth shall be at least 500 kHz.

3.2.2 Test Procedures


6dB Bandwidth

1. Set resolution bandwidth (RBW) = 100 kHz, Video bandwidth = 300 kHz.
2. Detector = Peak, Trace mode = max hold.
3. Sweep = auto couple, Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6dB relative to the maximum level measured in the fundamental emission.

Occupied Bandwidth

1. Set resolution bandwidth (RBW) = 1% ~ 5 % of OBW, Video bandwidth = 3 x RBW
2. Detector = Sample, Trace mode = max hold.
3. Sweep = auto couple, Allow the trace to stabilize.
4. Use the OBW measurement function of spectrum analyzer to measure the occupied bandwidth.

3.2.3 Test Setup



3.2.4 Test Result of 6dB and Occupied Bandwidth

Ambient Condition	20-24°C / 64-66%	Tested By	Aska Huang
--------------------------	------------------	------------------	------------

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	8.116M	11.635M	11M6G1D	7.536M	11.346M
802.11g_Nss1,(6Mbps)_2TX	16.594M	16.961M	17M0D1D	16.522M	16.556M
11ax20_Nss1,(MCS0)_2TX	19.13M	19.103M	19M1D1D	18.841M	18.929M
11ax40_Nss1,(MCS0)_2TX	38.116M	38.321M	38M3D1D	37.971M	37.742M

Max-N dB = Maximum 6dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;

Result


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-
2412MHz	Pass	500k	7.536M	11.346M		
2437MHz	Pass	500k	7.609M	11.52M		
2462MHz	Pass	500k	8.116M	11.635M		
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	16.594M	16.614M	16.594M	16.556M
2417MHz	Pass	500k	16.594M	16.671M	16.522M	16.729M
2437MHz	Pass	500k	16.522M	16.845M	16.522M	16.961M
2457MHz	Pass	500k	16.522M	16.671M	16.522M	16.729M
2462MHz	Pass	500k	16.522M	16.614M	16.522M	16.556M
11ax20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	18.841M	18.929M	18.841M	18.929M
2417MHz	Pass	500k	19.13M	19.045M	19.13M	18.987M
2437MHz	Pass	500k	19.13M	19.045M	19.13M	19.103M
2457MHz	Pass	500k	19.13M	19.103M	19.058M	18.987M
2462MHz	Pass	500k	19.058M	18.987M	19.13M	18.929M
11ax40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	38.116M	37.858M	38.116M	37.742M
2437MHz	Pass	500k	37.971M	37.974M	38.116M	37.974M
2452MHz	Pass	500k	38.116M	38.321M	38.116M	38.09M

Port X-N dB = Port X 6dB down bandwidth; **Port X-OBW** = Port X 99% occupied bandwidth;

802.11b_Nss1,(1Mbps)_1TX

EBW


2412MHz



802.11b_Nss1,(1Mbps)_1TX

EBW


2437MHz



802.11b_Nss1,(1Mbps)_1TX

EBW


2462MHz



802.11g_Nss1,(6Mbps)_2TX

EBW


2412MHz



802.11g_Nss1,(6Mbps)_2TX

EBW


2417MHz



802.11g_Nss1,(6Mbps)_2TX

EBW

2437MHz




802.11g_Nss1,(6Mbps)_2TX


EBW

2457MHz

CF
2.457GHz
Span
50MHz
RBW
100kHz
VBW
300kHz
Sweep Time
1.08ms
Detector Type
Peak



CF
2.457GHz
Span
40MHz
RBW
200kHz
VBW
1MHz
Sweep Time
1ms
Detector Type
Sample




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.522M	2.448739G	2.465261G	16.671M	2.448606G	2.465278G	500k	1
16.522M	2.448739G	2.465261G	16.729M	2.448606G	2.465336G	500k	2

802.11g_Nss1,(6Mbps)_2TX


EBW

2462MHz

CF
2.462GHz
Span
50MHz
RBW
100kHz
VBW
300kHz
Sweep Time
1.08ms
Detector Type
Peak



CF
2.462GHz
Span
40MHz
RBW
200kHz
VBW
1MHz
Sweep Time
1ms
Detector Type
Sample




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.522M	2.453739G	2.470261G	16.614M	2.453664G	2.470278G	500k	1
16.522M	2.453739G	2.470261G	16.556M	2.453722G	2.470278G	500k	2

11ax20_Nss1,(MCS0)_2TX


EBW

2412MHz

CF
2.412GHz
Span
50MHz
RBW
100kHz
VBW
300kHz
Sweep Time
1.08ms
Detector Type
Peak



CF
2.412GHz
Span
40MHz
RBW
200kHz
VBW
1MHz
Sweep Time
1ms
Detector Type
Sample




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.841M	2.40258G	2.42142G	18.929M	2.402507G	2.421436G	500k	1
18.841M	2.40258G	2.42142G	18.929M	2.402507G	2.421436G	500k	2

11ax20_Nss1,(MCS0)_2TX

EBW


2417MHz



11ax20_Nss1,(MCS0)_2TX

EBW


2437MHz



11ax20_Nss1,(MCS0)_2TX

EBW


2457MHz



11ax20_Nss1,(MCS0)_2TX

EBW


2462MHz



11ax40_Nss1,(MCS0)_2TX

EBW


2422MHz




11ax40_Nss1,(MCS0)_2TX

EBW

2437MHz





3.3 RF Output Power

3.3.1 Limit of RF Output Power


Conducted power shall not exceed 1Watt.

Antenna gain $\leq 6\text{dBi}$, no any corresponding reduction is in output power limit.

3.3.2 Test Procedures

A broadband RF power meter is used for output power measurement. The video bandwidth of power meter is greater than DTS bandwidth of EUT. If duty cycle of test signal is not 100 %, trigger and gating function of power meter will be enabled to capture transmission burst for measuring output power.

3.3.3 Test Setup



3.3.4 Test Result of Maximum Output Power

Ambient Condition	20-24°C / 64-66%	Tested By	Aska Huang
--------------------------	------------------	------------------	------------

Non-beamforming mode

Summary of Conducted (Average) Output Power

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX	26.32	0.42855
802.11g_Nss1,(6Mbps)_2TX	29.65	0.92257
802.11n HT20_Nss1,(MCS0)_2TX	29.47	0.88512
802.11n HT40_Nss1,(MCS0)_2TX	25.18	0.32961
11ax20_Nss1,(MCS0)_2TX	29.56	0.90365
11ax40_Nss1,(MCS0)_2TX	25.26	0.33574

* Highlight value is the maximum power.

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-
2412MHz	Pass	3.40	25.46	-	25.46	30.00	28.86	36.00
2437MHz	Pass	3.40	26.26	-	26.26	30.00	29.66	36.00
2462MHz	Pass	3.40	26.32	-	26.32	30.00	29.72	36.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
2412MHz	Pass	3.40	22.39	22.58	25.50	30.00	28.90	36.00
2417MHz	Pass	3.40	23.31	23.63	26.48	30.00	29.88	36.00
2437MHz	Pass	3.40	26.48	26.79	29.65	30.00	33.05	36.00
2457MHz	Pass	3.40	23.52	23.95	26.75	30.00	30.15	36.00
2462MHz	Pass	3.40	22.21	22.43	25.33	30.00	28.73	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2412MHz	Pass	3.40	21.06	21.44	24.26	30.00	27.66	36.00
2417MHz	Pass	3.40	22.19	22.43	25.32	30.00	28.72	36.00
2437MHz	Pass	3.40	26.29	26.63	29.47	30.00	32.87	36.00
2457MHz	Pass	3.40	22.02	22.59	25.32	30.00	28.72	36.00
2462MHz	Pass	3.40	21.03	21.34	24.20	30.00	27.60	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2422MHz	Pass	3.40	19.66	19.83	22.76	30.00	26.16	36.00
2437MHz	Pass	3.40	22.09	22.24	25.18	30.00	28.58	36.00
2452MHz	Pass	3.40	20.48	20.19	23.35	30.00	26.75	36.00
11ax20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
2412MHz	Pass	3.40	21.15	21.56	24.37	30.00	27.77	36.00
2417MHz	Pass	3.40	22.25	22.55	25.41	30.00	28.81	36.00
2437MHz	Pass	3.40	26.35	26.75	29.56	30.00	32.96	36.00
2457MHz	Pass	3.40	22.15	22.66	25.42	30.00	28.82	36.00
2462MHz	Pass	3.40	21.2	21.42	24.32	30.00	27.72	36.00
11ax40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2422MHz	Pass	3.40	19.75	19.95	22.86	30.00	26.26	36.00
2437MHz	Pass	3.40	22.15	22.35	25.26	30.00	28.66	36.00
2452MHz	Pass	3.40	20.58	20.26	23.43	30.00	26.83	36.00

DG = Directional Gain; **Port X** = Port X output power
Note : Conducted average output power is for reference only

Beamforming mode

Summary of Conducted (Average) Output Power

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11n HT20-BF_Nss1,(MCS0)_2TX	29.43	0.87700
802.11n HT40-BF_Nss1,(MCS0)_2TX	25.09	0.32285
11ax20,BF_Nss1,(MCS0)_2TX	29.50	0.89125
11ax40,BF_Nss1,(MCS0)_2TX	25.17	0.32885

* Highlight value is the maximum power.

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11n HT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2412MHz	Pass	5.88	21.01	21.34	24.19	30.00	30.07	36.00
2417MHz	Pass	5.88	22.11	22.34	25.24	30.00	31.12	36.00
2437MHz	Pass	5.88	26.25	26.58	29.43	30.00	35.31	36.00
2457MHz	Pass	5.88	21.99	22.47	25.25	30.00	31.13	36.00
2462MHz	Pass	5.88	20.96	21.28	24.13	30.00	30.01	36.00
802.11n HT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2422MHz	Pass	5.88	19.59	19.71	22.66	30.00	28.54	36.00
2437MHz	Pass	5.88	22.01	22.15	25.09	30.00	30.97	36.00
2452MHz	Pass	5.88	20.35	20.14	23.26	30.00	29.14	36.00
11ax20,BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2412MHz	Pass	5.88	21.09	21.44	24.28	30.00	30.16	36.00
2417MHz	Pass	5.88	22.2	22.49	25.36	30.00	31.24	36.00
2437MHz	Pass	5.88	26.3	26.67	29.50	30.00	35.38	36.00
2457MHz	Pass	5.88	22.09	22.58	25.35	30.00	31.23	36.00
2462MHz	Pass	5.88	21.16	21.3	24.24	30.00	30.12	36.00
11ax40,BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
2422MHz	Pass	5.88	19.62	19.88	22.76	30.00	28.64	36.00
2437MHz	Pass	5.88	22.03	22.29	25.17	30.00	31.05	36.00
2452MHz	Pass	5.88	20.49	20.14	23.33	30.00	29.21	36.00

DG = Directional Gain = $10 * \log((10^{3.4/20} + 10^{2.3/20})^2 / 2) = 5.88$ dBi;

Port X = Port X output power

Note : Conducted average output power is for reference only

3.4 Power Spectral Density


3.4.1 Limit of Power Spectral Density

Power spectral density shall not be greater than 8 dBm in any 3 kHz band.

3.4.2 Test Procedures

- 1 Set the RBW = 30 kHz, VBW = 100 kHz. Detector = RMS.
- 2 Set the sweep time to: ≥ 10 (number of measurement points in sweep) x (total on/off period of the transmitted signal).
- 3 Perform the measurement over a single sweep.
- 4 Use the peak marker function to determine the maximum amplitude level.
- 5 Add $10 \log (1/x)$, where x is the duty cycle.

3.4.3 Test Setup



3.4.4 Test Result of Power Spectral Density

Ambient Condition	20-24°C / 64-66%	Tested By	Aska Huang
--------------------------	------------------	------------------	------------

Summary

Mode	PD (dBm/30kHz)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	4.71
802.11g_Nss1,(6Mbps)_2TX	4.14
11ax20_Nss1,(MCS0)_2TX	7.83
11ax40_Nss1,(MCS0)_2TX	0.45

Result

Mode	Result	DG (dBi)	Port 1 (dBm/30kHz)	Port 2 (dBm/30kHz)	PD (dBm/30kHz)	PD Limit (dBm/30kHz)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-
2412MHz	Pass	3.40	3.54	-	3.54	8.00
2437MHz	Pass	3.40	4.69	-	4.69	8.00
2462MHz	Pass	3.40	4.71	-	4.71	8.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.88	-3.05	-2.71	-0.09	8.00
2417MHz	Pass	5.88	-2.06	-1.68	0.85	8.00
2437MHz	Pass	5.88	1.00	1.44	4.14	8.00
2457MHz	Pass	5.88	-2.03	-1.25	1.16	8.00
2462MHz	Pass	5.88	-3.78	-2.72	-0.46	8.00
11ax20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.88	0.95	1.48	4.23	8.00
2417MHz	Pass	5.88	1.70	1.41	4.54	8.00
2437MHz	Pass	5.88	4.56	5.14	7.83	8.00
2457MHz	Pass	5.88	0.80	1.86	4.29	8.00
2462MHz	Pass	5.88	0.66	2.09	4.44	8.00
11ax40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	5.88	-4.60	-4.18	-1.40	8.00
2437MHz	Pass	5.88	-2.70	-2.39	0.45	8.00
2452MHz	Pass	5.88	-4.63	-4.17	-1.38	8.00

DG = Directional Gain


For 2TX mode, Directional Gain=10 * log(((10^{3.4/20}+10^{2.3/20})²/2) = 5.88 dBi;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_1TX

PSD

2412MHz




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.54	3.54	3.54

802.11b_Nss1,(1Mbps)_1TX

PSD

2437MHz




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.69	4.69	4.69

802.11b_Nss1,(1Mbps)_1TX

PSD

2462MHz




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.71	4.71	4.71

802.11g_Nss1,(6Mbps)_2TX

PSD

2412MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.09	-0.09	-3.05	-2.71

802.11g_Nss1,(6Mbps)_2TX

PSD

2417MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.85	0.85	-2.06	-1.68

802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	1.00	1.44

802.11g_Nss1,(6Mbps)_2TX

PSD

2457MHz




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.16	1.16	-2.03	-1.25

802.11g_Nss1,(6Mbps)_2TX

PSD

2462MHz




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-0.46	-0.46	-3.78	-2.72

11ax20_Nss1,(MCS0)_2TX

PSD

2412MHz




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.23	4.23	0.95	1.48

11ax20_Nss1,(MCS0)_2TX

PSD

2417MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	1.70	1.41

11ax20_Nss1,(MCS0)_2TX

PSD

2437MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.83	7.83	4.56	5.14

11ax20_Nss1,(MCS0)_2TX

PSD

2457MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.29	4.29	0.80	1.86

11ax20_Nss1,(MCS0)_2TX

PSD

2462MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	0.66	2.09

11ax40_Nss1,(MCS0)_2TX

PSD

2422MHz




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.40	-1.40	-4.60	-4.18


11ax40_Nss1,(MCS0)_2TX

PSD

2437MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.45	0.45	-2.70	-2.39



3.5 Unwanted Emissions into Restricted Frequency Bands

3.5.1 Limit of Unwanted Emissions into Restricted Frequency Bands

Restricted Band Emissions Limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1:
Quasi-Peak value is measured for frequency below 1GHz except for 9–90 kHz, 110–490 kHz frequency band. Peak and average value are measured for frequency above 1GHz. The limit on average radio frequency emission is as above table. The limit on peak radio frequency emissions is 20 dB above the maximum permitted average emission limit

Note 2:
Measurements may be performed at a distance other than what is specified provided. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor as below, Frequency at or above 30 MHz: 20 dB/decade Frequency below 30 MHz: 40 dB/decade.

3.5.2 Test Procedures


1. Measurement is made at a semi-anechoic chamber that incorporates a turntable allowing a EUT rotation of 360°. A continuously-rotating, remotely-controlled turntable is installed at the test site to support the EUT and facilitate determination of the direction of maximum radiation for each EUT emission frequency. The EUT is placed at test table. For emissions testing at or below 1 GHz, the table height is 80 cm above the reference ground plane. For emission measurements above 1 GHz, the table height is 1.5 m
2. Measurement is made with the antenna positioned in both the horizontal and vertical planes of polarization. The measurement antenna is varied in height (1m ~ 4m) above the reference ground plane to obtain the maximum signal strength. Distance between EUT and antenna is 3 m.
3. This investigation is performed with the EUT rotated 360°, the antenna height scanned between 1 m and 4 m, and the antenna rotated to repeat the measurements for both the horizontal and vertical antenna polarizations.

Note:


1. 120kHz measurement bandwidth of test receiver and Quasi-peak detector is for radiated emission below 1GHz.
2. RBW=1MHz, VBW=3MHz and Peak detector is for peak measured value of radiated emission above 1GHz.
3. RBW=1MHz, VBW=1/T and Peak detector is for average measured value of radiated emission above 1GHz.

3.5.3 Test Setup


Radiated Emissions below 1 GHz



Radiated Emissions above 1 GHz




3.5.4 Transmitter Radiated Unwanted Emissions (Below 1GHz)

Modulation	11g	Test Freq. (MHz)	2437																																																																
Polarization	Horizontal																																																																		
Test By : Akun Chung Temperature(°C): 20 Humidity(%): 69																																																																			
 <p>The graph plots Level (dBuV/m) on the y-axis (0 to 90) against Frequency (MHz) on the x-axis (30 to 1000). A red line represents the CLASS-B limit, which is constant at 46 dBuV/m from 30 MHz to 1000 MHz. Six blue vertical lines indicate emission peaks at 107.60 MHz, 270.56 MHz, 374.35 MHz, 509.18 MHz, 624.61 MHz, and 874.87 MHz. The peak levels are 30.69, 28.66, 30.58, 32.43, 38.21, and 39.13 dBuV/m respectively.</p>																																																																			
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>107.60</td> <td>30.69</td> <td>43.50</td> <td>-12.81</td> <td>42.92</td> <td>-12.23</td> <td>Peak</td> <td>---</td> </tr> <tr> <td>2</td> <td>270.56</td> <td>28.66</td> <td>46.00</td> <td>-17.34</td> <td>37.81</td> <td>-9.15</td> <td>Peak</td> <td>---</td> </tr> <tr> <td>3</td> <td>374.35</td> <td>30.58</td> <td>46.00</td> <td>-15.42</td> <td>36.79</td> <td>-6.21</td> <td>Peak</td> <td>---</td> </tr> <tr> <td>4</td> <td>509.18</td> <td>32.43</td> <td>46.00</td> <td>-13.57</td> <td>35.44</td> <td>-3.01</td> <td>Peak</td> <td>---</td> </tr> <tr> <td>5</td> <td>624.61</td> <td>38.21</td> <td>46.00</td> <td>-7.79</td> <td>38.73</td> <td>-0.52</td> <td>Peak</td> <td>---</td> </tr> <tr> <td>6</td> <td>874.87</td> <td>39.13</td> <td>46.00</td> <td>-6.87</td> <td>35.70</td> <td>3.43</td> <td>Peak</td> <td>---</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	1	107.60	30.69	43.50	-12.81	42.92	-12.23	Peak	---	2	270.56	28.66	46.00	-17.34	37.81	-9.15	Peak	---	3	374.35	30.58	46.00	-15.42	36.79	-6.21	Peak	---	4	509.18	32.43	46.00	-13.57	35.44	-3.01	Peak	---	5	624.61	38.21	46.00	-7.79	38.73	-0.52	Peak	---	6	874.87	39.13	46.00	-6.87	35.70	3.43	Peak	---			
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																																																											
1	107.60	30.69	43.50	-12.81	42.92	-12.23	Peak	---																																																											
2	270.56	28.66	46.00	-17.34	37.81	-9.15	Peak	---																																																											
3	374.35	30.58	46.00	-15.42	36.79	-6.21	Peak	---																																																											
4	509.18	32.43	46.00	-13.57	35.44	-3.01	Peak	---																																																											
5	624.61	38.21	46.00	-7.79	38.73	-0.52	Peak	---																																																											
6	874.87	39.13	46.00	-6.87	35.70	3.43	Peak	---																																																											
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m). Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.																																																																			

Modulation	11g	Test Freq. (MHz)	2437
Polarization	Vertical		

Test By : Akun Chung Temperature(°C): 20 Humidity(%): 69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	30.00	35.95	40.00	-4.05	45.43	-9.48	QP	100	123
2	45.49	36.21	40.00	-3.79	44.50	-8.29	QP	100	199
3	90.14	36.54	43.50	-6.96	51.11	-14.57	Peak	---	---
4	152.22	31.17	43.50	-12.33	40.03	-8.86	Peak	---	---
5	624.61	38.32	46.00	-7.68	38.84	-0.52	Peak	---	---
6	874.87	38.07	46.00	-7.93	34.64	3.43	Peak	---	---


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.


3.5.5 Transmitter Radiated Unwanted Emissions (Above 1GHz) for 11b

Modulation	11b	Test Freq. (MHz)	2412						
Polarization	Horizontal								
Test By : Akun Chung Temperature(°C): 21 Humidity(%): 69									
									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg
1	2332.00	52.84	54.00	-1.16	55.56	-2.72	Average	150	141
2	2332.00	58.09	74.00	-15.91	60.81	-2.72	Peak	150	141
3	2390.00	50.89	54.00	-3.11	53.68	-2.79	Average	256	102
4	2390.00	61.41	74.00	-12.59	64.20	-2.79	Peak	256	102
5	4824.00	51.05	54.00	-2.95	47.58	3.47	Average	188	3
6	4824.00	53.34	74.00	-20.66	49.87	3.47	Peak	188	3
7	12060.00	45.80	74.00	-28.20	31.48	14.32	Peak	100	2
8	12060.00	57.60	74.00	-16.40	43.28	14.32	Peak	100	2

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)
*Factor includes antenna factor , cable loss and amplifier gain
Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11b	Test Freq. (MHz)	2412
Polarization	Vertical		

Test By : Akun Chung Temperature(°C): 21 Humidity(%): 69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2332.00	51.43	54.00	-2.57	54.15	-2.72	Average	360	62
2	2332.00	56.81	74.00	-17.19	59.53	-2.72	Peak	360	62
3	2390.00	49.09	54.00	-4.91	51.88	-2.79	Average	100	52
4	2390.00	61.06	74.00	-12.94	63.85	-2.79	Peak	100	52
5	4824.00	48.72	54.00	-5.28	45.25	3.47	Average	199	58
6	4824.00	50.79	74.00	-23.21	47.32	3.47	Peak	199	58
7	12060.00	46.31	74.00	-27.69	31.99	14.32	Peak	100	63
8	12060.00	58.20	74.00	-15.80	43.88	14.32	Peak	100	63


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11b	Test Freq. (MHz)	2437
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):22 Humidity(%):68



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2357.00	53.66	54.00	-0.34	56.42	-2.76	Average	186	62
2	2357.00	60.09	74.00	-13.91	62.85	-2.76	Peak	186	62
3	2390.00	48.87	54.00	-5.13	51.66	-2.79	Average	249	106
4	2390.00	57.16	74.00	-16.84	59.95	-2.79	Peak	249	106
5	2483.50	48.84	54.00	-5.16	51.58	-2.74	Average	249	106
6	2483.50	57.92	74.00	-16.08	60.66	-2.74	Peak	249	106
7	4874.00	52.01	54.00	-1.99	48.56	3.45	Average	168	192
8	4874.00	54.55	74.00	-19.45	51.10	3.45	Peak	168	192
9	7311.00	43.98	54.00	-10.02	34.99	8.99	Average	195	2
10	7311.00	52.99	74.00	-21.01	44.00	8.99	Peak	195	2


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11b	Test Freq. (MHz)	2437
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):22 Humidity(%):68



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2357.00	53.19	54.00	-0.81	55.95	-2.76	Average	351	55
2	2357.00	59.72	74.00	-14.28	62.48	-2.76	Peak	351	55
3	2390.00	48.89	54.00	-5.11	51.68	-2.79	Average	108	44
4	2390.00	58.06	74.00	-15.94	60.85	-2.79	Peak	108	44
5	2483.50	48.73	54.00	-5.27	51.47	-2.74	Average	108	44
6	2483.50	58.01	74.00	-15.99	60.75	-2.74	Peak	108	44
7	4874.00	49.68	54.00	-4.32	46.23	3.45	Average	185	62
8	4874.00	52.97	74.00	-21.03	49.52	3.45	Peak	185	62
9	7311.00	47.25	54.00	-6.75	38.26	8.99	Average	145	34
10	7311.00	55.49	74.00	-18.51	46.50	8.99	Peak	145	34


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11b	Test Freq. (MHz)	2462
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):21 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2382.00	53.88	54.00	-0.12	56.66	-2.78	Average	186	61
2	2382.00	60.45	74.00	-13.55	63.23	-2.78	Peak	186	61
3	2483.50	50.52	54.00	-3.48	53.26	-2.74	Average	248	103
4	2483.50	60.14	74.00	-13.86	62.88	-2.74	Peak	248	103
5	4924.00	52.88	54.00	-1.12	49.33	3.55	Average	196	1
6	4924.00	54.89	74.00	-19.11	51.34	3.55	Peak	196	1
7	7386.00	44.97	54.00	-9.03	36.00	8.97	Average	376	34
8	7386.00	53.80	74.00	-20.20	44.83	8.97	Peak	376	34


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11b	Test Freq. (MHz)	2462
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):21 Humidity(%):69




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2382.00	53.35	54.00	-0.65	56.13	-2.78	Average	347	45
2	2382.00	58.45	74.00	-15.55	61.23	-2.78	Peak	347	45
3	2483.50	49.15	54.00	-4.85	51.89	-2.74	Average	100	55
4	2483.50	58.14	74.00	-15.86	60.88	-2.74	Peak	100	55
5	4924.00	50.45	54.00	-3.55	46.90	3.55	Average	201	61
6	4924.00	53.46	74.00	-20.54	49.91	3.55	Peak	201	61
7	7386.00	48.15	54.00	-5.85	39.18	8.97	Average	146	37
8	7386.00	56.04	74.00	-17.96	47.07	8.97	Peak	146	37

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

3.5.6 Transmitter Radiated Unwanted Emissions (Above 1GHz) for 11g

Modulation	11g	Test Freq. (MHz)	2412						
Polarization	Horizontal								
Test By : Akun Chung Temperature(°C):22 Humidity(%):69									
									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg
1	2390.00	52.17	54.00	-1.83	54.96	-2.79	Average	140	232
2	2390.00	73.60	74.00	-0.40	76.39	-2.79	Peak	140	232
3	4824.00	35.36	54.00	-18.64	31.89	3.47	Average	100	165
4	4824.00	47.33	74.00	-26.67	43.86	3.47	Peak	100	165
5	12060.00	46.28	54.00	-7.72	31.96	14.32	Average	100	162
6	12060.00	58.19	74.00	-15.81	43.87	14.32	Peak	100	162
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).									

Modulation	11g	Test Freq. (MHz)	2412
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	50.84	54.00	-3.16	53.63	-2.79	Average	100	37
2	2390.00	72.21	74.00	-1.79	75.00	-2.79	Peak	100	37
3	4824.00	34.91	54.00	-19.09	31.44	3.47	Average	100	322
4	4824.00	46.89	74.00	-27.11	43.42	3.47	Peak	100	322
5	12060.00	45.77	54.00	-8.23	31.45	14.32	Average	100	323
6	12060.00	57.58	74.00	-16.42	43.26	14.32	Peak	100	323


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2417
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	53.07	54.00	-0.93	55.86	-2.79	Average	159	206
2	2390.00	73.03	74.00	-0.97	75.82	-2.79	Peak	159	206
3	4834.00	36.28	54.00	-17.72	32.82	3.46	Average	100	163
4	4834.00	48.33	74.00	-25.67	44.87	3.46	Peak	100	163
5	7251.00	41.82	54.00	-12.18	32.82	9.00	Average	100	164
6	7251.00	53.82	74.00	-20.18	44.82	9.00	Peak	100	164


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2417
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	51.66	54.00	-2.34	54.45	-2.79	Average	100	51
2	2390.00	70.87	74.00	-3.13	73.66	-2.79	Peak	100	51
3	4834.00	34.94	54.00	-19.06	31.48	3.46	Average	100	329
4	4834.00	46.88	74.00	-27.12	43.42	3.46	Peak	100	329
5	7251.00	40.41	54.00	-13.59	31.41	9.00	Average	100	324
6	7251.00	52.49	74.00	-21.51	43.49	9.00	Peak	100	324


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2437
Polarization	Horizontal		

Test By :Roger Lu Temperature(°C):22 Humidity(%):68



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	51.19	54.00	-2.81	53.98	-2.79	Average	158	197
2	2390.00	67.19	74.00	-6.81	69.98	-2.79	Peak	158	197
3	2483.50	49.40	54.00	-4.60	52.14	-2.74	Average	158	197
4	2483.50	64.76	74.00	-9.24	67.50	-2.74	Peak	158	197
5	2560.00	48.87	54.00	-5.13	51.62	-2.75	Average	100	257
6	2560.00	57.87	74.00	-16.13	60.62	-2.75	Peak	100	257
7	4874.00	40.95	54.00	-13.05	37.50	3.45	Average	100	214
8	4874.00	51.23	74.00	-22.77	47.78	3.45	Peak	100	214
9	7311.00	42.87	54.00	-11.13	33.88	8.99	Average	255	278
10	7311.00	56.29	74.00	-17.71	47.30	8.99	Peak	255	278


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2437
Polarization	Vertical		

Test By :Roger Lu Temperature(°C):22 Humidity(%):68



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	48.10	54.00	-5.90	50.89	-2.79	Average	107	55
2	2390.00	64.06	74.00	-9.94	66.85	-2.79	Peak	107	55
3	2483.50	46.40	54.00	-7.60	49.14	-2.74	Average	107	55
4	2483.50	61.71	74.00	-12.29	64.45	-2.74	Peak	107	55
5	2560.00	48.93	54.00	-5.07	51.68	-2.75	Average	106	296
6	2560.00	58.24	74.00	-15.76	60.99	-2.75	Peak	106	296
7	4874.00	39.99	54.00	-14.01	36.54	3.45	Average	103	323
8	4874.00	52.59	74.00	-21.41	49.14	3.45	Peak	103	323
9	7311.00	41.32	54.00	-12.68	32.33	8.99	Average	165	45
10	7311.00	53.69	74.00	-20.31	44.70	8.99	Peak	165	45


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2457
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	53.56	54.00	-0.44	56.30	-2.74	Average	143	209
2	2483.50	72.70	74.00	-1.30	75.44	-2.74	Peak	143	209
3	4914.00	36.37	54.00	-17.63	32.85	3.52	Average	100	168
4	4914.00	48.31	74.00	-25.69	44.79	3.52	Peak	100	168
5	7371.00	41.86	54.00	-12.14	32.84	9.02	Average	100	169
6	7371.00	53.86	74.00	-20.14	44.84	9.02	Peak	100	169


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2457
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	52.48	54.00	-1.52	55.22	-2.74	Average	101	38
2	2483.50	71.25	74.00	-2.75	73.99	-2.74	Peak	101	38
3	4914.00	34.92	54.00	-19.08	31.40	3.52	Average	100	327
4	4914.00	46.91	74.00	-27.09	43.39	3.52	Peak	100	327
5	7371.00	40.41	54.00	-13.59	31.39	9.02	Average	100	324
6	7371.00	52.36	74.00	-21.64	43.34	9.02	Peak	100	324


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2462
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	51.05	54.00	-2.95	53.79	-2.74	Average	143	203
2	2483.50	72.52	74.00	-1.48	75.26	-2.74	Peak	143	203
3	4924.00	35.42	54.00	-18.58	31.87	3.55	Average	100	204
4	4924.00	47.12	74.00	-26.88	43.57	3.55	Peak	100	204
5	7386.00	40.67	54.00	-13.33	31.70	8.97	Average	100	208
6	7386.00	52.83	74.00	-21.17	43.86	8.97	Peak	100	208


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	11g	Test Freq. (MHz)	2462						
Polarization	Vertical								
Test By : Akun Chung		Temperature(°C): 22	Humidity(%): 69						
									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	50.61	54.00	-3.39	53.35	-2.74	Average	103	39
2	2483.50	70.78	74.00	-3.22	73.52	-2.74	Peak	103	39
3	4924.00	35.39	54.00	-18.61	31.84	3.55	Average	100	328
4	4924.00	47.40	74.00	-26.60	43.85	3.55	Peak	100	328
5	7386.00	40.77	54.00	-13.23	31.80	8.97	Average	100	324
6	7386.00	52.79	74.00	-21.21	43.82	8.97	Peak	100	324
<p>Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).</p>									


3.5.7 Transmitter Radiated Unwanted Emissions (Above 1GHz) for ax HE20

Modulation	ax HE20		Test Freq. (MHz)	2412					
Polarization	Horizontal								
Test By : Akun Chung		Temperature(°C): 22		Humidity(%): 69					
									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg
1	2390.00	51.49	54.00	-2.51	54.28	-2.79	Average	144	231
2	2390.00	66.06	74.00	-7.94	68.85	-2.79	Peak	144	231
3	4824.00	35.23	54.00	-18.77	31.76	3.47	Average	100	168
4	4824.00	47.33	74.00	-26.67	43.86	3.47	Peak	100	168
5	12060.00	46.09	54.00	-7.91	31.77	14.32	Average	100	165
6	12060.00	58.17	74.00	-15.83	43.85	14.32	Peak	100	165

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)
*Factor includes antenna factor , cable loss and amplifier gain
Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2412
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	52.94	54.00	-1.06	55.73	-2.79	Average	101	52
2	2390.00	66.87	74.00	-7.13	69.66	-2.79	Peak	101	52
3	4824.00	34.87	54.00	-19.13	31.40	3.47	Average	100	326
4	4824.00	46.86	74.00	-27.14	43.39	3.47	Peak	100	326
5	12060.00	45.72	54.00	-8.28	31.40	14.32	Average	100	329
6	12060.00	57.71	74.00	-16.29	43.39	14.32	Peak	100	329


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2417
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	52.94	54.00	-1.06	55.73	-2.79	Average	156	217
2	2390.00	66.87	74.00	-7.13	69.66	-2.79	Peak	156	217
3	4834.00	36.21	54.00	-17.79	32.75	3.46	Average	100	166
4	4834.00	48.21	74.00	-25.79	44.75	3.46	Peak	100	166
5	7251.00	41.74	54.00	-12.26	32.74	9.00	Average	100	279
6	7251.00	53.77	74.00	-20.23	44.77	9.00	Peak	100	279


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2417
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	52.94	54.00	-1.06	55.73	-2.79	Average	100	32
2	2390.00	66.87	74.00	-7.13	69.66	-2.79	Peak	100	32
3	4834.00	34.81	54.00	-19.19	31.35	3.46	Average	100	332
4	4834.00	46.85	74.00	-27.15	43.39	3.46	Peak	100	332
5	7251.00	40.37	54.00	-13.63	31.37	9.00	Average	100	328
6	7251.00	52.36	74.00	-21.64	43.36	9.00	Peak	100	328


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2437
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	53.19	54.00	-0.81	55.98	-2.79	Average	158	228
2	2390.00	66.91	74.00	-7.09	69.70	-2.79	Peak	158	228
3	2483.50	51.55	54.00	-2.45	54.29	-2.74	Average	158	228
4	2483.50	64.66	74.00	-9.34	67.40	-2.74	Peak	158	228
5	4874.00	40.96	54.00	-13.04	37.51	3.45	Average	194	163
6	4874.00	51.24	74.00	-22.76	47.79	3.45	Peak	194	163
7	7311.00	41.71	54.00	-12.29	32.72	8.99	Average	254	277
8	7311.00	54.24	74.00	-19.76	45.25	8.99	Peak	254	277


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2437
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	51.68	54.00	-2.32	54.47	-2.79	Average	100	34
2	2390.00	65.76	74.00	-8.24	68.55	-2.79	Peak	100	34
3	2483.50	51.37	54.00	-2.63	54.11	-2.74	Average	100	34
4	2483.50	64.11	74.00	-9.89	66.85	-2.74	Peak	100	34
5	4874.00	39.55	54.00	-14.45	36.10	3.45	Average	100	304
6	4874.00	48.92	74.00	-25.08	45.47	3.45	Peak	100	304
7	7311.00	41.23	54.00	-12.77	32.24	8.99	Average	167	48
8	7311.00	53.65	74.00	-20.35	44.66	8.99	Peak	167	48


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2457
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	52.95	54.00	-1.05	55.69	-2.74	Average	159	221
2	2483.50	66.88	74.00	-7.12	69.62	-2.74	Peak	159	221
3	4914.00	36.23	54.00	-17.77	32.71	3.52	Average	100	163
4	4914.00	48.27	74.00	-25.73	44.75	3.52	Peak	100	163
5	7371.00	41.76	54.00	-12.24	32.74	9.02	Average	100	274
6	7371.00	53.79	74.00	-20.21	44.77	9.02	Peak	100	274


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2457
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	51.80	54.00	-2.20	54.54	-2.74	Average	100	38
2	2483.50	65.48	74.00	-8.52	68.22	-2.74	Peak	100	38
3	4914.00	34.90	54.00	-19.10	31.38	3.52	Average	100	327
4	4914.00	46.84	74.00	-27.16	43.32	3.52	Peak	100	327
5	7371.00	40.33	54.00	-13.67	31.31	9.02	Average	100	326
6	7371.00	52.37	74.00	-21.63	43.35	9.02	Peak	100	326


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2462
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	53.44	54.00	-0.56	56.18	-2.74	Average	149	217
2	2483.50	72.11	74.00	-1.89	74.85	-2.74	Peak	149	217
3	4924.00	35.33	54.00	-18.67	31.78	3.55	Average	100	167
4	4924.00	47.39	74.00	-26.61	43.84	3.55	Peak	100	167
5	7386.00	40.73	54.00	-13.27	31.76	8.97	Average	100	275
6	7386.00	52.78	74.00	-21.22	43.81	8.97	Peak	100	275


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE20	Test Freq. (MHz)	2462
Polarization	Vertical		

Test By : Akun Chung Temperature(°C): 22 Humidity(%): 69




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	52.48	54.00	-1.52	55.22	-2.74	Average	104	40
2	2483.50	70.42	74.00	-3.58	73.16	-2.74	Peak	104	40
3	4924.00	34.82	54.00	-19.18	31.27	3.55	Average	100	326
4	4924.00	46.76	74.00	-27.24	43.21	3.55	Peak	100	326
5	7386.00	40.28	54.00	-13.72	31.31	8.97	Average	100	324
6	7386.00	52.27	74.00	-21.73	43.30	8.97	Peak	100	324

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

3.5.8 Transmitter Radiated Unwanted Emissions (Above 1GHz) for ax HE40

Modulation	ax HE40	Test Freq. (MHz)	2422																																																																												
Polarization	Horizontal																																																																														
Test By : Akun Chung Temperature(°C): 22 Humidity(%): 69																																																																															
 <p>The graph plots Level (dBuV/m) on the y-axis (0 to 90) against Frequency (MHz) on the x-axis (1000 to 25000). Two horizontal red lines represent limits: CLASS-B at approximately 74 dBuV/m and CLASS-B (AVG) at approximately 54 dBuV/m. Six vertical blue lines represent emission peaks labeled 1 through 6. Peak 1 is at 2390 MHz (53.71 dBuV/m), peak 2 at 2390 MHz (65.79 dBuV/m), peak 3 at 4844 MHz (35.13 dBuV/m), peak 4 at 4844 MHz (47.13 dBuV/m), peak 5 at 7266 MHz (40.66 dBuV/m), and peak 6 at 7266 MHz (52.64 dBuV/m).</p>																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2390.00</td> <td>53.71</td> <td>54.00</td> <td>-0.29</td> <td>56.50</td> <td>-2.79</td> <td>Average</td> <td>139</td> <td>230</td> </tr> <tr> <td>2</td> <td>2390.00</td> <td>65.79</td> <td>74.00</td> <td>-8.21</td> <td>68.58</td> <td>-2.79</td> <td>Peak</td> <td>139</td> <td>230</td> </tr> <tr> <td>3</td> <td>4844.00</td> <td>35.13</td> <td>54.00</td> <td>-18.87</td> <td>31.68</td> <td>3.45</td> <td>Average</td> <td>100</td> <td>164</td> </tr> <tr> <td>4</td> <td>4844.00</td> <td>47.13</td> <td>74.00</td> <td>-26.87</td> <td>43.68</td> <td>3.45</td> <td>Peak</td> <td>100</td> <td>164</td> </tr> <tr> <td>5</td> <td>7266.00</td> <td>40.66</td> <td>54.00</td> <td>-13.34</td> <td>31.66</td> <td>9.00</td> <td>Average</td> <td>100</td> <td>279</td> </tr> <tr> <td>6</td> <td>7266.00</td> <td>52.64</td> <td>74.00</td> <td>-21.36</td> <td>43.64</td> <td>9.00</td> <td>Peak</td> <td>100</td> <td>279</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	1	2390.00	53.71	54.00	-0.29	56.50	-2.79	Average	139	230	2	2390.00	65.79	74.00	-8.21	68.58	-2.79	Peak	139	230	3	4844.00	35.13	54.00	-18.87	31.68	3.45	Average	100	164	4	4844.00	47.13	74.00	-26.87	43.68	3.45	Peak	100	164	5	7266.00	40.66	54.00	-13.34	31.66	9.00	Average	100	279	6	7266.00	52.64	74.00	-21.36	43.64	9.00	Peak	100	279								
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																																																																						
1	2390.00	53.71	54.00	-0.29	56.50	-2.79	Average	139	230																																																																						
2	2390.00	65.79	74.00	-8.21	68.58	-2.79	Peak	139	230																																																																						
3	4844.00	35.13	54.00	-18.87	31.68	3.45	Average	100	164																																																																						
4	4844.00	47.13	74.00	-26.87	43.68	3.45	Peak	100	164																																																																						
5	7266.00	40.66	54.00	-13.34	31.66	9.00	Average	100	279																																																																						
6	7266.00	52.64	74.00	-21.36	43.64	9.00	Peak	100	279																																																																						
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																																															

Modulation	ax HE40	Test Freq. (MHz)	2422
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	51.07	54.00	-2.93	53.86	-2.79	Average	101	38
2	2390.00	63.76	74.00	-10.24	66.55	-2.79	Peak	101	38
3	4844.00	34.65	54.00	-19.35	31.20	3.45	Average	100	321
4	4844.00	46.65	74.00	-27.35	43.20	3.45	Peak	100	321
5	7266.00	40.19	54.00	-13.81	31.19	9.00	Average	100	320
6	7266.00	52.15	74.00	-21.85	43.15	9.00	Peak	100	320


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE40	Test Freq. (MHz)	2437
Polarization	Horizontal		

Test By : Akun Chung Temperature(°C): 22 Humidity(%): 69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	53.34	54.00	-0.66	56.13	-2.79	Average	166	203
2	2390.00	66.06	74.00	-7.94	68.85	-2.79	Peak	166	203
3	2483.50	50.12	54.00	-3.88	52.86	-2.74	Average	166	203
4	2483.50	61.59	74.00	-12.41	64.33	-2.74	Peak	166	203
5	4874.00	36.15	54.00	-17.85	32.70	3.45	Average	100	168
6	4874.00	48.31	74.00	-25.69	44.86	3.45	Peak	100	168
7	7311.00	40.88	54.00	-13.12	31.89	8.99	Average	100	277
8	7311.00	52.85	74.00	-21.15	43.86	8.99	Peak	100	277


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE40	Test Freq. (MHz)	2437
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2390.00	52.35	54.00	-1.65	55.14	-2.79	Average	100	34
2	2390.00	65.01	74.00	-8.99	67.80	-2.79	Peak	100	34
3	2483.50	49.19	54.00	-4.81	51.93	-2.74	Average	100	34
4	2483.50	60.48	74.00	-13.52	63.22	-2.74	Peak	100	34
5	4874.00	34.65	54.00	-19.35	31.20	3.45	Average	100	328
6	4874.00	46.61	74.00	-27.39	43.16	3.45	Peak	100	328
7	7311.00	40.18	54.00	-13.82	31.19	8.99	Average	100	333
8	7311.00	52.20	74.00	-21.80	43.21	8.99	Peak	100	333


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE40	Test Freq. (MHz)	2452
Polarization	Horizontal		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	49.79	54.00	-4.21	52.53	-2.74	Average	102	209
2	2483.50	59.45	74.00	-14.55	62.19	-2.74	Peak	102	209
3	4904.00	35.09	54.00	-18.91	31.60	3.49	Average	100	162
4	4904.00	47.04	74.00	-26.96	43.55	3.49	Peak	100	162
5	7356.00	40.68	54.00	-13.32	31.63	9.05	Average	100	280
6	7356.00	52.64	74.00	-21.36	43.59	9.05	Peak	100	280


Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Modulation	ax HE40	Test Freq. (MHz)	2452
Polarization	Vertical		

Test By :Akun Chung Temperature(°C):22 Humidity(%):69



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg
1	2483.50	46.76	54.00	-7.24	49.50	-2.74	Average	100	22
2	2483.50	57.12	74.00	-16.88	59.86	-2.74	Peak	100	22
3	4904.00	34.64	54.00	-19.36	31.15	3.49	Average	100	328
4	4904.00	46.67	74.00	-27.33	43.18	3.49	Peak	100	328
5	7356.00	40.16	54.00	-13.84	31.11	9.05	Average	100	332
6	7356.00	52.27	74.00	-21.73	43.22	9.05	Peak	100	332

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

3.6 Emissions in Non-Restricted Frequency Bands

3.6.1 Emissions in Non-Restricted Frequency Bands Limit

Peak power in any 100 kHz bandwidth outside of the authorized frequency band shall be attenuated by at least 30 dB relative to the maximum in-band peak PSD level in 100 kHz.

3.6.2 Test Procedures


Reference level measurement

1. Set RBW=100kHz, VBW = 300kHz , Detector = Peak, Sweep time = Auto
2. Trace = max hold , Allow Trace to fully stabilize
3. Use the peak marker function to determine the maximum PSD level

Emission level measurement

1. Set RBW=100kHz, VBW = 300kHz , Detector = Peak, Sweep time = Auto
2. Trace = max hold , Allow Trace to fully stabilize
3. Scan Frequency range is up to 25GHz
4. Use the peak marker function to determine the maximum amplitude level

3.6.3 Test Setup



3.6.4 Unwanted Emissions into Non-Restricted Frequency Bands

Ambient Condition	20-24°C / 64-66%	Tested By	Aska Huang
--------------------------	------------------	------------------	------------

Modulation				11b				
Test ch. Freq. (MHz)	In-band PSD [i] (dBuV/100kHz)	Non-restricted Band (MHz)	NBE Freq. (MHz)	Out-band PSD [o] (dBuV/100kHz)	[i] – [o] (dB)	Limit (dB)	Level Type	Pol. note
2412	115.07	30-1000	43.58	39.88	75.19	30	PK	V
		1000-2390	2370.54	55.76	59.31	30	PK	V
		2390-2400	2398.96	68.45	46.62	30	PK	V
		2500-18000	18000.00	61.00	54.07	30	PK	V
		18000-25000	24874.00	47.20	67.87	30	PK	V
2437	115.06	30-1000	42.61	39.59	75.47	30	PK	V
		1000-2390	2349.69	55.87	59.19	30	PK	V
		2390-2400	2396.01	56.70	58.36	30	PK	V
		2500-18000	18000.00	61.28	53.78	30	PK	V
		18000-25000	24769.00	48.45	66.61	30	PK	V
2462	115.28	30-1000	43.58	39.63	75.65	30	PK	V
		1000-2400	2377.60	56.40	58.88	30	PK	V
		2500-2510	2503.06	51.75	63.53	30	PK	V
		2510-18000	18000.00	60.52	54.76	30	PK	V
		18000-25000	24797.00	48.61	66.67	30	PK	V

Note: Measurement worst emissions of receive antenna polarization: H (Horizontal) or V (Vertical)

Modulation				11g				
Test ch. Freq. (MHz)	In-band PSD [i] (dBuV/100kHz)	Non-restricted Band (MHz)	NBE Freq. (MHz)	Out-band PSD [o] (dBuV/100kHz)	[i] – [o] (dB)	Limit (dB)	Level Type	Pol. note
2412	107.65	30-1000	43.58	39.85	67.80	30	PK	V
		1000-2390	2388.61	59.81	47.84	30	PK	V
		2390-2400	2399.14	76.86	30.79	30	PK	V
		2500-18000	18000.00	61.06	46.59	30	PK	V
		18000-25000	24846.00	47.95	59.70	30	PK	V
2417	108.57	30-1000	43.58	40.44	68.13	30	PK	V
		1000-2390	2388.61	57.63	50.94	30	PK	V
		2390-2400	2399.99	72.76	35.81	30	PK	V
		2500-18000	17969.00	60.46	48.11	30	PK	V
		18000-25000	24923.00	48.70	59.87	30	PK	V
2437	112.77	30-1000	45.52	39.65	73.12	30	PK	V
		1000-2390	2369.15	52.12	60.65	30	PK	V
		2390-2400	2399.12	61.32	51.45	30	PK	V
		2500-18000	17984.50	60.95	51.82	30	PK	V
		18000-25000	24776.00	48.72	64.05	30	PK	V
2457	108.88	30-1000	43.58	40.33	68.55	30	PK	V
		1000-2400	2346.80	49.29	59.59	30	PK	V
		2500-2510	2500.43	49.34	59.54	30	PK	V
		2510-18000	17984.51	60.28	48.60	30	PK	V
		18000-25000	24874.00	48.30	60.58	30	PK	V
2462	107.33	30-1000	45.52	39.85	67.48	30	PK	V
		1000-2400	2388.80	48.67	58.66	30	PK	V
		2500-2510	2505.82	48.59	58.74	30	PK	V
		2510-18000	18000.00	59.80	47.53	30	PK	V
		18000-25000	24916.00	47.82	59.51	30	PK	V

Note: Measurement worst emissions of receive antenna polarization: H (Horizontal) or V (Vertical)







Modulation				11ax HE20				
Test ch. Freq. (MHz)	In-band PSD [i] (dBuV/100kHz)	Non-restricted Band (MHz)	NBE Freq. (MHz)	Out-band PSD [o] (dBuV/100kHz)	[i] – [o] (dB)	Limit (dB)	Level Type	Pol. note
2412	107.35	30-1000	43.58	40.19	67.16	30	PK	V
		1000-2390	2388.61	53.71	53.64	30	PK	V
		2390-2400	2399.99	72.57	34.78	30	PK	V
		2500-18000	17984.50	60.27	47.08	30	PK	V
		18000-25000	24846.00	48.00	59.35	30	PK	V
2417	107.65	30-1000	43.58	40.51	67.14	30	PK	V
		1000-2390	2384.44	50.57	57.08	30	PK	V
		2390-2400	2396.97	63.30	44.35	30	PK	V
		2500-18000	18000.00	60.09	47.56	30	PK	V
		18000-25000	24713.00	47.52	60.13	30	PK	V
2437	110.47	30-1000	43.58	39.93	70.54	30	PK	V
		1000-2390	2388.61	51.32	59.15	30	PK	V
		2390-2400	2399.27	61.81	48.66	30	PK	V
		2500-18000	17984.50	59.90	50.57	30	PK	V
		18000-25000	24944.00	51.64	58.83	30	PK	V
2457	107.12	30-1000	43.58	39.85	67.27	30	PK	V
		1000-2400	2376.20	48.16	58.96	30	PK	V
		2500-2510	2500.01	48.59	58.53	30	PK	V
		2510-18000	17984.51	61.06	46.06	30	PK	V
		18000-25000	24727.00	48.90	58.22	30	PK	V
2462	105.99	30-1000	45.52	39.89	66.10	30	PK	V
		1000-2400	2381.80	47.71	58.28	30	PK	V
		2500-2510	2500.04	48.68	57.31	30	PK	V
		2510-18000	18000.00	60.27	45.72	30	PK	V
		18000-25000	24867.00	48.95	57.04	30	PK	V







Note: Measurement worst emissions of receive antenna polarization: H (Horizontal) or V (Vertical)







Modulation				11ax HE40				
Test ch. Freq. (MHz)	In-band PSD [i] (dBuV/100kHz)	Non-restricted Band (MHz)	NBE Freq. (MHz)	Out-band PSD [o] (dBuV/100kHz)	[i] – [o] (dB)	Limit (dB)	Level Type	Pol. note
2422	103.34	30-1000	43.58	39.17	64.17	30	PK	V
		1000-2390	2388.61	57.25	46.09	30	PK	V
		2390-2400	2400.00	72.36	30.98	30	PK	V
		2500-18000	18000.00	60.12	43.22	30	PK	V
		18000-25000	24951.00	49.22	54.12	30	PK	V
2437	105.19	30-1000	43.58	39.99	65.20	30	PK	V
		1000-2390	2388.61	54.93	50.26	30	PK	V
		2390-2400	2397.41	64.36	40.83	30	PK	V
		2500-18000	18000.00	60.78	44.41	30	PK	V
		18000-25000	24909.00	48.99	56.20	30	PK	V
2452	101.65	30-1000	45.52	40.37	61.28	30	PK	V
		1000-2400	2393.00	49.73	51.92	30	PK	V
		2500-2510	2500.33	50.94	50.71	30	PK	V
		2510-18000	18000.00	60.70	40.95	30	PK	V
		18000-25000	24944.00	48.73	52.92	30	PK	V

Note: Measurement worst emissions of receive antenna polarization: H (Horizontal) or V (Vertical)







11b







Reference Level										Tx 2412MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.51</td> <td>115.07</td> <td>---</td> <td>117.85</td> <td>-2.78</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2412.51	115.07	---	117.85	-2.78	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2398.96</td> <td>68.45</td> <td>---</td> <td>71.24</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2398.96	68.45	---	71.24	-2.79	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2412.51	115.07	---	117.85	-2.78	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2398.96	68.45	---	71.24	-2.79	Peak	---	---																																																																							
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>39.88</td> <td>---</td> <td>48.29</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	39.88	---	48.29	-8.41	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>61.00</td> <td>---</td> <td>35.53</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	18000.00	61.00	---	35.53	25.47	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	39.88	---	48.29	-8.41	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	18000.00	61.00	---	35.53	25.47	Peak	---	---																																																																							
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2370.54</td> <td>55.76</td> <td>---</td> <td>58.53</td> <td>-2.77</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2370.54	55.76	---	58.53	-2.77	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24874.00</td> <td>47.20</td> <td>---</td> <td>37.17</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24874.00	47.20	---	37.17	10.03	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2370.54	55.76	---	58.53	-2.77	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24874.00	47.20	---	37.17	10.03	Peak	---	---																																																																							







Reference Level		Tx 2437MHz / 30MHz~25GHz (down 30dBc)																																					
 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>2436.01</td> <td>115.06</td> <td>---</td> <td>---</td> <td>117.80</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	2436.01	115.06	---	---	117.80	-2.74	Peak	---	---	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>2396.01</td> <td>56.70</td> <td>---</td> <td>---</td> <td>59.49</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	2396.01	56.70	---	---	59.49	-2.79	Peak	---	---
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																															
2436.01	115.06	---	---	117.80	-2.74	Peak	---	---																															
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																															
2396.01	56.70	---	---	59.49	-2.79	Peak	---	---																															
 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>42.61</td> <td>39.59</td> <td>---</td> <td>---</td> <td>47.87</td> <td>-8.28</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	42.61	39.59	---	---	47.87	-8.28	Peak	---	---	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>18000.00</td> <td>61.28</td> <td>---</td> <td>---</td> <td>35.81</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	18000.00	61.28	---	---	35.81	25.47	Peak	---	---
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																															
42.61	39.59	---	---	47.87	-8.28	Peak	---	---																															
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																															
18000.00	61.28	---	---	35.81	25.47	Peak	---	---																															
 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>2349.69</td> <td>55.87</td> <td>---</td> <td>---</td> <td>58.64</td> <td>-2.77</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	2349.69	55.87	---	---	58.64	-2.77	Peak	---	---	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>24769.00</td> <td>48.45</td> <td>---</td> <td>---</td> <td>38.43</td> <td>10.02</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg	24769.00	48.45	---	---	38.43	10.02	Peak	---	---
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																															
2349.69	55.87	---	---	58.64	-2.77	Peak	---	---																															
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB	Remark	ANT High cm	Turn Table deg																															
24769.00	48.45	---	---	38.43	10.02	Peak	---	---																															







Reference Level										Tx 2462MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2461.01</td> <td>115.28</td> <td>---</td> <td>118.00</td> <td>-2.72</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2461.01	115.28	---	118.00	-2.72	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2503.06</td> <td>51.75</td> <td>---</td> <td>54.50</td> <td>-2.75</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2503.06	51.75	---	54.50	-2.75	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2461.01	115.28	---	118.00	-2.72	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2503.06	51.75	---	54.50	-2.75	Peak	---	---																																																																							
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>39.63</td> <td>---</td> <td>48.04</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	39.63	---	48.04	-8.41	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>60.52</td> <td>---</td> <td>35.05</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	18000.00	60.52	---	35.05	25.47	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	39.63	---	48.04	-8.41	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	18000.00	60.52	---	35.05	25.47	Peak	---	---																																																																							
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.60</td> <td>56.40</td> <td>---</td> <td>59.19</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2377.60	56.40	---	59.19	-2.79	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24797.00</td> <td>48.61</td> <td>---</td> <td>38.58</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24797.00	48.61	---	38.58	10.03	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2377.60	56.40	---	59.19	-2.79	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24797.00	48.61	---	38.58	10.03	Peak	---	---																																																																							







11g

Reference Level										Tx 2412MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.64</td> <td>107.65</td> <td>---</td> <td>---</td> <td>110.42</td> <td>-2.77</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2417.64	107.65	---	---	110.42	-2.77	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2399.14</td> <td>76.86</td> <td>---</td> <td>---</td> <td>79.65</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2399.14	76.86	---	---	79.65	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2417.64	107.65	---	---	110.42	-2.77	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2399.14	76.86	---	---	79.65	-2.79	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>39.85</td> <td>---</td> <td>---</td> <td>48.26</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	39.85	---	---	48.26	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>61.06</td> <td>---</td> <td>---</td> <td>35.59</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	18000.00	61.06	---	---	35.59	25.47	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	39.85	---	---	48.26	-8.41	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	18000.00	61.06	---	---	35.59	25.47	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.61</td> <td>59.81</td> <td>---</td> <td>---</td> <td>62.60</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2388.61	59.81	---	---	62.60	-2.79	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24846.00</td> <td>47.95</td> <td>---</td> <td>---</td> <td>37.92</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24846.00	47.95	---	---	37.92	10.03	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2388.61	59.81	---	---	62.60	-2.79	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24846.00	47.95	---	---	37.92	10.03	Peak	---	---																																																																						







Reference Level										Tx 2417MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2413.88</td> <td>108.57</td> <td>---</td> <td>---</td> <td>111.35</td> <td>-2.78</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2413.88	108.57	---	---	111.35	-2.78	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2399.99</td> <td>72.76</td> <td>---</td> <td>---</td> <td>75.55</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2399.99	72.76	---	---	75.55	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2413.88	108.57	---	---	111.35	-2.78	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2399.99	72.76	---	---	75.55	-2.79	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>40.44</td> <td>---</td> <td>---</td> <td>48.85</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	40.44	---	---	48.85	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>17969.00</td> <td>60.46</td> <td>---</td> <td>---</td> <td>35.67</td> <td>24.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	17969.00	60.46	---	---	35.67	24.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	40.44	---	---	48.85	-8.41	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	17969.00	60.46	---	---	35.67	24.79	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.61</td> <td>57.63</td> <td>---</td> <td>---</td> <td>60.42</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2388.61	57.63	---	---	60.42	-2.79	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24923.00</td> <td>48.70</td> <td>---</td> <td>---</td> <td>38.66</td> <td>10.04</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24923.00	48.70	---	---	38.66	10.04	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2388.61	57.63	---	---	60.42	-2.79	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24923.00	48.70	---	---	38.66	10.04	Peak	---	---																																																																						







Reference Level										Tx 2437MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2433.85</td> <td>112.77</td> <td>---</td> <td>---</td> <td>115.51</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2433.85	112.77	---	---	115.51	-2.74	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2399.12</td> <td>61.32</td> <td>---</td> <td>---</td> <td>64.11</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2399.12	61.32	---	---	64.11	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2433.85	112.77	---	---	115.51	-2.74	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2399.12	61.32	---	---	64.11	-2.79	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>39.65</td> <td>---</td> <td>---</td> <td>47.94</td> <td>-8.29</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	45.52	39.65	---	---	47.94	-8.29	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>17984.50</td> <td>60.95</td> <td>---</td> <td>---</td> <td>35.82</td> <td>25.13</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	17984.50	60.95	---	---	35.82	25.13	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	45.52	39.65	---	---	47.94	-8.29	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	17984.50	60.95	---	---	35.82	25.13	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.15</td> <td>52.12</td> <td>---</td> <td>---</td> <td>54.89</td> <td>-2.77</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2369.15	52.12	---	---	54.89	-2.77	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24776.00</td> <td>48.72</td> <td>---</td> <td>---</td> <td>38.69</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24776.00	48.72	---	---	38.69	10.03	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2369.15	52.12	---	---	54.89	-2.77	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24776.00	48.72	---	---	38.69	10.03	Peak	---	---																																																																						







Reference Level										Tx 2457MHz / 30MHz~25GHz (down 30dBc)																																																															
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2453.88</td> <td>108.88</td> <td>---</td> <td>111.60</td> <td>-2.72</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2453.88	108.88	---	111.60	-2.72	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.43</td> <td>49.34</td> <td>---</td> <td>52.08</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2500.43	49.34	---	52.08	-2.74	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2453.88	108.88	---	111.60	-2.72	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2500.43	49.34	---	52.08	-2.74	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>40.33</td> <td>---</td> <td>48.74</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	43.58	40.33	---	48.74	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>17984.51</td> <td>60.28</td> <td>---</td> <td>35.15</td> <td>25.13</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	17984.51	60.28	---	35.15	25.13	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	43.58	40.33	---	48.74	-8.41	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	17984.51	60.28	---	35.15	25.13	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2346.80</td> <td>49.29</td> <td>---</td> <td>52.05</td> <td>-2.76</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2346.80	49.29	---	52.05	-2.76	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24874.00</td> <td>48.30</td> <td>---</td> <td>38.27</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	24874.00	48.30	---	38.27	10.03	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2346.80	49.29	---	52.05	-2.76	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	24874.00	48.30	---	38.27	10.03	Peak	---	---																																																																	







Reference Level										Tx 2462MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.23</td> <td>107.33</td> <td>---</td> <td>110.06</td> <td>-2.73</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2463.23	107.33	---	110.06	-2.73	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2505.82</td> <td>48.59</td> <td>---</td> <td>51.34</td> <td>-2.75</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2505.82	48.59	---	51.34	-2.75	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2463.23	107.33	---	110.06	-2.73	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2505.82	48.59	---	51.34	-2.75	Peak	---	---																																																																							
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>39.85</td> <td>---</td> <td>48.14</td> <td>-8.29</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	45.52	39.85	---	48.14	-8.29	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>59.80</td> <td>---</td> <td>34.33</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	18000.00	59.80	---	34.33	25.47	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	45.52	39.85	---	48.14	-8.29	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	18000.00	59.80	---	34.33	25.47	Peak	---	---																																																																							
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.80</td> <td>48.67</td> <td>---</td> <td>51.46</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2388.80	48.67	---	51.46	-2.79	Peak	---	---		<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24916.00</td> <td>47.82</td> <td>---</td> <td>37.78</td> <td>10.04</td> <td>Peak</td> <td>---</td> <td>---</td> <td></td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24916.00	47.82	---	37.78	10.04	Peak	---	---	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2388.80	48.67	---	51.46	-2.79	Peak	---	---																																																																							
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24916.00	47.82	---	37.78	10.04	Peak	---	---																																																																							







ax HE20

Reference Level										Tx 2412MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.82</td> <td>107.35</td> <td>---</td> <td>---</td> <td>110.11</td> <td>-2.76</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2417.82	107.35	---	---	110.11	-2.76	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2399.99</td> <td>72.57</td> <td>---</td> <td>---</td> <td>75.36</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2399.99	72.57	---	---	75.36	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2417.82	107.35	---	---	110.11	-2.76	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2399.99	72.57	---	---	75.36	-2.79	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>40.19</td> <td>---</td> <td>---</td> <td>48.60</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	40.19	---	---	48.60	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>17984.50</td> <td>60.27</td> <td>---</td> <td>---</td> <td>35.14</td> <td>25.13</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	17984.50	60.27	---	---	35.14	25.13	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	40.19	---	---	48.60	-8.41	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	17984.50	60.27	---	---	35.14	25.13	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.61</td> <td>53.71</td> <td>---</td> <td>---</td> <td>56.50</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2388.61	53.71	---	---	56.50	-2.79	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24846.00</td> <td>48.00</td> <td>---</td> <td>---</td> <td>37.97</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24846.00	48.00	---	---	37.97	10.03	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2388.61	53.71	---	---	56.50	-2.79	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24846.00	48.00	---	---	37.97	10.03	Peak	---	---																																																																						







Reference Level										Tx 2417MHz / 30MHz~25GHz (down 30dBc)																																																															
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2423.63</td> <td>107.65</td> <td>---</td> <td>110.41</td> <td>-2.76</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2423.63	107.65	---	110.41	-2.76	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2396.97</td> <td>63.30</td> <td>---</td> <td>66.09</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2396.97	63.30	---	66.09	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2423.63	107.65	---	110.41	-2.76	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2396.97	63.30	---	66.09	-2.79	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>40.51</td> <td>---</td> <td>48.92</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	43.58	40.51	---	48.92	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>60.09</td> <td>---</td> <td>34.62</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	18000.00	60.09	---	34.62	25.47	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	43.58	40.51	---	48.92	-8.41	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	18000.00	60.09	---	34.62	25.47	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.44</td> <td>50.57</td> <td>---</td> <td>53.35</td> <td>-2.78</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2384.44	50.57	---	53.35	-2.78	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24713.00</td> <td>47.52</td> <td>---</td> <td>37.55</td> <td>9.97</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	24713.00	47.52	---	37.55	9.97	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2384.44	50.57	---	53.35	-2.78	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	24713.00	47.52	---	37.55	9.97	Peak	---	---																																																																	







Reference Level										Tx 2437MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2429.08</td> <td>110.47</td> <td>---</td> <td>---</td> <td>113.23</td> <td>-2.76</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2429.08	110.47	---	---	113.23	-2.76	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2399.27</td> <td>61.81</td> <td>---</td> <td>---</td> <td>64.60</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2399.27	61.81	---	---	64.60	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2429.08	110.47	---	---	113.23	-2.76	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2399.27	61.81	---	---	64.60	-2.79	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>39.93</td> <td>---</td> <td>---</td> <td>48.34</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	39.93	---	---	48.34	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>17984.50</td> <td>59.90</td> <td>---</td> <td>---</td> <td>34.77</td> <td>25.13</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	17984.50	59.90	---	---	34.77	25.13	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	39.93	---	---	48.34	-8.41	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	17984.50	59.90	---	---	34.77	25.13	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.61</td> <td>51.32</td> <td>---</td> <td>---</td> <td>54.11</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2388.61	51.32	---	---	54.11	-2.79	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24944.00</td> <td>51.64</td> <td>---</td> <td>---</td> <td>41.60</td> <td>10.04</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24944.00	51.64	---	---	41.60	10.04	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2388.61	51.32	---	---	54.11	-2.79	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24944.00	51.64	---	---	41.60	10.04	Peak	---	---																																																																						







Reference Level										Tx 2457MHz / 30MHz~25GHz (down 30dBc)																																																																					
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2453.37</td> <td>107.12</td> <td>---</td> <td>---</td> <td>109.84</td> <td>-2.72</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2453.37	107.12	---	---	109.84	-2.72	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.01</td> <td>48.59</td> <td>---</td> <td>---</td> <td>51.33</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2500.01	48.59	---	---	51.33	-2.74	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2453.37	107.12	---	---	109.84	-2.72	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2500.01	48.59	---	---	51.33	-2.74	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>39.85</td> <td>---</td> <td>---</td> <td>48.26</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	43.58	39.85	---	---	48.26	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>17984.51</td> <td>61.06</td> <td>---</td> <td>---</td> <td>35.93</td> <td>25.13</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	17984.51	61.06	---	---	35.93	25.13	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	43.58	39.85	---	---	48.26	-8.41	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	17984.51	61.06	---	---	35.93	25.13	Peak	---	---																																																																						
																																																																															
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2376.20</td> <td>48.16</td> <td>---</td> <td>---</td> <td>50.94</td> <td>-2.78</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	2376.20	48.16	---	---	50.94	-2.78	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24727.00</td> <td>48.90</td> <td>---</td> <td>---</td> <td>38.91</td> <td>9.99</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg		1	24727.00	48.90	---	---	38.91	9.99	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	2376.20	48.16	---	---	50.94	-2.78	Peak	---	---																																																																						
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																							
1	24727.00	48.90	---	---	38.91	9.99	Peak	---	---																																																																						

Reference Level										Tx 2462MHz / 30MHz~25GHz (down 30dBc)																																																															
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.04</td> <td>105.99</td> <td>---</td> <td>108.72</td> <td>-2.73</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2464.04	105.99	---	108.72	-2.73	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.04</td> <td>48.68</td> <td>---</td> <td>51.42</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2500.04	48.68	---	51.42	-2.74	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2464.04	105.99	---	108.72	-2.73	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2500.04	48.68	---	51.42	-2.74	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>39.89</td> <td>---</td> <td>48.18</td> <td>-8.29</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	45.52	39.89	---	48.18	-8.29	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>60.27</td> <td>---</td> <td>34.80</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	18000.00	60.27	---	34.80	25.47	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	45.52	39.89	---	48.18	-8.29	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	18000.00	60.27	---	34.80	25.47	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.80</td> <td>47.71</td> <td>---</td> <td>50.49</td> <td>-2.78</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2381.80	47.71	---	50.49	-2.78	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24867.00</td> <td>48.95</td> <td>---</td> <td>38.92</td> <td>10.03</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	24867.00	48.95	---	38.92	10.03	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2381.80	47.71	---	50.49	-2.78	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	24867.00	48.95	---	38.92	10.03	Peak	---	---																																																																	

ax HE40

Reference Level										Tx 2422MHz / 30MHz~25GHz (down 30dBc)									
																			
1	2428.18	103.34	---	---	106.10	-2.76	Peak	---	---	1	2400.00	72.36	---	---	75.15	-2.79	Peak	---	---
																			
1	43.58	39.17	---	---	47.58	-8.41	Peak	---	---	1	18000.00	60.12	---	---	34.65	25.47	Peak	---	---
																			
1	2388.61	57.25	---	---	60.04	-2.79	Peak	---	---	1	24951.00	49.22	---	---	39.18	10.04	Peak	---	---

Reference Level										Tx 2437MHz / 30MHz~25GHz (down 30dBc)																																																															
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2423.80</td> <td>105.19</td> <td>---</td> <td>107.95</td> <td>-2.76</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2423.80	105.19	---	107.95	-2.76	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2397.41</td> <td>64.36</td> <td>---</td> <td>67.15</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2397.41	64.36	---	67.15	-2.79	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2423.80	105.19	---	107.95	-2.76	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2397.41	64.36	---	67.15	-2.79	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>43.58</td> <td>39.99</td> <td>---</td> <td>48.40</td> <td>-8.41</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	43.58	39.99	---	48.40	-8.41	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>60.78</td> <td>---</td> <td>35.31</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	18000.00	60.78	---	35.31	25.47	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	43.58	39.99	---	48.40	-8.41	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	18000.00	60.78	---	35.31	25.47	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.61</td> <td>54.93</td> <td>---</td> <td>57.72</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2388.61	54.93	---	57.72	-2.79	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24909.00</td> <td>48.99</td> <td>---</td> <td>38.95</td> <td>10.04</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	24909.00	48.99	---	38.95	10.04	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2388.61	54.93	---	57.72	-2.79	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	24909.00	48.99	---	38.95	10.04	Peak	---	---																																																																	

Reference Level										Tx 2452MHz / 30MHz~25GHz (down 30dBc)																																																															
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2434.00</td> <td>101.65</td> <td>---</td> <td>104.39</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2434.00	101.65	---	104.39	-2.74	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.33</td> <td>50.94</td> <td>---</td> <td>53.68</td> <td>-2.74</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2500.33	50.94	---	53.68	-2.74	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2434.00	101.65	---	104.39	-2.74	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2500.33	50.94	---	53.68	-2.74	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>40.37</td> <td>---</td> <td>48.66</td> <td>-8.29</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	45.52	40.37	---	48.66	-8.29	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18000.00</td> <td>60.70</td> <td>---</td> <td>35.23</td> <td>25.47</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	18000.00	60.70	---	35.23	25.47	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	45.52	40.37	---	48.66	-8.29	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	18000.00	60.70	---	35.23	25.47	Peak	---	---																																																																	
																																																																									
<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2393.00</td> <td>49.73</td> <td>---</td> <td>52.52</td> <td>-2.79</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	2393.00	49.73	---	52.52	-2.79	Peak	---	---	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>24944.00</td> <td>48.73</td> <td>---</td> <td>38.69</td> <td>10.04</td> <td>Peak</td> <td>---</td> <td>---</td> </tr> </tbody> </table>										Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg	1	24944.00	48.73	---	38.69	10.04	Peak	---	---
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	2393.00	49.73	---	52.52	-2.79	Peak	---	---																																																																	
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB		cm	deg																																																																	
1	24944.00	48.73	---	38.69	10.04	Peak	---	---																																																																	

4 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <http://www.icertifi.com.tw>.

Linkou

Tel: 886-2-2601-1640

No. 30-2, Ding Fwu Tsuen, Lin
Kou District, New Taipei City,
Taiwan, R.O.C.

Kwei Shan

Tel: 886-3-271-8666

No. 3-1, Lane 6, Wen San 3rd St.,
Kwei Shan District, Tao Yuan City
333, Taiwan, R.O.C.

Kwei Shan Site II

Tel: 886-3-271-8640

No. 14-1, Lane 19, Wen San 3rd
St., Kwei Shan District, Tao Yuan
City 333, Taiwan, R.O.C.

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666

Fax: 886-3-318-0155

Email: ICC_Service@icertifi.com.tw

==END==