


802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5785MHz_TX




EUT_Z_2TX
Setting 22
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5426G	64.84	68.20	-3.36	55.17	3	Vertical	221	1.96	-	33.94	6.25	30.52
PK	5.7778G	117.44	Inf	-Inf	107.83	3	Vertical	221	1.96	-	33.80	6.39	30.58
AV	5.779G	105.91	Inf	-Inf	96.30	3	Vertical	221	1.96	-	33.80	6.39	30.58
PK	5.9398G	61.93	68.20	-6.27	52.14	3	Vertical	221	1.96	-	34.08	6.33	30.62

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5785MHz_TX




EUT_Z_2TX
Setting 22
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6194G	64.43	68.20	-3.77	54.70	3	Horizontal	224	2.10	-	33.96	6.31	30.54
PK	5.7922G	116.93	Inf	-Inf	107.31	3	Horizontal	224	2.10	-	33.80	6.40	30.58
AV	5.7922G	105.07	Inf	-Inf	95.45	3	Horizontal	224	2.10	-	33.80	6.40	30.58
PK	5.9374G	61.52	68.20	-6.68	51.74	3	Horizontal	224	2.10	-	34.07	6.33	30.62

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5785MHz_TX




EUT Z_2TX
Setting 22
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5703G	61.06	74.00	-12.94	44.95	3	Vertical	134	2.20	-	38.86	8.88	31.63
AV	11.57G	49.78	54.00	-4.22	33.67	3	Vertical	134	2.20	-	38.86	8.88	31.63
PK	17.351G	67.86	68.20	-0.34	46.42	3	Vertical	103	2.33	-	43.06	10.22	31.84

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5785MHz_TX




EUT_Z_2TX
Setting 22
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56995G	57.63	74.00	-16.37	41.52	3	Horizontal	29	1.80	-	38.86	8.88	31.63
AV	11.57004G	46.46	54.00	-7.54	30.35	3	Horizontal	29	1.80	-	38.86	8.88	31.63
PK	17.3495G	67.27	68.20	-0.93	45.84	3	Horizontal	223	1.80	-	43.05	10.22	31.84

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5825MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5886G	64.65	68.20	-3.55	54.90	3	Vertical	218	1.94	-	33.99	6.29	30.53
PK	5.8226G	116.28	Inf	-Inf	106.63	3	Vertical	218	1.94	-	33.85	6.39	30.59
AV	5.8286G	104.95	Inf	-Inf	95.29	3	Vertical	218	1.94	-	33.86	6.39	30.59
PK	5.9462G	62.23	68.20	-5.97	52.43	3	Vertical	218	1.94	-	34.09	6.33	30.62

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5825MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	64.53	68.20	-3.67	54.78	3	Horizontal	223	2.17	-	33.99	6.29	30.53
PK	5.8226G	116.43	Inf	-Inf	106.78	3	Horizontal	223	2.17	-	33.85	6.39	30.59
AV	5.819G	104.59	Inf	-Inf	94.95	3	Horizontal	223	2.17	-	33.84	6.39	30.59
PK	5.9426G	63.55	68.20	-4.65	53.75	3	Horizontal	223	2.17	-	34.09	6.33	30.62

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5825MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64768G	56.56	74.00	-17.44	40.39	3	Vertical	292	2.50	-	38.92	8.90	31.65
AV	11.64992G	43.75	54.00	-10.25	27.58	3	Vertical	292	2.50	-	38.92	8.90	31.65
PK	17.472G	67.20	68.20	-1.00	45.08	3	Vertical	103	2.35	-	43.70	10.29	31.87

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

15/01/2020

5825MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64986G	58.25	74.00	-15.75	42.08	3	Horizontal	31	1.80	-	38.92	8.90	31.65
AV	11.64998G	47.31	54.00	-6.69	31.14	3	Horizontal	31	1.80	-	38.92	8.90	31.65
PK	17.4716G	68.10	68.20	-0.10	45.98	3	Horizontal	224	1.73	-	43.70	10.29	31.87

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5190MHz_TX




EUT_Z_2TX
Setting 16
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.18	74.00	-4.82	60.04	3	Vertical	174	2.50	-	33.55	5.97	30.38
AV	5.15G	53.61	54.00	-0.39	44.47	3	Vertical	174	2.50	-	33.55	5.97	30.38
PK	5.18G	110.29	Inf	-Inf	101.11	3	Vertical	174	2.50	-	33.58	5.99	30.39
AV	5.1968G	98.79	Inf	-Inf	89.59	3	Vertical	174	2.50	-	33.60	6.00	30.40

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5190MHz_TX




EUT_Z_2TX
Setting 16
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.55	74.00	-4.45	60.41	3	Horizontal	217	3.00	-	33.55	5.97	30.38
AV	5.15G	53.13	54.00	-0.87	43.99	3	Horizontal	217	3.00	-	33.55	5.97	30.38
PK	5.1792G	110.46	Inf	-Inf	101.28	3	Horizontal	217	3.00	-	33.58	5.99	30.39
AV	5.182G	98.40	Inf	-Inf	89.22	3	Horizontal	217	3.00	-	33.58	5.99	30.39

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5190MHz_TX




EUT_Z_2TX
Setting 16
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3789G	54.80	68.20	-13.40	38.94	3	Vertical	206	2.40	-	38.83	8.52	31.49
PK	15.56923G	59.44	74.00	-14.56	43.52	3	Vertical	31	2.43	-	38.65	9.26	31.99
AV	15.57086G	46.09	54.00	-7.91	30.18	3	Vertical	31	2.43	-	38.64	9.26	31.99

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5190MHz_TX




EUT_Z_2TX
Setting 16
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37865G	54.34	68.20	-13.86	38.48	3	Horizontal	352	2.02	-	38.83	8.52	31.49
PK	15.57141G	59.93	74.00	-14.07	44.02	3	Horizontal	181	2.28	-	38.64	9.26	31.99
AV	15.56756G	45.18	54.00	-8.82	29.25	3	Horizontal	181	2.28	-	38.65	9.26	31.98

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5230MHz_TX




EUT Z_2TX
Setting 22
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.23	74.00	-5.77	59.09	3	Vertical	173	2.60	-	33.55	5.97	30.38
AV	5.1496G	52.19	54.00	-1.81	43.05	3	Vertical	173	2.60	-	33.55	5.97	30.38
PK	5.2384G	116.86	Inf	-Inf	107.58	3	Vertical	173	2.60	-	33.68	6.02	30.42
AV	5.2456G	105.74	Inf	-Inf	96.45	3	Vertical	173	2.60	-	33.69	6.02	30.42
PK	5.3776G	64.14	74.00	-9.86	54.63	3	Vertical	173	2.60	-	33.88	6.09	30.46
AV	5.3548G	51.06	54.00	-2.94	41.59	3	Vertical	173	2.60	-	33.85	6.08	30.46
PK	5.47G	63.19	68.20	-5.01	53.61	3	Vertical	173	2.60	-	33.90	6.18	30.50

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5230MHz_TX




EUT Z_2TX
Setting 22
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.44	74.00	-9.56	55.30	3	Horizontal	221	2.22	-	33.55	5.97	30.38
AV	5.1496G	51.71	54.00	-2.29	42.57	3	Horizontal	221	2.22	-	33.55	5.97	30.38
PK	5.2216G	116.17	Inf	-Inf	106.93	3	Horizontal	221	2.22	-	33.64	6.01	30.41
AV	5.2468G	105.30	Inf	-Inf	96.01	3	Horizontal	221	2.22	-	33.69	6.02	30.42
PK	5.3536G	63.45	74.00	-10.55	53.98	3	Horizontal	221	2.22	-	33.85	6.08	30.46
PK	5.4748G	62.78	68.20	-5.42	53.20	3	Horizontal	221	2.22	-	33.90	6.18	30.50
AV	5.46G	51.64	54.00	-2.36	42.06	3	Horizontal	221	2.22	-	33.90	6.17	30.49

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5230MHz_TX




EUT Z_2TX
Setting 22
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46178G	54.81	68.20	-13.39	38.98	3	Vertical	286	2.40	-	38.78	8.54	31.49
PK	15.69062G	59.59	74.00	-14.41	44.00	3	Vertical	310	1.67	-	38.30	9.30	32.01
AV	15.68796G	49.11	54.00	-4.89	33.52	3	Vertical	310	1.67	-	38.30	9.30	32.01

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5230MHz_TX




EUT Z_2TX
Setting 22
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46096G	54.62	68.20	-13.58	38.79	3	Horizontal	44	2.68	-	38.78	8.54	31.49
PK	15.69085G	58.30	74.00	-15.70	42.71	3	Horizontal	244	2.43	-	38.30	9.30	32.01
AV	15.68914G	47.46	54.00	-6.54	31.87	3	Horizontal	244	2.43	-	38.30	9.30	32.01

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5270MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	61.83	74.00	-12.17	52.71	3	Vertical	176	2.25	-	33.53	5.97	30.38
AV	5.1248G	49.59	54.00	-4.41	40.49	3	Vertical	176	2.25	-	33.52	5.96	30.38
PK	5.2652G	115.81	Inf	-Inf	106.48	3	Vertical	176	2.25	-	33.73	6.03	30.43
AV	5.2628G	103.26	Inf	-Inf	93.93	3	Vertical	176	2.25	-	33.73	6.03	30.43
PK	5.3522G	67.29	74.00	-6.71	57.82	3	Vertical	176	2.25	-	33.85	6.08	30.46
AV	5.35G	52.67	54.00	-1.33	43.20	3	Vertical	176	2.25	-	33.85	6.08	30.46

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5270MHz_TX




EUT Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	63.94	74.00	-10.06	54.84	3	Horizontal	221	2.07	-	33.52	5.96	30.38
AV	5.1266G	49.82	54.00	-4.18	40.71	3	Horizontal	221	2.07	-	33.53	5.96	30.38
PK	5.2802G	115.50	Inf	-Inf	106.13	3	Horizontal	221	2.07	-	33.76	6.04	30.43
AV	5.2862G	104.54	Inf	-Inf	95.16	3	Horizontal	221	2.07	-	33.77	6.04	30.43
PK	5.3522G	68.45	74.00	-5.55	58.98	3	Horizontal	221	2.07	-	33.85	6.08	30.46
AV	5.351G	53.90	54.00	-0.10	44.43	3	Horizontal	221	2.07	-	33.85	6.08	30.46

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5270MHz_TX




EUT Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5401G	57.50	68.20	-10.70	41.69	3	Vertical	35	1.80	-	38.72	8.57	31.48
PK	15.80996G	59.08	74.00	-14.92	43.83	3	Vertical	192	2.10	-	37.95	9.34	32.04
AV	15.80995G	48.10	54.00	-5.90	32.85	3	Vertical	192	2.10	-	37.95	9.34	32.04

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5270MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5452G	55.78	68.20	-12.42	39.97	3	Horizontal	282	1.38	-	38.72	8.57	31.48
PK	15.81119G	58.01	74.00	-15.99	42.76	3	Horizontal	157	1.93	-	37.95	9.34	32.04
AV	15.8112G	45.98	54.00	-8.02	30.73	3	Horizontal	157	1.93	-	37.95	9.34	32.04

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5310MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	109.94	Inf	-Inf	100.53	3	Vertical	173	2.43	-	33.80	6.05	30.44
AV	5.2936G	97.07	Inf	-Inf	87.67	3	Vertical	173	2.43	-	33.79	6.05	30.44
PK	5.3504G	69.32	74.00	-4.68	59.85	3	Vertical	173	2.43	-	33.85	6.08	30.46
AV	5.35G	53.94	54.00	-0.06	44.47	3	Vertical	173	2.43	-	33.85	6.07	30.45

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5310MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	110.07	Inf	-Inf	100.65	3	Horizontal	235	3.00	-	33.81	6.05	30.44
AV	5.3032G	96.02	Inf	-Inf	86.61	3	Horizontal	235	3.00	-	33.80	6.05	30.44
PK	5.35G	72.08	74.00	-1.92	62.61	3	Horizontal	235	3.00	-	33.85	6.07	30.45
AV	5.35G	53.90	54.00	-0.10	44.43	3	Horizontal	235	3.00	-	33.85	6.07	30.45

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5310MHz_TX




EUT Z_2TX
Setting 15
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62018G	58.60	74.00	-15.40	42.82	3	Vertical	32	2.09	-	38.67	8.59	31.48
AV	10.61993G	50.64	54.00	-3.36	34.86	3	Vertical	32	2.09	-	38.67	8.59	31.48
PK	15.93013G	59.21	74.00	-14.79	44.29	3	Vertical	178	1.74	-	37.60	9.38	32.06
AV	15.93005G	47.36	54.00	-6.64	32.44	3	Vertical	178	1.74	-	37.60	9.38	32.06

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5310MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62015G	57.23	74.00	-16.77	41.45	3	Horizontal	0	1.92	-	38.67	8.59	31.48
AV	10.62G	46.72	54.00	-7.28	30.94	3	Horizontal	0	1.92	-	38.67	8.59	31.48
PK	15.92954G	57.97	74.00	-16.03	43.05	3	Horizontal	358	1.91	-	37.60	9.38	32.06
AV	15.9279G	44.43	54.00	-9.57	29.50	3	Horizontal	358	1.91	-	37.61	9.38	32.06

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5510MHz_TX




EUT_Z_2TX
Setting 14
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.02	74.00	-10.98	53.44	3	Vertical	214	2.00	-	33.90	6.17	30.49
AV	5.46G	50.61	54.00	-3.39	41.03	3	Vertical	214	2.00	-	33.90	6.17	30.49
PK	5.4692G	68.01	68.20	-0.19	58.43	3	Vertical	214	2.00	-	33.90	6.18	30.50
PK	5.4984G	110.89	Inf	-Inf	101.29	3	Vertical	214	2.00	-	33.90	6.21	30.51
AV	5.5016G	98.49	Inf	-Inf	88.89	3	Vertical	214	2.00	-	33.90	6.21	30.51

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5510MHz_TX




EUT_Z_2TX
Setting 14
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.85	74.00	-12.15	52.27	3	Horizontal	226	2.05	-	33.90	6.17	30.49
AV	5.43G	49.73	54.00	-4.27	40.18	3	Horizontal	226	2.05	-	33.90	6.13	30.48
PK	5.47G	63.29	68.20	-4.91	53.71	3	Horizontal	226	2.05	-	33.90	6.18	30.50
PK	5.504G	109.30	Inf	-Inf	99.70	3	Horizontal	226	2.05	-	33.90	6.21	30.51
AV	5.5264G	95.50	Inf	-Inf	85.86	3	Horizontal	226	2.05	-	33.93	6.23	30.52

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5510MHz_TX




EUT_Z_2TX
Setting 14
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01753G	54.08	74.00	-19.92	38.41	3	Vertical	185	1.55	-	38.41	8.72	31.46
AV	11.0205G	40.83	54.00	-13.17	25.15	3	Vertical	185	1.55	-	38.42	8.72	31.46
PK	16.52768G	61.97	68.20	-6.23	44.74	3	Vertical	328	2.55	-	39.41	9.72	31.90

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5510MHz_TX




EUT_Z_2TX
Setting 14
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01758G	53.77	74.00	-20.23	38.10	3	Horizontal	122	1.33	-	38.41	8.72	31.46
AV	11.02214G	40.71	54.00	-13.29	25.03	3	Horizontal	122	1.33	-	38.42	8.72	31.46
PK	16.53028G	61.17	68.20	-7.03	43.93	3	Horizontal	148	1.01	-	39.42	9.72	31.90

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5550MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	67.54	74.00	-6.46	57.96	3	Vertical	217	1.01	-	33.90	6.17	30.49
AV	5.4588G	53.41	54.00	-0.59	43.84	3	Vertical	217	1.01	-	33.90	6.16	30.49
PK	5.462G	67.90	68.20	-0.30	58.32	3	Vertical	217	1.01	-	33.90	6.17	30.49
PK	5.5524G	116.84	Inf	-Inf	107.15	3	Vertical	217	1.01	-	33.95	6.26	30.52
AV	5.5556G	105.35	Inf	-Inf	95.65	3	Vertical	217	1.01	-	33.96	6.26	30.52
PK	5.7476G	62.21	68.20	-5.99	52.61	3	Vertical	217	1.01	-	33.80	6.37	30.57

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5550MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	66.82	74.00	-7.18	57.25	3	Horizontal	224	2.80	-	33.90	6.16	30.49
AV	5.39G	52.18	54.00	-1.82	42.67	3	Horizontal	224	2.80	-	33.89	6.09	30.47
PK	5.47G	67.66	68.20	-0.54	58.08	3	Horizontal	224	2.80	-	33.90	6.18	30.50
PK	5.5548G	116.06	Inf	-Inf	106.37	3	Horizontal	224	2.80	-	33.95	6.26	30.52
AV	5.5436G	104.38	Inf	-Inf	94.71	3	Horizontal	224	2.80	-	33.94	6.25	30.52
PK	5.726G	62.52	68.20	-5.68	52.93	3	Horizontal	224	2.80	-	33.80	6.36	30.57

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5550MHz_TX




EUT Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09978G	56.61	74.00	-17.39	40.87	3	Vertical	223	1.31	-	38.48	8.74	31.48
AV	11.09999G	44.12	54.00	-9.88	28.38	3	Vertical	223	1.31	-	38.48	8.74	31.48
PK	16.64905G	61.86	68.20	-6.34	44.05	3	Vertical	32	1.40	-	39.87	9.80	31.86

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5550MHz_TX




EUT Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1001G	56.30	74.00	-17.70	40.56	3	Horizontal	56	2.74	-	38.48	8.74	31.48
AV	11.10005G	44.32	54.00	-9.68	28.58	3	Horizontal	56	2.74	-	38.48	8.74	31.48
PK	16.64958G	62.25	68.20	-5.95	44.44	3	Horizontal	22	2.01	-	39.87	9.80	31.86

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5670MHz_TX




EUT_Z_2TX
Setting 18
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6824G	113.17	Inf	-Inf	103.54	3	Vertical	220	1.03	-	33.84	6.34	30.55
AV	5.6568G	101.77	Inf	-Inf	92.10	3	Vertical	220	1.03	-	33.89	6.33	30.55
PK	5.7296G	64.97	68.20	-3.23	55.38	3	Vertical	220	1.03	-	33.80	6.36	30.57

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5670MHz_TX




EUT_Z_2TX
Setting 18
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	112.30	Inf	-Inf	102.64	3	Horizontal	224	2.06	-	33.88	6.33	30.55
AV	5.6796G	100.42	Inf	-Inf	90.79	3	Horizontal	224	2.06	-	33.84	6.34	30.55
PK	5.732G	65.32	68.20	-2.88	55.72	3	Horizontal	224	2.06	-	33.80	6.37	30.57

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5670MHz_TX




EUT_Z_2TX
Setting 18
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33941G	54.30	74.00	-19.70	38.38	3	Vertical	14	2.57	-	38.67	8.81	31.56
AV	11.34138G	41.03	54.00	-12.97	25.11	3	Vertical	14	2.57	-	38.67	8.81	31.56
PK	17.01075G	64.13	68.20	-4.07	44.59	3	Vertical	272	2.12	-	41.26	10.02	31.74

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5670MHz_TX




EUT_Z_2TX
Setting 18
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33804G	54.95	74.00	-19.05	39.02	3	Horizontal	261	1.06	-	38.67	8.81	31.55
AV	11.33808G	40.25	54.00	-13.75	24.32	3	Horizontal	261	1.06	-	38.67	8.81	31.55
PK	17.00997G	63.39	68.20	-4.81	43.86	3	Horizontal	348	2.09	-	41.25	10.02	31.74

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5755MHz_TX




EUT_Z_2TX
Setting 22
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	65.06	68.20	-3.14	55.31	3	Vertical	219	2.04	-	33.99	6.29	30.53
PK	5.744G	116.71	Inf	-Inf	107.11	3	Vertical	219	2.04	-	33.80	6.37	30.57
AV	5.771G	104.58	Inf	-Inf	94.96	3	Vertical	219	2.04	-	33.80	6.39	30.57
PK	5.925G	62.40	68.20	-5.80	52.62	3	Vertical	219	2.04	-	34.05	6.34	30.61

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5755MHz_TX




EUT Z_2TX
Setting 22
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	63.93	68.20	-4.27	54.20	3	Horizontal	224	2.17	-	33.98	6.28	30.53
PK	5.768G	116.21	Inf	-Inf	106.60	3	Horizontal	224	2.17	-	33.80	6.38	30.57
AV	5.748G	104.78	Inf	-Inf	95.18	3	Horizontal	224	2.17	-	33.80	6.37	30.57
PK	5.968G	62.26	68.20	-5.94	52.42	3	Horizontal	224	2.17	-	34.14	6.32	30.62

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5755MHz_TX




EUT_Z_2TX
Setting 22
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5101G	58.41	74.00	-15.59	42.35	3	Vertical	130	2.19	-	38.81	8.86	31.61
AV	11.51G	49.26	54.00	-4.74	33.20	3	Vertical	130	2.19	-	38.81	8.86	31.61
PK	17.267G	68.05	68.20	-0.15	47.07	3	Vertical	103	2.31	-	42.62	10.17	31.81

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5755MHz_TX




EUT Z_2TX
Setting 22
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50952G	56.44	74.00	-17.56	40.38	3	Horizontal	28	1.78	-	38.81	8.86	31.61
AV	11.51003G	45.36	54.00	-8.64	29.30	3	Horizontal	28	1.78	-	38.81	8.86	31.61
PK	17.2732G	67.68	68.20	-0.52	46.68	3	Horizontal	225	1.75	-	42.65	10.17	31.82

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5795MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	63.88	68.20	-4.32	54.16	3	Vertical	220	1.96	-	33.97	6.27	30.52
PK	5.784G	115.82	Inf	-Inf	106.21	3	Vertical	220	1.96	-	33.80	6.39	30.58
AV	5.778G	103.79	Inf	-Inf	94.18	3	Vertical	220	1.96	-	33.80	6.39	30.58
PK	5.941G	62.14	68.20	-6.06	52.35	3	Vertical	220	1.96	-	34.08	6.33	30.62

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5795MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	64.55	68.20	-3.65	54.83	3	Horizontal	225	2.09	-	33.95	6.31	30.54
PK	5.787G	115.32	Inf	-Inf	105.71	3	Horizontal	225	2.09	-	33.80	6.39	30.58
AV	5.787G	103.88	Inf	-Inf	94.27	3	Horizontal	225	2.09	-	33.80	6.39	30.58
PK	5.942G	62.41	68.20	-5.79	52.62	3	Horizontal	225	2.09	-	34.08	6.33	30.62

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5795MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5711G	57.01	74.00	-16.99	40.90	3	Vertical	135	2.16	-	38.86	8.88	31.63
AV	11.59G	46.10	54.00	-7.90	29.98	3	Vertical	135	2.16	-	38.87	8.88	31.63
PK	17.3752G	67.84	68.20	-0.36	46.27	3	Vertical	106	2.36	-	43.19	10.23	31.85

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

15/01/2020

5795MHz_TX




EUT_Z_2TX
Setting 21
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6075G	55.89	74.00	-18.11	39.75	3	Horizontal	30	1.84	-	38.89	8.89	31.64
AV	11.59G	44.13	54.00	-9.87	28.01	3	Horizontal	30	1.84	-	38.87	8.88	31.63
PK	17.3717G	65.93	68.20	-2.27	44.37	3	Horizontal	223	1.80	-	43.17	10.23	31.84

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5210MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.67	74.00	-7.33	57.54	3	Vertical	170	2.45	-	33.54	5.97	30.38
AV	5.1476G	52.62	54.00	-1.38	43.48	3	Vertical	170	2.45	-	33.55	5.97	30.38
PK	5.182G	107.49	Inf	-Inf	98.31	3	Vertical	170	2.45	-	33.58	5.99	30.39
AV	5.2444G	95.96	Inf	-Inf	86.67	3	Vertical	170	2.45	-	33.69	6.02	30.42
PK	5.3708G	63.13	74.00	-10.87	53.63	3	Vertical	170	2.45	-	33.87	6.09	30.46
AV	5.37G	50.21	54.00	-3.79	40.72	3	Vertical	170	2.45	-	33.87	6.08	30.46

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5210MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	68.97	74.00	-5.03	59.83	3	Horizontal	219	2.18	-	33.55	5.97	30.38
AV	5.15G	52.31	54.00	-1.69	43.17	3	Horizontal	219	2.18	-	33.55	5.97	30.38
PK	5.1804G	108.22	Inf	-Inf	99.04	3	Horizontal	219	2.18	-	33.58	5.99	30.39
AV	5.2444G	95.71	Inf	-Inf	86.42	3	Horizontal	219	2.18	-	33.69	6.02	30.42
PK	5.3956G	62.97	74.00	-11.03	53.44	3	Horizontal	219	2.18	-	33.90	6.10	30.47
AV	5.37G	50.24	54.00	-3.76	40.75	3	Horizontal	219	2.18	-	33.87	6.08	30.46

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5210MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42236G	54.75	68.20	-13.45	38.91	3	Vertical	330	1.92	-	38.80	8.53	31.49
PK	15.63137G	58.91	74.00	-15.09	43.16	3	Vertical	249	1.53	-	38.47	9.28	32.00
AV	15.63174G	45.31	54.00	-8.69	29.56	3	Vertical	249	1.53	-	38.47	9.28	32.00

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5210MHz_TX




EUT_Z_2TX
Setting 15
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42036G	54.61	68.20	-13.59	38.76	3	Horizontal	257	2.78	-	38.81	8.53	31.49
PK	15.63013G	59.31	74.00	-14.69	43.56	3	Horizontal	213	1.28	-	38.47	9.28	32.00
AV	15.62945G	45.71	54.00	-8.29	29.96	3	Horizontal	213	1.28	-	38.47	9.28	32.00

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5290MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.37	74.00	-12.63	52.23	3	Vertical	170	2.30	-	33.55	5.97	30.38
AV	5.09G	48.85	54.00	-5.15	39.79	3	Vertical	170	2.30	-	33.48	5.95	30.37
PK	5.258G	106.15	Inf	-Inf	96.82	3	Vertical	170	2.30	-	33.72	6.03	30.42
PK	5.3516G	67.21	74.00	-6.79	57.74	3	Vertical	170	2.30	-	33.85	6.08	30.46
AV	5.3076G	93.72	Inf	-Inf	84.30	3	Vertical	170	2.30	-	33.81	6.05	30.44
AV	5.35G	53.71	54.00	-0.29	44.24	3	Vertical	170	2.30	-	33.85	6.07	30.45
PK	5.4628G	61.87	68.20	-6.33	52.30	3	Vertical	170	2.30	-	33.90	6.17	30.50

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5290MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	60.62	74.00	-13.38	51.49	3	Horizontal	217	3.00	-	33.54	5.97	30.38
AV	5.1292G	48.34	54.00	-5.66	39.23	3	Horizontal	217	3.00	-	33.53	5.96	30.38
PK	5.258G	105.80	Inf	-Inf	96.47	3	Horizontal	217	3.00	-	33.72	6.03	30.42
PK	5.3516G	67.09	74.00	-6.91	57.62	3	Horizontal	217	3.00	-	33.85	6.08	30.46
AV	5.3236G	93.24	Inf	-Inf	83.81	3	Horizontal	217	3.00	-	33.82	6.06	30.45
AV	5.35G	52.44	54.00	-1.56	42.97	3	Horizontal	217	3.00	-	33.85	6.07	30.45
PK	5.4828G	62.22	68.20	-5.98	52.63	3	Horizontal	217	3.00	-	33.90	6.19	30.50

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5290MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57995G	55.14	68.20	-13.06	39.35	3	Vertical	231	2.38	-	38.69	8.58	31.48
PK	15.86994G	57.22	74.00	-16.78	42.13	3	Vertical	112	2.84	-	37.78	9.36	32.05
AV	15.86906G	43.52	54.00	-10.48	28.43	3	Vertical	112	2.84	-	37.78	9.36	32.05

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5290MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58014G	55.40	68.20	-12.80	39.61	3	Horizontal	131	1.41	-	38.69	8.58	31.48
PK	15.86846G	57.32	74.00	-16.68	42.23	3	Horizontal	199	2.32	-	37.78	9.36	32.05
AV	15.86996G	43.95	54.00	-10.05	28.86	3	Horizontal	199	2.32	-	37.78	9.36	32.05

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5530MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	62.06	68.20	-6.14	52.59	3	Vertical	215	2.16	-	33.85	6.07	30.45
PK	5.454G	65.87	74.00	-8.13	56.30	3	Vertical	215	2.16	-	33.90	6.16	30.49
AV	5.46G	52.80	54.00	-1.20	43.22	3	Vertical	215	2.16	-	33.90	6.17	30.49
PK	5.468G	67.89	68.20	-0.31	58.32	3	Vertical	215	2.16	-	33.90	6.17	30.50
PK	5.494G	106.42	Inf	-Inf	96.83	3	Vertical	215	2.16	-	33.90	6.20	30.51
AV	5.53G	94.95	Inf	-Inf	85.30	3	Vertical	215	2.16	-	33.93	6.24	30.52
PK	5.74G	61.44	68.20	-6.76	51.84	3	Vertical	215	2.16	-	33.80	6.37	30.57

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5530MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	61.46	68.20	-6.74	52.00	3	Horizontal	226	2.79	-	33.84	6.07	30.45
AV	5.37G	53.61	54.00	-0.39	44.12	3	Horizontal	226	2.79	-	33.87	6.08	30.46
PK	5.46G	64.36	74.00	-9.64	54.78	3	Horizontal	226	2.79	-	33.90	6.17	30.49
PK	5.462G	65.71	68.20	-2.49	56.13	3	Horizontal	226	2.79	-	33.90	6.17	30.49
PK	5.502G	109.30	Inf	-Inf	99.70	3	Horizontal	226	2.79	-	33.90	6.21	30.51
AV	5.514G	93.67	Inf	-Inf	84.05	3	Horizontal	226	2.79	-	33.91	6.22	30.51
PK	5.763G	61.32	68.20	-6.88	51.71	3	Horizontal	226	2.79	-	33.80	6.38	30.57

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5530MHz_TX



EUT Z_2TX
Setting 13
02-A-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06105G	55.59	74.00	-18.41	39.88	3	Vertical	42	2.59	-	38.45	8.73	31.47
AV	11.0599G	41.80	54.00	-12.20	26.09	3	Vertical	42	2.59	-	38.45	8.73	31.47
PK	16.59065G	61.04	68.20	-7.16	43.52	3	Vertical	8	2.63	-	39.64	9.76	31.88



802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5530MHz_TX




EUT_Z_2TX
Setting 13
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05853G	55.19	74.00	-18.81	39.48	3	Horizontal	4	1.53	-	38.45	8.73	31.47
AV	11.06074G	41.33	54.00	-12.67	25.62	3	Horizontal	4	1.53	-	38.45	8.73	31.47
PK	16.59099G	61.89	68.20	-6.31	44.36	3	Horizontal	22	2.90	-	39.65	9.76	31.88

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

17/01/2020

5610MHz_TX




EUT_Z_2TX
Setting 18
02-A-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	65.24	74.00	-8.76	55.67	3	Vertical	215	1.95	-	33.90	6.16	30.49
AV	5.45G	53.73	54.00	-0.27	44.17	3	Vertical	215	1.95	-	33.90	6.15	30.49
PK	5.462G	66.50	68.20	-1.70	56.92	3	Vertical	215	1.95	-	33.90	6.17	30.49
PK	5.581G	113.76	Inf	-Inf	104.03	3	Vertical	215	1.95	-	33.98	6.28	30.53
AV	5.576G	100.40	Inf	-Inf	90.67	3	Vertical	215	1.95	-	33.98	6.28	30.53
PK	5.75G	63.16	68.20	-5.04	53.56	3	Vertical	215	1.95	-	33.80	6.37	30.57

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

17/01/2020

5610MHz_TX




EUT_Z_2TX
Setting 18
02-A-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.439G	62.73	74.00	-11.27	53.18	3	Horizontal	219	1.80	-	33.90	6.14	30.49
AV	5.45G	50.62	54.00	-3.38	41.06	3	Horizontal	219	1.80	-	33.90	6.15	30.49
PK	5.469G	62.02	68.20	-6.18	52.44	3	Horizontal	219	1.80	-	33.90	6.18	30.50
PK	5.615G	107.13	Inf	-Inf	97.38	3	Horizontal	219	1.80	-	33.97	6.31	30.53
AV	5.626G	95.42	Inf	-Inf	85.70	3	Horizontal	219	1.80	-	33.95	6.31	30.54
PK	5.74G	62.35	68.20	-5.85	52.75	3	Horizontal	219	1.80	-	33.80	6.37	30.57

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

17/01/2020

5610MHz_TX



EUT_Z_2TX
Setting 18
02-A-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21906G	54.63	74.00	-19.37	38.80	3	Vertical	357	1.67	-	38.58	8.77	31.52
AV	11.21758G	41.71	54.00	-12.29	25.89	3	Vertical	357	1.67	-	38.57	8.77	31.52
PK	16.82918G	60.35	68.20	-7.85	41.69	3	Vertical	286	2.73	-	40.55	9.91	31.80



802.11ac VHT80-BF_Nss1,(MCS0)_2TX

17/01/2020

5610MHz_TX




EUT_Z_2TX
Setting 18
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22241G	55.51	74.00	-18.49	39.68	3	Horizontal	308	2.26	-	38.58	8.77	31.52
AV	11.21848G	41.19	54.00	-12.81	25.37	3	Horizontal	308	2.26	-	38.57	8.77	31.52
PK	16.82986G	61.22	68.20	-6.98	42.56	3	Horizontal	244	1.58	-	40.55	9.91	31.80

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5775MHz_TX




EUT_Z_2TX
Setting 20
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6346G	67.96	68.20	-0.24	58.25	3	Vertical	221	1.00	-	33.93	6.32	30.54
PK	5.7462G	113.96	Inf	-Inf	104.36	3	Vertical	221	1.00	-	33.80	6.37	30.57
AV	5.7894G	99.61	Inf	-Inf	90.00	3	Vertical	221	1.00	-	33.80	6.39	30.58
PK	5.9262G	63.79	68.20	-4.41	54.02	3	Vertical	221	1.00	-	34.05	6.34	30.62

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5775MHz_TX




EUT_Z_2TX
Setting 20
02-A-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6298G	65.95	68.20	-2.25	56.24	3	Horizontal	224	2.13	-	33.94	6.31	30.54
PK	5.7474G	114.35	Inf	-Inf	104.75	3	Horizontal	224	2.13	-	33.80	6.37	30.57
AV	5.7594G	98.83	Inf	-Inf	89.22	3	Horizontal	224	2.13	-	33.80	6.38	30.57
PK	5.9274G	64.80	68.20	-3.40	55.03	3	Horizontal	224	2.13	-	34.05	6.34	30.62

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5775MHz_TX




EUT_Z_2TX
Setting 20
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54982G	56.55	74.00	-17.45	40.46	3	Vertical	315	1.80	-	38.84	8.87	31.62
AV	11.55G	46.98	54.00	-7.02	30.89	3	Vertical	315	1.80	-	38.84	8.87	31.62
PK	17.3355G	64.64	68.20	-3.56	43.28	3	Vertical	163	2.04	-	42.98	10.21	31.83

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

15/01/2020

5775MHz_TX



EUT_Z_2TX
Setting 20
02-A-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54781G	55.67	74.00	-18.33	39.58	3	Horizontal	94	2.27	-	38.84	8.87	31.62
AV	11.55G	42.44	54.00	-11.56	26.35	3	Horizontal	94	2.27	-	38.84	8.87	31.62
PK	17.3133G	65.06	68.20	-3.14	43.84	3	Horizontal	271	1.70	-	42.86	10.19	31.83