

William Graff

From: ellis@adt.com.tw
Sent: Tuesday, December 23, 2003 11:19 PM
To: William Graff
Cc: stephanie@adt.com.tw; ellis@adt.com.tw
Subject: ? ? : RE: ? ? : MXF-R921212G Comments

Bill,

Merry Christmas.

Assume conducted output power equal to 14.5dBm and antenna gain is 3dBi, we can use the formula of field strength to air as below to calculate the field strength.

$P=(E_d)^2/30G$
Where
 $P=14.5dBm=0.028W$
 $d=3$ meter
 $G=3dBi=2$ (numeric)

We can get the field strength = 0.432V/m=112.7dBuV/m, and we confirm the test report, the peak value of fundamental frequency is about 110dBuV/m, so the test result is reasonable.

Thanks and happy new year.

Best Regards.
? ? ? / Ellis Wu
E-mail : Ellis@ADT.COM.TW
? ? ? ? / ADT Corp.
TEL : +886 3 3270910 #1624
FAX : +886 3 3270892

"William Graff"
<whgraff@american
TCB.com> ? ? ?

<stephanie@adt.com.tw> ? ? ? ?

2003/12/24 ? ? ? ? ? ? ? ?
11:39 <ellis@adt.com.tw> ? ?

RE: ? ? : MXF-R921212G Comments

Something is wrong. I should be able to estimate the RF Pout using the radiated field strength and backwards calculate the power loaded to the antenna. Even assuming that there is error in measurement because we are measuring a broadband emission with a spectrum analyzer using a 1MHz wide emission, something doesn't make sense. I see about a 10dB error. Can you have Ellis provide for me some sort of calculation?

Bill

-----Original Message-----

From: stephanie@adt.com.tw [mailto:stephanie@adt.com.tw]
Sent: Wednesday, December 24, 2003 10:44 AM
To: William Graff
Cc: ellis@adt.com.tw
Subject: ?? : MXF-R921212G Comments

Dear Bill:

We did confirm about it, but find the result is same as the report. And we also compare between the test mode four (3dBi) and the test mode three (2.75dBi), the field strength is really higher than that.

Thank you for your kind assistance.

Best Regards,
Stephanie Hung (???)
Advance Data Technology Corporation (????)
Website: www.adt.com.tw
Tel: 886-3 327 0910 Ext. 1668
Fax: 886-3 327 0892
e-mail: stephanie@adt.com.tw

\(^o^)/ \ (^o^)/ \ (^o^)/ \ (^o^)/ \ (^o^)/ \ (^o^)/ \ (^o^)/ \ (^o^)/

"William Graff"
<whgraff@american
TCB.com>

???

<ellis@adt.com.tw>

2003/12/24 ??
08:58

????

<stephanie@adt.com.tw>

??

MXF-R921212G Comments

~ William H. Graff, NARTE Certified
~ President and Director of Engineering
~ AmericanTCB, Inc.
~ 6731 Whittier Ave,
~ McLean, VA 22101
~ <mailto:whgraff@americanTCB.com>
~ Direct Phone: (480) 317-0683
~ Direct Mobile: (602) 790-6788
~ Corporate Phone: (703) 847-4700
~ Corporate FAX: (703) 847-6888
~

(See attached file: ATCB Comments 12232003.pdf)