



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TX

CF Freq
6.475GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4775G	-12.31	6.5165G	-62.96	-52.31	-10.65	1
6.46811G	-12.14	6.4298G	-62.99	-52.14	-10.85	2
6.48249G	-12.24	6.4433G	-62.81	-52.24	-10.57	3
6.48249G	-10.64	6.4444G	-62.73	-50.64	-12.09	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

CF Freq
6.515GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5109G	-12.20	6.4807G	-62.98	-52.20	-10.78	1
6.5125G	-11.92	6.4781G	-62.92	-51.92	-11.00	2
6.5172G	-11.95	6.475G	-62.91	-51.95	-10.96	3
6.50721G	-11.63	6.4755G	-62.79	-51.63	-11.16	4



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6715MHz_TX

CF Freq
6.715GHz

Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS

Port 1

Port 2

Port 3

Port 4



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6855MHz_TX

CF Freq
6.855GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8525G	-12.99	6.8914G	-62.10	-52.99	-9.11	1
6.8525G	-12.19	6.8917G	-62.13	-52.19	-9.94	2
6.8584G	-12.56	6.8866G	-62.08	-52.56	-9.52	3
6.84811G	-12.21	6.8966G	-62.10	-52.21	-9.89	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.875GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87G	-12.95	6.9169G	-61.96	-52.95	-9.01	1
6.8728G	-12.17	6.9113G	-61.91	-52.17	-9.74	2
6.8781G	-12.67	6.9246G	-61.82	-52.67	-9.15	3
6.86811G	-12.32	6.9167G	-61.86	-52.32	-9.54	4



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

CF Freq
6.895GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8975G	-12.78	6.9349G	-61.74	-52.78	-8.96	1
6.8928G	-11.74	6.935G	-61.59	-51.74	-9.85	2
6.8981G	-12.23	6.9347G	-61.75	-52.23	-9.52	3
6.88871G	-12.13	6.9297G	-61.68	-52.13	-9.55	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7015MHz_TX

CF Freq
7.015GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS





Port 1

Port 2

Port 3


Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0125G	-12.17	6.9777G	-61.68	-52.17	-9.51	1
7.02G	-12.52	6.9758G	-61.73	-52.52	-9.21	2
7.02249G	-12.54	6.9742G	-61.65	-52.54	-9.11	3
7.0112G	-13.32	6.9813G	-61.59	-53.32	-8.27	4













6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.875GHz

Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS

Port 1

Port 2

Port 3

Port 4



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

CF Freq
6.895GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90379G	-13.18	6.9371G	-61.62	-53.18	-8.44	1
6.88631G	-11.97	6.9447G	-61.63	-51.97	-9.66	2
6.88901G	-12.95	6.9344G	-61.70	-52.95	-8.75	3
6.88671G	-12.14	6.9386G	-61.61	-52.14	-9.47	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7015MHz_TX

CF Freq
7.015GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.02239G	-12.75	6.9703G	-61.59	-52.75	-8.84	1
7.02239G	-12.69	6.9662G	-61.69	-52.69	-9.00	2
7.0111G	-12.60	6.9657G	-61.67	-52.60	-9.07	3
7.0188G	-13.97	6.9826G	-61.82	-53.97	-7.85	4







5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

CF Freq
6.405GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41599G	-10.19	6.4688G	-60.87	-50.19	-10.68	1
6.39881G	-10.22	6.4748G	-60.82	-50.22	-10.60	2
6.39021G	-9.33	6.474G	-60.80	-49.33	-11.47	3
6.39241G	-10.06	6.4746G	-60.80	-50.06	-10.74	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

CF Freq
6.445GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS





Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45G	-11.12	6.5252G	-60.73	-51.12	-9.61	1
6.4424G	-10.68	6.5082G	-60.88	-50.68	-10.20	2
6.4488G	-10.94	6.5188G	-61.03	-50.94	-10.09	3
6.43641G	-10.47	6.509G	-60.97	-50.47	-10.50	4





6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

CF Freq
6.565GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55681G	-10.65	6.6308G	-60.61	-50.65	-9.96	1
6.57099G	-10.34	6.626G	-60.59	-50.34	-10.25	2
6.55381G	-10.76	6.6302G	-60.62	-50.76	-9.86	3
6.55921G	-10.04	6.6328G	-60.58	-50.04	-10.54	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6725MHz_TX

CF Freq
6.725GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71001G	-11.51	6.793G	-60.27	-51.51	-8.76	1
6.7204G	-10.81	6.7894G	-60.19	-50.81	-9.38	2
6.729G	-11.43	6.7976G	-60.26	-51.43	-8.83	3
6.71301G	-10.38	6.791G	-60.20	-50.38	-9.82	4



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

CF Freq
6.845GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82962G	-11.07	6.9386G	-59.64	-51.07	-8.57	1
6.8488G	-9.87	6.9332G	-59.69	-49.87	-9.82	2
6.83141G	-10.68	6.9382G	-59.67	-50.68	-8.99	3
6.83641G	-9.98	6.9274G	-59.77	-49.98	-9.79	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.885GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8808G	-11.10	6.9484G	-59.60	-51.10	-8.50	1
6.87101G	-9.84	6.9558G	-59.72	-49.84	-9.88	2
6.86882G	-10.85	6.945G	-59.75	-50.85	-8.90	3
6.86862G	-9.90	6.9466G	-59.63	-49.90	-9.73	4



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

CF Freq
7.005GHz

Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS


Port 1



Port 2

Port 3

Port 4










6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

CF Freq
6.625GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61141G	-6.20	6.465G	-59.27	-46.20	-13.07	1
6.64898G	-5.50	6.5022G	-59.49	-45.50	-13.99	2
6.61261G	-5.74	6.5026G	-59.55	-45.74	-13.81	3
6.61501G	-5.36	6.4794G	-58.93	-45.36	-13.57	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK



6705MHz_TX

CF Freq
6.705GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67903G	-6.46	6.5446G	-58.55	-46.46	-12.09	1
6.72898G	-5.70	6.5078G	-59.10	-45.70	-13.40	2
6.67903G	-5.78	6.5082G	-59.29	-45.78	-13.51	3
6.67983G	-5.29	6.5186G	-59.17	-45.29	-13.88	4





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91463G	-6.27	6.785G	-58.40	-46.27	-12.13	1
6.97497G	-5.15	6.8182G	-58.10	-45.15	-12.95	2
6.91983G	-5.38	6.8222G	-58.19	-45.38	-12.81	3
6.93021G	-5.57	6.823G	-58.37	-45.57	-12.80	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99383G	-5.84	6.865G	-58.10	-45.84	-12.26	1
6.99863G	-5.78	6.9046G	-58.08	-45.78	-12.30	2
6.99183G	-5.50	6.9022G	-58.14	-45.50	-12.64	3
6.99583G	-6.58	6.9042G	-58.31	-46.58	-11.73	4







6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63143G	-3.54	6.9522G	-51.51	-43.54	-7.97	1
6.74092G	-3.11	6.957G	-51.50	-43.11	-8.39	2
6.69137G	-3.18	6.9482G	-51.44	-43.18	-8.26	3
6.58908G	-2.55	6.9434G	-51.47	-42.55	-8.92	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74828G	-3.46	6.5042G	-51.61	-43.46	-8.15	1
6.80982G	-2.63	6.4882G	-51.70	-42.63	-9.07	2
6.80822G	-2.59	6.4938G	-51.83	-42.59	-9.24	3
6.77865G	-2.30	6.445G	-51.56	-42.30	-9.26	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95143G	-3.12	6.7394G	-51.44	-43.12	-8.32	1
6.989G	-1.95	6.7402G	-50.18	-41.95	-8.23	2
6.95143G	-2.36	6.7338G	-51.12	-42.36	-8.76	3
6.93865G	-2.09	6.6458G	-50.42	-42.09	-8.33	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

CF Freq
6.105GHz


Span
1.6GHz


RBW
4MHz


VBW
50MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1338G	0.57	6.5946G	-48.54	-39.43	-9.11	1
6.1578G	0.83	5.5434G	-48.56	-39.17	-9.39	2
6.1306G	0.69	5.5354G	-48.53	-39.31	-9.22	3
6.0586G	1.04	5.561G	-48.54	-38.96	-9.58	4





6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX

CF Freq
6.585GHz


Span
1.6GHz

RBW
4MHz

VBW
50MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5978G	-0.10	5.9626G	-48.00	-40.10	-7.90	1
6.5498G	0.14	5.9578G	-47.45	-39.86	-7.59	2
6.5994G	-0.01	5.9642G	-46.62	-40.01	-6.61	3
6.457G	0.91	5.9834G	-48.15	-39.09	-9.06	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

CF Freq
6.745GHz


Span
1.6GHz

RBW
4MHz

VBW
50MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6922G	-0.69	6.2538G	-46.83	-40.69	-6.14	1
6.721G	-0.13	5.953G	-46.64	-40.13	-6.51	2
6.6954G	-0.93	5.9626G	-46.80	-40.93	-5.87	3
6.5914G	0.54	6.257G	-46.85	-39.47	-7.38	4



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.857G	-0.68	6.1626G	-46.28	-40.68	-5.60	1
7.0122G	0.23	6.3498G	-45.61	-39.78	-5.83	2
6.8906G	-0.34	6.3418G	-46.36	-40.34	-6.02	3
6.7722G	0.94	6.137G	-42.13	-39.06	-3.07	4



Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-1.56	-3.64	-6.52	-7.38
T20°CVmin	-2.06	-3.77	-5.68	-7.55
T40°CVnom	-10.73	-10.99	-11.50	-12.19
T30°CVnom	-7.34	-7.75	-9.27	-9.75
T20°CVnom	-1.78	-3.32	-5.37	-7.34
T10°CVnom	3.27	1.79	-1.20	-2.19
T0°CVnom	8.05	6.98	4.12	3.06
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	0.45	-2.03	-4.44	-6.96
T20°CVmin	0.32	-1.90	-3.59	-6.49
T40°CVnom	-11.58	-12.51	-14.23	-14.46
T30°CVnom	-5.86	-7.30	-9.19	-9.62
T20°CVnom	0.21	-1.64	-3.49	-6.19
T10°CVnom	1.79	1.46	-0.64	-1.64
T0°CVnom	4.25	3.37	3.19	2.87
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-67.45	1.06	-68.51	-62	Ceased
				-69.95	1.06	-71.01	-62	Minimal
				-87.45	1.06	-88.51	-62	Normal
	6	6475	6474	-66.66	1.01	-67.67	-62	Ceased
				-70.16	1.01	-71.17	-62	Minimal
				-86.66	1.01	-87.67	-62	Normal
	7	6695	6694	-65.66	1.22	-66.88	-62	Ceased
				-69.66	1.22	-70.88	-62	Minimal
				-85.66	1.22	-86.88	-62	Normal
	8	6995	6994	-63.37	1.09	-64.46	-62	Ceased
				-65.87	1.09	-66.96	-62	Minimal
				-83.37	1.09	-84.46	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	5950	-67.33	1.06	-68.39	-62	Ceased
				-68.33	1.06	-69.39	-62	Minimal
				-87.33	1.06	-88.39	-62	Normal
	6 / 7	6585	6580	-67.97	1.01	-68.98	-62	Ceased
				-69.67	1.01	-70.68	-62	Minimal
				-87.97	1.01	-88.98	-62	Normal
	7 / 8	6905	6900	-66.86	1.09	-67.95	-62	Ceased
				-68.36	1.09	-69.45	-62	Minimal
				-86.86	1.09	-87.95	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)







Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-67.45	-68.51	V	V	V	V	V	V	V	V	V	V	100	90
	6	6475	6474	-66.66	-67.67	V	V	V	V	V	V	X	V	V	V	90	90
	7	6695	6694	-65.66	-66.88	V	V	V	V	V	V	V	V	V	V	100	90
	8	6995	6994	-63.37	-64.46	V	V	V	V	V	X	V	V	V	V	90	90

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)	
be EHT320	5	6105	5950	-67.33	-68.39	V	V	V	V	V	X	V	V	V	V	90	90	
			6100	-67.63	-68.69	V	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-68.44	-69.5	V	V	V	V	V	V	V	V	V	V	V	100	90
	6 / 7	6585	6430	-68.75	-69.76	V	V	V	V	V	V	V	V	V	V	V	100	90
			6580	-67.97	-68.98	V	V	V	V	V	V	V	V	V	V	V	100	90
			6740	-68.95	-69.96	V	V	V	V	V	V	V	V	V	V	V	100	90
	7 / 8	6905	6750	-68.76	-69.85	V	V	V	V	V	V	V	V	V	V	V	100	90
			6900	-66.86	-67.95	V	V	V	V	V	V	V	V	V	V	V	100	90
			7060	-67.32	-68.41	V	V	V	V	V	V	X	V	V	V	V	90	90




Test plot of Incumbent signal








BW: 320 MHz / Frequency : 5950 MHz




BW: 320 MHz / Frequency : 6100 MHz






BW: 320 MHz / Frequency : 6260 MHz




BW: 320 MHz / Frequency : 6430 MHz






BW: 320 MHz / Frequency : 6580 MHz




BW: 320 MHz / Frequency : 6740 MHz







BW: 320 MHz / Frequency : 6750 MHz





BW: 320 MHz / Frequency : 6900 MHz












Test plot of Contention Based Protocol EUT Normal transmission












EUT Minimal transmission









BW: 20 MHz / Frequency : 6694 MHz





BW: 20 MHz / Frequency : 6994 MHz











EUT ceased transmission





Note: T1: AWGN signal is injected, T2: AWGN signal is removed.





Note: T1: AWGN signal is injected, T2: AWGN signal is removed.





Note: T1: AWGN signal is injected, T2: AWGN signal is removed.




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Modulation Mode	be EHT320-OFDMA	Test Freq. (MHz)	6105
Power Phase	Line		

Test by : Joe Liao Temperature: 23°C Humidity: 63%




	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Aux dB	Remark
1*	0.264	41.35	51.29	-9.94	31.44	9.62	0.06	0.23	Average
2	0.264	50.60	61.29	-10.69	40.69	9.62	0.06	0.23	QP
3	0.327	36.77	49.53	-12.76	26.82	9.62	0.06	0.27	Average
4	0.327	46.60	59.53	-12.93	36.65	9.62	0.06	0.27	QP
5	0.466	32.98	46.58	-13.60	22.98	9.62	0.07	0.31	Average
6	0.466	43.98	56.58	-12.60	33.98	9.62	0.07	0.31	QP
7	0.658	31.31	46.00	-14.69	21.27	9.63	0.09	0.32	Average
8	0.658	42.39	56.00	-13.61	32.35	9.63	0.09	0.32	QP
9	1.082	30.47	46.00	-15.53	20.40	9.63	0.11	0.33	Average
10	1.082	41.42	56.00	-14.58	31.35	9.63	0.11	0.33	QP
11	2.664	28.88	46.00	-17.12	18.71	9.64	0.15	0.38	Average
12	2.664	40.41	56.00	-15.59	30.24	9.64	0.15	0.38	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).
 Note 2: Over Limit (dB) = Level (dBuV) - Limit Line (dBuV).



Modulation Mode	be EHT320-OFDMA	Test Freq. (MHz)	6105
Power Phase	Neutral		

Test by : Joe Liao Temperature: 23°C Humidity: 63%



	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark
1*	0.252	41.93	51.69	-9.76	32.01	9.63	0.06	0.23	Average
2	0.252	50.93	61.69	-10.76	41.01	9.63	0.06	0.23	QP
3	0.312	35.63	49.93	-14.30	25.69	9.62	0.06	0.26	Average
4	0.312	44.85	59.93	-15.08	34.91	9.62	0.06	0.26	QP
5	0.447	31.87	46.93	-15.06	21.88	9.62	0.07	0.30	Average
6	0.447	43.01	56.93	-13.92	33.02	9.62	0.07	0.30	QP
7	0.683	28.90	46.00	-17.10	18.86	9.63	0.09	0.32	Average
8	0.683	38.86	56.00	-17.14	28.82	9.63	0.09	0.32	QP
9	2.809	29.47	46.00	-16.53	19.29	9.64	0.15	0.39	Average
10	2.809	39.83	56.00	-16.17	29.65	9.64	0.15	0.39	QP
11	3.547	28.83	46.00	-17.17	18.60	9.65	0.17	0.41	Average
12	3.547	38.89	56.00	-17.11	28.66	9.65	0.17	0.41	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).
 Note 2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).