

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

MASK

**7015MHz\_TX**

CF Freq  
7.015GHz

Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1


Port 2

Port 3


Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0122G	-12.10	6.9655G	-61.45	-52.10	-9.35	1
7.02G	-12.44	6.9728G	-61.45	-52.44	-9.01	2
7.00781G	-11.62	6.9667G	-61.47	-51.62	-9.85	3
7.02219G	-11.39	6.9667G	-61.51	-51.39	-10.12	4














Port 1

Port 2

Port 3

Port 4

CF Freq  
6.875GHz

Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms


Detector Type  
RMS

Port 1

Port 2

Port 3

Port 4



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

**7015MHz\_TX**

CF Freq  
7.015GHz

Span  
100MHz

RBW  
200kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS


Port 1

Port 2

Port 3

Port 4







5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

CF Freq  
5.965GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97859G	-10.20	6.0282G	-59.89	-50.20	-9.69	1
5.98138G	-10.97	6.0262G	-59.92	-50.97	-8.95	2
5.97859G	-9.92	6.0468G	-59.88	-49.92	-9.96	3
5.98158G	-9.61	6.0518G	-59.86	-49.61	-10.25	4

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6165MHz\_TX

CF Freq  
6.165GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18138G	-10.23	6.0722G	-60.36	-50.23	-10.13	1
6.18118G	-10.49	6.073G	-60.32	-50.49	-9.83	2
6.18258G	-10.01	6.0824G	-60.37	-50.01	-10.36	3
6.17119G	-9.68	6.0944G	-60.44	-49.68	-10.76	4



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

CF Freq  
6.405GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39621G	-9.56	6.3428G	-60.63	-49.56	-11.07	1
6.38742G	-9.69	6.4694G	-60.68	-49.69	-10.99	2
6.4026G	-9.88	6.465G	-60.68	-49.88	-10.80	3
6.39481G	-9.51	6.4786G	-60.63	-49.51	-11.12	4

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

CF Freq  
6.445GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43941G	-9.66	6.3804G	-60.56	-49.66	-10.90	1
6.42742G	-10.54	6.383G	-60.76	-50.54	-10.22	2
6.42882G	-9.92	6.51G	-60.75	-49.92	-10.83	3
6.45119G	-9.39	6.5086G	-60.74	-49.39	-11.35	4



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

CF Freq  
6.485GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47941G	-9.39	6.4238G	-60.66	-49.39	-11.27	1
6.46762G	-10.12	6.4246G	-60.64	-50.12	-10.52	2
6.50078G	-9.23	6.4142G	-60.67	-49.23	-11.44	3
6.4814G	-9.13	6.4176G	-60.63	-49.13	-11.50	4

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6525MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.525GHz


Span  
200MHz

RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53099G	-11.08	6.6052G	-60.55	-51.08	-9.47	1
6.50882G	-11.07	6.6212G	-60.57	-51.07	-9.50	2
6.5288G	-11.08	6.622G	-60.30	-51.08	-9.22	3
6.54318G	-10.78	6.6208G	-60.48	-50.78	-9.70	4







6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

CF Freq  
6.925GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91861G	-10.09	6.9854G	-59.29	-50.09	-9.20	1
6.93939G	-9.74	6.997G	-58.69	-49.74	-8.95	2
6.91241G	-10.39	6.9896G	-59.68	-50.39	-9.29	3
6.91601G	-10.11	6.988G	-59.46	-50.11	-9.35	4

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

CF Freq  
7.005GHz


Span  
200MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99001G	-10.43	6.9428G	-58.89	-50.43	-8.46	1
6.99581G	-10.55	6.9382G	-58.41	-50.55	-7.86	2
6.99361G	-10.18	6.9414G	-59.17	-50.18	-8.99	3
6.99761G	-9.80	6.9438G	-59.19	-49.80	-9.39	4







5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6145MHz\_TX

CF Freq  
6.145GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17657G	-5.73	6.025G	-54.88	-45.73	-9.15	1
6.13141G	-5.60	6.019G	-54.92	-45.60	-9.32	2
6.12862G	-5.44	6.0162G	-54.94	-45.44	-9.50	3
6.18176G	-5.56	6.025G	-55.05	-45.56	-9.49	4

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

CF Freq  
6.385GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37221G	-4.58	6.225G	-54.88	-44.58	-10.30	1
6.36102G	-4.57	6.215G	-55.15	-44.57	-10.58	2
6.35903G	-4.51	6.221G	-54.94	-44.51	-10.43	3
6.35903G	-4.51	6.2638G	-55.27	-44.51	-10.76	4




6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

CF Freq  
6.465GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43023G	-3.88	6.3046G	-54.70	-43.88	-10.82	1
6.43983G	-4.60	6.345G	-55.20	-44.60	-10.60	2
6.4698G	-3.91	6.3422G	-54.80	-43.91	-10.89	3
6.43183G	-3.83	6.333G	-55.04	-43.83	-11.21	4

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


MASK



6545MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.545GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56978G	-5.55	6.3846G	-55.10	-45.55	-9.55	1
6.57897G	-5.75	6.6666G	-55.46	-45.75	-9.71	2
6.56858G	-5.38	6.425G	-55.11	-45.38	-9.73	3
6.57537G	-5.15	6.667G	-55.35	-45.15	-10.20	4



















6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

CF Freq  
6.985GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94904G	-2.26	6.7418G	-50.45	-42.26	-8.19	1
6.9898G	-1.84	6.741G	-49.90	-41.84	-8.06	2
6.981G	-2.67	6.7386G	-50.69	-42.67	-8.02	3
6.99139G	-2.01	6.7386G	-49.59	-42.01	-7.58	4

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

CF Freq  
6.105GHz


Span  
1.6GHz

RBW  
4MHz

VBW  
50MHz

Sweep Time  
20ms

Detector Type  
RMS





Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0778G	1.13	5.5578G	-48.66	-38.87	-9.79	1
6.137G	1.63	6.5898G	-47.71	-38.14	-9.57	2
6.0778G	1.20	5.545G	-48.64	-38.80	-9.84	3
6.1994G	2.03	6.593G	-46.68	-37.97	-8.71	4





6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6585MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.585GHz


Span  
1.6GHz

RBW  
4MHz

VBW  
50MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.609G	0.20	5.9882G	-45.56	-39.79	-5.77	1
6.6506G	0.55	6.0282G	-47.12	-39.45	-7.67	2
6.6314G	1.09	6.081G	-45.49	-38.91	-6.58	3
6.6298G	1.02	6.0634G	-47.68	-38.98	-8.70	4

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6745MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.745GHz


Span  
1.6GHz

RBW  
4MHz

VBW  
50MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6986G	0.85	5.9482G	-44.92	-39.15	-5.77	1
6.7898G	1.28	5.9514G	-44.85	-38.72	-6.13	2
6.697G	0.86	6.0314G	-44.96	-39.14	-5.82	3
6.7146G	0.75	6.2506G	-45.65	-39.25	-6.40	4




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz Straddle 6.525-6.875GHz\_TX

CF Freq  
6.905GHz  
Span  
1.6GHz  
RBW  
4MHz  
VBW  
50MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8106G	0.19	6.3322G	-45.34	-39.81	-5.53	1
6.937G	0.51	6.1082G	-45.45	-39.49	-5.96	2
6.8586G	0.63	6.1642G	-44.32	-39.37	-4.95	3
6.8522G	0.89	6.3882G	-44.58	-39.11	-5.47	4



Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-3.03	-2.98	-3.24	-2.82
T20°CVmin	-3.90	-3.55	-3.93	-3.57
T40°CVnom	-5.47	-5.47	-5.49	-5.49
T30°CVnom	-4.62	-4.67	-4.24	-4.63
T20°CVnom	-4.42	-4.05	-4.51	-4.11
T10°CVnom	-1.23	-1.04	-1.31	-1.40
T0°CVnom	-0.36	-0.45	0.12	-0.21
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-2.45	-1.88	-2.33	-2.06
T20°CVmin	-3.48	-2.92	-3.76	-3.70
T40°CVnom	-4.67	-4.34	-4.57	-4.34
T30°CVnom	-4.27	-3.73	-4.41	-4.51
T20°CVnom	-3.83	-3.82	-3.88	-3.29
T10°CVnom	-0.99	-1.04	-0.40	-1.00
T0°CVnom	-0.36	-0.62	0.03	-0.15
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-66.99	1.03	-68.02	-62	Ceased
				-69.99	1.03	-71.02	-62	Minimal
				-86.99	1.03	-88.02	-62	Normal
	6	6475	6474	-66.47	1.09	-67.56	-62	Ceased
				-69.97	1.09	-71.06	-62	Minimal
				-86.47	1.09	-87.56	-62	Normal
	7	6695	6694	-65.39	1.35	-66.74	-62	Ceased
				-69.39	1.35	-70.74	-62	Minimal
				-85.39	1.35	-86.74	-62	Normal
	8	6995	6994	-64.46	1.02	-65.48	-62	Ceased
				-67.46	1.02	-68.48	-62	Minimal
				-84.46	1.02	-85.48	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	6100	-67.27	1.03	-68.3	-62	Ceased
				-69.77	1.03	-70.8	-62	Minimal
				-87.27	1.03	-88.3	-62	Normal
	6 / 7	6585	6740	-67.22	1.09	-68.31	-62	Ceased
				-69.72	1.09	-70.81	-62	Minimal
				-87.22	1.09	-88.31	-62	Normal
	7 / 8	6905	7060	-65.77	1.02	-66.79	-62	Ceased
				-67.57	1.02	-68.59	-62	Minimal
				-85.77	1.02	-86.79	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)




Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-66.99	-68.02	V	V	V	V	V	V	V	V	V	V	100	90
	6	6475	6474	-66.47	-67.56	V	V	V	V	V	X	V	V	V	V	90	90
	7	6695	6694	-65.39	-66.74	V	V	V	V	V	V	V	X	V	V	90	90
	8	6995	6994	-64.46	-65.48	V	V	V	V	V	V	V	V	V	V	100	90

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)	
be EHT320	5	6105	5950	-67.42	-68.45	V	V	V	V	V	V	V	V	V	V	100	90	
			6100	-67.27	-68.3	V	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-67.71	-68.74	V	V	V	V	V	V	V	V	V	V	V	100	90
	6 / 7	6585	6430	-68.87	-69.96	V	V	V	V	V	V	V	X	V	V	V	90	90
			6580	-67.52	-68.61	V	V	V	V	V	V	V	V	V	V	V	100	90
			6740	-67.22	-68.31	V	V	V	V	V	V	V	V	V	X	V	90	90
	7 / 8	6905	6750	-68.16	-69.18	V	V	V	V	V	V	V	V	V	V	V	100	90
			6900	-67.05	-68.07	V	V	V	V	V	V	V	V	V	X	V	90	90
			7060	-65.77	-66.79	V	V	V	V	V	V	V	V	V	V	V	100	90




Test plot of Incumbent signal



BW: 20 MHz / Frequency : 6194 MHz



BW: 20 MHz / Frequency : 6474 MHz











BW: 320 MHz / Frequency : 5950 MHz




BW: 320 MHz / Frequency : 6100 MHz






BW: 320 MHz / Frequency : 6260 MHz




BW: 320 MHz / Frequency : 6430 MHz






BW: 320 MHz / Frequency : 6580 MHz




BW: 320 MHz / Frequency : 6740 MHz







BW: 320 MHz / Frequency : 6750 MHz





BW: 320 MHz / Frequency : 6900 MHz












Test plot of Contention Based Protocol  
EUT Normal transmission














EUT Minimal transmission









BW: 20 MHz / Frequency : 6694 MHz





BW: 20 MHz / Frequency : 6994 MHz









EUT ceased transmission





Note: T1: AWGN signal is injected, T2: AWGN signal is removed.





Note: T1: AWGN signal is injected, T2: AWGN signal is removed.









Note: T1: AWGN signal is injected, T2: AWGN signal is removed.




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Modulation Mode	be EHT320-OFDMA	Test Freq. (MHz)	6105
Power Phase	Line		

Test by : Joe Liao      Temperature: 24°C      Humidity: 63%




	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.162	37.25	55.34	-18.09	27.38	9.63	0.06	0.18	Average
2	0.162	46.51	65.34	-18.83	36.64	9.63	0.06	0.18	QP
3	0.661	36.16	46.00	-9.84	26.12	9.63	0.09	0.32	Average
4	0.661	49.76	56.00	-6.24	39.72	9.63	0.09	0.32	QP
5	0.683	35.02	46.00	-10.98	24.98	9.63	0.09	0.32	Average
6	0.683	50.19	56.00	-5.81	40.15	9.63	0.09	0.32	QP
7	0.788	38.98	46.00	-7.02	28.93	9.63	0.10	0.32	Average
8*	0.788	51.03	56.00	-4.97	40.98	9.63	0.10	0.32	QP
9	0.857	34.97	46.00	-11.03	24.92	9.63	0.10	0.32	Average
10	0.857	45.19	56.00	-10.81	35.14	9.63	0.10	0.32	QP
11	1.255	30.13	46.00	-15.87	20.04	9.63	0.12	0.34	Average
12	1.255	35.49	56.00	-20.51	25.40	9.63	0.12	0.34	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).  
 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).



Modulation Mode	be EHT320-OFDMA	Test Freq. (MHz)	6105
Power Phase	Neutral		

Test by : Joe Liao      Temperature: 24°C      Humidity: 63%



	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.153	33.82	55.82	-22.00	23.95	9.63	0.06	0.18	Average
2	0.153	46.34	65.82	-19.48	36.47	9.63	0.06	0.18	QP
3	0.679	38.97	46.00	-7.03	28.93	9.63	0.09	0.32	Average
4	0.679	49.70	56.00	-6.30	39.66	9.63	0.09	0.32	QP
5	0.779	36.46	46.00	-9.54	26.41	9.63	0.10	0.32	Average
6*	0.779	51.49	56.00	-4.51	41.44	9.63	0.10	0.32	QP
7	0.853	28.88	46.00	-17.12	18.83	9.63	0.10	0.32	Average
8	0.853	42.10	56.00	-13.90	32.05	9.63	0.10	0.32	QP
9	1.345	30.53	46.00	-15.47	20.44	9.63	0.12	0.34	Average
10	1.345	37.03	56.00	-18.97	26.94	9.63	0.12	0.34	QP
11	2.001	30.93	46.00	-15.07	20.80	9.64	0.13	0.36	Average
12	2.001	36.09	56.00	-19.91	25.96	9.64	0.13	0.36	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).  
 Note 2: Over Limit (dB) = Level (dBuV) - Limit Line (dBuV).