# **ENGINEERING TEST REPORT**

# PCMCIA WIRELESS LAN CARD Model No: WL-201

FCC ID: MXF-WL201

FCC PART 15, SUBPART C, PARA. 15.247
DIRECT SEQUENCE SPREAD SPECTRUM (DSSS) TRANSMITTERS
OPERATING IN THE FREQUENCY BAND FROM 2412 - 2462 MHz

UltraTech's FILE NO.: GGT-001FTX

# **TESTED FOR:**

GEMTEK TECHNOLOGY CO., LTD. 11 Fl., 181 Tatung Rd., Sec. 1, Hsi-chih Taipei Hsien, Taiwan, R.O.C.

#### **TESTED BY:**

UltraTech Engineering Labs Inc. 4181 Sladeview Crescent, Unit 33 Mississauga, Ontario Canada L5L 5R2

PREPARED BY: Tri M. Luu, P.Eng.

**DATE:** May 20, 1998

# **TABLE OF CONTENTS**

| <u>1.</u> <u>E</u> | <u>XHIBIT 1</u> - SUMMARY OF TEST RESULTS & GENERAL STATEMENT OF CERTIFICATION           | 3   |
|--------------------|--|-----|
| <u>2.</u> <u>E</u> | XHIBIT 2 - GENERAL INFORMATION   | 5   |
| 2.1                | Applicant  | 5   |
| 2.2                | Manufacturer   |     |
| 2.3                | DESCRIPTION OF EQUIPMENT UNDER TEST  |     |
| 2.4                | RELATED SUBMITTAL(S)/GRANT   | 6   |
| 2.5                | TEST METHODOLOGY   | 6   |
| 2.6                | TEST FACILITY  | 6   |
| 2.7                | Units of Measurements  | 6   |
| <u>3.</u> <u>E</u> | XHIBIT 3 - SYSTEM TEST CONFIGURATION   | 7   |
| 3.1                | TEST SYSTEM DETAILS  | 7   |
| 3.2                | BLOCK DIAGRAMS RADIATED EMISSION MEASUREMENTS  | 7   |
| 3.3                | PHOTOGRAPH FOR RF EMISSION MEASUREMENTS  | 8   |
| 3.4                | JUSTIFICATION  |     |
| 3.5                | EUT OPERATING CONDITION  | 14  |
| 3.6                | SPECIAL ACCESSORIES  |     |
| 3.7                | EQUIPMENT MODIFICATIONS  | 14  |
| <u>4.</u> <u>E</u> | XHIBIT 4 - TEST DATA   | 15  |
| 4.1                | 6 DB BANDWIDTH @ FCC CFR 47, PARA 15.247(A)(2)   | 15  |
| 4.2                | MAXIMUM PEAK OUTPUT POWER @ FCC 15.247(B) AND RF EXPOSURE LIMIT FCC 1.1310               | 22  |
| 4.3                | RF CONDUCTED EMISSIONS AT THE TRANSMITTER ANTENNA TERMINAL, FCC CFR 47, PARA. 15.247(C)  | 26  |
| 4.4                | Transmitter Radiated Emissions @ 3 Meters, FCC CFR 47, Para. 15.247(c), 15.209 & 15.205  | 48  |
| 4.5                | TRANSMITTED POWER DENSITY OF A DIRECT SEQUENCE SPREAD SPECTRUM SYSTEM, FCC CFR 47, PARA. |     |
|                    | 47(D)  |     |
| 4.6                | PROCESSING GAIN OF A DIRECT SEQUENCE SPREAD SPECTRUM, FCC CFR 47, PARA. 15.247(E)        |     |
| 4.7                | AC POWERLINE CONDUCTED EMISSIONS, FCC CFR 47, PARA. 15.107(A)                            |     |
| 5. E               | XHIBIT 5 - GENERAL TEST PROCEDURES   | 103 |
| 5.1                | AC POWERLINE CONDUCTED EMISSIONS MEASUREMENTS - GENERAL TEST METHOD                      |     |
| 5.2                | ELECTRICAL FIELD RADIATED EMISSIONS MEASUREMENTS - GENERAL TEST METHOD                   | 105 |
| <u>6.</u> <u>E</u> | XHIBIT 6 - INFORMATION RELATED TO EQUIPMENT UNDER TESTS                                  | 108 |
| 6.1                | FCC ID LABELING AND SKETCH OF FCC LABEL LOCATION   | 108 |
| 6.2                | PHOTOGRAPHS OF EQUIPMENT UNDER TEST  | 108 |
| 6.3                | System Block Diagram(s)  |     |
| 6.4                | SCHEMATIC DIAGRAMS AND PART LISTS  |     |
| 6.5                | USER'S MANUAL WITH "FCC INFORMATION TO USER STATEMENTS"                                  | 108 |

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

# 1. <u>EXHIBIT 1</u> - SUMMARY OF TEST RESULTS & GENERAL STATEMENT OF CERTIFICATION

| FCC PARAGRAPH.             | TEST REQUIREMENTS   | COMPLIANCE<br>(YES/NO) |
|----------------------------|---|------------------------|
| 15.247(a)(2)               | Spectrum Bandwidth of a Direct Sequence Spread Spectrum System                | Yes                    |
| 15.247(b)                  | Maximum Peak Power  | Yes                    |
| 15.247(c)                  | RF Conducted Spurious Emissions at the Transmitter Antenna<br>Terminal        | Yes                    |
| 15.247(c), 15.209 & 15.205 | Transmitter Radiated Emissions  | Yes                    |
| 15.247(d)                  | 7(d) Transmitted Power Density of a Direct Sequence Spread Spectrum System    |                        |
| 15.247(e)                  | Processing Gain of Direct Sequence Spread Spectrum System                     | Yes                    |
| 15.107, 15.109             | AC Power Conducted Emissions & Radiated Emissions Digital<br>Circuit Portions | Yes (Note 1)           |

Note 1: The digital circuits and receiver portion of the EUT has been tested and verified to comply with FCC Part 15, Subpart B, Class B – Computing Devices (FCC DoC). The engineering test report can be provided upon FCC requests.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550

Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2
 Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# **TESTIMONIAL AND STATEMENT OF CERTIFICATION**

#### THIS IS TO CERTIFY:

- 1) THAT the application was prepared either by, or under the direct supervision of the undersigned.
- 2) THAT the measurement data supplied with the application was taken under my direction and supervision.
- 3) THAT the data was obtained on representative production units, representative.
- 4) THAT, to the best of my knowledge and belief, the facts set forth in the application and accompanying technical data are true and correct.

| Certified by: |  |
|---------------|--|
|               | Tri Minh Luu, P. Eng.<br>V.P., Engineering |

DATE: May 20, 1998

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# 2. EXHIBIT 2 - GENERAL INFORMATION

# 2.1 Applicant

GEMTEK TECHNOLOGY CO., LTD. 11 Fl., 181 Tatung Rd., Sec. 1, Hsi-chih Taipei Hsien, Taiwan, R.O.C.

Applicant's Representative: Mr. Howard Chen

#### 2.2 Manufacturer

GEMTEK TECHNOLOGY CO., LTD. 11 Fl., 181 Tatung Rd., Sec. 1, Hsi-chih Taipei Hsien, Taiwan, R.O.C.

Applicant's Representative: Mr. Howard Chen

#### 2.3 Description of Equipment under Test

**PRODUCT NAME**: PCMCIA WIRELESS LAN CARD

**SERIAL NUMBER:** Pre-production

**TYPE OF EQUIPMENT:** DSSS Transmitters

**MODULATION:** 1 Mb/s BPSK or 2 Mb/s QPSK

**CHIP RATE:** 5.5 Mchips/s (BPSK) or 11 Mchips/s (QPSK)

**OPERATING FREQ.**: 2412 – 2462 MHz

NUMBER OF CHANNEL: 11

CHANNEL SPACING: 5 MHz

**BANDWIDTH** (6 dB OBW): 10 MHz minimum

**POWER RATING**: 39 mW max. (direct) or 44.6 mW EIRP

ANTENNA GAIN: 2.4 GHz Disk Antenna, P/N: ERJ2RKF7150J, pcb mount type, Gain: 0

dBi typical and 2.15 dBi max.

(permanently attached inside the case, on the pcb.)

**EMISSION DESIGNATION**: Direct Sequence Spread Spectrum

**DUTY CYCLE**: Continuous

OSC. FREQUENCY(IES): 32.768 KHz, 22 MHz, 40MHz, 560 MHz (VCO), 2450 MHz (IF), 280

MHz (IF), Tx Local Osc.: Tx freq. – IF freq. (280 MHz)

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550

Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

**INPUT SUPPLY:** Using DC Power from a laptop computer

**ASSOCIATED DEVICES**: Not applicable

FCC ID: MXF-WL201

**INTERFACE PORTS**: Not applicable

# 2.4 Related Submittal(s)/Grant

Not applicable.

# 2.5 Test Methodology

These tests were conducted on a sample of the equipment for the purpose of certification compliance with Code of Federal Regulations (CFR47-1991), Part 15, Subpart C, Para. 15.247, Direct Sequence Spread Spectrum Transmitters operating in the Frequency Band 2412 - 2462 MHz.

Both conducted and radiated emissions measurements were conducted in accordance with American National Standards Institute ANSI C63.4-1992 - American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 KHz to 40 GHz.

#### 2.6 Test Facility

AC Powerline Conducted Emissions were performed in UltraTech's shielded room, 16'(L) by 12'(W) by 12'(H).

Radiated Emissions were performed at the UltraTech's 3-to-10 Meter Open Field Test Site (OFTS) situated in the Town of Oakville, province of Ontario.

The above sites have been calibrated in accordance with ANSI C63.4, and found to be in compliance with the requirements of Sec. 2.948 of the FCC Rules. The descriptions and site measurement data of the Oakville Open Field Test Site has been filed with FCC office (FCC File No.: 31040/SIT 1300B3) and Industry Canada office (Industry Canada File No.: IC2049). Last Date of Site Calibration: July 16, 1997.

The above test site is also filed with Interference Technology International Ltd (ITI - An EC Directive on EMC).

#### 2.7 Units of Measurements

Measurements of conducted emissions are reported in units of dB referenced to one microvolt [dB(uV)].

Measurements of radiated emissions are reported in units of dB referenced to one microvolt per meter [dB(uV)/m] at the distance specified in the report, wherever it is applicable.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

# 3. EXHIBIT 3 - SYSTEM TEST CONFIGURATION

# 3.1 Test System Details

The following peripherals, FCC identifiers and types interconnecting cables were used with the EUT for testing:

(1) <u>EUT</u>: GEMTEK TECHNOLOGY CO., LTD., PCMCIA WIRELESS LAN CARD, Model : WL-201, S/N: Preproduction

Power & I/O Cable: Not applicable.

(2) **PERIPHERAL**: HP OmniBook Laptop Computer, Model HP OmniBook 5500 CS, FCC ID: B945500, S/N:

TW63403246

I/O Cable: All I/O Cables were shielded Power Supply Cable: Non-shielded

(3) **PERIPHERAL**: Digital DEC Writer 100I Parallel Printer, Model LJ100-AZ, S/N: OV44352056, FCC ID:

**EP8JP150** 

I/O CABLE: Shielded


POWER CABLE: Unshielded

(5) **PERIPHERAL**: GVC Fax Modem, Model FM-144VR1, FCC ID: DK4FM144VR1

I/O Cable: Shielded

Power Supply Cable: Non-shielded

# 3.2 Block Diagrams Radiated Emission Measurements



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)


FCC ID: MXF-WL201

# 3.3 Photograph for RF Emission Measurements

Please refer to appendix the attached photos.

# TEST SETUP FOR AC POWER LINE CONDUCTED EMISSIONS MEASUREMENTS (tests were performed in the screen room)

# **FRONT VIEW**



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# SIDE & REAR VIEWS



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

# TEST SETUP FOR RADIATED EMISSIONS MEASUREMENTS (tests were performed at the Open Field test Site located in Oakville, Ontario, Canada)

\*\*\* TESTED WITH PERIPHERAL DEVICES ON THE TABLE \*\*\*



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# \*\*\* TESTED WITH PERIPHERAL DEVICES ON THE TABLE \*\*\*



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# \*\*\* TESTED WITH PERIPHERAL DEVICES OFF THE TABLE \*\*\*



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# \*\*\* TESTED WITH PERIPHERAL DEVICES OFF THE TABLE \*\*\*



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

# 3.4 Justification

No deviation, in both configuration and operation manners, different from normal operation were required.

# 3.5 EUT Operating Condition

Software provided by GEMTEK TECHNOLOGY CO., LTD. to set the EUT to transmit at lowest, middle and highest channel frequencies.

# 3.6 Special Accessories

No special accessories were required.

# 3.7 Equipment Modifications

To achieve compliance, the following change(s) were made by UltraTech's test house during compliance testing:

Not required.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2
 Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

# 4. EXHIBIT 4 - TEST DATA

# 4.1 6 dB Bandwidth @ FCC CFR 47, Para 15.247(a)(2)

PRODUCT NAME: PCMCIA WIRELESS LAN CARD, Model No.: WL-201

# **FCC REQUIREMENTS:**

For a direct sequence spread spectrum system, the minimum 6 dB bandwidth shall be at least 500 KHz.

#### **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%


#### **TEST EQUIPMENT:**

• Advantest Spectrum Analyzer, Model R3271, S/N: 15050203

#### **METHOD OF MEASUREMENTS:**

The transmitter output was connected to the spectrum analyzer through an attenuator. the bandwidth of the fundamental frequency was measured with the spectrum analyzer using 100 KHz RBW, VBW = 100 KHz,. The 6 dB bandwidth was measured and recorded.

# **TEST ARRANGEMENT**



**TEST RESULTS**: Conforms.

**TEST PERSONNEL**: Tri M. Luu, P.Eng.

**DATE:** May 04, 1998

# **MEASUREMENT DATA:**

| CHANNEL<br>FREQUENCY<br>(MHz) | DATA RATE /<br>MODULATION | 6 dB BANDWIDTH<br>(MHz) | MINIMUM LIMIT<br>(MHz) | PASS/FAIL |
|-------------------------------|---------------------------|-------------------------|------------------------|-----------|
| 2412                          | 2 Mb/s QPSK               | 9.9                     | 0.5                    | PASS      |
| 2437                          | 2 Mb/s QPSK               | 10.1                    | 0.5                    | PASS      |
| 2462                          | 2 Mb/s QPSK               | 9.9                     | 0.5                    | PASS      |
| 2412                          | 1 Mb/s BPSK               | 10.0                    | 0.5                    | PASS      |
| 2437                          | 1 Mb/s BPSK               | 9.9                     | 0.5                    | PASS      |
| 2462                          | 1 Mb/s BPSK               | 9.9                     | 0.5                    | PASS      |

UltraTech Engineering Labs Inc.


UltraTech's File #: GGT-001FTX

Fax. #: 905-569-2480

Tel. #: 905-569-2550

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2


- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L  $5\mathrm{R2}$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

#### 4.2 Maximum Peak Output Power @ FCC 15.247(b) and RF Exposure Limit FCC 1.1310

**PRODUCT NAME:** PCMCIA WIRELESS LAN CARD, Model No.: WL-201

# **FCC REQUIREMENTS:**

FCC 15.247(b):- Maximum peak output power of the transmitter shall not exceed 1 Watt. If the antenna of directional gain greater than 6 dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

FCC 1.1310:- The criteria listed in the following table shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in 1.1307(b).

#### LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

| Frequency Range<br>(MHz) | •   |     | Power Density (mW/cm²) | Average Time (minutes) |  |  |  |
|--------------------------|---|-----|------------------------|------------------------|--|--|--|
|                          | (A) Limits for Occupational/Control Exposures           |     |                        |                        |  |  |  |
| 300-1500                 |   |     | F/300                  | 6                      |  |  |  |
| 1500-100,000             | •••   | ••• | 5                      | 6                      |  |  |  |
|                          | (B) Limits for General Population/Uncontrolled Exposure |     |                        |                        |  |  |  |
| 300-1500                 | •••   | ••• | F/1500                 | 6                      |  |  |  |
| 1500-100,000             |   |     | 1.0                    | 30                     |  |  |  |

F = Frequency in MHz

# **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%

# **POWER INPUT**:

Using DC Power from a laptop computer.

# **TEST EQUIPMENT**:

- HP RF Peak Power Meter, Model 8900, S/N: 2131A00124, Measuring Freq. Range: 01 18 GHz, 50 Ohm IN.
- HP RF Peak Power Sensor, Model 8481A, S/N: 2551A01965, Measuring Freq. Range: 0.1 18 GHz, 50 Ohm IN/OUT
- Bird 20 dB Attenuator, 50 Ohm IN/OUT

UltraTech Engineering Labs Inc.

<u> UltraTech's File #: G</u>GT-001FTX

Tel. #: 905-569-2550

Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)

- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

<sup>\* =</sup> Plane-wave equivalent power density

FCC ID: MXF-WL201

# **METHOD OF MEASUREMENTS:**

FCC @ 1.1310 & OST Bulletin No. 65-October 1985

 $S = PG/4\Pi r^2 = EIRP/4\Pi r^2$ 

Where: P: power input to the antenna in mW

EIRP: Equivalent (effective) isotropic radiated power.

S: power density mW/cm<sup>2</sup>

G: numeric gain of antenna relative to isotropic radiator


r: distance to centre of radiation in cm

FCC radio frequency exposure limits may be exceeded at distances closer than r cm from the antenna of this device

 $r = \sqrt{PG/4\Pi S}$ 

FCC radio frequency exposure limits may be exceeded at distances closer than r cm from the antenna of this device

# **TEST ARRANGEMENT**



**TEST RESULTS**: Conforms.

TEST PERSONNEL: Tri M. Luu, P.Eng.

**DATE**: May 04, 1998

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)

All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# **MEASUREMENT DATA:**

#### PEAK POWER MEASUREMENT

ANTENNA GAIN: 0 dBi typical, 2.15 max. or 1.65 numeric

# DIRECT PEAK POWER MEASUREMENTS AT THE ANTENNA TERMINAL WITH THE ANTENNA REPLACED BY A SMA CONNECTOR

| TRANSMITTER CHANNEL OUTPUT | FUNDAMENTAL<br>FREQUENCY<br>(MHz) | DATA RATE /<br>MODULATION | MEASURED PEAK TOTAL POWER (mW) | PEAK POWER<br>LIMIT (mW) |
|----------------------------|-----------------------------------|---------------------------|--------------------------------|--------------------------|
| 1                          | 2412                              | 2 Mb/s QPSK               | 38.8                           | 1000.0                   |
| 6                          | 2437                              | 2 Mb/s QPSK               | 38.1                           | 1000.0                   |
| 11                         | 2462                              | 2 Mb/s QPSK               | 34.4                           | 1000.0                   |
| 1                          | 2412                              | 1 Mb/s BPSK               | 38.8                           | 1000.0                   |
| 6                          | 2437                              | 1 Mb/s BPSK               | 38.1                           | 1000.0                   |
| 11                         | 2462                              | 1 Mb/s BPSK               | 34.4                           | 1000.0                   |

# EFFECTIVE ISOTROPIC RADIATED POWER (EIRP) MEASURED AT 3 METER DISTANCE (Substitution Method)

| TX<br>CHANNEL<br>OUTPUT | FUNDAMENT<br>AL<br>FREQUENCY<br>(MHz) | DATA RATE /<br>MODULATION | Rx<br>Antenna<br>Gain<br>(Numeric) | Max. Field Strength Level At 3 m (dBuV/m) | (1)<br>Max. EIRP<br>POWER<br>@ 1 MHz BW<br>(mW) | (2)<br>Max. EIRP<br>POWER<br>In a full BW<br>(mW) | PEAK<br>POWER<br>LIMIT (mW) |
|-------------------------|---------------------------------------|---------------------------|------------------------------------|---|---|---|-----------------------------|
| 1                       | 2412                                  | 2 Mb/s QPSK               | 4.3                                | 102.3                                     | 3.1   | 17.4  | 1000.0                      |
| 6                       | 2437                                  | 2 Mb/s QPSK               | 4.3                                | 106.4                                     | 7.9   | 44.6  | 1000.0                      |
| 11                      | 2462                                  | 2 Mb/s QPSK               | 4.3                                | 91.8                                      | 0.3   | 1.5   | 1000.0                      |
| 1                       | 2412                                  | 1 Mb/s BPSK               | 4.3                                | 101.6                                     | 2.6   | 14.8  | 1000.0                      |
| 6                       | 2437                                  | 1 Mb/s BPSK               | 4.3                                | 106.3                                     | 7.8   | 43.6  | 1000.0                      |
| 11                      | 2462                                  | 1 Mb/s BPSK               | 4.3                                | 92.1                                      | 0.3   | 1.7   | 1000.0                      |

#### **Remarks:**

- (1) EIRP power measured in 1 MHz BW
- (2) Conversion of power measured in 1MHz BW using the EMI receiver to power in full BW using HP8900 peak power meter:
  - 1 MHz BW-Full BW power conversion factor = peak power level measured using the HP peak power meter peak power level measured using EMI receiver in 1 MHz BW = 38.8 dBm 31.3 dBm = 7.5 dB
- (3) The discrepancies between the EIRP power and direct power measurements are due to the non-linear characteristics of the transmitter antenna gain of the device under test (0 dBi typical, 2.15 dBi max.)

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

- 4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2
- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
   Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# RF EXPOSURE DISTANCE LIMITS: $\mathbf{r} = (\mathbf{PG}/4\Pi\mathbf{S})^{1/2}$ S=1mW/cm<sup>2</sup>, G= 0 dBi typical or 2.15 dBi max or 1.65 max

| TRANSMITTER<br>CHANNEL<br>OUTPUT | FUNDAMENTAL<br>FREQUENCY<br>(MHz) | DATA RATE /<br>MODULATION | MESURED<br>EIRP FULL<br>POWER (mWatts) | MNIMUM ALLOWABLE DISTANCE (r) FROM SKIN (Centi-Meter) |
|----------------------------------|-----------------------------------|---------------------------|--|---|
| 1                                | 2412                              | 2 Mb/s QPSK               | 17.4                                   | 1.5   |
| 6                                | 2437                              | 2 Mb/s QPSK               | 44.6                                   | 2.4   |
| 11                               | 2462                              | 2 Mb/s QPSK               | 1.5                                    | 0.5   |
| 1                                | 2412                              | 1 Mb/s BPSK               | 14.8                                   | 1.4   |
| 6                                | 2437                              | 1 Mb/s BPSK               | 43.6                                   | 2.4   |
| 11                               | 2462                              | 1 Mb/s BPSK               | 1.7                                    | 0.5   |

Since the power density of 1 mW/cm<sup>2</sup> is at a very short distance from the radiating antenna integrated on the printed circuit board which is completely enclosure in the case, RF exposure limit warning or SAR tests are not required.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# 4.3 RF Conducted Emissions at the Transmitter Antenna Terminal, FCC CFR 47, Para. 15.247(c)

# **PRODUCT NAME:** PCMCIA WIRELESS LAN CARD, Model No.: WL-201

#### FCC REQUIREMENTS:

In any 100 KHz bandwidth outside the operating frequency band, the radio frequency power that is produced by modulation products of the spreading sequence, the information sequence and the carrier frequency shall be at least 20 dB below that in any 100 KHz bandwidth within the band that contains the highest level of the desired power.

# **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%

#### **POWER INPUT:**

Using DC Power from a laptop computer.

#### **TEST EQUIPMENT:**

Advantest Spectrum Analyzer, Model R3271, S/N: 15050203

# **METHOD OF MEASUREMENT:**

A scan was made by using a spectrum analyzer with the detector function set to PEAK mode.

Set RBW = 100 KHz, VBW = 100 KHz.

#### FCC CFR 47, Para. 2.997 - Frequency spectrum to be investigated

The spectrum was investigated from the lowest radio generated in the equipment up to at least the 10<sup>th</sup> harmonic of the carrier frequency or to the highest frequency practicable in the present state of the art of measuring techniques, whichever is lower. Particular attention should be paid to harmonics and subharmonics of the carrier frequency. Radiation at the frequencies of multiplier stages should be checked. The amplitude of spurious emissions which are attenuated more than 20 dB below the permissible value need not be reported.

#### FCC CFR 47, Para. 2.991 - Spurious Emissions at Antenna Terminal

The radio frequency voltage or powers generated within the equipment and appearing on a spurious frequency shall be checked at the equipment output terminals when properly loaded with a suitable artificial antenna. Curves or equivalent data shall show the magnitude of the harmonic and other spurious emission that can be detected when the equipment is operated under the conditions specified in 2.989 as appropriate. The magnitude of spurious emissions which are attenuated more than 20 dB below the permissible value need not be specified.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550

Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

#### **TEST ARRANGEMENT**



**TEST RESULTS**: Conforms.

TEST PERSONNEL: Tri M. Luu, P.Eng.

**DATE**: May 04, 1998

#### **MEASUREMENT DATA**

# SPURIOUS & HARMONIC EMISSIONS AT THE TRANSMITTER ANTENNA TERMINAL

#### TEST CONFIGURATION

• The transmitter was coupled to the Spectrum Analyze.

• The channel frequencies were established on the extreme edges (both upper and lower) and middle of the 2412 - 2462 MHz band at its full rated output power. The emissions was investigated up to the tenth harmonic of the fundamental emissions in each case, the measured level of the carrier was recorded and compared to the level of the emissions as required in Part 15.247(c)

| Channel #1, Channel Frequency: 2412 MHz |                       |  | Power Level in 100 KHz | BW: 6.2 dBm |
|---|-----------------------|--|------------------------|-------------|
| Full Peak Rated Po                      | ower: 38.8 mW         | Limit = 6.2 dBm - 20 dB = 6.2 dBm - 20 dBm - 2 | = -13.8 dBm            |             |
| <b>Modulation: DSSS</b>                 | , 2Mb/s Data Rate, Ql | PSK  |                        |             |
| RF LEVEL                                |                       |  |                        |             |
| FREQUENCY                               | 100 kHz BW            | LIMIT  | MARGIN                 | PASS/       |
| (MHz)                                   | (dBm)                 | (dBm)  | (dB)                   | FAIL        |
| 2412.0                                  | 6.2                   |  |                        |             |
| 281.0                                   | -46.5                 | -13.8  | -32.7                  | PASS        |
| 1480.0                                  | -62.8                 | -13.8  | -49.0                  | PASS        |
| 4805.0                                  | -62.3                 | -13.8  | -48.5                  | PASS        |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L  $5\mathrm{R2}$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Channel #6, Channel Frequency: 2437 MHz<br>Full Rated Peak Power: 38.1 mW |            |       | ver Level in 100 KHz B<br>nit = 4.4 dBm - 20 dB = |       |
|---|------------|-------|---|-------|
| Modulation: DSSS, 2Mb/s Data Rate, QPSK                                   |            |       |   |       |
|   | RF LEVEL   |       |   |       |
| FREQUENCY   | 100 kHz BW | LIMIT | MARGIN  | PASS/ |
| (MHz)   | (dBm)      | (dBm) | (dB)  | FAIL  |
| 2437.0  | 4.4        |       |   |       |
| 280.0   | -46.7      | -15.6 | -31.1   | PASS  |
| 1523.0  | -62.5      | -15.6 | -46.9   | PASS  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

| Channel #11, Char              | nnel Frequency: 2462 | Power Level in 100 KHz   | BW: 3.6 dBm               |             |  |  |  |  |
|--------------------------------|----------------------|--|---------------------------|-------------|--|--|--|--|
| Full Rated Peak Power: 34.4 mW |                      |  | Limit = 3.6 dBm - 20 dB = | = -16.4 dBm |  |  |  |  |
| <b>Modulation: DSSS</b>        | , 2Mb/s Data Rate, Q | PSK  |                           |             |  |  |  |  |
| RF                             |                      |  |                           |             |  |  |  |  |
| FREQUENCY                      | LEVEL                | LIMIT  | MARGIN                    | PASS/       |  |  |  |  |
| (MHz)                          | (dBm)                | (dBm)  | (dB)                      | FAIL        |  |  |  |  |
| 2462.0                         | 3.6                  |  |                           |             |  |  |  |  |
| 280.0                          | -49.5                | -16.4  | -33.1                     | PASS        |  |  |  |  |
| 1566.0                         | -60.8                | -16.4  | -44.4                     | PASS        |  |  |  |  |
| 2165.0                         | -60.8                | -16.4  | -44.4                     | PASS        |  |  |  |  |
| NT 41 ' 'C'                    |                      | N. d. d. d. f. f. d. f. d. f. d. f. |                           |             |  |  |  |  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

| Channel #1, Channel Frequency: 2412 MHz |                       |                  | Power Level in 100 KHz BW: 5.8 dBm |              |
|---|-----------------------|------------------|------------------------------------|--------------|
| Full Rated Peak Power: 38.8 mW          |                       |                  | Limit = 5.8 dBm - 20 dB =          | 14.2 dBm     |
| <b>Modulation: DSSS</b>                 | , 1Mb/s Data Rate, BI | PSK              |                                    |              |
| RF                                      |                       |                  |                                    |              |
| FREQUENCY                               | LEVEL                 | LIMIT            | MARGIN                             | PASS/        |
| (MHz)                                   | (dBm)                 | (dBm)            | (dB)                               | FAIL         |
| 2412.0                                  | 5.8                   |                  |                                    |              |
| 281.0                                   | -46.5                 | -14.2            | -32.3                              | PASS         |
| 1480.0                                  | -62.0                 | -14.2            | -47.8                              | PASS         |
| 4805.0                                  | -60.1                 | -14.2            | -45.9                              | PASS         |
| No other significant                    | amissions ware found  | in the frequence | v ranga from 10 MHz to 25          | CHz Pofor to |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

| Channel #6, Channel Frequency: 2437 MHz<br>Full Rated Peak Power: 38.1 mW<br>Modulation: DSSS, 1Mb/s Data Rate, BPSK |                      |                | Power Level in 100 KHz BW: 4.1 dBm<br>Limit = 4.1 dBm - 20 dB = -15.9 dBm |               |  |
|--|----------------------|----------------|---|---------------|--|
| FREQUENCY<br>(MHz)   | RF<br>LEVEL<br>(dBm) | LIMIT<br>(dBm) | MARGIN<br>(dB)  | PASS/<br>FAIL |  |
| 2437.0   | 4.1                  |                |   |               |  |
| 280.0  | -47.3                | -15.9          | -31.4   | PASS          |  |
| 1523.0   | -63.6                | -15.9          | -47.7   | PASS          |  |

No other significant emissions were found in the frequency range from 10~MHz to 25~GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Channel #11, Channel Frequency: 2462 MHz |       |       | Power Level in 100 KHz BW: 3.9 dBm                            |       |  |
|--|-------|-------|---|-------|--|
| Full Rated Peak Power: 34.4 mW           |       |       | Limit = $3.9 \text{ dBm} - 20 \text{ dB} = -16.1 \text{ dBm}$ |       |  |
| Modulation: DSSS, 1Mb/s Data Rate, BPSK  |       |       |   |       |  |
|  | RF    |       |   |       |  |
| FREQUENCY                                | LEVEL | LIMIT | MARGIN  | PASS/ |  |
| (MHz)                                    | (dBm) | (dBm) | (dB)  | FAIL  |  |
| 2462.0                                   | 3.9   |       |   |       |  |
| 280.0                                    | -50.0 | -16.1 | -33.9   | PASS  |  |
| 1566.0                                   | -62.1 | -16.1 | -46.0   | PASS  |  |
| 2165.0                                   | -61.6 | -16.1 | -45.5   | PASS  |  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details


UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

PCMCIA WIRELESS LAN CARD, Model WL-201 FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550

Fax. #: 905-569-2480

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 


- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 


- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.


UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

## 4.4 Transmitter Radiated Emissions @ 3 Meters, FCC CFR 47, Para. 15.247(c), 15.209 & 15.205

### PRODUCT NAME: PCMCIA WIRELESS LAN CARD, Model No.: WL-201

### **FCC REQUIREMENTS**:

In any 100 KHz bandwidth outside the operating frequency band, the radio frequency power that is produced by modulation products of the spreading sequence, the information sequence and the carrier frequency shall be either at least 20 dB below that in any 100 KHz bandwidth within the band that contains the highest level of the desired power or shall not exceed the general levels specified in @ 15.209(a), which lesser attenuation.

All other emissions inside restricted bands specified in @ 15.205(a) shall not exceed the general radiated emission limits specified in @ 15.209(a)

#### Remarks:

- Applies to harmonics/spurious emissions that fall in the restricted bands listed in Section 15.205. The
  maximum permitted average field strength is listed in Section 15.209.
- @ FCC CFR 47, Para. 15.237(c) The emission limits as specified above are based on measurement instrument employing an average detector. The provisions in @15.35 for limiting peak emissions apply.

FCC CFR 47, Part 15, Subpart C, Para. 15.205(a) - Restricted Frequency Bands

| MHz             | MHz               | MHz           | GHz           |
|-----------------|-------------------|---------------|---------------|
| 0.090 - 0.110   | 162.0125 - 167.17 | 2310 - 2390   | 9.3 - 9.5     |
| 0.49 - 0.51     | 167.72 - 173.2    | 2483.5 - 2500 | 10.6 - 12.7   |
| 2.1735 - 2.1905 | 240 - 285         | 2655 - 2900   | 13.25 - 13.4  |
| 8.362 - 8.366   | 322 - 335.4       | 3260 - 3267   | 14.47 - 14.5  |
| 13.36 - 13.41   | 399.9 - 410       | 3332 - 3339   | 14.35 - 16.2  |
| 25.5 - 25.67    | 608 - 614         | 3345.8 - 3358 | 17.7 - 21.4   |
| 37.5 - 38.25    | 960 - 1240        | 3600 - 4400   | 22.01 - 23.12 |
| 73 - 75.4       | 1300 - 1427       | 4500 - 5250   | 23.6 - 24.0   |
| 108 - 121.94    | 1435 - 1626.5     | 5350 - 5460   | 31.2 - 31.8   |
| 123 - 138       | 1660 - 1710       | 7250 - 7750   | 36.43 - 36.5  |
| 149.9 - 150.05  | 1718.8 - 1722.2   | 8025 - 8500   | Above 38.6    |
| 156.7 - 156.9   | 2200 - 2300       | 9000 - 9200   |               |

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

### FCC CFR 47, Part 15, Subpart C, Para. 15.209(a)

-- Field Strength Limits within Restricted Frequency Bands --

| FREQUENCY     | FIELD STRENGTH LIMITS | DISTANCE |
|---------------|-----------------------|----------|
| (MHz)         | (microvolts/m)        | (Meters) |
| 0.009 - 0.490 | 2,400 / F (KHz)       | 300      |
| 0.490 - 1.705 | 24,000 / F (KHz)      | 30       |
| 1.705 - 30.0  | 30                    | 30       |
| 30 - 88       | 100                   | 3        |
| 88 - 216      | 150                   | 3        |
| 216 - 960     | 200                   | 3        |
| Above 960     | 500                   | 3        |

#### **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%

#### **POWER INPUT**:

Using DC Power from a laptop computer.

### TEST EQUIPMENT:

- Spectrum Analyzer, Advantest, Model R3271, S/N: 15050203, 100 Hz to 32 GHz)
- Microwave Amplifier, HP, Model 83017A, Frequency Range 1 to 26.5 GHz, 34-38 dBdB gain nominal.
- Active Loop Antenna, Emco, Model 6507, SN 8906-1167, Frequency Range 1 KHz 30 MHz, @ 50 Ohms
- Log Periodic/Bow-Tie Antenna, Emco, Model 3143, SN 1029, 20 1000 MHz, @ 50 ohms.
- Horn Antenna, Emco, Model 3115, SN 9701-5061, Frequency Range: 1 18 GHz, @ 50 Ohms.
- Horn Antenna, Emco, Model 3160-09, 18-26.5GHz
- Horn Antenna, Emco, Model 3160-09, 18-26.5GHz
- **Horn Antenna**, Emco, Model 3160-10, 26.5-40GHz
- Mixer, Tektronix, P/N 118-0098-00, 18-26.5GHz
- **Mixer**, Tektronix, P/N 119-0098-00, 26.5-40GHz

#### **METHOD OF MEASUREMENTS:**

Refer to ANSI 63.4-1992, Para. 8 for detailed radiated emissions measurement procedures.

Applies to harmonics/spurious that fall in the restricted bands listed in Section 15.205. the maximum permitted average field strength is listed in Section 15.209. A Pre-Amp and highpass filter are used for this measurement.

For measurement below 1 GHz, set RBW = 100 KHz, VBW > 100 KHz, SWEEP=AUTO.

For measurement above 1 GHz, set RBW = 1 MHz, VBW = 1 MHz (Peak) & VBW = 10 Hz (Average), SWEEP=AUTO.

If the emission is pulsed, modified the unit for continuous operation, then use the settings above for measurements, then correct the reading by subtracting the peak-average correction factor derived from the appropriate duty cycle calculation. See Section 15.35(b) and (c).

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### FCC CFR 47, Para. 2.997 - Frequency spectrum to be investigated

The spectrum was investigated from the lowest radio generated in the equipment up to at least the 10<sup>th</sup> harmonic of the carrier frequency or to the highest frequency practicable in the present state of the art of measuring techniques, whichever is lower. Particular attention should be paid to harmonics and subharmonics of the carrier frequency. Radiation at the frequencies of multiplier stages should be checked. The amplitude of spurious emissions which are attenuated more than 20 dB below the permissible value need not be reported.

### FCC CFR 47, Para. 2.993 - Field Strength Spurious Emissions

- (a) Measurements was made to detect spurious emissions radiated directly from the cabinet. control circuits, power leads, or intermediate circuit elements under normal conditions of installation and operation. Curves or equivalent data were supplied showing the magnitude of each harmonic and other spurious emission. For this test, single sideband, independent sideband, and controlled carrier transmitters shall be modulated under the conditions specified in paragraph 2.989(c) as appropriate. For equipment operating on frequencies below 1 GHz, an Open Field Test is normally required, with the measuring instrument antenna located in the far field at all test frequencies. In event it is either impractical or impossible to make open field measurements (e.g. a broadcast transmitter installed in a building) measurement will be accepted of the equipment as installed. Such measurements must be accompanied by a description of the site where the measurements were made showing the location of any possible source of reflections which might distort the field strength measurements. Information submitted shall include the relative radiated power of each spurious emission with the reference to the rated power output of the transmitter, assuming all emissions are radiated from half-wave dipole antennas.
- (b) Measurements specified in paragraph (a) of this section shall be made for the following equipment:
  - (1) Those in which the spurious emission are required to be 60 dB or more below the mean power of the transmitter.
  - (2)All equipment operating on frequencies higher than 25 MHz
- (3)All equipment where the antenna is an integral part of, and attached directly to the transmitter.
  - (4) Other types of equipment as required, when deemed necessary by the Commission.

**TEST RESULTS**: Conforms.

**TEST PERSONNEL**: Hung Trinh, EMI Technician

**DATE**: May 07 & 09, 1998

UltraTech Engineering Labs Inc.

<u> UltraTech's File #: G</u>GT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)

FCC ID: MXF-WL201

#### **MEASUREMENT DATA**

## RADIATED EMISSIONS MEASUREMENTS @ 3 METERS

#### **TEST CONFIGURATION**

- This lowest, middle and highest channels were established at its full rated output power. The emissions were investigated from the lowest frequency generated by the transmitter up to the 10th harmonic of the fundamental emissions in each case. the measured level of the carrier was recorded and compared to the level of the emissions as required in Parts 15.247(c) or 15.209(a) whichever was applicable.
- For measuring radiated emissions at frequencies below 1 GHz, the Spectrum Analyzer was set as 100 KHz RBW, VBW ≥ RBW, SWEEP TIME: AUTO, PEAK DETECTOR.
- For measuring radiated emissions at frequencies above 1 GHz, the Spectrum Analyzer was set as 1 MHz RBW, 1 MHz VBW, SWEEP TIME: AUTO for PEAK measurements and 1 MHz RBW, 10 Hz VBW, SWEEP TIME: AUTO for AVERAGE measurements.
- The following measurements were the worst cases when the radiating antenna was placed in both horizontal and vertical polarization.
- The following AVERAGE rf levels were obtained from either Peak or Average readings added by the duty cycle correction factor. DUTY CYCLE FACTOR = N/A (continuous)

| Channel #1, Channel Frequency: 2412 MHz<br>Full Rated Peak Power: 38.8 mW<br>Modulation: DSSS, 2Mb/s Data Rate, QPSK |            |           | Power Level in 1 MHz BW: 102.3 dBuV/m<br>Limit = 82.3 dBuV/m |          |          |        |       |
|--|------------|-----------|--|----------|----------|--------|-------|
|  | RF         | RF        | ANTENNA  | LIMIT    | LIMIT    |        |       |
| FREQUENCY  | PEAK LEVEL | AVG LEVEL | PLANE  | 15.209   | 15.247   | MARGIN | PASS/ |
| (MHz)  | (dBuV/m)   | (dBuV/m)  | (H/V)  | (dBuV/m) | (dBuV/m) | (dB)   | FAIL  |
| 280.00   | 33.6       | 25.1      | V  | 46.0     | 82.3     | -20.9  | PASS  |
| 280.00   | 29.8       | 20.0      | Н  | 46.0     | 82.3     | -26.0  | PASS  |
| 560.00   | 48.2       | 46.9      | V  | 46.0     | 82.3     | -35.4  | PASS  |
| 560.00   | 51.7       | 50.3      | Н  | 46.0     | 82.3     | -32.0  | PASS  |
| 840.00   | 28.9       | 17.2      | V  | 46.0     | 82.3     | -65.1  | PASS  |
| 840.00   | 30.0       | 18.6      | Н  | 46.0     | 82.3     | -63.7  | PASS  |
| 1120.00  | 58.3       | 52.3      | V  | 54.0     | 82.3     | -1.7   | PASS  |
| 1120.00  | 57.1       | 48.9      | Н  | 54.0     | 82.3     | -5.1   | PASS  |
| 1400.00  | 37.3       | 21.8      | V  | 54.0     | 82.3     | -32.2  | PASS  |
| 1400.00  | 37.3       | 26.1      | Н  | 54.0     | 82.3     | -27.9  | PASS  |
| 1680.00  | 43.3       | 38.6      | V  | 54.0     | 82.3     | -15.4  | PASS  |
| 1680.00  | 37.7       | 28.6      | Н  | 54.0     | 82.3     | -25.4  | PASS  |
| 2132.00  | 67.9       | 66.0      | V  | 54.0     | 82.3     | -16.3  | PASS  |
| 2132.00  | 70.0       | 68.3      | Н  | 54.0     | 82.3     | -14.0  | PASS  |
| 2240.00  | 52.6       | 50.8      | V  | 54.0     | 82.3     | -3.2   | PASS  |
| 2240.00  | 52.6       | 51.0      | Н  | 54.0     | 82.3     | -3.0   | PASS  |
| 2412.00  | 98.4       |           | V  | 54.0     | 82.3     |        |       |
| 2412.00  | 102.3      |           | Н  | 54.0     | 82.3     |        |       |
| 2520.00  | 43.7       | 31.9      | V  | 54.0     | 82.3     | -50.4  | PASS  |
| 2800.00  | 46.5       | 42.1      | V  | 54.0     | 82.3     | -11.9  | PASS  |
| 2800.00  | 48.8       | 44.6      | Н  | 54.0     | 82.3     | -9.4   | PASS  |
| 4264.00  | 46.3       | 33.2      | V  | 54.0     | 82.3     | -20.8  | PASS  |
| 4264.00  | 46.6       | 33.0      | Н  | 54.0     | 82.3     | -21.0  | PASS  |


No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

## Transmitter Radiated Emissions Measurements at 3 Meter OFTS GEMTEK PCMCIA WIRELESS LAN CARD, MODEL WL-201 TRANSMIT FREQ.: 2412 MHz, 2 Mb/s QPSK



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L  $5\mathrm{R2}$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Channel #6, Channel Frequency: 2437 MHz<br>Full Rated Peak Power: 38.1 mW |              |           | Power Level in 1 MHz BW: 106.3 dBuV/r<br>Limit = 86.3 dBuV/m |          |          |        |       |  |
|---|--------------|-----------|--|----------|----------|--------|-------|--|
| Modulation  | : DSSS, 2Mb/ |           |  |          |          |        |       |  |
|   | RF           | RF        | ANTENNA  | LIMIT    | LIMIT    |        |       |  |
| FREQUENCY   | PEAK LEVEL   | AVG LEVEL | PLANE  | 15.209   | 15.247   | MARGIN | PASS/ |  |
| (MHz)   | (dBuV/m)     | (dBuV/m)  | (H/V)  | (dBuV/m) | (dBuV/m) | (dB)   | FAIL  |  |
| 280.00  | 33.6         | 25.1      | V  | 46.0     | 86.3     | -20.9  | PASS  |  |
| 280.00  | 29.8         | 20.0      | Н  | 46.0     | 86.3     | -26.0  | PASS  |  |
| 560.00  | 48.2         | 46.9      | V  | 46.0     | 86.3     | -39.4  | PASS  |  |
| 560.00  | 51.7         | 50.3      | Н  | 46.0     | 86.3     | -36.0  | PASS  |  |
| 840.00  | 28.9         | 17.2      | V  | 46.0     | 86.3     | -69.1  | PASS  |  |
| 840.00  | 30.0         | 18.6      | Н  | 46.0     | 86.3     | -67.7  | PASS  |  |
| 1120.00   | 58.3         | 52.3      | V  | 54.0     | 86.3     | -1.7   | PASS  |  |
| 1120.00   | 57.1         | 48.9      | Н  | 54.0     | 86.3     | -5.1   | PASS  |  |
| 1400.00   | 37.3         | 21.8      | V  | 54.0     | 86.3     | -32.2  | PASS  |  |
| 1400.00   | 37.3         | 26.1      | Н  | 54.0     | 86.3     | -27.9  | PASS  |  |
| 1680.00   | 43.3         | 38.6      | V  | 54.0     | 86.3     | -15.4  | PASS  |  |
| 1680.00   | 37.7         | 28.6      | Н  | 54.0     | 86.3     | -25.4  | PASS  |  |
| 2157.00   | 69.8         | 68.4      | V  | 54.0     | 86.3     | -17.9  | PASS  |  |
| 2157.00   | 70.4         | 68.4      | Н  | 54.0     | 86.3     | -17.9  | PASS  |  |
| 2240.00   | 52.6         | 50.8      | V  | 54.0     | 86.3     | -3.2   | PASS  |  |
| 2240.00   | 52.6         | 51.0      | Н  | 54.0     | 86.3     | -3.0   | PASS  |  |
| 2437.00   | 105.8        |           | V  | 54.0     | 86.3     |        |       |  |
| 2437.00   | 106.3        |           | Н  | 54.0     | 86.3     |        |       |  |
| 2520.00   | 43.7         | 31.9      | V  | 54.0     | 86.3     | -54.4  | PASS  |  |
| 2800.00   | 46.5         | 42.1      | V  | 54.0     | 86.3     | -11.9  | PASS  |  |
| 2800.00   | 48.8         | 44.6      | Н  | 54.0     | 86.3     | -9.4   | PASS  |  |
| 4314.00   | 48.5         | 40.1      | V  | 54.0     | 86.3     | -13.9  | PASS  |  |
| 4314.00   | 46.8         | 34.8      | Н  | 54.0     | 86.3     | -19.2  | PASS  |  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.


UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech's File #: GGT-001FTX


 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

## Transmitter Radiated Emissions Measurements at 3 Meter OFTS GEMTEK PCMCIA WIRELESS LAN CARD, MODEL WL-201 TRANSMIT FREQ.: 2437 MHz, 2 Mb/s QPSK



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L  $5\mathrm{R2}$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Channel #11, Channel Frequency: 2462 MHz |               |                      |         | vel in 1 MHz   | BW: dBuV/n | 1      |       |
|--|---------------|----------------------|---------|----------------|------------|--------|-------|
|  | Peak Power: 3 |                      | ODCIZ   | Limit = dBuV/m |            |        |       |
| Modulation                               | : DSSS, 2Mb/  | s Data Kate, C<br>RF | ANTENNA | LIMIT          | LIMIT      |        |       |
| FREQUENCY                                |               | AVG LEVEL            | PLANE   | 15.209         | 15.247     | MARGIN | PASS/ |
| (MHz)                                    | (dBuV/m)      | (dBuV/m)             | (H/V)   | (dBuV/m)       | (dBuV/m)   | (dB)   | FAIL  |
| 280.00                                   | 33.6          | 25.1                 | V       | 46.0           | 72.1       | -20.9  | PASS  |
| 280.00                                   | 29.8          | 20.0                 | Н       | 46.0           | 72.1       | -26.0  | PASS  |
| 560.00                                   | 48.2          | 46.9                 | V       | 46.0           | 72.1       | -25.2  | PASS  |
| 560.00                                   | 51.7          | 50.3                 | Н       | 46.0           | 72.1       | -21.8  | PASS  |
| 840.00                                   | 28.9          | 17.2                 | V       | 46.0           | 72.1       | -54.9  | PASS  |
| 840.00                                   | 30.0          | 18.6                 | Н       | 46.0           | 72.1       | -53.5  | PASS  |
| 1120.00                                  | 58.3          | 52.3                 | V       | 54.0           | 72.1       | -1.7   | PASS  |
| 1120.00                                  | 57.1          | 48.9                 | Н       | 54.0           | 72.1       | -5.1   | PASS  |
| 1400.00                                  | 37.3          | 21.8                 | V       | 54.0           | 72.1       | -32.2  | PASS  |
| 1400.00                                  | 37.3          | 26.1                 | Н       | 54.0           | 72.1       | -27.9  | PASS  |
| 1680.00                                  | 43.3          | 38.6                 | V       | 54.0           | 72.1       | -15.4  | PASS  |
| 1680.00                                  | 37.7          | 28.6                 | Н       | 54.0           | 72.1       | -25.4  | PASS  |
| 2182.00                                  | 68.1          | 65.8                 | V       | 54.0           | 72.1       | -6.3   | PASS  |
| 2182.00                                  | 71.3          | 69.4                 | Н       | 54.0           | 72.1       | -2.7   | PASS  |
| 2240.00                                  | 52.6          | 50.8                 | V       | 54.0           | 72.1       | -3.2   | PASS  |
| 2240.00                                  | 52.6          | 51.0                 | Н       | 54.0           | 72.1       | -3.0   | PASS  |
| 2462.00                                  | 91.8          |                      | V       | 54.0           | 72.1       |        |       |
| 2462.00                                  | 91.8          |                      | Н       | 54.0           | 72.1       |        |       |
| 2520.00                                  | 43.7          | 31.9                 | V       | 54.0           | 72.1       | -40.2  | PASS  |
| 2800.00                                  | 46.5          | 42.1                 | V       | 54.0           | 72.1       | -11.9  | PASS  |
| 2800.00                                  | 48.8          | 44.6                 | Н       | 54.0           | 72.1       | -9.4   | PASS  |
| 4364.00                                  | 47.5          | 37.4                 | V       | 54.0           | 72.1       | -16.6  | PASS  |
| 4364.00                                  | 46.8          | 33.9                 | Н       | 54.0           | 72.1       | -20.1  | PASS  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

## Transmitter Radiated Emissions Measurements at 3 Meter OFTS GEMTEK PCMCIA WIRELESS LAN CARD, MODEL WL-201 TRANSMIT FREQ.: 2462 MHz, 2 Mb/s QPSK



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

| Channel #1, Channel Frequency: 2412 MHz<br>Full Rated Peak Power: 38.8 mW<br>Modulation: DSSS, 1Mb/s Data Rate, BPSK |          |                                   | Power Level in 1 MHz BW: 101.6 dBuV/m<br>Limit = 81.6 dBuV/m. |                 |                 |        |       |
|--|----------|-----------------------------------|---|-----------------|-----------------|--------|-------|
|  | RF       | s Data Rate, I<br>RF<br>AVG LEVEL | ANTENNA PLANE   | LIMIT<br>15.209 | LIMIT<br>15.247 | MARGIN | PASS/ |
| FREQUENCY<br>(MHz)   | (dBuV/m) | (dBuV/m)                          | (H/V)   | (dBuV/m)        | (dBuV/m)        | (dB)   | FAIL  |
| 280.00   | 34.4     | 26.5                              | V   | 46.0            | 81.6            | -19.5  | PASS  |
| 280.00   | 29.7     | 20.5                              | Н   | 46.0            | 81.6            | -25.5  | PASS  |
| 560.00   | 48.9     | 47.8                              | V   | 46.0            | 81.6            | -33.8  | PASS  |
| 560.00   | 48.9     | 47.8                              | Н   | 46.0            | 81.6            | -33.8  | PASS  |
| 840.00   | 26.3     | 15.0                              | V   | 46.0            | 81.6            | -66.6  | PASS  |
| 840.00   | 31.8     | 22.5                              | Н   | 46.0            | 81.6            | -59.1  | PASS  |
| 1120.00  | 58.3     | 51.6                              | V   | 54.0            | 81.6            | -2.4   | PASS  |
| 1120.00  | 57.6     | 49.9                              | Н   | 54.0            | 81.6            | -4.1   | PASS  |
| 1400.00  | 37.5     | 24.4                              | V   | 54.0            | 81.6            | -29.6  | PASS  |
| 1680.00  | 40.1     | 32.1                              | V   | 54.0            | 81.6            | -21.9  | PASS  |
| 1680.00  | 38.8     | 30.8                              | Н   | 54.0            | 81.6            | -23.2  | PASS  |
| 2132.00  | 68.3     | 65.3                              | V   | 54.0            | 81.6            | -16.3  | PASS  |
| 2132.00  | 70.4     | 68.1                              | Н   | 54.0            | 81.6            | -13.5  | PASS  |
| 2240.00  | 53.6     | 51.7                              | V   | 54.0            | 81.6            | -2.3   | PASS  |
| 2240.00  | 50.8     | 48.2                              | Н   | 54.0            | 81.6            | -5.8   | PASS  |
| 2412.00  | 98.4     | 98.4                              | V   | 54.0            | 81.6            |        |       |
| 2412.00  | 101.6    | 101.6                             | Н   | 54.0            | 81.6            |        |       |
| 2520.00  | 42.4     | 31.3                              | V   | 54.0            | 81.6            | -50.3  | PASS  |
| 2800.00  | 47.6     | 42.5                              | V   | 54.0            | 81.6            | -11.5  | PASS  |
| 2800.00  | 47.3     | 41.0                              | Н   | 54.0            | 81.6            | -13.0  | PASS  |
| 4264.00  | 48.9     | 40.3                              | V   | 54.0            | 81.6            | -13.7  | PASS  |
| 4264.00  | 46.0     | 34.6                              | Н   | 54.0            | 81.6            | -19.4  | PASS  |

No other significant emissions were found in the frequency range from 10~MHz to 25~GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.


UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# Transmitter Radiated Emissions Measurements at 3 Meter OFTS GEMTEK PCMCIA WIRELESS LAN CARD, MODEL WL-201 TRANSMIT FREQ.: 2412 MHz, 1 Mb/s BPSK



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
  Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Channel #6, Channel Frequency: 2437 MHz<br>Full Rated Peak Power: 38.1 mW |              |           |         | evel in 1 MHz<br>6.4 dBuV/m | BW: 106.4 dF | BuV/m  |       |  |
|---|--------------|-----------|---------|-----------------------------|--------------|--------|-------|--|
|   | : DSSS, 1Mb/ |           | BPSK    | Limit – 80.4 ubu v/m        |              |        |       |  |
| 1,100   | RF           | RF        | ANTENNA | LIMIT                       | LIMIT        |        |       |  |
| FREQUENCY   | PEAK LEVEL   | AVG LEVEL | PLANE   | 15.209                      | 15.247       | MARGIN | PASS/ |  |
| (MHz)   | (dBuV/m)     | (dBuV/m)  | (H/V)   | (dBuV/m)                    | (dBuV/m)     | (dB)   | FAIL  |  |
| 280.00  | 34.4         | 26.5      | V       | 46.0                        | 86.4         | -19.5  | PASS  |  |
| 280.00  | 29.7         | 20.5      | Н       | 46.0                        | 86.4         | -25.5  | PASS  |  |
| 560.00  | 48.9         | 47.8      | V       | 46.0                        | 86.4         | -38.6  | PASS  |  |
| 560.00  | 48.9         | 47.8      | Н       | 46.0                        | 86.4         | -38.6  | PASS  |  |
| 840.00  | 26.3         | 15.0      | V       | 46.0                        | 86.4         | -71.4  | PASS  |  |
| 840.00  | 31.8         | 22.5      | Н       | 46.0                        | 86.4         | -63.9  | PASS  |  |
| 1120.00   | 58.3         | 51.6      | V       | 54.0                        | 86.4         | -2.4   | PASS  |  |
| 1120.00   | 57.6         | 49.9      | Н       | 54.0                        | 86.4         | -4.1   | PASS  |  |
| 1400.00   | 37.5         | 24.4      | V       | 54.0                        | 86.4         | -29.6  | PASS  |  |
| 1680.00   | 40.1         | 32.1      | V       | 54.0                        | 86.4         | -21.9  | PASS  |  |
| 1680.00   | 38.8         | 30.8      | Н       | 54.0                        | 86.4         | -23.2  | PASS  |  |
| 2157.00   | 69.9         | 68.0      | V       | 54.0                        | 86.4         | -18.4  | PASS  |  |
| 2157.00   | 70.2         | 68.4      | Н       | 54.0                        | 86.4         | -18.0  | PASS  |  |
| 2240.00   | 53.6         | 51.7      | V       | 54.0                        | 86.4         | -2.3   | PASS  |  |
| 2240.00   | 50.8         | 48.2      | Н       | 54.0                        | 86.4         | -5.8   | PASS  |  |
| 2437.00   | 105.8        | 105.8     | V       | 54.0                        | 86.4         |        |       |  |
| 2437.00   | 106.4        | 106.3     | Н       | 54.0                        | 86.4         |        |       |  |
| 2520.00   | 42.4         | 31.3      | V       | 54.0                        | 86.4         | -55.1  | PASS  |  |
| 2800.00   | 47.6         | 42.5      | V       | 54.0                        | 86.4         | -11.5  | PASS  |  |
| 2800.00   | 47.3         | 41.0      | Н       | 54.0                        | 86.4         | -13.0  | PASS  |  |
| 4314.00   | 48.5         | 40.1      | V       | 54.0                        | 86.4         | -13.9  | PASS  |  |
| 4314.00   | 46.8         | 34.8      | Н       | 54.0                        | 86.4         | -19.2  | PASS  |  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.


UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L  $5\mathrm{R2}$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax

Fax. #: 905-569-2480

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# Transmitter Radiated Emissions Measurements at 3 Meter OFTS GEMTEK PCMCIA WIRELESS LAN CARD, MODEL WL-201 TRANSMIT FREQ.: 2437 MHz, 1 Mb/s BPSK



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

| Channel #11, Channel Frequency: 2462 MHz<br>Full Rated Peak Power: 34.4 mW<br>Modulation: DSSS, 1Mb/s Data Rate, BPSK |            |           | Power Level in 1 MHz BW: 92.1 dBuV/m<br>Limit = 72.1 dBuV/m |          |          |        |       |
|---|------------|-----------|---|----------|----------|--------|-------|
| 1/10001   | RF         | RF        | ANTENNA   | LIMIT    | LIMIT    |        |       |
| FREQUENCY   | PEAK LEVEL | AVG LEVEL | PLANE   | 15.209   | 15.247   | MARGIN | PASS/ |
| (MHz)   | (dBuV/m)   | (dBuV/m)  | (H/V)   | (dBuV/m) | (dBuV/m) | (dB)   | FAIL  |
| 280.00  | 34.4       | 26.5      | V   | 46.0     | 72.1     | -19.5  | PASS  |
| 280.00  | 29.7       | 20.5      | Н   | 46.0     | 72.1     | -25.5  | PASS  |
| 560.00  | 48.9       | 47.8      | V   | 46.0     | 72.1     | -24.3  | PASS  |
| 560.00  | 48.9       | 47.8      | Н   | 46.0     | 72.1     | -24.3  | PASS  |
| 840.00  | 26.3       | 15.0      | V   | 46.0     | 72.1     | -57.1  | PASS  |
| 840.00  | 31.8       | 22.5      | Н   | 46.0     | 72.1     | -49.6  | PASS  |
| 1120.00   | 58.3       | 51.6      | V   | 54.0     | 72.1     | -2.4   | PASS  |
| 1120.00   | 57.6       | 49.9      | Н   | 54.0     | 72.1     | -4.1   | PASS  |
| 1400.00   | 37.5       | 24.4      | V   | 54.0     | 72.1     | -29.6  | PASS  |
| 1680.00   | 40.1       | 32.1      | V   | 54.0     | 72.1     | -21.9  | PASS  |
| 1680.00   | 38.8       | 30.8      | Н   | 54.0     | 72.1     | -23.2  | PASS  |
| 2182.00   | 68.2       | 66.4      | V   | 54.0     | 72.1     | -5.7   | PASS  |
| 2182.00   | 70.8       | 69.4      | Н   | 54.0     | 72.1     | -2.7   | PASS  |
| 2240.00   | 53.6       | 51.7      | V   | 54.0     | 72.1     | -2.3   | PASS  |
| 2240.00   | 50.8       | 48.2      | Н   | 54.0     | 72.1     | -5.8   | PASS  |
| 2462.00   | 91.8       | 92.1      | V   | 54.0     | 72.1     |        |       |
| 2462.00   | 91.8       | 91.7      | Н   | 54.0     | 72.1     |        |       |
| 2520.00   | 42.4       | 31.3      | V   | 54.0     | 72.1     | -40.8  | PASS  |
| 2800.00   | 47.6       | 42.5      | V   | 54.0     | 72.1     | -11.5  | PASS  |
| 2800.00   | 47.3       | 41.0      | Н   | 54.0     | 72.1     | -13.0  | PASS  |
| 4364.00   | 47.3       | 35.0      | V   | 54.0     | 72.1     | -19.0  | PASS  |
| 4364.00   | 46.8       | 33.9      | Н   | 54.0     | 72.1     | -20.1  | PASS  |

No other significant emissions were found in the frequency range from 10 MHz to 25 GHz. Refer to attached plots for details

UltraTech Engineering Labs Inc.


UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by  $\boldsymbol{ITI}$  (UK) Competent Body &  $\boldsymbol{NVLAP}$  (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

# Transmitter Radiated Emissions Measurements at 3 Meter OFTS GEMTEK PCMCIA WIRELESS LAN CARD, MODEL WL-201 TRANSMIT FREQ.: 2462 MHz, 1 Mb/s BPSK



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

## 4.5 Transmitted Power Density of a Direct Sequence Spread Spectrum System, FCC CFR 47, Para. 15.247(d)

PRODUCT NAME: PCMCIA WIRELESS LAN CARD, Model No.: WL-201

#### FCC REQUIREMENTS:

For a direct sequence system, the transmitted power density average over any 1 second interval shall not be greater than 8 dBm in any 3 KHz bandwidth within this band.

#### **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%

#### **POWER INPUT:**

Using DC Power from a laptop computer.

#### **TEST EQUIPMENT:**

- Advantest Spectrum Analyzer, Model R3271, S/N: 15050203
- Bird 20 dB Attenuator, 50 Ohm IN/OUT

#### METHOD OF MEASUREMENT:

A scan was made by using a spectrum analyzer with the detector function set to NORMAL mode.

Locate and zoom in on emission peak(s) within the passband. Set RBW = 3 KHz, VBW  $\geq$  RBW, Sweep = SPAN/3 KHz. For example, a span of 1.5 MHz, the sweep should be  $1.6 \times 10^6 / 3.0 \times 10^3 = 500$  seconds. The measured peak level must be no greater than +8 dBm.

- For devices with spectrum line spacing greater than 3 KHz no change is required.
- For devices with spectrum line spacing equal to or less than 3 KHz, the resolution bandwidth must be reduced below 3 KHz until the individual lines in the spectrum are resolved. The measurement data must then be normalized to 3 KHz by summing the power of all the individual spectral lines within 3 KHz band (in linear power units) to determine compliance.
- If the spectrum line spacing cannot be resolved on the available spectrum analyzer, the noise density function on most modern conventional spectrum analyzer will directly measure the noise power density normalized to 1 Hz noise power bandwidth. Add 30 dB for correction to 3 KHz.
- Should all the above fail or any controversy develop regarding accuracy of measurement, the Laboratory will use HP 89440A Vector Signal Analyzer for final measurement unless a clear showing can be made for a further alternate.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 F

Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### **TEST ARRANGEMENT**



**TEST RESULTS**: Conforms.

TEST PERSONNEL: Tri M. Luu, P.Eng.

**DATE:** May 04, 1998

**MEASUREMENT DATA:** 

#### **TEST CONFIGURATION**

- The transmitter was coupled to the Spectrum Analyzer.
- The channel frequencies were established on the extreme edges (both upper and lower) and middle of the 2412 2462 MHz band at its full rated output power. The emissions was investigated up to the tenth harmonic of the fundamental emissions in each case, the measured level of the carrier was recorded and compared to the level of the emissions as required in Part 15.247(d)

| CHANNEL<br>NUMBER | CHANNEL<br>FREQUENCY<br>(MHz) | DATA RATE /<br>MODULATION | RF POWER<br>LEVEL<br>IN 3 KHz BW<br>(dBm) | LIMIT<br>(dBm) | MARGIN<br>(dB) | COMMENTS<br>(PASS/FAIL) |
|-------------------|-------------------------------|---------------------------|---|----------------|----------------|-------------------------|
| 1                 | 2412                          | 2 Mb/s QPSK               | -9.0                                      | 8.0            | -17.0          | PASS                    |
| 6                 | 2437                          | 2 Mb/s QPSK               | -10.9                                     | 8.0            | -18.9          | PASS                    |
| 11                | 2462                          | 2 Mb/s QPSK               | -11.7                                     | 8.0            | -19.7          | PASS                    |
| 1                 | 2412                          | 1 Mb/s BPSK               | -9.3                                      | 8.0            | -17.3          | PASS                    |
| 6                 | 2437                          | 1 Mb/s BPSK               | -11.1                                     | 8.0            | -19.1          | PASS                    |
| 11                | 2462                          | 1 Mb/s BPSK               | -11.4                                     | 8.0            | -19.4          | PASS                    |

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


Tel. #: 905-569-2550

Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2
 Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### 4.6 Processing Gain of A Direct Sequence Spread Spectrum, FCC CFR 47, Para. 15.247(e)

PCMCIA WIRELESS LAN CARD, Model No.: WL-201 **PRODUCT NAME:** 

#### FCC REQUIREMENTS:

The processing gain of a direct sequence system shall be at least 10 dB. The processing gain shall be determined from the ratio in dB of the signal-to-noise ratio with the system spreading code turned off to the signal-to-noise ratio with the system spreading code turned on, as measured at the demodulated output of the receiver.

#### **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%

#### **POWER INPUT:**

Using DC Power from a laptop computer.

#### TEST EQUIPMENT:

- Advantest Spectrum Analyzer, Model R3271, S/N: 15050203
- 3dB & 40 dB Attenuators, 50 Ohm IN/OUT
- Fluke RF Signal Generator, Model 6061A, Freq. range: 10 KHz 1050 MHz.
- HP 8900 RF Peak Power Meter, Measuring Frequency Range: 100 MHz 18 GHz.
- Bert Fireberd 4000 Communication Analyzer

#### **METHOD OF MEASUREMENT:- Jamming Margin Method**

The processing gain may be measured using the CW jamming margin method. Figure 1 shows the test configuration. The test consists of stepping a signal generator in 50 KHZ increments across the passband of the system. At each point, the generator level required to produce the recommended Bit Error Rate (BER) is recorded. This level is jammer level. The output power of the transmitting unit is measured at the same point. The Jammer to Signal (J/S) ratio is then calculated. Discard the worst 20% of the J/S data points. The lowest remaining J/S ratio is used when calculating the Process Gain.

The signal to noise ratio for an ideal differentially coherent detetion of a differentially encoded BPSK receiver can be derived from the Bit Error Probability (Pb) versus Signal-to-Noise ratio. See attached plot for detailed information.

For measurement of the  $(S/N)_0$  we use the Pb of  $1.0 \times 10^{-5}$  minimum.

Ref.: Viterbi, A.J. Principles of Coherent Communications (New York: McGraw-HILL 1966), Pg. 207

Using equation (1) shown above, calculate the signal to noise ratio required for your chosen BER. This value and the measured J/S ratio are used in the following equation to calculate the Process Gain (Gp) of the system.

Gp = (S/N)o + Mj + Lsys

Where:

UltraTech Engineering Labs Inc

<u> UltraTech's File #: G</u>GT-001FTX

- 4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2
- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

(S/N)o: Theoretical signal to noise ratio required to maintain the normal operation just before the

BER appears. In real measurements the maximum error of 0.001 is allowed in an ideal system using their modulation scheme with all codes turned off (i.e. no spreading or

processing gain).

Mj: Maximum jammer to Signal Ratio that recorded at the detected BER.

Lsys: System losses such as non-ideal synchronization, tracking circuitry, non-optimal baseband

receiver filtering and etc... These losses can be in excess of 3 dB for each transmitter and receiver pair. For the purpose of this processing gain calculation we assume a Lsys at its

minimum value of 2 dB.

**<u>Ref.</u>**: Dixon, R, <u>Spread Spectrum Systems</u>. (New York: Wiley, 1984), Chapter 1.

**TEST RESULTS**: Conforms.

TEST PERSONNEL: Tri M. Luu, P.Eng.

**DATE**: May 12, 1998

**MEASUREMENT DATA:** 

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX


Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
 Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)

All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

• Processing gain Gp = (S/N)o + Lsys + Mj = (S/N)o + 2 + Mj



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
   Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

### 4.5 Definitions and Performance of Spectral and Power Efficiency






Figure 4.5.1 Theoretical  $P_e = f(E_B/N_o)$  performance in a stationary additive white Gaussian noise (AWGN) environment. Ideal, linearly amplified coherent BPSK, QPSK, and differentially demodulated DBPSK systems are illustrated. The performance of nonlinearly amplified FQPSK and GMSK is compared to ideal linearly amplified QPSK in Figures 4.3.33 and 4.3.34. (From Proakis, 1989.) See Appendix A.3.

tically equivalent term bit-error rate (BER) is used in applied references and specifications.

Power efficiency of modulated systems is defined as being inversely proportional to the

$$BER = f(C/N)$$

and/or

BER = 
$$f(E_b/N_o)$$

equations and performance curves, where  $E_b$  is the average energy of a modulated bit and  $N_o$  is the noise power spectral density (the noise power in a normalized 1-Hz bandwidth) at the demodulator input. The higher the probability of error, the lower the power efficiency, since transmitted power is "wasted" on more bad data.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

Test Method Employed: Jamming Margin
Test Configuration Mode: QPSK MODULATION, 2 Mb/s Data Rate

Theoretical Process Gain = 11 MHz = 11 numeric or 10.4 dB (2Mb/s)/(2bits/symbol)

Measured The Transmitter's Peak RF Power @ Receiver Input Terminal:: -23.7 dBm

| HEORET | ICAL PROCESS | GAIN : 10.4d | 3      | MIN. MEASURED PROCESSING GAIN: 12.1dB after discarding 18.9% of the worst readings |              |            |           |  |  |
|--------|--------------|--------------|--------|--|--------------|------------|-----------|--|--|
|        | Jammer       |              |        |  | Jammer to    | Measured   | Number of |  |  |
| Test   | Signal Freq. | (BER)        |        | System Loss  | Signal Ratio | Processing | Discard   |  |  |
| Point  | +/- Fc       | (QPSK)       | (S/N)o | Lsys   | Mj           | Gain       | Reading   |  |  |
|        | (MHz)        | x10-5        | (dB)   | (dB)   | (dB)         | (dB)       |           |  |  |
| 1      | -5.00        | 0.1          | 9.6    | 2.0  | 1.6          | 13.2       |           |  |  |
| 2      | -4.95        | 4.2          | 9.1    | 2.0  | 3.7          | 14.8       |           |  |  |
| 3      | -4.90        | 2.4          | 9.3    | 2.0  | 2.7          | 14.0       |           |  |  |
| 4      | -4.85        | 1.3          | 9.5    | 2.0  | 3.2          | 14.7       |           |  |  |
| 5      | -4.80        | 1.4          | 9.4    | 2.0  | 3.0          | 14.4       |           |  |  |
| 6      | -4.75        | 1.8          | 9.4    | 2.0  | 2.6          | 14.0       |           |  |  |
| 7      | -4.70        | 1.1          | 9.5    | 2.0  | 3.1          | 14.6       |           |  |  |
| 8      | -4.65        | 2.3          | 9.3    | 2.0  | 3.5          | 14.8       |           |  |  |
| 9      | -4.60        | 4.1          | 9.1    | 2.0  | 3.4          | 14.5       |           |  |  |
| 10     | -4.55        | 2.1          | 9.4    | 2.0  | 3.8          | 15.2       |           |  |  |
| 11     | -4.50        | 1.9          | 9.4    | 2.0  | 2.7          | 14.1       |           |  |  |
| 12     | -4.45        | 2.3          | 9.3    | 2.0  | 3.8          | 15.1       |           |  |  |
| 13     | -4.40        | 1.4          | 9.4    | 2.0  | 2.9          | 14.3       |           |  |  |
| 14     | -4.35        | 1.5          | 9.4    | 2.0  | 2.7          | 14.1       |           |  |  |
| 15     | -4.30        | 2.3          | 9.3    | 2.0  | 2.9          | 14.2       |           |  |  |
| 16     | -4.25        | 2.2          | 9.4    | 2.0  | 2.6          | 14.0       |           |  |  |
| 17     | -4.20        | 3.1          | 9.2    | 2.0  | 2.8          | 14.0       |           |  |  |
| 18     | -4.15        | 1.8          | 9.4    | 2.0  | 2.5          | 13.9       |           |  |  |
| 19     | -4.10        | 2.0          | 9.4    | 2.0  | 2.4          | 13.8       |           |  |  |
| 20     | -4.05        | 3.2          | 9.2    | 2.0  | 2.9          | 14.1       |           |  |  |
| 21     | -4.00        | 4.3          | 9.1    | 2.0  | 1.6          | 12.7       |           |  |  |
| 22     | -3.95        | 3.2          | 9.2    | 2.0  | 2.8          | 14.0       |           |  |  |
| 23     | -3.90        | 2.3          | 9.3    | 2.0  | 1.9          | 13.2       |           |  |  |
| 24     | -3.85        | 2.1          | 9.4    | 2.0  | 1.7          | 13.1       |           |  |  |
| 25     | -3.80        | 2.8          | 9.3    | 2.0  | 0.9          | 12.2       |           |  |  |
| 26     | -3.75        | 1.9          | 9.4    | 2.0  | 0.8          | 12.2       |           |  |  |
| 27     | -3.70        | 1.0          | 9.5    | 2.0  | 0.2          | 11.7       | 29        |  |  |
| 28     | -3.65        | 2.1          | 9.4    | 2.0  | 0.1          | 11.5       | 27        |  |  |
| 29     | -3.60        | 2.1          | 9.4    | 2.0  | 0.5          | 11.9       | 33        |  |  |
| 30     | -3.55        | 1.9          | 9.4    | 2.0  | 0.3          | 11.7       | 28        |  |  |

Continued ...

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

Tel. #: 905-569-2550 Fax. #:

Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

|       | Jammer       |        |        |             | Jammer to    | Measured   | Number of |
|-------|--------------|--------|--------|-------------|--------------|------------|-----------|
| Test  | Signal Freq. | (BER)  |        | System Loss | Signal Ratio | Processing | Discard   |
| Point | +/- Fc       | (QPSK) | (S/N)o | Lsys        | Mj           | Gain       | Reading   |
|       | (MHz)        | x10-5  | (dB)   | (dB)        | (dB)         | (dB)       |           |
| 31    | -3.50        | 1.2    | 9.5    | 2.0         | -1.5         | 10.0       | 8         |
| 32    | -3.45        | 1.5    | 9.4    | 2.0         | -0.8         | 10.6       | 16        |
| 33    | -3.40        | 2.6    | 9.3    | 2.0         | -0.2         | 11.1       | 23        |
| 34    | -3.35        | 2.4    | 9.3    | 2.0         | -0.7         | 10.6       | 15        |
| 35    | -3.30        | 2.1    | 9.4    | 2.0         | -0.5         | 10.9       | 19        |
| 36    | -3.25        | 1.4    | 9.4    | 2.0         | -0.8         | 10.6       | 17        |
| 37    | -3.20        | 1.9    | 9.4    | 2.0         | -0.4         | 11.0       | 20        |
| 38    | -3.15        | 2.4    | 9.3    | 2.0         | -0.3         | 11.0       | 22        |
| 39    | -3.10        | 2.1    | 9.4    | 2.0         | -0.8         | 10.6       | 14        |
| 40    | -3.05        | 1.3    | 9.5    | 2.0         | -0.1         | 11.4       | 26        |
| 41    | -3.00        | 3.2    | 9.2    | 2.0         | -0.9         | 10.3       | 12        |
| 42    | -2.95        | 1.5    | 9.4    | 2.0         | -0.1         | 11.3       | 25        |
| 43    | -2.90        | 3.2    | 9.2    | 2.0         | 0.7          | 11.9       | 36        |
| 44    | -2.85        | 1.7    | 9.4    | 2.0         | 0.9          | 12.3       |           |
| 45    | -2.80        | 2.4    | 9.3    | 2.0         | 0.6          | 11.9       | 35        |
| 46    | -2.75        | 2.5    | 9.3    | 2.0         | 0.7          | 12.0       | 38        |
| 47    | -2.70        | 2.6    | 9.3    | 2.0         | 1.0          | 12.3       |           |
| 48    | -2.65        | 2.7    | 9.3    | 2.0         | 1.5          | 12.8       |           |
| 49    | -2.60        | 1.8    | 9.4    | 2.0         | 1.5          | 12.9       |           |
| 50    | -2.55        | 2.1    | 9.4    | 2.0         | 1.8          | 13.2       |           |
| 51    | -2.50        | 3.8    | 9.2    | 2.0         | 1.4          | 12.6       |           |
| 52    | -2.45        | 2.4    | 9.3    | 2.0         | 2.7          | 14.0       |           |
| 53    | -2.40        | 1.9    | 9.4    | 2.0         | 3.1          | 14.5       |           |
| 54    | -2.35        | 3.2    | 9.2    | 2.0         | 3.6          | 14.8       |           |
| 55    | -2.30        | 3.2    | 9.2    | 2.0         | 3.5          | 14.7       |           |
| 56    | -2.25        | 3.9    | 9.1    | 2.0         | 3.1          | 14.2       |           |
| 57    | -2.20        | 3.4    | 9.2    | 2.0         | 3.0          | 14.2       |           |
| 58    | -2.15        | 2.4    | 9.3    | 2.0         | 3.2          | 14.5       |           |
| 59    | -2.10        | 1.9    | 9.4    | 2.0         | 4.1          | 15.5       |           |
| 60    | -2.05        | 1.0    | 9.5    | 2.0         | 3.4          | 14.9       |           |
| 61    | -2.00        | 1.3    | 9.5    | 2.0         | 2.7          | 14.2       |           |
| 62    | -1.95        | 1.3    | 9.5    | 2.0         | 3.1          | 14.6       |           |
| 62    | -1.90        | 2.4    | 9.3    | 2.0         | 3.5          | 14.8       |           |
| 64    | -1.85        | 1.8    | 9.4    | 2.0         | 2.4          | 13.8       |           |
| 65    | -1.80        | 3.2    | 9.2    | 2.0         | 2.6          | 13.8       |           |
| 66    | -1.75        | 3.2    | 9.2    | 2.0         | 3.1          | 14.3       |           |
| 67    | -1.70        | 1.7    | 9.4    | 2.0         | 2.8          | 14.2       |           |
| 68    | -1.65        | 1.9    | 9.4    | 2.0         | 2.9          | 14.3       |           |
| 69    | -1.60        | 1.4    | 9.4    | 2.0         | 2.6          | 14.0       |           |

Continued ...

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Test<br>Point | Jammer<br>Signal Freq.<br>+/- Fc | (BER)<br>(QPSK) | (S/N)o | System Loss<br>Lsys | Jammer to Signal Ratio Mj | Measured Processing Gain | Number o<br>Discard<br>Reading |
|---------------|----------------------------------|-----------------|--------|---------------------|---------------------------|--------------------------|--------------------------------|
| 70            | (MHz)                            | x10-5           | (dB)   | (dB)                | (dB)                      | (dB)                     |                                |
| 70            | -1.55                            | 1.2             | 9.5    | 2.0                 | 3.6                       | 15.1                     |                                |
| 71            | -1.50                            | 2.5             | 9.3    | 2.0                 | 2.4                       | 13.7                     |                                |
| 72            | -1.45                            | 2.7             | 9.3    | 2.0                 | 3.8                       | 15.1                     |                                |
| 73            | -1.40                            | 2.1             | 9.4    | 2.0                 | 3.9                       | 15.3                     |                                |
| 74            | -1.35                            | 2.7             | 9.3    | 2.0                 | 3.6                       | 14.9                     |                                |
| 75            | -1.30                            | 2.1             | 9.4    | 2.0                 | 3.5                       | 14.9                     |                                |
| 76            | -1.25                            | 2.1             | 9.4    | 2.0                 | 2.6                       | 14.0                     |                                |
| 77            | -1.20                            | 2.4             | 9.3    | 2.0                 | 2.5                       | 13.8                     |                                |
| 78            | -1.15                            | 3.2             | 9.2    | 2.0                 | 2.8                       | 14.0                     |                                |
| 79            | -1.10                            | 2.7             | 9.3    | 2.0                 | 2.8                       | 14.1                     |                                |
| 80            | -1.05                            | 2.9             | 9.3    | 2.0                 | 2.9                       | 14.2                     |                                |
| 81            | -1.00                            | 3.4             | 9.2    | 2.0                 | 2.1                       | 13.3                     |                                |
| 82            | -0.95                            | 4.2             | 9.1    | 2.0                 | 1.9                       | 13.0                     |                                |
| 83            | -0.90                            | 2.1             | 9.4    | 2.0                 | 1.4                       | 12.8                     |                                |
| 84            | -0.85                            | 2.3             | 9.3    | 2.0                 | 1.6                       | 12.9                     |                                |
| 85            | -0.80                            | 2.4             | 9.3    | 2.0                 | 1.1                       | 12.4                     |                                |
| 86            | -0.75                            | 3.5             | 9.2    | 2.0                 | -0.9                      | 10.3                     | 11                             |
| 87            | -0.70                            | 5.1             | 9.0    | 2.0                 | -1.6                      | 9.4                      | 2                              |
| 88            | -0.65                            | 3.4             | 9.2    | 2.0                 | -1.7                      | 9.5                      | 3                              |
| 89            | -0.65                            | 3.6             | 9.2    | 2.0                 | -1.8                      | 9.4                      | 1                              |
| 90            | -0.60                            | 2.1             | 9.4    | 2.0                 | -0.1                      | 11.3                     | 24                             |
| 91            | -0.55                            | 2.4             | 9.3    | 2.0                 | -1.7                      | 9.6                      | 4                              |
| 92            | -0.50                            | 1.0             | 9.5    | 2.0                 | -1.1                      | 10.4                     | 13                             |
| 93            | -0.45                            | 0.9             | 9.5    | 2.0                 | -0.5                      | 11.0                     | 21                             |
| 94            | -0.40                            | 2.3             | 9.3    | 2.0                 | 0.5                       | 11.8                     | 32                             |
| 95            | -0.35                            | 3.2             | 9.2    | 2.0                 | -1.4                      | 9.8                      | 5                              |
| 96            | -0.30                            | 2.7             | 9.3    | 2.0                 | -1.4                      | 9.9                      | 6                              |
| 97            | -0.25                            | 1.1             | 9.5    | 2.0                 | -0.8                      | 10.7                     | 18                             |
| 98            | -0.20                            | 1.4             | 9.4    | 2.0                 | -1.5                      | 9.9                      | 7                              |
| 99            | -0.15                            | 1.3             | 9.5    | 2.0                 | -1.4                      | 10.1                     | 9                              |
| 100           | -0.10                            | 1.3             | 9.5    | 2.0                 | -1.3                      | 10.2                     | 10                             |
| 101           | -0.05                            | 1.2             | 9.5    | 2.0                 | 0.9                       | 12.4                     |                                |
| 102           | 0.00                             | 2.5             | 9.3    | 2.0                 | 0.6                       | 11.9                     | 34                             |
| 103           | 0.05                             | 4.3             | 9.1    | 2.0                 | 1.5                       | 12.6                     |                                |
| 104           | 0.10                             | 3.1             | 9.2    | 2.0                 | 1.2                       | 12.4                     |                                |
| 105           | 0.15                             | 2.7             | 9.3    | 2.0                 | 1.9                       | 13.2                     |                                |
| 106           | 0.20                             | 2.3             | 9.3    | 2.0                 | 1.6                       | 12.9                     |                                |
| 107           | 0.25                             | 1.9             | 9.4    | 2.0                 | 2.8                       | 14.2                     |                                |
| 108           | 0.30                             | 2.1             | 9.4    | 2.0                 | 2.9                       | 14.3                     |                                |
| 109           | 0.35                             | 1.0             | 9.5    | 2.0                 | 3.8                       | 15.3                     |                                |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Test<br>Point | Jammer<br>Signal Freq.<br>+/- Fc | (BER)<br>(QPSK) | (S/N)o | System Loss<br>Lsys | Jammer to<br>Signal Ratio<br>Mj | Measured<br>Processing<br>Gain | Number of<br>Discard<br>Reading |
|---------------|----------------------------------|-----------------|--------|---------------------|---------------------------------|--------------------------------|---------------------------------|
|               | (MHz)                            | x10-5           | (dB)   | (dB)                | (dB)                            | (dB)                           |                                 |
| 110           | 0.40                             | 1.0             | 9.5    | 2.0                 | 4.9                             | 16.4                           |                                 |
| 111           | 0.45                             | 1.7             | 9.4    | 2.0                 | 4.2                             | 15.6                           |                                 |
| 112           | 0.50                             | 1.6             | 9.4    | 2.0                 | 5.9                             | 17.3                           |                                 |
| 114           | 0.55                             | 2.1             | 9.4    | 2.0                 | 4.8                             | 16.2                           |                                 |
| 115           | 0.60                             | 1.2             | 9.5    | 2.0                 | 5.3                             | 16.8                           |                                 |
| 116           | 0.65                             | 3.6             | 9.2    | 2.0                 | 5.9                             | 17.1                           |                                 |
| 117           | 0.70                             | 2.1             | 9.4    | 2.0                 | 5.3                             | 16.7                           |                                 |
| 118           | 0.75                             | 2.8             | 9.3    | 2.0                 | 5.1                             | 16.4                           |                                 |
| 119           | 0.80                             | 3.4             | 9.2    | 2.0                 | 6.9                             | 18.1                           |                                 |
| 120           | 0.85                             | 2.1             | 9.4    | 2.0                 | 8.1                             | 19.5                           |                                 |
| 121           | 0.90                             | 2.1             | 9.4    | 2.0                 | 7.2                             | 18.6                           |                                 |
| 122           | 0.95                             | 1.5             | 9.4    | 2.0                 | 7.9                             | 19.3                           |                                 |
| 123           | 1.00                             | 1.3             | 9.5    | 2.0                 | 4.7                             | 16.2                           |                                 |
| 123           | 1.05                             | 2.7             | 9.3    | 2.0                 | 7.3                             | 18.6                           |                                 |
| 124           | 1.10                             | 3.2             | 9.2    | 2.0                 | 7.6                             | 18.8                           |                                 |
| 125           | 1.15                             | 0.9             | 9.5    | 2.0                 | 7.5                             | 19.0                           |                                 |
| 126           | 1.20                             | 1.7             | 9.4    | 2.0                 | 7.1                             | 18.5                           |                                 |
| 127           | 1.25                             | 2.8             | 9.3    | 2.0                 | 7.3                             | 18.6                           |                                 |
| 128           | 1.30                             | 3.2             | 9.2    | 2.0                 | 6.9                             | 18.1                           |                                 |
| 129           | 1.35                             | 2.1             | 9.4    | 2.0                 | 7.2                             | 18.6                           |                                 |
| 130           | 1.40                             | 1.0             | 9.5    | 2.0                 | 7.2                             | 18.7                           |                                 |
| 131           | 1.45                             | 1.4             | 9.4    | 2.0                 | 7.1                             | 18.5                           |                                 |
| 132           | 1.50                             | 1.0             | 9.5    | 2.0                 | 6.9                             | 18.4                           |                                 |
| 133           | 1.55                             | 2.1             | 9.4    | 2.0                 | 6.8                             | 18.2                           |                                 |
| 134           | 1.60                             | 2.7             | 9.3    | 2.0                 | 6.7                             | 18.0                           |                                 |
| 135           | 1.65                             | 1.7             | 9.4    | 2.0                 | 7.9                             | 19.3                           |                                 |
| 136           | 1.70                             | 1.6             | 9.4    | 2.0                 | 4.5                             | 15.9                           |                                 |
| 137           | 1.75                             | 1.0             | 9.5    | 2.0                 | 3.2                             | 14.7                           |                                 |
| 138           | 1.80                             | 3.2             | 9.2    | 2.0                 | 2.9                             | 14.1                           |                                 |
| 139           | 1.85                             | 3.1             | 9.2    | 2.0                 | 2.7                             | 13.9                           |                                 |
| 140           | 1.90                             | 2.1             | 9.4    | 2.0                 | 2.9                             | 14.3                           |                                 |
| 141           | 1.95                             | 2.1             | 9.4    | 2.0                 | 2.5                             | 13.9                           |                                 |
| 142           | 2.00                             | 1.2             | 9.5    | 2.0                 | 2.1                             | 13.6                           |                                 |
| 143           | 2.05                             | 1.7             | 9.4    | 2.0                 | 1.5                             | 12.9                           |                                 |
| 144           | 2.10                             | 1.9             | 9.4    | 2.0                 | 1.9                             | 13.3                           |                                 |
| 145           | 2.15                             | 1.2             | 9.5    | 2.0                 | 1.8                             | 13.3                           |                                 |
| 146           | 2.20                             | 2.3             | 9.3    | 2.0                 | 0.8                             | 12.1                           |                                 |
| 147           | 2.25                             | 4.3             | 9.1    | 2.0                 | 0.7                             | 11.8                           | 30                              |
| 148           | 2.30                             | 4.5             | 9.1    | 2.0                 | 1.8                             | 12.9                           |                                 |
| 149           | 2.35                             | 2.1             | 9.4    | 2.0                 | 1.9                             | 13.3                           |                                 |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Test<br>Point | Jammer<br>Signal Freq.<br>+/- Fc<br>(MHz) | (BER)<br>(QPSK)<br>x10-5 | (S/N)o<br>(dB) | System Loss<br>Lsys<br>(dB) | Jammer to<br>Signal Ratio<br>Mj<br>(dB) | Measured<br>Processing<br>Gain<br>(dB) | Number of<br>Discard<br>Reading |
|---------------|---|--------------------------|----------------|-----------------------------|---|--|---------------------------------|
| 150           | 2.40                                      | 1.9                      | 9.4            | 2.0                         | 2.6                                     | 14.0                                   |                                 |
| 151           | 2.45                                      | 2.3                      | 9.3            | 2.0                         | 0.6                                     | 11.9                                   | 37                              |
| 152           | 2.50                                      | 2.4                      | 9.3            | 2.0                         | 0.8                                     | 12.1                                   |                                 |
| 153           | 2.55                                      | 4.2                      | 9.1            | 2.0                         | 2.7                                     | 13.8                                   |                                 |
| 154           | 2.60                                      | 2.0                      | 9.4            | 2.0                         | 1.9                                     | 13.3                                   |                                 |
| 155           | 2.65                                      | 1.3                      | 9.5            | 2.0                         | 2.3                                     | 13.8                                   |                                 |
| 156           | 2.70                                      | 1.0                      | 9.5            | 2.0                         | 2.4                                     | 13.9                                   |                                 |
| 157           | 2.75                                      | 1.2                      | 9.5            | 2.0                         | 2.5                                     | 14.0                                   |                                 |
| 158           | 2.80                                      | 2.3                      | 9.3            | 2.0                         | 2.7                                     | 14.0                                   |                                 |
| 159           | 2.85                                      | 2.6                      | 9.3            | 2.0                         | 3.4                                     | 14.7                                   |                                 |
| 160           | 2.90                                      | 1.3                      | 9.5            | 2.0                         | 2.1                                     | 13.6                                   |                                 |
| 161           | 3.00                                      | 1.8                      | 9.4            | 2.0                         | 2.8                                     | 14.2                                   |                                 |
| 162           | 3.05                                      | 1.4                      | 9.4            | 2.0                         | 2.8                                     | 14.2                                   |                                 |
| 163           | 3.10                                      | 1.6                      | 9.4            | 2.0                         | 2.8                                     | 14.2                                   |                                 |
| 164           | 3.15                                      | 1.3                      | 9.5            | 2.0                         | 3.6                                     | 15.1                                   |                                 |
| 165           | 3.20                                      | 1.8                      | 9.4            | 2.0                         | 3.8                                     | 15.2                                   |                                 |
| 166           | 3.25                                      | 1.7                      | 9.4            | 2.0                         | 3.1                                     | 14.5                                   |                                 |
| 167           | 3.30                                      | 1.5                      | 9.4            | 2.0                         | 3.2                                     | 14.6                                   |                                 |
| 168           | 3.35                                      | 1.7                      | 9.4            | 2.0                         | 2.9                                     | 14.3                                   |                                 |
| 169           | 3.40                                      | 1.0                      | 9.5            | 2.0                         | 2.7                                     | 14.2                                   |                                 |
| 170           | 3.45                                      | 1.9                      | 9.4            | 2.0                         | 3.8                                     | 15.2                                   |                                 |
| 171           | 3.50                                      | 2.4                      | 9.3            | 2.0                         | 2.7                                     | 14.0                                   |                                 |
| 172           | 3.55                                      | 3.7                      | 9.2            | 2.0                         | 3.5                                     | 14.7                                   |                                 |
| 173           | 3.60                                      | 1.7                      | 9.4            | 2.0                         | 3.9                                     | 15.3                                   |                                 |
| 174           | 3.65                                      | 2.4                      | 9.3            | 2.0                         | 3.7                                     | 15.0                                   |                                 |
| 175           | 3.70                                      | 2.8                      | 9.3            | 2.0                         | 2.6                                     | 13.9                                   |                                 |
| 176           | 3.75                                      | 1.3                      | 9.5            | 2.0                         | 2.9                                     | 14.4                                   |                                 |
| 177           | 3.80                                      | 1.3                      | 9.5            | 2.0                         | 2.8                                     | 14.3                                   |                                 |
| 178           | 3.85                                      | 3.9                      | 9.1            | 2.0                         | 2.6                                     | 13.7                                   |                                 |
| 179           | 3.90                                      | 0.8                      | 9.5            | 2.0                         | 2.8                                     | 14.3                                   |                                 |
| 180           | 3.95                                      | 0.7                      | 9.5            | 2.0                         | 3.1                                     | 14.6                                   |                                 |
| 181           | 4.00                                      | 1.9                      | 9.4            | 2.0                         | 2.5                                     | 13.9                                   |                                 |
| 182           | 4.05                                      | 1.3                      | 9.5            | 2.0                         | 4.1                                     | 15.6                                   |                                 |
| 183           | 4.10                                      | 1.0                      | 9.5            | 2.0                         | 3.7                                     | 15.2                                   |                                 |
| 184           | 4.15                                      | 3.8                      | 9.2            | 2.0                         | 3.2                                     | 14.4                                   |                                 |
| 185           | 4.20                                      | 1.0                      | 9.5            | 2.0                         | 2.9                                     | 14.4                                   |                                 |
| 186           | 4.25                                      | 1.5                      | 9.4            | 2.0                         | 3.8                                     | 15.2                                   |                                 |
| 187           | 4.30                                      | 1.0                      | 9.5            | 2.0                         | 3.7                                     | 15.2                                   |                                 |
| 188           | 4.35                                      | 3.1                      | 9.2            | 2.0                         | 3.5                                     | 14.7                                   |                                 |
| 189           | 4.40                                      | 3.6                      | 9.2            | 2.0                         | 3.7                                     | 14.9                                   |                                 |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Test<br>Point | Jammer<br>Signal Freq.<br>+/- Fc | (BER)<br>(QPSK) | (S/N)o | System Loss<br>Lsys | Jammer to<br>Signal Ratio<br>Mj | Measured Processing Gain | Number of<br>Discard<br>Reading |
|---------------|----------------------------------|-----------------|--------|---------------------|---------------------------------|--------------------------|---------------------------------|
| 1 Ollit       | (MHz)                            | x10-5           | (dB)   | (dB)                | (dB)                            | (dB)                     | Reading                         |
| 190           | 4.45                             | 1.3             | 9.5    | 2.0                 | 3.1                             | 14.6                     |                                 |
| 191           | 4.50                             | 1.9             | 9.4    | 2.0                 | 0.7                             | 12.1                     |                                 |
| 192           | 4.55                             | 2.8             | 9.3    | 2.0                 | 0.9                             | 12.2                     |                                 |
| 193           | 4.60                             | 3.1             | 9.2    | 2.0                 | 0.9                             | 12.1                     |                                 |
| 194           | 4.65                             | 1.8             | 9.4    | 2.0                 | 0.8                             | 12.2                     |                                 |
| 195           | 4.70                             | 1.0             | 9.5    | 2.0                 | 1.6                             | 13.1                     |                                 |
| 196           | 4.75                             | 1.1             | 9.5    | 2.0                 | 0.8                             | 12.3                     |                                 |
| 197           | 4.80                             | 1.1             | 9.5    | 2.0                 | 0.8                             | 12.3                     |                                 |
| 198           | 4.85                             | 2.0             | 9.4    | 2.0                 | 0.9                             | 12.3                     |                                 |
| 199           | 4.90                             | 2.0             | 9.4    | 2.0                 | 1.2                             | 12.6                     |                                 |
| 200           | 4.95                             | 1.0             | 9.5    | 2.0                 | 1.9                             | 13.4                     |                                 |
| 201           | 5.00                             | 4.3             | 9.1    | 2.0                 | 0.7                             | 11.8                     | 31                              |

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

# Test Method Employed: Jamming Margin Test Configuration Mode: BPSK MODULATION, 1 Mb/s Data Rate

Theoretical Process Gain =  $\frac{5.5 \text{ Mchips/symbol}}{(1\text{Mb/s})/(2\text{bits/symbol})}$  = 11 numeric or 10.4 dB (1Mb/s)/(2bits/symbol)

Measured The Transmitter's Peak RF Power @ Receiver Input Terminal:: -23.7 dBm

| LORET | ICAL PROCESS | GAIN : 10.4dE | 5      | MIN. MEASURED PROCESSING GAIN: 12.1 dB after discarding 19.4% of the worst readings |              |            |          |  |
|-------|--------------|---------------|--------|---|--------------|------------|----------|--|
|       | Jammer       |               |        | disc  | Jammer to    | Measured   | Number o |  |
| Test  | Signal Freq. | (BER)         |        | System Loss   | Signal Ratio | Processing | Discard  |  |
| Point | +/- Fc       | (BPSK)        | (S/N)o | Lsys  | Mj           | Gain       | Reading  |  |
|       | (MHz)        | x10-5         | (dB)   | (dB)  | (dB)         | (dB)       |          |  |
| 1     | -5.00        | 1.3           | 9.5    | 2.0   | 1.6          | 13.1       |          |  |
| 2     | -4.95        | 2.6           | 9.3    | 2.0   | 3.7          | 15.0       |          |  |
| 3     | -4.90        | 2.1           | 9.4    | 2.0   | 2.7          | 14.1       |          |  |
| 4     | -4.85        | 2.3           | 9.3    | 2.0   | 3.2          | 14.5       |          |  |
| 5     | -4.80        | 1.2           | 9.5    | 2.0   | 3.0          | 14.5       |          |  |
| 6     | -4.75        | 2.0           | 9.4    | 2.0   | 2.6          | 14.0       |          |  |
| 7     | -4.70        | 1.5           | 9.4    | 2.0   | 3.1          | 14.5       |          |  |
| 8     | -4.65        | 3.8           | 9.2    | 2.0   | 3.5          | 14.7       |          |  |
| 9     | -4.60        | 3.4           | 9.2    | 2.0   | 3.4          | 14.6       |          |  |
| 10    | -4.55        | 1.6           | 9.4    | 2.0   | 3.8          | 15.2       |          |  |
| 11    | -4.50        | 2.0           | 9.4    | 2.0   | 2.7          | 14.1       |          |  |
| 12    | -4.45        | 2.1           | 9.4    | 2.0   | 3.8          | 15.2       |          |  |
| 13    | -4.40        | 1.2           | 9.5    | 2.0   | 2.9          | 14.4       |          |  |
| 14    | -4.35        | 3.3           | 9.2    | 2.0   | 2.7          | 13.9       |          |  |
| 15    | -4.30        | 1.7           | 9.4    | 2.0   | 2.9          | 14.3       |          |  |
| 16    | -4.25        | 2.0           | 9.4    | 2.0   | 2.6          | 14.0       |          |  |
| 17    | -4.20        | 2.1           | 9.4    | 2.0   | 2.8          | 14.2       |          |  |
| 18    | -4.15        | 1.8           | 9.4    | 2.0   | 2.5          | 13.9       |          |  |
| 19    | -4.10        | 2.4           | 9.3    | 2.0   | 2.4          | 13.7       |          |  |
| 20    | -4.05        | 2.1           | 9.4    | 2.0   | 2.9          | 14.3       |          |  |
| 21    | -4.00        | 3.0           | 9.3    | 2.0   | 1.6          | 12.9       |          |  |
| 22    | -3.95        | 3.3           | 9.2    | 2.0   | 2.8          | 14.0       |          |  |
| 23    | -3.90        | 1.6           | 9.4    | 2.0   | 1.9          | 13.3       |          |  |
| 24    | -3.85        | 2.4           | 9.3    | 2.0   | 1.7          | 13.0       |          |  |
| 25    | -3.80        | 1.9           | 9.4    | 2.0   | 0.9          | 12.3       |          |  |
| 26    | -3.75        | 2.6           | 9.3    | 2.0   | 0.8          | 12.1       |          |  |
| 27    | -3.70        | 1.0           | 9.5    | 2.0   | 0.2          | 11.7       | 28       |  |
| 28    | -3.65        | 3.2           | 9.2    | 2.0   | 0.1          | 11.3       | 26       |  |
| 29    | -3.60        | 3.0           | 9.3    | 2.0   | 0.5          | 11.8       | 30       |  |
| 30    | -3.55        | 1.5           | 9.4    | 2.0   | 0.3          | 11.7       | 29       |  |
| 31    | -3.50        | 1.1           | 9.5    | 2.0   | -1.5         | 10.0       | 8        |  |
| 32    | -3.45        | 1.9           | 9.4    | 2.0   | -0.8         | 10.6       | 17       |  |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Test<br>Point | Jammer<br>Signal Freq.<br>+/- Fc | (BER)<br>(BPSK) | (S/N)o | System Loss<br>Lsys | Jammer to<br>Signal Ratio<br>Mj | Measured Processing Gain | Number of Discard Reading |
|---------------|----------------------------------|-----------------|--------|---------------------|---------------------------------|--------------------------|---------------------------|
|               | (MHz)                            | X10-5           | (dB)   | (dB)                | (dB)                            | (dB)                     |                           |
| 33            | -3.40                            | 2.2             | 9.4    | 2.0                 | -0.2                            | 11.2                     | 23                        |
| 34            | -3.35                            | 2.0             | 9.4    | 2.0                 | -0.7                            | 10.7                     | 18                        |
| 35            | -3.30                            | 1.7             | 9.4    | 2.0                 | -0.5                            | 10.9                     | 19                        |
| 36            | -3.25                            | 2.1             | 9.4    | 2.0                 | -0.8                            | 10.6                     | 15                        |
| 37            | -3.20                            | 2.2             | 9.4    | 2.0                 | -0.4                            | 11.0                     | 20                        |
| 38            | -3.15                            | 2.2             | 9.4    | 2.0                 | -0.3                            | 11.1                     | 22                        |
| 39            | -3.10                            | 3.5             | 9.2    | 2.0                 | -0.8                            | 10.4                     | 14                        |
| 40            | -3.05                            | 1.2             | 9.5    | 2.0                 | -0.1                            | 11.4                     | 27                        |
| 41            | -3.00                            | 3.8             | 9.2    | 2.0                 | -0.9                            | 10.3                     | 12                        |
| 42            | -2.95                            | 1.7             | 9.4    | 2.0                 | -0.1                            | 11.3                     | 25                        |
| 43            | -2.90                            | 2.1             | 9.4    | 2.0                 | 0.7                             | 12.1                     |                           |
| 44            | -2.85                            | 2.1             | 9.4    | 2.0                 | 0.9                             | 12.3                     |                           |
| 45            | -2.80                            | 3.2             | 9.2    | 2.0                 | 0.6                             | 11.8                     | 31                        |
| 46            | -2.75                            | 3.0             | 9.3    | 2.0                 | 0.7                             | 12.0                     | 35                        |
| 47            | -2.70                            | 3.4             | 9.2    | 2.0                 | 1.0                             | 12.2                     |                           |
| 48            | -2.65                            | 1.8             | 9.4    | 2.0                 | 1.5                             | 12.9                     |                           |
| 49            | -2.60                            | 1.4             | 9.4    | 2.0                 | 1.5                             | 12.9                     |                           |
| 50            | -2.55                            | 1.6             | 9.4    | 2.0                 | 1.8                             | 13.2                     |                           |
| 51            | -2.50                            | 3.3             | 9.2    | 2.0                 | 1.4                             | 12.6                     |                           |
| 52            | -2.45                            | 3.3             | 9.2    | 2.0                 | 2.7                             | 13.9                     |                           |
| 53            | -2.40                            | 1.5             | 9.4    | 2.0                 | 3.1                             | 14.5                     |                           |
| 54            | -2.35                            | 2.7             | 9.3    | 2.0                 | 3.6                             | 14.9                     |                           |
| 55            | -2.30                            | 2.1             | 9.4    | 2.0                 | 3.5                             | 14.9                     |                           |
| 56            | -2.25                            | 3.0             | 9.3    | 2.0                 | 3.1                             | 14.4                     |                           |
| 57            | -2.20                            | 3.4             | 9.2    | 2.0                 | 3.0                             | 14.2                     |                           |
| 58            | -2.15                            | 2.2             | 9.4    | 2.0                 | 3.2                             | 14.6                     |                           |
| 59            | -2.10                            | 1.8             | 9.4    | 2.0                 | 4.1                             | 15.5                     |                           |
| 60            | -2.05                            | 1.4             | 9.4    | 2.0                 | 3.4                             | 14.8                     |                           |
| 61            | -2.00                            | 1.1             | 9.5    | 2.0                 | 2.7                             | 14.2                     |                           |
| 62            | -1.95                            | 1.3             | 9.5    | 2.0                 | 3.1                             | 14.6                     |                           |
| 62            | -1.90                            | 2.7             | 9.3    | 2.0                 | 3.5                             | 14.8                     |                           |
| 64            | -1.85                            | 3.0             | 9.3    | 2.0                 | 2.4                             | 13.7                     |                           |
| 65            | -1.80                            | 3.2             | 9.2    | 2.0                 | 2.6                             | 13.8                     |                           |
| 66            | -1.75                            | 2.0             | 9.4    | 2.0                 | 3.1                             | 14.5                     |                           |
| 67            | -1.70                            | 3.0             | 9.3    | 2.0                 | 2.8                             | 14.1                     |                           |
| 68            | -1.65                            | 1.9             | 9.4    | 2.0                 | 2.9                             | 14.3                     |                           |
| 69            | -1.60                            | 2.0             | 9.4    | 2.0                 | 2.6                             | 14.0                     |                           |
| 70            | -1.55                            | 1.1             | 9.5    | 2.0                 | 3.6                             | 15.1                     |                           |
| 71            | -1.50                            | 1.8             | 9.4    | 2.0                 | 2.4                             | 13.8                     |                           |
| 72            | -1.45                            | 1.9             | 9.4    | 2.0                 | 3.8                             | 15.2                     |                           |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

|       | Jammer       |        |        |             | Jammer to    | Measured   | Number of |
|-------|--------------|--------|--------|-------------|--------------|------------|-----------|
| Test  | Signal Freq. | (BER)  |        | System Loss | Signal Ratio | Processing | Discard   |
| Point | +/- Fc       | (BPSK) | (S/N)o | Lsys        | Mj           | Gain       | Reading   |
|       | (MHz)        | x10-5  | (dB)   | (dB)        | (dB)         | (dB)       |           |
| 73    | -1.40        | 1.5    | 9.4    | 2.0         | 3.9          | 15.3       |           |
| 74    | -1.35        | 3.5    | 9.2    | 2.0         | 3.6          | 14.8       |           |
| 75    | -1.30        | 1.9    | 9.4    | 2.0         | 3.5          | 14.9       |           |
| 76    | -1.25        | 3.5    | 9.2    | 2.0         | 2.6          | 13.8       |           |
| 77    | -1.20        | 2.7    | 9.3    | 2.0         | 2.5          | 13.8       |           |
| 78    | -1.15        | 2.4    | 9.3    | 2.0         | 2.8          | 14.1       |           |
| 79    | -1.10        | 1.9    | 9.4    | 2.0         | 2.8          | 14.2       |           |
| 80    | -1.05        | 2.3    | 9.3    | 2.0         | 2.9          | 14.2       |           |
| 81    | -1.00        | 4.2    | 9.1    | 2.0         | 2.1          | 13.2       |           |
| 82    | -0.95        | 2.6    | 9.3    | 2.0         | 1.9          | 13.2       |           |
| 83    | -0.90        | 3.3    | 9.2    | 2.0         | 1.4          | 12.6       |           |
| 84    | -0.85        | 1.9    | 9.4    | 2.0         | 1.6          | 13.0       |           |
| 85    | -0.80        | 1.7    | 9.4    | 2.0         | 1.1          | 12.5       |           |
| 86    | -0.75        | 3.6    | 9.2    | 2.0         | -0.9         | 10.3       | 13        |
| 87    | -0.70        | 3.1    | 9.2    | 2.0         | -1.6         | 9.6        | 2         |
| 88    | -0.65        | 2.2    | 9.4    | 2.0         | -1.7         | 9.7        | 3         |
| 89    | -0.65        | 2.3    | 9.3    | 2.0         | -1.8         | 9.5        | 1         |
| 90    | -0.60        | 2.1    | 9.4    | 2.0         | -0.1         | 11.3       | 24        |
| 91    | -0.55        | 1.6    | 9.4    | 2.0         | -1.7         | 9.7        | 4         |
| 92    | -0.50        | 2.3    | 9.3    | 2.0         | -1.1         | 10.2       | 11        |
| 93    | -0.45        | 1.1    | 9.5    | 2.0         | -0.5         | 11.0       | 21        |
| 94    | -0.40        | 2.1    | 9.4    | 2.0         | 0.5          | 11.9       | 32        |
| 95    | -0.35        | 2.1    | 9.4    | 2.0         | -1.4         | 10.0       | 6         |
| 96    | -0.30        | 1.9    | 9.4    | 2.0         | -1.4         | 10.0       | 7         |
| 97    | -0.25        | 2.0    | 9.4    | 2.0         | -0.8         | 10.6       | 16        |
| 98    | -0.20        | 1.5    | 9.4    | 2.0         | -1.5         | 9.9        | 5         |
| 99    | -0.15        | 1.0    | 9.5    | 2.0         | -1.4         | 10.1       | 10        |
| 100   | -0.10        | 2.1    | 9.4    | 2.0         | -1.3         | 10.1       | 9         |
| 101   | -0.05        | 1.2    | 9.5    | 2.0         | 0.9          | 12.4       |           |
| 102   | 0.00         | 2.3    | 9.3    | 2.0         | 0.6          | 11.9       | 34        |
| 103   | 0.05         | 3.2    | 9.2    | 2.0         | 1.5          | 12.7       |           |
| 104   | 0.10         | 2.0    | 9.4    | 2.0         | 1.2          | 12.6       |           |
| 105   | 0.15         | 3.7    | 9.2    | 2.0         | 1.9          | 13.1       |           |
| 106   | 0.20         | 3.3    | 9.2    | 2.0         | 1.6          | 12.8       |           |
| 107   | 0.25         | 3.0    | 9.3    | 2.0         | 2.8          | 14.1       |           |
| 108   | 0.30         | 1.8    | 9.4    | 2.0         | 2.9          | 14.3       |           |
| 109   | 0.35         | 1.7    | 9.4    | 2.0         | 3.8          | 15.2       |           |
| 110   | 0.40         | 1.7    | 9.4    | 2.0         | 4.9          | 16.3       |           |
| 111   | 0.45         | 2.6    | 9.3    | 2.0         | 4.2          | 15.5       |           |
| 112   | 0.50         | 1.3    | 9.5    | 2.0         | 5.9          | 17.4       |           |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by **FCC** (USA), **Industry Canada** (Canada), **Austel** (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

|       | Jammer       |        |        |             | Jammer to    | Measured   | Number of |
|-------|--------------|--------|--------|-------------|--------------|------------|-----------|
| Test  | Signal Freq. | (BER)  |        | System Loss | Signal Ratio | Processing | Discard   |
| Point | +/- Fc       | (BPSK) | (S/N)o | Lsys        | Mj           | Gain       | Reading   |
|       | (MHz)        | x10-5  | (dB)   | (dB)        | (dB)         | (dB)       |           |
| 114   | 0.55         | 1.6    | 9.4    | 2.0         | 4.8          | 16.2       |           |
| 115   | 0.60         | 1.5    | 9.4    | 2.0         | 5.3          | 16.7       |           |
| 116   | 0.65         | 3.1    | 9.2    | 2.0         | 5.9          | 17.1       |           |
| 117   | 0.70         | 3.0    | 9.3    | 2.0         | 5.3          | 16.6       |           |
| 118   | 0.75         | 1.8    | 9.4    | 2.0         | 5.1          | 16.5       |           |
| 119   | 0.80         | 2.2    | 9.4    | 2.0         | 6.9          | 18.3       |           |
| 120   | 0.85         | 2.0    | 9.4    | 2.0         | 8.1          | 19.5       |           |
| 121   | 0.90         | 3.4    | 9.2    | 2.0         | 7.2          | 18.4       |           |
| 122   | 0.95         | 2.4    | 9.3    | 2.0         | 7.9          | 19.2       |           |
| 123   | 1.00         | 1.1    | 9.5    | 2.0         | 4.7          | 16.2       |           |
| 123   | 1.05         | 1.8    | 9.4    | 2.0         | 7.3          | 18.7       |           |
| 124   | 1.10         | 3.5    | 9.2    | 2.0         | 7.6          | 18.8       |           |
| 125   | 1.15         | 1.3    | 9.5    | 2.0         | 7.5          | 19.0       |           |
| 126   | 1.20         | 1.4    | 9.5    | 2.0         | 7.1          | 18.6       |           |
| 127   | 1.25         | 1.7    | 9.4    | 2.0         | 7.3          | 18.7       |           |
| 128   | 1.30         | 2.1    | 9.4    | 2.0         | 6.9          | 18.3       |           |
| 129   | 1.35         | 1.6    | 9.4    | 2.0         | 7.2          | 18.6       |           |
| 130   | 1.40         | 1.0    | 9.5    | 2.0         | 7.2          | 18.7       |           |
| 131   | 1.45         | 1.7    | 9.4    | 2.0         | 7.1          | 18.5       |           |
| 132   | 1.50         | 2.5    | 9.3    | 2.0         | 6.9          | 18.2       |           |
| 133   | 1.55         | 2.9    | 9.3    | 2.0         | 6.8          | 18.1       |           |
| 134   | 1.60         | 2.4    | 9.3    | 2.0         | 6.7          | 18.0       |           |
| 135   | 1.65         | 1.6    | 9.4    | 2.0         | 7.9          | 19.3       |           |
| 136   | 1.70         | 2.2    | 9.4    | 2.0         | 4.5          | 15.9       |           |
| 137   | 1.75         | 1.3    | 9.5    | 2.0         | 3.2          | 14.7       |           |
| 138   | 1.80         | 2.1    | 9.4    | 2.0         | 2.9          | 14.3       |           |
| 139   | 1.85         | 2.1    | 9.4    | 2.0         | 2.7          | 14.1       |           |
| 140   | 1.90         | 1.8    | 9.4    | 2.0         | 2.9          | 14.3       |           |
| 141   | 1.95         | 1.6    | 9.4    | 2.0         | 2.5          | 13.9       |           |
| 142   | 2.00         | 1.8    | 9.4    | 2.0         | 2.1          | 13.5       |           |
| 143   | 2.05         | 1.5    | 9.4    | 2.0         | 1.5          | 12.9       |           |
| 144   | 2.10         | 1.5    | 9.4    | 2.0         | 1.9          | 13.3       |           |
| 145   | 2.15         | 3.6    | 9.2    | 2.0         | 1.8          | 13.0       |           |
| 146   | 2.20         | 1.9    | 9.4    | 2.0         | 0.8          | 12.2       |           |
| 147   | 2.25         | 3.6    | 9.2    | 2.0         | 0.7          | 11.9       | 33        |
| 148   | 2.30         | 4.1    | 9.1    | 2.0         | 1.8          | 12.9       |           |
| 149   | 2.35         | 2.0    | 9.4    | 2.0         | 1.9          | 13.3       |           |
| 150   | 2.40         | 1.5    | 9.4    | 2.0         | 2.6          | 14.0       |           |
| 151   | 2.45         | 1.8    | 9.4    | 2.0         | 0.6          | 12.0       | 37        |
| 152   | 2.50         | 1.7    | 9.4    | 2.0         | 0.8          | 12.2       |           |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

| Test  | Jammer<br>Signal Freq. | (BER)  |        | System Loss | Jammer to<br>Signal Ratio | Measured<br>Processing | Number of<br>Discard |
|-------|------------------------|--------|--------|-------------|---------------------------|------------------------|----------------------|
| Point | +/- Fc                 | (BPSK) | (S/N)o | Lsys        | Mj                        | Gain                   | Reading              |
|       | (MHz)                  | x10-5  | (dB)   | (dB)        | (dB)                      | (dB)                   |                      |
| 153   | 2.55                   | 4.4    | 9.1    | 2.0         | 2.7                       | 13.8                   |                      |
| 154   | 2.60                   | 1.4    | 9.4    | 2.0         | 1.9                       | 13.3                   |                      |
| 155   | 2.65                   | 1.8    | 9.4    | 2.0         | 2.3                       | 13.7                   |                      |
| 156   | 2.70                   | 2.2    | 9.4    | 2.0         | 2.4                       | 13.8                   |                      |
| 157   | 2.75                   | 2.2    | 9.4    | 2.0         | 2.5                       | 13.9                   |                      |
| 158   | 2.80                   | 4.3    | 9.1    | 2.0         | 2.7                       | 13.8                   |                      |
| 159   | 2.85                   | 1.8    | 9.4    | 2.0         | 3.4                       | 14.8                   |                      |
| 160   | 2.90                   | 1.2    | 9.5    | 2.0         | 2.1                       | 13.6                   |                      |
| 161   | 3.00                   | 1.4    | 9.4    | 2.0         | 2.8                       | 14.2                   |                      |
| 162   | 3.05                   | 3.0    | 9.3    | 2.0         | 2.8                       | 14.1                   |                      |
| 163   | 3.10                   | 1.5    | 9.4    | 2.0         | 2.8                       | 14.2                   |                      |
| 164   | 3.15                   | 3.0    | 9.3    | 2.0         | 3.6                       | 14.9                   |                      |
| 165   | 3.20                   | 1.9    | 9.4    | 2.0         | 3.8                       | 15.2                   |                      |
| 166   | 3.25                   | 1.4    | 9.5    | 2.0         | 3.1                       | 14.6                   |                      |
| 167   | 3.30                   | 1.6    | 9.4    | 2.0         | 3.2                       | 14.6                   |                      |
| 168   | 3.35                   | 1.4    | 9.5    | 2.0         | 2.9                       | 14.4                   |                      |
| 169   | 3.40                   | 0.9    | 9.5    | 2.0         | 2.7                       | 14.2                   |                      |
| 170   | 3.45                   | 3.3    | 9.2    | 2.0         | 3.8                       | 15.0                   |                      |
| 171   | 3.50                   | 2.0    | 9.4    | 2.0         | 2.7                       | 14.1                   |                      |
| 172   | 3.55                   | 2.2    | 9.4    | 2.0         | 3.5                       | 14.9                   |                      |
| 173   | 3.60                   | 1.9    | 9.4    | 2.0         | 3.9                       | 15.3                   |                      |
| 174   | 3.65                   | 3.6    | 9.2    | 2.0         | 3.7                       | 14.9                   |                      |
| 175   | 3.70                   | 3.2    | 9.2    | 2.0         | 2.6                       | 13.8                   |                      |
| 176   | 3.75                   | 1.1    | 9.5    | 2.0         | 2.9                       | 14.4                   |                      |
| 177   | 3.80                   | 1.2    | 9.5    | 2.0         | 2.8                       | 14.3                   |                      |
| 178   | 3.85                   | 2.8    | 9.3    | 2.0         | 2.6                       | 13.9                   |                      |
| 179   | 3.90                   | 2.9    | 9.3    | 2.0         | 2.8                       | 14.1                   |                      |
| 180   | 3.95                   | 1.6    | 9.4    | 2.0         | 3.1                       | 14.5                   |                      |
| 181   | 4.00                   | 2.6    | 9.3    | 2.0         | 2.5                       | 13.8                   |                      |
| 182   | 4.05                   | 2.2    | 9.4    | 2.0         | 4.1                       | 15.5                   |                      |
| 183   | 4.10                   | 1.1    | 9.5    | 2.0         | 3.7                       | 15.2                   |                      |
| 184   | 4.15                   | 2.4    | 9.3    | 2.0         | 3.2                       | 14.5                   |                      |
| 185   | 4.20                   | 1.0    | 9.5    | 2.0         | 2.9                       | 14.4                   |                      |
| 186   | 4.25                   | 1.3    | 9.5    | 2.0         | 3.8                       | 15.3                   |                      |
| 187   | 4.30                   | 2.0    | 9.4    | 2.0         | 3.7                       | 15.1                   |                      |
| 188   | 4.35                   | 3.6    | 9.2    | 2.0         | 3.5                       | 14.7                   |                      |
| 189   | 4.40                   | 4.3    | 9.1    | 2.0         | 3.7                       | 14.8                   |                      |
| 190   | 4.45                   | 2.6    | 9.3    | 2.0         | 3.1                       | 14.4                   |                      |
| 191   | 4.50                   | 2.7    | 9.3    | 2.0         | 0.7                       | 12.0                   | 36                   |
| 192   | 4.55                   | 1.9    | 9.4    | 2.0         | 0.9                       | 12.3                   |                      |

Continued

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

• Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

|       | Jammer       |        |        |             | Jammer to    | Measured   | Number of |
|-------|--------------|--------|--------|-------------|--------------|------------|-----------|
| Test  | Signal Freq. | (BER)  |        | System Loss | Signal Ratio | Processing | Discard   |
| Point | +/- Fc       | (BPSK) | (S/N)o | Lsys        | Mj           | Gain       | Reading   |
|       | (MHz)        | x10-5  | (dB)   | (dB)        | (dB)         | (dB)       |           |
| 193   | 4.60         | 2.0    | 9.4    | 2.0         | 0.9          | 12.3       |           |
| 194   | 4.65         | 2.5    | 9.3    | 2.0         | 0.8          | 12.1       |           |
| 195   | 4.70         | 0.9    | 9.5    | 2.0         | 1.6          | 13.1       |           |
| 196   | 4.75         | 2.7    | 9.3    | 2.0         | 0.8          | 12.1       |           |
| 197   | 4.80         | 3.2    | 9.2    | 2.0         | 0.8          | 12.0       | 39        |
| 198   | 4.85         | 1.5    | 9.4    | 2.0         | 0.9          | 12.3       |           |
| 199   | 4.90         | 1.5    | 9.4    | 2.0         | 1.2          | 12.6       |           |
| 200   | 4.95         | 1.0    | 9.5    | 2.0         | 1.9          | 13.4       |           |
| 201   | 5.00         | 2.5    | 9.3    | 2.0         | 0.7          | 12.0       | 38        |

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### 4.7 AC Powerline Conducted Emissions, FCC CFR 47, Para. 15.107(a)

**PRODUCT NAME**: PCMCIA WIRELESS LAN CARD, Model No.: WL-201

NAME OF TEST: **AC Powerline Conducted Emissions.** 

#### FCC LIMIT:

The RF voltage conducted back onto the public utility lines shall not exceed 250 uV or 48.0 dBuV measured from 450 KHz to 30 MHz.

#### **CLIMATE CONDITION:**

Standard Temperature and Humidity: 23°C and 53%

#### **POWER INPUT**:

Using DC Power from a laptop computer.

#### **TEST EQUIPMENT**:

- Advantest R3271 Spectrum Analyzer, Frequency Range: 100Hz-26.5GHz, with built-in Peak, Quasi-Peak and Average Detectors.
- HP 11947A Transient Limiter, HP, Model 11947A, Frequency Range: 9KHz-200MHz, Attenuation: 10dB.
- HP 7475 Plotter
- EMCO 3825/2 LISN, Frequency Range: 9KHz-200MHz
- RF Shielded Enclosure (12x16x12 feet)

#### **METHOD OF MEASUREMENTS:**

Refer to ANSI C63.4-1992.

**TEST RESULTS**: Conforms.

TEST PERSONNEL: Hung Trinh, EMI Technician

**DATE**: May 7, 1998

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

#### PCMCIA WIRELESS LAN CARD, Model WL-201 MEASUREMENT DATA

FCC ID: MXF-WL201

#### **AC POWER-LINE CONDUCTED EMISSIONS**

#### **REMARKS**


- All rf emissions from 450 KHz to 30 MHz were scanned, and eight highest emission levels were recorded. See attached plots.
- P: Peak Detector, 10 KHz RBW,  $VBW \ge RBW$
- Q: CISPR QUAŚI-PEAK, 9 KHz RBW, VBW ≥ RBW
- QP/BB: for broadband emission (QP level  $A\overline{V}G$  level > 6 dB); the recorded level was QP level less 13 dB.

|           | RF     | RECEIVER   | QP/NB  | QP/BB  |        |       | LINE    |
|-----------|--------|------------|--------|--------|--------|-------|---------|
| FREQUENCY | LEVEL  | DETECTOR   | LIMIT  | LIMIT  | MARGIN | PASS/ | TESTED  |
| (MHz)     | (dBuV) | (P/QP/AVG) | (dBuV) | (dBuV) | (dB)   | FAIL  | (L1/L2) |
| 10.800    | 38.2   | QP         | 48.0   | 61.0   | -9.8   | PASS  | L1      |
| 16.600    | 40.9   | QP         | 48.0   | 61.0   | -7.1   | PASS  | L1      |
|           |        |            |        |        |        |       |         |
| 11.500    | 38.1   | QP         | 48.0   | 61.0   | -9.9   | PASS  | L2      |
| 16.200    | 40.5   | QP         | 48.0   | 61.0   | -7.5   | PASS  | L2      |

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

- 4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2
- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)




UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)



UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

 $4181\ Sladeview\ Cres., Unit\ 33, Mississauga, Ontario,\ Canada\ L5L\ 5R2$ 

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### 5. EXHIBIT 5 - GENERAL TEST PROCEDURES

#### 5.1 AC Powerline Conducted Emissions Measurements - General Test Method

- AC Powerline Conducted Emissions were performed in the shielded room, 16'(L) by 12'(W) by 12'(H).
- Conducted power-line measurements were made over the frequency range from 450 KHz to 30 MHz to determine
  the line-to-ground radio noise voltage which was conducted from the EUT power-input terminals that were directly
  connected to a public power network.
- The EUT normally received power from another device that connects to the public utility ac power lines, measurements would be made on that device with the EUT in operation to ensure that the device continues to comply with the appropriate limits while providing the EUT with power.
- If the EUT was operates only from internal or dedicated batteries, with no provisions for connection to the public utility ac power lines, ac power-line conducted measurements are not required.
- Table-top devices were placed on a platform of nominal size 1 m by 1.5m raised 80 cm above the conducting ground plane.
- The EUT current-carrying power lead, except the ground (safety) lead, was individually connected through a LISN
  to the power source. All unused 50-Ohm connectors of the LISN was terminated in 50-ohm when not connected to
  the measuring instruments.
- The line cord of the EUT connected to one LISN which was connected to the measuring instrument. Those power cords for the units of devices not under measurement were connected to a separate multiple ac outlets. Drawings and photographs of typically conducted emission test setups were shown in the Test Report. Each current-carrying conductor of the EUT shall be individually tested.
- The EUT was normally operated with a ground (safety) connection, the EUT was connected to the ground at the LISN through a conductor provided in the lead from the ac power mains to the LISN.
- The excess length of the power cord was folded back and forth in an 8-shape on a wooden strip with a vertical prong located on the top of the LISN case.
- The EUT was set-up in its typical configuration and operated in its various modes as described in 3.2 of the test report.
- A preliminary scan was made by using spectrum analyzer system with the detector function set to PEAK mode (10 KHz RBW, VBW ≥ RBW), frequency span 450KHz-30MHz.
- The maximum conducted emission for a given mode of operation was found by using the following step-by-step procedure:
  - Step1. Monitor the frequency range of interest at a fixed EUT azimuth.
  - Step2. Manipulate the system cables and peripheral devices to produce highest amplitude signal relative to the limit. Note the amplitude and frequency of the suspect signal.
  - Step3. The effects of various modes of operation is examined. This is done by varying equipment operation modes as step 2 is being performed.
  - Step4. After completing step 1 through 3, record EUT and peripheral device configuration, mode of operation, cable configuration, signal levels and frequencies for final test.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by **ITI** (UK) Competent Body & **NVLAP** (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

- Each highest signal level at the maximized test configuration was zoomed in a small frequency span on the
  spectrum analyzer's display (the manipulation of cables and peripheral devices and EUT operation modes might
  have to be repeated to obtain the highest signal level with the spectrum analyzer set to PEAK detector mode 10
  KHz RBW and VBW > RBW). The spectrum analyzer was then set to CISPR QUASI-PEAK detector mode (9 KHz
  RBW, 1 MHz VBW) and the final highest RF signal level and frequency was record.
- **Broad-band ac Powerline conducted emissions**:- If the EUT exhibits ac Powerline conducted emissions that exceed the limit with the instrument set to the quasi-peak mode, then measurements should be made in the average mode. If the amplitude measured in the quasi-peak mode is at least 6 dB higher than the amplitude measured in the average mode, the level measured in quasi peak mode may be reduced by 13 dB before comparing it to the limit.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L  $5\mathrm{R2}$ 

Tel. #: 905-569-2550 Fax. #: 905-569-2480

Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body

- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### 5.2 Electrical Field Radiated Emissions Measurements - General Test Method

- The radiated emission measurements were performed at the UltraTech's 3 Meter Open Field Test Site (OFTS) situated in the Town of Oakville, province of Ontario. The Attenuation Characteristics of OFTS have been filed to FCC.
- Radiated emissions measurements were made using the following test instruments:
  - 1) Calibrated EMCO active loop antenna in the frequency range from 10 KHz to 1 MHz
  - 2) Calibrated EMCO biconilog antenna in the frequency range from 30 MHz to 2000 MHz.
  - 3) Calibrated A.H. Systems log periodic antenna in the frequency range above 1000 MHz (1GHz 18 GHz).
  - 4) Horn Antennas:
    - a) Horn Antenna, Emco, Model 3160-09, 18-26.5GHz
    - b) Horn Antenna, Emco, Model 3160-10, 26.5-40GHz
    - c) Mixer, Tektronix, P/N 118-0098-00, 18-26.5GHz
    - d) Mixer, Tektronix, P/N 119-0098-00, 26.5-40GHz
    - e) Mixer, HP, P/N R3434A, 12.4-18GHz
    - f) Mixer, HP, P/N R3434B, 18-26.5GHz
    - g) Mixer, HP, P/N R3434C, 26.5-40GHz
  - 5) Calibrated Advantest spectrum analyzer and pre-selector/pre-amplifier. In general, the spectrum analyzer would be used as follows:
    - The rf electric field levels were measured with the spectrum analyzer set to PEAK detector (1 KHz RBW and 1 KHz VBW for frequency below 30 MHz, 100 KHz RBW and VBW ≥ RBW for Frequency below 1 GHz and 1 MHz RBW and 1 MHz VBW for frequency greater than 1 GHz).
    - If any rf emission was observed to be a broadband noise, the spectrum analyzer's CISPR QUASI-PEAK detector (120 KHz RBW and 1MHz VBW) was then set to measure the signal level.
    - If the signal being measured was narrowband and the ambient field was broadband, the bandwidth of the spectrum analyzer was reduced.
- The EUT was set-up in its typical configuration and operated in its various modes as described in 3.2 of the test report.
- The frequencies of emissions was first detected. Then the amplitude of the emissions was measured at the specified measurement distance using required antenna height, polarization, and detector characteristics.
- During this process, cables and peripheral devices were manipulated within the range of likely configuration.
- For each mode of operation required to be tested, the frequency spectrum was monitored. Variations in antenna heights (from 1 meter to 4 meters above the ground plane), antenna polarization (horizontal plane and vertical plane), cable placement and peripheral placement (each variable within bounds specified elsewhere) were explored to produce the highest amplitude signal relative to the limit.

The maximum radiated emission for a given mode of operation was found by using the following step-by-step procedure:

Step1: Monitor the frequency range of interest at a fixed antenna height and EUT azimuth.

Step2: Manipulate the system cables to produce highest amplitude signal relative to the limit. Note the amplitude and frequency of the suspect signal.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
- Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

- Step3: Rotate the EUT 360 degrees to maximize the suspected highest amplitude signal. If the signal or another at a different frequency is observed to exceed the previously noted highest amplitude signal by 1 dB or more, go back to the azimuth and repeat Step 2. Otherwise, orient the EUT azimuth to repeat the highest amplitude observation and proceed.
- Step4: Move the antenna over its full allowed range of travel (1 to 4 meters) to maximize the suspected highest amplitude signal. If the signal or another at a different frequency is observed to exceed the previously noted highest amplitude signal by 1 dB or more, return to Step 2 with the highest amplitude observation and proceed.
- Step5: Change the polarization of the antenna and repeat Step 2 through 4. Compare the resulting suspected highest amplitude signal with that found for the other polarization. Select and note the higher of the two signals. This signal is termed the highest observed signal with respect to the limit for this EUT operational mode.
- Step6: The effects of various modes of operation is examined. This is done by varying the equipment modes as steps 2 through 5 are being performed.
- Step7: After completing steps 1 through 6, record the final highest emission level, frequency, antenna polarization and detector mode of the measuring instrument.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
   Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### **Calculation of Field Strength:**

The field strength is calculated by adding the calibrated antenna factor and cable factor, and subtracting the Amplifier gain (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CF - AG$$

Where FS = Field Strength

RA = Receiver/Analyzer Reading

AF = Antenna Factor

CF = Cable Attenuation Factor

AG = Amplifier Gain

**Example**: If a receiver reading of 60.0 dBuV is obtained, the antenna factor of 7.0 dB/m and cable factor of 1.0 dB are added, and the amplifier gain of 30 dB is subtracted. The actual field strength will be:.

Field Level in dBuV/m = 60 + 7.0 + 1.0 - 30 = 38.0 dBuV/m.

Field Level in  $uV/m = 10^{(38/20)} = 79.43 \text{ uV/m}.$ 

<u>Notes</u>: The frequency and amplitude of at least six highest conducted emissions relative to the limit are recorded unless such emissions are more than 20 dB below the limit. If less than six emissions are within 20dB of

the limit, the background or receiver noise level shall be reported at representative frequencies.

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
   Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)

FCC ID: MXF-WL201

#### 6. EXHIBIT 6 - INFORMATION RELATED TO EQUIPMENT UNDER TESTS

#### 6.1 FCC ID Labeling and Sketch of FCC Label Location

Refer to the attached file "fccform.doc"

### 6.2 Photographs of Equipment under Test

External photos, refer to the attached files: pic00002.jpg, pic00003.jpg
Internal photos, refer to the attached files: pic00004.jpg, pic00005.jpg, pic00006.jpg, pic00007.jpg

#### 6.3 System Block Diagram(s)

Refer to the attached file "blockd.doc"

#### 6.4 Schematic Diagrams and Part Lists

Refer to the attached files schem1.jpq, schem2.jpg, schem3.jpg, schem4.jpg

#### 6.5 User's Manual with "FCC Information to User Statements"

Refer to the attached file wl201men.doc

UltraTech Engineering Labs Inc.

UltraTech's File #: GGT-001FTX

Tel. #: 905-569-2550 Fax. #: 905-569-2480

4181 Sladeview Cres., Unit 33, Mississauga, Ontario, Canada L5L 5R2

- Accredited by ITI (UK) Competent Body & NVLAP (USA) Accreditation Body
   Recognized/Listed by FCC (USA), Industry Canada (Canada), Austel (Australia)
- All test results contained in this engineering test report are traceable to National Institute of Standards and Technology (NIST)