


Band 41_LTE_15MHz+15MHz_Nss1,64QAM

EBW


C#2503.5MHz,#2518.5MHz_64QAM_RB 75,#RB 0+RB 75,#RB 0



Band 41_LTE_15MHz+15MHz_Nss1,64QAM

EBW


C#2585.5MHz,#2600.5MHz_64QAM_RB 75,#RB 0+RB 75,#RB 0



Band 41_LTE_15MHz+15MHz_Nss1,64QAM

EBW


C#2667.5MHz,#2682.5MHz_64QAM_RB 75,#RB 0+RB 75,#RB 0



Band 41_LTE_15MHz+20MHz_Nss1,QPSK

EBW


C#2503.8MHz,#2520.9MHz_QPSK_RB 75,#RB 0+RB 100,#RB 0



Band 41_LTE_15MHz+20MHz_Nss1,QPSK

EBW

C#2583.3MHz,#2600.4MHz_QPSK_RB 75,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 34.168M | 2.575887G | 2.610054G | 32.582M | 2.57665G | 2.609233G | 1 | 2.5931G | 86.5M | 360k | 1.1M |

Band 41_LTE_15MHz+20MHz_Nss1,QPSK

EBW

C#2662.9MHz,#2680MHz_QPSK_RB 75,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 34.081M | 2.655443G | 2.689524G | 32.583M | 2.656222G | 2.688805G | 1 | 2.6727G | 86.5M | 360k | 1.1M |

Band 41_LTE_15MHz+20MHz_Nss1,16QAM

EBW

C#2503.8MHz,#2520.9MHz_16QAM_RB 75,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 34.081M | 2.49643G | 2.530511G | 32.569M | 2.497188G | 2.529756G | 1 | 2.5136G | 86.5M | 360k | 1.1M |

Band 41_LTE_15MHz+20MHz_Nss1,16QAM

EBW

C#2583.3MHz,#2600.4MHz_16QAM_RB 75,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 34.081M | 2.575887G | 2.609968G | 32.523M | 2.576698G | 2.609222G | 1 | 2.5931G | 86.5M | 360k | 1.1M |

Band 41_LTE_15MHz+20MHz_Nss1,16QAM

EBW

C#2662.9MHz,#2680MHz_16QAM_RB 75,#RB 0+RB 100,#RB 0




| 26dB(Hz) | F1-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | F1-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 34.081M | 2.65553G | 2.689611G | 32.564M | 2.656272G | 2.688836G | 1 | 2.6727G | 86.5M | 360k | 1.1M |

Band 41_LTE_15MHz+20MHz_Nss1,64QAM

EBW

C#2503.8MHz,#2520.9MHz_64QAM_RB 75,#RB 0+RB 100,#RB 0




| 26dB(Hz) | F1-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | F1-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 34.081M | 2.496343G | 2.530424G | 32.535M | 2.497191G | 2.529725G | 1 | 2.5136G | 86.5M | 360k | 1.1M |

Band 41_LTE_15MHz+20MHz_Nss1,64QAM

EBW


C#2583.3MHz,#2600.4MHz_64QAM_RB 75,#RB 0+RB 100,#RB 0



Band 41_LTE_15MHz+20MHz_Nss1,64QAM

EBW


C#2662.9MHz,#2680MHz_64QAM_RB 75,#RB 0+RB 100,#RB 0



Band 41_LTE_20MHz+5MHz_Nss1,QPSK

EBW

C#2506MHz,#2517.7MHz_QPSK_RB 100,#RB 0+RB 25,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 24.321M | 2.496454G | 2.520775G | 22.803M | 2.497166G | 2.51997G | 1 | 2.5081G | 60.5M | 270k | 820k |

Band 41_LTE_20MHz+5MHz_Nss1,QPSK

EBW

C#2590.5MHz,#2602.2MHz_QPSK_RB 100,#RB 0+RB 25,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 24.412M | 2.581014G | 2.605426G | 22.838M | 2.581636G | 2.604473G | 1 | 2.5926G | 60.5M | 270k | 820k |

Band 41_LTE_20MHz+5MHz_Nss1,QPSK

EBW

C#2675MHz,#2686.7MHz_QPSK_RB 100,#RB 0+RB 25,#RB 0




| 26dB(Hz) | F1-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | F1-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 24.291M | 2.665484G | 2.689775G | 22.834M | 2.666138G | 2.688973G | 1 | 2.6771G | 60.5M | 270k | 820k |

Band 41_LTE_20MHz+5MHz_Nss1,16QAM

EBW

C#2506MHz,#2517.7MHz_16QAM_RB 100,#RB 0+RB 25,#RB 0




| 26dB(Hz) | F1-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | F1-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 23.928M | 2.496635G | 2.520563G | 22.785M | 2.49719G | 2.519974G | 1 | 2.5081G | 60.5M | 270k | 820k |

Band 41_LTE_20MHz+5MHz_Nss1,16QAM

EBW


C#2590.5MHz,#2602.2MHz_16QAM_RB 100,#RB 0+RB 25,#RB 0



Band 41_LTE_20MHz+5MHz_Nss1,16QAM

EBW


C#2675MHz,#2686.7MHz_16QAM_RB 100,#RB 0+RB 25,#RB 0



Band 41_LTE_20MHz+5MHz_Nss1,64QAM

EBW

C#2506MHz,#2517.7MHz_64QAM_RB 100,#RB 0+RB 25,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 23.867M | 2.496635G | 2.520503G | 22.78M | 2.497214G | 2.519994G | 1 | 2.5081G | 60.5M | 270k | 820k |

Band 41_LTE_20MHz+5MHz_Nss1,64QAM

EBW

C#2590.5MHz,#2602.2MHz_64QAM_RB 100,#RB 0+RB 25,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 23.867M | 2.581166G | 2.605033G | 22.794M | 2.581675G | 2.60447G | 1 | 2.5926G | 60.5M | 270k | 820k |

Band 41_LTE_20MHz+5MHz_Nss1,64QAM

EBW


C#2675MHz,#2686.7MHz_64QAM_RB 100,#RB 0+RB 25,#RB 0



Band 41_LTE_20MHz+10MHz_Nss1,QPSK

EBW


C#2506MHz,#2520.4MHz_QPSK_RB 100,#RB 0+RB 50,#RB 0



Band 41_LTE_20MHz+10MHz_Nss1,QPSK

EBW

C#2588.1MHz,#2602.5MHz_QPSK_RB 100,#RB 0+RB 50,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 29.033M | 2.578431G | 2.607463G | 27.675M | 2.579144G | 2.606818G | 1 | 2.5928G | 73.5M | 300k | 1M |

Band 41_LTE_20MHz+10MHz_Nss1,QPSK

EBW

C#2670.1MHz,#2684.5MHz_QPSK_RB 100,#RB 0+RB 50,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 29.253M | 2.660284G | 2.689537G | 27.659M | 2.661262G | 2.688921G | 1 | 2.6748G | 73.5M | 300k | 1M |

Band 41_LTE_20MHz+10MHz_Nss1,16QAM

EBW


C#2506MHz,#2520.4MHz_16QAM_RB 100,#RB 0+RB 50,#RB 0



Band 41_LTE_20MHz+10MHz_Nss1,16QAM

EBW


C#2588.1MHz,#2602.5MHz_16QAM_RB 100,#RB 0+RB 50,#RB 0



Band 41_LTE_20MHz+10MHz_Nss1,16QAM

EBW


C#2670.1MHz,#2684.5MHz_16QAM_RB 100,#RB 0+RB 50,#RB 0



Band 41_LTE_20MHz+10MHz_Nss1,64QAM

EBW


C#2506MHz,#2520.4MHz_64QAM_RB 100,#RB 0+RB 50,#RB 0



Band 41_LTE_20MHz+10MHz_Nss1,64QAM

EBW

C#2588.1MHz,#2602.5MHz_64QAM_RB 100,#RB 0+RB 50,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 28.849M | 2.578578G | 2.607427G | 27.652M | 2.579181G | 2.606833G | 1 | 2.5928G | 73.5M | 300k | 1M |

Band 41_LTE_20MHz+10MHz_Nss1,64QAM

EBW

C#2670.1MHz,#2684.5MHz_64QAM_RB 100,#RB 0+RB 50,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 28.922M | 2.660651G | 2.689574G | 27.634M | 2.661302G | 2.688935G | 1 | 2.6748G | 73.5M | 300k | 1M |

Band 41_LTE_20MHz+15MHz_Nss1,QPSK

EBW


C#2506MHz,#2523.1MHz_QPSK_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,QPSK

EBW


C#2585.6MHz,#2602.7MHz_QPSK_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,QPSK

EBW


C#2665.1MHz,#2682.2MHz_QPSK_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,16QAM

EBW


C#2506MHz,#2523.1MHz_16QAM_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,16QAM

EBW


C#2585.6MHz,#2602.7MHz_16QAM_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,16QAM

EBW


C#2665.1MHz,#2682.2MHz_16QAM_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,64QAM

EBW


C#2506MHz,#2523.1MHz_64QAM_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,64QAM

EBW


C#2585.6MHz,#2602.7MHz_64QAM_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+15MHz_Nss1,64QAM

EBW


C#2665.1MHz,#2682.2MHz_64QAM_RB 100,#RB 0+RB 75,#RB 0



Band 41_LTE_20MHz+20MHz_Nss1,QPSK

EBW


C#2506MHz,#2525.8MHz_QPSK_RB 100,#RB 0+RB 100,#RB 0



Band 41_LTE_20MHz+20MHz_Nss1,QPSK

EBW

C#2583.1MHz,#2602.9MHz_QPSK_RB 100,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|--------|----------|---------|---------|
| 40.099M | 2.572553G | 2.612651G | 37.539M | 2.574218G | 2.611758G | 1 | 2.593G | 99.5M | 430k | 1.3M |

Band 41_LTE_20MHz+20MHz_Nss1,QPSK

EBW

C#2660.2MHz,#2680MHz_QPSK_RB 100,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 40.298M | 2.649305G | 2.689602G | 37.475M | 2.651344G | 2.688819G | 1 | 2.6701G | 99.5M | 430k | 1.3M |

Band 41_LTE_20MHz+20MHz_Nss1,16QAM

EBW


C#2506MHz,#2525.8MHz_16QAM_RB 100,#RB 0+RB 100,#RB 0



Band 41_LTE_20MHz+20MHz_Nss1,16QAM

EBW


C#2583.1MHz,#2602.9MHz_16QAM_RB 100,#RB 0+RB 100,#RB 0



Band 41_LTE_20MHz+20MHz_Nss1,16QAM

EBW


C#2660.2MHz,#2680MHz_16QAM_RB 100,#RB 0+RB 100,#RB 0



Band 41_LTE_20MHz+20MHz_Nss1,64QAM

EBW


C#2506MHz,#2525.8MHz_64QAM_RB 100,#RB 0+RB 100,#RB 0



Band 41_LTE_20MHz+20MHz_Nss1,64QAM

EBW

C#2583.1MHz,#2602.9MHz_64QAM_RB 100,#RB 0+RB 100,#RB 0




| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|--------|----------|---------|---------|
| 39.054M | 2.573448G | 2.612502G | 37.407M | 2.574263G | 2.611671G | 1 | 2.593G | 99.5M | 430k | 1.3M |

Band 41_LTE_20MHz+20MHz_Nss1,64QAM

EBW

C#2660.2MHz,#2680MHz_64QAM_RB 100,#RB 0+RB 100,#RB 0



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Port | CF(Hz) | Span(Hz) | RBW(Hz) | VBW(Hz) |
|----------|-------------|-------------|---------|------------|------------|------|---------|----------|---------|---------|
| 39.104M | 2.650499G | 2.689602G | 37.391M | 2.651379G | 2.688771G | 1 | 2.6701G | 99.5M | 430k | 1.3M |

3.6 Frequency Stability


3.6.1 Limit of Frequency Stability

The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation

3.6.2 Test Procedures

1. EUT was placed at temperature chamber and connected to an external power supply.
2. Temperature and voltage condition shall be tested to confirm frequency stability.
3. Temperature range is from -40~55°C and voltage range is from lowest to highest working voltage.
4. Tem Link up EUT and simulator. Confirm frequency drift value of simulator and record it.

3.6.3 Test Setup



3.6.4 Test Result of Frequency Stability (CDD Mode)

Channel Bandwidth: 5MHz

| Frequency: 2593.0 MHz | | Frequency Drift (ppm) |
|-----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.01 |
| T20°CVmin | | 0.01 |
| T55°CVnom | | 0.02 |
| T50°CVnom | | 0.02 |
| T40°CVnom | | 0.01 |
| T30°CVnom | | 0.02 |
| T20°CVnom | | 0.01 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.02 |
| T-10°CVnom | | 0.02 |
| T-20°CVnom | | 0.02 |
| T-30°CVnom | | 0.01 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10MHz

| Frequency: 2593.0 MHz | | Frequency Error (ppm) |
|-----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.01 |
| T20°CVmin | | 0.02 |
| T55°CVnom | | 0.01 |
| T50°CVnom | | 0.02 |
| T40°CVnom | | 0.01 |
| T30°CVnom | | 0.02 |
| T20°CVnom | | 0.01 |
| T10°CVnom | | 0.02 |
| T0°CVnom | | 0.01 |
| T-10°CVnom | | 0.02 |
| T-20°CVnom | | 0.01 |
| T-30°CVnom | | 0.01 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15MHz

| Frequency: 2593.0 MHz | | Frequency Error (ppm) |
|-----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.02 |
| T20°CVmin | | 0.01 |
| T55°CVnom | | 0.02 |
| T50°CVnom | | 0.01 |
| T40°CVnom | | 0.01 |
| T30°CVnom | | 0.02 |
| T20°CVnom | | 0.02 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.01 |
| T-10°CVnom | | 0.02 |
| T-20°CVnom | | 0.02 |
| T-30°CVnom | | 0.01 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20MHz

| Frequency: 2593.0 MHz | | Frequency Error (ppm) |
|-----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.01 |
| T20°CVmin | | 0.01 |
| T55°CVnom | | 0.02 |
| T50°CVnom | | 0.01 |
| T40°CVnom | | 0.02 |
| T30°CVnom | | 0.02 |
| T20°CVnom | | 0.01 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.02 |
| T-10°CVnom | | 0.02 |
| T-20°CVnom | | 0.02 |
| T-30°CVnom | | 0.01 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

3.6.5 Test Result of Frequency Stability (Non Contiguous CA Mode)

Channel Bandwidth: 5+5MHz, 1Carrier-PCC

| Frequency 2498.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+5MHz, 2Carrier-PCC

| Frequency 2687.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+10MHz, 1Carrier-PCC

| Frequency 2498.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+10MHz, 2Carrier-PCC

| Frequency 2685 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+15MHz, 1Carrier-PCC

| Frequency 2498.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+15MHz, 2Carrier-PCC

| Frequency 2682.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+20MHz, 1Carrier-PCC

| Frequency 2498.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+20MHz, 2Carrier-PCC

| Frequency 2680 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+5MHz, 1Carrier-PCC

| Frequency 2501 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+5MHz, 2Carrier-PCC

| Frequency 2687.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+10MHz, 1Carrier-PCC

| Frequency 2501 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+10MHz, 2Carrier-PCC

| Frequency 2685 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+15MHz, 1Carrier-PCC

| Frequency 2501 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+15MHz, 2Carrier-PCC

| Frequency 2682.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+20MHz, 1Carrier-PCC

| Frequency 2501 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+20MHz, 2Carrier-PCC

| Frequency 2680 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+5MHz, 1Carrier-PCC

| Frequency 2503.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+5MHz, 2Carrier-PCC

| Frequency 2687.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+10MHz, 1Carrier-PCC

| Frequency 2503.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+10MHz, 2Carrier-PCC

| Frequency 2685 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+15MHz, 1Carrier-PCC

| Frequency 2503.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+15MHz, 2Carrier-PCC

| Frequency 2682.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+20MHz, 1Carrier-PCC

| Frequency 2503.5 MHz | | Frequency Error (ppm) |
|----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.02 |
| T20°CVmin | | 0.01 |
| T55°CVnom | | 0.02 |
| T50°CVnom | | 0.01 |
| T40°CVnom | | 0.02 |
| T30°CVnom | | 0.02 |
| T20°CVnom | | 0.01 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.02 |
| T-10°CVnom | | 0.01 |
| T-20°CVnom | | 0.01 |
| T-30°CVnom | | 0.02 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+20MHz, 2Carrier-PCC

| Frequency 2680 MHz | | Frequency Error (ppm) |
|--------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.02 |
| T20°CVmin | | 0.01 |
| T55°CVnom | | 0.02 |
| T50°CVnom | | 0.01 |
| T40°CVnom | | 0.02 |
| T30°CVnom | | 0.02 |
| T20°CVnom | | 0.01 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.02 |
| T-10°CVnom | | 0.01 |
| T-20°CVnom | | 0.01 |
| T-30°CVnom | | 0.02 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+5MHz, 1Carrier-PCC

| Frequency 2506 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+5MHz, 2Carrier-PCC

| Frequency 2687.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+10MHz, 1Carrier-PCC

| Frequency 2506 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+10MHz, 2Carrier-PCC

| Frequency 2685 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+15MHz, 1Carrier-PCC

| Frequency 2506 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+15MHz, 2Carrier-PCC

| Frequency 2682.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+20MHz, 1Carrier-PCC

| Frequency 2506 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+20MHz, 2Carrier-PCC

| Frequency 2680 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

3.6.6 Test Result of Frequency Stability (Contiguous CA Mode)

Channel Bandwidth: 5+20MHz, 1Carrier-PCC

| Frequency 2583.8 MHz | | Frequency Error (ppm) |
|----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.01 |
| T20°CVmin | | 0.02 |
| T55°CVnom | | 0.02 |
| T50°CVnom | | 0.02 |
| T40°CVnom | | 0.01 |
| T30°CVnom | | 0.01 |
| T20°CVnom | | 0.02 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.01 |
| T-10°CVnom | | 0.02 |
| T-20°CVnom | | 0.01 |
| T-30°CVnom | | 0.02 |
| T-40°CVnom | | 0.01 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 5+20MHz, 2Carrier-PCC

| Frequency 2595.5 MHz | | Frequency Error (ppm) |
|----------------------|-----------------|-----------------------|
| Temperature (°C) | | |
| T20°CVmax | | 0.02 |
| T20°CVmin | | 0.01 |
| T55°CVnom | | 0.01 |
| T50°CVnom | | 0.01 |
| T40°CVnom | | 0.02 |
| T30°CVnom | | 0.01 |
| T20°CVnom | | 0.02 |
| T10°CVnom | | 0.01 |
| T0°CVnom | | 0.01 |
| T-10°CVnom | | 0.02 |
| T-20°CVnom | | 0.01 |
| T-30°CVnom | | 0.01 |
| T-40°CVnom | | 0.02 |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+15MHz, 1Carrier-PCC

| Frequency 2585.9 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+15MHz, 2Carrier-PCC

| Frequency 2597.9 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+20MHz, 1Carrier-PCC

| Frequency 2583.6 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.03 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 10+20MHz, 2Carrier-PCC

| Frequency 2598 MHz | Frequency Error (ppm) | |
|--------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+10MHz, 1Carrier-PCC

| Frequency 2588.1 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.03 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+10MHz, 2Carrier-PCC

| Frequency 2600.1 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.03 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+15MHz, 1Carrier-PCC

| Frequency 2585.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+15MHz, 2Carrier-PCC

| Frequency 2600.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+20MHz, 1Carrier-PCC

| Frequency 2583.3 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 15+20MHz, 2Carrier-PCC

| Frequency 2600.4 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+5MHz, 1Carrier-PCC

| Frequency 2590.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+5MHz, 2Carrier-PCC

| Frequency 2602.2 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.10 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+10MHz, 1Carrier-PCC

| Frequency 2588.1 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+10MHz, 2Carrier-PCC

| Frequency 2602.5 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.01 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.01 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+15MHz, 1Carrier-PCC

| Frequency 2585.6 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.01 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+15MHz, 2Carrier-PCC

| Frequency 2602.7 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.01 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.01 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.01 | |
| T0°CVnom | 0.01 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.01 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+20MHz, 1Carrier-PCC

| Frequency 2583.1 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.01 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.02 | |
| T50°CVnom | 0.02 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.01 | |
| T20°CVnom | 0.02 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

Channel Bandwidth: 20+20MHz, 2Carrier-PCC

| Frequency 2602.9 MHz | Frequency Error (ppm) | |
|----------------------|-----------------------|-----------------|
| Temperature (°C) | | |
| T20°CVmax | 0.02 | |
| T20°CVmin | 0.02 | |
| T55°CVnom | 0.01 | |
| T50°CVnom | 0.01 | |
| T40°CVnom | 0.02 | |
| T30°CVnom | 0.02 | |
| T20°CVnom | 0.01 | |
| T10°CVnom | 0.02 | |
| T0°CVnom | 0.02 | |
| T-10°CVnom | 0.02 | |
| T-20°CVnom | 0.02 | |
| T-30°CVnom | 0.02 | |
| T-40°CVnom | 0.02 | |
| Vnom [Vac]: 120 | Vmax [Vac]: 138 | Vmin [Vac]: 102 |
| Tnom [°C]: 20 | Tmax [°C]: 55 | Tmin [°C]: -40 |

4 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <http://www.icertifi.com.tw>.

Linkou

Tel: 886-2-2601-1640

No. 30-2, Ding Fwu Tsuen, Lin
Kou District, New Taipei City,
Taiwan, R.O.C.

Kwei Shan

Tel: 886-3-271-8666

No. 3-1, Lane 6, Wen San 3rd St.,
Kwei Shan District, Tao Yuan City
333, Taiwan, R.O.C.

Kwei Shan Site II

Tel: 886-3-271-8640

No. 14-1, Lane 19, Wen San 3rd
St., Kwei Shan District, Tao Yuan
City 333, Taiwan, R.O.C..

If you have any suggestion, please feel free to contact us as below information

Tel: 886-3-271-8666

Fax: 886-3-318-0155

Email: ICC_Service@icertifi.com.tw

==END==