

# **FCC RF Exposure Report**

FCC ID : MXF-WRTM-331

Equipment : THINGS

Model No. : TH-GW10, VC-FLX1

(Marketing difference)

Brand Name : Toshiba, Onkyo

(Marketing difference)

Applicant : Gemtek Technology Co., Ltd.

Address : No. 15-1 Zhonghua Road, Hsinchu Industrial

Park, Hukou, Hsinchu, Taiwan, 30352.

Standard : 47 CFR FCC Part 2.1091

Received Date : Apr. 12, 2017

Tested Date : Apr. 20 ~ Jul. 11, 2017

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by: Approved by:

Along Cherly Assistant Manager Gary Chang / Manager

Testing Laboratory

Report No.: FA741201 Page : 1 of 6



## **Table of Contents**

1	MPE EVALUATION OF MOBILE DEVICES	4
-		
1.1	LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE	4
1.2	MPE EVALUATION FORMULA	4
1.3	MPE EVALUATION RESULTS	5
2	TEST LABORATORY INFORMATION	е

Report No.: FA741201 Page: 2 of 6



## **Release Record**

Report No.	Version	Description	Issued Date
FA741201	Rev. 01	Initial issue	Aug. 08, 2017

Report No.: FA741201 Page: 3 of 6



#### 1 MPE EVALUATION OF MOBILE DEVICES

Human exposure to RF emissions from mobile devices (47 CFR §2.1091) may be evaluated based on the MPE limits adopted by the FCC for electric and magnetic field strength and/or power density, as appropriate, since exposures are assumed to occur at distances of 20 cm or more from persons.

#### 1.1 LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE

Frequency Range (MHz)	Power Density (mW /cm²)	Averaging Time (minutes)	
300~1500	F/1500	30	
1500~100000	1.0	30	

#### 1.2 MPE EVALUATION FORMULA

$$Pd = \frac{Pt}{4 * Pi * R^2}$$

Where

Pd= Power density in mW/cm<sup>2</sup>

Pt= EIRP in Mw Pi= 3.1416

R= Measurement distance

Report No.: FA741201 Page: 4 of 6



#### 1.3 MPE EVALUATION RESULTS

Frequency Range (MHz)	Maximum Conducted Power (dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)	
WLAN						
2412~2462	22.29	3.61	20	0.077	1	
5180~5240	21.85	4.34	20	0.083	1	
5745~5825	23.81	4.34	20	0.130	1	
BT LE	BTLE					
2402~2480	6.85	1.53	20	0.001	1	
BT EDR						
2402~2480	6.90	1.53	20	0.001	1	
ZigBee						
2405~2480	21.83	2.61	20	0.055	1	

The device contains identical certified Z-Wave modules, FCC ID: D87-ZM5304-U.

#### Z-Wave

Frequency Range (MHz)	Field strength (AV value, dBuV/m)	E.I.R.P (dBm)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)
908 ~ 916	92.2	-3	20	0.0001	0.605

Note: E(dBuV/m) = P(dBm EIRP) + 95.2.

#### **MPE Evaluation of Simultaneous Transmission**

The device supports simultaneous transmission as below configurations Wi-Fi 2.4GHz + Wi-Fi 5GHz + BT + ZigBee + Z-Wave

MPE evaluation is as below formula

PD1 / Limit1 + PD2 / Limit 2 + ..... < 1, PD = Power density

MPE Evaluation = 0.077 / 1 + 0.130 / 1 + 0.001 / 1 + 0.055 / 1 + 0.0001 / 0.605 = 0.264 < 1

#### Conclusion

MPE evaluations of single and simultaneous transmission meet the requirement of standard.

Report No.: FA741201 Page: 5 of 6



### 2 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <a href="http://www.icertifi.com.tw">http://www.icertifi.com.tw</a>.

#### Linkou

Tel: 886-2-2601-1640 No. 30-2, Ding Fwu Tsuen, Lin Kou District, New Taipei City, Taiwan, R.O.C.

#### Kwei Shan

Tel: 886-3-271-8666 No. 3-1, Lane 6, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

#### Kwei Shan Site II

Tel: 886-3-271-8640 No. 14-1, Lane 19, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666 Fax: 886-3-318-0155

Email: ICC\_Service@icertifi.com.tw

==END==

Report No.: FA741201 Page: 6 of 6