

Declaration on Radiation Safety Standard conformance

To Whom It May Concern:

GemTek Technology Co., Ltd.

Address: No.1, Jen Ai Road, Hsinchu Industrial Park

Hukuo Hsiang, Hsinchu Hsien, Taiwan, R.O.C.

Tel: 886-3-598-5535 x1030

Fax: 886-3-598-5585

Contact person: Mike Chen, Vice President

Declares that the following product

description: 2.4 GHz Low Power RLAN transceiver

FCC ID: MXF-WX1500 manufacturer: NoWiresNeeded B.V.

brand: GemTek type/modelnumber: WX-1500

has an e.i.r.p. less than 15.5 dBm (35.5mW), which means that the worst case prediction of power density (100% reflection) at 20 cm distance (worst case) can be calculated as follows:

 $S = \frac{EIRP}{4^*\pi^* R^2}$ (power density without reflection)

 $S = \frac{2^2 \times EIRP}{4^2 \times R^2}$ (power density with 100% reflection)

 $S = \frac{2^2 * EIRP}{4^* \pi * R^2} = \frac{35.5 \text{mW}}{\pi^* (20 \text{cm})^2} = 0.03 \text{ mW/cm}^2 \text{ (limit = 1.0 mW/cm}^2)$

This means that according to the Supplement C (edition 97-01) to OET Bulletin 65 (edition 97-01) [1] the equipment fulfills the requirements on power density for general population/uncontrolled exposure and therefore fulfills the requirements of FCC Part 15.247(b)4.

Sincerely,

Mike Chen, Vice President

GemTek Technology Co., Ltd.

[1] Federal Communications Commission Office of Engineering & Technology, "Evaluating compliance with FCC guidelines for human exposure to radiofrequency electromagnetic fields, additional information for evaluating compliance of mobile and portable devices with FCC limits for human exposure to radiofrequency emissions", Supplement C (edition 97-01) to OET Bulletin 65 (edition 97-01).