University Of Michigan



COLLEGE OF ENGINEERING THE RADIATION LABORATORY DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE

3228 EECS BUILDING 1301 BEAL AVENUE ANN ARBOR, MICHIGAN 48109-2122 734 764-0500 FAX 734 647-2106 http://www.eecs.umich.edu/RADLAB/

Re: Certification for Hyperlink Transmitter

Model: HA2401G-325 FCC ID: MYF-XI-325 IC: 2837A-XI325

POWER OF ATTORNEY

A letter granting Valdis V. Liepa the Power of Attorney is on file and can be provided when so requested.

University Of Michigan



COLLEGE OF ENGINEERING THE RADIATION LABORATORY DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE

3228 EECS BUILDING 1301 BEAL AVENUE ANN ARBOR, MICHIGAN 48109-2122 734 764-0500 FAX 734 647-2106 http://www.eecs.umich.edu/RADLAB/

Re: Certification for Hyperlink Transmitter

Model: HA2401G-325 FCC ID: MYF-XI-325 IC: 2837A-XI325

REQUEST FOR CONFIDENTIALITY

Pursuant to 47 CRF 0.459, Hyperlink requests that a part of the subject application be held confidential. This comprises Exhibits

- (4) Block Diagram (Part of Exhibit only)
- (5) Schematics
- (10) Parts List (Part of Exhibit only)

Hyperlink has spent substantial effort in developing this product and it is one of the first of its kind in industry. Having the subject information easily available to "competition" would negate the advantage they have achieved by developing this product. Not protecting the details of the design will result in financial hardship.

If there are any questions regarding this request, please contact me at the above address or call 734-483-4211, fax 734-647-2106 or e-mail liepa@umich.edu.

Sincerely, Nald? V. Lipa

Valdis V. Liepa Research Scientist University of Michigan

UNIVERSITY OF MICHIGAN



COLLEGE OF ENGINEERING THE RADIATION LABORATORY DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE

3228 EECS BUILDING 1301 BEAL AVENUE ANN ARBOR, MICHIGAN 48109-2122 734 764-0500 FAX 734 647-2106 http://www.eecs.umich.edu/RADLAB/

May 18, 2004

Re: Certification for Hyperlink Transmitter

Model: HA2401G-325 FCC ID: MYF-XI-325 IC: 2837A-XI325

STATEMENT OF MODIFICATIONS

There were no modifications made to the DUT by this test laboratory. (Also see Section 3.1 of the attached Test Report).

Valdis V. Liepa
Research Scientist

UNIVERSITY OF MICHIGAN



COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING 1301 BEAL AVENUE ANN ARBOR, MICHIGAN 48109-2122 734 764-0500 FAX 734 647-2106 http://www.eecs.umich.edu/RADLAB/

Re: Certification for Hyperlink Transmitter

Model: HA2401G-325 FCC ID: MYF-XI-325 IC: 2837A-XI325

GENERAL PRODUCT INFORMATION

The device, for which certification is pursued, has been designed by:

Hyperlink Technologies Inc 1200 Clint Moore Road, Suite 14 Boca Raton, Florida 33487

> Peter Roth Tel: (561) 995-2256 Fax: (561) 995-2432

It will be manufactured by:

Hyperlink Technologies Inc 1200 Clint Moore Road, Suite 14 Boca Raton, Florida 33487

> Peter Roth Tel: (561) 995-2256 Fax: (561) 995-2432

Canadian Contact:

Guy Simard 619 Ermitage Rosemere, Quebec Canada J7A 4Y8 450-621-0491



Joseph D Brunett [jbrunett@eecs.umich.edu]

U of Michigan RAD Lab 734-483-4211

Joe,

Hyperlink Technologies Inc.'s power amplifiers are factory tuned to specific output power levels by a factory technician. The amplifiers will not be adjustable by the professional installers or end users.

Patrick Pesa

Hyperlink Technologies, Inc. 1201 Clint Moore Road Boca Raton, FL 33487



May 12, 2004

Joseph Brunett University of Michigan Radiation Laboratory 3228 EECS Building Ann Arbor, MI 48109

Re: FCC ID: MYF-XI-325

Non-standard connectors

Dear Mr. Brunett:

It is our intention to market our end-user system with non-standard (Reverse-Polarity TNC) connectors. Only the professionally installed version will be offered with standard N type connectors.

Sincerely,

Patrick Pesa

Engineering Manager



May 12, 2004

Joseph Brunett University of Michigan Radiation Laboratory 3228 EECS Building Ann Arbor, MI 48109

Re: FCC ID: MYF-XI-325

Operating Channel Limitation

Dear Mr. Brunett:

The operating channel limitation for the end-user system are fixed in the firmware of the card, preventing the user from changing channels.

Sincerely,

Patrick Pesa

Engineering Manager