



American Telecommunications Certification Body Inc.  
6731 Whittier Ave, McLean, VA 22101

March 10, 2004

RE: Hyperlink Technologies

FCC ID: MYF-G11FNFPC

I have a few comments on the above referenced Application.

- 1) Please note that the FCC no longer desires that the safe distance for mobile devices be calculated in the RF exposure exhibit if the safe distance is < 20 cm, but instead prefers the power density results to be calculated and compared to the power density limit. Given the nature of this application it is convenient to leave the information provided, however please provide a separate table that also calculated power density @ 20 cm for the mobile devices and @ 1 meter for the fixed devices.
- 2) Please clarify table 6-2 to show whether the power was measured at the output of the amplifier or amplifier + filter (antenna input connector). It is believed that it was measured from the combination amplifier + filter from previous discussions. Please clarify.

A handwritten signature in black ink, appearing to read "Timothy R. Johnson".

Timothy R. Johnson  
Examining Engineer

[mailto: tjohnson@AmericanTCB.com](mailto:tjohnson@AmericanTCB.com)

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.