




Model no.: TC25211
Report no.: HK11010204-1(R1)
Ringing and Charging Mode
AC Mains



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2011 19:28:02

Ctrl No.: N/A



Model no.: TC25211
Report no.: HK11010204-1(R1)
Ringing and Charging Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA	LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
2	CISPR Average 27.195 MHz	35.26	N	-14.73


Date: 19.JAN.2011 19:27:54

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2011 19:25:06



Model no.: TC25211
Report no.: HK11010204-1(R1)
Standby Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA	LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
2	CISPR Average 27.195 MHz	34.90	N	-15.09


Date: 19.JAN.2011 19:24:58

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2011 19:34:06



Model no.: TC25211
Report no.: HK11010204-1(R1)
Headset Online Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA	LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
2	CISPR Average 27.195 MHz	34.80	N	-15.19


Date: 19.JAN.2011 19:33:58

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2011 19:31:05



Model no.: TC25211
Report no.: HK11010204-1(R1)
Handset Online Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA	LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
2	CISPR Average 27.195 MHz	34.56	N	-15.43

Date: 19.JAN.2011 19:30:57

Ctrl No.: N/A



Model no.: TC25111
Report no.: HK11010204-1(R1)
Ringing and Charging Mode
AC Mains



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF

