



Report no.: HK09071661-1
Adaptor: UD-0801C
Ringing with Charging Mode
AC Mains "L"

Report No.:HK09071661-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16


Acc Margin: 20dB

Transducer No. Start Stop Name

1 1 9k 30M 2454

2 9k 30M 0700

3 9k 30M 0090





Report no.: HK09071661-1
Adaptor: UD-0801C
Ringing with Charging Mode
AC Mains "L"

Report No.:HK09071661-1

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results



Report no.: HK09071661-1
Adaptor: UD3508075015P
Ringing with Charging Mode
AC Mains "L"

Report No.:HK09071661-1

Scan Settings (1 Range)


Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No. Start Stop Name

1	1	9k	30M	2454
2	9k	30M	0700	
3	9k	30M	0090	





Report no.: HK09071661-1
Adaptor: UD3508075015P
Ringing with Charging Mode
AC Mains "L"

Report No.:HK09071661-1

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results



Report no.: HK09071661-1
Adaptor: UD3508075015P
Ringing with Charging Mode
AC Mains "N"

Report No.:HK09071661-1


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090





Report no.: HK09071661-1
Adaptor: UD3508075015P
Ringing with Charging Mode
AC Mains "N"

Report No.:HK09071661-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results