




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.NOV.2010 17:53:01



Report no.: HK10100220-1
Model:25825
Corded Handset Online
(L1+L2 Conference)
& LAN Data Transfer Mode
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
1	Quasi Peak 258 kHz	43.01	N gnd	-18.47	
1	Quasi Peak 325.5 kHz	44.93	N gnd	-14.63	
2	CISPR Average 388.5 kHz	36.72	N gnd	-11.37	
2	CISPR Average 424.5 kHz	41.37	N gnd	-5.98	
1	Quasi Peak 424.5 kHz	47.24	N gnd	-10.12	
1	Quasi Peak 1.0545 MHz	35.03	N gnd	-20.96	
1	Quasi Peak 1.5225 MHz	42.85	L1 gnd	-13.14	
2	CISPR Average 1.5225 MHz	30.21	L1 gnd	-15.78	
1	Quasi Peak 1.5495 MHz	43.93	L1 gnd	-12.07	
2	CISPR Average 1.59 MHz	36.02	L1 gnd	-9.97	
1	Quasi Peak 2.8005 MHz	39.23	L1 gnd	-16.77	
2	CISPR Average 2.9895 MHz	30.33	N gnd	-15.66	
1	Quasi Peak 4.128 MHz	38.03	L1 gnd	-17.96	
2	CISPR Average 4.2765 MHz	27.20	N gnd	-18.79	
2	CISPR Average 8.1915 MHz	33.48	N gnd	-16.51	
1	Quasi Peak 10.185 MHz	40.99	L1 gnd	-19.00	
1	Quasi Peak 14.3385 MHz	38.33	L1 gnd	-21.66	
2	CISPR Average 16.386 MHz	34.11	N gnd	-15.88	
1	Quasi Peak 16.386 MHz	41.19	N gnd	-18.80	
2	CISPR Average 24.576 MHz	32.05	L1 gnd	-17.94	


Date: 11.NOV.2010 17:51:55

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.NOV.2010 17:42:03

Ctrl No.:



Report no.: HK10100220-1
Model:25825
Answer Machine Recording
& LAN Data Transfer Mode
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	258 kHz	42.81	N gnd	-18.67
2	CISPR Average	321 kHz	37.73	N gnd	-11.94
1	Quasi Peak	325.5 kHz	44.56	N gnd	-14.99
1	Quasi Peak	420 kHz	46.33	N gnd	-11.11
2	CISPR Average	424.5 kHz	41.14	N gnd	-6.21
1	Quasi Peak	1.0725 MHz	33.71	N gnd	-22.28
2	CISPR Average	1.518 MHz	28.97	L1 gnd	-17.02
1	Quasi Peak	1.5225 MHz	42.36	L1 gnd	-13.63
1	Quasi Peak	1.5675 MHz	45.50	L1 gnd	-10.49
2	CISPR Average	1.608 MHz	36.63	L1 gnd	-9.36
1	Quasi Peak	2.949 MHz	38.11	L1 gnd	-17.88
2	CISPR Average	2.9895 MHz	30.74	N gnd	-15.25
1	Quasi Peak	4.128 MHz	37.77	L1 gnd	-18.22
2	CISPR Average	4.128 MHz	25.96	N gnd	-20.03
2	CISPR Average	8.1915 MHz	33.66	N gnd	-16.33
1	Quasi Peak	10.1625 MHz	40.47	L1 gnd	-19.52
1	Quasi Peak	14.4555 MHz	38.16	L1 gnd	-21.83
2	CISPR Average	16.3815 MHz	33.68	N gnd	-16.31
1	Quasi Peak	16.3815 MHz	40.65	N gnd	-19.34
2	CISPR Average	24.576 MHz	29.99	L1 gnd	-20.00

Date: 11.NOV.2010 17:41:40


Ctrl No.:



Report no.: HK10100220-1
Model:25825
Cordless Handset On Line
(L1+L2 Conference) &
LAN Data Transfer Mode
EUT's AC Mains



RBW 9 kHz Marker 1 [T1]
MT 1 s 48.99 dBμV
Att 10 dB AUTO PREAMP OFF 424.50000000 kHz



Date: 12.NOV.2010 14:33:57

Ctrl No.: N/A



Report no.: HK10100220-1
Model:25825
Cordless Handset On Line
(L1+L2 Conference) &
LAN Data Transfer Mode
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1: CF15MQP					
Trace2: CF15MAV					
Trace3: ---					
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	258 kHz	43.30	L1 gnd	-18.19
2	CISPR Average	258 kHz	32.00	L1 gnd	-19.48
2	CISPR Average	321 kHz	37.05	L1 gnd	-12.62
1	Quasi Peak	325.5 kHz	45.72	L1 gnd	-13.84
1	Quasi Peak	424.5 kHz	47.55	N gnd	-9.80
2	CISPR Average	424.5 kHz	40.63	N gnd	-6.72
1	Quasi Peak	568.5 kHz	34.05	L1 gnd	-21.94
1	Quasi Peak	1.0545 MHz	34.83	L1 gnd	-21.16
1	Quasi Peak	1.518 MHz	39.54	N gnd	-16.45
2	CISPR Average	1.518 MHz	26.07	L1 gnd	-19.93
1	Quasi Peak	1.5675 MHz	43.03	L1 gnd	-12.97
2	CISPR Average	1.6125 MHz	36.33	L1 gnd	-9.66
2	CISPR Average	2.787 MHz	29.04	N gnd	-16.95
1	Quasi Peak	2.841 MHz	38.21	L1 gnd	-17.78
2	CISPR Average	3.012 MHz	29.44	N gnd	-16.55
1	Quasi Peak	3.0165 MHz	37.65	L1 gnd	-18.34
2	CISPR Average	4.128 MHz	27.39	N gnd	-18.60
1	Quasi Peak	4.38 MHz	35.13	N gnd	-20.86
1	Quasi Peak	7.5525 MHz	35.32	N gnd	-24.67
1	Quasi Peak	8.1915 MHz	43.41	N gnd	-16.58


Date: 12.NOV.2010 14:32:41

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.NOV.2010 18:03:00

Ctrl No.: N/A



Report no.: HK10100220-1
Model:25825
Speakerphone Online
(L1+L2 Conference)
& LAN Data Transfer Mode
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1: CF15MQP					
Trace2: CF15MAV					
Trace3: ---					
	TRACE	FREQUENCY	LEVEL	dB μ V	DELTA LIMIT dB
1	Quasi Peak	267 kHz	45.78	N gnd	-15.42
2	CISPR Average	267 kHz	35.06	N gnd	-16.14
2	CISPR Average	325.5 kHz	41.25	N gnd	-8.31
1	Quasi Peak	325.5 kHz	49.20	N gnd	-10.36
1	Quasi Peak	420 kHz	50.47	N gnd	-6.96
2	CISPR Average	424.5 kHz	39.64	N gnd	-7.71
1	Quasi Peak	573 kHz	36.70	N gnd	-19.29
2	CISPR Average	744 kHz	26.70	N gnd	-19.29
1	Quasi Peak	1.0545 MHz	36.75	N gnd	-19.25
1	Quasi Peak	1.509 MHz	46.47	L1 gnd	-9.52
2	CISPR Average	1.5135 MHz	33.68	L1 gnd	-12.31
1	Quasi Peak	1.5495 MHz	45.96	L1 gnd	-10.03
2	CISPR Average	1.617 MHz	35.10	N gnd	-10.89
2	CISPR Average	2.1345 MHz	29.38	N gnd	-16.61
1	Quasi Peak	2.9445 MHz	40.68	L1 gnd	-15.31
1	Quasi Peak	3.2505 MHz	39.96	L1 gnd	-16.04
2	CISPR Average	3.282 MHz	28.90	N gnd	-17.09
2	CISPR Average	4.551 MHz	27.86	N gnd	-18.13
1	Quasi Peak	4.6095 MHz	37.58	L1 gnd	-18.41
1	Quasi Peak	7.683 MHz	38.10	L1 gnd	-21.90

Date: 11.NOV.2010 18:02:35

Ctrl No.: N/A



Report no.: HK10100220-1
Model:25825
Speakerphone Online
(L1+L2 Conference)
& LAN Data Transfer Mode
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2 CISPR Average	8.1915 MHz	35.14	N gnd	-14.86
1 Quasi Peak	10.293 MHz	42.65	L1 gnd	-17.34
2 CISPR Average	14.46 MHz	30.51	N gnd	-19.48
1 Quasi Peak	14.4915 MHz	40.69	L1 gnd	-19.30
2 CISPR Average	16.386 MHz	33.76	N gnd	-16.23
1 Quasi Peak	19.9995 MHz	36.99	N gnd	-23.00
2 CISPR Average	24.576 MHz	33.07	L1 gnd	-16.92


Date: 11.NOV.2010 18:02:50

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 12.NOV.2010 14:00:47




Report no.: HK10100220-1
Model:25825
Ringing & LAN Data Transfer
Mode
EUT's AC mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	258 kHz	44.70	L1 gnd	-16.79
2	CISPR Average	258 kHz	34.57	L1 gnd	-16.92
1	Quasi Peak	321 kHz	46.87	L1 gnd	-12.80
2	CISPR Average	402 kHz	37.84	L1 gnd	-9.97
1	Quasi Peak	420 kHz	48.54	N gnd	-8.90
2	CISPR Average	424.5 kHz	40.35	L1 gnd	-7.00
1	Quasi Peak	676.5 kHz	34.26	L1 gnd	-21.73
1	Quasi Peak	1.0725 MHz	33.90	N gnd	-22.09
1	Quasi Peak	1.509 MHz	38.35	N gnd	-17.65
2	CISPR Average	1.518 MHz	27.33	L1 gnd	-18.66
1	Quasi Peak	1.554 MHz	40.84	L1 gnd	-15.15
2	CISPR Average	1.6125 MHz	36.36	L1 gnd	-9.63
2	CISPR Average	2.5755 MHz	29.24	N gnd	-16.76
1	Quasi Peak	2.814 MHz	39.74	N gnd	-16.25
1	Quasi Peak	3.102 MHz	37.09	N gnd	-18.90
2	CISPR Average	3.192 MHz	28.30	N gnd	-17.69
2	CISPR Average	4.128 MHz	27.89	N gnd	-18.10
1	Quasi Peak	4.299 MHz	35.71	N gnd	-20.28
1	Quasi Peak	7.926 MHz	36.24	N gnd	-23.75
1	Quasi Peak	8.1915 MHz	43.32	N gnd	-16.67

Date: 12.NOV.2010 13:59:26

Ctrl No.: N/A



Date: 12.NOV.2010 14:23:49

Ctrl No.: N/A



Report no.: HK10100220-1
Model:25825
Corded Handset On Line
(L1+intercom)&LAN Data
Transfer Mode
EUT's AC mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1: CF15MQP					
Trace2: CF15MAV					
Trace3: ---					
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	258 kHz	42.49	L1 gnd	-18.99
2	CISPR Average	258 kHz	31.51	L1 gnd	-19.97
1	Quasi Peak	325.5 kHz	44.92	L1 gnd	-14.63
2	CISPR Average	388.5 kHz	35.36	L1 gnd	-12.73
1	Quasi Peak	424.5 kHz	47.02	N gnd	-10.33
2	CISPR Average	424.5 kHz	39.90	N gnd	-7.45
1	Quasi Peak	577.5 kHz	33.14	L1 gnd	-22.85
1	Quasi Peak	1.014 MHz	34.09	L1 gnd	-21.90
2	CISPR Average	1.509 MHz	25.52	L1 gnd	-20.48
1	Quasi Peak	1.5225 MHz	36.73	N gnd	-19.26
1	Quasi Peak	1.5855 MHz	42.10	L1 gnd	-13.89
2	CISPR Average	1.6305 MHz	36.01	L1 gnd	-9.98
2	CISPR Average	2.6025 MHz	28.41	N gnd	-17.58
1	Quasi Peak	2.814 MHz	37.00	N gnd	-18.99
1	Quasi Peak	2.9895 MHz	39.37	N gnd	-16.62
2	CISPR Average	3.012 MHz	27.79	N gnd	-18.20
1	Quasi Peak	4.1235 MHz	37.36	N gnd	-18.63
2	CISPR Average	4.128 MHz	27.20	N gnd	-18.79
1	Quasi Peak	7.791 MHz	34.84	L1 gnd	-25.15
1	Quasi Peak	8.1915 MHz	42.92	N gnd	-17.07

Date: 12.NOV.2010 14:23:10

Ctrl No.: N/A